

Б.Н. КЛИМЗО  
**РУССКО-АНГЛИЙСКИЙ  
СЛОВАРЬ**

ОБЩЕУПОТРЕБИТЕЛЬНЫХ  
СЛОВ И СЛОВСОЧЕТАНИЙ  
НАУЧНО-ТЕХНИЧЕСКОЙ  
ЛИТЕРАТУРЫ

Том 2 • Указатели

**BORIS N. KLIMZO**

**RUSSIAN-ENGLISH  
DICTIONARY**

OF WORDS AND  
WORD COMBINATIONS  
IN GENERAL USE  
BY SCIENTISTS AND ENGINEERS

Volume 2 • Indices



Издательство «ЭТС»  
Москва, 2002

УДК 001.4(038) =161.1=111  
ББК 92  
К492

**Б.Н.Климзо**

**Русско-английский словарь общепотребительных в научно-технической литературе слов и словосочетаний.** Свыше 30 000 терминов. В 2 тт. — М.: «ЭТС», 2002.. — Т. 2. — 600 с.

Словарь выполнен в 2 томах. Первый том содержит около 22000 лексических единиц, которые представляют собой отдельные слова, словосочетания, речевые штампы и терминологические сочетания общего характера, используемые в современной научно-технической литературе. Второй том содержит многофункциональные указатели русских и английских ключевых слов. Русский указатель облегчает переводчику поиск неочевидных словосочетаний и подбор близких по смыслу словосочетаний. Английский указатель помогает переводчику находить нужные ему словосочетания по ассоциации. Оба указателя будут полезны также при переводах на русский язык. Словарь предназначен для широкого круга пользователей: переводчиков, редакторов, научных работников, инженеров, студентов и исследователей языка научно-технической литературы.

Все критические замечания и предложения просьба направлять по адресу:  
103062 Москва, Подсосенский пер. 13, издательство «ЭТС»;  
т./ф. (095) 917-21-60; e-mail: ets@ets.ru.

Информация о новинках издательства «ЭТС», полный каталог, демонстрационные версии словарей Polyglossum, электронных книг серии «Русские словари» и другие полезные сведения и программы — на странице издательства в Интернет:

**<http://www.ets.ru>**

Запрещается полное или частичное *воспроизведение настоящего издания в любой форме без письменного разрешения издательства.*

*No part of this edition may be translated, reproduced or transmitted in any form or by any means without the written permission of publishers.*

**ISBN 5-93386-028-X**

© Б.Н.Климзо, 2002 г.

© Издательство «ЭТС», 2002 г.

**Издательство «ЭТС»,**

103062 Москва, Подсосенский пер., 13

**ЛР № 066328 от 23.02.1999**

**119048, Москва, ул. Доватора, 1/28**

**Гигиенический сертификат № 77.ФЦ.8.953.П.314.4.99 от 12.04.1999**

Подписано в печать 12.11.2001 г. формат 70x100 1/16.

Печать офсетная. Бумага офс. № 1. Печ. л. 37,5.

Тираж 1000 экз. Зак. № 7229.

**Отпечатано в**

**Производственно-издательском комбинате ВИНТИ**

140010, г. Люберцы, Московской обл., Октябрьский пр-т, 403.

Тел. 554-21-86

## ПРЕДИСЛОВИЕ

Второй том представляет собой по существу своеобразный «словарь в словаре» — он содержит русский и английский указатели ключевых (опорных) слов.

Любой словарь словосочетаний, в отличие от словарей отдельных слов и терминов, характеризуется присутствием свободных словосочетаний, форма выражения которых зачастую совсем не очевидна. Поэтому проблема поиска в таких словарях существует всегда. Русский указатель как раз и помогает пользо-

вателю найти нужное или близкое по смыслу словосочетание по ключевому слову. Такой указатель решает

проблему поиска гораздо эффективнее, чем предлагаемые иногда перекрестные ссылки, которые требуют многократного перелистывания словаря и удержания в памяти всех ссылочных вариантов.

Каждое приведенное в указателе ключевое слово представляет собой гнездо, в котором перечислены практически все имеющиеся в первом томе словаря словосочетания с данным ключевым словом. Сло-

восочетание с двумя ключевыми словами упоминается в двух гнездах, с тремя — в трех и т.д. (Исключение

составляют несколько десятков интенсивно употребляемых ключевых слов вроде *можно, некоторый, несколько, один, случай, have, should, this, with*. Для них, конечно, приводятся далеко не все имеющиеся в словаре словосочетания.) Сведение в гнезда словосочетаний, а не обширных словарных статей с иллюстрирующими примерами, облегчает и ускоряет поиск, а многократное указание словосочетания в разных гнездах указателя значительно повышает надежность поиска.

Оба указателя имеют приблизительно по 5800 гнезд. С морфологической точки зрения, названия статей русского указателя представляют собой главным образом существительные (в ед. числе, им. падеже), глаголы (в неопределенной форме, несов. виде), прилагательные (в полной форме, положит. степени, ед. числе, им. падеже, муж. роде), причастия (наст. времени), наречия, а также ряд местоимений, союзов и предлогов, за исключением самых простых и не представляющих труда при переводе. Сказанное с известными поправками справедливо для названий статей английского указателя.

Указатель позволяет переводчику определить номер словосочетания и по номеру найти словарную статью с иллюстрирующим примером. Обращение к русскому указателю почти неизбежно для пользователей, не являющихся носителями русского языка. Им трудно определить в оригинальном русском тексте

границы устойчивого и тем более свободного словосочетания, а следовательно, нелегко найти словарную статью без помощи какого-либо ключевого слова. С другой стороны, когда носитель русского языка уверен, что то или иное словосочетание имеется в словаре, он конечно разыскивает его, не обращаясь предва-

рительно к указателю. Однако и он пользуется указателем, если сомневается, в каком виде (т.е. под какой буквой) приведено словосочетание в словаре (например, «Крайне желательно», или «Было бы крайне желательно», или «Но было бы крайне желательно»). Наконец, при переводе нередко приходится перестраивать отдельные предложения и даже целые абзацы. В подобных случаях указатель позволяет переводчику

воспользоваться более подходящим выражением, указанным в гнезде под тем же ключевым словом. Носи-

телю английского языка русский указатель поможет при переводах на русский. Обратившись, например, к ключевому слову *усилие*, он увидит, что это существительное сочетается в основном с глаголами *направлять, предпринимать, прилагать, распылять, тратить, требовать и экономить*.

Указатель английских ключевых слов тоже весьма полезен. В памяти русского переводчика на английский иногда всплывает английское ключевое слово, хотя само словосочетание он не помнит. В таких

случаях ему поможет английский указатель. Кроме того, этот указатель, как и русский указатель, содержит по существу разнообразные модели выражения мысли, которыми переводчик может воспользоваться по ассоциации. Частое обращение к указателям развивает у переводчика ассоциативные способности и расширяет его стилистические возможности. Наконец, указатели показывают, какие слова и словосочетания наиболее употребительны в научно-технической литературе. Видеть, как живет слово в языке и как оно сочетается с другими словами (и с какими именно), интересно само по себе, а для исследователей языка науки и техники оба указателя, несомненно, будут интересны и в чисто профессиональном отношении.

Б. Н.Климзо

## СОДЕРЖАНИЕ

Указатель русских терминов

Russian Term Index ..... 4

Указатель английских терминов

English Term Index ..... 313

УКАЗАТЕЛЬ  
РУССКИХ ТЕРМИНОВ  
RUSSIAN  
TERM INDEX

С -\

Аа	Кк	Хх
Бб	Лл	Цц
Вв	Мм	Чч
Гг	Нн	Шш
Дд	Оо	Щщ
Ее	Пп	Ъъ
Её	Рр	Ьы
Жж	Сс	Ьь
Зз	Тт	Ээ
Ии	Уу	Юю
Йй фф Яя		

Л у

# А

**Аббревиатура:** [A49.0]

**абзац:** [A50.0]; Расширительный абзац [P563.0]

**абсолютный:** [A51.0]; Абсолютная отметка над уровнем моря [A52.0]; Абсолютно надежен при [A54.0]; Абсолютное значение [A53.0]; В абсолютном смысле [B580.0], Несколько больше по абсолютной величине [H 1575.0]; Пренебрежимо мал по абсолютному значению [П2007.0]; Приближаться по абсолютной величине к [П2176.0]; Равны по абсолютному значению, но противоположны по знаку [P132.0]; Сравнимы по абсолютной величине [C1287.0]; Уменьшаться по абсолютной величине [Y266.0]

**абсцисса:** По оси абсцисс [01321.0]; Становиться параллельным оси абсцисс [C 1397.0]

**аварийный:** Аварийное отключение [A56.0]; Аварийные условия работы [A57.0]; Аварийный источник питания [A58.0]; Аварийный случай [A59.0]; В аварийных условиях [B720.0]; Включается аварийная сигнализация [B 1113.0]; Изучение аварийных случаев [ИЗ30.0]; Особые замечания по эксплуатации изделия и аварийным случаям [01073.0]; Персонал, ответственный за выполнение аварийных мер [П249.0]; Последствия аварийного [П1415.0]; Работа в нормальных и аварийных условиях [P6.0]

**авария:** Авария в процессе эксплуатации [A61.0]; Анализ причин аварии [АН 7.0]; Из-за аварии [И220.0]; На случай аварии [H143.0]; Наиболее серьезная авария, которая только может произойти [H331.0]; Последствия аварии [П 1414.0]; Предотвращение аварий [П 1778.0]; Причина аварии [П2575.0]

**авиабилет:** Приобретать авиабилеты самостоятельно [П2470.0]

**автоматизированный:** Полностью автоматизированный [П1033.0]

**автоматизировать:** [A62.0]

**автоматически:** Автоматически включать [A64.0]; Автоматически выключаться [A65.0]; Автоматически исключаться [A66.0]; Автоматически обеспечивать [A67.0]; Автоматически остановлен из-за... [A68.0]; Включается автоматически, если отказывает [B1114.0]; Регулироваться автоматически [P615.0]

**автоматический:** Автоматическая круглосуточная работа [A70.0]; Автоматическая система регулирования и защиты [A71.0]; В автоматическом режиме работы [B470.0]; Переключать на автоматический режим работы [П119.0]; Полностью автоматический [П1034.0]

**автономный:** [A72.0]

**автор:** Автор благодарен [A75.0]; Авторам удалось [A74.0]; Автору неизвестно о [A76.0];

Было бы интересно узнать мнение авторов по этому вопросу [B379.0]; Заслуга автора состоит в [3440.0]; Комментарии авторов по этому вопросу [K273.0]; Может быть, автор прокомментирует [M307.0]; Может быть, авторы могли бы дать разъяснения по этому вопросу [M308.0]; Насколько известно авторам [H543.0]; Не мог бы автор дать какие-либо рекомендации по [H918.0]; Не могли бы авторы пояснить [H919.0]; Не позволять автору прийти к определенным выводам [H988.0]; Первый из авторов [П47.0]; По мнению авторов [П406.0]; Публикация, появившаяся после смерти автора [П3071.0]; Являться автором в общей сложности ... публикаций [Я7.0]

**авторитет:** Авторитет в области [A78.0]; Авторитет международного масштаба [A77.0];

Признанный авторитет [П2318.0]

**авторитетный:** Авторитетный источник [A79.0]

**авторский:** Королевское авторское право [K385.0]

**агрегат:** Агрегаты первой очереди [A81.0]; Отгружать в виде одного агрегата [01266.0]; Очередность ввода агрегатов [01680.0]; Рассчитанный на срок службы агрегата [P513.0]; Срок хранения агрегата в упаковке поставщика составляет... лет [C1335.0]

**административно-управленческий:** Административно-управленческий персонал [A84.0]

**административный:** Административные правила [A83.0]; Административный корпус [A82.0]; Административный персонал [A85.0]; Сокращать административный персонал [C983.0]

**администрация:** Сотрудник администрации [C1121.0]

**адрес:** Адрес получателя [A86.0]; Грузополучатель, адрес, страна [Г138.0]; Ждем ваших замечаний, которые следует направлять по адресу [Ж1.0]; Запрос можно направлять по адресу [3415.0]; По адресу [П324.0]; По всем вопросам обращаться по адресу — [П355.0]; По следующему адресу [П472.0]

**академический:** Представлять в основном академический интерес [П1847.0]; Представлять собой только академический интерес [П1848.0]; Приобретать не столько практический, сколько академический интерес [П2481.0]

**акроним** [A49.0]

**аксонометрический:** Аксонометрическое изображение [A87.0]

**акт:** Акт замера [А89.0]; Акт приема [А90.0]; Акт приемосдаточных испытаний [А91.0]; Акт технического испытания [А93.0]; Акт технического осмотра [А94.0]; Акт экспертизы [А95.0]; Акт [А88.0]; Заводской акт [3114.0]; Принят по заводскому акту — [П2443.0]

**акт-рекламация:** [А92.0]

**активно:** Активно работать [А98.0]

**активность:** Область наибольшей активности [096.0]; Проявлять активность [П3041.0];

Снижение деловой активности [С774.0];

Спад деловой активности [С1150.0]

**активный:** Активная работа развернулась [А97.0]; Проводить активную политику по [П2691.0]

**актуален:** Насколько актуален для [Н537.0]

**актуальность:** Актуальность ... для [А100.0]; Актуальность этих вопросов [А101.0]; Сохранение актуальности [С 1124.0]

**актуальный:** Актуальный вопрос [А103.0];

На

актуальную тему [Н 167.0]

**акционер:** Принимать предложение стать акционером [П2427.0]

**алгебраический:** Алгебраические преобразования [А104.0]; Довольно значительные алгебраические преобразования [Д502.0]; Методика связана с большими алгебраическими преобразованиями [М 166.0]

**алфавитный:** В алфавитном порядке [В371.0];

Нарушать алфавитный порядок [Н512.0]

**альбом:** Альбом основных сочленений и ремонтных допусков изделия [А105.0]

**альтернатива:** Приемлемая альтернатива [П2309.0]

**альтернативный:** Альтернативный пункт формы изобретения [А106.0]

**амплитуда:** Растет по амплитуде [Р518.0]

**анализ:** Анализ ... позволяет сделать несколько интересных выводов [А109.0]; Анализ ... приводит к противоположному результату [А111.0]; Анализ данных в настоящее время продолжается, но некоторые выводы можно сделать уже сейчас (А113.0); Анализ данных показывает, что [А114.0]; Анализ литературы [А115.0]; Анализ ограничивается только [А108.0]; Анализ погрешностей измерений [А116.0]; Анализ показывает, что [А110.0]; Анализ причин аварии [А117.0];

Анализ проводился по двум направлениям [А112.0]; Анализ размерностей [А118.0]; В анализе [В2.0]; Валовой химический анализ [В807.0]; Выполнять анализ (В1874.0); Дальнейший анализ [Д104.0]; Заслуживать отдельного глубокого анализа [3443.0]; Заслуживать подробного анализа [3444.0]; Легко поддаваться анализу [Л21.0]; Математический анализ [М66.0]; Отдельный глубокий анализ [01286.0]; Подвергать критическому анализу [П653.0]; Подробности анализа при-

ведены в работе [П802.0]; Подробный анализ не понадобится [П811.0]; Подтверждение результатов анализа [П866.0]; При анализе [П2056.0]; Применять общий анализ к частному случаю [П2370.0]; Причинный анализ [П2591.0]; Проводить анализ [П2671.0];

Результаты контрольного анализа [Р647.0];

Снижать до уровня, не улавливаемого даже с помощью точного химического анализа [С766.0]; Технично-экономический анализ [Т212.0]; Тщательный анализ показал [Т504.0]; Тщательный инженерный анализ каждого случая [Т505.0]; Упрощение, принятое в анализе [У343.0]; Фракционный анализ [Ф56.0]; Химический анализ показал присутствие [Х21.0]; Чтобы облегчить анализ задачи [4199.0]; Элементарный анализ [Э76.0]; Этой условности мы будем придерживаться на протяжении всего последующего анализа [Э113.0]

**анализатор:** Оказываться полезным не только как простой анализатор спектра [0681.0]

**анализировать:** Анализировать на содержание [А120.0]; Анализировать ранее [А122.0];

Анализировать результаты в свете [А121.0]

**аналитически:** Позволяет решить аналитически [П928.0]

**аналог** [А123.0]

**аналогично:** Аналогично тому, как это было сделано [А125.0]; Аналогично тому, как это делается [А126.0]; Проводить аналогично [П2672.0]

**аналогичный:** Аналогичен по [А138.0]; Аналогичен показанному... [А139.0]; Аналогичен [А137.0]; Аналогичная ситуация [А128.0];

Аналогичного ... можно было бы ожидать и для [А129.0]; Аналогичное доказательство

справедливо для [А130.0]; Аналогичное использование [А131.0]; Аналогичные результаты [А132.0]; Аналогичные соображения

должны быть справедливы и в отношении [А133.0]; Аналогичный... используется в случае [А134.0]; Аналогичный..., но с несколько

иными [А135.0]; Аналогичным образом [А136.0]; Быть аналогичным [Б293.0]; К аналогичным выводам пришли [К2.0]; Приходить к аналогичному выводу [П2552.0]; Проводить аналогичные исследования [П2677.0];

Процедура аналогична таковой для [П3019.0];

Работа в аналогичном направлении [Р3.0];

Разрушаться аналогичным образом [Р330.0];

Реагировать на ... аналогичным образом [Р579.0]; Ход кривой аналогичен [Х28.0]

**аналогия:** Аналогия справедлива при условии, что... [А140.0]; Если продолжить аналогию еще дальше [Е83.0]; Иметь своей ближайшей аналогией [И421.0]; Обращаться к аналогии [0229.0]; По аналогии можно предположить [П325.0]; По аналогии с [П326.0];

Полная аналогия [П1079.0]; Проведение ана-

логии [П2613.0]; Продолжать аналогию [П2737.0]

**аннотация:** [A141.0, A142.0]

**аннулирование:** [A143.0]

**аннулировать:** Аннулировать в самый последний момент [A145.0]; Аннулировать гарантию [A146.0]; Аннулировать контракт [A147.0]; Аннулировать при условии [A148.0]

**аномалия:** Кажущаяся аномалия [K44.0]

**апелляционный:** Подавать апелляционную жалобу на [П625.0]

**апелляция:** Основание для апелляции [0959.0];  
Посылать апелляцию [П 1506.0]

**аппаратура:** Наибольшие помехи в работе аппаратуры создавал [H351.0]; Перечень приборов и аппаратуры для периодической проверки точности показаний— [П219.0]

**аппроксимация:** Для аппроксимации [Д322.0];  
Наилучшая аппроксимация экспериментальных данных [H352.0]

**аппроксимировать** [A149.0]

**аппроксимироваться:** Аппроксимироваться выражением [A150.0];  
Аппроксимироваться линейным выражением [A151.0];  
Аппроксимироваться уравнением полинома третьего порядка [A152.0]

**аппроксимирующая:** Аппроксимирующая кривая [A153.0]; Наиболее точно аппроксимирующая кривая [H332.0]; Проведение аппроксимирующей кривой через экспериментальные точки [П2614.0]

**априорный:** Априорная информация о... [A155.0]; Априорное допущение [A156.0]

**арбитраж:** Передавать в арбитраж [П93.0];  
Решение арбитража окончательно и обязательно для обеих сторон [P733.0]

**аргон:** В атмосфере инертного аргона [B4.0]

**аргумент:** Аргументы, выдвигаемые в пользу [A157.0]; Главный аргумент в пользу [Г43.0];  
Нельзя предложить какие-либо неоспоримые

аргументы [H1331.0]; Основной аргумент против [0967.0]; Придавать силу аргументам [П2293.0]

**арендная:** На арендной основе [H92.0]

**арифметическое:** Среднее арифметическое [С1318.0]

**артефакт** [A158.0]

**архив:** Хранить в архиве [XI 15.0]

**асимптотически:** Асимптотически приближаться к [A159.0]; Асимптотически стремиться к [A160.0]

**асимптотический:** Асимптотическое значение [A161.0]

**аспект:** [A162.0]

**ассортимент:** Ассортимент изделий [A164.0];  
В ассортименте (ВЗ.О); Выпускаться в большом ассортименте [B1928.0]; Полный ассортимент [П1075.0]; Широкий ассортимент [Ш14.0]

**атмосфера:** В атмосфере [B5.0]; В атмосфере инертного аргона [B4.0]; Выбрасываться в атмосферу [B1723.0]; Выпуск производится в атмосферу [B 1923.0]; Непринужденная атмосфера [H1548.0]; Опасность загрязнения атмосферы [0744.0]; Сбрасывать в атмосферу [С262.0]; Сообщаться с атмосферой [С1005.0]; Сообщающийся с атмосферой [С1006.0]; Теряться в атмосферу [Т203.0]

**атмосферный:** Защищать от попадания атмосферных осадков и посторонних веществ [3545.0]; Свойства при атмосферных условиях [С340.0]

**аттестат:** Аттестат об окончании школы [A166.0]

**аттестационное:** Аттестационное испытание [A167.0]

аттестация: Аттестация оборудования [A169.0]

**аттестован:** Аттестован в соответствии с требованиями ... для Класса [A170.0]

**аудитория:** [A 171.0]

**ацетон:** Пропитанный ацетоном [П2875.0]

## Б

**база:** База данных (0968.0); Нормативная база [H 1855.0]

**базироваться:** Базироваться на [Б 1.0]

**баланс:** Баланс сходил с точностью 1% [B3.0]; Баланс... для [B2.0];  
Положительный баланс [П1107.0]; Получать непосредственно из баланса [П1152.0]; Сведение баланса (С264.0); Сводить баланс с точностью [С311.0]; Составление баланса для [С1072.0]

**балл:** Количество набранных баллов [K260.0]

**банк:** Банк данных [B4.0]

**банковский:** Погашать банковскую ссуду [П596.0]

**батарейный:** Обеспечивать резервное батарейное питание в течение [049.0]

**батарея:** Работать от батарей [P66.0]; Работавший от батарей [P90.0]

**беглый:** При беглом ознакомлении [П2102.1]

**беда:** Беда в том, что [B5.0]

**бедный:** [B6.0]

**безаварийный:** Безаварийная работа [B66.0];  
Безаварийная эксплуатация [B67.0]

- безболезненно:** [Б68.0]
- безболезненный:** Сделать переход на ... по возможности безболезненным [С399.0]
- безвредный:** [Б69.0]
- безвыходный:** безвыходное положение [З125.0]
- бездействие:** Период бездействия [П227.0]
- бездымный:** [Б70.0]
- безнадежный:** Общее положение дел не такое безнадежное [О336.0]
- безоговорочно:** Безоговорочно соглашаться с [Б71.0]
- безокисный:** [Б72.0]
- безопасность:** Безопасность и надежность [Б73.0]; В интересах безопасности [В131.0]; В целях обеспечения безопасности [В747.0]; Меры по безопасности и охране [М134.0]; Меры предосторожности по технике безопасности [М126.0]; Начальный инструктаж по технике безопасности [Н709.0]; По соображениям безопасности [П476.0]; Правила техники безопасности [П1615.0]; Следить за выполнением правил техники безопасности [С581.0]; Соблюдать требования безопасности [С814.0]; Техника безопасности [Т211.0]; Указания мер безопасности [У198.0]
- безопасный:** На безопасном расстоянии от [Н132.0], Поместить в безопасное место [П1240.0]
- безостановочно:** Работать безостановочно [Р40.0]
- безостановочный:** Показатели безостановочной работы [П971.0]
- безотказный:** Безотказная система [Б74.0]
- безотлагательно:** Безотлагательно ввести в действие [Б76.0]; Заняться этим безотлагательно [З356.0]
- безотлагательный:** Безотлагательные меры [Б77.0]
- безошибочно:** Узнается безошибочно [У195.0]
- безразлично:** Безразлично [Б78.0]; Безразлично, что использовать [Б79.0], Для ... безразлично [Д323.0]
- безразмерный:** График в безразмерной форме [Г120.0]; Задачу можно привести к безразмерному виду [З176.0]; Переписывать в безразмерном виде [П 152.0]; После приведения уравнения к безразмерному виду путем деления обеих его частей на [П1364.0]; Представление в безразмерной форме/в безразмерном виде [П 1833.0]; Приводить к безразмерному виду [П2224.0]; Приводить к безразмерному виду делением на [П2225.0]
- безубыточный:** [Б80.0]
- безусловно:** Безусловно очень важный [Б82.0]
- безуспешный:** Оказываться безуспешным [О656.0]; Попытки оказались безуспешными [П1313.0]; Попытки оказались в основном безуспешными [П1314.0]; Предпринята безуспешная попытка [П 1823.0]
- бесконечно:** Бесконечно большой [Б83.0]; Бесконечно долго [Б84.0]; Бесконечно малый [Б85.0]; Число возможных сочетаний бесконечно [498.0]
- бесконечность:** На бесконечности [Н8.0]; Откладывать до бесконечности [О1319.0]; Стремиться к бесконечности при стремящемся к нулю [С1487.0]
- бесконтрольно:** [Б86.0]
- бесперебойно:** [Б88.0]
- бесперебойность:** Бесперебойность подачи [Б89.0]
- бесперебойный:** [Б87.0]
- бесплатно:** Бесплатно [Б90.0]; Получать бесплатно [П1126.0]
- бесплатный:** [Б91.0]
- беспокоить:** [Б92.0]; Вполне естественно, беспокоит [В1479.0]; Не может не беспокоить [Н916.0]
- беспокоиться:** Незачем беспокоиться о [Н1254.0]
- беспокойство:** Вызывать беспокойство [В1802.0]; Вызывать некоторое беспокойство [В1803.0]; Вызывающий большое беспокойство [В1834.0]; Особое беспокойство вызывает у конструктора [О1065.0]; Причиняющий беспокойство [П2593.0]; Проблема не вызывает большого беспокойства [П2601.0]
- бесполезно:** [Б93.0]
- бесполезный:** Бесплезен [Б94.0]; Бесплезный для [Б95.0]; Работает неэффективно и часто вообще бесполезен [Р65.0]; Совершенно бесполезные результаты [С821.0]
- беспорядочно:** Откладываться беспорядочно [О1323.0]
- беспрепятственный:** Беспрепятственная и плавная работа [Б97.0]
- беспрецедентный:** Беспрецедентное явление [Б98.0]
- беспристрастно** [Б 100.0]
- беспристрастный:** Беспристрастная оценка [Б99.0]
- бессмысленно** [Б101.0]
- бесспорно:** Бесспорно самый большой [Б103.0]
- бессрочный:** Получать в личное и бессрочное пользование [П1127.0]
- бесчисленный:** Бесчисленное множество [Б105.0, Б106.0]; Бесчисленное множество вариантов [Н 1436.0]
- бесшумность:** Бесшумность работы [Б107.0]
- бесшумный:** Плавная и бесшумная работа [П270.0]
- библиография:** Обширная библиография по этому вопросу [О293.0]
- биение:** Биение поверхности диаметра на длине ... мм от конца вала не более ... мм [Б108.0]
- биографический:** Уместно закончить этот биографический очерк о [У285.0]



**бирка:** Пометить бирками [П1234.0]; Снабжать бирками [С755.0]

**бич:** [Б109.0]

**благо:** Обращать силы природы на благо человечества [0220.0]

**благодарность:** С благодарностью принимать замечания и предложения [С2.0]

**благодарный:** Автор благодарен [А75.0]

**благодаря:** Благодаря внимательному отношению к [Б 111.0]; Благодаря симметрии можно ограничиться исследованием только... [Б112.0]; Благодаря совместным усилиям [Б113.0]; Благодаря тем или иным его достоинствам [Б 114.0]; Благодаря этой работе станут более понятными механизмы [Б115.0];

Благодаря этому [Б 116.0]; В основном благодаря работе [В279.0]; Опять-таки благодаря [0898.0]; Получаться благодаря [П1201.0];

Получение которого становится возможным благодаря (П1209.0); Почти наверняка благодаря [П1552.0]; Точность расчетов повышается благодаря тому что [Т377.0]; Экономия благодаря применению [Э23.0]; Это стало возможным благодаря [Э 198.0]

**благоприятно:** Сказываться благоприятно на [С515.0]

**благоприятный:** Благоприятное влияние [Б118.0]; Благоприятные условия для [Б120.0]; Благоприятный для (Б 119.0); Воспользоваться благоприятными свойствами [В1416.0];

На самых благоприятных условиях [Н179.0]; Наиболее благоприятные результаты [Н305.0]; Наиболее благоприятные условия [Н306.0]; Оказывать благоприятное влияние на [0624.0]; Оказывать благоприятное влияние, уменьшая [0625.0]; Сложилась благоприятные условия для [С524.0]; Условия, благоприятные для [У395.0]

**благоприятствовать:** [Б122.0]

**благоразумно:** [Б123.0]

**бланк:** Заполнять бланк [3398.0]; Заполнять обратную сторону бланка [3399.0]

**бланк-заказ:** [Б124.0]

**бледно-голубой:** [Б125.0]

**ближайший:** [Б 126.0]; В ближайшее время [В41.0]; В ближайшее время не планируется [В43.0]; В ближайшее время положение должно измениться [В42.0]; В ближайшем будущем [В12.0]; В ближайшие... лет [В7.0]; В ближайшие десятилетия [В6.0]; В ближайшие месяцы [В8.0]; В самом ближайшем будущем [В13.0]; Выраженный с точностью до ближайшей [В1957.0]; Для экономии времени все заказы на запчасти направляйте в ближайшее отделение или представительство фирмы [Д422.0]; Иметь своей ближайшей аналогией [И421.0]; Начало которых планируется в ближайшем будущем [Н704.0]; Ожидаемый в ближайшем будущем [0597.0]; Ожидается в ближайшее

время [0605.0]; Округлять до ближайшего целого [0725.0]; Округлять до ближайших [0726.0]; Перспектива на ближайшие ... лет [П251.0]; Планируется на ближайшее будущее [П286.0]; Реализовать в ближайшие ... лет или около того [Р587.0]; С точностью до ближайшего целого числа [С 135.0]

**ближе:** Ближе к концу [Б 128.0]; Ближе к началу [Б129.0]; Как можно ближе [К81.0];

По возможности ближе [П346.0]

**близиться:** Близиться к завершению [Б130.0]

**близкий:** Близки друг к другу [Б 138.0]; Близкий к [Б132.0]; Близкий по [Б135.0]; Близкое понятие [Б137.0]; Близок к завершению [Б133.0]; Близок к нему [Б134.0]; Близок по теме [Б136.0]; Действовать на близком [Д181.0]; Малая разность близких между собой больших величин [М16.0]; Наиболее близкий по смыслу [Н307.0]; Очень близкий, но несколько превышающий [01653.0]; Поразительно близок [П1320.0]; При более близком рассмотрении [П2121.0]; Работы наиболее близкие к нашему исследованию [Р35.0]; Результат, близкий к ожидаемому [Р639.0]

**близко:** Близко друг к другу [Б140.0]; Близко напоминать [Б141.0]; Близко расположенные [Б142.0]; Более близко к истине, когда [Б155.0]; Достаточно близко к заданным [Д682.0]; Наиболее близко [Н308.0]; Наиболее близко подходить по [Н309.0]; Очень близко к [01654.0]; Располагать близко к [Р370.0]

**близлежащий:** Близлежащий участок [Б144.0]

**близость:** Близость к [Б 145.0]; В близости от [В9.0]; В непосредственной близости друг к другу [В253.0]

**блок:** [Б146.0]

**блок-схема:** [Б 147.0]

**блокировка:** [Б 148.0]

**богатый:** Богатый информацией [Б 150.0]

**бок:** Работать бок о бок [Р41.0]

**более:** А более конкретно [А2.0]; Более продолжительный [Б179.0]; Более близко к истине, когда [Б155.0]; Более высокий..., чем дает расчет [Б156.0]; Более глубокое понимание [Б157.0]; Более или менее [Б159.0]; Более конкретно [Б161.0]; Более одного раза [Б165.0]; Более отчетливо видны (Б 166.0); Более подробно этот вопрос рассмотрен в [Б170.0]; Более подробно [Б167.0]; Более полное представление [Б176.0]; Более современный [Б 182.0]; Более тесное сотрудничество [Б183.0]; Более того [Б184.0]; Более чем вдвое [Б191.0]; Более чем достаточно для [Б 195.0]; В более поздний период времени [В336.0]; Все более [В962.0]; Давать более удовлетворительные результаты [Д52.0]; Емкостью не более 230 л [Е36.0];

Еще более осложняет [Е 194.0]; Завоевывать

все более широкое признание [3128.0]; И не более того [И43.0]; И что еще более важно [И73.0]; Или более точно [И335.0]; Исследовать более глубоко [И795.0]; Не более чем [Н744.0]; Не менее ... и не более [Н908.0]; Не отличаться более чем на [Н968.0]; Не отличаются одно от другого более чем на [Н969.0]; Обращать более пристальное внимание на [0209.0]; Объяснение ... не более чем догадка [0373.0]; Отличаться друг от друга не более чем в ... раз [01382.0]; Переносить дату на более поздний срок [П146.0]; Положение может еще более ухудшиться [П1096.0]; При более близком рассмотрении [П2121.0]; Проблема еще более обострилась [П2600.0]; Прошло более ... лет [П3016.0]; Становится более понятным [С1399.0]; Тем более что [Т133.0];

Что еще более важно [4135.0]; Экономически более выгодный вариант по сравнению [Э17.0]; Являться более общим случаем [Я8.0]

**болт:** Ослаблять затяжку болтов [0930.0]; Отверстия под болты [01222.0]; Подтягивать болты [П869.0]; Подтягивать болты на [П870.0]; Прикрепленный болтами к [П2343.0]; Прикреплять болтами [П2337.0]; Соединенный болтами с [С969.0]; Соединять болтами [С960.0]

**больше:** Больше..., чем необходимо для [Б211.0];

Больше в связи с ... чем с ... [Б202.0]; Больше всего [Б203.0]; Больше или равен [Б204.0]; Больше кажущийся, чем реальный [Б205.0]; Больше на [Б206.0]; Больше на постоянную величину [Б208.0]; Больше напоминать..., чем... [Б207.0]; Больше не [Б212.0]; Больше не вызывает сомнения [Б213.0]; Больше не изготавливаются [Б214.0]; Больше не отличается от [Б215.0]; Больше не представляет интереса [Б216.0]; Больше не является доминирующим фактором [Б217.0]; Больше одного [Б209.0]; Больше пригодны для ..., чем для.. [Б210.0]; В ... с лишним раз больше [В443.0]; В два раза больше [В439.0]; В два раза больше по размерам [В440.0]; В несколько раз больше [В441.0]; В несколько раз больше, чем у [В442.0]; В полтора раза больше [В445.0]; В состоянии сделать больше [В612.0]; В... раз больше [В438.0]; Вдвое больше ..., чем [В856.0]; Вдвое больше такого [В855.0]; Вдвое больше... и втрое больше [В854.0]; Во много раз больше [В444.0]; Вплоть до того момента, когда ... больше не применимо [В 1474.0]; Все больше заинтересованы в [В963.0]; Все больше и больше [В965.0]; Все больше убеждаться в [В964.0]; Всякий раз больше [В1651.0]; Вынуждает больше полагаться на [В1859.0]; Гораздо больше [Г88.0]; Гораздо больше, чем [Г89.0];

Еще больше [Е198.0]; Зависеть больше от...,

чем от [389.0]; Задача еще больше осложняется тем, что [3169.0]; Заставило больше уделять внимания не ... а [3473.0]; Заставляет уделять больше внимания [3471.0];

Значительно больше [3617.0]; Значительно больше всех других [3618.0]; Значительно больше, чем [3619.0]; Значительно больше, чем на [3620.0]; Имеется все больше свидетельств того, что [И488.0]; Когда будет получено больше данных о [К228.0]; На первый взгляд больше напоминает [Н14.0]; На... больше [Н2.0]; Намного больше [Н416.0]; Не больше и не меньше [Н748.0]; Не больше, чем [Н749.0]; Необходимо сделать гораздо больше [Н1385.0]; Несколько больше [Н1574.0]; Несколько больше по абсолютной величине [Н1575.0]; Никаких осложнений больше не было [Н1745.0];

Нормы должны содержать больше рекомендаций по [Н 1864.0]; Облегчать еще больше [0106.0]; Положительный показатель степени, величина которого больше единицы [П 1111.0]; Поскольку намного больше [П1350.0]; Потребовалось больше времени, чем планировалось первоначально [П 1532.0];

Равно или больше [Р135.0]; Риск еще больше уменьшается [Р746.0]; С тех пор как ... этого больше не случилось [С68.0]; У одних больше, у других меньше [У8.0]; Уменьшаться еще больше [У263.0]; Хотелось бы видеть больше работ по [Х80.0]; Хотя действительный ... может быть и несколько больше [Х85.0]

**больший:** Больше количество [Б247.0]; Больше распространение [П2489.0]; Больше частью [Б238.0]; В большей степени, чем [В650.0]; В большей части диапазона к.п.д [В753.0]; В большей части [В752.0]; В равной или даже большей степени [В672.0]; В течение большей части времени [В702.0]; В течение большей части [В687.0]; Все большее количество [В982.0]; Все большее [В966.0]; Все в большей и большей степени [В651.0]; Выдерживать даже с большей точностью [В1791.0]; Давать существенно большие значения, чем экспериментальные [Д17.0]; За больший период времени [336.0];

Занимать несколько большее время [3327.0]; Иметь еще большее значение [И391.0]; На большей части [Н 184.0]; На большей части диапазона [Н185.0]; На большей части длины [Н 186.0]; Насколько большие изменения [Н538.0]; Находить всё большее применение [Н617.0]; Находить всё большее применение в качестве [Н619.0]; Находить все больший спрос [Н620.0]; Отдавать все большее предпочтение [01278.0]; Отношение меньшего диаметра к большему [01467.0]; Пересчитанный на большие размеры [П1179.0]; По большей части преследует

цель [П327.0]; При большем увеличении [П2142.0]; Привлекать все большее внимание исследователей [П2201.0]; Придавать больший вес [П2286.0]; Приобретать все большее значение [П2474.0]; С большей скоростью [С96.0]; Самое большее [С226.0]; Такие же, если не большие [Т88.0]; Такое же или даже большее значение имеет [Т86.0]; Уделять большее внимание надежности эксперимента (У110.0); Условия, существующие в большей части [У401.0]

**большинство:** Большинство из них [Б219.0]; Большинство имеющихся в продаже [Б220.0]; Большинство имеющихся данных [Б221.0]; Большинство различий [Б222.0]; Большинство специалистов считает, что [Б223.0]; В большинстве случаев [Б562.0]; Для большинства случаев [Д390.0]; Для большинства представляющих практический интерес случаев [Д391.0]; Однако ... в большинстве ... отсутствует • ( 0559.0); Подавляющее большинство [П639.0]; Преобладающее большинство опубликованных работ [П2012.0]; Составлять большинство [С1074.0]; Справедливо большинство замечаний, относящихся к [С1247.0]; Что справедливо для большинства [4167.0]

**большой:** Без больших потерь [Б9.0]; Без большого труда [Б57.0]; Большая работа проделана по [Б233.0]; Большие возможности [Б253.0]; Большие затраты труда и электроэнергии [Б255.0]; Большие надежды возлагались на то, что [Б256.0]; Большие неиспользованные возможности [Б254.0]; Большие трудности [Б257.0]; Большое внимание уделялось (Б239.0); Большое количество экспериментальных данных [Б245.0]; Большое преувеличение [Б248.0]; Большое разнообразие [Б250.0]; Большое сходство [Б251.0]; Большой выбор [Б225.0]; Большой диапазон [Б226.0]; Большой опыт в этой области накоплен в [Б227.0]; Большой разброс [Б229.0]; В большой степени зависит от [Б649.0]; Вести к большим тратам впустую [Б934.0]; Вносить большой вклад в [Б1214.0]; Возлагать большие надежды на то, что [В 1288.0]; Встречать с большим удовлетворением [В1619.0]; Вызывать большой интерес [В1807.0]; Выпускаться в большом ассортименте [В 1928.0]; Давать большие преимущества [Д45.0]; И конечно не будет большим преувеличением сказать [И35.0]; Идут большие споры [И115.0]; Иметь большое практическое значение [И400.0]; Имеются большие возможности для [И498.0]; Использование в больших масштабах (И683.0); Испытывать большую потребность в [И757.0]; Методика связана с большими алгебраическими преобразованиями [М166.0]; Может возник-

нуть большая путаница [М271.0]; На большие расстояния [Н 126.0]; Не будет большим преувеличением сказать, что [Н753.0]; Не иметь большого значения [Н878.0]; Не иметь большого смысла [Н879.0]; Не обязательно должен быть большим [Н946.0]; Не представлять большой ценности (Н1019.0); Не прибегая к слишком большим усложнениям, можно [Н1023.0]; Не следует придавать большого значения [Н1070.0]; Не требующий большого обслуживания [Н1126.0]; Недопустимо большой [Н1194.0]; Необходимо проявлять большую осторожность [Н1382.0]; Неприемлемо большой [Н 1544.0]; Нет большого смысла [Н1650.0]; Обладать большими преимуществами [080.0]; Оказывать большую помощь в [0645.0]; Открывать большие возможности [01359.0]; Представлять большую опасность [П1853.0]; Претерпевать большие [П2045.0]; Прилагать большие усилия [П2346.0]; Приносить большую пользу [П2456.0]; Приобретать особо большое значение [П2475.0]; Проделять большую работу по [П2729.0]; Производить в большом количестве [П2788.0]; Проявлять большую изобретательность [П3042.0]; Рассчитывать с большим запасом [Р509.0]; Расчет с большим запасом [Р554.0]; С большим интервалом [С21.0]; С большим успехом [С152.0]; Сделаны большие успехи в [С404.0]; Способ, имеющий очень большие преимущества по сравнению с (С 1209.0); Срок разработки был достаточно большим [С 1333.0]; Существует большая вероятность того, что [С 1568.0]; Требующий больших затрат времени [Т462.0]; Уделять большое внимание [У109.0]

**бороться:** Борются путем использования [Б259.0]

**борьба:** Борьба с загрязнением воздуха [Б261.0]; Борьба с шумом на предприятии [Б260.0]; В борьбе с [В10.0]; Для борьбы с [Д324.0]; Если не принять соответствующих мер по борьбе с [Е143.0]; Используемый для борьбы с [И712.0]; Первенство в конкурентной борьбе [С1131.0]

**боязнь:** Из боязни [И 119.0]

**бояться:** Бойтся сырости [Б152.0]; Бойтся тепла [холода] [Б 151.0]; Не бойтесь испортить [Н751.0]; Не бойтесь экспериментировать [Н752.0]; Не бояться [Н750.0]

**брак:** [Б262.0]

**браковка:** Основание для браковки [0960.0]

**брат:** Брат за правило [Б264.0]; Брат значение по кривой [Б265.0]; Брат значение, соответствующее ... [Б266.0]; Брат из литературы [Б267.0]; Брат на себя всю нагрузку [Б269.0]; Брат на себя заботу о... [Б270.0];

Брат на себя обязательства по... [Б271.0];

Брать равным [Б273.0]; Брать равным производению [Б274.0]; Брать свое начало в работе [Б275.0]; Брать средним за период [Б276.0]; Брать частную производную от... по... [Б277.0]

**браться:** Браться за решение проблемы [Б278.0]

**бригада:** Бригада ремонтников [Б280.0]; Ремонтная бригада [Р700.0]; Централизованные бригады [Ц45.0]

**британская:** Британская система единиц [Б281.0]

**бронировать:** Бронировать места в гостинице [Б282.0]

**бросаться:** Бросаться в глаза [Б283.0]; Сразу же бросается в глаза [С 1293.0]

**будет:** Будут ... в первую очередь [Б351.0]; Будут ли ... покрыты [Б349.0]; Будут рассмотрены несколько позже [Б350.0]; Все же будут, по-видимому, происходить [В979.0]; Значительные усилия будут направлены на [3612.0]; Им несомненно будут пользоваться и в дальнейшем [И536.0]; Исследования будут продолжены [И784.0]; Нас интересовало, будут ли [Н403.0]; Подробно обсуждалась в ... и здесь повторяться не будут [П796.0]; После того, как они будут полностью доработаны (П1374.0); При отсутствии упаковочного листа претензии приниматься не будут [П2106.0]; Результаты будут опубликованы позже [Р645.0]; Усилия будут сосредоточены на [У378.0]

**будничный:** В будничные дни [В 106.0]

**будто:** Складывается впечатление, как будто бы [С522.0]

**будучи:** Будучи .... все же ... [Б354.0]; Будучи ..., не [Б356.0]; Будучи все еще далеко не ... [Б353.0]; Будучи достаточно важными [Б355.0]

**будущий:** Будущие пользователи [Б285.0]; Будущим исследователям целесообразно [Б286.0]; В будущем [В11.0]; В ближайшем будущем [В12.0]; В не столь отдаленном будущем [В 14.0]; В обозримом будущем [В 15.0]; В самом ближайшем будущем [В13.0]; Вселять уверенность в том, что в будущем для ... будет использоваться [В1576.0]; Делать попытки в будущем [Д215.0]; Закладывать фундамент для будущего [3234.0]; Когда-нибудь в будущем [К232.0]; На случай, если в будущем [Н144.0]; Начало которых планируется в ближайшем будущем [Н704.0]; Ожидаемые в будущем [0600.0]; Ожидаемый в ближайшем будущем [0597.0]; Планироваться в будущем [П283.0]; Планируется на ближайшее будущее [П286.0]; Предлагаемый на будущее [П 1734.0]; Понадобится для будущих [П1257.0]

**будущность:** От такого ... зависит будущность [01197.0]

**буква:** Комбинация буквы и цифры [К268.0]

**бурильщик:** Советы бурильщику [С851.0]

**бурный:** Бурное развитие техники [Б287.0]

**бухгалтерия:** [Б288.0]

**бывает:** Как обычно бывает в таких случаях [К98.0]; Как это обычно бывает [К141.0]; Как это часто бывает [К 145.0]; Как это часто бывает при [К146.0]; Обычно бывает выгодно [0401.0]; Так бывает всегда [Т8.0]; Так бывает не всегда [Т9.0]; Так бывает обычно, если [Т11.0]; Фактически этого никогда не бывает [Ф11.0]; Часто бывает так, что [418.0]; Часто бывает удобно [419.0]; Часто однако бывает наоборот [425.0]; Чего не бывает при [438.0]; Что бывает, если [4126.0]; Что бывает редко [4127.0]

**быстрее:** В два раза быстрее [В446.0]; Достигается быстрее, когда [Д726.0]; Как можно быстрее [К84.0]; Распасться значительно быстрее [Р364.0]

**быстро:** Быстро выяснилось, что [Б290.0]; Быстро завоевать популярность у [Б291.0]; Быстро перейти к [Б292.0]; Наиболее быстро растущий [Н310.0]

**быстрый:** Очень быстрый [01657.0]; Предпринимать меры по быстрому и надежному удалению [П1821.0]; Развитие идет быстрыми темпами [Р187.0]

**быть:** Будем называть это явление [Б343.0]; Будет или не будет [Б344.0]; Будет описано несколько ниже [Б345.0]; Была рассмотрена возможность замены [Б365.0]; Было бы весьма удивительным, если бы... [Б377.0]; Было бы крайне желательно [Б380.0]; Было бы неблагоприятно [Б381.0]; Было бы неправильным [Б383.0]; Было бы хорошо [Б384.0]; Было время, когда [Б367.0]; Было замечено, что [Б370.0]; Было найдено, что [0691.0]; Быть в курсе [Б298.0]; Быть в распоряжении [Б300.0]; Быть в состоянии [Б301.0]; Быть вне конкуренции [Б302.0]; Быть вынужденным [Б303.0]; Быть одним из первых, кто [Б321.0]; Быть одним из тех, кто предложил [Б315.0]; Быть одной из причин [Б316.0]; Быть склонным к [Б336.0]; Быть соизмеримым с [Б337.0]; Быть типичным для [Б338.0]; Быть удостоенным почестей [Б340.0]; В этом не было никакой необходимости [В770.0]; В этом отношении, по-видимому, не было большого выбора [В308.0]; Вам будет нужно [В808.0]; Внимание будет сосредоточено на [В 1203.0]; Возврата к прошлому быть не может [В 1262.0]; Возвращаясь к тому, что было сказано выше о [В1277.0]; Вообще нельзя было [В1378.0]; Вполне могут быть [В1480.0]; Вполне можно было бы [В 1482.0]; Впоследствии было найдено, что [В 1497.0]; Для начала было бы полезно [Д358.0]; До тех пор пока не будет [Д462.0, Д463.0]; Должен быть

знаком не только с [Д573.0]; Должен быть равен или меньше [Д576.0], Должно было бы [Д586.0]; Другим решением могло бы быть [Д761.0]; Если **бы** было наоборот [Е101.0]; Если бы можно было [Е104.0]; Если бы нужно было [Е106.0]; Естественно было предположить что [Е183.0]; И поэтому было бы неразумно [И51.0]; Интересно было бы рассмотреть и [И614.0]; Как это и должно быть в случае [К140.0]; Какова бы ни была причина [К156.0]; Какое бы то ни было [К157.0]; Могут быть невидимы [М261.0]; Может быть не более [М310.0]; Можно было бы задать вопрос о [М392.0]; Можно было бы конечно [М393.0]; Можно было бы ожидать что [М394.0]; Можно было бы пожалуй [М395.0]; Не будь этого [Н755.0]; Не было необходимости [Н760.0]; Не всегда можно было [Н780.0]; **Не** должны были бы [Н839.0]; Не может быть и речи [Н913.0]; Не обязательно должен быть [Н945.0]; Нельзя было ожидать [Н1311.0]; Ни того, ни друго-

го сделано не было [Н 1709.0]; Ничего лучшего пока нет и не было [Н1768.0]; Нужно было бы [Н1896.0]; Первое впечатление было, что [П56.0]; Первым, на что обратили внимание, было [П67.0]; Переставать быть [П166.0]; Поэтому было решено [П1576.0]; Предпочтение было отдано [П1809.0]; Прежде всего нужно было решить, будет ли [П1950.0]; При этом было замечено, что [П2168.0]; Самое лучшее, что может быть сделано [С231.0]; Так было не всегда [Т10.0]; Хорошо было бы [Х44.0]; Что и будет сделано позже [4138.0]; Что само по себе должно было бы свидетельствовать о том, что [4161.0]; Чуть было не стал [4227.0]

**бюллетень:** Информационный бюллетень [И636.0]; Отметки о проведенном ремонте и доработках по указаниям и бюллетеням [01415.0]

**бюро:** Проектно-конструкторское бюро [П2774.0]; Спроектированы в разных конструкторских бюро [С1263.0]

## В

**важнее:** Но что еще важнее [Н1818.0]  
**важнейший:** Важнейший вопрос [В795.0]  
**важно:** Важно иметь в виду, что [В797.0]; Важно не упускать из виду [В798.0]; Важно одно [В799.0]; Важно отметить, что [В800.0]; Важно поддерживать постоянный контакт с [В801.0]; Важно подчеркнуть, что [В802.0]; Важно уметь [В803.0]; Важно, что [В804.0]; Важно, чтобы [В805.0]; Для ... важно иметь [Д325.0]; Для нас в первую очередь важно то, что [Д327.0]; И что еще более важно [И73.0]; И что не менее важно [И74.0]; Или, что еще более важно [И349.0]; Как важно быть в состоянии [К57.0]; Крайне важно [К436.0]; Насколько важно [Н540.0]; Не менее важно [Н904.0]; Не менее важно то, что [Н905.0]; Не менее важно, чтобы [Н906.0]; Об этом важно помнить при [019.0]; Однако важно отметить тот факт, что [0560.0]; Очень важно [01658.0]; При... важно [П2057.0]; Что еще более важно [4135.0]; Что наиболее важно [4150.0]; Это обстоятельство важно учитывать при [Э 156.0]; Это обстоятельство очень важно [Э158.0]  
**важность:** В порядке убывающей важности [В368.0]; Важность ... невозможно переоценить [В776.0]; Важность этих результатов состоит в [В777.0]; Важность... для [В775.0];

Вопрос большой практической важности

[В1392.0]; Второй по важности вслед за [В1658.0]; Дело важности [Д245.0]; Дело первостепенной важности [Д246.0]; Дополнительно подчеркивать важность [Д618.0]; Мысль об особой важности [М441.0]; Невозможно переоценить важность [Н1172.0]; Обсуждать в порядке их важности [0264.0]; Оценивать важность для [01629.0]; Подчеркивать важность [П878.0]; Показывать важность [П979.0]; Признание важности [П2316.0]; Приобретать важность [П2472.0]; Свидетельствовать о важности [С292.0]; Сопоставимо по важности с [С 1038.0]; Становиться делом первостепенной важности [С 1381.0]; Трудно переоценить важность [Т481.0]; Чтобы оценить важность [4203.0]

**важный:** Безусловно очень важный [Б82.0];

Будучи достаточно важными [Б355.0]; Быть важным [Б295.0]; В свое время казалось не столь важным [Б67.0]; Важен..., а не [В785.0]; Важен для понимания [В784.0]; Важен или не важен [В786.0]; Важен лишь постольку, поскольку [В787.0]; Важен при рассмотрении [В788.0]; Важная веха [В789.0]; Важная для конструкторов информация [В791.0]; Важная информация [В790.0]; Важная роль [В792.0]; Важное дополнение к [В793.0]; Важные звенья в цепи [В794.0]; Важный вопрос проектирования [В779.0]; Важный для [В783.0]; Важный показатель работы

[B780.0]; Важный фактор при сравнении [B781.0]; Важный шаг на пути создания [B782.0]; Выполнять важную функцию [B1902.0]; Для ... наиболее важны, а не [D326.0]; Жизненно важный [Ж12.0]; Значительно более важный [3615.0]; Играть важную роль в [И85.0]; Играть довольно важную роль в [И86.0]; Играть особенно важную роль в [И87.0]; Иметь важное значение [И392.0]; Менее важен [M93.0]; Менее важные факторы, влияющие на [M94.0]; Может оказаться важным то, что [M284.0]; Наиболее важный [Н ЗП.ОН314.0]; Наиболее важный вопрос при [Н312.0]; Наиболее важный результат [Н313.0]; Наименее важен [Н359.0]; Насколько важным может оказаться даже небольшое увеличение [Н541.0]; Не менее важный [Н902.0, Н903.0]; Обеспечивать основу для принятия важных решений о [045.0]; Один из наиболее важных вопросов, на который необходимо ответить [0514.0]; Одинаково важны [0549.0]; Одна из важных мер по [0526.0]; Одна из важных проблем [0527.0]; Остановившись на наиболее важных вопросах [01153.0]; Очень важные требования, которые должны быть выполнены [01659.0]; Самое важное событие [С227.0]; Самый важный для [С215.0]; Сейчас, как никогда прежде, важны для [С412.0]; Становиться важным [С1378.0]; Существенно важные системы и узлы [С1561.0]; Считаться важным (С1621.0); Так же важен для работы, как и [Т27.0]; Являться важной частью [Я12.0]

**вакуумировать:** [B806.0]

**валовой:** Валовой химический анализ [B807.0]

**вариант:** Бесчисленное множество вариантов [Н1436.0]; В соответствии с другим вариантом [B592.0]; Вариант изобретения [B811.0]; Вариант конструкции [B812.0]; Вариант разработки [B813.0]; Вариант расчета [B814.0]; Вариант схемы [B815.0]; Возможен и другой вариант [В 1332.0]; Возможный вариант [B816.0, В1330.0]; Всевозможные варианты [B1561.0]; Выполнять в... варианте [B1875.0]; Другой возможный вариант заключается в [D751.0]; Единственно пригодный вариант [E23.0]; Иметь в распоряжении несколько вариантов [И366.0]; Исключать из числа рассматриваемых вариантов [И659.0]; Исследуемый вариант [И805.0]; Как вариант [K58.0]; Как вариант можно [K59.0]; Конкурентный вариант [K325.0]; Конструктивный вариант [K335.0]; Конструктивный вариант, показанный на [K336.0]; Лабораторный вариант [Л12.0]; Любой из возможных вариантов [Л119.0]; Наилучший вариант [Н353.0]; Неограниченное количество вариантов [Б106.0]; Окончательный вариант

(0708.0); Окончательный вариант конструкции [0709.0]; Окончательный вариант реферата [0710.0]; Отбрасывать вариант [01214.0]; Первоначальный вариант рукописи [П37.0]; Предпочтительный вариант [П1814.0]; Проектный вариант [П2771.0]; Сделать выбор из нескольких вариантов [С391.0]; Сокращенный вариант [С986.0]; Существует в вариантах на официальных языках [С1569.0]; Увеличенный вариант [У71.0]; Черновой вариант [472.0]; Экономически более выгодный вариант по сравнению [Э17.0]

**варьировать:** [B817.0]

**вбивать:** [B818.0]

**вблизи:** Вблизи самого [B820.0]; На ... или вблизи [Н62.0]; Находиться вблизи отметки [Н667.0]; Располагаться вблизи [P382.0]; Сосредоточенный вблизи [С 1069.0]

**вваривать:** Вваривать в [B821.0]

**введение:** Введение к [B823.0]; Введение поправки в [B824.0]; Введение поправки на различия в [B825.0]; До введения [Д436.0, Д437.0]; Как говорилось во введении [K63.0]; Учитывать введением соответствующей поправки в величину [У610.0]

**введенный:** Запас прочности, введенный в [3375.0]; Ссылка на признаки, ранее не введенные в пункт формулы изобретения [С1345.0]; Термин, введенный [Т189.0]; Усовершенствования, введенные в [У416.0]

**ввертывать:** Ввернуть винт [B828.0]; Ввертывать до отказа [B827.0]

**вверх:** В направлении вверх [B230.0]; В направлении вверх по течению [B231.0]; Вверх по [B830.0]; Вверх по шкале [B831.0]; Вверх от [B1199.0]; Направление снизу вверх [H473.0]; Направленный вверх поток [H482.0]; Обращен вверх [0240.0]; Проходить вверх [П3000.0]; Распространение вверх по потоку [P434.0]; Точно вверх [Т387.0]; Укладывать только этой стороной вверх [У230.0]

**ввиду:** Ввиду того, что [B833.0]; Ввиду этого [B834.0]

**ввинчиваться:** Ввинчиваться в [B835.0]

**ввод:** Ввод в эксплуатацию [B836.0]; Ввод ... в эксплуатацию планируется на [B837.0]; До ввода в эксплуатацию [Д437.0]; Очередность ввода агрегатов [01680.0]; Плановая дата ввода в эксплуатацию [П291.0]; После ввода в эксплуатацию [П1354.0]

**вводить:** Безотлагательно ввести в действие [B76.0]; Вводить с клавиатуры [B845.0]; Вводить ... в курс дела [B841.0]; Вводить в действие [B839.0]; Вводить в заблуждение [B840.0]; Вводить в режим [B842.0]; Вводить в строй [B843.0]; Вводить в эксплуатацию [B844.0]; Вводить ограничения на количество [B846.0]; Вводить поправку на [B847.0];

Вводить различие [B848.0]; Вводить с целью [B849.0]; Для удобства работы в ... ввели [Д413.0]; Может ввести в заблуждение [M270.0]; Несколько вводить в заблуждение [H1576.0]; Постепенно вводить [П1463.0]

**вводящий:** Результат, несколько вводящий в заблуждение [P640.0]

**вдаваться:** Вдаваться в подробности [B850.0]; Не вдаваться в подробности [H766.0]; Не вдаваясь в подробности [H767.0]

**вдали:** Вдали от [B851.0]; Хранить вдали от [X120.0] Хранить вдали от источников тепла и предохранять от огня и прямого воздействия солнечных лучей [XI 21.0]

**вдвигать:** [B852.0]

**вдвигаться:** [B853.0]

**вдвое:** Более чем вдвое [B191.0]; Вдвое больше ... чем [B856.0]; Вдвое больше такого [B855.0]; Вдвое больше... и втрое больше [B854.0]; Вдвое лучше [B857.0]; Вдвое меньше [B858.0]; Вдвое превышать [B859.0]; Увеличение вдвое [Y50.0]; Увеличивать вдвое [Y56.0]; Уменьшать вдвое [Y252.0]

**вдобавок:** Вдобавок к [B860.0]

**вдоль:** Вдоль всего [B862.0]; Вдоль размера [B863.0]; Натягивать вдоль [H587.0]; Простираться вдоль [П2915.0]; Равномерно расположенные вдоль [P 120.0]; Раскалываться вдоль [P352.0]; Устанавливать вдоль оси [Y449.0]

**ведение:** Ведение дела по заявке на патент [B864.0]; Инструкция по заполнению формуляра и контролю за его ведением [И573.0]; Отметки о проверке правильности ведения формуляра [01416.0]; Порядок заполнения и ведения формуляра П 1334.0]

**ведомость:** Ведомость выполняемых работ [B866.0]; Ведомость группового [одиночного] комплекта [B867.0]; Ведомость дефектов, подлежащих устранению силами поставщика [B868.0]; Ведомость документов для ремонта [B869.0]; Ведомость дополнительного оборудования и материалов [B870.0]; Ведомость запасных частей, инструмента и принадлежностей [B872.0]; Ведомость запчастей, поставляемых за отдельную плату [B871.0]; Ведомость объема работ [B873.0]; Ведомость объема строительных и монтажных работ [B874.0]; Ведомость осмотров, проверок и ремонтов [B875.0]; Ведомость покупных изделий [B876.0]; Ведомость потребности в материалах и покупных изделиях на заказ [B877.0]; Ведомость регистрации изменений [B878.0]; Ведомость ссылочных документов [B879.0]; Ведомость эксплуатационных документов [B880.0]; Дефектовочная ведомость [Д275.0]; Инвентарная ведомость [И544.0]; Комплектовочная

ведомость [K298.0]; Контрольная ведомость [K362.0]; Отгрузочная ведомость [01269.0];

Расходная ведомость [P536.0]; Ремонтная ведомость [P701.0]; Сводная ведомость [C325.0]

**ведомственный:** Ведомственные нормы [B881.0]

**ведомство:** Подавать заявку на изобретение в патентное ведомство [P628.0]

**ведущий:** Ведущая фирма [B883.0]; Ведущие отрасли промышленности [B884.0]; Занимать ведущее положение на [3344.0]; Играть ведущую роль в [И88.0]; Условия, ведущие к (У396.0)

**веером** [P532.0]

**езде:** Везде, где [B886.0]; Везде, где это возможно [B887.0]

**езение:** Требовалось некоторое везение [Т453.0]

**век:** Отживать свой век [01296.0]

**велик:** Количество расхождений все же доста-точно велико; свидетельствуя (К262.0); Не настолько велик; чтобы [H926.0]; Не настолько велик; чтобы представить опасность [H927.0]

**величина:** Более чем на два порядка величины

превышает [B198.0]; Больше на постоянную величину [B208.0]; В натуральную величину [B239.0]; В порядке убывающей [возрастающей] величины [B367.0]; В число измеряемых величин входили [B762.0]; Величина ... ограничена пределами [B891.0]; Величина небаланса оказалась очень малой [B889.0]; Величина ошибки [B892.0]; Величина потребной мощности [B893.0]; Величина, обратная [B890.0]; Величиной с [B894.0]; До величины, несколько меньшей [Д438.0]; Допускаемая величина [Д653.0]; Достигать величины [Д705.0]; Завышать на небольшую, но имеющую существенное значение величину [3132.0]; Завышен на величину, превышающую [3135.0]; Заданная величина [3165.0]; Изменять на заданную величину [И261.0]; Какова была величина [К149.0]; Малая разность близких между собой больших величин [M16.0]; Модель в натуральную величину [M235.0]; На ... порядка величины [H109.0]; На величину, достигающую [H10.0]; На заданную величину [H11.0];

На порядок величины меньше [H107.0];

Несколько больше по абсолютной величине [H1575.0]; Обратная величина [0203.0]; Ограничивать величиной [0464.0]; Ограничивать величиной, не превышающей [0451.0]; Ограничивать заранее заданной величиной [0457.0]; Определять величину [0815.0];

Отклонение величины угла по отношению к поверхности не более ... мм [01325.0];

Падать на величину, превышающую [П4.0];

Подстановка величины из ... в ... дает [П836.0]; Положительный показатель степени, величина которого больше единицы



[П1111.0]; Пренебрегать величиной, которая мала по сравнению с [П2002.0]; Приближаться по абсолютной величине к [П2176.0]; Проигрыш в величине составляет [П2780.0]; Смещенный по абсолютной величине [С733.0]; Сравнимы по абсолютной величине [С 1287.0]; Статистическая величина [С 1433.0]; Такая погрешность в величине ... отсутствует у [Т67.0]; Увеличивать до величины, несколько превышающей [У58.0]; Уменьшаться по абсолютной величине [У266.0]; Учитывать введением соответствующей поправки в величину [У610.0]; Чертеж в натуральную величину [474.0]

**вентилируемый:** Хранить в вентилируемом помещении на затемненном участке [Х1 16.0]

**вентиляция:** Водоснабжение, электроснабжение и вентиляция [В1252.0]

**вера:** Принимать на веру [П2424.0]

**вернее:** [В897.0]

**верно:** Верно также и то, что [В896.0]; Если верна обратная картина [Е39.0]; Не всегда верно [Н778.0]; С подлинным верно [С55.0]; Сказанное особенно верно [С507.0]; Сказанное особенно верно, если [С508.0]

**вернуть:** Вернуть в положение [В899.0]; Вернуть прерыватель в исходное положение [В900.0]

**вернуться:** Вернуться из подпрограммы к оператору [В901.0]; Вернуться к исходному состоянию [В902.0]; Мы вернемся к этому вопросу позже [М406.0]; Мы вернемся к этому вопросу [М405.0]; Стрелка манометра должна вернуться на нуль [С1485.0]

**верный:** Оказываться верным [0661.0]

**вероятнее:** Вероятнее всего [В915.0]

**вероятно:** Более, чем вероятно [Б192.0]; Вероятно, было бы достаточно и меньшего количества [В904.0]; И вероятно объясняют [И15.0]; Мало вероятно, что [М42.0]; Мало вероятно также, что [М46.0]; Мало вероятно, что ... оказывали сильное влияние на [М43.0]; Мало вероятно, что ... так же [М44.0]; Мало вероятно, что эти надежды оправдаются [М45.0]; Наиболее вероятно [Н316.0]; Очень вероятно, что [01660.0]; Придется, вероятно [П2562.0]; Так же вероятно (Т24.0); Это весьма вероятно [Э120.0]; Это допущение, вероятно, справедливо [Э193.0]

**вероятностный:** Вероятностные соотношения [В912.0]

**вероятность:** Вероятность... по-прежнему мала [В908.0]; Вероятность образования [В906.0]; Вероятность отложения [В907.0]; Вероятность превратиться в [В909.0]; Вероятность существования [В910.0]; Вероятность удара [В911.0]; Намного большая вероятность [Н415.0]; По всей вероятности [П353.0]; Существует большая вероятность того, что

[С1568.0]; Там, где есть вероятность [Т108.0]; Устранять вероятность [У522.0]

**вероятный:** [В913.0]; Была бы более вероятной, чем [Б376.0]; Вероятное объяснение [В914.0]; Наиболее вероятная причина [Н315.0]; Представляется вероятным что [П 1886.0]

**версия:** Придерживаться версии [П2298.0]

**вертикаль:** Отклоняться от вертикали [01341.0]; Поднимать строго по вертикали [П757.0]; Смещены по вертикали [С736.0]

**вертикально:** Идти вертикально или горизонтально под прямым углом к [И112.0]

**вертикальность:** [В916.0]

**вертикальный:** Удерживаться в вертикальном положении [У132.0]

**верх:** Верх, не кантовать [В918.0]

**верхний:** В верхнем положении [В350.0]; В самом верхнем положении [В354.0]; Верхние индексы [В924.0]; Верхний участок [В922.0]; Верхний предел [В920.0]; Верхний допустимый предел [В921.0]; Верхняя граница для [В923.0]; На верхней стенке [Н156.0]; Отбираться из верхней части [01264.0]; Полоса статической ошибки верхнего предела измерений [П 1122.0]; Самое верхнее положение [С228.0]; Сдвинуть щелчком в верхнее положение [С383.0]; Существует некое верхнее критическое значение, выше которого [С1572.0]

**вес:** Вес с упаковкой [В924.0]; Вес тары [В926.0]; Иметь большой вес [И360.0]; Не иметь такого большого веса [Н886.0]; Под действием собственного веса [П607.0]; Под собственным весом [П618.0]; Придавать больший вес [П2286.0]; Придавать вес мнению [П2285.0]; Удерживать на весу [У127.0]; Характеризоваться молекулярным весом [Х10.0]

**весить:** Весить в раза меньше [В928.0]; Весить в сухом состоянии [В927.0]

**веский:** Веские доводы в пользу [В930.0]; Имеются веские доводы в пользу [И500.0]; Имеются веские основания полагать что [И501.0]

**весогобаритные:** Весогобаритные характеристики [В929.0]

**весовая:** В концентрации 1 весовая часть ... на ... частей... [В162.0]

**весомый:** Весомый вклад в [В931.0]

**вести:** Вести к большим тратам впустую (В934.0); Вести к значительному усложнению [В935.0]; Вести к опасным последствиям (В936.0); Вести к серьезному ухудшению [В937.0]; Вести к умалению прав [В938.0]; Вести протокол [В939.0]; Вести свое происхождение от [В940.0]; Вести себя иначе [В941.0]; Вести себя как [В943.0]; Вести себя несколько иначе [В942.0]; Вести себя несколько странно [В944.0]; Вести себя нор-

- мально во всех отношениях [B945.0]; Вести себя подобно [B946.0]; Вести себя подобным [B947.0]; Вести себя противоположным образом [B948.0]; Вести себя хорошо [B949.0]; Вести учет [B950.0]; Вести формуляр [B951.0]; Во многом ведут себя так же, как [B 199.0]; Не ведет к серьезному ухудшению [H768.0]; Не все ведут себя таким образом [H777.0]; Увеличение ведет к увеличению [Y51.0]; Это ведет обычно к [Э118.0]; Это не всегда ведет к [Э119.0]
- вестись** [B952.0]; В настоящее время ведется работа [B46.0]; В настоящее время ведутся поиски [B47.0]; Исследование ведется по многим направлениям [И774.0]; Параллельно с ... ведется поиск [П19.0]; Работа ведется большая [P11.0]; Разработка велась по двум направлениям [P306.0]; Эта работа в настоящее время ведется [Э109.0]
- весы**: Взвешивать на весах [B1060.0], Сумма весов [C1540.0]
- весь**: Без учета всей картины [B61.0], В дополнение ко всему этому [B 110.0]; В масштабах всей страны [B 182.0]; В результате всей этой деятельности [B475.0]; В течение всей серии опытов [B692.0]; Весь день [B954.0]; Весь диапазон [B955.0]; Весь износ [B956.0]; Весь необходимый [B957.0]; Весь объем измерений по программе [B958.0], Всему есть предел [B1025.0]; На всей длине [H52.0]; Объединение в сеть всей [0348.0]; Плотно прилегающий по всей окружности [ПЗОб.О], По всей [П354.0]; По всей вероятности [П353.0]; По всей окружности [П356.0]; По всему периметру [П437.0]; По всему поперечному сечению [П351.0]; По всему сердечнику [П352.0]; Проникать по всей длине [П2863.0]; Со всей несомненностью [C191.0]; Со всей определенностью говорят о том, что [C192.0]; Со всей определенностью заявлять об отсутствии ответственности за [C193.0]; Указывать со всей определенностью [Y214.0]
- весьма**: Было бы весьма удивительным, если бы... [B377.0]; Весьма возможно, что [B1028.0]; Весьма маловероятно, что [B1029.0]; Весьма напоминающие [B1030.0]; Весьма обнадеживать [B1031.0]; Весьма обнадеживающий [B1032.0]; Весьма успешно [B1033.0]; Весьма целесообразно [B1034.0]; Весьма широкий диапазон [B 1035.0]; Давать весьма обнадеживающие результаты [Д53.0]; И притом весьма сложным образом [И53.0]; Иметь весьма дискуссионный характер [И463.0]; Может оказаться весьма необходимым [M285.0]; Обоснованность такого представления данных весьма сомнительна [0167.0]; Оставаться весьма перспективным [01089.0]; Пришлось весьма кстати [П2570.0]; Сходство весьма заметно [C1607.0]; Это весьма вероятно [Э120.0]
- ветер**: Ориентировать по ветру [0908.0]
- ветхость**: Прийти в ветхость [023.0]; Приходить в ветхость [B1036.0]
- ветшать** [B1036.0]
- веха**: Важная веха [B789.0]; Веха в истории развития [B 1037.0]
- вещество**: [B 1038.0]; Загрязняющее вещество [3152.0]; Защищать от попадания атмосферных осадков и посторонних веществ [3545.0]; Постороннее вещество [П1470.0]; Химическое вещество [X24.0]
- вещь**: Вещь довольно необычная для [B1039.0]; Обычная вещь при [0393.0]; Правильно смотреть на вещи [П1622.0]
- взад**: Взад и вперед [B 1040.0]
- взаимно**: Взаимно дополняющие [B1043.0]; Взаимно обогащать друг друга [B1044.0]; Взаимно превращаться друг в друга [B1047.0]; Взаимно приемлемое решение [B 1048.0]; Взаимно уничтожаться [B 1049.0]
- взаимно-перпендикулярный**: Взаимно-перпендикулярные плоскости [B 1046.0]
- взаимный**: Взаимная услуга [B 1041.0]; При взаимном согласии сторон [П2058.0]
- взаимодействие**: В взаимодействии с [B16.0]; Взаимодействие между [B 1050.0]; Тесное взаимодействие [T206.0]; Устанавливать взаимодействие [Y450.0]
- взаимодействовать**: [B1051.0]Взаимодействовать с ... с образованием [B1053.0]; Взаимодействовать с [B1052.0]
- взаимозаменяемый** [B1054.0]
- взаимосвязанный**: Взаимосвязан [B1055.0]; Взаимосвязаны, но не одинаковы [B 1056.0]
- взаимосвязь** [B1057.0]
- взамен**: Взамен существовавшей практики [B 1059.0]
- взвесить**: Взвесить все вышесказанное [B 1062.0]
- взвешенный**: Взвешенный в паре [B1064.0]
- взвешивать**: Взвешивать на весах [B1060.0]; Взвешивать с точностью [B 1061.0]; Необходимо тщательно взвешивать [H1391.0]
- взгляд**: Из-за расхождения во взглядах на [И228.0]; Может на первый взгляд показаться [M298.0]; На взгляд [H12.0]; На первый взгляд [H13.0]; На первый взгляд больше напоминает [H14.0]; На первый взгляд может показаться что [H15.0]; На первый взгляд это может показаться неожиданным [H16.0]; Показаться на первый взгляд [П996.0]; Представляется, по крайней мере, на первый взгляд [П1895.0]; Упрощенный взгляд на [Y345.0]; Чем это может показаться на первый взгляд [460.0]
- взнос**: Взнос участника выставки [B1065.0]
- взор**: Обращать свой взор на [0219.0]
- взрывобезопасность**: Требования по взрывобезопасности [T424.0]

**взрывобезопасный:** Взрывобезопасная зона [В 1066.0]

**взрывоопасный:** Эксплуатировать во взрывоопасной среде [Э60.0]

**взятый:** Все это вместе взятое [В991.0]; Все это вместе взятое означает, что [В992.0];

Значение, взятое из справочника [3596.0];

Взятый за основу [В1075.0]; Вместе взятые [В1152.0]; Все эти результаты, взятые вместе [В 1024.0]

**взять:** Взят в качестве примера [В1073.0];

Взяты обычными [В1074.0]; Взять на себя обязанности председателя [В1068.0]; Взять на себя обязательства по [В 1069.0]; Взять на себя ответственность [Б272.0]; Взять на себя управление [В1070.0]; Взять полный дифференциал от [В1071.0]; Взять равным [В1072.0]; Нужно взять за правило [Н1898.0];

Обязанности взял на себя [0418.0]

**взяться:** Взяться за [В1076.0]

**вибрация:** Уровень вибраций [У368.0]

**вид:** В виде сокращения [В 19.0]; В искаженном

виде [В20.0]; В развернутом виде [В21.0]; В разобранном виде [В22.0]; В собранном виде [В23.0]; В том виде, в каком он был получен [В25.0]; В чистом виде [В29.0]; Важно иметь в

виду, что [В797.0]; Важно не упускать из виду [В798.0]; Вид осмотра или проверки [В1083.0]; Вид получаемого продукта [В1084.0];

Вид разрушения [В1085.0]; Вид ремонта [В1086.0]; Вид с торца [В1080.0]; Вид спереди

[В 1079.0]; Вид технического обслуживания [В1087.0]; Внешний вид [В1194.0]; Входить в

явном виде [В1680.0]; Выполненный в виде

отдельного узла [В1911.0]; Выражать в виде [В1941.0]; Записывать в виде [3383.0]; Имеет-

ся в виду, что [И362.0]; Нельзя упускать из виду [Н 1334.0]; Необходимо иметь в виду [Н1368.0]; Основные виды деятельности [0998.0]; Последнее выражение можно упростить до вида [П1389.0]; Поставлять в

полностью собранном виде [П1453.0]; Потерять из виду [П1517.0]; Приводить к безразмерному виду [П2224.0]; Присутствовать в виде [П2538.0]; Проявляться в виде [П3052.0];

Следует иметь в виду [С603.0]; Сформулированная в таком виде задача [С 1593.0]; Упущать из виду [У348.0]

**виден:** Виден максимум [В1092.0]; Виден нево-

оруженным глазом [В1093.0]; Все еще виден [В969.0]; Едва виден [Е3.0]; Легко виден

[Л15.0]; Обычно был виден износ [0402.0];

Хорошо виден [Х45.0]; Хорошо виден невооруженным глазом [Х45.0]

**видеть:** Видеть невооруженным глазом [В1090.0]; Как можно видеть [К85.0]; Как это можно видеть на [К86.0]; Можно видеть невооруженным глазом [М327.0]; Можно видеть, что [М326.0]; Мы не видим каких-либо непреодолимых трудностей [М414.0];

Мы не видим какого-либо удовлетворительного объяснения [М415.0]; Наибольшее влияние, как можно видеть, испытывает затем ... и наконец [Н349.0]; Обращаясь теперь к ..., видим [0235.0]; Хотелось бы видеть больше работ по [Х80.0]

**видимость:** [В1097.0]

**видимый:** [Е3.0]; Без какой-либо видимой связи с [Б27.0]; Видимый при 30-кратном увеличении [В 1096.0]; Становиться видимым [С1379.0]

**видно:** Из уравнения хорошо видно, что [И120.0]; Как видно из [К60.0]; Какой-либо определенной зависимости от ... не видно [К163.0]; Не видно [Н769.0]; Не видно, чтобы [Н770.0]; Почти не видно [П1565.0]; Хорошо видно, что [Х46.0]; Это хорошо видно [Э200.0]

**видный:** Более отчетливо видны [Б166.0]; Видная фигура в мире [В1098.0]; Видны на поверхности [В1094.0]; Устанавливать на видном месте [У452.0]; Хорошо видны [Х44.0]; Хорошо видны различия в [Х47.0]

**видоизмененный:** [В1100.0]

**видоизменять:** [В 1099.0]; Коренным образом видоизменять [К379.0]

виза: [В1101.0]

**визировать:** [В1102.0]

**визуально:** Наблюдались визуально и на слух [Н224.0]

**визуальный:** Визуальные наблюдения [В1105.0];

Визуальный обзор [В1103.0]; Визуальный осмотр [В1104.0]; Проходить визуальный осмотр [П2999.0]

**винт:** Ввернуть винт [В828.0]; Вывернуть винт [В1749.0]; Освободить винт [0919.0]; Ослабить винты [0933.0]; По два винта сверху и снизу [П363.0]; Подтягивать винты [П871.0]; Слегка притянуть винтами [С577.0]

**вкл:** Поставить ключ в положение «вкл» [П 1439.0]; Поставить переключатель в положение «ВКЛ» [П1443.0]; Устанавливать в положение ВКЛ [У448.0]

**вклад:** Весомый вклад в [В931.0]; Вносить большой вклад в [В1214.0]; Вносить вклад в [В1213.0]; Вносить существенный вклад в современные достижения в области [В1215.0]

**вклеивать:** Вклеивать в [В1106.0]

**включать:** Автоматически включать [А64.0];

Включать в работу [В 1110.0]; Включать в свою программу [В1109.0]; Включать в себя [В1111.0]; Включать и выключать (В1108.0); Включать последовательно с (В1112.0); Включить ..., затем переключить на [В1116.0];

Включить [В 1115.0]; Не включайте [Н771.0];

Не включайте ... в плохо проветриваемом помещении [Н772.0]; Повторно включить [П1570.0]; Представленные материалы по ... включают в себя [П1904.0]

**включаться:** Включается аварийная сигнализация [B1113.0]; Включается автоматически, если отказывает [B1114.0]

**включение:** Включение ... в работу [B1119.0]; Включение соответствующих пунктов (В 1120.0); Включение электропитания [B1121.0]; Предотвращать случайное включение [П 1776.0]; Работать по последовательной [параллельной] схеме включения [Р68.0]; Уменьшать опасность случайного включения [У257.0]

**включенный:** Включенный последовательно [B1117.0]; Не включенные в эту цифру [H773.0]; Не оставляйте включенным в сеть [H965.0]; При включенном электропитании (П2165.0); Проверка при включенном электропитании [П2625.0]; С последовательно включенным [С69.0]

**включено:** В положении «включено» [B348.0]

**включительно:** [B1122.0]; До ... включительно [D439.0]; От до ... включительно [01201.0]; По ... включительно [П342.0]; С ... по ... включительно [С53.0]

**вкратце:** [B1123.0]; Если говорить вкратце, то [E115.0]

**вкуче:** Вкуче с [B1124.0]

**вкус:** Дело вкуса [D247.0]

**владелец:** Предоставлять владельцу права [П1758.0]

**владение:** Владение или пользование [B1125.0];

Владение устной речью [B1126.0]; Находиться в хозяйственном владении [H662.0]

**влажность:** Относительная влажность [01425.0]

**власть:** Местные власти [M138.0]; Облекать властью [H276.0]

**влево:** Влево от [B1127.0]; Влево от прежнего положения [В 1128.0]; Смещаться влево [С730.0]

**влечь:** Влечь за собой [B1129.0]; Это влечет за собой [3121.0]

**вливать:** Вливать в [B1130.0]

**влияние:** Благоприятное влияние [B118.0]; В наименьшей степени подвержен влиянию [B663.0]; В отношении влияния, которое [B298.0]; Влияние отсутствует [B1140.0];

Влияние ... выразилось в [В 1132.0]; Влияние ... не очень сильно выражено [B1136.0];

Влияние ... не совсем ясно [B1138.0]; Влияние ... несомненно [B1139.0];

Влияние ... состоит в-[B1142.0]; Влияние ... становится

преобладающим [B1143.0]; Влияние ... так или иначе всегда сказывается [B1144.0];

Влияние ... учитывается [B1145.0]; Влияние

длительной работы ... в условиях коррозии и отложений [B1133.0]; Влияние на окружающую среду [B1135.0];

Влияние на [B1134.0]; Влияние не распространяется за пределы [B1137.0]; Влияние не учитывается [B1141.0]; Влиянием ... пренебрегается

[B1141.0]; Возможно, оказывает некоторое влияние [В 1300.0]; Вредное влияние [B1511.0]; Выделить влияние [B1787.0]; Выяснить влияние масштаба [B2089.0]; Заметное влияние на [3291.0]; Зона теплового влияния [3638.0]; Исключать влияние [I651.0]; Испытывать влияние [I759.0];

Исследование влияния [I775.0]; Их влияние неодинаково [I855.0]; Каково ожидаемое влияние [K150.0]; Мало вероятно, что ... оказывали сильное влияние на [M43.0];

Наибольшее влияние, как можно видеть, испытывает ... затем ... и наконец [H349.0];

Не оказывать влияния [H954.0]; Не оказывать заметного влияния [H955.0]; Не оказывать никакого влияния [H956.0]; Не оказывать существенного влияния на [H957.0];

Неблагоприятное влияние [НИ 58.0]; Нельзя разделить влияние ... и [H1332.0]; Непосредственное влияние [H1487.0];

Оказывать влияние [0622.0]; Оказывать благоприятное влияние на [0624.0];

Оказывать благоприятное влияние, уменьшая [0625.0]; Оказывать влияние на обрабатываемость [0623.0];

Оказывать вредное влияние [0626.0]; Оказывать вредное влияние на [0627.0];

Оказывать двоякое влияние на [0628.0]; Оказывать заметное влияние на [0629.0];

Оказывать наибольшее влияние [0630.0]; Оказывать неблагоприятное влияние на [0631.0];

Оказывать некоторое влияние на [0632.0]; Оказывать пагубное влияние на [0633.0];

Оказывать противоположное влияние на [0634.0]; Оказывать сильное влияние на [0635.0];

Определение влияния каждой переменной в отдельности [0806.0]; Ослабление влияния [0928.0];

Оценивать возможное влияние [01630.0]; Под влиянием [П605.0];

Подчеркивать влияние [П879.0]; Показано, что ... не оказывает большого влияния [П992.0];

Полезно учесть влияние ... используя [П1014.0];

Полностью противоположно влиянию [П1060.0]; Положительное влияние [П1112.0];

Преувеличивать влияние [П2053.0]; Приписывать влиянию [П2502.0];

Разделять влияние этих факторов [P201.0]; Разобраться во влиянии [P167.0];

Свидетельствовать об отсутствии влияния [С298.0];

Сильное влияние [С461.0]; Сказывается влияние [С512.0];

Скрывать влияние [С557.0]; Совместное влияние (С857.0); Стирать влияние [С1461.0];

Суммарное влияние [С 1545.0]; Трехстороннее влияние [Т465.0];

Устранять влияние на [У523.0]; Что может оказать влияние, так это [4146.0];

Это также могло оказывать некоторое влияние [Э147.0]; Эффективно уничтожать влияние [Э228.0]

**влиятельный:** Оказываться более влиятельным, чем [0657.0]

**влиять:** Влиять в противоположном направлении [В1147.0]; Влиять мало или вообще не влиять [В1148.0]; Влиять на [В1146.0]; Действительно влияет на [Д171.0]; Дополнительно влиять на [Д612.0]; Мало влиять или совсем не влиять на [М21.0]; Мало влиять на [М22.0]; Не влияя на [Н774.0]; Неблагоприятно влиять [Н1160.0]; Незначительно влиять на [Н1265.0]; Отрицательно влиять [О1515.0]; Плохо влиять [П313.0]; Положительно влиять [П1105.0]; Сильно влиять [С464.0]; Сильно влиять на [С465.0]; Слабо влиять на [С565.0]

**вливающий:** Влияющий фактор [В1149.0]; Менее важные факторы, влияющие на [М94.0]

**вложение:** Вложения [В1150.0]

**вложенный:** Отгрузочный лист, вложенный в [О1271.0]

**вменять:** Вменять в обязанность [В1151.0]

**вместе:** А вместе с ним и... [А7.0]; Вместе взятые [В1152.0]; Вместе и по отдельности [В1153.0]; Вместе с другими [В1155.0]; Вместе с тем [В1156.0]; Вместе с [В1124.0, В1154.0]; Все эти результаты, взятые вместе [В1024.0]; Все это вместе взятое означает, что [В992.0]; Все это вместе взятое [В991.0]; Выходить вместе [В2031.0]; Действовать по отдельности или вместе [Д185.0]; Инструкция, упакованная вместе с [И580.0]; По отдельности и вместе [П430.0]; По отдельности или вместе [П431.0]; Порознь или вместе [П1324.0]; Теряться вместе с [Т204.0]; Удерживать вместе [У124.0]; Удерживаться вместе [У135.0]; Храниться вместе с [Х124.0]

**вместо:** Вместо ... должно быть [В1158.0]; Вместо ... можно использовать [В1159.0]; Вместо ... принимали [В1161.0]; Вместо них [В1160.0]; Вместо того, чтобы [В1162.0]; Вместо этого [В1163.0]; Использование вместо [И684.0]; Использовать вместо [И697.0]; Использоваться вместо [И717.0]; Подстановка вместо [П837.0]; Это было сделано вместо [Э129.0]

**вмешательство:** Без вмешательства оператора [Б15.0]; Без вмешательства человека [Б16.0]; Без вмешательства [Б14.0]; Вмешательство во внутренние дела [В1164.0]; Надёжно защищать от постороннего вмешательства [Н261.0]; Недобросовестное вмешательство [Н1188.0]; Несанкционированное вмешательство [Н1569.0]

**вмещать:** [В1165.0]; Существующее пространство вмещает [С1587.0]

**вначале:** [Вначале .... а затем [В1167.0]; Вначале .... затем ..., после этого [В1168.0]; Вначале предполагалось [В1169.0]; Вначале рас-

смотрим [В1170.0]; Вначале рекомендовалось [В1171.0]; Для этого необходимо вначале [Д428.0]; Если вначале представить себе [Е40.0]; Можно было бы вначале ..., а после

этого [М390.0]; Рассмотрим вначале [Р479.0]; Чем думалось вначале [449.0]; Чтобы ..., необходимо вначале [4196.0]

**внедрение:** Внедрение в практику [В1182.0]; Внедрение в промышленность [В1183.0]; Внедрение в широких масштабах [В1184.0]; Внедрение в эксплуатацию [В1185.0]; Внедрение научных результатов в производство [В1186.0]; Срок внедрения [С1327.0]; Темпы внедрения [Т142.0]; Тормозить внедрение [Т335.0]; Широкое внедрение [Ш15.0]

**внедрять:** Внедрять в практику [В1188.0]; Внедрять использование ... на отдельных [В1189.0]

**внезапно:** [В 1191.0]; Происходить внезапно [П2824.0]

**внезапный:** Внезапная проверка [В1190.0]

**внесение:** Рассмотрение вопроса о внесении изменений в [Р495.0]; Способ внесения изменений [С 1204.0]

**внесенный:** Изменение, внесенное в [И239.0]

**внешне:** Внешне напоминать [В1192.0]; Внешне похожий [В 1193.0]

**внешний:** Внешнее сходство [В 1197.0]; Внешние признаки [В1198.0]; Внешний вид [В1194.0]; Внешний источник питания [В1195.0]; Внешняя часть [В1196.0]; На внешней стороне [Н160.0]; Отличаться по внешнему виду от [01393.0]; По внешнему виду [П344.0]; Повреждение обусловленное внешними причинами [П558.0]; С внешней стороны [С 104.0]; Судя по внешнему виду (С1531.0); Шлифовать после сварки для обеспечения гладких внешних поверхностей [Ш36.0]

**вниз:** В направлении вниз по течению [В231.0]; В направлении вниз [В230.0]; Вниз от [В1199.0]; Вниз по [В1200.0]; Лицевой поверхностью вниз [Л62.0]; Надавливать вниз на [Н253.0]; Направлен вниз [Н484.0]; Направленный вниз поток [Н482.0]; Обращен вниз [0240.0]; Проходить вниз [П3000.0]; Сверху вниз [С280.0]; Сверху слева вниз направо [С281.0]; Смещаться вниз на расстояние [С731.0]; Смещены вниз на [С735.0]

**внимание:** Большое внимание уделялось (Б239.0); В настоящем исследовании внимание сосредоточено на [В134.0]; В последнее время стали обращать внимание и на [В63.0]; В прошлом уделялось мало внимания [В426.0]; Внимание будет сосредоточено на [В1203.0]; Внимание к деталям [В1204.0]; Внимание! [В1202.0]; Во внимание [П2408.0]; Если не принимать во внимание [Е142.0]; Если обратить внимание на то, что [Е61.0]; Если обратить внимание на [Е60.0]; Если принять во внимание [Е79.0]; Еще одна область, которой уделяется очень мало внимания [Е222.0]; Заслуживать внимания [3445.0]; Заслуживать серьезного внимания

[3446.0]; Заслуживают внимания два обстоятельства [3447.0]; Заставили обратить более пристальное внимание на [3472.0]; Заставило больше уделять внимания не ..., а [3473.0]; Заставляет уделять больше внимания [3471.0]; И именно этому последнему вопросу уделяется наибольшее внимание [И32.0]; Мы обратили внимание на то, что [М427.0]; На которые необходимо обратить внимание [Н67.0]; На начальном этапе работы внимание будет уделено [Н 199.0]; На это обращал пристальное внимание [Н203.0]; Находиться в центре внимания [Н663.0]; Не должно приниматься во внимание [Н837.0]; Не обращать внимания на [Н941.0]; Не обращать на это внимания [Н942.0]; Не обращая внимания на [Н943.0]; Не принимать во внимание [Н1034.0]; Не приниматься во внимание [Н 1035.0]; Не уделяется особого внимания [Н 1130.0]; Незаслуженно большое внимание [Н1252.0]; Нельзя не принимать во внимание того, что [Н1316.0]; Нуждаться в особом внимании [Н1888.0]; Обратите внимание на следующие особенности [0214.0]; Обратите внимание на [0213.0]; Обратите внимание, что [0215.0]; Обращает на себя внимание [0212.0]; Обращать внимание на [0208.0, 0211.0]; Обращать более пристальное внимание на [0209.0]; Обращать внимание на противоречие [0210.0]; Обращать на это особое внимание [0218.0]; Обращать особое внимание на то, что [0217.0]; Основное внимание [0982.0]; Основное внимание будет уделено [0986.0]; Основное внимание должно быть уделено [0987.0]; Основное внимание обращается на [0983.0]; Основное внимание по-прежнему уделяется [0988.0]; Основное внимание при измерениях было сосредоточено на [0984.0]; Основное внимание уделено [0985.0]; Основное внимание уделялось [0989.0]; Особенное внимание требуется при [01056.0]; Особое внимание было обращено на [01066.0]; Особое внимание уделяется [01067.0]; Первым, на что обратили внимание, было [П67.0]; Пользуясь случаем, я обращаю ваше внимание на [П1222.0]; Предельное внимание [П1722.0]; Предлагать вниманию [П1726.0]; Привлекать внимание [П2199.0]; Привлекать внимание к [П2200.0]; Привлекать все большее внимание исследователей [П2201.0]; Привлекать всеобщее внимание к вопросам [П2202.0]; Принимая во внимание [П2409.0]; Причем особое внимание обращается на [П2573.0]; Пришлось обратить серьезное внимание на [П2567.0]; Проблеме уделяется большое внимание [П2607.0]; С ... внимание стало уделяться [С3.0]; С повышением/усилением внимания к [С54.0]; Сейчас в

центре внимания находятся две проблемы [С410.0]; Сосредотачивать внимание на [С1065.0]; Сосредотачивают все внимание на [С1066.0]; Требовать больших усилий и внимания [Т431.0]; Требовать к себе перво-степенного внимания [Т437.0]; Уделяется гораздо меньше внимания [У118.0]; Уделяется очень большое внимание [У119.0]; Уделялось в прошлом большое внимание [У120.0]; Уделять внимание [У108.0]; Уделять большее внимание надежности эксперимента [У110.0]; Уделять большое внимание [У109.0]; Уделять главное внимание [У111.0]; Уделять мало внимания [У 112.0]; Уделять много внимания [У113.0]; Уделять основное внимание [У115.0]; Уделять особое внимание [У116.0]; Уделять серьезное внимание [У117.0]

**внимательно:** [В1205.0]; Внимательно ознакомиться [В1206.0]; Внимательно осмотрите [В1207.0]; Внимательно следите за [В1208.0];

Следить очень внимательно за [С582.0]

**внимательный:** Благодаря внимательному отношению к [Б111.0]; Будьте предельно внимательны при работе с... [Б361.0]; Заслуживать более внимательного рассмотрения [3457.0]; При внимательном рассмотрении [П2122.0]; Требовать внимательного к себе отношения [Т434.0]

**вновь:** Вновь ... до нормы [В1210.0]; Вновь приобретать [В1211.0]; Разобрать и вновь собрать [Р 165.0]

**вносимый:** Возможные ошибки, вносимые [В1335.0]; Невосприимчивость к помехам, вносимым [Н1175.0]; Ошибка, вносимая в результате такого допущения, мала [01692.0]; Ошибка, вносимая [01691.0]

**вносить:** Без опасения внести серьезную ошибку [Б39.0]; Вносит не меньшую путаницу, чем использование [В1234.0]; Вносить большой вклад в [В1214.0]; Вносить большую [В1225.0]; Вносить в окончательный список [В1212.0]; Вносить вклад в [В1213.0]; Вносить существенный вклад в современные достижения в области [В1215.0]; Вносить изменения [В1216.0]; Вносить изменения в [В1217.0]; Вносить изменение в конструкцию [В1218.0]; Вносить изменения и уточнения в инструкцию [В1219.0]; Вносить искажение в [В1220.0]; Вносить коррективы [В1221.0]; Вносить на рассмотрение [В1222.0]; Вносить небольшую ошибку [В1226.0]; Вносить некоторый элемент субъективности, выразившийся в том, что [В1223.0]; Вносить ошибку [В1224.0]; Вносить поправку [В1227.0]; Вносить поправки в документ [В1229.0]; Вносить поправки в описание изобретения [В1230.0]; Вносить поправку в показания [В1228.0]; Вносить поправку на [В1231.0]; Вносить поправку на ошибку

- [В1232.0]; Вносить путаницу [В1233.0]; Вносить уточнения в теорию [В 1235.0]; Иметь право вносить изменения в рабочие чертежи [И432.0]; Необходимо внести некоторые изменения [Н1363.0]; Следует внести ясность [С599.0]; Чтобы внести ясность в использовании термина [4176.0]
- внутренний:** Вмешательство во внутренние дела [В1164.0]; Внутренний диаметр [В1236.0]; Внутренняя поверхность [В1237.0]; На внутренней стороне [Н161.0]; Плотно прилегать к внутренней поверхности [П304.0]; С внутренней стороны [С105.0]
- внутри:** Внутри зданий [В 1239.0]; Внутри области [В1240.0]; Внутри помещения [В1241.0]; Внутри труб [В1242.0]; Монтаж схемы внутри пульта управления [М250.0]; Расположенный внутри [Р394.0]; Спрос на ... внутри страны [С 1265.0]; Удерживаться внутри [У131.0]; Целиком внутри [Ц11.0]
- внутри:** [В1243.0]; Обращен внутрь наружу [0241.0]; Проникать внутрь [П2862.0]
- внушать:** Внушать доверие [В1244.0]; Внушать доверие к [В1245.0]; Не внушать доверия [Н775.0]
- во-вторых:** Во-первых, во-вторых [В327.0]; Во-первых,... во-вторых,... и наконец, в третьих. [В328.0]
- во-первых:** Во-первых, во-вторых [В327.0]; Во-первых,... во-вторых,... и наконец, в третьих. [В328.0]
- вовлекать:** Вовлекать в дискуссию о [В1247.0]
- вовремя:** Вовремя об этом напомнили [В 1250.0]; Вовремя принимать меры [В1249.0]; Выполнять вовремя [В1878.0]; Не вовремя [Н776.0]; Поступать вовремя [П1498.0]; Являться вовремя [Я 13.0]
- вода:** Доливать водой [Д598.0]; Не растворим в воде [В1251.0, Н1053.0]; Пропускание воды через [П2887.0]; Разбавленный водой [Р156.0]; Сетевая вода [С448.0]; Чрезмерное количество воды [4123.0]
- водонерастворимый:** Водонерастворимый [В1251.0]
- водоснабжение:** Водоснабжение, электроснабжение и вентиляция [В1252.0]; Горячее водоснабжение зданий [Г98.0]
- воедино:** Сводить воедино [С314.0]; Собирать воедино [С804.0]
- возбуждать:** Возбудить дело против [В 1253.0]; Возбуждать интерес к [В 1254.0]
- возведенный:** Возведенный в некоторую степень [В 1258.0]; Возведенный в степень [В 1257.0]
- возводить:** Возводить в квадрат [В1255.0]; Возводить в степень [В1256.0]; Возводить леса [В1259.0]
- возврат:** Возврат к [В1260.0]; Возврат к исходному [В1261.0]; Возврата к прошлому быть не может [В 1262.0]
- возвращать:** Возвращать без рассмотрения [В 1264.0]; Возвращать в исходное положение [В 1265.0]; Возвращать в прежнее положение [В 1266.0]; Возвращать в рабочее положение [В1267.0]; Возвращать в центральное положение [В1268.0]; Возвращать в эксплуатацию [В1269.0]; Возвращать для [В1270.0]; Возвращать на завод для ремонта [В1271.0]
- возвращаться:** Возвращаться в исходное положение [В1272.0]; Возвращаться в цикл [В1273.0]; Возвращаться к вопросу [В1275.0]; Возвращаться к норме [В1276.0]; Возвращаться к [В1274.0]; Возвращаясь к тому, что было сказано выше о [В1277.0]; Постоянно возвращаться к нему [П1473.0]
- возвращение:** Возвращение платы за экзамен [В1278.0]
- возглавляемый:** Группа, возглавляемая [Г140.0]
- возглавлять:** Возглавлять кафедру [В1280.0]
- воздействие:** [В1511.0]; Были приняты меры к защите персонала от воздействия... [В366.0]; Воздействие ... на (В1282.0); Воздействие на окружающую среду [В1283.0]; Длительное воздействие [Д304.0]; Защита от погодных воздействий [3536.0]; Защищен от погодных воздействий [3549.0]; Коррозионное воздействие [К397.0]; Кратковременное воздействие со стороны [К462.0]; Меры по ослаблению воздействия [М129.0]; Не поддаваться воздействию [Н975.0]; Ограничивать воздействие [0452.0]; Оказывать воздействие на [0637.0]; Оказывать длительное воздействие [0638.0]; Оказывать некоторое воздействие [0639.0]; Ослаблять воздействие [0931.0]; Оценка воздействия на окружающую среду [01640.0]; Плохо защищены от воздействия [П314.0]; Подвергать воздействию [П650.0, П651.0]; Подвергаться ряду воздействий [П658.0]; Подвергающийся воздействию [П671.0]; Прекращение воздействия [П 1997.0]; Прямое воздействие [П3061.0]; Создавать воздействие [С974.0]; Сопrotивляться воздействию [С1052.0]; Хранить вдали от источников тепла и предохранять от огня и прямого воздействия солнечных лучей [Х121.0]; Экологическое воздействие [Э5.0]
- воздействовать:** Сильно воздействовать на [С464.0]
- воздерживаться:** Воздерживаться от [В1285.0]; Заставляет воздерживаться от чрезмерного оптимизма [3470.0]
- воздух:** Борьба с загрязнением воздуха [В261.0]; Выпускать воздух из системы [В 1926.0]; Высушивать на воздухе [В2003.0]; Высушивать сжатым воздухом [В2004.0]; Вытеснять воздух [В2018.0]; Загрязнения, находящиеся в воздухе [3151.0]; На воздухе [В30.0, Н17.0, Н18.0]; Окружающий воздух [0731.0];



Откачать воздух из [01315.0]; Охлаждение на воздухе до комнатной температуры [01622.0]; Приводимый воздухом [П2261.0]; Продувать трубопроводы сжатым воздухом [П2759.0]; Удалять воздух из [У91.0]; Хранение в помещении на открытом воздухе [Х12.0]

**воздухонепроницаемый:** [В1286.0]

**возлагаемый:** Обязанность, возлагаемая на [0419.0]

**возлагать:** Возлагать надежды на [В1287.0]; Возлагать большие надежды на то, что [В1288.0]; Возлагать на себя всю ответственность за [В1290.0]; Возлагать ответственность за ... на [В1289.0]

**возлагаться:** Большие надежды возлагались на то, что [Б256.0]; Обязанности по такой ... возлагаются целиком на [0422.0]; Ответственность за ... возлагается теперь на пользователя [01235.0]

**возлагающийся:** Оправдывать возлагавшиеся на него надежды [0800.0]

**возмещать:** [В1291.0]; Возмещать затраты [В1292.0]; Возмещать потерю [В1293.0]; Возмещать убытки [В1294.0]

**возмещение:** Возмещение расходов [В1295.0];

Гарантировать возмещение убытков [Г15.0];

Иск о возмещении убытков [И640.0]

**возможно:** В тех случаях, когда это возможно [В577.0]; Везде, где это возможно {Б887.0};

Весьма возможно, что [В1028.0]; Возможно потому, что [В1302.0]; Возможно также, что

[В1313.0]; Возможно точнее [В1306.0]; Возможно, вы захотите [В1297.0]; Возможно, имело место [В1298.0]; Возможно, мы являемся свидетелями [В1299.0]; Возможно, ока-

зывает некоторое влияние [В1300.0]; Возможно, позволит [В1301.0]; Возможно, придется немного попрактиковаться [В1304.0]; Возможно, придется [В1303.0]; Возможно, свидетельствует о [В1305.0]; Возможно, це-

лесообразнее было бы [В1307.0]; Возможно,

что для ... потребуется [В1309.0]; Возможно,

что некоторым исключением являются [В1310.0]; Возможно, что существует некоторая зависимость от [В1311.0]; Возможно,

что этот эффект вызывается [В1312.0]; Возможно, что [В1308.0]; Возможно, это вызывается [В1314.0]; Возможно, это произошло

в результате [В1315.0]; Возможно, это является показателем [В1316.0]; Вполне

возможно,

но, что дело обстояло именно так [В1317.0]; Вполне возможно, что [В1476.0]; Всегда

возможно существование [В1564.0]; Для ... возможно будет полезным [Д328.0]; Если

вообще возможно [Е42.0]; Если это возможно [Е164.0]; За возможно более короткое

время [З3.0]; И возможно не повлияет на [И16.0]; Насколько возможно [Н542.0]; По-

видимому возможно [П329.0]; Поэтому

впол-

не возможно, что [П1577.0]; Промышленности будет возможно не хватать [П2859.0]; С другой стороны, вполне возможно, что [С107.0]; Связано возможно с [С363.0]; Там где это возможно [Т109.0]; Хотя этот вывод возможно и преждевременен (Х110.0); Чем это обычно возможно [461.0]

**возможность:** Большие возможности [Б253.0];

Большие неиспользованные возможности [Б254.0]; Была рассмотрена возможность

замены [Б365.0]; В пределах возможностей [Б391.0]; В проекте... должна быть предус-

мотрена возможность [В409.0]; Возможности ограничены (В1327.0); Возможности

использования [В1325.0]; Возможности метода [В1326.0]; Возможности применения

[В1328.0]; Возможность опубликовать эти

результаты [В1320.0]; Возможность существования [В1322.0]; Воспользоваться

возможностью [В1417.0]; Выходить за пределы

возможностей [В2033.0]; Давать возможность

получить [Д10.0]; Задача состоит в

обеспечении возможности [З173.0]; Избегайте

по возможности [И160.0]; Иметь возможность [И368.0, И369.0]; Имеются все

возможности (И499.0); Использовать все

его возможности [И699.0]; Использовать

почти на пределе возможностей [И728.0];

Исследовать возможности [И798.0]; Исчер-

пывать все возможности [И844.0]; Лишать

возможности [Л68.0]; Находиться на пределе

своих возможностей [Н674.0]; Не давать

возможности [Н811.0]; Нельзя исключить

возможность того, что [Н1314.0]; Необходи-

мо обеспечить возможность [Н1373.0]; Об-

ладать огромными возможностями [073.0];

Ограниченные возможности [0474.0]; От-

крывать большие возможности [01359.0];

По возможности точно [П347.0]; Получать

возможность [П1129.0]; Потенциальные

возможности [П1508.0]; Предоставлять

возможность [П1759.0]; Предусматривать

возможность [П1915.0]; Производственные

возможности [П2804.0]; Расширять

возможности [Р565.0, Р566.0]; Реализовать

все возможности [Р588.0]; Реальная

возможность [Р592.0]; Свидетельствовать

о возможности существования [С294.0]; Хорошие

возможности для достижения [Х38.0]

**возможный:** В максимально возможной

степени [В659.0]; Возможен и другой

вариант [В1332.0]; Возможная причина

этого [В1333.0]; Возможные ошибки,

вносимые [В1335.0]; Возможный

вариант [В816.0, В1330.0];

Возможный случай [В1331.0];

Выбирать ... из числа многих

возможных [В1694.0]; Делать

возможным [Д193.0]; Делать

все возможное [Д194.0];

Достаточно мал и поэтому

делает возможным [Д688.0];

Другой возможный вариант

заключается в

[Д751.0]; Другой возможный путь состоит в [Д752.0]; Единственно возможный путь [Е21.0]; Единственно возможный способ [Е22.0]; Исключать из числа возможных [И657.0]; Исключать из числа их возможных источников [И658.0]; Любой из возможных вариантов [ЛИ 9.0]; Максимально возможный [М4.0]; На практике возможны промежуточные случаи — [Н112.0], Насколько, насколько это оказалось практически возможным [Н564.0]; Необходимо сделать все возможное для того, чтобы [Н1384.0]; Несмотря на все эти возможные причины [Н 1614.0]; Неясно, насколько возможны [Н1689.0]; Один из возможных путей [0507.0]; Одна из возможных причин состоит в том, что [0528.0]; Оказались возможными после того как стало ясно, что [0663.0]; Оказываться возможным [0662.0]; Оценить возможное влияние [01630.0]; Получение которого становится возможным благодаря [П1209.0]; Потенциально возможный [П1509.0]; Практически возможный [П1646.0]; Предельно возможный [П 1723.0]; Предупреждать о возможном отказе [П1909.0]; Принимать все возможные меры для [П2418.0]; С учетом всех возможных отказов [С160.0]; Сделать всё возможное, чтобы [С388.0]; Сделать выбор из большого числа возможных [С390.0]; Становиться возможным [С1380.0]; Сужать выбор до единственно возможного [С1536.0]; Тем самым оказалось возможным [Т137.0]; Теперь, когда ... известны, становится возможным [Т171.0]; Третий возможный путь состоит в [Т464.0]; Тщательно исследовать все возможные [Т510.0]; Число возможных сочетаний бесконечно [498.0]; Что сделало возможным [4162.0]; Чтобы стало возможным [4213.0]; Это стало возможным благодаря [Э198.0]

**возмущение:** [В 1336.0]; Мгновенное возмущение [М76.0]; Наибольшее возмущение вызывает [Н350.0]

**вознаграждение:** В качестве вознаграждения за [В 140.0]; Вознаграждение за [В1338.0]

**возникать:** А следовательно, возникает вопрос [А39.0]; В связи с этим... сразу же возникает вопрос, насколько [В508.0]; Возник ряд трудностей, связанных с [В1349.0]; Возникает желание [В1346.0]; Возникает ряд вопросов [В1345.0]; Возникать в результате того, что [В 1341.0]; Возникать в результате [В 1340.0]; Возникать из желания [В1342.0]; Возникать по следующей причине [В1343.0]; Возникают трудности [В1347.0];

Возникли непредвиденные трудности [В1348.0]; Возникли сомнения относительно [В1350.0]; Если позднее возникнет необходимость в таком [Е71.0]; Если такая необ-

ходимость возникнет [Е94.0]; Необходимость в ... возникает из-за [Н1399.0]; Никаких вопросов в этом отношении не возникло [Н1740.0]; Однако при этом возникло две проблемы [0571.0]; Особые трудности возникают при [01075.0]; Пожар возник из-за [П898.0]; При этом неизбежно возникает проблема [П2170.0]; Работа возникла в связи с [Р12.0]; Случайные условия, возникающие при [С716.0]

**возникновение:** В связи с возникновением потребности в [В497.0]

**возникнуть:** Может возникнуть большая путаница [М271.0]; Некоторые из трудностей, которые могут возникнуть при использовании [Н1300.0]

**возобновление:** Возобновление дискуссии о [В1351.0]

**возобновлять:** Возобновлять интерес к [В1353.0]; Возобновлять подписку [В1355.0];

Возобновлять работу [В1356.0]

**возобновляться:** Возобновился интерес к [В1354.0]

**возражать:** Возражать на том основании, что [В1357.0]; Возражать против [В1358.0]; Нам могут возразить, что [Н396.0]

**возражение:** Возражение против [В1359.0]; Вызывающий возражения со стороны других [В 1833.0]; Может вызвать возражение [М273.0]; Не вызывать возражений [Н794.0];

Снимать возражения эксперта [С783.0]

**возраст:** Национальность, возраст, пол и общественное положение [Н699.0]

**возрастание:** [В1360.0]; Располагаться в порядке возрастания [Р372.0]

**возрастать:** Возрастает как ... в степени [В1365.0]; Возрастает..., а затем падает [В1364.0]; Возрастать ежегодно на [В1362.0];

Возрастать с увеличением ... и уменьшением ... [В1363.0]; Масштабы этих проблем все более возрастают [М64.0]; Плавно возрастать [П275.0]

**возрастающий:** В порядке убывающей [возрастающей] величины [В367.0]; Во все возрастающем количестве [В155.0]; Все возрастающий [В967.0]; С непрерывно возрастающей скоростью [С97.0]

**возрождать:** Возрождать интерес к [В1369.0]

**возрождаться:** В последнее время возродился интерес к использованию [В61.0]

**возрастать:** Возросло значение [В1366.0]; Возросло наше умение [В1367.0]; Возросшая роль [В1368.0]; Сейчас, когда как никогда возросла [С411.0]

**волей-неволей:** [В1370.0]

**вольтметр:** Подключить вольтметр к клеммам (П729.0); Присоединять вольтметр между... и землей [П2523.0]

**воображение:** Поражать воображение [П1319.0]

**вообще:** А в случае ... это вообще невозможно [А5.0]; Был незначительным или вообще отсутствовал [В362.0]; Влиять мало или вообще не влиять [В1148.0]; Вообще говоря [В1372.0]; Вообще не зависит от [В1374.0]; Вообще не рассматривает (В1375.0); Вообще не указаны [В1376.0]; Вообще не является периодическим [В 1377.0]; Вообще нельзя было [В1378.0]; Вообще ни одного [В1379.0]; Вообще никакого [В 1380.0]; Вообще прекращается [В 1381.0]; Делать очень трудным, если вообще не невозможным [Д229.0]; Если вообще [Е41.0]; Если вообще возможно [Е42.0]; Измерялся ли он вообще [ИЗ03.0]; Необходимость в ... вообще отпадает [Н 1401.0]; Неполные или вообще отсутствуют [Н1467.0]; Работает неэффективно и часто вообще бесполезен [Р65.0]; Распределяются, вообще говоря, по трем группам [Р432.0]

**вообще-то:** Вообще-то говоря [В1373.0]

**вооруженный:** Вооруженный знаниями [В1382.0]

**воочию:** Убедиться воочию [У35.0]

**воплощать:** Воплощать в себе самые последние достижения в [В1384.0]; Воплощать в [В 1383.0]

**воплощение:** Воплощение... в [В1385.0]

**вопреки:** Вопреки недавним высказываниям по этому вопросу [В1387.0]; Вопреки ожиданиям [В1388.0]; Вопреки распространенному мнению [В1389.0]; Вопреки утверждению [В 1390.0]

**вопрос:** А следовательно, возникает вопрос [А39.0]; Актуальный вопрос [А103.0]; Более подробно этот вопрос рассмотрен в [В170.0]; Было бы интересно получить ваши соображения по этому вопросу [В378.0]; Было бы интересно узнать мнение авторов по этому вопросу [В379.0]; В литературе по этому вопросу [В 173.0]; В ответ на вопрос [В288.0];

В статье рассматривается вопрос [В642.0]; Важный вопрос проектирования [В779.0]; Возвращаться к вопросу [В 1275.0]; Возникает ряд вопросов [В1345.0]; Вопрос ... остается открытым [В1406.0]; Вопрос ... требует дополнительного рассмотрения [В1409.0]; Вопрос большой практической важности [В1392.0]; Вопрос времени [В1393.0]; Вопрос

не столько в том ..., сколько в том [В1399.0]; Вопрос нуждается в дополнительном исследовании [В1400.0]; Вопрос о выдаче патента рассматривается [В 1401.0]; Вопрос о том, как [В1402.0]; Вопрос о том, что [В1403.0]; Вопрос относительно [В1405.0]; Вопрос при-

обрел особое значение (В1407.0); Вопрос, заслуживающий исследования [В 1395.0]; Вопрос, который интересует многих [В1398.0]; Вопросы, поднятые в [В1411.0];

Встает вопрос о [В1610.0]; Встает вопрос,

действительно ли это [В1611.0]; Высказать свое мнение по вопросу [В 1974.0]; Давать ответ на вопрос о [Д28.0]; Давать ответ на этот вопрос [Д29.0]; Дальнейшее обсуждение этого вопроса будет продолжено в [Д106.0]; Дискуссия развернулась в основном по вопросу о [Д291.0]; Для изучения этого вопроса необходимы дальнейшие исследования [Д344.0]; До прояснения этих вопросов [Д467.0]; Естественно задать вопрос [Е180.0]; Замечания по вопросу [З301.0]; Запутывать вопрос о [З421.0]; Затрагивать вопрос о [З484.0]; И именно этому последнему вопросу уделяется наибольшее внимание [ИЗ2.0]; И последний вопрос, который нужно рассмотреть в связи с [И50.0]; Иметь отношение к данному вопросу [И424.0]; К подобным вопросам нельзя относиться легко [К13.0]; Комментарии авторов по этому вопросу [К273.0]; Круг вопросов [К502.0]; Можно было бы задать вопрос о [М392.0]; Мы вернемся к этому вопросу [М405.0]; Мы не будем касаться вопроса [М413.0]; Не давать ответа на вопрос [Н818.0]; Не позволяют нам ответить па этот вопрос (Н995.0); Не решать вопроса полностью [Н 1059.0]; Не углубляясь в существо вопроса, можно сказать [НИ 29.0]; Никаких вопросов в этом отношении не возникло [Н1740.0]; Но в этом вопросе полной ясности еще нет [Н1783.0]; Обзор имеющейся литературы по этому вопросу [066.0]; Обходить молчанием вопрос о [0281.0]; Обширная библиография по этому вопросу [0293.0]; Ограничивать обсуждение вопросами [0458.0]; Ограничиваться рассмотрением вопросов [0466.0]; Один вопрос остается открытым [0485.0]; Один из нерешенных вопросов [0516.0]; Оставаться под вопросом [01106.0]; Остается ответить на следующий вопрос [01122.0]; Остается решить вопрос [01124.0]; Останавливаться на вопросе [01152.0]; По вопросу ... обращайтесь на завод [П349.0]; Поднимать вопрос [В1778.0, П753.0]; Поднимать массу вопросов [П754.0]; Позволяет прояснить несколько вопросов (П925.0); Посвящать этому конкретному вопросу [П1343.0]; Последний вопрос заключается в следующем [П1385.0]; Привлекать всеобщее внимание к вопросам [П2202.0]; Прямой ответ на вопрос [П3059.0]; Путаница в вопросе [П3090.0]; Рассматривать вопрос [Р458.0]; Расходиться в вопросе [Р531.0]; Расхождения по вопросу [Р542.0]; Решать вопрос [Р719.0]; Спорный вопрос [С1199.0]; Урегулировать вопрос [У364.0]; Что касается обсуждаемого вопроса [4144.0]; Эти вопросы нуждаются в пояснении [Э210.0]; Эти вопросы представляют общий интерес

[Э211.0]; Это не снимает вопроса [Э150.0]; Этот вопрос будет рассмотрен подробнее ниже [Э98.0]; Этот вопрос будет рассмотрен позже [Э99.0]; Этот же вопрос можно задать по поводу [Э 102.0]

**восполнение:** Восполнение складских запасов [В1412.0]

**восполнять:** Восполнять нехватку [В1414.0]

**воспользоваться:** Воспользоваться благоприятными свойствами [В1416.0]; Воспользоваться в полной мере [В1418.0]; Воспользоваться возможностью [В1417.0]; Воспользоваться достижениями передовой техники [В1419.0]; Воспользоваться несколько иным подходом [В1420.0]; Воспользоваться тем, что [В1421.0]; Воспользоваться удобным случаем и увеличить [В 1422.0]; Воспользоваться услугами [В1423.0]; Воспользоваться экономическими преимуществами [В1424.0]; Воспользуемся теперь [В1425.0]; Которыми можно было бы воспользоваться непосредственно [К.428.0]; Можно воспользоваться [М328.0]; Полностью воспользоваться [П1036.0]; Слишком ... , чтобы им можно было воспользоваться для [С657.0]; Удобно воспользоваться [У 144.0]; Чтобы полностью воспользоваться преимуществами [4204.0]

**воспрепятствовать:** Могут воспрепятствовать [М264.0]

**воспирать:** [В 1426.0]

**воспираться:** Категорически воспирается [К197.0, К198.0]

**воспринимать:** Воспринимать выходной сигнал [В 1429.0]; Воспринимать давление [В1428.0]

**воспроизведение:** [В 1430.0]

**воспроизводимость:** Воспроизводимость результатов от опыта к опыту [В1432.0]; Воспроизводимость экспериментальных данных [В1433.0]; Такое отсутствие воспроизводимости [Т72.0]

**воспроизводимый:** Воспроизводимые результаты [В 1435.0]; Точно воспроизводимый [Т389.0]

**воспроизводить:** [В1434.0]; Точно воспроизводить [Т388.0]; Трудно воспроизвести [Т476.0]

**восстанавливать:** Восстанавливать качество до первоначального уровня [В1437.0]; Восстанавливать равновесие [В 1438.0]

**восстановление:** Восстановление через некоторое время [В1441.0]; Восстановление работоспособности оборудования [В1440.0]

**восходить:** Восходить ко времени [В 1442.0]

**восьмидесятые:** Восьмидесятые годы [В 1443.0]

**вошедший:** Прочно вошедший в жизнь [П3028.0]

**впаивать:** Впаивать в [В 1449.0]

**впервые:** Впервые в подобного рода исследованиях [В1451.0]; Впервые наблюдаемый [В1452.0]; Впервые появляться [В1453.0];

Впервые примененный [В 1454.0]; Впервые рассмотренный [В 1455.0]; Метод, впервые предложенный [М157.0]; Появляться впервые [П1589.0]

**вперед:** В направлении вперед [назад] [В232.0]; Взад и вперед [В 1040.0]; Вперед и назад [В1458.0]; Двигаться вперед (Д154.0); Несомненно являются значительным шагом вперед [Н1633.0]; Шаг вперед по сравнению с [Ш3.0]; Являться шагом вперед по сравнению с [Я36.0]; Являться большим/крупным шагом вперед [Я10.0]

**впереди:** Впереди предстоит большая работа [В1457.0]

**впечатление:** Впечатление несколько портит [В1459.0]; Общее впечатление о (0330.0); Оставлять впечатление [01132.0]; Первое впечатление было, что [П156.0]; Складывается впечатление, как будто бы [С522.0]; Складывается впечатление, что [С523.0]; Создавать у читателя впечатление, что [С979.0]; У нас сложилось впечатление [У6.0]; У читателя не должно складываться впечатление, что [У 13.0]

**впечатляющий:** Впечатляющая особенность [В1461.0]; Впечатляющее свидетельство [В1462.0]

**вписывать:** [В 1463.0]

**вписываться:** Вписываться в габарит [В1464.0]; Вписываться в железнодорожный габарит [В1464.0]; Вписываться в заданные габариты [В1466.0]; Вписываться в пространство, занимаемое [В1467.0]

**вплотную:** Вплотную друг к Другу [В 1468.0]; Вплотную приблизиться к [В1469.0]

**вплоть:** Вплоть до обеспечения сходимости [В 1471.0]; Вплоть до разрушения [В 1472.0]; Вплоть до самого [В1473.0]; Вплоть до того момента, когда ... больше не применимо [В1474.0]; Вплоть до [В1470.0]; Иметь любую ... вплоть до [И407.0]; На всем протяжении вплоть до [Н121.0]; Пригоден для применения вплоть до [П2282.0]; Продолжаться вплоть до [П2747.0]

**вполне:** Вполне возможно, что дело обстоит именно так [В1317.0]; Вполне возможно, что [В 1476.0]; Вполне допустимо пренебречь [В1477.0]; Вполне доступен уже сейчас [В 1478.0]; Вполне естественно, беспокоит [В1479.0]; Вполне могут быть (В1480.0); Вполне может оправдать [В1481.0]; Вполне можно было бы [В1482.0]; Вполне объясним [В1483.0]; Вполне обычное явление [В1484.0]; Вполне обычные ситуации, в которых [В1485.0]; Вполне освоен [В1486.0]; Вполне отвечать современному уровню техники [В 1487.0]; Вполне подошел для [В 1488.0]; Вполне понятно [В1489.0]; Вполне правильно [В1490.0]; Вполне пригодный для [В1491.0]; Вполне реалистичен [В1492.0]; Вполне ре-

альный [В1493.0], Вполне способен [В1494.0]; Вполне удовлетворительный [В1495.0]; Для этого имеются вполне понятные причины [Д425.0]; Зачастую могут оказаться вполне достаточными [3525.0]; И вполне понятно, что [И17.0], Несмотря на некоторую упрощенность, это описание вполне удовлетворительно — [Н1617.0]; По вполне понятным причинам [П451.0]; По-видимому, вполне допустимо сделать вывод [П330.0]; По-видимому, вполне уместно [П331.0]; Поэтому вполне возможно что [П1577.0]; Поэтому вполне логично [П1578.0]; Представляется вполне достижимым [П1888.0]; С другой стороны, вполне возможно, что [С107.0]; Что вполне соответствует действительности [4130.0]; Что считается вполне обычным для [4169.0]

**впоследствии:** Впоследствии было найдено, что [В 1497.0]; Впоследствии мы будем ссы- латься [В1498.0]; Впоследствии получили подтверждение в [В 1499.0]; Впоследствии рассматриваются только [В1500.0]; Как мы впоследствии увидим [К90.0]; Подвергнется впоследствии [П669.0]; Подтвержденный впоследствии [П868.0]

**вправо:** Вправо от [В 1127.0]; Сдвиг вправо вызывает увеличение [С377.0]; Смещаться вправо [С732.0]

**впредь:** Который впредь будет называться [К411.0]

**впрессовывать:** Впрессовать в [В 1501.0]

**впрыскивать:** Впрыскивать в [В1502.0]

**впустую:** Вести к большим тратам впустую [В934.0]

**вразрез:** Идти вразрез с [И107.0]

**вращаться:** Вращаться относительно оси [В1504.0]; Вращаться свободно [В1505.0]

**вращение:** Проверить вращение [П2655.0]

**вред:** Не приносить вреда [Н1037.0]; Непоправимый вред [Н1469.0]

**вредно:** Так же вредно, как и [Т28.0]

**вредный:** Вреден для [В1509.0]; Вредная окружающая среда [В1510.0]; Вредное влияние [В1511.0]; Вредные последствия [В1512.0]; Вредный для [Г148.0]; Оказывать вредное влияние [0626.0]; Оказывать вредное влияние на [0627.0]

**времена:** Времена, когда ... давно прошли [В1513.0]; При малых временах [П2086.0]

**временно:** Временно изымать из эксплуатации [В1522.0]; Временно исключить из рассмотрения [В1523.0]; Временно применять [В 1525.0]

**временный:** Временная инструкция [В1515.0];

Временная мера [В1516.0]; Временные изменения [В1517.0]; Временные нормы расхода ЗИП на капитальный ремонт [В1518.0];

Временные технические условия [В1519.0];

Временные требования [В1520.0]; Предос-

тавлено во временное пользование [П1762.0]; Представляющий временный интерес [П1865.0]; Приказ о временном прекращении работы [П2325.0]; Это было только временным решением проблемы [Э116.0] **время:** Более поздние моменты времени [Б 174.0]; Более ранние моменты времени [Б180.0]; Было время, когда [Б367.0]; В ближайшее время положение должно измениться [В42.0]; В единицу времени [В69.0];

В каждый момент времени [В215.0]; В любое время [В44.0]; В любой момент времени [В217.0]; В настоящее время ведется работа [В46.0]; В настоящее время имеются широкие возможности [В48.0]; В настоящее время отсутствуют [В55.0]; В ногу со временем [В254.0]; В одно и то же время [В80.0]; В период времени [В335.0]; В последнее время возродился интерес к использованию (В61.0); В последовательные моменты времени [В225.0]; В различные моменты времени [В226.0]; В разное время [В64.0]; В ранние периоды времени [В337.0]; В самое разное время [В65.0]; В свое время казалось не столь важным [В67.0]; В связи с ограничениями по времени [В499.0]; В скором времени [В68.0]; В течение большей части времени [В702.0]; В течение всего времени [В688.0]; В течение длительного времени [В695.0]; В течение некоторого времени [В700.0]; В течение продолжительного периода времени [В707.0]; В то время как [В72.0]; В то время мы просто не смогли найти объяснения [В75.0]; В то время, когда [В73.0]; В то же время [В76.0]; В этот момент времени [В224.0]; Во время измерений [В33.0]; Вопрос времени [В1393.0]; Восходить ко времени [В 1442.0]; Времени до окончания работы мало [В1547.0]; Времени года [В1526.0]; Времени запуска [В1528.0]; Времени от времени [В1533.0]; Времени покажет [В1531.0]; Времени проведения [В1535.0]; Времени суток [В1538.0]; Времени, затрачиваемое на то, чтобы [В1540.0]; Времени, которое потребовалось бы давлению, чтобы [В1541.0]; Времени, необходимое для того чтобы [В1545.0]; Времени, прошедшее после разрушения [В1546.0]; Все время стараясь [В1550.0]; Выдерживать испытание временем [В1793.0]; Дайте время [Д70.0]; Дата и время отказа изделия или его составной части [Д123.0]; Для этого может потребоваться много времени [Д427.0]; До недавнего времени [Д441.0]; До поры до времени [Д456.0]; Довольно длительное время [Д501.0]; Допускать на некоторое время [Д660.0]; Еще не наступило время, когда можно будет полностью отказаться от [Е213.0]; За более длительное время [32.0];

Зависеть от места и времени [395.0]; Затра-

ты времени и средств [3486.0]; Затрачивать много времени [3489.0]; И в то же время [И10.0]; Из-за отсутствия в настоящее время [И225.0]; Изменение во времени [И240.0]; Имеющийся в настоящее время у [И523.0]; Интегрирование по времени (И587.0); Интервал времени [И598.0]; К тому времени, когда [К4.0]; Колебаться во времени [К248.0];

Много времени потрачено на (М194.0); На время пренебрежем [Н21.0]; На некоторое время [Н22.0]; На непродолжительное время [Н24.0]; На первое время [Н26.0]; Настало время для [Н557.0]; Начальный период времени [Н710.0]; Одно время [0499.0]; Ожидается в ближайшее время [0605.0]; Опыт, накопленный к настоящему времени [0879.0]; Остановившись на продолжительное время [01148.0]; Отводить время на [01257.0]; Отнимать много времени [01424.0]; Относиться к последнему времени [01448.0]; Отсутствие времени не позволило [01547.0]; Отсчет времени [01564.0]; Охватывать период времени [01617.0]; По истечении этого времени [П380.0]; По крайней мере в настоящее время [П399.0]; Последнее время [П 1388.0]; Потребуется некоторое время [П 1531.0]; Почти в одно и то же время (П1546.0); Пренебрегая на время [П2003.0]; Приблизительно в этом время [П2188.0]; Примерно в то же самое время [П2386.0]; Приняв на время [П2446.0]; Пришло время [П2594.0]; Проверенный временем [П2666.0]; Производная по времени [П2795.0]; Проработав некоторое время [П2895.0]; Разделять по времени [Р209.0]; С течением времени (С122.0); С того времени (С123.0); Сейчас пришло время [С413.0]; Сейчас самое время [С414.0]; Сколько времени требуется для [С531.0]; Со временем становятся только лучше [С 190.0]; Спустя некоторое время [С1269.0]; Средний за время от ... до [С1311.0]; Тем временем [Т134.0];

Только в последнее время [Т303.0]; Требуемый много времени [Т463.0]; Уделять много времени [У114.0]; Уменьшение во времени [У271.0]; Усредненный по времени [У444.0]; Через некоторое время [468.0]; Через равные промежутки времени [471.0]

**вровень:** Вровень с [В1551.0]

**вроде:** [В1553.0]; Выглядеть что-нибудь вроде [В1755.0]; Любое объяснение вроде того, что [Л1126.0]; Нечто вроде [Н1684.0]; Нечто вроде этого и можно было ожидать [Н1685.0];

Ничего такого вроде и не требуется (Н1774.0); Что-либо вроде этого [4220.0]

**вручную:** [В1554.0]; Заполнять вручную [3403.0]; Нагружать вручную [Н249.0]; Обработать вручную [0177.0]; Полировать вручную [П1026.0]; Удерживаемый вручную [У 138.0]

**вряд:** Вряд ли [В 1555.0]; Вряд ли можно ожидать, что такой [В1556.0]; Вряд ли представляет большой интерес [В 1557.0]; Вряд ли смогут [В1558.0]; Вряд ли удивителен [В1559.0]; И вряд ли сильно повлияют на [И18.0]; Настолько хорошо известны что вряд ли нуждаются в повторении [Н566.0]

**всевозможный:** [В1560.0]; Всевозможные варианты [В1561.0]; Всевозможные меры [В1562.0]

**всегда:** Влияние ... так или иначе всегда сказывается [В 1144.0]; Всегда возможно существование [В1564.0]; Всегда существует опасность [В1565.0]; Как и всегда [К74.0]; Найдено, что ... не всегда обеспечивают [Н624.0]; Не всегда верно [Н778.0]; Не всегда легко [Н779.0]; Не всегда можно было [Н780.0]; Не всегда помогает [Н781.0]; Не всегда понимают [Н782.0]; Не всегда служит показателем неполадок в работе [Н783.0]; Не всегда так [Н784.0]; Политика заключается всегда в [П1028.0]; Так бывает всегда [Т8.0]; Так бывает не всегда [Т9.0]; Так было не Всегда [Т10.0]; Это не всегда ведет к [Э119.0]; Это не всегда справедливо для [Э194.0]; Это происходит не всегда [Э183.0]

**всего:** Больше всего [В203.0]; В довершение всего этого [В108.0]; В рамках всего [В459.0];

В свете всего сказанного [В486.0]; В течение всего времени [В688.0]; В течение всего исследования [В690.0]; В течение всего опыта [В689.0, В691.0]; Вдоль всего [В862.0]; Вероятнее всего [В915.0]; Всего лишь один [В1567.0]; Всего лишь предположение, которое нуждается в проверке (В1568.0); Всего на несколько ... меньше [В1569.0]; Всего на несколько процентов [В1570.0]; Всего несколько секунд [В1571.0]; Всего после каких-то [В1572.0]; Длиться всего [Д317.0];

Доля всего [Д604.0]; Если ограничиться всего лишь [Е62.0]; Завершен всего на [383.0]; И что хуже всего [И75.0]; Исходя из всего этого [И827.0]; Легче всего это можно сделать путем [Л29.0]; Лучше всего демонстрируют [Л111.0]; Лучше всего направлять [Л112.0]; Лучше всего проиллюстрировать это на примере [Л113.0]; Лучше всего работает при (Л114.0); Лучше всего, чтобы это сделал [Л106.0]; Меньше всего изменился [М109.0]; На протяжении всего [Н120.0]; Но это всего лишь догадка [Н1819.0]; Помимо всего прочего [П 1247.0]; Прежде всего необходимо [П1949.0]; Прежде всего нужно было решить, будет ли [П1950.0]; Выяснить в первую очередь/прежде всего [В2090.0];

Прежде всего [П1948.0]; Проще всего это сделать, установив [П2927.0]; Проще всего это сделать [П2926.0]; С учетом всего вышесказанного было решено, что [С158.0]; С

учетом всего этого [С159.0]; Скорее всего [С539.0]; Скорее всего, если [С540.0]; Скорее всего это объясняется [С541.0]; Составлять всего несколько [С1076.0]; Сохраняться на протяжении всего [С1147.0]; Чаще всего [434.0]; Чаще всего приходится сталкиваться с [435.0]; Это всего лишь два из многочисленных примеров [Э122.0]; Это всего лишь некоторые из работ на указанную тему [Э 124.0]; Это всего лишь некоторые из [Э 123.0]; Этой условности мы будем придерживаться на протяжении всего последующего анализа [Э113.0]

**вселять:** Вселять уверенность [В1573.0]; Вселять уверенность в [В1574.0]; Вселять уверенность в том, что [В1575.0]; Вселять уверенность в том, что в будущем для ... будет использоваться [В 1576.0]

**всемирно:** Всемирно известный [В 1577.0]

**всеобщий:** Всеобщее мнение [В1579.0]; Всеобщее согласие относительно [В1580.0]; Завоевывать всеобщее признание [3127.0]; Недоступный для всеобщего пользования [Н1214.0]; Особенно учитывая всеобщую тенденцию к [01050.0]; Получать всеобщее признание [П1167.0]; Привлекать всеобщее внимание к вопросам [П2202.0]

**всеобъемлющий** [В1581.0]

**всерьез:** Не принимать всерьез [Н 1036.0]

**всесторонне:** Всесторонне рассмотрены в обзоре [В 1587.0]

**всесторонний:** Всестороннее испытание [В1585.0]; Всестороннее исследование [В1586.0]; Всесторонний обзор [В1583.0]; Всесторонний подход [В1584.0]

**вскользь:** Упомянуть вскользь [У319.0]

**вскоре:** Вскоре выяснилось, что [В1589.0]; Вскоре после того, как [В1590.0]; Вскоре после этого [В1591.0]; Как мы вскоре подробно покажем [К87.0]; Как это вскоре будет показано [К 107.0]; Который вскоре появится в [К412.0]; От ... вскоре отказались [01189.0]; По причинам, которые вскоре станут понятными [П452.0]

**вскрыть:** Вскрывать здесь [В1594.0]; Вскрыть для осмотра [В1593.0]

**вскрытие:** Вскрытие машины [В1592.0]; Для вскрытия упаковки смотри обратную сторону [Д330.0]

**вслед:** Вслед за [В1595.0, В1596.0]; Второй по важности вслед за [В1658.0]

**вследствие:** Вследствие различных обстоятельств [В 1598.0]; Вследствие симметрии рассматривается только половина [В1599.0]; Не из-за ... , а вследствие (Н868.0); Появляться вследствие [П1590.0]

**вслепую:** Работа вслепую [Р13.0]

**всплывать:** Всплывать в памяти [В1600.0]

**вспомогательный:**

Вспомогательное оборудо-	
вание [В1602.0];	Вспомогательные
	материала-

лы [В1604.0]; Вспомогательные материалы для доклада [В1605.0]; Вспомогательные принадлежности [В1606.0]; Вспомогательные узлы [В1603.0]; Вспомогательный заказ [В1601.0]

**вставать:** Встает вопрос (В1344.0); Встает вопрос о [В1610.0]; Встает вопрос, действительно ли это [В1611.0]; Встает вопрос, следует ли ... или следует [В1612.0]; Встать на место [В1613.0]

**вставка:** [В1607.0]

**вставлять:** Вставлять в [В1608.0]; Вставлять концентрично в [В 1609.0]

**встраивать:** Встраивать в [В1614.0]

**встречаемый:** Встречаемый в реальных топках [В1635.0]; Наиболее часто встречаемые [Н339.0]

**встречать:** Встречать под углом [В1618.0]; Встречать с большим удовлетворением [В1619.0]; Не встречать должного понимания [Н791.0]; Ссылки на ... можно встретить во многих работах [С 1346.0]

**встречаться:** Встретившись с [В1632.0]; Встречаться более часто [В1626.0]; Встречаться в [В1627.0]; Встречаться в литературе [В1628.0]; Встречаться в природе [В1629.0]; Встречаться все реже [В1621.0]; Встречаться гораздо реже [В1622.0]; Встречаться на пути [В1623.0]; Встречаться не так уж часто [В 1624.0]; Встречаться с трудностями [В1631.0]; Встречаться с (В1630.0); Встречаться чаще [В1625.0]; Если и встречается, то очень редко [Е124.0]; Каких-либо особых проблем не встретилось [К168.0]; Который встречается в [К413.0]; Обычно встречается чаще [0403.0]; Практически не встречаются [П 1648.0]; Случаи, которые могут встретиться на практике [С711.0]; Такое расхождение неудивительно, если учесть трудности, которые исследователи встречают при [Т74.0]; Часто встречаться в инженерной практике [420.0]; Широко встречаться в [Ш19.0]

**встречающийся:** Встречающийся в природе [В1634.0]; Встречающийся на практике [В 1636.0]; Наиболее часто встречающийся [Н340.0]; Обычно встречающийся [0404.0]; Перечень наиболее часто встречающихся неисправностей — [П211.0]; Часто встречающийся [421.0]; Часто встречающийся случай [422.0];

**встречный:** Предъявлять встречный иск [П1933.0]

**встроенный:** Встроенный в [В1616.0]

**встряхивание:** [В1637.0]

**вступать:** Вступать в действие [В 1638.0]; Вступать в переговоры с [В 1640.0]; Вступать в период [В1641.0]; Вступать в противоречие с [В1643.0]; Вступать в реакцию [В1644.0];

Вступать в силу [В1645.0]; Вступать в сопри-

косновение [B1646.0]; Вступать в строй [B 1647.0]

**вступительный:** Сдавать вступительные экзамены и поступать в [C375.0]

**всюду:** Всюду, где [B1649.0]; Всюду, за исключением [B1650.0]; Ниже называемый всюду [H1717.0]

**всякий:** Вне всякого сомнения [B1173.0]; Во всяком случае [B526.0]; Всякий раз больше [B 1651.0]; Всякий раз оказывалось, что [B 1653.0]; Всякий раз, когда [B 1652.0]; Всякое подобие ... исчезает [B1654.0]; Приводит к тому, что пропадает всякое желание [П2241.0]; Режим ... реализуется всякий раз, когда [P627.0]; Снимать с себя всякую ответственность за [C788.0]; Устранение всякой опасности [У518.0]; Устранять всякую необходимость [У532.0]

**всячески:** Всячески старайтесь [B1656.0]

**втирать:** Втирать в [B1657.0]

**второй:** Без подписи второй стороны не действителен [B43.0]; Второй по важности след за [B1658.0]; Деление второго на первое дает [Д237.0]; Каждый второй [K31.0]; Не действителен без подписи второй стороны [H825.0]; Отходить на второй план [O1582.0]; Стоять в втором месте после [C 1475.0]

**второстепенный:** Второстепенный интерес [B 1660.0]; Второстепенный результат [B1661.0]; Второстепенный фактор [B1662.0]; Занимать второстепенное положение по отношению к [3345.0]; Играть второстепенную роль [И89.0]; Иметь второстепенное значение [И393.0]; Придавать второстепенное значение [П2289.0]; Считать второстепенным [C1610.0]; Считать второстепенным по сравнению с [C1611.0]; Являться второстепенным по сравнению с [Я14.0]

**втрое:** Вдвое больше... и втрое больше [B854.0]; Превышать втрое [П1695.0]; Предъявлять втрое более высокие требования, чем [П1937.0]

**вход:** На входе [H27.0]; На входе в [H28.0, H29.0]; Подавать напряжение на вход [П632.0]

**входить:** В задачу ... входит [B118.0]; В их число входят [B764.0]; В наши цели не входило [B248.0]; В нашу задачу не входило исследование [B250.0]; В нашу задачу не входит [B249.0]; В обязанности подрядчика входит использование [B267.0]; В число других ... входили [B761.0]; В число измеряемых величин входили [B762.0]; В число подходящих для... входят [B763.0]; В... входит [B83.0]; Входить в выражение для [B1664.0]; Входить в группу [B1665.0]; Входить в зацепление с [B1667.0]; Входить в компетенцию [B1668.0]; Входить в компетенцию эксплуатационного персонала [B1669.0]; Входить в обе части уравнения

[B1670.0]; Входить в обиход [B1671.0]; Входить в отверстие [B1672.0]; Входить в поставку [B1673.0]; Входить в совет директоров [B1674.0]; Входить в состав [B1675.0]; Входить в употребление [B1676.0]; Входить в уравнение косвенно в виде [B1676.0]; Входить в число [B 1678.0]; Входить в эксплуатацию [B1679.0]; Входить в эту группу (B1666.0); Входить в явном виде [B1680.0]; Должен каким-то образом входить [Д582.0]; Не входит в комплект стандартного оборудования [H792.0]; Свободно входить в [C308.0]; Снова входить в [C800.0]; Сюда не входят [C1637.0]; Хотя может быть это и не входило в первоначальные намерения [X101.0]

**входной:** [B1681.0]; В отсутствие входного сигнала [B321.0]

**входящий:** Входящая сборочная единица [B1682.0]; Входящий номер сопроводительного документа и дата [B1683.0]

**вчерне:** Сделать вчерне [H234.0]

**вчетверо:** Увеличивать вчетверо [У57.0]

**выбегать:** Выбегать до остановки [B1685.0]; Выбегать за [B1686.0]

**выбивать:** Выбивать из [B1688.0]

**выбирать:** В результате этого ... был выбран [B481.0]; Выбирать ... из числа многих возможных [B1694.0]; Выбирать в качестве решения системы уравнений [B1690.0]; Выбирать за [B1691.0]; Выбирать из самых различных поверхностей [B1692.0]; Выбирать из тех, которые [B1693.0]; Выбирать люфт [B1695.0]; Выбирать люфт в [B1696.0]; Выбирать произвольно [B1697.0]; Выбирать равным [B1699.0]; Выбирать размеры с запасом [B1700.0]; Выбирать сознательно [B1701.0]; Выбирать строительную площадку [B 1702.0]; Выбирать таким, чтобы [B1703.0]; Выбран таким для того, чтобы [B1705.0]; Для ... должен быть выбран именно [Д334.0]; Для выбранного наугад [Д335.0]; Желательно выбирать [Ж3.0]; Как выбрать нужный вам [Кб 1.0]; Могли бы например выбрать [M256.0]; Можно было выбрать один из двух путей [M325.0]; Поддерживать на заранее выбранном уровне [П713.0]; Поэтому и была выбрана [П1583.0]; Приходится самому выбирать [П2560.0]; Размеры выбраны из расчета удовлетворения максимальной потребности в течение [P256.0]; Такой порядок был выбран потому, что [Т58.0]; Удобно выбрать [У 145.0]

**выбираться:** В качестве определяющего выбирается меньшее из значений [B144.0]; Выбирается меньшее из двух значений [B1704.0]; Выбираться в некоторой степени произвольно [B 1698.0]

**выбор:** Большой выбор [B225.0]; В этом отношении, по-видимому, не было большого



выбора [B308.0]; Вопрос выбора [B1394.0]; Выбор ... был основан на [B1707.0]; Выбор ... не имеет большого смысла [B 1714.0]; Выбор был сделан, исходя из [B1708.0]; Выбор меньшего значения [B 1710.0]; Выбор места [B1711.0]; Выбор наугад [B1713.0]; Выбор определялся наличием, а не конструкцией [B1715.0]; Выбор производится по усмотрению [B1716.0]; Выбор... в качестве [B1709.0]; Выбор... наиболее логичен [B1712.0]; Делать выбор в пользу [D196.0]; Делать выбор между [D197.0]; Для выбора [D332.0]; Для правильного выбора масштаба необходимо [D333.0]; Имеется на выбор четыре основных [I493.0]; Лучше остановить свой выбор на [L107.0]; На выбор [H30.0]; Обоснованный выбор [O169.0]; Ограничивать выбор [O455.0]; Ограничивать свободу выбора [O460.0]; Оказывать помощь в выборе [O644.0]; Оправдывать выбор в качестве [O801.0]; Определять выбор окончательной конфигурации [O816.0]; Остановить свой выбор на первом [O1157.0]; Перевешивать при выборе [P172.0]; Перед тем, как сделать окончательный выбор [P191.0]; После окончательного выбора [P1360.0]; Правильный выбор [P1628.0]; При выборе размеров [P2062.0]; При выборе [P2061.0]; Разумный выбор [P337.0]; Рациональный выбор [P577.0]; Свобода выбора [C301.0]; Свободен в выборе [C306.0]; Сделать выбор из большого числа возможных [C390.0]; Сделать выбор из нескольких вариантов [C391.0]; Сильно повлиять на выбор [C477.0];

Сужать выбор до единственно возможного [C1536.0]; Таблица для выбора [T3.0]

**выборочно:** Покрывать полностью и выборочно [P 1000.0]

**выборочный:** Выборочная проверка [B1720.0];

Выборочные данные [B 1723.0]; Выборочный контроль [B1718.0]; Выборочный примерный контроль [B1719.0]; Многократный выборочный контроль [M218.0]; Последовательный выборочный контроль изделий [P1408.0]; Систематический и выборочный контроль [C498.0]

**выбранный:** Заранее выбранный [3425.0]

**выбрасывать:** Выбросить использованный [B1724.0]

**выбрасываться:** Выбрасываться в атмосферу [B1723.0]

**выброс:** Нормы выбросов [H1863.0]

**вывод:** А следовательно, можно сделать вывод, что [A40.0]; Анализ ... позволяет сделать несколько интересных выводов [A109.0]; Анализ данных в настоящее время продолжается, но некоторые выводы можно сделать уже сейчас [A113.0]; Вывод уравнений в общей форме [B 1729.0]; Вывод о необходимости [B1726.0]; Вывод о том, что ... был

сделан на основании [B1727.0]; Вывод уравнения [B 1728.0]; Вывод эмпирических соотношений [B1730.0]; Выводы имеют пуганный характер [B1731.0]; Выводы остаются прежними [B1732.0]; Выводы, сделанные на основании [B 1733.0]; Выводы, сделанные на основании полученных результатов [B 1734.0]; Выводы, сделанные относительно [B1735.0]; Делать вывод [D198.0]; Доказывать правильность этого вывода [D539.0];

Если бы ..., то можно было бы прийти к ошибочному выводу [E107.0]; Еще два вывода [E202.0]; Из этого можно сделать вывод, что (I142.0); Иллюстрировать этот вывод [I351.0]; Исходя из этих данных, можно сделать следующие выводы [I825.0]; К аналогичным выводам пришли [K2.0]; К этому выводу можно прийти путем простого [K23.0]; Конкретные выводы из исследования [K322.0]; Можно сделать вывод [M368.0];

Можно сделать следующие выводы [M369.0];

Мы вынуждены сделать вывод [M407.0]; На основании результатов нашего исследования можно сделать следующие основные выводы [H85.0]; На этом основании был сделан вывод [H89.0]; Напрашивается вывод, что [H485.0]; Не позволяли сделать каких-либо определенных выводов [H997.0];

Не позволять автору прийти к определенным выводам [H988.0]; Не пришли к выводам относительно проблемы в целом [H1040.0]; Не следует делать поспешных выводов [H1066.0]; Невизбежный вывод [H1270.0]; Непосредственное следствие из этого вывода состоит в том что [H1489.0];

Несмотря на некоторые выводы могут быть сделаны [H1618.0]; Окончательные выводы [O717.0]; Опираясь на этот вывод [O767.0];

Опровергать вывод [O862.0]; Отсюда делается вывод [O1571.0]; Отсюда можно сделать вывод [O1572.0]; Отсюда мы делаем вывод, что [O1573.0]; Отсюда напрашивается вывод [O1574.0]; Отсюда напрашиваются два вывода — [O1575.0]; Очевидный вывод [O1648.0]; Ошибочный вывод [O1698.0];

Повидимому, вполне допустимо сделать вывод [P330.0]; Подкреплять выводы [P731.0]; Подробный вывод [P812.0]; Подтверждать вывод [P844.0]; Подтверждать основной вывод о том, что [P845.0]; Подтверждать этот вывод [P846.0];

Практические выводы [P1677.0]; Предварительные выводы [P1707.0]; Предостерегать против поспешных выводов [P1768.0]; Преждевременно делать вывод [P1967.0]; При выводе сделаны [P2063.0]; Приводить вывод формулы [P2220.0]; Приводить к выводу о том, что [P2226.0]; Приходить к выводу [P2550.0];

Приходить к аналогичному выводу [P2552.0];

Приходить к выводу о том, что [P2551.0];

Приходить к следующим выводам [П2553.0]; Провода или выводы, обозначенные..., присоединить к [П2668.0]; Противоречить выводам [П2974.0]; Рекомендации, приведенные в выводах [Р675.0]; Сделать вывод [С392.0]; Сделать предварительный вывод [С393.0]; Сказываться на результатах и выводах статьи [С514.0]; Слишком рано делать окончательные выводы о [С655.0]; Теоретический вывод [Т157.0]; Торопиться с выводом [Т339.0]; Убедительные выводы [У24.0]; Упрощенческий вывод [У347.0]; Фор-матировать вывод [Ф43.0]; Хотя этот вывод возможно и преждевременен [Х1 10.0]; Чрезмерно оптимистические выводы [4119.0]; Этот вывод далеко не убедительный [Э103.0].  
Этот вывод имеет субъективный, сугубо предварительный характер [Э104.0]

**выводить:** Выводить более строго [В1737.0]; Выводить из равновесия [В1740.0]; Выводить из строя [В1741.0]; Выводить из эксплуатации [В1742.0]; Выводить из [В1738.0]; Выводить к [В1743.0]; Выводить на печать [В 1744.0]; Выводить непосредственно из [В1739.0]; Выводить при допущении, что [В1745.0]; Выводить соотношение [В1746.0]; Выводить через [В1747.0]

**вывоз:** Разрешение на вывоз [Р323.0]

**выворачивать:** Вывернуть винт [В1749.0]; Вы- вернуть на четверть оборота [В1750.0]

**выглядеть:** Выглядеть как новый [В1751.0]; Выглядеть ничуть не хуже [В 1752.0]; Выглядеть совершенно похожим на [В1753.0]; Выглядеть совершенно так же, как и [В 1754.0]; Выглядеть что-нибудь вроде [В1755.0]

**выгода:** Выгоды в этом нет никакой [В1759.0]; Выгоды, получаемые в результате [В1757.0]; Выгоды, связанные с [В1758.0]; Использовать с выгодой [И708.0]; Не давать выгоды [Н812.0]; Не давать никакой выгоды [Н813.0]; Ощутимая выгода [01703.0]; Получать выгоду от [П1131.0]

**выгодно:** Возможность выгодно использовать [В1319.0]; Выгодно использовать [В1763.0]; Выгодно отличаться от [В1764.0]; Выгодно проектировать на [В1765.0]; Обычно бывает выгодно [0401.0]

**выгодный:** Выгодный для [В1761.0]; Если мы хотим, чтобы производство было экономически выгодным [Е138.0]; Показывать в выгодном свете [П976.0]; Тот, который наи- более выгоден [Т349.0]; Экономически выгодный (Э15.0); Экономически более выгод- ный (Э16.0); Экономически более выгод- ный вариант по сравнению [Э17.0]; Эконо- мически выгодное производство [Э18.0]

**выгружать:** [В1766.0]

**выдавать:** Выдавать окончательные техниче- ские требования [В1767.0]; Выдавать патент

[В1768.0]; Выдавать расписку [В1769.0]; Вы- давать сертификат о происхождении това- ра [В1770.0]; Мы, фирма Великобритании Бабкок энд Уилкок Лтд настоящим заявля- ем изобретение на которое просим выдать нам патент и способ с помощью которого оно осуществляется подробно изложенный в нижеследующем описании [М440.0]

**выдаваться:** Выдаваться по запросу [В1772.0]; Выдаваться по заявке [В 1771.0]

**выданный:** Выданный не более 6 месяцев назад [В1773.0]; Лицензия, выданная [Л56.0]

**выдача:** Вопрос о выдаче патента рассматри- вается [В 1401.0]; Выдача свидетельства о полномочиях [В1774.0]; Дата выдачи патен- та [Д 120.0]; Заявка, по которой принято решение на выдачу патента [3559.0]; Заяв- ление с просьбой о выдаче лицензии [3560.0]; Подавать заявку на выдачу патента в США [П627.0]; Распоряжение о выдаче товара со склада [Р413.0]; Решение о выдаче патента [Р738.0]

**выдающийся:** Выдающийся ученый [В1776.0]; Один из наиболее выдающихся ... своего времени [0513.0]; Подлинно выдающееся достижение [П750.0]

**выдвигаемый:** Аргументы, выдвигаемые в пользу [А 157.0]

**выдвигать:** Выдвигать гипотезу о [В1779.0]; Выдвигать еще одно требование [В1780.0]; Выдвигать на первый план [В1781.0]; Выд- вигать проблему [В 1782.0]; Позволяет выд- винуть гипотезу о [П903.0]

**выдвижение:** Выдвижение кандидатов на пре- мию [В1783.0]

**выдвинутый:** Доводы, выдвинутые в пользу [Д498.0]

**выделять:** Выделить влияние [В1787.0]; Выде- лить какой-либо один... оказалось невоз- можным [В1788.0]; Выделять энергию [В1785.0]; Журналу было выделено 450 стра- ниц [Ж18.0]; Можно выделить четыре эта- па [М329.0]; Особо выделять [01059.0]

**выделяться:** Выделяться среди ... своим [В1786.0]

**выдерживать:** Выдерживать в допустимых пределах [В1790.0]; Выдерживать даже с большей точностью [В 1791.0]; Выдерживать испытание временем [В1793.0]; Выдержи- вать испытания [В1792.0]; Выдерживать ми- нимальным [В1794.0]; Выдерживать нагруз- ку [В1795.0]; Выдерживать при [В1796.0]; Выдерживать семь изданий [В1898.0]; Вы- держивать точные допуски на [В1797.0]; Не выдержал проверки (Н793.0); Должен быть в состоянии/способен выдерживать [Д572.0]; Способный выдерживать [С1219.0]; Точно выдерживая [Т390.0]

**выдерживаться:** [В1899.0]

**выдержка:** [В1800.0]; С выдержкой [С5.0]

**выем:** Габарит выема [Г1.0]

**вызываемый:** [В 1831.0]; Чтобы избежать налогообложения экспериментальных точек и вызываемой этим путаницы [4183.0]; Вызванный [В1836.0]

**вызывать:** Больше не вызывает сомнения [В213.0]; Вызвано [В1837.0]; Вызвано тем, что [В1838.0]; Вызывать потери [В1817.0]; Вызывать реакцию [В1820.0]; Вызывать роста количества исследований [В 1821.0]; Вызывать удивление [В1828.0]; Вызывать беспокойство [В1802.0]; Вызывать большой интерес [В 1807.0]; Вызывать наибольший интерес [В1808.0]; Вызывать затруднения [В1804.0]; Вызывать износ [В1805.0]; Вызывать интерес [В1806.0]; Вызывать искусственно [В1809.0]; Вызывать критику [В1810.0];

Вызывать некоторое беспокойство [В 1803.0];

Вызывать необходимость в [В1811.0]; Вызывать необходимость в применении [В1812.0];

Вызывать неприятности [В1813.0]; Вызывать опасения [В1814.0]; Вызывать осложнения [В1815.0]; Вызывать пожар [В1816.0];

Вызывать появление [В1818.0]; Вызывать разочарование [В1819.0]; Вызывать симптомы [В1822.0]; Вызывать сомнение [В1823.0];

Вызывать сомнения в справедливости теории [В1824.0]; Вызывать сомнения относительно [В1825.0]; Вызывать сомнения относительно того, что [В1826.0]; Вызывать тревогу из-за [В 1827.0]; Вызывая меньшее охлаждение [В1835.0]; Использование ... вызвано желанием [И685.0]; Может вызвать [М272.0]; Может вызвать возражение [М273.0]; Наибольшее возмущение вызывает [Н350.0]; Нарушение работы вызывает появление сигнала тревоги [Н529.0]; Не все эти ... вызваны [Н789.0]; Не вызывать возражений [Н794.0]; Не вызывать изменений [Н796.0]; Не вызывать опасений [Н797.0]; Не вызывать слишком больших затруднений [Н795.0]; Не вызывать удивления [Н798.0]; Не должен вызывать трудностей [Н829.0]; Не может не вызывать неудобств [Н914.0]; Особое беспокойство вызывает у конструктора [01065.0]; Особое подозрение вызывают [01068.0]; Особую озабоченность вызывают [01071.0]; Проблема не вызывает большого беспокойства [П2601.0]; Сдвиг вправо вызывает увеличение [С377.0]; Это вызывает сожаление [Э125.0]; Это не должно вызы-

вать удивление [Э 148.0]; Это обстоятельство вызывает сожаление [Э157.0]; Этот факт вызывает сожаление [Э108.0]

**вызываться:** Возможно, что этот эффект вызывается [В 1312.0]; Возможно, это вызывается [В1314.0]; Вызываться необходимостью [В 1830.0]

**вызывающий:** Вызывающий большое беспокойство [В1834.0]; Вызывающий возраже-

ния со стороны других [В1833.0]; Есть не вызывающие сомнений доказательства в пользу [Е188.0]; Причина, вызывающая [П2576.0]

**выигрывать:** Выигрывать от [В1839.0]; Выигрывать при сравнении с [В1840.0]; Только выиграют в результате [Т307.0]

**выигрыш:** Выигрыш в мощности [В1842.0]; Выигрыш невелик [В 1843.0]; Выигрыш от использования [В1844.0]; Давать выигрыш [Д13.0]; Дополнительный выигрыш при переходе к [Д623.0]; Получать дополнительный выигрыш [П1137.0]; Превышать выигрыш [П1696.0]; Чистый выигрыш в [4110.0]

**выкл:** Установить выключатель в положение ВЫКЛ [У477.0]

**выключатель:** Сработал выключатель — [С 1275.0]; Установить выключатель в положение ВЫКЛ [У477.0]; Установить выключатель в положение СТОП [У478.0]

**выключать:** Включать и выключать [В1108.0];

Выключать частично [В1847.0]; Выключить из работы на время испытания [В1846.0]

**выключаться:** Автоматически выключаться [А65.0]

**выключающий:** Выключающее устройство [В1848.0]

**выключенный:** В выключенном положении [В351.0]; Выключена подача [В1850.0]; Выключенное положение [В1849.0]

**выколачивать:** [В1851.0]

**выливать:** [В1852.0]

**выливаться:** Выливаться в [В1853.0]

**вынимать:** [В1854.0]

**выносить:** Не выносить [Н799.0]

**выносной:** [В1855.0]

**вынуждать:** Вынуждает больше полагаться на [В1859.0]; Вынуждать останов [В1857.0]; Вынуждать согласиться [В 1858.0]

**вынужденный:** Быть вынужденным [В303.0]; Вынужденный останов [В1860.0]; Вынуждены признать [В1861.0]; Мы вынуждены сделать вывод [М407.0]

**выпавший:** Случайно выпавшая точка [С718.0]

**выпадать:** Выпадать из рассмотрения [В 1863.0]; Выпадать из [В1862.0]; Наибольший успех выпал на долю [Н348.0]; Расшатываться и выпадать из [Р561.0]

**выпадающий:** Выпадающая точка [В1864.0]

**выплачивать:** Выплачивать компенсацию [В1865.0]

**выполнение:** Выполнение заказа [В1867.0];

Выполнение которой займет, как предполагается, 18 месяцев [В1868.0]; Выполнение обязанностей [В1869.0]; Выполнение протокола [В1870.0]; Выполнение работы [В1871.0]; Выполнение расчета в обратном порядке [В1872.0]; График выполнения заказа [Г121.0]; Для того чтобы ... необходимо выполнение условия [Д407.0]; Контролиро-

вать выполнение работ [K351.0]; Напряженный график выполнения [H493.0]; Нарядна выполнение работы [H533.0]; Облегчать выполнение требований [0105.0]; Оперативный контроль за выполнением графика [0750.0]; Персонал, ответственный за выполнение аварийных мер [П249.0]; Плавное выполнение проекта [П272.0]; По мере выполнения программы испытаний [П387.0]; Правильное выполнение условий [П 1631.0]; При условии выполнения пункта и в соответствии с ним [П2148.0]; Приборы, инструмент, приспособления и материалы, необходимые для выполнения работы [П2195.0]; Приступить к выполнению плана [П2531.0]; Руководить выполнением работ [P766.0]; Свидетельство, которым подтверждается выполнение всех требований по [C289.0]; Следить за выполнением правил техники безопасности [C581.0]; Стимулировать выполнение [C 1458.0]; Строгое выполнение программы [C1494.0]; Технологическая карта выполнения регламентных работ [T257.0]; Ход выполнения заказа [X27.0]

**выполненный:** Выполнен на [B1917.0]; Выпол-

ненный в виде отдельного узла [B1911.0]; Выполненный из [B1912.0]; Выполненный как одно целое с [B1913.0]; Выполненный по заказу [B 1914.0]; Выполненный согласно [B1915.0]; Выполненный целиком из чугуна [B1916.0]; Должно было быть выполнено [D588.0]; Если мы хотим, чтобы работа такого рода была выполнена [E137.0]; Исследования, выполненные [И786.0]; На основании выполненного доказательства [H84.0]; Одновременно выполненные [0580.0]; Очень важные требования, которые должны быть выполнены [01659.0]; После того как условия выполнены [П1377.0]

**выполняемый:** Ведомость выполняемых работ [B866.0]; Выполнимые [B1918.0]; Выполняемый в уме [B1919.0]; Выполняемый по заказу [B1920.0]; Выполняемый по месту [B1921.0]; Обязательные работы, выполняемые при профилактическом ремонте [0424.0]; Оценка, выполняемая незаинтересованными лицами [01641.0]; Перечень обязательных работ, выполняемых при профилактическом ремонте — [П216.0]; Профилактические работы, выполняемые после... часов наработки [П2996.0]; Работа, выполняемая в настоящее время [P14.0]; Работа, выполняемая в нерабочее время [P15.0]; Работа, выполняемая по заказу [P16.0]; Функция, выполняемая [Ф61.0]

**выполнять:** Будьте осторожны, выполняя следующие операции [B358.0]; Выполнить проверку ... в следующем порядке [B1907.0]; Выполнить регулировку... согласно [B1908.0];

Выполнить сборку в обратном порядке [B1909.0]; Выполнять ..., как это и планировалось [B1882.0]; Выполнять анализ [B1874.0]; Выполнять в ... варианте [B 1875.0]; Выполнять в виде двух секций [B1876.0]; Выполнять в два этапа [B1874.0]; Выполнять важную функцию [B1902.0]; Выполнять вовремя [B1878.0]; Выполнять две функции [B 1903.0]; Выполнять двойную функцию [B1904.0]; Выполнять должностные обязанности [B1887.0]; Выполнять еженедельно [B1879.0]; Выполнять задачу [B1880.0]; Выполнять измерения [B 1881.0]; Выполнять на заказ [B1883.0]; Выполнять обязанности [B1885.0]; Выполнять обязанности, предусмотренные [B 1886.0]; Выполнять обязательства по рекламациям [B1889.0]; Выполнять обязательства [B 1888.0]; Выполнять операции по техническому обслуживанию [B1891.0]; Выполнять операцию [B1890.0]; Выполнять работу [B 1892.0]; Выполнять рекомендации [B 1893.0]; Выполнять с тщательностью [B1895.0]; Выполнять с помощью [B1894.0]; Выполнять свое назначение [B1884.0]; Выполнять строго в соответствии с [B 1896.0]; Выполнять технические условия [B1899.0]; Выполнять указания [B1897.0]; Выполнять условие [B1898.0]; Выполнять успешно [B 1900.0]; Выполнять функцию [B1901.0]; Желательно выполнять [Ж4.0]; Обязанность выполнять [0420.0]; Легче сказать, чем выполнить [ЛЗО.0]; Неуказанные литейные радиусы выполнить ... мм [H1676.0]; Помогают выполнить [П1256.0];

Своевременно выполнить заказ [C332.0]

**выполняться:** Выполняться в два этапа [B1905.0]; Выполняться в присутствии [B1906.0]; При ... должно выполняться условие [П2065.0]; Программа выполняется в соответствии с графиком [П2704.0]; Ремонт выполняется за плату [P692.0]; Сборка выполняется в порядке, обратном разборке [C254.0]; Суммирование выполняется по [C1547.0]

**выправлять:** Выправлять положение [B1922.0]

**выпуск:** Выпуск производится в атмосферу [B1923.0]; Дата выпуска изделия [Д121.0];

Изготовитель гарантирует работу изделия в течение ... лет, считая срок пребывания в пути и хранения на складах со дня выпуска с предприятия [И207.0]; Начинать массовый выпуск [H717.0]; Рост выпуска [P759.0]

**выпускаемый:** Выпускаемый промышленностью [B 1930.0]; Дефицит выпускаемого изделия [Д277.0]

**выпускать:** Выпускать воздух [B1925.0]; Выпускать воздух из системы (B 1926.0); Промышленность выпускает [П2858.0]

**выпускаться:** Выпускаться в большом ассортименте [B 1928.0]; Выпускаться в стандарт-

ном корпусе [В 1929.0]; Выпускаться в [В1927.0]; Стали выпускаться промышленностью [С1416.0]

**вырабатывать:** Вырабатывать энергию [В1932.0]

**выработанный:** Выработанный ресурс [В1933.0]

**выработка:** Выработка ресурса [В1935.0]; Го-  
довая выработка [Г83.0]

**выравнивать:** Выравнивать ось ... с осью [В1937.0]; Выравнивать по [В1938.0]

**выравниваться:** [В1939.0]

**выражать:** В сжатой форме выражает сущность [В734.0]; Выражать в виде [В1941.0]; Выражать в численной форме [В1942.0]; Выражать признательность [В 1943.0]; Выра-  
жать признательность за [В1944.0]; Выра-  
жать через [В1945.0]; Выражая ... через ... с помощью уравнения [В1947.0]; Выражая ... через .... получаем [В1946.0]; Если их вырази-  
ть в виде [Е56.0]; Который бы выразил желание и был в состоянии [К409.0]; Наибо-  
лее удобно выразить через [Н335.0]; Особую признательность следует выразить [01072.0]

**выражаться:** Влияние ... выразилось в [В1132.0]; Выражаться в виде [В1950.0];  
Выражаться в [В1949.0]; Выражаться неуверенно относительно возможности [В1951.0];  
Принимаем, что функция выражается в виде [П2442.0]

**выражающийся:** Вносить некоторый элемент субъективности, выражавшийся в том, что [В1223.0]; Выражающийся в виде [В1952.0];  
Ограничение, выражающееся в требовании постоянства [0442.0]

**выражение:** Аппроксимироваться выражением [А150.0]; Аппроксимироваться линейным выражением [А151.0]; Входить в выражение для [В1664.0]; Выражение в квадратных скобках [В 1959.0]; Выражение в фигурных скобках [В1960.0]; Вышеприведенное выражение [В2074.0]; Использование выражения для... оправдано потому, что [И686.0];  
Находить корреляционное выражение для [Н603.0]; Неопределенные выражения [Н1452.0]; Описывать экспериментальные данные выражением [0785.0]; Подынтегральное выражение [П893.0]; Последнее выражение можно упростить до вида [П1389.0]; Приведем теперь выражения для расчета [П2251.0]; Уравнения можно объединить и получить следующее выражение (У359.0); Хорошо описываться приближенным выражением [Х58.0]; Читать с выражением [4116.0]; Эмпирическое выражение [Э80.0]

**выраженный:** Более сильно выражено [В 181.0];  
Влияние ... не очень сильно выражено (В1136.0); Выраженный в форме [В1955.0];

Выраженный в виде [В1954.0]; Выраженный менее сильно [В 1956.0]; Выраженный с точностью до ближайшей [В1957.0]; Гораздо менее выражен [Г91.0]; Иметь четко выраженную форму [И461.0]; Менее выраженный [М95.0]; Менее выраженный по сравнению с [М96.0]; Становиться более сильно выраженным [С1377.0]; Четко выраженный [481.0]; Явно выраженная закономерность [Я43.0]; Явно выраженный [Я41.0]; Явно выраженный переход [Я42.0]

**вырез:** Вырез под шпонку [В 1966.0]

**вырезаемый:** Вырезаемый материал [В1964.0]

**вырезанный:** Вырезанный по радиусу [В 1965.0]

**вырезать:** Вырезать образцы [В1962.0]; Вырезать по заданной форме [В1963.0]

**высвободившийся:** [В 1969.0]

**высвободжать:** Высвободжать место [В 1968.0]

**высказанный:** Сомнения, высказанные [С990.0]

**высказывавшийся:** Высказывавшиеся ранее опасения [В1980.0]

**высказывание:** Вопреки недавним высказываниям по этому вопросу [В1387.0]

**высказывать:** Было высказано предположение, что ... является следствием [Б369.0];  
Было высказано предположение, что [Б368.0]; Высказать свое мнение по вопросу [В1974.0]; Высказывать гипотезу [В1970.0]; Высказывать мнение о причинах [В 1971.0]; Высказывать опасения по этому же поводу [В1972.0]; Высказывать предположение [В1973.0]

**высказываться:** Высказываться в поддержку [В1976.0]; Высказываться в пользу [В1977.0];  
Высказываться о необходимости [В 1978.0]; Высказываться сдержанно в отношении [В1979.0]

**выслушивать:** Выслушать с пониманием [В1981.0]; С интересом выслушать [С24.0]

**высокий:** Более высокий ..., чем дает расчет [Б156.0]; Высокая производительность [В1983.0]; Высокая точность [В1984.0]; Высокий процент успеха [В 1982.0]; Высокое качество изготовления [В1985.0]; Достаточно высокое качество [Д683.0]; Занимать высокую место [3331.0]; Занимать высокую должность в [3324.0]; Иметь высокое содержание [И371.0]; Когда потребность в ... наиболее высока [К236.0]; Менее высокая чистота обработки [М97.0]; Недоступно высокий [Н1216.0]; Неестественно высокий [Н1218.0]; Необоснованно высок [Н1358.0]; Непомерно высокий [Н 1468.0]; Оказываться подозрительно высоким [0678.0]; Подниматься на более высокий энергетический уровень [П759.0]; Поощрять высокую надежность [П1281.0]; Предъявлять более высокие требования к [П1936.0]; Предъявлять втрое более высокие требования, чем [П1937.0],

Предъявляющий высокие требования [П 1942.0]; Отличающиеся высокой точностью [P560.0]; Требовать от ... более высоких [Т441.0]; Хотя бы приближающиеся к таким высоким значениям [Х88.0]

**высоко:** Высоко ценить [B1986.0]

**высококачественный:** Высококачественное обслуживание (B1987.0)

**высококвалифицированный:** Высококвалифицированный персонал [B1989.0]; Высококвалифицированный [B1988.0]

**высота:** Высотой [В 1990.0]; Длиной, шириной, высотой [Д297.0]; На высоте (Н31.0); На высоте ... над уровнем моря [Н32.0]; Примерно на высоте [П2390.0]

**выставка:** Взнос участника выставки [B1065.0]; Выставка изделий [B1991.0]; Просим участников выставки [П2902.0]

**выставлять:** Запрещается производить техобслуживание, не выставив предупредительный знак [3411.0]

**выступать:** Выступать в защиту [B1993.0]; Выступать за [B1994.0]; Выступать за границы [B1995.0]; Выступать из [B1996.0]; Выступать над поверхностью [В 1997.0]; Выступать над полом [B1998.0]; Выступать одинаково с обеих сторон [В 1999.0]; Выступать против [B2000.0]; Выступать с докладом [B2001.0]; Выступать спонсором [B2002.0]

**высушивать:** Высушивать на воздухе [B2003.0]; Высушивать сжатым воздухом [B2004.0]; Очищать, промывать, высушивать и протирать [01690.0]

**высыхать:** Дайте поверхности как следует высохнуть (Д72.0); Когда высохнет [K230.0]

**высший:** Быть в высшей степени требовательным к [B296.0]; В высшей степени маловероятен [B652.0]; В высшей степени преждевременно [B653.0]; Высшее звено руководства [B2006.0]; Работать в высшей степени согласованно [P43.0]

**высылать:** Высылать техническое задание [B2005.0]; Настоящим высылаем [H575.0]

**выталкивать:** Выталкивать через отверстия [B2008.0]

**вытаскивать:** [B2009.0]

**вытачивать:** [B2010.0]

**вытекать:** Вытекать из [B2012.0]; Вытекать из рассмотрения [B2013.0]; Из этого вытекает, что [И141.0]

**вытекающий:** Решать задачи, вытекающие из этих [P721.0]

**вытеснение:** [B2019.0]

**вытеснять:** Вытеснять воздух [B2018.0]

**вытирать:** Вытереть досуха [B2015.0]; Вытереть дочиста [B2016.0]

**вытягивать:** (B2020.0); Вытянуть...насколько позволяют [B2021.0]

**выход:** В случае выхода из строя в процессе

работы [B518.0]; Выход в таком случае

состоит в [B2028.0]; Выход за пределы [B2024.0]; Выход заключается обычно в [B2023.0]; Выход из строя [B2025.0]; Выход из строя менее, чем за [B2026.0]; Выход состоит в [B2027.0]; Выход энергии [B2029.0];

Дата выхода из ремонта [Д122.0]; Мощность на выходе [М399.0]; На выходе [Н33.0];

Нет иного выхода как только [Н1646.0];

Очевидный выход из положения — это ... или [01649.0]; Практический выход [П1665.0]; Преждевременный выход из строя

[П 1968.0]

**выходить:** Выходить вместе [B2031.0]; Выходить далеко за рамки [B2039.0]; Выходить за пределы [B2032.0]; Выходить за пределы возможностей [B2033.0]; Выходить за пределы допуска на [B2034.0]; Выходить за пределы расчетных режимов [B2035.0]; Выходить за рамки [B2038.0]; Выходить из допусков [B2041.0]; Выходить из зацепления с [B2042.0]; Выходить из режима [B2044.0]; Выходить из стадии лабораторных разработок [B2045.0]; Выходить из строя [B2046.0]; Выходить из строя в первую очередь [B2047.0]; Выходить из употребления [B2048.0]; Выходить из-под контроля [B2043.0]; Можно выйти из положения [М331.0]; На случай, если выйдет из строя [Н145.0] Не выходить за допустимые пределы [Н802.0]; Не выходить за пределы размеров существующего [Н801.0]; Не выходить за пределы современного уровня техники [Н800.0]; Не выходить за рамки имеющегося опыта эксплуатации [Н803.0]; Не выходить из стадии лабораторных разработок [Н804.0]

**выходной:** Воспринимать выходной сигнал [В 1429.0]

**выходящий:** Возможности, выходящие за пределы [В1324.0]; Выходящий за пределы возможностей [B2036.0]; Выходящий за пределы области [B2037.0]; С точностью, не выходящей за пределы погрешности измерений [С 138.0]

**вычерченный:** Вычерченный от руки [B2051.0]

**вычерчивать:** Вычерчивать в масштабе [B2050.0]; Кривые вычерчены по значениям [К481.0]

**вычет:** За вычетом [312.0]; Прибыль за вычетом подоходного налога [П2196.0]

**вычисление:** [B2052.0]; Для удобства вычислений (Д409.0); Объем вычислений намного меньше, чем [0364.0]; Следуя методике вычисления [С596.0]; Стандартная программа вычисления [С1420.0]; Чтобы уменьшить количество необходимых вычислений [4216.0]

**вычисленный:** [B2061.0]

**вычислительный:** Вычислительные методы [B2062.0]

**вычислять:** Вычислять интеграл [B2054.0]; Вычислять непосредственно по [B2056.0]; Вычислять по известным [B2057.0]; Вычислять по методике [B2058.0]; Вычислять по результатам измерения [B2059.0]; Вычислять по формуле [B2060.0]; Вычислять по [B2055.0]; Позволяет вычислить [П904.0]

**вычисляться:** Легко вычисляется по [Л16.0]

**вычитать:** [B2063.0]

**вычитаться:** [B2064.0]

**выше:** Возвращаясь к тому, что было сказано выше о [B1277.0]; Выше на ... по сравнению с тем, что можно было бы получить [B2067.0]; Выше на [B2066.0]; Выше...по течению [B2068.0]; Где-то выше [Г31.0]; Как выше так и ниже [К 122.0]; Как описано выше [K99.0]; Как отмечалось выше [K100.0]; Как упоминалось выше [K138.0]; Минимум располагается выше [M180.0]; На порядок выше [H 108.0]; Поддерживать не выше [П714.0]; Поскольку выше много говорилось [П1349.0]; Продаваться по цене выше номинальной [П2722.0]; Работать при температуре на ...°C выше [P73.0]; Располагаться выше [P384.0]; Смотри выше [C743.0]; Существует некое верхнее нижнее критическое значение, выше которого [C 1572.0]; Существует, по-видимому, некий порог, выше которого [C1577.0]; Так, как это описано выше [Т38.0]; Указанный выше [У219.0]; Упомянутый выше [У323.0]; Чуть выше [4228.0]

**вышеизложенный:** [B2069.0]; В связи с вышеизложенным [B498.0]; Вышеизложенным способом [B2070.0]; Из вышеизложенного ясно [И148.0]; С учетом вышеизложенного [C161.0]

**вышеописанный:** Вышеописанную процедуру повторяли для других [B2071.0]; Вышеописанным способом [B2070.0]

**вышеприведенный:** Вышеприведенное выражение [B2074.0]; Вышеприведенные соображения [B2075.0]; Вышеприведенный перечень далеко не полон [B2073.0]

**вышесказанный:** [B2069.0]; В свете вышесказанного [B487.0]; Взвесить все вышесказанное [B1062.0]; С учетом всего вышесказанного было решено, что [C158.0]

**вышеуказанный:** Вышеуказанные нормы [B2076.0]

**вышеупомянутый:** Вышеупомянутого типа [B2078.0]

**выявление:** Выявление и устранение неполадок [B2081.0]; Выявление неисправностей [B2080.0]; Выявление первоочередных задач [B2082.0]

**выявлять:** Выявлять и устранять неполадки [B2084.0]; Выявлять и устранять причину [B2085.0]; Выявлять роль [B2086.0]; Если будет выявлена необходимость в [E38.0]

**выявляться:** [B2087.0]

**выяснение:** Для выяснения причин необходимо дополнительное исследование [Д336.0]; С целью выяснения возможности [C 169.0]

**выяснять:** Выяснять в первую очередь [B2090.0]; Выяснять влияние масштаба [B2089.0]; Выяснять роль [B2091.0]; Выяснять характер проблем [B2092.0]; Выяснять шансы на успех [B2093.0]; Мы надеемся выяснить [M410.0]; Остается выяснить [01116.0]; Остается выяснить, в какой мере [01117.0]; Остается выяснить, каким образом [01118.0]; Уместно выяснить [У284.0]

**выясняться:** Быстро выяснилось, что [B290.0]; В дальнейшем выяснилось, что [B90.0]; В результате ... выяснилось, что [B476.0]; Вскоре выяснилось, что [B1589.0]; Выяснилось также, что [B2096.0]; Выяснилось, что [B2095.0]; Выяснился ряд других проблем [B2097.0]; Но как выяснилось [H1795.0]

## Г

**габарит:** Вписываться в габарит [B1464.0]; Вписываться в железнодорожный габарит [B1464.0]; Вписываться в заданные габариты [B1466.0]; Габарит выема [Г1.0]; Железнодорожный габарит [Ж8.0]; Размещение в габаритах [P271.0]

**габаритный:** Габаритные ограничения [Г2.0]; Габаритные размеры [Г3.0]

**газификация:** Путь газификации [П3094.0]

**газообразный:** [Г5.0]

**гайка:** Затягивание гайки [3516.0]; Затягивание гайки от руки [3517.0]; Затягивать

гайку [3510.0]; Затягивать гайку от руки [3511.0]

**гальванопокрытие:** Размеры даны с учетом гальванопокрытия [P258.0]

**гамма:** Охватывать целую гамму [01618.0]

**гарантийный:** Гарантийное значение [Г10.0]; Гарантийное письмо [Г11.0]; Гарантийные испытания [Г12.0]; Гарантийные обязательства [Г13.0]; Гарантийный период [Г7.0]; Гарантийный ремонт [Г8.0]; Гарантийный срок службы еще не истек [Г9.0]; После истечения гарантийного срока [П1357.0]



**гарантировать:** Гарантировать возмещение убытков [Г15.0]; Гарантировать исправную работу в течение одного года со дня [Г16.0]; Гарантировать практически 100 % [Г17.0]; Еще не гарантирует [Е210.0]; Изготовитель гарантирует работу изделия в течение ... лет считая срок пребывания в пути и хранения на складах со дня выпуска с предприятия [И207.0]; Не гарантирует [Н805.0]; Сам по себе не гарантирует [С198.0, С202.0]; Чтобы гарантировать [4177.0]; Чтобы гарантировать надежность контактов [4178.0]

**гарантироваться:** Гарантироваться тем, что [Г18.0]

**гарантия:** Аннулировать гарантию [А146.0]; В противном случае гарантия будет считаться недействительной [В551.0]; Гарантия качества массовой продукции [Г19.0]; Гарантия на механическую работу [Г20.0]; Гарантия обещанных преимуществ подтверждена [Г21.0]; Лишать гарантии [Л69.0]; Надежная гарантия [Н269.0]; Настоящая гарантия не распространяется на [Н572.0]; Послеремонтная гарантия [П1422.0]

**гаснуть:** [Г22.0]; Лампочка гаснет [Л7.0]

**гвоздь:** Забывать гвоздь в [366.0]

**где-либо:** Где-либо [Г24.0]; Нельзя использовать где-либо еще [Н1315.0]

**где-то:** Где-то в [Г26.0]; Где-то в диапазоне [Г27.0]; Где-то в другом месте [Г28.0]; Где-то в пределах [Г29.0]; Где-то между [Г30.0]; Где-то ниже [выше] [Г31.0]

**генеральный:** Генеральный заказчик [Г32.0]; Генеральный подрядчик [Г33.0]; Генеральный поставщик [Г34.0]

**геометрический:** Исходя из геометрических соотношений для [И817.0], Среднее геометрическое [С1319.0]

**герметизация:** Полная герметизация [П1080.0]

**герметичный:** [Г34.0]

**гибкость:** Очень большая гибкость в [01655.0]

**гидравлический:** Гидравлические характеристики [Г36.0]

**гипотеза:** В порядке рабочей гипотезы [В366.0];

Выдвигать гипотезу о [В1779.0]; Высказывать гипотезу [В 1970.0]; Гипотеза нуждается в проверке [Г38.0]; Гипотеза теряет силу [Г39.0]; Если гипотеза о том, что ... справедлива [Е45.0]; Изложение гипотезы [И235.0]; Нарушение гипотезы [Н526.0]; Позволяет выдвинуть гипотезу о [П903.0]; Проверять гипотезу [П2635.0]

**гипотетический:** Гипотетический дефект [Г40.0]; Гипотетический случай [Г41.0]

**главный:** Быть главным в... [Б304.0]; В основе

работы лежат... главных принципа [В274.0]; Главная особенность [Г47.0]; Главная причина [Г48.0]; Главная цель [Г49.0]; Главное в [Г50.0]; Главное положение переключателя [Г52.0]; Главное преимущество [Г53.0]; Глав-

ное препятствие [Г54.0]; Главное усилие должно быть направлено на [Г55.0]; Главное условие [Г56.0]; Главное, о чем нужно помнить [Г51.0]; Главные допущения, лежащие в основе [Г57.0]; Главные факторы, определяющие [Г58.0]; Главный аргумент в пользу [Г43.0]; Главный конкурент на рынке [Г44.0]; Главный подрядчик [Г45.0]; Главный фактор сдерживания роста [Г46.0];

Главным образом [Г59.0]; Занимать главные должности [3325.0]; Играть главную роль [И90.0]; Использоваться главным образом в [И720.0]; Каждый из главных [К32.0]; Но главное состоит в том, что [Н1784.0]; Один из главных факторов [0508.0]; Одна из главных трудностей, с которыми приходится сталкиваться [0529.0]; Основанный главным образом на [01030.0]; Основаны главным образом на опыте [01028.0]; Привело главным образом к тому что [П2247.0]; Самым главным является [С224.0]; Уделять главное внимание [У 111.0]; Являться самым главным в [Я30.0]

**гладкий:** Шлифовать после сварки для обеспечения гладких внешних поверхностей [Ш36.0]

**глаз:** Бросаться в глаза [Б283.0]; Виден невооруженным глазом [В1093.0]; Видеть невооруженным глазом [В1090.0]; Замечать невооруженным глазом [3307.0]; Казаться на глаз [К47.0]; Можно видеть невооруженным глазом [М327.0]; На глаз [Н36.0]; Невидимый невооруженным глазом [Н1169.0]; Невооруженный глаз [Н1174.0]; Подгонка на глаз [П685.0]; Подставлять глаза [П828.0]; Представляется невооруженному глазу [П1892.0]; Проверять на глаз [П2639.0]; Сразу же бросается в глаза [С1293.0]; Считывать на глаз с точностью [С1629.0]; Хорошо виден невооруженным глазом [Х45.0]

**гласить:** Параграф протокола гласит — [П16.0]

**глубина:** На глубине [Н37.0]; Нарезать М6 на глубину 3 мм [Н502.0]; Отличаться шириной и глубиной [01400.0]; Погружать на глубину в [П602.0]; Простираться на глубину [П2918.0]; Сделать лыску на глубину резьбы [С396.0]; Шлифовать лыску на глубину резьбы [Ш34.0]

**глубокий:** Более глубокое понимание [Б157.0]; Глубокий интерес к [Г61.0]; Глубокое знание [Г62.0]; Глубокое исследование [Г63.0]; Глубокое понимание [Г64.0]; Давать более глубокое представление о [Д38.0]; Заслуживать отдельного глубокого анализа [3443.0]; Обеспечивать более глубокое понимание [035.0]; Отдельный глубокий анализ [01286.0]; Стимулировать более глубокое изучение [С 1457.0]

**глубоко:** Глубоко интересоваться [Г65.0]; Исследовать более глубоко [И795.0]

**говорить:** Будем говорить, что [Б342.0]; В пользу...говоря [В357.0]; Вообще говоря [В1372.0]; Вообще-то говоря [В1373.0]; Гово-  
рять в пользу [Г67.0, Г68.0]; Говорить о [Г69.0]; Говорить о том, что [Г70.0], Гово-  
рять о том, что ... должен [Г71.0]; Говорить против [Г72.0, Г73.0]; Говоря иначе [Г74.0];  
Говоря попросту [Г75.0]; Говоря точнее [Г76.0]; Говорят сами за себя [Г77.0]; Грубо  
говоря [Г135.0]; Если говорить без обвиняков  
[Е113.0]; Если говорить более конкретно, то  
(Е 114.0); Если говорить вкратце, то [Е  
115.0];  
Если говорить о [Е 116.0]; Если говорить о  
....  
то (Е117.0); Если говорить о недостатках,  
то  
[Е118.0]; Если говорить о практических  
возможностях, то [Е119.0]; Если говорить о  
практической стороне дела, то [Е120.0]; И  
хотя можно было бы говорить о [И70.0];  
Излишне и говорить, что [И233.0]; Имеет  
смысл говорить о [И450.0]; Иначе говоря  
[И539.0]; Мы не будем здесь говорить под-  
робно о [М412.0]; Мы нигде не говорим о  
том, что [М426.0]; Наш опыт говорит о том,  
что [Н736.0]; Не говоря уже о [Н806.0]; Не  
говоря уже о многих других [Н807.0]; Не  
приходится и говорить, что [Н1039.0]; О  
чем  
это говорит, не ясно [О17.0]; Относится  
строго говоря к [О1453.0]; Преждевременно  
говорить о [П1966.0]; Рано говорить о  
[Р345.0]; Распределяются, вообще говоря,  
по трем группам [Р432.0]; Результаты гово-  
рят сами за себя [Р646.0]; Со всей опреде-  
ленностью говорят о том, что [С192.0];  
Строго говоря, не применим для [С1501.0];  
Строго говоря, не применим к (С1502.0);  
Строго говоря, справедливы только [С  
1503.0];  
Убедительно говорить в пользу [У 15.0];  
Этот  
результат говорит о необходимости даль-  
нейших [Э105.0]

**говориться:** Более подробно о ... говорится  
в...  
(Б168.0); Как говорилось [К62.0]; Как  
гово-  
рилось во введении [К63.0]; Как уже гово-  
рилось [К64.0]; Как уже неоднократно  
гово-  
рилось [К65.0]; Как это говорилось в  
начале  
[К66.0]; Мало говорилось о [М23.0];  
Много  
говорилось и писалось о [М195.0]; Ничего  
не говорится о [Н1769.0]; Поскольку выше  
много говорилось [П1349.0]; С одной  
сторо-  
ны говорится, что [СИ 1.0]

**год:** В ... годах этого столетия [В85.0]; В  
конце  
... и начале ... годов [В161.0]; В конце 60-х  
годов [В 160.0]; В начале 70х годов  
[В241.0];  
В пересчете на год [В329.0]; В последние  
годы [В86.0]; В последние годы  
наблюдается  
[В87.0]; В последующие годы [В88.0]; В  
расчете на долгие годы [В464.0]; В  
середине  
... годов [В511.0]; В течение года без пере-

рыва [В694.0]; В том же году [В84.0]; Вось-  
мидесятые годы [В1443.0]; Время года  
[В1526.0]; Гарантировать исправную работу

в течение одного года со дня [Г16.0]; Год изготовления [Г78.0]; До года [Д442.0]; Добыча в ... году по сравнению с ... годом упала на [Д486.0]; Еще в ... году (Е199.0); Дважды в/за год [Д152.0]; В прошлом/истекшем году [В427.0]; К ... году положение резко изменится [К5.0]; Между настоящим моментом времени и примерно ... годом [М81.0]; На год раньше срока [Н38.0];

Около ... дней в году [0699.0]; опережать на два года [0756.0]; Откладывать на два года [01320.0]; Относиться еще к ... году [01445.0]; По данным на ... год [П361.0];

Представлять в течение этого года [П1843.0];

Прогресс, достигнутый в последние годы [П2716.0]; Производство которого начинается годом раньше [П2808.0]; Раз в год [Р146.0]; Рассчитанная на ... года работа по [Р516.0]; Растить с каждым годом [Р519.0]; С годами [С6.0]; С середины до конца ... годов

[С94.0]; Только за последние ... года [Т304.0];

Число часов работы в год [4103.0]

**годиться:** Годится не только для [Г80.0];

Годится только для [Г81.0]

**годовой:** Годичный отпуск [Г82.0]

**годность:** Срок годности при хранении [С1328.0]

**годный:** Изготовлен в соответствии с ТУ, проверен и признан годным к эксплуатации [И204.0]

**годовой:** Годовая выработка [Г83.0];

Увеличение годовой производительности [У52.0]

**годовщина:** Праздновать годовщину [П1637.0]

**голова:** Не сразу приходит в голову [Н1091.0]

**головной:** Головное предприятие [Г86.0]; Головной образец [Г84.0]

**голословно:** Голословно использовать в качестве доказательства [Г86.0]

**голословный:** Являться голословным утверждением [Я15.0]

**голый:** Не дотрагивайтесь голыми руками [Н851.0]

**гораздо:** Встречаться гораздо реже [В1622.0]; Гораздо больше [Г88.0]; Гораздо больше, чем [Г89.0]; Гораздо менее выражен [Г91.0];

Гораздо меньше [Г90.0]; Гораздо многочисленнее [Г92.0]; Гораздо проще [Г93.0]; Гораздо реже [Г94.0]; Гораздо целесообразнее [Г95.0]; Необходимо сделать гораздо больше [Н1385.0]; Уделяется гораздо меньше внимания [У118.0]

**гореть:** Индикаторная лампочка горит, когда ... ниже нормальной [И552.0]; Не горит зеленая сигнальная лампочка

ГОТОВНОСТЬ К РАБОТЕ [Н808.0]; Не горят лампочки приборной доски [Н809.0]

**горизонтально:** Горизонтально и под прямым углом к [Г97.0]; Идти вертикально или горизонтально под прямым углом к [И112.0];

Располагаться горизонтально [Р385.0]

**горизонтальный:** [Г96.0]; Поднимать в горизонтальном положении [П752.0]

**горький:** Постигать на горьком опыте [П1468.0]

**горячий:** Горячее водоснабжение зданий [Г98.0]

**господствующий:** Удерживать господствующее положение [У125.0]

**ГОСТ:** Образец по ГОСТу [0193.0]; Тип марка по ГОСТу или обозначение по чертежу [Г263.0]

**гостиница:** Бронировать места в гостинице [В282.0]

**гостировать:** [Г100.0]

**государственный:** Государственный стандарт России [Г99.0]

**государство:** Получать финансовую помощь от государства [П1162.0]

**готовить:** Работа готовится к публикации [Р17.0]

**готовность:** В состоянии готовности [В607.0]; Готовность системы [Г109.0]; Коэффициент готовности [К431.0]; Максимальная готовность [М10.0]; Мы с готовностью обсудим [М435.0]; Не горит зеленая сигнальная лампочка ГОТОВНОСТЬ К РАБОТЕ [Н808.0]; Эксплуатационная готовность [Э51.0]

**готовый:** Готов к работе [Г104.0]; Готовы ли мы [Г108.0]; Готовы ответить на любые вопросы [Г107.0]; Готовы пойти на некоторые неудобства [Г105.0]; Готовы рассмотреть [Г106.0]; Готовый продукт [Г103.0]; Запас готовых изделий [З370.0]; Мы должны быть готовы к тому, чтобы [М408.0]

**градуировать:** Градуировать с ценой деления [Г110.0]

**градус:** Изогнуть на ... градусов [И320.0]; Поворачивать на ... градусов [П542.0]; Сдвинутый по фазе на ... градусов [С385.0]; Скошенный под... градусов [С550.0]; Шаг... градусов по окружности [Ш4.0]

**граница:** Верхняя граница для [В923.0]; Во всем диапазоне, за исключением его границ [В101.0]; Выступать за границы [В1995.0]; Граница устойчивости [Г113.0]; Границы диапазона [Г114.0]; Границы поставки [Г115.0]; За границей устойчивости [З13.0]; На границе [Н41.0]; Нижняя граница [Н1727.0]; Определять границы [0817.0]; По границам [П359.0]; Четкая граница [479.0]

**граничить:** Граничить друг с другом [Г117.0]

**граничный:** Граничное условие [Г118.0]; Из граничного условия следует [И138.0]; Наложение граничных условий на [Н391.0]; Начальные и граничные условия [Н712.0]; Снятие граничного условия [С798.0]

**грань:** На грани [Н39.0]; На грани поломки [Н40.0]; Находиться на грани [Н669.0]; Расстояние между параллельными гранями [Р500.0]

**графа:** В каждой графе [В137.0]

**график:** В соответствии со следующим графиком [В596.0]; График в безразмерной фор-

ме [Г120.0]; График выполнения заказа [Г121.0]; График зависимости ... от [Г122.0]; График планово-профилактического ремонта [Г123.0]; График работ [Г124.0]; График работ по проекту [Г125.0]; График ремонта [Г126.0]; График хода работ [Г127.0]; Намного опережать график [Н427.0]; Нанесенный на график [Н449.0]; Нанесенный на график в зависимости от [Н450.0]; Нанести точки на график [Н448.0]; Напряженный график выполнения [Н493.0]; Обрабатывать данные в виде графиков [0179.0]; Оперативный контроль за выполнением графика [0750.0]; Определять по графику [0826.0]; Опушены, чтобы не загромождать график [0875.0]; Осуществляться точно по графику [01182.0]; Плотный график работ [П300.0]; Полученные результаты приведены в виде графика на [П1197.0]; Построить график [П1487.0]; Программа выполняется в соответствии с графиком [П2704.0]; Продолжаться по графику [П2748.0]; Работать по трехменному графику [Р71.0]; Работающий по строгому графику [Р91.0]; Сводный график [С327.0]; Сразу же по уведомлению о появлении окошка в графике [С1297.0]; Срыв графика проекта [С1340.0]; Строить график [С1513.0]; Точность соблюдения графика поставки [Т378.0]; Укладываться в график [У222.0]; Управлять по графику [У331.0]; Чтобы не загромождать график, точки не показаны [4192.0]; Чтобы не перегружать график [4195.0]

**графически:** Представлять графически в зависимости от [П1842.0]

**графический:** Графический рисунок [Г128.0]; Представлять в графической форме [П1840.0]

**грозить:** Грозит ли ... или не грозит [Г131.0]; Грозить серьезной опасностью [Г130.0]; Ничем не грозит [Н1775.0]

**грубый:** Грубая оценка [Г133.0]; Грубое обращение с грузом [Г134.0]; По самым грубым оценкам [П433.0]; Признаки грубого обращения с грузом при транспортировке [П2321.0]

**груженный:** В груженом состоянии [В616.0]

**груз:** Грубое обращение с грузом [Г134.0]; Накладная груза [Н365.0]; Не класть плашмя хрупкий груз [Н898.0]; Получатель груза и его местонахождение [П1124.0]; Получение и проверка груза [П1208.0]; Признаки грубого обращения с грузом при транспортировке [П2321.0]; Транспортировка, хранение и перемещение грузов [Т415.0]; Хрупкий груз [Х126.0]

**грузить:** Грузить без упаковки [Г136.0]

**грузовой:** Вид грузовых мест [В1081.0]

**грузоотправитель:** [Г137.0]

**грузополучатель:** Грузополучатель, адрес, страна [Г138.0]

**грунт:** Пескоструить и покрыть грунтом, кроме места посадки и разъема [П259.0]

**группа:** Входить в группу [В 1665.0]; Входить в эту группу [В1666.0]; Группа кривых [Г141.0]; Группа, возглавляемая [Г140.0]; Исследовательская группа [И791.0]; Подразделяться на группы [П1785.0]; Принадлежать к группе [П2400.0]; Рабочая группа [Р98.0]; Разбивать на группы [Р159.0]; Разделять на группы [Р204.0]; Разделять на группы по размерам [Р205.0]; Разделять на две группы [Р206.0]; Распределять по группам [Р427.0]; Распределяются, вообще гово-

ря, по трем группам [Р432.0], Целевая группа [Ц2.0]

**группировать:** Группировать по [Г142.0]

**группироваться:** Группироваться в окрестности постоянного значения, равного... [Г144.0], Группироваться около [Г145.0]

**групповой:** Ведомость группового комплекта [В867.0]; Групповой комплект запасных частей [Г146.0]

**грязь:** Отливку тщательно очистить от грязи и формовочной земли [01371.0]; Предохранять от грязи [П1780.0]

**губительный:** Губительный для [В1508.0]

**губить:** Губить и разрушать [Г147.0]

## А

**давать:** Давать ... выигрыш [Д13.0]; Давать ... значения [Д16.0]; Давать показания [Д33.0];

Давать ... свободу в [Д63.0]; Давать более глубокое представление о [Д38.0]; Давать более удовлетворительные результаты [Д52.0]; Давать большие преимущества [Д45.0]; Давать в виде [Д4.0]; Давать в результате [Д5.0]; Давать в среднем [Д6.0]; Давать в сумме [Д7.0]; Давать возможность [Д9.0]; Давать для справки [Д14.0]; Давать довольно большую информацию [Д20.0];

Давать довольно интересные результаты [Д54.0]; Давать запас [Д15.0]; Давать лишь незначительное преимущество [Д44.0]; Давать лишь слабое представление о [Д39.0]; Давать логическое объяснение [Д25.0]; Давать меньшую экономию [Д69.0]; Давать множество преимуществ по сравнению с [Д46.0]; Давать наглядное представление о [Д40.0]; Давать начало [Д23.0]; Давать некоторое представление о [Д41.0]; Давать некоторые преимущества [Д47.0]; Давать объяснение [Д24.0]; Давать основание для [Д26.0];

Давать ответ на вопрос о [Д28.0]; Давать ошибку в расчете [Д31.0]; Давать право [Д34.0]; Давать представление о [Д37.0]; Давать разрешение [Д49.0]; Давать реакцию [Д50.0]; Давать свое согласие [Д64.0]; Давать толчок [Д66.0]; Давать экономию [Д68.0]; Дайте нам знать [Д71.0]; Дайте поверхности как следует высохнуть [Д72.0]; Мало что дает для повышения [М38.0];

Может и не дать [М319.0]; Не давать каких-либо неожиданных результатов (Н822.0); Не давать никаких преимуществ [Н820.0]; Не давать никакой выгоды [Н813.0]; Не давать ответа на вопрос [Н818.0]; Ничего нового не даст [Н1773.0]; Подстановка вели-

чины ... из ... в ... дает [П836.0]; Подчеркнутые размеры даны не в масштабе [П886.0]; Расчет по этому методу может давать ошибку, достигающую (P551.0); Трудно дать точное определение [Т477.0]; Хотя окончательные рекомендации пока давать рано [Х105.0];

Что дало бы некоторую экономию [4132.0]; Это ничего не дает [Э154.0]

**давление:** Воспринимать давление [В1428.0]; Время, которое потребовалось бы давлению, чтобы [В1541.0]; Детали, работающие под давлением [Д270.0]; Избыточное давление [И165.0]; Испытывать давление со всех сторон [И761.0]; Находиться под давлением [Н679.0]; Оказывать давление [0640.0]; Оказывать давление на [0641.0]; Падение давления (П8.0); Падение давления на [П9.0];

Перекрывать доступ давлению [П125.0]; Подавать под давлением [П633.0]; Подводить давление к [П681.0]; Поднимать давление [П755.0]; Получать давление от [П1132.0]; Работающий без давления [Р82.0]; Работающий под давлением [Р92.0]; Сбрасывать давление [С263.0]

**давний:** Давняя традиция [Д77.0]; По давней традиции [П497.0]; С давних пор [С64.0]

**давно:** Вот уже довольно давно [В 1447.0];

Времена, когда ... давно прошли [В1513.0]; Давно известно, что [Д75.0]; Давно ожидаемый [Д76.0]; Довольно давно [Д500.0]; Известен давно [И 171.0]

**даже:** В равной или даже большей степени [В672.0]; Выдерживать даже с большей точностью [В1791.0]; Даже более удивительный [Д79.0]; Даже в случае [Д80.0]; Даже в том случае, когда [Д81.0]; Даже в этом случае [Д82.0]; Даже если пренебречь (Д84.0);

Даже если [Д83.0]; Даже после того, как

даже если [Д83.0]; Даже после того, как

[Д85.0], Если он даже не дает ничего другого [Е65.0]; И даже [И22.0]; И даже то малое, что было сделано [И23.0]; И это очень даже хорошо [И82.0]; Или даже [И336.0]; Или даже наоборот [И337.0]; Трудно или даже невозможно [Т478.0]; Насколько важным может оказаться даже небольшое увеличение [Н541.0]; Не было даже и намек на [Н759.0]; Не зная даже приблизительно [Н863.0]; Не позволяя сделать даже самых общих замечаний [Н 1000.0]; Но даже в этом случае [Н1785.0]; Но даже с учетом этого [Н1786.0]; Обеспечить или даже превзойти заданные характеристики [056.0]; Сводить на нет и даже ухудшать [С320.0]; Снижать до уровня, не улавливаемого даже с помощью точного химического анализа [С766.0]; Такие же или даже более [Т89.0]; Такое же или даже большее значение имеет [Т86.0]; Фактически даже [Ф10.0]

далее: Далее идет ... и затем [Д87.0]; И далее [И24.0]; И так далее [И57.0]; Начиная от... и

далее [Н726.0]; Предположим далее, что [П1787.0]

**далеккий**; Все еще очень далеки от цели [В973.0]; Далеко от оптимального [Д89.0];

Далекая перспектива [Д88.0]; Оставаться далекой перспективой [01090.0]

**далеко**: [Д90.0, Д91.0]; Будучи все еще далеко не ... [Б353.0]; Выходить далеко за рамки [В2039.0]; Вышеприведенный перечень далеко не полон [В2073.0]; Далеко за пределами возможностей [Д92.0]; Далеко не [Д93.0, Д94.0]; Далеко не закончен [Д95.0]; Далеко не идеален [Д96.0]; Далеко не полон [Д97.0];

Далеко не последний из которых [Д98.0]; Далеко не последний из них [Д99.0]; Далеко не просто [Д100.0]; Далеко не самый последний из них [Д102.0]; Далеко не так просты [Д 101.0]; Далеко отстоящий один от другого

[Д103.0]; Иметь далеко идущие последствия [И429.0]; Немного далеко от [Н1345.0]; Работать далеко от точки [Р51.0]; С далеко идущими последствиями [С70.0]; Этот вывод далеко не убедительный [Э103.0]

**дальнейший**: В дальнейшем [В89.0]; В дальнейшем выяснилось, что [В90.0]; Давать предложения по дальнейшему [Д36.0]; Дальнейшее обсуждение этого вопроса будет продолжено в [Д106.0]; Дальнейшие исследования могли бы быть продолжены по двум направлениям [Д107.0]; Дальнейший анализ [Д104.0]; Дальнейший рост невозможен [Д105.0]; Для изучения этого вопроса необходимы дальнейшие исследования [Д344.0]; До тех пор пока дальнейший ... не

приводил к [Д460.0]; Им несомненно будут пользоваться и в дальнейшем [И536.0]; Исключать из дальнейшего рассмотрения [И655.0]; Направление дальнейших исследова-

ний [Н470.0]; Не нуждаться в дальнейшей подрегулировке [Н932.0]; Необходимость проведения дальнейшей работы [Н1408.0]; Необходимы дальнейшие исследования в этой области — [Н1423.0]; Нуждаться в дальнейшем [Н1880.0]; Ожидать с нетерпением дальнейших результатов по [0604.0]; Планируется ли какая-либо дальнейшая работа с использованием... [П285.0];

По дальнейшему размышлению становится ясно, что [П360.0]; Получать дальнейшее подтверждение в [П1159.0]; Предложения по дальнейшей работе — [П1741.0]; Препятствовать дальнейшему [П2031.0]; Сделать непригодным для дальнейшего использования [С397.0]; Стать предметом дальнейших исследований [С 1409.0]; Этот результат говорит о необходимости дальнейших [Э105.0]

**дальше**: Если продолжить аналогию еще дальше [Е83.0]; Идти дальше и [И108.0]; Пойти дальше [П950.0]; Распасться дальше [Р362.0]; Что делать дальше [4134.0]

**данный**: Анализ данных в настоящее время продолжается, но некоторые выводы можно сделать уже сейчас [А113.0]; Анализ данных показывает, что [А114.0]; База данных [0968.0]; Банк данных [Б4.0]; Более обширные данные [Б 164.0]; Большинство имеющихся данных [Б221.0]; Большое количество данных [Б241.0]; Большое количество экспериментальных данных [Б245.0]; Большое количество эксплуатационных данных [Б246.0]; В данном случае [Б527.0]; В диапазоне размеров, представляющих интерес для данного исследования [В98.0]; В общем эти данные свидетельствуют о [В264.0]; В пределах данного класса [В392.0]; В рамках данного [В458.0]; Воспроизводимость экспериментальных данных [В1433.0]; Выборочные данные [В1723.0]; Данная работа [Д119.0]; Данные других источников [Д109.0]; Данные малочисленны [Д110.0]; Данные отсутствуют [Д111.0]; Данные о в литературе отсутствуют [Д112.0]; Данные о проверке измерительных приборов поверочными органами [Д113.0]; Данные по [Д115.0]; Данные по двум сериям экспериментов [Д114.0]; Данные, полученные на [Д116.0]; Данные, полученные ранее в эксплуатационных испытаниях [Д 117.0]; Достоверные экспериментальные данные [Д736.0]; Иметь отношение к данному вопросу [И424.0]; Имеющиеся данные позволяют предположить, что [И531.0]; Имеющиеся данные показывают, что [И532.0]; Имеющиеся экспериментальные данные [И533.0]; Исследованный нами в данной работе [И803.0]; Исходные данные [И833.0, И834.0]; Исходные справочные данные [И835.0]; Исходя из этих данных можно сделать следующие

выводы [И825.0]; Как следует из данных [К116.0]; Когда будет получено больше данных о [К228.0]; Когда данные для них имеются [К231.0]; Корреляция данных по параметру [К394.0]; Машинные распечатки экспериментальных данных [М74.0]; На данном этапе [Н197.0]; На данный момент времени [Н75.0]; Наилучшая аппроксимация экспериментальных данных [Н352.0]; Недостаточное количество данных [Н1206.0]; Необработанные данные [Н 1359.0, Н 1360.0]; Обезличенные данные [025.0]; Обзор эксплуатационных данных по [067.0]; Обоснованность такого представления данных весьма сомнительна [0167.0]; Обращивать данные в виде графиков [0179.0]; Обращивать данные (0178.0); Обработка данных [0190.0]; Обработка экспериментальных данных по методу наименьших квадратов [0191.0]; Ограниченное количество данных [0473.0]; Огромное количество данных [0482.0]; Описывать экспериментальные данные выражением [0785.0]; Основные технические данные и характеристики [01011.0]; За неимением/отсутствием более точных данных [332.0]; Отчетные данные [01595.0]; По данным на ... год [П361.0]; По данным фирмы-изготовителя [П362.0]; Подробные данные [П818.0]; Получать данные [П 1133.0]; Получать дополнительные данные [П1134.0]; Получать некоторые отсутствующие данные, относящиеся к (П1135.0); Получение и обработка данных [П 1207.0]; Полученные данные убедительно доказывают преимущества [П1195.0]; Построить по данным [П1489.0]; Потребовать дополнительные данные [П1530.0]; Почти все имеющиеся на сегодня данные [П1548.0]; При обработке данных была сделана попытка [П2101.0]; Проверять с помощью экспериментальных данных [П2651.0]; Проектные, построочные и испытательные данные [П2777.0]; Прочие данные [П3025.0]; Растущее количество данных [Р522.0]; Сбор данных [С251.0]; Свойства материала по данным поставщика [С339.0]; Секретные данные [С420.0]; Согласно опубликованным данным [С909.0]; Специалист в данной области техники [С1159.0]; Специфическим для данной ... образом [С1181.0]; Существенно дополнять имеющиеся данные [С1562.0]; Табличка с основными данными [Т6.0]; Точные данные по ... отсутствуют [Т384.0]; Уточнять результаты исследования с помощью более новых данных [У573.0]; Хорошо обоснованные экспериментальные данные [Х56.0]; Экспериментальные данные [Э40.0, Э41.0]; Экспериментальные

данные показывают, что [Э42.0]; Это подтверждается множеством данных [Э173.0]

**дата:** В течение месяцев, считая от даты [B705.0];

Входящий номер сопроводительного документа и дата [B1683.0]; Дата выдачи патента [D120.0]; Дата выпуска изделия [D121.0]; Дата

выхода из ремонта [D122.0]; Дата и время отказа изделия или его составной части [D123.0]; Дата и место проведения [D124.0];

Дата истечения срока более ранних по приоритету патентов [D125.0]; Дата истечения

срока действия патента [D 126.0]; Дата конвенционного приоритета [D127.0]; Дата кон-

сервации [D128.0]; Дата начала срока действия патента [D129.0]; Дата освидетельство-

вания [D 130.0]; Дата осуществления изобретения [D131.0]; Дата подачи полного

описания изобретения 15 июля 1970 г. [D132.0]; Дата

покупки [D133.0]; Дата получения заказа [D134.0]; Дата поставки [D135.0]; Дата поступ-

ления в ремонт (D136.0); Дата поступления заявки [D137.0]; Дата проведения

измерений [D138.0]; Дата публикации полного описания изобретения 6 января 1980 г. [D139.0];

Дата пуска в эксплуатацию [D141.0]; Дата снятия с хранения [D140.0]; Дата упаковки [D142.0];

Дата установки на хранение [D 143.0]; Действующий на дату заключения контракта [D191.0]; На дату [H42.0]; Не позже, чем за

до даты [H1008.0]; Отметки о произведенном

ремонте, место и дата [01417.0]; Переносить дату на более поздний срок [P146.0];

Плановая дата ввода в эксплуатацию [P291.0]; По мере приближения даты [P391.0];

Подписи и дата [P781.0]; Прочие даты приоритета [P3026.0]; Сообщать дату [C997.0]; Считая от даты [C 1618.0]

**датированный:** Датированный сентябрем [D144.0]

**датчик:** Малое количество датчиков [M19.0];

Оснащенный датчиками [0952.0]; Регистрируемый датчиком [P604.0]; Сигналы датчиков записывались [C455.0];

Снабженный многочисленными датчиками [C758.0]

**двадцать:** Двадцать четыре часа в сутки

[D151.0]

**дважды:** Дважды в [D152.0]; Еще дважды [E203.0]; Повторять еще дважды [P575.0]

**двигатель:** Перегрев двигателя, о чем сигнализирует лампа на пульте управления — [P79.0]; При заглушенном двигателе [P2070.0]; Установка с несколькими двигателями [Y505.0]

**двигаться:** Двигаться вперед [D154.0]; Двигаться по направлению к [D155.0]; Двигаясь по часовой стрелке [D156.0]; Предположим, что мы движемся [P1791.0]

**движение:** Движение изделия в эксплуатации [D158.0]; Менять направление движения на обратное [M117.0]; Оказывать сопротивление движению [0652.0]; При движении от ... к [P2064.0]; Приводить в движение [P2210.0]



**движущий:** Движущая сила [Д159.0]

**двойной:** В двойных логарифмических координатах [В164.0]; Выполнять двойную функцию [В1904.0]; Двойное назначение [Д160.0]

**двойственность:** [Д161.0]

**двоукный:** Оказывать двоякое влияние на [0628.0]

**двукратный:** Двукратное упоминание признака изобретения [Д162.0]

**двумерный:** [Д163.0]

**двух-трех:** В течение следующих двух-трех лет [В711.0]

**дежурство:** Дежурство и освещение [Д164.0]; Находиться на постоянном дежурстве [Н671.0]

**действенность:** [Д165.0]

**действие:** Безотлагательно ввести в действие [Б76.0]; Вводить в действие [В839.0]; Вступать в действие [В1638.0]; Дата истечения срока действия патента [Д126.0]; Дата начала срока действия патента [Д129.0]; Действие заключается в том, что [Д167.0]; Запускать план в действие [3419.0]; Исключать действия [И653.0]; Исследование срока действия патента [И776.0]; Можно начать немедленные действия по [М336.0]; Находиться под действием пружины в закрытом положении [Н680.0]; Непрерывного действия [Н 1533.0]; Ограничен в своих действиях [0476.0]; Оказывать действие [0636.0, 0642.0]; Под действием [П606.0]; Под действием собственного веса [П607.0]; Подвергаемый действию [П670.0]; Полная свобода действий в области использования [П1082.0]; Предпринимать действия [П1820.0]; Приводимый в действие [П2260.0]; Приводить в действие [П2211.0]; Принцип действия и рабочий цикл [П2460.0]; Приостанавливать действие [П2495.0]; Продлевать действие патента [П2733.0]; Проявлять свое действие [П3047.0]; Радиус действия [Р 144.0]; Свобода действия [С302.0]; Срок действия ... лет [С1329.0]; Срок действия патента [С1330.0]; Сфера действия [С1590.0]

**действительно:** Встает вопрос, действительно ли это [В1611.0]; Действительно влияет на [Д 171.0]; Действительно доказывают существование [Д 172.0]; Действительно имело место (Д173.0); Действительно могла [Д174.0]; Действительно существует [Д175.0]; Если ... действительно имеют место [Е47.0]; И действительно (И25.0); Не позволяя с уверенностью судить о том, произошел ли действительно [Н 1001.0]; Посмотреть, что же действительно происходит [П1429.0]; Рекомендуется только в случае, когда это действительно необходимо [Р682.0]; Следует ли их действительно рассматривать как [С605.0]; Что же действительно происходило при [4136.0]; Это действительно так [Э126.0]

**действительность:** В действительности [В93.0, Ф9.0]; В действительности же [В92.0]; Позволяет предположить, что так дело и обстоит в действительности [П924.0]; Разобраться, что же происходит в действительности [Р169.0]; Соответствовать действительности [С1013.0]; Так оно и есть в действительности [Т20.0]; Тогда как в действительности [Т292.0]; Что вполне соответствует действительности [4130.0]

**действительный:** Без подписи второй стороны не действителен [Б43.0]; Действительная трудность [Д169.0]; Не действителен без подписи второй стороны [Н825.0]; Разделение действительной и мнимой частей [Р198.0]; Хотя действительный ... может быть и несколько больше [Х85.0]

**действовать:** Все еще действует [В970.0]; Действовать в одном и том же или в противоположном направлениях [Д177.0]; Действовать в определенной последовательности [Д178.0]; Действовать в правильном направлении [Д179.0]; Действовать на близком [Д181.0]; Действовать на [Д180.0]; Действовать наружу [Д182.0]; Действовать независимо друг от друга [Д183.0]; Действовать по отдельности или вместе [Д 185.0]; Действовать по [Д184.0]; Действовать подобно [Д186.0]; Действовать совместно с [Д187.0]; Начинать действовать [Н714.0]; Факторы действуют совместно [Ф15.0]

**действующий:** Действующая модель [Д189.0];

Действующий в настоящее время [Д190.0]; Действующий на дату заключения контракта [Д191.0]; Иметь действующие свидетельства о [И372.0]; Постоянно действующая инструкция [П 1474.0]; Силы, действующие на [С458.0]

**делать:** Делать приемлемым [Д221.0]; Делать успехи [Д232.0]; Делать возможным [Д193.0];

Делать все возможное [Д 194.0]; Делать все чтобы [Д195.0]; Делать выбор в пользу [Д196.0]; Делать выбор между [Д197.0]; Делать вывод [Д198.0]; Делать измерения [Д 199.0]; Делать именно то, что требуется [Д200.0]; Делать маловероятным [Д201.0];

Делать много для развития науки и техники в области [Д202.0]; Делать на заказ [Д203.0];

Делать намеренно [Д204.0]; Делать невозможным [Д205.0]; Делать недействительным [Д207.0]; Делать недостижимым для [Д208.0]; Делать ненужным [Д209.0]; Делать неспособным [Д210.0]; Делать неспособным [Д211.0]; Делать обзор литературы [Д212.0]; Делать очень трудным, если вообще не невозможным [Д229.0]; Делать первые шаги [Д213.0]; Делать попытки в будущем [Д215.0]; Делать попытку [Д214.0]; Делать похожим на [Д218.0]; Делать почти невозможным [Д206.0]; Делать предполо-

жение [Д219.0]; Делать представление [Д220.0]; Делать пробелы [Д222.0]; Делать проводку по счету [Д223.0]; Делать прочерк [Д224.0]; Делать равным нулю [Д225.0]; Делать сравнение несколько рискованным [Д226.0]; Делать ссылки на [Д227.0]; Делать трудным [Д228.0]; Делать упор на [Д231.0]; Делать фотоснимок [Д233.0]; Делать что-либо для того, чтобы [Д234.0]; Делая ... более трудным, чем в случае [Д230.0]; Достаточно мал и поэтому делает возможным [Д688.0]; Знать, что делать на каждом этапе [3593.0]; Иначе, чем это делают [И542.0]; Не делать различия между [Н827.0]; Не делать различия [Н826.0]; Не зная, что этого делать нельзя [Н864.0]; Не следует делать поспешных выводов [Н 1066.0]; Не следует делать [Н1065.0]; Отсюда мы делаем вывод, что [01573.0]; Преждевременно делать вывод [П1967.0]; Слишком рано делать окончательные выводы о [С655.0]; Так именно и делали [Т32.0]; Такой... что делает трудным [Т60.0]; Что делало невозможным [4133.0]; Что делать дальше [4134.0]; Что можно и чего нельзя делать [4147.0]; Этого не стоит делать [Э132.0]; Этого нельзя делать [Э205.0]

**делаться:** Аналогично тому, как это делается [А126.0]; Делается попытка найти компромиссное решение [Д216.0]; Делается попытка ответить, хотя и в общем виде, на вопрос [Д217.0]; Если бы этого не делалось [Е109.0];

Исключение делается в отношении [И667.0]; Ничего не делается для того, чтобы [Н1770.0];

Но поскольку, как нам кажется, в этом направлении мало что делается (Н1809.0); Отсюда делается вывод [01571.0]; Ранее уже делались попытки (Р349.0); Это делалось для того, чтобы [Э 127.0]; Это делалось при [Э128.0]

**деление:** Градуировать с ценой деления [Г110.0]; Деление второго на первое дает [Д237.0]; Деление на [Д236.0]; На последнем делении шкалы [Н110.0]; После приведения уравнения к безразмерному виду путем деления обеих его частей на [П1364.0]; Приводить к безразмерному виду делением на [П2225.0]; Цена деления шкалы [ЦЗО.0]; Частное от деления на [415.0]; Шкала с ценой деления [ШЗО.0]

**делительное:** С помощью масштабной линейки и делительного циркуля [С61.0]

**делить:** Делить между собой [Д239.0]; Делить на [Д240.0]; Делить на ... равных [Д241.0]

**делиться:** Делиться на [Д242.0]; Делиться секретами своей профессии [Д243.0]

**дело:** В деле [В94.0]; В идеале..., но на самом деле [В 126.0]; В нашем случае дело обстоит иначе [В540.0]; В самом деле [В95.0]; Вводить ... в курс дела [В841.0]; Ведение дела по заявке на патент [В864.0]; Вмешательство

во внутренние дела [В1164.0]; Во многом является делом [В210.0]; Возбудить дело против [В1253.0]; Вполне возможно, что дело обстояло именно так [В1317.0]; Дело большой важности [Д245.0]; Дело в том, что [Д251.0]; Дело вкуса [Д247.0]; Дело обстоит совершенно иначе [Д248.0]; Дело обстоит таким образом, что [Д249.0]; Дело однако в том, что [Д252.0]; Дело осложняется еще и тем, что [Д250.0]; Дело первостепенной важности [Д246.0]; Если бы на самом деле [Е105.0]; Если говорить о практической стороне дела, то [Е120.0]; Заниматься делами [3352.0]; И в самом деле [И9.0]; И так оно и есть на самом деле [И58.0]; Именно так и обстояло дело [И355.0]; Иметь дело с [И376.0]; Иметь дело непосредственно с [И377.0]; Иначе обстоит дело в случае [И540.0]; Иначе обстояло дело в случае [И541.0]; Каждодневные дела [К26.0]; На деле [Н43.0]; На деле продемонстрировать [Н44.0]; На деле это не так [Н45.0]; На практике дело обстоит несколько иначе [НИ 3.0]; На самом деле [Н46.0]; На самом же деле [Н48.0]; На самом деле этого не происходит [Н47.0]; На самом деле этого нет [В93.0]; Назначать слушание дела [Н294.0]; Не улучшать дела [Н1133.0]; Несколько хуже обстоит дело с [Н1606.0]; Но дело не только в [Н1787.0]; Оказываться довольно трудным делом [0664.0]; Относящийся к делу [01458.0]; Относящиеся к делу рекомендации, содержащиеся в [01459.0]; Первоочередное дело — это упрощение [П45.0]; Позволяет предположить, что так дело и обстоит в действительности [П924.0]; Позволяет предположить, что так оно и есть на самом деле [П924.0]; Прогресс в деле [П2715.0]; Происходить на самом деле [П2825.0]; Разобраться, с чем мы имеем дело [Р168.0]; Серьезное препятствие нашему делу [С441.0]; Совсем другое дело [С885.0]; Спорное дело [С1201.0]; Сравнительно простое дело [С1289.0]; Становиться делом первостепенной важности [С1381.0]; Так и случилось на самом деле [ТЗО.0]; Так обстоит дело с [Т 18.0]; Так оно и есть на самом деле [Т21.0]; Ухудшать дело [У584.0]; Чем на самом деле [454.0]; Являться первостепенным/неотложным делом [Я21.0]

**деловой:** Деловые связи [Д253.0]; Снижение деловой активности [С774.0]; Спад деловой активности (С 1150.0); Установление деловой переписки [У506.0]

**демонстрационный:** Демонстрационный опытный образец [Д254.0]

**демонстрация:** Демонстрация работы в эксплуатационных условиях [Д255.0]

**демонстрировать:** [Д256.0]; Лучше всего демонстрируют [ЛИ 1.0]

**демонстрироваться:** Демонстрироваться на стенде [Д258.0]

**демонтаж:** Демонтаж и разборка [Д259.0]; Демонтаж с объекта и последующая разборка [Д260.0]; Монтаж и демонтаж [М248.0]

**день:** В течение нескольких дней или недель [В701.0]; Весь день [В954.0]; День за днем [Д261.0]; За ... дней до [36.0]; Изо дня в день [И124.0]; На день [Н49.0]; Не позднее ... дней со дня доставки [Н1003.0]; Не позднее, чем за ... дней до окончания [Н1007.0]; Около ... дней в году [0699.0]; Официально извещать за ... дней о [01603.0]; Перенести на другой день [П141.0]; С интервалом/перерывом в несколько дней [С20.0]; Сохраняться до наших дней [С1146.0]; Строительство закончилось на ... дней раньше планового срока [С1510.0]; Требовать от нескольких часов до нескольких дней [Т442.0]; Успехи, достигнутые на сегодняшний день [У430.0]; Часов в день [41.0]; Через ... дней после истечения [465.0]; Через день после [464.0]

**держать:** Держать в курсе [Д262.0]; Держать в курсе относительно [Д263.0]; Держать в курсе происходящего [Д264.0]; Держать в холодном месте [Д265.0]

**десятилетие:** [Д266.0]; Более двух десятилетий [Б158.0]; В ближайшие десятилетия [В6.0]

**десятичный:** Десятичный знак [Д267.0]; Согласовываться с точностью до ... десятичного знака [С923.0]

**десяток:** Десятки [Д268.0]

**десятый:** Несколько десятых [Н1577.0]; Равный одной десятой [Р128.0]

**деталь:** Внимание к деталям [В1204.0]; Детали, работающие под давлением [Д270.0]; Заказ на детали [З217.0]; Заявка на детали [З551.0]; Каталог деталей и сборочных единиц [К 194.0]; Количество деталей на узел [К255.0]; Крупногабаритные детали [К510.0]; Название детали [Н288.0]; Наименование детали по каталогу [Н363.0]; Наличные детали или материалы [Н388.0]; Номер детали по каталогу или клеюму на детали [Н1840.0]; Номера деталей соответствуют спецификации сборного чертежа [Н1845.0]; Обнаружение неисправности в детали [0127.0]; Определять размеры деталей [0833.0]; Основные детали [01000.0]; Остальные размеры по сопряженной детали [01146.0]; Отсутствующие размеры определять в соответствии с размерами сопрягаемых деталей [01563.0]; При заказе этой детали обязательно укажите [П2073.0]; Произвести расточку под подшипник совместно с крышкой детали [П2793.0]; Промыть детали узла [П2849.0]; Ремонт деталей и неразъемных составных частей [Р693.0]; Ряд различий в деталях [Р786.0]; Сборочные единицы и

детали изделия [С259.0]; Сверлить под деталь [С271.0]; Сверлить совместно с деталью [С272.0]; Соприкасающиеся с продуктом детали изготовлены из нержавеющей стали [С1042.0]; Спецификация деталей и узлов [С1176.0]; Спецификация деталей [С1175.0]; Электротехническая деталь [Э75.0]

**детерминированный:** Детерминированные [Д271.0]

**детерминистский:** Детерминистские соотношения [Д271.0]

**дефект:** Ведомость дефектов, подлежащих устранению силами поставщика [В868.0]; Гипотетический дефект [Г40.0]; Дефект изготовления [Д273.0]; Не допускаются литейные дефекты и следы обработки [Н844.0]; Обнаружение дефектов [0124.0]

**дефектация:** Дефектация изделия в собранном виде [Д274.0]; Технические требования на дефектацию и ремонт [Т243.0]

**дефектовочная:** Дефектовочная ведомость [Д275.0]

**дефицит:** Дефицит выпускаемого изделия [Д277.0]; Ожидаемый дефицит [0598.0]

**деформация:** Обширная деформация [0294.0]

**дешевый:** Являться более производительным, дешевым и удобным [Я9.0]

**деятельность:** [Д278.0]; В основу деятельности положено [В275.0]; В результате всей этой деятельности [В475.0]; Открывать широкие просторы для творческой работы/деятельности [01365.0]; Диапазон деятельности [Д284.0]; Заниматься какой-либо деятельностью [З353.0]; Изобретательская деятельность [ИЗ18.0]; Исследовательская деятельность приняла такой размах, что [И792.0]; Обычная деятельность [0394.0]; Основные виды деятельности [0998.0]; Прекращать деятельность в области [П1986.0]; Результаты производственной деятельности [Р656.0]; Сворачивать деятельность [С344.0]; Сфера деятельности [С1591.0]

**диагностика:** Диагностика неполадок [Д279.0]

**диаграмма:** Участок диаграммы [У600.0]

**диаметр:** Биение поверхности диаметра на длине ... мм от конца вала не более ... мм [Б108.0]; Внутренний диаметр [В1236.0]; Диаметр [Д281.0]; Иметь диаметр [ИЗ378.0]; Наружный диаметр [Н505.0]; Наружным диаметром (Н506.0); Отверстия диаметром ... мм [01220.0]; Отношение длины к диаметру [01465.0]; Отношение меньшего диаметра к большему [01467.0]; Припуск по диаметру [П2512.0]; Уплотнять по диаметру [У310.0]

**диаметрально:** Диаметрально противоположный [Д282.0]

**диапазон:** Большой диапазон [Б226.0]; В большей части диапазона к.п.д. [В753.0]; В диапазоне [В96.0]; В диапазоне параметров, охваченном опытами [В97.0]; В диапазоне разме-

ров, представляющих интерес для данного исследования [B98.0]; В диапазоне..., соответствующем более, чем семикратному изменению [B99.0]; В интересующем нас диапазоне [B103.0]; В исследованном диапазоне [B104.0]; В широком диапазоне условий [B105.0]; Весь диапазон [B955.0], Весьма широкий диапазон [B1035.0]; Во всем диапазоне [B100.0]; Во всем диапазоне регулирования [B102.0]; Во всем диапазоне, за исключением его границ [B 101.0]; Где-то в диапазоне [Г27.0]; Границы диапазона [Г114.0]; Диапазон деятельности [Д284.0]; Диапазон ошибок [Д285.0]; Диапазон предполагаемого использования [Д286.0]; Диапазон применения [Д287.0]; Диапазон применимости [Д288.0]; Диапазон рабочих режимов [Д289.0]; За пределами диапазона [344.0]; Изменяться в диапазоне [И272.0]; Исследованный диапазон [И802.0]; На большей части диапазона [Н185.0]; Находиться в диапазоне [Н627.0]; Ограничены диапазоном [0478.0]; Ограничивать диапазон применимости значениями [0456.0]; Охватывать диапазон [01616.0]; Попадать в диапазон [П 1285.0]; Промежуточный диапазон [П2841.0]; Расширить диапазон применимости [P569.0]; Расширить диапазон [P568.0]; С изменениями доли каждого из ... в диапазоне [С14.0]; Частичное совпадение диапазонов для [411.0]

**диктоваться:** Необходимость в которых диктуется [Н 1404.0]

**дилемма:** Стоять перед дилеммой [С1476.0]

**диплом:** Получать диплом с отличием [П1136.0]

**директива:** Правительственная директива [П 1635.0]

**директор:** Входить в совет директоров [В 1674.0]

**дискуссионный:** Иметь весьма дискуссионный характер [И463.0]; Иметь несколько дискуссионный характер [И464.0]

**дискуссия:** Вовлекать в дискуссию о [В1247.0]; Возобновление дискуссии о [В1351.0]; Дискуссия развернулась в основном по вопросу о [Д291.0]

**дисплей:** Появляться на дисплее [П1591.0]; Установить рукоятку, чтобы получить нулевое показание на дисплее [У485.0]

**диссертация:** Докторская диссертация [Д553.0]; Защищать кандидатскую и докторскую диссертации [3540.0]

**дистанционно:** Управляемый дистанционно [У334.0]

**дисциплина:** Трудовая дисциплина [Т495.0]

**дифференциал:** Взять полный дифференциал от [В1071.0]

**дифференциальный:** Переписывать в дифференциальной форме [П153.0]

**дифференцирование:** Дифференцирование по [Д292.0]; Точкой обозначается дифференцирование по [Т373.0]

**длина:** Биение поверхности диаметра на длине ... мм от конца вала не более ... мм [B108.0]; В ... сечениях по длине [B513.0]; В двух местах по длине (В 191.0); В любом месте по длине [B189.0]; Длина в сборе [Д293.0]; Длина участка между осями [Д294.0]; Длиной [Д295.0]; Длиной, шириной, высотой [Д297.0]; Длиною более [Д296.0]; Занимать часть длины [3350.0]; Конусность ... мм на длине ... мм [K367.0]; На большей части длины [H186.0]; На длине [H51.0]; На всей длине [H52.0]; На всю длину [H53.0]; На единицу длины [H56.0]; Обработать по указанной длине с обеих сторон [0186.0]; Общая длина [0324.0]; Опирается на большой длине [0763.0]; Отношение длины к диаметру [01465.0]; Отрезать длиной [01513.0]; Подлине [П365.0]; Проигрывать в длине [П2781.0]; Проникать по всей длине [П2863.0]; Простираться на всю длину [П2917.0]; Разматывать на всю длину [P250.0]; Распределение по длине [P419.0]

**длительность:** Длительность которого составляла [Д312.0]; Длительность периода получения покупных изделий [Д313.0]; Длительность производственного цикла [Д314.0]

**длительный:** В ... раз длительнее [B448.0]; В течение длительного времени [B695.0]; В течение длительного периода времени [B703.0]; Влияние длительной работы ... в условиях коррозии и отложений [B1133.0]; Длительная нагрузка [Д299.0]; Длительная работа на холостом ходу [Д300.0]; Длительная сохранность при хранении [Д301.0]; Длительная эксплуатация [Д302.0]; Длительная эксплуатация без обслуживания [Д303.0]; Длительное воздействие [Д304.0]; Длительное пребывание в [Д305.0]; Длительное приближение к [Д306.0]; Длительностью [Д315.0]; Длительный период времени [Д307.0]; Длительный период освоения [Д308.0]; Длительный положительный опыт [Д309.0]; Довольно длительное время [Д501.0]; За более длительное время [32.0]; Карта длительного хранения [K179.0]; Номинальная длительная мощность [Н 1849.0]; Оказывать длительное воздействие [0638.0]; По истечении достаточно длительного времени [П375.0]; По истечении некоторого длительного периода времени [П377.0]; После периода времени, который может быть довольно длительным [П 1362.0]; После того, как опыт продолжался довольно длительное время [П 1375.0]; Сохраняться длительное время [С 1144.0]; Требуется более длительное время [Т449.0]

**длиться:** Длиться в среднем [Д318.0]; Длиться всего [Д317.0]; Длиться не более, чем это необходимо [Д319.0]; Длиться недолго [Д320.0]; Начинается раньше и длится дольше [Н724.0]

**дневной:** [Д433.0]

**дно:** Опускаться на дно [0874.0]

**добавление:** В добавление к [В 107.0]

**добавлять:** Добавим к этому, что [Д479.0];

Добавим, что [Д478.0]; Добавлять еще некоторое количество [Д476.0]; Достаточно добавить, что [Д684.0]; Мало что может добавить [М41.0]

**добавляться:** Добавляться к [Д477.0]

**добиваться:** Добиваться понимания [Д481.0];

Добиваться равновесия между [Д482.0]; Добиваться уверенности в [Д484.0]; Добиваться уверенности [Д483.0]; Не позволяя добиться большого улучшения [Н999.0]; Но можно добиться значительного упрощения, если [Н1799.0]; С помощью ... можно добиться лучших результатов [С63.0]; Стараться добиться равновесия между [С 1424.0]; Чтобы добиться этого [4180.0]; Этого можно добиться относительно легко [Э204.0]

**добровольно:** Представленный добровольно [П1902.0]

**добросовестный:** Добросовестная работа [Д485.0]

**добыча:** Добыча в ... году по сравнению с ... годом упала на [Д486.0]; Приостановка добычи [П2497.0]

**доведение:** Доведение изобретения до практического использования [Д487.0]

**доверие:** Внушать доверие [В1244.0]; Внушать доверие к [В1245.0]; Давать заслуживающие доверия результаты [Д55.0]; Доверие к [Д488.0]; Еще более повышать доверие к [Е 195.0]; Заслуживать доверие (3448.0); Заслуживающий доверия [3463.0]; Не внушать доверия [Н775.0]; Подрывать доверие к [П819.0]; Получать широкое признание и доверие (П1172.0); Потеря доверия к [П1512.0]

**доверху:** Доливать доверху [Д599.0]

**довершение:** В довершение всего этого (В 108.0)

**довод:** Веские доводы в пользу [В930.0]; Доводы, выдвинутые в пользу [Д498.0]; Имеются веские доводы в пользу [И500.0]; Предлагать довод [П1727.0]; Приводить доводы [П2221.0]; Такие же доводы справедливы и для [Т87.0]

**доводить:** Доводить до [Д489.0]; Доводить до конца [Д490.0]; Доводить до сведения [Д491.0]; Доводить до состояния [Д492.0]; Доводить до стадии [Д493.0]; Доводить до уровня опытного образца [Д494.0]; Доводить суммарное количество до [Д495.0]; Должны быть доведены до сведения [Д590.0]

**доводка:** Доводка опытного образца [Д496.0]; Эксплуатационная доводка [Э52.0]

**доводочный:** Доводочные испытания [Д497.0]

**довольно:** Вещь довольно необычная для [В1039.0]; Вот уже довольно давно [В1447.0]; Давать довольно большую информацию [Д20.0]; Давать довольно интересные результаты [Д54.0]; Довольно давно [Д500.0]; Довольно длительное время [Д501.0]; Довольно значительные алгебраические преобразования [Д502.0]; Довольно интересно, что [Д503.0]; Довольно много [Д504.0]; Довольно много общего [Д505.0]; Довольно неожиданно [Д506.0]; Довольно обычный [Д508.0]; Довольно подробно [Д509.0]; Довольно похожий на [Д510.0]; Довольно продолжительное время [Д511.0]; Довольно пространно [Д512.0]; Довольно скудны и не совсем точны [Д513.0]; Довольно сложный [Д514.0]; Довольно трудная задача [Д515.0]; Довольно упорядоченный [Д516.0]; Довольно устарел [Д517.0]; Довольно хорошо согласуются с [Д518.0]; Довольно часто происходит [Д519.0]; Довольно широко использоваться (Д520.0); Доказывать в довольно общем виде [Д536.0]; Играть довольно важную роль в [И86.0]; Иметь довольно сложный характер [И467.0]; Оказываться довольно трудным делом [0664.0]; После периода времени, который может быть довольно длительным [П1362.0]; После того, как опыт продолжался довольно длительное время [П 1375.0]; Прошло довольно много лет, прежде чем [П3017.0]; Совпадать довольно точно [С871.0]; Такие ... довольно необычны [Т76.0]; Теперь, когда достигнуто довольно хорошее понимание [Т170.0]

**довольствоваться:** [Д521.0]

**догадка:** Все это пока одни догадки [В996.0]; Конечно, не следует строить догадки [К318.0]; Нельзя основывать на догадке [Н1321.0]; Но это всего лишь догадка [Н1819.0]; Объяснение не более, чем догадка [0373.0]; Это пока лишь догадка [Э179.0]

**догадываться:** Догадываться раньше [Д522.0]; Можно только догадываться о [М380.0]; Нетрудно догадаться теперь что [Н1662.0]; Остается только догадываться [01126.0]

**договор:** Договор о проведении монтажных работ (Д524.0); договор-подряд [Д525.0]; Договор с ... о [Д526.0]; Заключать договор на (3237.0); Заключать договор на обслуживание с [3238.0]; Заключать договор с [3239.0]; Определяется условиями договора [0847.0]; По договору [П366.0]; По условиям договора [П1502.0]; Поправка к договору от [П1298.0]; Работа проводилась по договору с [Р29.0]; Разрабатывать по договору с [Р298.0]

**договариваться:** Договориться о том, что мы понимаем под [Д527.0]; Окончательно договориться [0704.0]

**договоренность:** Принята договоренность [П2444.0]

**договорной:** Договорная работа [Д528.0]

**догонять:** [Д529.0]

**доказательство:** Аналогичное доказательство справедливо для [A130.0]; Голословно использовать в качестве доказательства [Г86.0]; Доказательства в подтверждение этого предположения [Д531.0]; Доказательство в пользу [Д532.0], Доказательство пригодности [Д533.0]; Доказательством чего служит [Д534.0]; Если и обеспечили доказательства, то очень незначительные [E125.0]; Есть не вызывающие сомнений доказательства в пользу [E188.0], Интуитивные доказательства [I623.0]; Косвенные доказательства [K400.0]; На основании выполненного доказательства [H84.0]; Немало доказательств того, что [H1336.0]; Непосредственное доказательство ... отсутствует [H1488.0]; Несомненные доказательства [H1634.0]; Никаких реальных доказательств этого пока не найдено [H1748.0]; Отсутствуют доказательства [O1562.0]; Представляется нам достаточным доказательством того, что [П1891.0]; Приведенные доказательства [П2254.0]; Принимать без доказательства [П2407.0]; Рассматривать как доказательство того, что [P461.0]; Рассмотрим теперь доказательства (P483.0); Расценивается как достаточное доказательство того, что [P544.0]; Служить доказательством [С673.0]; Служить достаточным доказательством этого [С674.0]; Служить убедительным доказательством того, что [С675.0]; Стопроцентное доказательство [С1469.0]; Убедительное доказательство [У21.0]; Убедительное доказательство того, что [У22.0]; Убедительные доказательства в пользу [У23.0]; Фактические доказательства [Ф7.0]

**доказывать:** Действительно доказывают существование [Д 172.0]; Доказывается, что (Д544.0); Доказывать в довольно общем виде (Д536.0); Доказывать несостоятельность критики [Д537.0]; Доказывать обратное [Д538.0]; Доказывать правильность этого вывода [Д539.0]; Доказывать практически [Д540.0]; Доказывать справедливость [Д541.0]; Доказывать существование [Д542.0]; Доказывая тем самым, что [Д545.0]; Можно доказать [М332.0]; Неоднократно доказан [H1440.0]; Полученные данные убедительно доказывают преимущества [П1195.0]; Справедливость этого доказана [С 1243.0]; Убедительно доказывать возможность [У 16.0]; Уже не однажды доказал [У185.0]

**доклад:** Вспомогательные материалы для доклада [В1605.0]; Выступить с докладом [В2001.0]; Доклад о ходе работы [Д547.0]; Доклад по специальному приглашению [Д548.0]; Краткое изложение доклада [K452.0]; Пленарный доклад [П296.0]; Слушать доклад [С719.0]; Стендовый доклад [С1447.0]

**докладная:** Докладная записка [Д549.0]

**докладчик:** [Д550.0]

**докладывать:** Докладывать о своей работе [Д551.0]; Доложить ситуацию [Д602.0]

**докторская:** Докторская диссертация [Д553.0]; Защищать кандидатскую и докторскую диссертации [3540.0]

**документ:** Ведомость документов для ремонта [В869.0]; Ведомость ссылочных документов [В879.0]; Ведомость эксплуатационных документов [В880.0]; Вносить поправки в документ [В1229.0]; Входящий номер сопроводительного документа и дата [В1683.0]; Документ, удостоверяющий проведение работ [Д554.0]; Документы поставки [Д555.0]; Документы приложены [Д556.0]; Документы, связанные с согласованием [Д557.0]; Исправление документа [И738.0]; Исправленный пункт документа [И742.0]; Непригодные документы (H1541.0); Отдельный документ [O1287.0]; Оформление документов [O1608.0]; Первоначальная редакция документа [П40.0]; Передавать копии документов [П95.0]; Правильно составленные документы [П1623.0]; Представление документов в суд [П1834.0]; Товаросопроводительный документ [Т283.0]; Транспортный документ [Т416.0]; Указанный в нормативных документах [У218.0]

**документально:** Документально обоснованный [Д559.0]; Документально подтверждать [Д558.0]; Документально фиксировать [Д560.0]; Обосновывать документально надежность результатов [O172.0]; Подтверждать документально [П1847.0]

**документальный:** Документальное подтверждение [Д561.0]

**документация:** [Д562.0]; Документация находится в месте №1 [Д563.0]; Документация, относящаяся к [Д564.0]; Комплект технической документации [K293.0]; Представление технической документации на рассмотрение [П1837.0]; Проектно-сметная документация [П2775.0]; Разработка рабочей документации [P310.0]; Сопроводительная документация [С 1043.0]; Техническая документация находится в месте № [Т223.0]

**документировать:** [Д565.0]

**долг** (Д566.0, Д567.0)

**долгий:** В расчете на долгие годы [В464.0]

**долго:** Бесконечно долго [B84.0]; Работать наиболее долго [P62.0]

**долговечность:** [Д568.0]

**долговечный:** [Д569.0]

**долговременный:** [Д570.0]

**должен:** Аналогичные соображения должны быть справедливы и в отношении [A133.0]; В ближайшее время положение должно измениться [В42.0]; В проекте... должна быть предусмотрена возможность [В409.0];

Вместо ... должно быть [В1158.0]; Все усилия по ... должны быть направлены на [В1023.0]; Все это должно быть [В994.0]; Главное усилие должно быть направлено на [Г55.0]; Говорить о том, что ... должен [Г71.0]; Для ... должен быть выбран именно [Д334.0]; Должен быть [Д578.0]; Должен быть так ... чтобы обеспечить [Д577.0]; Должен быть в состоянии [Д572.0]; Должен быть знаком не только с [Д573.0]; Должен быть обращен к [Д574.0]; Должен быть равен или меньше [Д576.0]; Должен быть равным [Д575.0]; Должен еще быть подтвержден [Д579.0]; Должен иметь [Д580.0]; Должен иметь конструкцию [Д581.0]; Должен каким-то образом входить [Д582.0]; Должен понимать [Д583.0]; Должен работать [Д584.0]; Должен руководствоваться [Д585.0]; Должно было бы [Д586.0]; Должно было бы привести к более значительным результатам [Д587.0]; Должно было быть выполнено [Д588.0]; Должно быть сделано так, чтобы [Д589.0]; Должны быть доведены до сведения [Д590.0]; Как уже, должно быть, ясно [К133.0]; Как это и должно быть в случае [К140.0], Который должен был [К414.0]; Который, если и ..., то должно быть [К415.0]; Лица, ответственные за ... , должны быть обучены пользованию [Л64.0]; Материал должен поступить в Оргкомитет не позднее [М68.0]; Минимальный ... должен составлять [М176.0]; Мы должны быть готовы к тому, чтобы [М408.0]; Не должен [Н828.0]; Не должен вызывать трудностей [Н829.0]; Не должен на этом останавливаться [Н830.0]; Не должен особенно отличаться от [Н831.0]; Не должен превышать [Н832.0]; Не должен превышать меньшего из двух значений [Н833.0]; Не должен проявлять [Н834.0]; Не должен рассматриваться как [Н838.0]; Не должен удивлять [Н835.0]; Не должно, по-видимому, повлечь за собой [Н836.0]; Не должно приниматься во внимание [Н837.0]; Не должны были бы [Н839.0]; Не обязательно должен быть [Н945.0]; Не обязательно должен быть большим [Н946.0]; Не обязательно должен быть одинаковым [Н947.0]; Не обязательно должен иметь такой же [Н949.0]; Не обязательно должны быть сохранены [Н948.0]; Ни в коем случае не должны [Н1694.0]; Никогда не должны [Н1753.0]; Нормы должны содержать больше рекомендаций по [Н1864.0]; Обязательно должен существовать [О427.0]; Опасность должна быть предотвращена с помощью [О743.0]; Основное внимание должно быть уделено [О987.0]; Очень важные требования, которые должны быть выполнены [О1659.0]; При ... должно выполняться условие [П2065.0]; Проблема должна исчез-

нуть [П2599.0]; Размеры должны быть в пределах допусков [Р259.0]; Разность между максимальной и минимальной температурами не должна превышать [Р285.0]; Решение должно оставаться за [Р736.0]; Решение по ... должно основываться на [Р739.0];

Срок должен исчисляться со дня получения [С1331.0]; Стрелка должна отклониться на [С1484.0]; Стрелка манометра должна вернуться на нуль [С1485.0]; Так оно и должно было быть [Т19.0]; У читателя не должно складываться впечатление, что [У13.0]; Условия хранения должны соответствовать требованиям, изложенным в описании и инструкции по эксплуатации изделия [У403.0]; Частично уменьшение ... должно быть отнесено на счет [48.0]; Что само по себе должно было бы свидетельствовать о том, что [4161.0]; Это не должно вызывать удивление [Э148.0]

**должностной:** Выполнять должностные обязанности [В1887.0]; Должностная инструкция [Д591.0]; Должностное лицо [Д592.0]

**должность:** Должность подписывающего лица [Д594.0]; Должность, фамилия и подпись лица, ответственного за хранение [Д595.0]; Занимать должность [З324.0]; Занимать высокую должность в [З324.0]; Занимать главные должности [З325.0]; Указывать место работы и должность [У204.0]

**должный:** Должные меры предосторожности [Д596.0]; Если бы должным образом учитывался [Е102.0]; Не встречать должного понимания [Н791.0]; Не описывают должным образом [Н958.0]; Отдавать должное тому, кто этого заслуживает — [О1273.0]; Отдавать должное [О1272.0]; Относиться с должным пониманием [О1451.0]; Подписан должным образом [П778.0]; С должным учетом (С167.0); Следует проявлять должную осторожность [С625.0]; Следует проявлять должную осторожность, принимая [С626.0]

**доливать:** Доливать водой [Д598.0]; Доливать доверху [Д599.0]; Долить масло до нижней кромки отверстия под пробку [Д600.0]; При необходимости долить [П2097.0]

дольше: Дольше, чем ... подряд [Д310.0]; Начинается раньше и длится дольше [Н724.0]

**доля:** Все еще требуется немалая доля изобретательности [В977.0]; Доля, приходящаяся на [Д605.0]; Доля всего [Д604.0]; Доля секунды [Д606.0]; Львиная доля [Л115.0]; На долю ... приходится [Н54.0]; На его долю приходится [Н55.0]; Наибольший успех выпал на долю [Н348.0]; Отводимый на долю [О1260.0]; Отводить надолго [О1259.0]; Приходится на долю [П2569.0]; С изменениями доли каждого из ... в диапазоне [С14.0]; Составлять долю [С1077.0]; Составлять заметную долю [С1078.0]; Составлять значи-

тельную долю [С1079.0]; Составлять небольшую долю [С 1080.0]; Составлять только

долю [С1081.0]; Составлять только небольшую долю [С1082.0]

**доминирующий:** [Д607.0] Больше не является

доминирующим фактором [Б217.0]; Доминирующий фактор [Д608.0]

**дополнение:** В дополнение к [В 109.0]; В допол-

нение ко всему этому [В 110.0]; Важное дополнение к [В793.0]; Дополнения и уточнения [Д610.0]; Дополнения к [Д609.0]; Из-

менения и дополнения [И252.0]; Полезное дополнение к [П 1020.0]; С дополнениями от

17.08.79 г. [С7.0]; Служить дополнением [С676.0]; Служить полезным дополнением [Я23.0]

**дополнительно:** Дополнительно влиять на [Д612.0]; Дополнительно к [Д613.0]; Дополнительно осложняется тем, что [Д615.0];

Дополнительно осложнять проблему

[Д614.0]; Дополнительно подразделяться на

[Д616.0]; Дополнительно подтверждать

[Д617.0]; Дополнительно подчеркивать важ-

ность [Д618.0]; Дополнительно увеличивать

(Д619.0); Дополнительно увеличиваться

[Д620.0]; Дополнительно усложняют карти-

ну [Д621.0]; Значение ... можно дополни-

тельно уточнить путем [3597.0]; Проблема

дополнительно усложняется тем, что

[П2603.0]; Сказанное дополнительно иллю-

стрируется [С505.0]; Это дополнительно

- объясняет, почему [Э 161.0]

**дополнительный:** В настоящее время прово-

дится дополнительное исследование [В58.0];

Ведомость дополнительного оборудования

и материалов [В870.0]; Вопрос ... требует

дополнительного рассмотрения [В1409.0];

Вопрос нуждается в дополнительном иссле-

довании [В 1400.0]; Для выяснения причин

необходимо дополнительное исследование

(Д336.0); Дополнительная защита обеспечи-

ваемая [Д628.0]; Дополнительная защита от

[Д627.0]; Дополнительная информация о

[Д629.0]; Дополнительная ошибка [Д630.0];

Дополнительная трудность [Д631.0]; Допол-

нительная уверенность в [Д632.0]; Дополни-

тельное количество [Д633.0]; Дополни-

тельное оборудование и материалы [Д634.0];

Дополнительное ограничение, обусловлен-

ное перемешиванием [Д635.0]; Дополни-

тельное подтверждение [Д636.0]; Дополни-

тельное преимущество [Д637.0]; Дополни-

тельное преимущество, заключающееся в

(Д638.0); Дополнительное преимущество,

состоящее в том, что [Д639.0]; Дополни-

тельные замечания [Д641.0]; Дополнительные

затраты на [Д642.0]; Дополнительные об-

стоятельства [Д643.0]; Дополнительные при-

мечания [Д644.0]; Дополнительные части

[Д645.0]; Дополнительный выигрыш при

переходе к [Д623.0]; Дополнительный опыт

[Д624.0]; Дополнительный оттенок значе-

ния [Д625.0]; Дополнительный прирост для

[Д626.0]; Достаточно хорошо известен и

поэтому не нуждается в дополнительном

рассмотрении [Д698.0]; За дополнительной

информацией обращайтесь к [314.0]; Заслу-

живать дополнительного рассмотрения

[3458.0]; Никакого дополнительного объяс-

нения не требуется — [Н1749.0]; Но можно

получить еще и дополнительную информа-

цию [Н1800.0]; Нуждаться в дополнитель-

ном исследовании [Н1881.0]; Нуждаться в

дополнительном экспериментальном под-

тверждении [Н 1883.0]; Нуждаться в тща-

тельном дополнительном исследовании

[Н1882.0]; Обеспечивать при меньшем ...

дополнительный [046.0]; Обладать допол-

нительными преимуществами [081.0]; Один

дополнительный компрессор на [0486.0];

Оправдывать дополнительные затраты

[0802.0]; По-видимому, не оправдывают до-

полнительных затрат, связанных с [П340.0];

Получать дополнительные данные (П 1134.0);

Получать дополнительный выигрыш

[П1137.0]; Потребовать дополнительные дан-

ные [П1530.0]; При необходимости допол-

нительного [П2098.0]; Приобретать допол-

нительное значение [П2476.0]; Пролить

дополнительный свет на [П2838.0]; Служить

дополнительным подтверждением

(С691.0); Требуются дополнительные [Т452.0]

**дополнять:** Дополнять в том отношении, что

[Д647.0]; Пересмотреть и дополнить [П 163.0];

Расширять и дополнять [Р573.0]; Суще-

ственно дополнять имеющиеся данные

[С1562.0]

**дополняющий:** Взаимно дополняющие

[В1043.0]

**допуск:** Альбом основных сочленений и ре-

монтных допусков изделия [А105.0]; Выдер-

живать точные допуски на [В1797.0]; Выхо-

дить за пределы допуска на [В2034.0]; Выхо-

дить из допусков (В2041.0); Допуск на

[Д651.0]; Допуск на изготовление [Д650.0];

Не укладываться в заданный допуск

[НИ 32.0]; Неуказанные допуски ... мм

[Н1675.0]; Размеры должны быть в преде-

лах допусков [Р259.0]; Сложение допусков

[С659.0]; Строгий допуск [С1491.0]

**допускаемый:** Допускаемая величина [Д653.0];

Допускаемое отклонение размеров обрабо-

танных поверхностей  $\pm 0,013$  мм [Д654.0];

Допускаемые колебания параметров про-

цесса [Д655.0]; Находиться на пределе до-

пускаемых значений [Н673.0]; Превышать

допускаемые эксплуатационными нормами

пределы [П1697.0]

**допускать:** Допускать колебания напряжения

в сети [Д658.0]; Допускать колебания угла



[Д657.0], Допускать на некоторое время [Д660.0]; Допускать наибольшую [Д659.0], Допускать некоторые отклонения по [Д661.0], Не допускайте [Н846.0]; Не допускать [Н840.0]; Не допускать... до окончания операции по п.5 [Н842.0]; Не допускать загрязнения [Н841.0]; Ни в коем случае не следует допускать [Н1695.0]; Теоретически мы допускаем, что [Т164.0]

**допускаться:** Допускается отклонение [Д662.0];

Допускается применение [Д663.0]; Допускается разностенность отливки в пределах от толщины стенки [Д664.0], Допускается только с разрешения [Д665.0]; К переаттестации допускаются [К12.0]; Масляные пятна не допускаются [М57.0]; Не допускается [Н843.0]; Не допускаются литейные дефекты и следы обработки — [Н844.0]; Не допускаются острые углы [Н845.0], Никаких исключений не допускается [Н1743.0]; Острые углы допускаются [01170.0]

**допустимо:** Вполне допустимо пренебречь [В 1477.0]; По-видимому, вполне допустимо

сделать вывод [П330.0]

**допустимость:** [Д666.0]

**допустимый:** Верхний допустимый предел [В921.0]; Выдерживать в допустимых пределах [В1790.0]; Допустимое отклонение от расчетного режима [Д669.0], Допустимый предел, устанавливаемый [Д667.0]; Допустимый уровень [Д668.0]; Максимально допустимый [М5.0]; Не выходить за допустимые пределы [Н802.0]; Падать ниже допустимого предела [П5.0]; Считать допустимым [С1612.0], Упасть ниже допустимого значения [У307.0]; Уровень, допустимый для [У369.0]

**допущен:** Может быть допущен [М309.0]

**допущение:** А это является нарушением основного допущения [А48.0], Априорное допущение [А156.0]; В правомерности двух последних допущений можно усомниться. [В386.0]; Выводить при допущении, что [В1745.0]; Главные допущения, лежащие в основе [Г57.0]; Допущения, лежащие в основе [Д671.0]; Допущения, сделанные относительно [Д672.0], Нарушение допущения [Н527.0]; Начинать с допущения [Н728.0]; Основное допущение состояло в том, что [0990.0]; Основываться на допущении о том, что [01022.0]; Основываться на допущении (01023.0); Ошибка, вносимая в результате такого допущения, мала [01692.0]; Первое допущение, которое нужно сделать, относится к [П157.0]; При выводе сделаны/приняты следующие допущения [П2063.0]; При допущении о [П2066.0]; При допущении о том, что [П2055.0, П2067.0]; Принимать допущение о [П2411.0]; Произвольное допущение [П2810.0]; Справедливость до-

пущения о [С1240.0]; Хорошо обоснованные допущения о [Х57.0]; Это допущение, вероятно, справедливо [Э 189.0]

**допущенный:** Признавать свою ошибку, допущенную в [П2313.0]

**доработанный:** После того, как они будут полностью доработаны [П 1374.0]

**доработка:** [Д673.0]; Нуждаться в доработке [Н1884.0]; Отметки о проведенном ремонте и доработках по указаниям и бюллетеням [01415.0]; Ряд мест нуждается в доработке [Р783.0]

**дорога:** Доставляться к месту назначения по железной дороге [Д680.0]

**дорого:** Обходиться очень дорого [0288.0];

Это может дорого стоить [Э142.0]

**дорогой:** Обходиться дорогой ценой [0288.0]

**дорогостоящий:** [Д674.0]

**доска:** Не горят лампочки приборной доски [Н809.0]

**дословный:** [Д675.0]

**досрочно** [Д677.0]

**досрочный:** Досрочная сдача в эксплуатацию [Д676.0]

**доставка:** Доставка к месту назначения [Д678.0]; Не позднее дней со дня доставки [Н 1003.0]

**доставлять:** [Д679.0]

**доставляться:** Доставляться к месту назначения по железной дороге [Д680.0]

**достаточен:** Более чем достаточен для [Б194.0];

Достаточен для [Д700.0]; Достаточен для того, чтобы [Д702.0]

**достаточно:** Более чем достаточно для [Б195.0];

Будучи достаточно важными [Б355.0]; Быть достаточно ... и в то же время не настолько [Б306.0]; Быть достаточно полезными для [Б305.0]; Вероятно, было бы достаточно и меньшего количества [В904.0]; Для ... достаточно [Д337.0]; Достаточно близко к заданному [Д682.0]; Достаточно высокое качество [Д683.0]; Достаточно добавить, что [Д684.0]; Достаточно использовать [Д685.0]; Достаточно лишь повернуть ... и [Д686.0]; Достаточно лишь упомянуть, что [Д687.0]; Достаточно мал и поэтому делает возможным [Д688.0]; Достаточно полно [Д690.0]; Достаточно полное описание в настоящее время отсутствует [Д691.0]; Достаточно привести два примера [Д693.0]; Достаточно сказать, что [Д692.0]; Достаточно типичный для [Д694.0]; Достаточно точно [Д695.0]; Достаточно точный [Д696.0]; Достаточно хорошо известен и поэтому не нуждается в дополнительном рассмотрении [Д698.0]; Достаточно хорошо [Д697.0]; Иногда достаточно одних только [И559.0]; Количество расхождений все же достаточно велико, свидетельствуя [К262.0]; Не может быть достаточно точно описан с помощью [Н912.0]; Опреде-

лять достаточно точно [0819.0]; По истечении достаточно длительного времени [П375.0]; Пока же достаточно сказать, что [П958.0]; Прикреплять достаточно прочно [П2338.0]; Срок разработки был достаточно большим [С1333.0]; Теория достаточно хорошо разработана [Т156.0]; У него сложилось достаточно полное представление о [У7.0]

**достаточный:** Достаточное, но не необходимое условие [Д703.0]; Достаточный для инженерных расчетов [Д701.0]; Зачастую могут оказаться вполне достаточными [3525.0]; Может оказаться достаточным [М286.0]; Не позволяет получить достаточное количество [Н991.0]; Не получило достаточного объяснения и [Н1015.0]; Необходимый и достаточный [Н1414.0]; Представляется нам достаточным доказательством того, что [П 1891.0]; Расценивается как достаточное доказательство того, что [Р544.0]; С достаточной точностью может быть записан в виде [С139.0]; С достаточным основанием можно принять, что [С41.0]; Служить достаточным доказательством этого [С674.0]; Содержать количество продукта, достаточное для работы в течение [С944.0]; Считаться в достаточной степени [С1620.0]; Часто оканчивается достаточным определить [426.0]

**достигаемый:** Экономия, достигаемая при [Э26.0]

**достигать:** Достигать уровня развития [Д717.0];

Достигать экономии по [Д724.0]; Достигать величины [Д705.0]; Достигать двумя путями [Д714.0]; Достигать значительных успехов в [Д721.0]; Достигать компромисса между [Д706.0]; Достигать максимального значения [Д707.0]; Достигать максимума [Д708.0];

Достигать наивысшего уровня [Д718.0]; Достигать наинизшего уровня [Д719.0]; Достигать некоторого успеха [Д722.0]; Достигать, но не превышать [Д709.0]; Достигать полных оборотов [Д710.0]; Достигать предела своих возможностей [Д711.0]; Достигать примерно [Д712.0]; Достигать путем [Д713.0];

Достигать равновесия [Д715.0]; Достигать равновесного [Д716.0]; Достигать успехов в [Д720.0]; Достигать цели [Д723.0]; Достичь этого можно лишь [Д725.0]; Занижение достигает [3323.0]; Не достигать поставленной цели [Н849.0]; Не достигать [Н847.0];

Не достигать расчетного срока службы [Н850.0]; Не достигать цели [Н848.0]; Такой,

какого только можно достичь [Т55.0]; Чтобы достичь этого [4181.0]

**достигаться:** Достигается быстрее, когда [Д726.0]; Достигается с помощью [Д727.0];

Таким образом достигался [Т94.0]; Установившееся состояние достигается сверху [У498.0]; Цель достигается путем [Ц16.0];

Это достигается следующим образом [Э133.0]

**достигающий:** На величину, достигающую [Н10.0]; Расчет по этому методу может давать ошибку, достигающую [Р551.0]

**достигнутый:** Достигнут значительный прогресс в [Д728.0]; Несмотря на достигнутые успехи [Н1616.0]; Прогресс, достигнутый в последние годы [П2716.0]; Теперь, когда достигнуто довольно хорошее понимание [Т170.0]; Успехи, достигнутые к настоящему времени [У429.0]; Успехи, достигнутые на сегодняшний день [У430.0]; Цели достигнуты [Ц27.0]

**достижение:** Вносить существенный вклад в современные достижения в области [В1215.0]; Воплощать в себе последние достижения в [В1384.0]; Воспользоваться достижениями передовой техники [В1419.0]; Время, необходимое для достижения [В 1542.0]; Для достижения [Д338.0]; Для достижения ... может потребоваться [Д339.0];

Для достижения этого состояния [Д340.0];

Достижение равновесного состояния [Д730.0]; Достижения в области техники [Д732.0]; Достижения в области [Д731.0];

Заметные успехи в достижении [3293.0];

Ниже обобщены основные достижения — [Н1719.0]; Одно из основных последних достижений в [0535.0]; Основан на недавних достижениях в области [01025.0]; Основанный на самых последних достижениях в практике расчетов [01032.0];

Подлинно выдающееся достижение [П750.0]; Последние достижения [П1393.0]; Последние технические достижения [П1394.0];

Представлять собой самые последние технические достижения в области [П1878.0]; С целью достижения [С 170.0]; Способствовать достижению [С 1225.0]; Способствовать достижению этих целей [С1226.0];

Средство для достижения этой цели [С1324.0]; Техническое достижение [Т228.0];

Упущение или наоборот достижение [У350.0]; Хорошие возможности для достижения [Х38.0]

**достижимый:** Достижимый на [Д733.0]; Максимально достижимый [М6.0]; Представляется вполне достижимым [П1888.0]; Считаемый достижимым для [С1626.0]

**достоверно:** Достоверно неизвестен [Д734.0]

**достоверность:** Обеспечивать достоверность [039.0]

**достоверный:** Достоверная информация [Д735.0];

Достоверные экспериментальные данные [Д736.0]; Наиболее достоверный [Н317.0]

**достоинство:** Благодаря тем или иным его достоинствам [Б 114.0]; Достоинства и недостатки [Д741.0]; Достоинство заключается в [Д738.0]; Достоинство метода [Д739.0]; Дос-

тоиством является простота применения [Д740.0]; Иметь достоинство [И379.0]; Иметь некоторые достоинства [И380.0]; Иметь свои достоинства [И381.0]; Не иметь достоинств [Н875.0]; Никак не отмечено было такое достоинство как [Н1735.0]; Обладать всеми достоинствами [075.0]; Обладать достоинством, состоящим в том, что [076.0]; Относительные достоинства [01429.0]; Оценивать по достоинству [01633.0]; Расположение в ряд по достоинствам [Р409.0]

**достойный:** Занимать достойное место [3332.0]

**доступ:** Без доступа в [Б17.0]; Для обеспечения немедленного доступа [Д368.0]; Доступ к ... обеспечивается путем [Д742.0]; Легкий доступ [Л12.0]; Неограниченный доступ к [Н1435.0]; Непосредственный доступ к [Н1486.0]; Обеспечивать доступ к [040.0]; Перекрывать доступ давлению [П 125.0]; Плохой доступ к [П310.0]; Получать доступ к [П1138.0]; Предотвращать доступ [П1771.0]

**доступный:** Вполне доступен уже сейчас [В1478.0]; Доступное место [Д743.0]; Место, легко доступное для прочтения [М144.0]

**досуха:** Вытереть досуха [В2015.0]

**досягаемость:** Находиться в пределах досягаемости [Н637.0]

**дотация:** Дотация на [Д744.0]

**дотрагиваться:** Не дотрагивайтесь голыми руками [Н851.0]

**доходить:** Не доходить до [Н852.0]; Немного не доходить до конца [Н 1346.0]

**дочиста:** Вытереть дочиста [В2016.0]

**дробный:** Дробный отрицательный показатель степени [Д746.0]; Дробный показатель степени [Д745.0]; Избавляться от дробных степеней [И153.0]

**дробь:** Непрерывная дробь [Н 1529.0]

**друг:** Близки друг к Другу [Б138.0]; Близко друг к другу [Б140.0]; В непосредственной близости друг к другу [В253.0]; Взаимно обогащать друг друга [В 1044.0]; Взаимно превращаться друг в друга [В1047.0]; Вплотную друг к другу [В 1468.0]; Граничить друг с другом [Г117.0]; Действовать независимо друг от друга [Д183.0]; Друг друга [Д747.0]; Друг по другу [Д748.0]; Друг с другом [Д749.0]; Изолировать друг от друга [И322.0]; Менять положение по отношению друг к другу [М118.0]; На расстоянии ... друг от друга [Н128.0]; Находиться друг против друга [Н668.0]; Находящиеся на расстоянии ... друг от друга [Н692.0]; Не иметь преимуществ друг перед другом [Н882.0]; Независимо друг от друга [Н1225.0]; Независимы друг от друга (Н1239.0); Независимые друг от друга работы [Н1238.0]; Неплотно прилегающие друг другу [Н1461.0]; Обращены друг к другу [0245.0]; Ослаблять друг друга [0932.0]; Отличаться друг от друга на

[01381.0]; Отличаться друг от друга не более, чем в ... раз [01382.0]; Отличаться друг от друга не более, чем на [01383.0]; Отстоять друг от друга на расстоянии [01540.0]; Отстоящие друг от друга на расстоянии [01542.0]; Отстоящие друг от друга по окружности на [01543.0]; Под прямым углом друг к другу [П621.0]; Подбирать друг к другу для [П643.0]; Подгонять друг к другу [П688.0]; Подогнаны друг к другу [П690.0]; Полностью независимы друг от друга [П 1046.0]; Положение по отношению друг к другу [П 1099.0]; Поравняться друг с другом [П11317.0]; Располагать друг над другом [Р376.0]; Располагаются на расстоянии ... друг от друга [Р387.0]; Расположенные на равном расстоянии друг от друга [Р404.0]; Расположенные под углом ... друг к другу [Р405.0]; Расположены на расстоянии друг от друга [Р407.0]; Рядом друг с другом [Р790.0]; Скреплять друг с другом [С554.0]; Совершенно независимо друг от друга [С827.0]; Совместно или независимо друг от друга [С859.0]; Спутать друг с другом [С1272.0]; Удалены друг от друга [У96.0]; Уравновешивать друг друга [У362.0]; Усиливать друг друга [У376.0]; Эти отличающиеся друг от друга [Э217.0]

**другой:** В других отношениях [В311.0]; В других случаях [В567.0]; В другом предельном случае [В528.0]; В отдельности от других [В293.0]; В соответствии с другим вариантом [В592.0]; В ту или другую сторону [В681.0]; В число других... входили [В761.0]; В этом и других местах [В193.0]; Все другие [В 1002.0]; Выяснился ряд других проблем [В2097.0]; Где-то в другом месте [Г28.0]; Граничить друг с другом [Г117.0]; Два других [Д145.0]; Для одних для других [Д376.0]; Друг с другом [Д749.0]; Другим решением могло бы быть [Д761.0]; Другими словами [Д762.0]; Другой возможный путь состоит в [Д752.0]; Если на время оставить в стороне другие соображения [Е57.0]; Если он даже не дает ничего другого [Е65.0]; И многие другие [И38.0]; И тем и другим [И60.0]; И тот и другой [И67.0]; Или ни то и ни другое [И343.0]; Или по любой другой причине [И346.0]; Какой-либо другой [К159.0]; Комбинация того и другого [К269.0]; Либо и те и Другие [Л46.0]; Любой другой [Л118.0]; Множество других [М229.0]; На другой стороне [Н 162.0]; Не говоря уже о многих других [Н807.0]; Не иметь каких-либо других ..., кроме [Н880.0]; Не иметь преимуществ друг перед другом [Н882.0]; Не отличаются одно от другого более, чем на [Н969.0]; Не столь хороший, как в других случаях [Н1094.0]; Не только ..., но и многое другое [НИ 19.0]; Независимо от других

[Н1226.0]; Ни того ни другого не происходит [Н1708.0]; Никакая другая ... не дает [Н1739.0]; Никаких других [Н1741.0]; Один

... относительно другого [0491.0]; Один за другим [0488.0]; Один по другому [0492.0]; Один рядом с другим [0495.0]; От одного ... к другому [01204.0]; Отличать один ... от другого [01375.0]; Перенести на другой день [П141.0]; Переносить в другое место [П144.0]; Переход с одного топлива на другое [П192.0]; Плюс несколько других [П322.0]; По какой-либо другой причине [П446.0]; По сравнению с другими [П485.0];

Подобно другим [П767.0]; Поменять на другой [П1231.0]; Поравняться друг с другом [П1317.0]; Противоречат один другому [П2977.0]; Равное количество тех и других [Р131.0]; Раньше других [Р350.0]; Располагать в другом порядке [Р375.0]; Располагать друг над другом [Р376.0]; Расположенный один над другим [Р399.0]; Рассматривать в отрыве один от другого [Р453.0]; Рядом друг с другом [Р790.0]; С одной стороны .... с другой стороны [С112.0]; Сдвигать в ту или другую сторону [С379.0]; Скреплять друг с

другом [С554.0]; Совсем другое дело [С885.0]; Спутать друг с другом [С1272.0]; Существуют и другие [С1583.0]; То что хорошо для одного ..., может оказаться непригодным для другого [Т281.0]; Тот или другой из [Т346.0]; У одних больше у других меньше [У8.0]; Чем любой другой [452.0]; Эти ..., как и все другие [Э215.0]; Эти и другие [Э213.0, Э214.0]

**дружественный:** Совещание прошло в дружественной обстановке [С854.0]

**дубликат:** [Д763.0]

**дублирующий:** [Д765.0]; Дублирующая система [Д764.0]

**дуга:** Описывать дугу [0779.0]; Падать по дуге [П6.0]

**думать:** [Д766.0]; Думается, что [Д767.0]; Мы не думаем [М416.0]; Сообщите, что Вы думаете по этому поводу— [С1002.0]; Чаше, чем обычно думают [437.0]; Чем думалось вначале [449.0]; Чем он думал [455.0]

**дурной:** Навлекать дурную славу [Н241.0];

Пользоваться дурной славой [П1216.0]

**душа:** Потребление на душу населения [П1521.0]

## Е

**европейская:** Европейская формула изобретения [Е1.0]

**едва:** Едва виден [Е3.0]; Едва заметный [Е4.0];

Едва ли есть какая-либо польза от (Е5.0);

Едва ли удивителен [Е6.0]; Едва не [Е7.0];

• Едва превышающий [Е8.0]; Едва различим [Е9.0]; Едва уловимые [Е 10.0]

**единица:** Британская система единиц [В281.0];

В единицу времени [В69.0]; Входящая сборочная единица [В 1682.0]; Единица измерения коэффициента [Е12.0]; Каталог деталей и сборочных единиц [К194.0]; На единицу [Н57.0]; На единицу длины [Н56.0]; Пересчет

единиц измерения [П171.0]; Положительный показатель степени, величина которого больше единицы [П1111.0]; Сборочные единицы и детали изделия [С259.0]; Спецификация сборочной единицы (С1179.0); Стремиться к единице [С 1488.0]

**единичный:** Единичный случай [Е13.0]

**единодушный:** Единодушное мнение [Е14.0]

**единообразие:** [Е28.0]

**единственно:** Единственно возможный путь [Е21.0]; Единственно возможный способ (Е22.0); Единственно пригодный вариант [Е23.0]; Сужать выбор до единственно возможного [С1536.0]

**единственный:** Единственная проблема состояла в [Е17.0]; Единственное исключение [Е18.0]; Единственное различие состоит в том, что [Е19.0]; Единственное, что требуется (Е20.0); Единственный в своем роде [Е16.0]; Иметь единственное значение [И386.0]; Не являться единственной причиной [Н1149.0]; Один единственный [0487.0]; С единственной целью [С 181.0]

**единство:** [Е24.0]

**единый:** [Е25.0]; В виде единого узла [В18.0];

Единое целое [Е27.0]; Единый регламент технического обслуживания [Е26.0]; Осуществлять единый подход при [01175.0]; Отсутствие единого мнения среди относительно [01548.0]; Составлять единое целое с (С1083.0); Составляющий единое целое [С1102.0]

**ежегодно:** Возрастать ежегодно на [В 1362.0]

**ежегодный:** Ежегодная инвентаризация [Е30.0];

При ежегодном поступлении [П2068.0]

**ежедневный:** [Е32.0]

**ежемесячный:** Ежемесячные регламентные работы [Е34.0]

**еженедельно:** [Е35.0]; Выполнять еженедельно [В1879.0]

**емкость:** Емкостью не более 230 л [Е36.0]

**если:** А если еще учесть, что... [А9.0]; А если это так, то... [А10.0]; Было бы весьма удивительным, если бы... [В377.0]; В этом нетрудно убедиться, если [В772.0]; Даже если пренебречь [Д84.0]; Делать очень трудным, если вообще не невозможным [Д229.0]; Если ..., то спрашивается [Е159.0]; Если ... что-либо значит [Е98.0]; Если бы было наоборот [Е101.0]; Если бы можно было [Е104.0]; Если бы на самом деле [Е105.0]; Если бы не то обстоятельство, что [Е 112.0]; Если бы нужно было [Е106.0]; Если бы этого не делалось [Е109.0]; Если вначале представить себе [Е40.0]; Если вообще возможно [Е42.0]; Если все же [Е123.0]; Если говорить более конкретно, то [Е114.0]; Если говорить вкратце, то [Е115.0]; Если говорить о недостатках, то [Е118.0]; Если для начала пренебречь [Е48.0]; Если есть возможность [Е50.0]; Если есть подозрение, что [Е51.0]; Если и встречается, то очень редко [Е124.0]; Если и не [Е130.0], Если и существует, то [Е127.0]; Если иметь в виду [Е52.0]; Если мы имеем [Е131.0], Если мы не хотим, чтобы [Е139.0]; Если мы хотим, чтобы [Е136.0]; Если на время оставить в стороне другие соображения [Е57.0]; Если не оговорено особо [Е150.0]; Если не принимать во внимание [Е 142.0]; Если не принять соответствующих мер по борьбе с [Е 143.0]; Если не считать этого обстоятельства [Е148.0]; Если неисправность сохраняется [Е59.0]; Если ограничиться всего лишь [Е62.0]; Если окажется, что [Е63.0]; Если перейти к еще более частному случаю [Е66.0]; Если поверить в то, что [Е68.0]; Если подходить к этому вопросу реалистически [Е69.0]; Если позволят средства [Е70.0]; Если позднее возникнет необходимость в таком [Е71.0]; Если полностью пренебречь [Е72.0]; Если попытаться [Е73.0]; Если поступиться [Е74.0]; Если предположить, что [Е76.0]; Если представить себе, что существует [Е77.0]; Если принять, что [Е81.0]; Если продолжить аналогию еще дальше [Е83.0]; Если с ... все в порядке [Е85.0]; Если смотреть на [Е86.0, Е157.0]; Если смотреть сверху [Е90.0]; Если судить по [Е91.0]; Если такая необходимость возникнет [Е94.0]; Если только

[Е161.0]; Если учесть, что [Е97.0]; Если это возможно [Е 164.0]; Если это можно назвать [Е165.0]; Если это не оговорено иначе [Е166.0]; Если это не так, то [Е168.0]; Если это не требуется какими-либо техническими условиями [Е169.0]; Если это нужно [Е170.0]; Если это окажется необходимым [Е171.0]; Если это потребуется [Е172.0]; Если это условие не соблюдается [Е175.0]; Если этого не сделать [Е177.0]; И если это так, то [И28.0]; Как если бы [К67.0]; Можно было бы ..., если бы [М391.0]; Мы не очень ошибемся, если скажем, что [М418.0]; На тот редкий случай, если [Н 150.0]; Не так уж и удивительно, если учесть [Н1109.0]; Некоторые, если не все [Н1299.0]; Особенно если учесть, что [О1037.0]; Сказанное справедливо только в случае, если [С510.0]; Так бывает обычно, если [Т11.0]; Такие же, если не большие [Т88.0]; Условие удовлетворяется, если [У394.0]; Что бывает, если [4126.0]; Что совсем неплохо, если учесть [4165.0]; Это и понятно, если учесть [Э181.0]

**естественно:** Вполне естественно, беспокоит [В1479.0]; Естественно было предположить, что [Е183.0]; Естественно задать вопрос [Е180.0]; Естественно конечно, что [Е181.0];

Естественно предположить, что [Е182.0]

**естественный:** В естественных условиях [В722.0]; Естественное продолжение [Е184.0]

**есть:** Всему есть предел [В1025.0]; Едва ли есть какая-либо польза от [Е5.0]; Если есть возможность [Е50.0]; Если есть подозрение, что [Е51.0]; Есть все основания полагать [Е192.0]; Есть где применить [Е185.0]; Есть еще возможности [Е186.0]; Есть над чем поработать [Е187.0]; Есть не вызывающие сомнений доказательства в пользу [Е188.0]; Есть основание усомниться в [Е189.0]; Есть основания ожидать, что [Е191.0]; Есть основания считать, что [Е 190.0]; И так оно и есть на самом деле [И58.0]; Однако и у ... есть недостаток — это [0563.0]; Так оно и есть в действительности [Т20.0]; Так оно и есть на самом деле [Т21.0]; Так оно и есть, хотя [Т22.0]; Там, где есть вероятность [Т108.0]; То есть уменьшение составило [Т294.0]; То есть [Т293.0]; Позволяет предположить, что так оно и есть на самом деле [П924.0]

## Ж

**жалоба:** Подавать апелляционную жалобу на [П625.0]; Подавать жалобу на в [П626.0]  
**жаль:** В связи с этим жаль, что [В504.0]

**ждать:** Еще ждут своего объяснения [Е205.0]; Ждем ваших замечаний, которые следует направлять по адресу [Ж1.0]

**желание:** Возникает желание [В1346.0]; Возникать из желания [В1342.0]; Использование ... вызвано желанием [И685.0]; Который бы выразил желание и был в состоянии [К409.0]; Одного желания недостаточно [0503.0]; По желанию [П367.0, П368.0П370.0]; По желанию заказчика [П369.0]; По собственному желанию [П371.0]; Приводит к тому, что пропадает всякое желание [П2241.0]; Проистекать из желания [П2816.0]

**желательно:** А поэтому желательно иметь... [А37.0], Было бы крайне желательно [Б380.0], Желательно выбирать [Ж3.0]; Желательно выполнять [Ж4.0]; Желательно использовать [Ж5.0]; Желательно, но не обязательно [Ж6.0]; Желательно, чтобы [Ж7.0], Крайне желательно, чтобы [К437.0]

**желать:** Оставляет желать много лучшего [01138.0]

**железнодорожный:** Вписываться в железнодорожный габарит [В1464.0]; Железнодорожная накладная [Ж9.0]; Железнодорожный габарит [Ж8.0]

**железный:** Доставляться к месту назначения по железной дороге [Д680.0]

**жесткий:** Жесткие пределы [Ж10.0]; Проводить особенно жесткую политику по [П2692.0]

**живой:** Загромождение живого сечения [3143.0]

**жидкость:** Не пропускать жидкость [Н1043.0]; Перемещение жидкостей запрещается [П136.0]; Рабочая жидкость [Р99.0], Слить жидкость [С647.0]

**жизненно:** Жизненно важный [Ж 12.0]

**жизнеописание:** [Ж13.0]

**жизнеспособность:** [Ж15.0]

**жизнеспособный:** Жизнеспособная [Ж14.0]

**жизнь:** В повседневной жизни [В111.0]; Жизнь показывает, что [Ж16.0]; Опасен для жизни [0740.0]; Оторванный от жизни [01484.0]; Период жизни измеряемый миллисекундами [П229.0]; Прочно вошедший в жизнь [П3028.0]

**журнал:** Журналу было выделено 450 страниц [Ж18.0]; Регистировать в журнале наблюдений [Р600.0]

### 3

**забивать:** Забивать гвоздь в [366.0]

**забиваться:** [368.0, 369.0]

**забирать:** Забирать назад заявление [370.0]

**забираться:** Забираться из [371.0]

**заблаговременно:** [372.0]

**заблагорассудиться:** Как заблагорассудится [К91.0]

**заблуждение:** Вводить в заблуждение [В840.0];  
Может ввести в заблуждение [М270.0];  
Несколько вводить в заблуждение [Н1576.0];  
Общее заблуждение [0332.0]; Результат, несколько вводящий в заблуждение [Р640.0]

**забота:** Брать на себя заботу о... [Б270.0]; Являться предметом серьезной заботы [Я25.0]

**заботиться:** Заботиться о своей репутации [373.0]; Мало заботясь о [М24.0]

**забраковать:** Забраковать либо пустить на слом [375.0]

**забраковывать:** [374.0]

**забывать:** Не забудьте [Н854.0]; Не забывать о следующем [Н853.0]; Не следует забывать о возможности [Н 1067.0]; Не следует забывать, что [Н1068.0]; Однако при этом не нужно забывать, что [0572.0]

**завал:** [376.0]

**заведомо:** Заведомо в пределах [377.0]; Заведомо ложный [378.0]

**заверено:** [380.0]

**завершать:** [381.0]; Завершен всего на [383.0]

**завершаться:** Завершиться через [382.0]

**завершение:** Близиться к завершению [Б130.0]; Близок к завершению [Б133.0]; Завершение и сдача проектных работ [384.0]; Завершение строительства намечено на [385.0]; На завершение этого процесса может потребоваться от ... до [Н58.0]; По завершению [П372.0]; После завершения [П1355.0]; При завершении [П2069.0]; Приблизиться к завершению [П2175.0]; Протокол о завершении поставок [П2987.0]; Успешное завершение работы [У438.0]

**заверять:** [379.0]

**завинчивающийся:** Завинчивающаяся крышка [386.0]

**зависать:** [387.0]

**зависеть:** В большой степени зависеть от [В649.0]; В основном не зависит [В282.0]; Во многом зависеть от [В200.0]; Вообще не зависеть от [В1374.0]; Зависеть больше от ..., чем от [389.0]; Зависеть в наименьшей степени от [390.0]; Зависеть в основном от опыта [391.0]; Зависеть в равной степени от ... и от [392.0]; Зависеть линейно от [393.0]; Зависеть не столько от ..., сколько от [394.0]; Зависеть от [388.0, 396.0, 3101.0];

Зависеть от места и времени [395.0]; Зависеть от работы [397.0]; Зависеть от результатов испытаний [398.0]; Зависеть оттого, как [399.0]; Зависеть сложным образом от [3102.0]; Зависит от того, насколько удастся преодолеть [3100.0]; Менее зависит от [M98.0]; Может зависеть от [M275.0]; Не зависит от [H855.0]; Не зависит и от [H856.0];

Непосредственно зависеть от [H1479.0]; От ... также многое зависит [01187.0, 01196.0]; От такого ... зависит будущность [01197.0]; Относительно не зависит от (01435.0); Очень сильно зависеть от [01672.0]; По существу не зависит от [П490.0, П 1649.0]; Полностью зависеть от [П1039.0]; Сильно зависеть от [С467.0]; Слабо зависеть от [С566.0]; Успех зависит от [У426.0]; Что именно используется, зависит от [4140.0]

**зависимость:** В зависимости от [В 112.0]; В зависимости от наличия материала [В113.0];

В зависимости от обстоятельств [В 114.0]; В зависимости от соображений экономического характера [В115.0]; В зависимости от того, что более подходит [В117.0]; В зависимости от того, который из них требовался [В116.0]; Вне зависимости от [В1174.0]; Вне зависимости от того, как это называется [В 1175.0]; Вне зависимости от того, хорошие они или плохие [В 1177.0]; Вне зависимости от того, на какой стороне [В1176.0];

Возможно, что существует некоторая зависимость от [В1311.0]; График зависимости ... от [Г122.0]; Зависимость от времени [3109.0]; Зависимость в форме уравнения [3105.0]; Зависимость имеет неопределенный характер [3106.0]; Зависимость между и [3107.0]; Зависимость от [3108.0]; Зависимость от ... отсутствует [3111.0]; Зависимость от температуры [3110.0]; Заметного отклонения от обычной зависимости не наблюдалось [3290.0]; Изменяться в зависимости [И273.0]; Какая-либо определенная зависимость от ... отсутствует [К162.0]; Какой-либо определенной зависимости от ... не видно [К163.0]; Корректировать в зависимости от [К392.0]; Наблюдается противоположная зависимость [H219.0]; Нанесенный на график в зависимости от [H450.0]; Находиться в зависимости от [H628.0]; Находиться в прямой зависимости от [H629.0]; Обнаруживать несколько более сильную зависимость от [0131.0]; Обнаруживать противоположную зависимость [0133.0]; Позволяет рассчитывать в зависимости от [П926.0]; Получать зависимость от [П1140.0];

Полуэмпирическая зависимость [П1210.0]; Построить в зависимости от [П1485.0]; Представлять графически в зависимости от [П 1842.0]; Противоположный характер зависимости [П2960.0]; Различный, в зависи-

мости от [P240.0]; С целью получения общих зависимостей, а не точных численных результатов [С175.0]; Сильная зависимость от [С460.0]; Сильно изменяться в зависимости от [С472.0]; Слабая зависимость от [С562.0]; Соответствовать пунктам ... или ..., в зависимости от того, какой из них подходит [С1018.0]; Степенная зависимость [С1453.0]; Степенная зависимость между [С1454.0]; Строить в зависимости от [С1512.0]; Функциональная зависимость [Ф59.0]; Характер зависимости изменения [Х2.0]; Четкая зависимость между [480.0]

**зависимый:** [3103.0]

**зависящий:** Зависящий от [3103.0]; По причине, не зависящей от [П443.0]

**завод:** [3112.0]; Возвращать на завод для ремонта [В 1271.0]; Итого цена фоб завод США без экспортной упаковки [И849.0]; На заводе [H59.0]; По вопросу ... обращайтесь на завод [П349.0]; Приступить к строительству своего завода [П2532.0]; Присутствие представителя завода [П2536.0]; Продукция завода [П2761.0]; Численность работающих на заводе составляет ... человек [491.0]

**заводить:** Заводить в тупик [3125.0]

**заводской:** Заводская и эксплуатационная балансировка [3116.0]; Заводская себестоимость [3117.0]; Заводская табличка [3118.0];

Заводская термообработка [3119.0]; Заводские испытания [3121.0]; Заводские испытания в присутствии представителя заказчика [3122.0]; Заводские накладные расходы [3123.0]; Заводские сварные швы [3124.0]; Заводского изготовления [3120.0]; Заводской акт [3114.0]; Заводской номер [3115.0];

Принят по заводскому акту — [П2443.0];

Ремонт в заводских условиях [P691.0]; Собираться в заводских условиях [С808.0]

**завоевывать:** Быстро завоевать популярность у [B291.0]; Завоевывать все более широкое признание [3128.0]; Завоевывать всеобщее признание [3127.0]

**заворачивать:** Заворачивать в [3129.0]

**завышать:** Завышать на [3131.0]; Завышать на небольшую, но имеющую существенное значение величину [3132.0]

**завышенный:** Завышен [3133.0]; Завышен на [3134.0]; Завышен на величину превышающую [3135.0]; Несколько завышен [H1579.0]

**завязывать:** Завязывать прямые связи [3136.0]

**загадка:** Разгадка этой загадки [P191.0]

**загибать:** Загибать по радиусу [3137.0]

**заглушать;** Заглушить отверстие [3139.0]

**заглушенный:** При заглушенном двигателе [П2070.0]

**загораживать;** [3140.0]

**загораться:** Загорается сигнальная лампочка [3142.0]; Лампочка загорается [Л15.0]; Лампочка загорается, когда [Л6.0]

**загромождать:** Опушены, чтобы не загромождать график [0875.0]; Чтобы не загромождать [4191.0]; Чтобы не загромождать график, точки не показаны [4192.0]

**загромождение:** Загромождение живого сечения [3143.0]

**загружаться:** Загружаться в [3144.0]

**загрузка:** [3145.0]

**загрунтовывать:** Загрунтовывать с последующей окраской [3146.0]; Необработанные поверхности загрунтовать с последующей окраской [Н1361.0]

**загрязнение:** [3147.0, 3149.0, 3150.0]; Борьба с загрязнением воздуха [Б261.0]; Загрязнение окружающей среды [3148.0]; Загрязнения, находящиеся в воздухе [3151.0]; Не допускать загрязнения [Н841.0]; Ограничения по загрязнению окружающей среды [0446.0]; Опасность загрязнения атмосферы (0744.0)

**загрязняющий:** Загрязняющее вещество [3152.0]

**задаваемый:** В задаваемых техническими условиями пределах [В396.0]

**задавать:** Задавать вопрос [3154.0]; Задавать произвольным образом [3155.0]; Задавать тон [3156.0]

**задаваться:** Задаваться вопросом [3159.0]

**задание:** Высылать техническое задание [В2005.0]; Задание значения ... определяет [3160.0]; Задание на проектирование [3161.0]; Проектное задание [П2773.0]; Производственное задание [П2802.0]; Техническое задание [Т229.0]; Требуемый техническим заданием [Т459.0]; Указывать в техническом задании [У203.0]

**заданный:** В заданные сроки [В633.0]; В течение заданного периода времени [В704.0]; Вписываться в заданные габариты [В1466.0]; Вырезать по заданной форме [В1963.0]; Для заданного [Д341.0]; Для заданных [Д342.0]; Для обеспечения заданного цикла [Д366.0]; Достаточно близко к заданным [Д682.0]; За заданное время [34.0]; Заданная величина [3165.0]; Заданная производительность [3166.0]; Заданное значение [3167.0]; Заданный уровень [3164.0]; Изменять на заданную величину [И261.0]; Изменяться в обе стороны от заданного значения [И274.0]; На заданную величину [Н11.0]; Не укладываться в заданный допуск [Н1132.0]; Обеспечить или даже превзойти заданные характеристики [056.0]; Обращивать до заданных размеров [0180.0]; Ограничивать заранее заданной величиной [0457.0]; Поддерживать на заданном уровне [П712.0]; При заданном [П2071.0]; Пускаться в работу с заданной [П3080.0]; С заданными интервалами (С23.0); Удерживаться в заданном положении [У133.0]

**здать:** Естественно задать вопрос [Е180.0]; Можно было бы задать вопрос о [М392.0]; Требуется задать [Т450.0]; Этот же вопрос можно задать по поводу [Э 102.0]

**задаваться:** задаваться вопросом [У284.0]

**задача:** В задачу ... входит [В118.0]; В нашу задачу не входило исследование [В250.0]; В нашу задачу не входит [В249.0]; Выполнять задачу [В1880.0]; Выявление первоочередных задач [В2082.0]; Довольно трудная задача [Д515.0]; Задача упрощается и сводится к [3175.0]; Задача еще больше осложняется тем, что [3169.0]; Задача первоочередной трудности [3170.0]; Задача, поставленная перед [3171.0]; Задача сводится к [3172.0]; Задача состоит в обеспечении возможности [3173.0]; Задача, стоящая перед [3174.0]; Задачи решены [3177.0]; Задачу можно привести к безразмерному виду [3176.0]; Имеющая самостоятельное значение задача [И520.0]; Качественная сторона задачи [К204.0]; Краевая задача [К434.0]; Наиболее трудная техническая задача [Н333.0]; Наилучшим образом решает задачу [Н357.0]; Намного облегчить задачу [Н425.0]; Насущные практические задачи [Н578.0]; Непростая задача [Н1554.0]; Облегчение решения задачи [0112.0]; Оказываться нелегкой задачей [0666.0]; Оказываться непосильной задачей [0667.0]; Отдельная задача [01285.0]; Первоочередная задача [П143.0]; Перед ... все время стоит задача [П86.0]; Перед ... стоит задача [П87.0]; Постановка задачи [П1460.0]; Представлять собой серьезную техническую задачу [П1879.0]; Программа как раз и направлена на решение этих задач [П2708.0]; Программа, направленная на решение этих задач [П2709.0]; Простая задача [П2931.0]; Решать задачи, вытекающие из этих [Р721.0]; Решить непростую задачу [Р722.0]; Сделать задачу более трудной [С394.0]; Ставить задачу перед [С 1356.0]; Стать первоочередной задачей [С1406.0]; Сформулированная в таком виде задача [С 1593.0]; Сформулировать задачу [С1592.0]; Труднодостижимая задача [Т488.0]; Успешно решить задачу [У436.0];

Формулировка обратной задачи [Ф50.0]; Чтобы облегчить анализ задачи [4199.0]; Это может оказаться трудной задачей [Э143.0]

**завдвигать:** Завдвигать в [3178.0]

**завдвигаться:** Завдвигаться в [В853.0]

**задевание:** Избегать задеваний [И 155.0]

**задевать:** Задевать интересы [3180.0]

**задействован:** Не задействован [Н858.0]

**задел:** Задел работ [3181.0]

**заделанный:** Заделанный заподлицо с поверхностью [3183.0]



**заделка:** Заделка концов [3184.0]  
**заделываться:** Провода укладываются и заделываются согласно техническим требованиям [П2669.0]  
**задерживать:** Задержать отправку [3187.0]; Задерживать начало строительства [3186.0]; Разработка задерживается из-за [Р307.0]; Это конечно сильно задержало бы всю работу [Э139.0]  
**задержка** [3188.0, 3189.0]  
**задний:** Критика задним числом [К486.0]; На заднем плане [Н103.0]; Задний конец [П112.0]; С задней стороны [С113.0]  
**задолго:** Задолго до [3190.0]; Задолго до того, как [3191.0]  
**задолженность:** Иметь задолженность [И382.0]  
**задом:** Задом наперед [3192.0]  
**задумывать:** [3193.0]  
**задумываться:** Заставлять серьезно задуматься [3469.0]; Никто серьезно не задумывался над [Н1766.0]  
**заедание:** [3194.0]  
**заедать:** Заедать [3195.0]; Заело в открытом положении [3196.0]  
**зажатие:** Необходимое зажатие [Н1418.0]  
**зажатый:** Зажатый между [3197.0]  
**зажимать:** Зажимать в тисках [3198.0]; Зажимать между [3199.0]  
**зажиматься:** [3200.0]  
**зажимной:** Зажимное приспособление [3201.0]  
**заземление:** Заземление обеспечивается [3203.0]; Заземление системы [3204.0]; Проверить правильность заземления [П2659.0]  
**заземлять:** [3205.0]  
**заземляющий:** Присоедините заземляющий провод [П2524.0]; Проложите заземляющий провод [П2836.0]  
**зазор:** Для устранения зазора определить толщину прокладки по месту [Д416.0]; Зазор между [3206.0]  
**заимствовать:** Заимствовать без изменения [3208.0]; Заимствовать из работы [3209.0]; Заимствовать у [3210.0]  
**заинтересовавшийся:** Одними из первых, заинтересовавшихся ползучестью [0539.0]  
**заинтересованность:** Заинтересованность со стороны [3212.0]  
**заинтересованный:** [3213.0]; Все больше заинтересованы в [В963.0]; Заинтересованные органы [3214.0]; Заинтересованные стороны [3215.0]  
**заказ:** В заказе необходимо указывать [В119.0]; Ведомость потребности в материалах и покупных изделиях на заказ [В877.0]; вспомогательный заказ [В1601.0]; Выполнение заказа [В1867.0]; Выполненный по заказу [В1914.0]; Выполняемый по заказу [В1920.0]; Выполнять на заказ [В1883.0]; График выполнения заказа [Г121.0]; Дата получения заказа [Д134.0]; Делать на заказ [Д203.0];

Для экономии времени все заказы на запчасти направляйте в ближайшее отделение или представительство фирмы [Д422.0]; Заказ в рамках существующего контракта [3216.0]; Заказ на детали [3217.0]; Заказ на изготовление [3218.0]; Заказ на поставку [3219.0]; Заказ на сборку [3220.0]; Заказ не будет рассматриваться [3221.0]; Изготавливать на заказ [И192.0]; Изменение заказа [И242.0]; Информацию о порядке заказа можно получить по телефону [И635.0]; Комплексный заказ [К285.0]; Невыполненный заказ [Н1181.0]; Незакрытый заказ [Н1244.0]; Отменять заказ [01413.0]; Подтверждение заказа [П864.0]; Получать заказ на [П1141.0]; Получать заказы на ... от [П1142.0]; Помещать заказ в [П1241.0]; Поставка через ... после получения подтвержденного заказа [П1448.0]; Поставляться по специальному заказу [П1456.0]; Посылать заказ в [П1507.0]; При заказе необходимо указывать номер серии [П2072.0]; При заказе этой детали обязательно укажите [П2073.0]; Работа, выполняемая по заказу [П16.0]; Размещать заказы в [Р264.0]; Разовый заказ [Р293.0]; Своевременно выполнить заказ [С332.0]; Совпадать с указанным в заказе [С875.0]; Спроектированный по специальному заказу [С1261.0]; Срочный заказ (С1337.0); Указывать при заказе [У213.0]; Ход выполнения заказа [Х27.0]  
**заказчик:** (3222.0); Генеральный заказчик [Г32.0]; Заводские испытания в присутствии представителя заказчика [3122.0]; Испытания в отсутствие представителя заказчика [И753.0]; Конструкция может быть изменена без уведомления заказчика [К343.0]; Оборудованный в соответствии с требованиями заказчика [0161.0]; По желанию заказчика [П369.0]; Подлежит рассмотрению и утверждению со стороны заказчика [П738.0]  
**заканчивать:** Заканчивать экспертизу [3225.0]; Начиная с ... и заканчивая [Н731.0]; Опыт не удался закончить [0880.0]; Прежде, чем закончить рассмотрение [П1953.0]; Уместно закончить этот биографический очерк о [У285.0]  
**заканчиваться:** Заканчиваться неудачей [3224.0]; На срок, который заканчивается в [Н152.0]; На этом заканчивается (Н209.0); Начинаться и заканчиваться [Н721.0]; Обязательства не заканчиваются с [0431.0]; Строительство закончилось на... дней раньше планового срока [С1510.0]  
**закладывать:** Закладывать в модель [3229.0]; Закладывать надежность в [3230.0]; Закладывать основу [3231.0, 3232.0]; Закладывать фундамент для будущего [3234.0]; Закладывать хорошую основу [3233.0]

**заключать:** Заключать в кавычки [3236.0]; Заключать договор **на** обслуживание с [3238.0]; Заключать договор на [3237.0]; Заключать договор с [3239.0]; Заключать лицензионное соглашение о [3241.0]; Заключать торговые сделки [3240.0]

**заключатся:** Большая ценность... заключается в [B235.0]; В этом и заключается основной недостаток [B768.0]; В этом... и заключается основное различие между [B767.0]; Выход заключается обычно в [B2023.0]; Действие заключается в том, что [D167.0]; Достоинство заключается в [D738.0]; Другой возможный вариант заключается в [D751.0]; Заключатся в том, что [3243.0]; Заключатся в [3242.0]; Заключатся не в ..., а в [3244.0]; Методика заключается в следующем [M164.0]; Наиболее приемлемое объяснение заключается в том, что [H328.0]; Неожиданность заключается в [H1444.0]; Обычный способ заключается в [0390.0]; Одна из проблем, связанных с ..., заключается в том, что [0533.0]; Основная идея заключается в [0976.0]; Основное различие заключается в том, что [0993.0]; Основное различие между ... и ... заключается в [0994.0]; Политика заключается всегда в [П1028.0]; Последний вопрос заключается в следующем [П1385.0]; Преимущества заключаются в [П1979.0]; Причина заключается в [P2577.0]; Различие между... заключается в [P228.0]; Секрет заключается в [C417.0]; Функция заключается в [Ф62.0]; Цель заключается не в ..., а в [Ц17.0]; Цель заключалась не в ..., а в [Ц18.0]

**заключающийся:** Дополнительно преимущество заключающееся в [D638.0]; Недостаток, заключающийся в том, что [H1201.0]; Недостаток, заключающийся в [H1200.0]; Общий недостаток, заключавшийся в необходимости [0322.0]; Преимущество, заключающееся в том, что [П1974.0]; Простой прием, заключающийся в [П2930.0]

**заключение:** [3245.0]; В заключение [B120.0]; В заключение можно отметить [B121.0]; В заключение несколько слов о [B122.0]; В заключение одно предупреждение [B 123.0]; В заключение статьи показывается ... и описывается [B124.0]; Действующий на дату заключения контракта [D191.0]; Заключение контракта на [3246.0]; Положительное письменное заключение [П1113.0]

**заключительный:** Заключительные [3248.0]; Заключительный этап [3247.0]

**закон:** Закон подобия [3250.0]; Закон сохранения [3252.0]; Объект изобретения не предусмотрен патентным законом [0359.0]; Основные физические законы [01015.0]; Подчиняться закону [P888.0]; Предусматриваться законом в обязательном порядке

[П1921.0]; Уменьшаться по экспоненциальному закону [3506.0]; Установленный законом [У489.0]

**законно:** Вполне законно можно считать [B1490.0]

**законной:** Лишать законной силы [Л70.0]; На законном основании [H87.0]

**законодательный:** Закрепить в законодательном порядке [3261.0]

**закономерность:** Закономерность изменения (3254.0); Не обнаруживать четкой закономерности [H940.0]; Обсуждение качественной закономерности [0266.0]; Общая закономерность [0325.0]; Общая закономерность изменения [0326.0]; Основные закономерности [01001.0]; Основные закономерности поведения [01002.0]; Явно выраженная закономерность [Я43.0]

**законченный:** Законченная [3227.0]; Далеко не закончен [D95.0]; Еще не закончен [E211.0, E212.0]; Когда процесс закончен [K238.0];

После того, как ... закончен [П1373.0]

**закончено:** Строительство было закончено в срок [C1509.0]

**закорачивать:** [3256.0]

**закрепление:** Закрепление на [3258.0]; Закрепление [3257.0]

**закрепленный:** Надежно закреплен [H259.0]; Прочно закреплен на [ПЗОЗО.0]; Прочно закрепленный [П3029.0]

**закреплять:** Закрепить в законодательном порядке [3261.0]; Закреплять на [3260.0]; Закреплять практические навыки [3262.0]; Неподвижно закреплять в положении при котором [H 1462.0]

**закругление:** Проходить закругления [П3001.0]

**закрывать:** Закрывать крышкой [3265.0]; Закрывать совещание [3266.0]; Закрыт [3267.0]; Чтобы измерить..., закрывали [4187.0]

**закрытый:** В периоды между использованиями хранить в закрытых контейнерах [B334.0]; Находиться под действием пружины в закрытом положении [H680.0]

**закупать:** Закупать у [3268.0]

**заливать:** Заливать в [3270.0]

**залог:** Залог успеха [3271.0]

**заманчиво:** Заманчиво использовать [3272.0];

Заманчиво рассмотреть [3273.0]; Такое объяснение заманчиво [Т70.0]

**замаскированный:** [3274.0]

**замедление:** [3275.0]

**замедляться:** [3276.0]

**замена:** [3277.0]; Была рассмотрена возможность замены [B365.0]; Если только она не нуждается в замене [E163.0]; Может стать хорошей заменой [M304.0]; Но это приводит лишь к замене [H1822.0]; Нуждаться в полной замене [H1890.0]; Периодичность проверки и замены смазки [П244.0]; Привлечь за собой замену на [П539.0]; Произ-

водить замену переменной [П2789.0]; Распоряжение о замене [Р414.0]; С заменой на [С8.0]; Сводная таблица по замене материалов [С326.0]; Служить заменой [С677.0]

**заменить:** [3278^0]

**заменять:** Заменить [3287.0]; Заменять за какие-то несколько минут [3280.0]; Заменять каждые полгода [3281.0]; Заменять комплектно [3282.0]; Заменять на [3283.0]; Заменить на... того же типа, размера и номинала [3284.0]; Заменять собой [3285.0]; Не могут заменить [Н921.0]; Не может заменить [Н915.0]; Ни один не сможет заменить [Н1705.0]; Позволяет без труда заменять [П905.0]; Сможет заменить [С741.0]

**заменяться:** [3286.0]

**замер:** [3288.0]; Акт замера [А89.0]

**заметно:** Заметно меняться [3295.0]; Заметно отличаться [3296.0]; Заметно отличаться от [3297.0]; Заметно увеличиваться [3298.0]; Заметно хуже [3299.0]; Количество ... заметно уменьшилось [К256.0]; Не изменяться заметно при [Н871.0]; Сходство весьма заметно [С1607.0]

**заметный:** Быть более заметным [Б294.0]; Едва

заметный [Е4.0]; Заметного отклонения от обычной зависимости не наблюдалось [3290.0]; Заметное влияние на [3291.0]; Заметное улучшение [3292.0]; Заметные успехи в достижении [3293.0]; Легко заметен [Л115.0]; Не оказывать заметного влияния [Н955.0]; Не приводить к заметному изменению [Н1024.0]; Оказывать заметное влияние на [0629.0]; Появилась заметная тенденция к использованию [П1594.0]; Составлять заметную долю [С1078.0]; Становится все более заметным [С1383.0]; Становится заметным [С 1382.0]

**замечание:** Дополнительные замечания [Д641.0]; Еще одно критическое замечание [Е224.0]; Ждем ваших замечаний, которые следует направлять по адресу [Ж1.0]; Замечания и указания [3303.0]; Замечания о техническом состоянии [3304.0]; Замечания по вопросу [3301.0]; Замечания по работе [3302.0]; Замечания присылать не позднее [3305.0]; Критические замечания и предложения [К495.0]; Не позволяя сделать даже самых общих замечаний [Н1000.0]; Необходимо сделать несколько замечаний [Н 1386.0];

Особые замечания по эксплуатации изделия и аварийным случаям [01073.0]; Поблагодарить за ценные замечания и полезные обсуждения [П521.0]; Последнее замечание о [П1390.0]; Прежде чем перейти к ..., уместно сделать следующие замечания [П1956.0]; С благодарностью принимать замечания и предложения [С2.0]; Сделать несколько замечаний, касающихся [С398.0];

Следует сделать два замечания [С629.0];

Справедливо большинство замечаний, относящихся к [С1247.0]

**замечательный:** Замечателен тем, что в нём [3312.0]

**замечать:** [3306.0]; Было замечено, что [Б370.0];

Заметим [3309.0]; Заметим в скобках [3308.0]; Заметим попутно, что [3310.0]; Замечать невооруженным глазом [3307.0]; Замечено, что [3311.0]; Не был не замечен [Н756.0]; Не замечать [Н859.0]; При этом было замечено, что [П2168.0]; Сравнивая, можно заметить, что [С1284.0]

**замеченный:** Перечень замеченных опечаток [П208.0];

**замещать:** [3312.0]

**замыкание:** Защита от короткого замыкания [3534.0]; Короткое замыкание [К388.0]; Короткое замыкание на землю [К389.0]; Обрывы и короткие замыкания цепи [0248.0]; Проверить отсутствие коротких замыканий [П2657.0]

**замыкать:** Замыкать электрическую цепь [3314.0, 3315.0]; Контакт замкнут [К348.0]

**замыкаться:** Замыкаться или размыкаться [3316.0]; Замыкаться на землю через [3317.0]

**занижать:** Занижать на [3319.0]; Все сильнее и сильнее занижать [В965.0]

**заниженный:** [3322.0]; Занижен на [3320.0];

Занижен по сравнению с истинным значением [3321.0]; Сильно занижен [С468.0]

**занижение:** Занижение достигает [3323.0]

**занимаемый:** Вписываться в пространство, занимаемое [В1467.0]; Занимаемая площадь [3357.0]; Занимаемое место [3358.0]; Определять место, занимаемое [0825.0]; Умещаться в пространстве, занимаемом [У291.0]

**занимать:** Выполнение которой займет, как предполагается, 18 месяцев [В1868.0]; Занимать три дня [3329.0]; Занимать третье место по [3333.0]; Занимать ведущее положение в [3343.0]; Занимать большую площадь [3342.0]; Занимать ведущее положение на рынке [3344.0]; Занимать второстепенное положение по отношению к [3345.0]; Занимать высокое место [3331.0]; Занимать высокую должность в [3324.0]; Занимать главные должности [3325.0]; Занимать достойное место [3332.0]; Занимать ключевое положение [3346.0]; Занимать место [3330.0]; Занимать не более [3326.0, 3339.0]; Занимать несколько большее время [3327.0]; Занимать объем [3340.0]; Занимать одно из последних мест в списке [3334.0]; Занимать от ... до [3328.0]; Занимать первое место в изготовлении [3335.0]; Занимать площадь [3341.0]; Занимать последнее место в списке [3336.0]; Занимать принадлежащее по праву место [3337.0]; Занимать промежуточное положение между [3348.0]; Занимать прочное место [3338.0]; Занимать цен-

- тральное положение [3349.0]; Занимать часть  
длины [3350.0]; Следующее место по ...  
занимают [С638.0]; Центральное положение  
в ... занимает [Ц48.0]
- заниматься:** Заниматься делами [3352.0]; За-  
ниматься какой-либо деятельностью [3353.0];  
Заниматься несколько позже [3354.0]; За-  
ниматься систематически [3355.0]; Занять-  
ся этим безотлагательно [3356.0]; Нежела-  
ние заниматься [Н1219.0]; Но не стал зани-  
маться [Н1803.0]; Но прежде чем заняться  
этим, необходимо [Н1811.0]; Продолжать  
заниматься [П2738.0]; Соглашаться занять-  
ся [С929.0]; Стоит заняться [С1464.0]
- занимающийся:** Занимающийся проектиро-  
ванием [3360.0]; Занимающийся разработ-  
кой [3361.0]; Исследователи, занимающие-  
ся изучением [И790.0]
- заново:** Заново рассмотреть [3363.0]; Начи-  
нать заново [Н715.0]; Придётся начать все  
заново [П2564.0]
- заносить:** Заносить в картотеку [3364.0];  
Зано-  
сить в протокол [3365.0]
- занятие:** Занятия проводятся [3366.0]
- занятость:** В силу большой занятости  
[В515.0]
- занятый:** Позиция, занятая по отношению к  
, [П941.0]
- заодно:** Отковать заодно с [01354.0]; Отлитый  
заодно с [01372.0]
- запад:** На западе [Н60.0]
- запаздывание:** [3367.0]
- запаздывать:** Запаздывать на [3368.0];  
Сильно  
запаздывать [С469.0]
- запас:** Без запаса [Б18.0]; Восполнение склад-  
ских запасов [В1412.0]; Выбирать размеры  
с запасом (В1700.0); Давать запас [Д15.0];  
Запас готовых изделий [3370.0]; Запас ма-  
териалов [3371.0]; Запас по отношению к  
[3374.0]; Запас по [3372.0, 3373.0]; Запас  
прочности, введенный в [3375.0]; Запасы  
истощаются [3376.0]; Иметь в запасе на  
случай ремонта [И364.0]; Иметься в запасе  
[И480.0]; Коэффициент запаса по [К432.0];  
Материальные запасы [М71.0]; Но с не-  
большим запасом [Н1815.0]; Обеспечивать  
запас [042.0]; Оборот запасов [0158.0];  
Проектирование с запасом [П2768.0]; Рас-  
считывать с большим запасом [Р509.0];  
Расчет с большим запасом [Р554.0]; С  
". запасом [С9.0]; Чрезмерно большой запас  
на [4118.0]
- запасенный:** [3377.0]
- запасной:** [3378.0]; Ведомость запасных час-  
тей, инструмента и принадлежностей  
[В872.0]; Групповой комплект запасных ча-  
стей [Г146.0]; Запасные части,  
инструмент,  
принадлежности, материалы [3379.0]; Ком-  
плект запасных частей [К291.0]; Нормы  
, расхода запасных частей [Н1868.0]
- запатентованный:** [3381.0]
- запатентовать:** Запатентовать использование  
в [3380.0]
- запах:** Не иметь запаха [Н876.0]; Чувствовать  
запах [4226.0]
- записанный:** С достаточной точностью может  
быть записан в виде [С 139.0]; Уравнение,  
записанное ..., имеет вид [У353.0]
- записка:** Докладная записка [Д549.0]; Первая  
редакция пояснительной записки [П155.0];  
Пояснительная записка [П1599.0]
- записывать:** Записывать в виде [3383.0]; Запи-  
сывать иначе [3384.0]; Записывать на маг-  
нитной ленте [3385.0]; Записывать уравне-  
ние в полном виде [3386.0]; Позволяет  
записать в виде [П1906.0]; Правильнее запи-  
сать в виде [П1634.0]; Тогда ... можно  
записать как [Т289.0]; Удобно записать по-  
лученные уравнения в форме [У146.0]; Что-  
бы сделать это запишем [4212.0]
- записываться:** Сигналы датчиков записыва-  
лись [С455.0]; Соотношение между .. запи-  
сывается обычно в виде [С1034.0]
- запись:** Запись о проведенном ремонте [3388.0];  
Запись об устранении неисправностей  
[3389.0]; Запись результатов освидетель-  
ствования [3390.0]
- запитьвать:** Запитьвать непосредственно  
[3391.0]
- запланированный:** Запланированный на  
[3393.0]; Запланированный останов [3394.0]
- запланировано:** Проведение испытаний зап-  
ланировано на [П2616.0]
- запланировать:** [3395.0]
- заподлицо:** Заделанный заподлицо с поверх-  
ностью [3183.0]; Заподлицо с [В1552.0]; За-  
подлицо со стенкой [3396.0]; Установлен-  
ный заподлицо [У490.0]; Шов зачистить  
заподлицо [Ш37.0]
- заполнение:** Инструкция по заполнению фор-  
муляра и контролю за его ведением [И573.0];  
Порядок заполнения и ведения формуляра  
[П1334.0]
- заполнять:** Заполнять наполовину [3402.0];  
Заполнять бланк [3398.0]; Заполнять вруч-  
ную [3403.0]; Заполнять на [3400.0]; Запол-  
нять обратную сторону бланка [3399.0];  
Заполнять полностью [3401.0]
- запоминать:** Запоминать положение [3405.0];  
Обязательно запомните порядок [0428.0]
- запрашивать:** [3406.0]
- запрет:** Судебный запрет [С1526.0]
- запрещать:** Запрещать использование [3408.0]
- запрещаться:** В принципе ... запрещается  
[В404.0]; Запрещается использовать [3409.0];  
Запрещается начинать или продолжать ра-  
боты при обнаружении неисправности элек-  
трооборудования [3410.0]; Запрещается про-  
изводить техобслуживание, не выставив  
предупредительный знак [3411.0]; Запреща-  
ется работать под напряжением [3412.0];

Запрещается хранение [3413.0]; Перемещение жидкостей запрещается [П136.0]

**запрограммированный:** Уравнения были запрограммированы для решения на ЭВМ [У358.0]

**запрос:** В ответ на запрос [В290.0]; Выдаваться по запросу [В 1772.0]; Запрос можно направлять по адресу [3415.0]; Запрос на проведение экспертизы [3416.0]; Обоснование запроса на отступления [0164.0]; Составлять ответы на запросы [С1087.0]

**запуск:** Время запуска [В1528.0]; Надежность запуска [Н264.0]

**запускать:** Запускать в производство [3418.0]; Запускать план в действие [3419.0]; Запускать [3417.0]

**запутывать:** Запутывать вопрос о [3421.0]; Запутывать результаты [3422.0]; Совершенно запутать картину [С822.0]

**запчасть:** Ведомость запчастей, поставляемых за отдельную плату [В871.0]; Для экономии времени все заказы на запчасти направляйте в ближайшее отделение или представительство фирмы [Д422.0]; Ремонтный комплект запчастей [Р698.0]; Ящик для запчастей и принадлежностей [Я68.0]

**запыленность:** В условиях сильной запыленности [В717.0]

**запыленный:** [3423.0]

**запятая:** Округлять до трех значащих цифр после запятой [0727.0]; С точностью до пяти значащих цифр после запятой [С137.0]

**заранее:** [3424.0]; Заранее выбранный [3425.0]; Заранее установленный [3426.0]; Знать заранее [3591.0]; Ограничивать заранее заданной величиной [0457.0]; Поддерживать на заранее выбранном уровне [П713.0]

**зарегистрированный:** Зарегистрированные случаи [3432.0]; Зарегистрированный в [3429.0]; Зарегистрированный товарный знак [3430.0]; Зарегистрированный участник [3431.0]

**зарегистрировать:** Зарегистрировать в [3427.0]

**зарекомендовавший:** В соответствии с хорошо зарекомендовавшей себя практикой [В600.0]; Хорошо зарекомендовавший себя [Х48.0]; Хорошо зарекомендовавший себя способ [Х49.0]

**зарекомендовать:** Зарекомендовать себя как [3433.0]

**зародыш:** Устранение в самом зародыше [У517.0]

**зарождаться:** Зарождаться в [3434.0]

**зарождение:** [3435.0]; Место зарождения [М141.0]

**зарубежный:** [3436.0]

**засвидетельствованный:** Засвидетельствованное состояние [3438.0]

**засвидетельствовать:** [3437.0]

**заседание:** Открывать заседание, посвященное [01361.0]; Пленарное заседание конфе-

ренции [П295.0]; Протокол заседания [П2985.0]; Секционное заседание [С422.0]; Стендовые заседания [С1448.0]

**засекреченный:** Представляют собой собственность фирмы или засекреченные материалы [П1883.0]

**заслуга:** Заслуга автора состоит в [3440.0]; Заслуга в ... принадлежит [3441.0]; Являться заслугой [Я 16.0]

**заслуживать:** Заслуживает быть названным [3462.0]; Заслуживать исследования [3449.0]; Заслуживать обсуждения [3452.0]; Заслуживать объяснения [3453.0]; Заслуживать более серьезного к себе отношения со стороны [3454.0]; Заслуживать более внимательного рассмотрения [3457.0]; Заслуживать внимания [3445.0]; Заслуживать доверие [3448.0]; Заслуживать дополнительного рассмотрения [3458.0]; Заслуживать краткого упоминания [3461.0]; Заслуживать отдельного глубокого анализа [3443.0]; Заслуживать отдельного рассмотрения [3459.0]; Заслуживать подробного анализа [3444.0]; Заслуживать подробного исследования [3450.0]; Заслуживать признания [3455.0]; Заслуживать продолжения исследования [3451.0]; Заслуживать рассмотрения [3456.0]; Заслуживать серьезного внимания [3446.0]; Заслуживать упоминания [3460.0]; Заслуживают внимания два обстоятельства [3447.0]; Особенного упоминания заслуживает то обстоятельство, что [01057.0]; Особенной похвалы заслуживает их [01058.0]; Особого упоминания заслуживает [01069.0]; Отдавать должное тому, кто этого заслуживает — [01273.0]; Также заслуживает признания [Т52.0]

**заслуживающий:** Вопрос, заслуживающий исследования [В1395.0]; Вопрос, заслуживающий упоминания [В1396.0]; Давать заслуживающие доверия результаты [Д55.0]; Заслуживающий доверия [3463.0]; Заслуживающий исследования [3464.0]; Заслуживающий упоминания [3465.0]

**заставлять:** Заставили обратить более пристальное внимание на [3472.0]; Заставило больше уделять внимания не ..., а [3473.0]; Заставляет воздерживаться от чрезмерного оптимизма [3470.0]; Заставляет уделять больше внимания [3471.0]; Заставлять работать [3467.0]; Заставлять работать неправильно [3468.0]; Заставлять серьезно задуматься [3469.0]; Можно заставить путем [М333.0]

**застрахованный:** Застрахованный от ошибок обслуживающего персонала [3476.0]

**застраховывать:** Застраховать от [3474.0]; Застраховывать от опасности [3475.0]

**застревать:** Застревать в открытом положении [3477.0]; Застревать на пути [3478.0]

**засыпать:** Засыпать в [3479.0, Н580.0]

**затем:** А затем [A13.0]; А затем опять [A14.0]; А уж затем [A43.0]; Включить ..., затем переключить на [B 1116.0]; Вначале ..., а затем [B1167.0]; Вначале ..., затем ..., после этого [B1168.0]; Возрастает..., а затем падает [B1364.0]; Далее идет ... и затем [Д87.0]; Затем мы можем в общем случае принять, что [3481.0]; Затем полученные таким образом значения можно [3482.0]; Наибольшее влияние, как можно видеть, испытывает .... затем ... и наконец [H349.0]; Описание результатов начинается с .... затем описывается [0773.0]; Рекомендуется затем [P678.0]; Сначала ..., а затем [C761.0]; Сначала ..., затем ... и наконец [C762.0]; Снять ..., а затем установить на место [C792.0]

**затемненный:** Хранить в вентилируемом помещении на затемненном участке [XI 16.0]

**затемнять:** Чтобы не затемнять картину [4193.0]

**затрагивать:** Затрагивать вопрос [3483.0]; Затрагивать вопрос о [3484.0]; Затрагивать этот вопрос [3485.0]; Не затрагивать [H860.0]

**затраты:** Без отнесения затрат на счет [B41.0]; Большая часть затрат приходится на [B237.0]; Большие затраты труда и электроэнергии [B255.0]; Возмещать затраты [B1292.0]; Для обеспечения ... на такие небольшие затраты можно пойти [Д367.0]; Дополнительные затраты на [Д642.0]; Затраты на [3487.0]; Затраты времени и средств [3486.0]; Затраты мощности на собственные нужды [3488.0]; Оправдывать дополнительные затраты [0802.0]; По-видимому, не оправдывают дополнительных затрат, связанных с [П340.0]; При минимальных затратах времени [П2090.0]; С затратами [С 10.0]; Снижение затрат труда [С775.0]; Требующий больших затрат времени [Т462.0]; Уменьшение затрат труда [У274.0]; Экономия в стоимости материала с лишней перекрывает затраты на [Э25.0]

**затрачиваемый:** Время, затрачиваемое на то, чтобы [B1540.0]; Работа, затраченная за время [P19.0]; Усилия, затраченные на [У379.0]

**затрачивать:** Затрачивать много времени [3489.0]; Затрачивать на [3490.0]; Затрачивать энергию на [3491.0]

**затрачиваться:** Затрачиваться на создание [3492.0]

**затруднение:** В случае затруднений с [B519.0]; Вызывать затруднения [B1804.0]; Затруднения в [3494.0]; Затруднения, обусловленные [3495.0]; Испытывать затруднения, пытаться [И763.0]; Находиться в затруднении [H630.0]; Не вызывать слишком больших затруднений [H795.0]

**затруднительный:** Быть в затруднительном положении [B297.0]; Оказываться в затруд-

нительном положении [0658.0]; Поставить в затруднительное положение [П 1438.0]; Ставить в затруднительное положение [С1354.0]

**затруднять:** Затруднять обеспечение [3497.0]; Затруднять проведение [3498.0]; Затруднять проведение испытаний [3499.0]; Затрудняя тем самым [3500.0]; Очень затрудняет [01661.0]

**затрудняться:** [3501.0]

**затуплять:** Затупить до ... мм [3503.0]; Затупить острые кромки [3504.0]

**затухать:** [3505.0, 3506.0]; Постепенно затухать [П1464.0]

**затыкать:** [3507.0]; Затыкать пробкой [3508.0]

**затягивание:** Затягивание гайки [3516.0]; Затягивание гайки от руки [3517.0]

**затягивать:** Затягивать гайку [3510.0]; Затягивать гайку от руки [3511.0]; Затянуть без смазки с моментом затяжки [3513.0]; Затянуть до отказа [3514.0]; Затянуть на последний полуоборот [3515.0]; Затянуть от руки [3512.0]; Надежно затянуть [H260.0]; Равномерно затянуть [P117.0]

**затяжка:** Затянуть без смазки с моментом затяжки [3513.0]; Момент затяжки без смазки [M244.0]; Момент затяжки со смазкой [M245.0]; Ослаблять затяжку болтов [0930.0]; Чрезмерная затяжка [4121.0]

**заурядный:** Становиться заурядным [С1384.0]

**заусенец:** Развертывать с целью снятия заусенцев [P178.0]

**захват:** Захват здесь [3519.0]

**захватывать:** [3518.0]

**заходить:** Заходить в пределы пространства, располагаемого для [3520.0]; Заходить в прорезь [3521.0]; Полностью заходить в [П 1040.0]

**захотеть:** [3522.0]; Возможно, вы захотите [B1297.0]

**зацепление:** Входить в зацепление с [B1667.0]; Выходить из зацепления с [B2042.0]; Находиться в зацеплении с [H631.0]; Находящийся в зацеплении [H686.0]

**зацепляться:** Зацепиться за препятствия [3523.0]

**зачастую:** Зачастую могут оказаться вполне достаточными [3525.0]

**зачеканивать:** Зачеканить в четырех точках [3526.0]

**зачерненный:** Наполовину зачерненные значки [H459.0]

**зачищать:** Места сварки зачистить [M150.0]; Шов зачистить заподлицо [Ш37.0]

**зачистка:** Зачистка электропроводов [3527.0]

**зашкаливание:** [3528.0]

**зашприцевать:** Зашприцевать смазку [3529.0]

**заштрихованный:** [3530.0]

**защелкиваться:** [3531.0]

**защита:** Автоматическая система регулирования и защиты [A71.0]; Были приняты меры

к защите персонала от воздействия... [Б366.0]; Выступать в защиту [В1993.0]; Для защиты от [Д343.0]; Дополнительная защита, обеспечиваемая [Д628.0]; Дополнительная защита от [Д627.0]; Защита от [3532.0, 3533.0]; Защита от короткого замыкания [3534.0]; Защита от перегрузки по напряжению [3535.0]; Защита от погодных воздействий [3536.0]; Надежная защита [Н270.0]; Служить защитой от [С678.0]; Специальные меры по защите от [С1167.0]; Сработала тепловая защита от перегрузки [С1276.0]; Функция защиты контроля последовательности операций сигнализации и управления [Ф63.0]

**защитный:** Защитное покрытие [3537.0]; Защитное устройство [3538.0]

**защищать:** Защищать кандидатскую и докторскую диссертации [3540.0]; Защищать от [3541.0, 3542.0]; Защищать от перегрузки [3543.0]; Защищать от попадания атмосферных осадков и посторонних веществ [3545.0]; Защищать от попадания [3544.0]; Защищать от проникновения [3546.0]; Защищать от случайных повреждений [3547.0, П1783.0]; Защищать при каждом удобном случае [3548.0]; Надёжно защищать от постороннего вмешательства [Н261.0]; Чтобы защитить себя от [4182.0]

**защищенный:** Защищен от погодных воздействий [3549.0]; Плохо защищены от воздействия [П314.0]; Хранить в защищенном от неблагоприятных погодных условий месте [Х1 17.0]; Шкаф защищенного исполнения [Ш31.0]

**заявка:** Ведение дела по заявке на патент [В864.0]; Выдаваться по заявке [В1771.0]; Дата поступления заявки [Д 137.0]; Заявка на детали [3551.0]; Заявка на инструмент [3552.0]; Заявка на материалы [3553.0]; Заявка на покупные материалы [3554.0]; Заявка на промышленный образец [3555.0]; Заявка на регистрацию товарного знака [3556.0]; Заявка, находящаяся на рассмотрении [3557.0]; Заявка, по которой принято решение на выдачу патента [3559.0]; Заявка подана в Австралии ... июля [3558.0]; Материалы, использованные при экспертизе заявки [М69.0]; Номер первой заявки [Н1842.0]; Отзывать заявку [01301.0]; Подавать заявку на выдачу патента в США [П627.0]; Подавать заявку на изобретение в патентное ведомство [П628.0]; Подача заявки [П641.0]; Ускорять оформление заявок [У385.0]; Цена сообщается по получении заявки [Ц32.0]

**заявление:** Забирать назад заявление [370.0]; Заявление с просьбой о выдаче лицензии [3560.0]

**заявлять:** Мы, фирма Великобритании Бабкок энд Уилкокс Лтд, настоящим заявляем изобр-

речение, на которое просим выдать нам патент, и способ, с помощью которого оно осуществляется, подробно изложенный в нижеследующем описании [М440.0]; Со всей определенностью заявлять об отсутствии ответственности за [С 193.0]

**звездочка:** [3561.0]; Помечать звездочкой [П1237.0]

**звено:** Важные звенья в цепи [В794.0]; Высшее звено руководства [В2006.0]

**здание:** Внутри зданий [В1239.0]; Горячее водоснабжение зданий [Г98.0]; Отопление зданий [01482.0]

**здесь:** Вскрывать здесь [В1594.0]; Захват здесь [3519.0]; Здесь отметим только, что [3564.0];

Здесь и там [3563.0]; Здесь необходимо отметить, что [3565.0]; Здесь также [3566.0];

Здесь уместно напомнить [3567.0]; И здесь [ИЗО.0]; Мы не будем здесь говорить подробно о [М412.0]; Мы не собираемся здесь [М422.0, М423.0]; Новое здесь то, что [Н1832.0];

Обозначения здесь следующие [0153.0]; Однако здесь необходимо сделать оговорку [0562.0]; Описываемые здесь опыты [0791.0]; Поднимать здесь [П756.0]; Подробно обсуждались в ... и здесь повторяться не будут [П796.0]; Слишком многочисленны, чтобы их можно было здесь перечислить [С652.0]; Стропить здесь [С1518.0];

Термин означает здесь [Т190.0]; Что здесь, по-видимому, не учитывается, так это [4137.0]

**здравый:** Здравый смысл [3568.0]; Здравый смысл подсказывает, что [3569.0]; Инженерный здравый смысл [И557.0]

**зеленовато-желтый:** [3570.0]

**зеленый:** Не горит зеленая сигнальная лампочка ГОТОВНОСТЬ К РАБОТЕ [Н808.0]

**земельный:** Земельный участок [3571.0]

**земля:** Замыкаться на землю через [3317.0]; Короткое замыкание на землю [К389.0]; На уровне земли [Н173.0]; Отливку тщательно очистить от грязи и формовочной земли [01371.0]; Присоединять вольтметр между ... и землей [П2523.0]

**земной:** В земных условиях [В721.0]

**зеркальный:** Полировать до зеркального состояния [П 1027.0]

**зигзагообразно:** [3572.0]

**зима:** Подготовка к зиме [П701.0]

**зип:** Временные нормы расхода ЗИП на капитальный ремонт [В1518.0]

**знак:** Десятичный знак [Д267.0]; Запрещается производить техобслуживание, не выставив предупредительный знак [3411.0]; Зарегистрированный товарный знак [3430.0];

Заявка на регистрацию товарного знака [3556.0]; Знак качества [3574.0]; Знак контроля [3575.0]; Знак перед скобкой [3576.0];

Знак равенства [3577.0]; Изделие с товар-

ным знаком [И217.0]; Изменение знака на противоположный [И243.0]; Иметь знак [И383.0]; Менять знак [М116.0]; Нарушать товарный знак [Н520.0]; Противоположно-значению, но противоположны по знаку [Р132.0]; Реестр товарных знаков [Р625.0]; Скобка под знаком экспоненты [С530.0]; Согласовываться с точностью до десятичного знака [С923.0]; Товарный знак [Т282.0]; Того же знака (Т352.0)

**знакомить:** Знакомить с [3578.0]; Знакомить с особенностями [3579.0]

**знакомиться:** [3580.0]

**знакомый:** Быть знакомым со всеми тонкостями [Б307.0]; Должен быть знаком не только с [Д573.0]; Знаком с [3581.0]; Знакомые уже нам [3582.0]

**знаменательный:** Знаменателен тем, что [3583.0]

**знаменатель:** [3584.0]

**знаменоваться:** Знаменоваться собой конец [3585.0]

**знание:** Вооруженный знаниями [В1382.0]; Глубокое знание [Г62.0]; Знание ... необходимо при [3588.0]; Знание их полезно для [3587.0]; Исходя из сегодняшнего уровня знаний [И820.0]; Минимум знаний о [М179.0]; Наши знания недостаточно, чтобы [Н740.0]; Недостаточность знаний (Н1204.0); Необходимость в точном знании [Н1406.0]; Необходимые для работы знания [Н1411.0]; Отрасль знаний [О1506.0]; Позволяет значительно расширить знания о [П907.0]; При современном уровне знаний [П2146.0]; Требовать специальных знаний [Т445.0]; Требовать только знания [Т446.0]; Уровень знаний в области ... все еще невелик [У370.0]; Элементарные знания [Э78.0]

**знаток:** Знаток по части [3589.0]

**знать:** Давать знать [Д56.0]; Дайте нам знать [Д71.0]; Знать в любой момент времени [3590.0]; Знать заранее [3591.0]; Знать обязательно [3592.0]; Знать, что делать на каждом этапе [3593.0]; Зная [3594.0]; Иногда полезно знать и [И564.0]; Можно рассчитать, зная [М366.0]; Мы знаем из опыта, что [М409.0]; Мы не знаем о каком-либо [М417.0]; Не знать [Н861.0]; Не знать, как поступить [Н862.0]; Не зная даже приблизительно [Н863.0]; Не зная, что этого делать нельзя [Н864.0]; Необходимо знать [Н1365.0]; Необходимо хорошо знать [Н1393.0]; Ничего не зная о [Н1772.0]; Очень немногие, повидимому, знают [О1667.0]; Таким образом зная ..., можно было [Т95.0]; Хорошо знать [Х50.0]; Чтобы можно было использовать..., необходимо знать [4189.0]; Чтобы правильно ..., необходимо знать [4205.0]

**значащий:** Округлять до трех значащих цифр после запятой (0727.0); Отсчет с ... знача-

щими цифрами [01566.0]; С точностью до двух последних значащих цифр [С136.0]; С точностью до пяти значащих цифр после запятой [С137.0]

**значение:** Абсолютное значение [А53.0]; Асимптотическое значение [А161.0]; Брать значение по кривой [Б265.0]; В качестве определяющего выбирается меньшее из значений [В144.0]; Вопрос, имеющий большое значение для (В1397.0); Выбирается меньшее из двух значений [В1704.0]; Гарантийное значение [Г10.0]; Группироваться в окрестности постоянного значения, равного... [Г144.0]; Достигать максимального значения [Д707.0]; Заданное значение [3167.0]; Занижен по сравнению с истинным значением [3321.0]; Значение, принятое в предварительном расчете [3600.0]; Значение, рассчитанное по [3602.0]; Значение этого обстоятельства неясно [3603.0]; Изменяться в обе стороны от заданного значения [И274.0]; Имеет значение ... а не [И388.0]; Иметь большое практическое значение [И400.0]; Иметь важное значение [И392.0]; Иметь второстепенное значение [И393.0]; Иметь единственное значение [И386.0]; Иметь лишь местное значение [И394.0]; Использоваться в том же значении, что и [И718.0]; Исходное значение [И832.0]; Мгновенное значение [М77.0]; Меньшее из двух значений (М112.0); Находиться на пределе допускаемых значений [Н673.0]; Не должен превышать меньшего из двух значений [Н833.0]; Не иметь большого значения [Н878.0]; Не придавать значения [Н1029.0]; Отклонение от номинального значения [О1328.0]; Отличаться от среднего значения не более, чем на [О1389.0]; Подчеркивать значение [П880.0]; Принимать значение [П2412.0]; Приобретать ... значение [П2473.0]; Равны по абсолютному значению, но противоположны по знаку [Р132.0]; Разброс экспериментальных точек относительно среднего значения составляет [Р174.0]; Среднее значение по площади [С1322.0]; Среднее значение для двух опытов (С1321.0); Табличное значение [Т7.0]; Только и имеет значение [Т308.0]; Точно совпадать с расчетными значениями [Т401.0]; Умалять значение [У249.0]; Упасть ниже допустимого значения [У307.0]; Установившееся значение [У497.0]; Экстраполированное значение [Э70.0]

**значительно:** В значительно меньшей степени [В661.0]; Значительно более важный [3615.0]; Значительно более эффективный способ [3616.0]; Значительно больше [3617.0]; Значительно больше всех других [3618.0]; Значительно больше, чем [3619.0]; Значительно больше, чем на [3620.0]; Значительно лучше



[3621.0]; Значительно лучше понимать [3622.0]; Значительно менее [3623.0]; Значительно меньше [3624.0]; Значительно меньшее изменение [3625.0]; Значительно меньшее количество [3626.0]; Значительно ниже [3627.0]; Значительно отклоняться от [3628.0];

Значительно отличаться [3629.0]; Значительно отличающийся от [3630.0]; Значительно превосходить [3631.0]; Значительно превышающий [3632.0]; Значительно сложнее [3633.0]; Значительно труднее [3634.0]; Значительно усложнять [3635.0]; Значительно хуже [3636.0]; Позволяет значительно расширить знания о [П907.0]; Работать в значительно более тяжелых условиях [P50.0]; Работать значительно лучше [P53.0]; Распадаться значительно быстрее [P364.0]

**значительный:** В значительной степени [B654.0]; В значительной степени или полностью [B655.0]; В значительной степени согласен [B656.0]; Вести к значительному усложнению [B935.0]; Все еще значителен [B971.0]; Довольно значительные алгебраические преобразования [Д502.0]; Должно было бы привести к более значительным результатам [Д587.0]; Достигать значительных успехов в [Д721.0]; Достигнут значительный прогресс в [Д728.0]; Значительная работа [3607.0]; Значительная часть [B236.0, 3608.0]; Значительная экономия материалов [3610.0]; Значительная экономия [3609.0]; Значительное количество [3611.0]; Значительные усилия будут направлены на [3612.0];

Значительные усилия, направленные на [3613.0]; Значительный объем информации [3637.0]; Использование не приводит к значительному улучшению [И687.0]; Наиболее значительный из [H318.0]; Не менее значительный [H907.0]; Не приводит к значительному улучшению [H1025.0]; Несомненно являются значительным шагом вперед [H1633.0]; Но можно добиться значительного упрощения, если [H1799.0]; Нуждаться в значительном увеличении [H1885.0]; Позволяет получить значительную экономию [П919.0]; Прежде чем эта проблема будет в значительной степени решена [П1964.0]; Пре-

терпевать значительные изменения [П2046.0]; Сроставлять значительную долю [С 1079.0]; Установка не дает каких-либо значительных преимуществ [У500.0]

**значить:** А значит [A15.0]; А значит и... [A16.0];

А это значит [A47.0]; Если что-либо значит [E98.0]; Многое значит для [M207.0]; Поступать иначе — значит [П1502.0]; Что это значит [4171.0]; Это значит [Э134.0]; Это не значит, что [Э136.0]

**значок:** Наполовину зачерненные значки [H459.0]; Светлые значки [С283.0]; Темные значки [Т141.0]

**знающий:** Ничего не знающий о [H1771.0]

**зона:** Взрывобезопасная зона [V1066.0]; Зона теплового влияния [3638.0]

**зонд:** Перемещать зонд [П133.0]

**зрение:** В поле зрения [B347.0]; Изменять точку зрения в пользу [И268.0]; Интересен не только с точки зрения [И609.0]; Невыгодно с технико-экономической точки зрения [H1179.0]; Обосновывать точку зрения [Д543.0]; Перспективны с точки зрения [П258.0]; Подкреплять точку зрения [П734.0]; Подтверждать точку зрения о том, что [П858.0]; Подтверждение этой точки зрения [П867.0]; Показывать с качественной точки зрения [П986.0]; Полезный с информационной точки зрения [П1019.0]; Предпочтителен с точки зрения [П1817.0]; Придерживаться точки зрения [П2299.0]; Приемлемый с экономической точки зрения [П2307.0]; Разделять точку зрения [P210.0]; С точки зрения [С124.0]; С инженерной точки зрения [С126.0]; С качественной точки зрения [С127.0]; С практической точки зрения [С128.0]; С теоретической точки зрения [С129.0]; С точки зрения термодинамики [С125.0]; С физической точки зрения [С130.0]; С экономической точки зрения невыгодно [С131.0]; С экспериментальной точки зрения [С 132.0]; С юридической точки зрения [С133.0]; Точка зрения [Т369.0]; Точка зрения на [Т370.0]; Упрощенческая точка зрения [У346.0]; Целесообразно с точки зрения экономии времени и средств [Ц4.0]; Целесообразный с практической точки зрения [Ц9.0]

## И

**игнорировать:** [И83.0]

**играть:** Играть роль [И84.0]; Играть важную роль в [И85.0]; Играть ведущую роль в [И88.0]; Играть второстепенную роль [И89.0];

Играть главную роль [И90.0]; Играть до-

вольно важную роль в [И86.0]; Играть незначительную роль [И91.0]; Играть некоторую роль [И92.0]; Играть особенно важную роль в [И87.0]; Начинать играть роль [H716.0]; Не играть роли [H866.0]

**играющий:** Играющий роль [И93.0]  
**идеал:** В идеале..., но на самом деле [В126.0]  
**идеализированный:** Идеализированный случай [И94.0]  
**идеально:** Идеально подходить для [И97.0]; Почти идеально [П 1549.0]; Почти идеально согласуется [П 1550.0]  
**идеальный:** [И98.0]; В идеальном случае [В529.0]; Далеко не идеален [Д96.0]; Идеален для использования в [И99.0]  
**идея:** Идея не нова [И101.0, И102.0]; Идея, лежащая в основе [И103.0]; Идея состояла в том, чтобы [И104.0]; Основная идея заключается в [0976.0]; Осуществлять идею [01176.0]; Отказываться от идеи [01312.0]; Сводить на нет саму идею [С321.0]  
**идти:** Далее идет ... и затем [Д87.0]; Идти в ногу с [И 106.0]; Идти вертикально или горизонтально под прямым углом к [И112.0]; Идти вразрез с [И107.0]; Идти дальше и [И108.0]; Идти на компромисс [И109.0]; Идти по нескольким путям [И114.0]; Идти по пути [И113.0]; Идти под названием [И110.0]; Идти под углом [ИИ 1.0]; Идут большие споры [И115.0]; Идти навстречу потребностям [И117.0]; Не всё идет точно по плану [Н786.0]; Не идти ни в какое сравнение с [Н867.0]; Необходимо идти на компромиссы [Н1366.0]; Номер кабеля и куда идет [Н1841.0]; О которых идет речь в [07.0]; Охотно идти навстречу [01624.0]; По этому пути пошли [П458.0]; Показывать, по какому пути следует идти [П982.0]; Путь, по которому следует идти, если мы хотим разработать [П3096.0]; Развитие идет быстрыми темпами [Р187.0]  
**идущий:** Идущий от ... к [И116.0]; Иметь далеко идущие последствия [И429.0]; С далеко идущими последствиями [С70.0]  
**из-за:** А не из-за того [А26.0]; Автоматически остановлен из-за... [А68.0]; Вызывать тревогу из-за [В1827.0]  
**из-под:** Выходить из-под контроля [В2043.0]  
**избавлять:** Избавлять от [И150.0]; Избавлять себя от необходимости [И151.0]  
**избавляться:** Избавляться от [И152.0]; Избавляться от дробных степеней [И 153.0]  
**избегать:** Избегайте по возможности [И 160.0]; Избегайте работы в режиме [И 161.0]; Избегать задеваний [И155.0]; Избегать ненужных потерь [И156.0]; Избегать ненужных расходов и потерь времени [И157.0]; Избегать опасности [И158.0]; Избегать трудностей [И 159.0]; Которых следует избегать [К429.0]; Многих потенциальных опасностей можно избежать [М192.0]; Можно избежать с помощью [М334.0]; Позволяет избежать [П908.0]; Следует избегать [С601.0]; Следует избегать работы с [С602.0]; Чтобы избежать наложения экспериментальных

точек и вызываемой этим путаницы [4183.0]; Чтобы избежать неопределенности [4184.0]; Чтобы избежать путаницы [4185.0]; Чтобы избежать этих неприятностей [4186.0]  
**избегание:** Во избежание [В127.0, В128.0]; Не показаны во избежание путаницы [Н1012.0]  
**избирательный:** [И162.0]  
**избирать:** Избирать более общий подход [И163.0]  
**избыток:** Иметься в избытке в [И481.0]; Присутствовать в избытке [П2540.0]; С избытком [С 13.0]  
**избыточность:** [И166.0]  
**избыточный:** [И164.0]; Избыточное давление [И165.0]; Поглощать избыточную мощность [П597.0]  
**известно:** Давно известно, что [Д75.0]; И кое-что уже было известно о [И36.0]; Из ... известно, что [И121.0]; Из опыта известно, что [И126.0]; Из опыта хорошо известно, что [И127.0]; Известно, что [И174.0]; Которые, как известно [К423.0]; Мало что известно о [М39.0]; Насколько известно авторам [Н543.0]; Насколько нам известно [Н544.0]; Не так широко известно [НИ 12.0]; О ... было известно, что он [03.0]; О котором было известно, что он [04.0]; О... известно лишь, что [02.0]; Однако хотя и известно, что [0573.0]; Приняв, как и раньше, что ... известно [П2445.0]; Хорошо известно, что [Х54.0]; Хотя и известно, что [Х93.0]; Широко известно, что [Ш20.0]  
**известность:** Известность признака изобретения [И 167.0]; Пользоваться широкой известностью как [П 1220.0]; Пользующийся известностью [П 1226.0]; Пользующийся международной известностью [П1227.0]; Пользующийся наибольшей известностью [П1228.0]; Приобретать известность [П2478.0]; Приобретать все большую известность [П2479.0]  
**известный:** [И168.0]; В известном [В581.0]; Всемирно известный [В1577.0]; Вычислять по известным [В2057.0]; Достаточно хорошо известен и поэтому не нуждается в дополнительном рассмотрении [Д698.0]; Известен давно [И171.0]; Известен как [И172.0]; Известен своими исследованиями [И173.0]; Известная комбинация, не обладающая новой функцией и не дающая нового результата [И 170.0]; Известны под общим названием [И176.0]; Известны [И175.0]; Известный под названием [И169.0]; На известное число [Н61.0]; Настолько хорошо известны, что вряд ли нуждаются в повторении [Н566.0]; Недостаточно хорошо известен [Н1211.0]; Некоторые, хотя и не все, наиболее известные [Н1302.0]; Новое применение известного способа [Н1833.0]; Обзор известного уровня техники [063.0]; Обыч-

но известные под названием [0405.0]; Один из известных [0510.0]; Примерно известное местоположение [П2388.0]; Принимается известным [П2451.0]; Теперь, когда известны ..., становится возможным [Т171.0]; Устранять недостатки известного прототипа [У528.0]; Характеристики хорошо известны [Х7.0]; Хорошо известен [Х53.0]; Хорошо всем известны [Х55.0]; Хорошо известный [Х52.0]; Хорошо известный из экспериментов [Х51.0]; Хотя и менее широко известный [Х94.0]; Явление, известное под названием старения [Я5.0]

**извещать:** Официально извещать за ... дней о [01603.0]; Незамедлительно известить [Н1246.0]

**извинение:** Приносить извинения [П2453.0]; Приносить свои извинения за [П2454.0]

**извлекать:** Извлекать из [И178.0]; Извлекать корень из [И179.0]; Извлекать максимальную пользу из [И181.0]; Извлекать пользу из [И180.0]; Извлекать тепло из [И182.0]; Много ценных уроков извлечено из [М201.0];

Наверняка извлекут пользу из [Н237.0]

**изгиб:** Работающий на изгиб [Р87.0]

**изготавливать:** Изготавливать в виде модулей [И184.0]; Изготавливать в масштабе [И185.0, И186.0, И187.0]; Изготавливать в промышленных масштабах [И189.0]; Изготавливать в форме [И190.0]; Изготавливать из [И191.0];

Изготавливать модель в масштабе [И188.0]; Изготавливать на заказ [И192.0]; Изготавливать по образцу [И193.0]; Изготавливать по чертежам [И194.0]; Изготавливать с различными [И196.0]; Изготавливать с размерами [И195.0]; Изготовить из частей [И197.0];

Спроектировать и изготовить [С1257.0]; Спроектировать, изготовить и испытать в [С1258.0]

**изготавливаться:** Больше не изготавливаются [Б214.0]

**изготовитель:** В соответствии с рекомендациями изготовителя (В595.0); Изготовитель гарантирует работу изделия в течение ... лет, считая срок пребывания в пути и хранения на складах со дня выпуска с предприятия [И207.0]; Согласно инструкции изготовителя [С908.0]; У разных изготовителей цвета проводов разные [У10.0]

**изготовление:** В процессе изготовления [В419.0]; Высокое качество изготовления [В1985.0]; Год изготовления [Г78.0]; Дефект изготовления [Д273.0]; Допуск на изготовление [Д650.0]; Заводского изготовления [З120.0]; Заказ на изготовление [З218.0]; Занимать первое место в изготовлении [З335.0]; Изготовление в металле [И209.0]; Использован для изготовления [И710.0]; Контроль качества изготовления [К359.0];

Лицензия на право изготовления [Л157.0];

На всех этапах изготовления [Н196.0]; На этапах проектирования и изготовления [Н191.0]; Отбраковывать на ранней стадии изготовления [01211.0]; При изготовлении [П2077.0]; Пригодный для промышленного изготовления [П2278.0]; Снижение расходов на проектирование и изготовление [С779.0]; Технологичность изготовления [Т253.0]; Технология изготовления [Т250.0]; Удостоверение о качестве изготовления [У178.0]

**изготовленный:** Изготовлен в соответствии с ТУ, проверен и признан годным к эксплуатации [И204.0]; Изготовлен с учетом сейсмичности [И205.0]; Изготовленный в масштабе [И198.0]; Изготовленный в соответствии с [И200.0]; Изготовленный в уменьшенном масштабе [И199.0]; Изготовленный из [И201.0]; Изготовленный по образцу [И202.0]; Изготовленный специально для [И203.0]; Продаваться изготовленными из меди [П2720.0]; Соприкасающиеся с продуктом детали изготовлены из нержавеющей стали [С 1042.0]

**издавать:** Издавать к началу [И211.0]; Издавать слышимый щелчок [И212.0]

**издание:** Выдерживать семь изданий [В 1898.0]; Прекращать издание из-за финансовых трудностей [П 1987.0]

**изделие:** Альбом основных сочленений и ремонтных допусков изделия [А105.0]; Ассортимент изделий [А164.0]; Ведомость покупных изделий [В876.0]; Ведомость потребности в материалах и покупных изделиях на заказ [В877.0]; Вид изделия [В 1082.0]; Выставка изделий [В1991.0]; Дата выпуска изделия [Д121.0]; Дата и время отказа изделия или его составной части [Д123.0]; Движение изделия в эксплуатации [Д158.0]; Дефектация изделия в собранном виде [Д274.0]; Дефицит выпускаемого изделия [Д277.0];

Длительность периода получения покупных изделий [Д313.0]; Запас готовых изделий [З370.0]; Изготовитель гарантирует работу изделия в течение ... лет, считая срок пребывания в пути и хранения на складах со дня выпуска с предприятия [И207.0];

Изделие ... подвергнуто консервации на ... согласно требованиям, предусмотренным инструкцией по эксплуатации [И215.0]; Изделие ... упаковано на ... согласно требованиям, предусмотренным инструкцией по эксплуатации [И218.0]; Изделие охраняемое патентом [И214.0]; Изделие после ... принял [И216.0]; Изделие с товарным знаком [И217.0]; Исследование патентной чистоты изделия [И780.0]; Количество изделий согласно спецификации [К257.0]; Комплекующие изделия [К301.0]; Контроль качества изделий [К360.0]; Недостающие изде-

лия [H1213.0]; Основные проверки технического состояния изделия [01009.0]; Особые замечания по эксплуатации изделия и аварийным случаям [01073.0]; Патенточистое изделие [P33.0]; Перечень изделий или их составных частей для периодической проверки органами надзора [P209.0]; Перечень основных проверок технического состояния изделия [P218.0]; Показатель качества изделия [P968.0]; Покупные изделия [P1006.0]; Последовательный выборочный контроль изделий [P1408.0]; Разрешенные для продажи изделия [P328.0]; Расширять номенклатуру изделий [P571.0]; Сборочные единицы и детали изделия [C259.0]; Стандартизированные изделия [C1418.0]; Страна-потребитель изделия [C1481.0]; Таблица смазки изделия [T4.0]; Техническое освидетельствование изделия специальными контрольными органами [T232.0]; Условия хранения должны соответствовать требованиям, изложенным в описании и инструкции по эксплуатации изделия [У403.0]

**издержки:** Снижение издержек производства [С776.0]; Торговые издержки [Т332.0]

**из-за:** Из-за аварии [И220.0]; Из-за его [И221.0];

Из-за малого времени для [И222.0]; Из-за неспособности [И223.0]; Из-за нехватки [И224.0]; Из-за отсутствия в настоящее время [И225.0]; Из-за отсутствия в то время [И226.0]; Из-за присущей [И227.0]; Из-за расхождения во взглядах на [И228.0]; Из-за самого их количества [И229.0]; Из-за халатности [И230.0]; Не из-за ..., а вследствие [H868.0]; Не столько по соображениям ..., сколько из-за [H1096.0]; Необходимость в возникает из-за [H1399.0]; Отказываться от ... из-за [01310.0]; По этой причине, а также из-за [P449.0]; По-видимому, из-за [P332.0]; Пожар возник из-за [P898.0]; Полностью теряется из-за [P1068.0]; Прекращать издание из-за финансовых трудностей [P1987.0]; Признавать непригодными для ... из-за [P2314.0]; Разработка задерживается из-за [P307.0]; Становиться менее убедительным из-за [С 1385.0]; Тормозиться из-за отсутствия [Т337.0]; Усложняться из-за необходимости в [У413.0]; Хотя очень может быть что это происходит из-за (X 102.0); Частично из-за [43.0]

**излагать:** Излагать существо в сжатой форме [И232.0]; Подробно излагать [P795.0]

**излишне:** Излишне и говорить, что [И233.0]

**изложение:** Для обеспечения ясности и краткости изложения [Д370.0]; Для полноты изложения [Д379.0]; Изложение гипотезы [И235.0]; Краткое изложение [K451.0]; Краткое изложение доклада [K452.0]; Краткое изложение метода с примерами примене-

ния [K453.0]; Краткое изложение содержания [K454.0]

**изложенный:** Монтаж, отладку и опробование производить в строгом соответствии с рекомендациями, изложенными в инструкции по эксплуатации [M249.0]; На изложенных ниже условиях — [H 178.0]; Теоретические основы изложены в [T160.0]; Условия хранения должны соответствовать требованиям, изложенным в описании и инструкции по эксплуатации изделия [У403.0]

**измельчать** [И236.0]; Измельчить до тонины [И237.0]

**изменение:** Без каких-либо изменений, за исключением [B22.0]; В диапазоне..., соответствующем более чем семикратному изменению [B99.0]; Ведомость регистрации изменений [B878.0]; Вносить изменение в конструкцию [B 1218.0]; Вносить изменения [B1216.0]; Вносить изменения в [B1217.0]; Вносить изменения и уточнения в инструкцию [B1219.0]; Временные изменения [B1517.0]; Заимствовать без изменения [3208.0]; Закономерность изменения [3254.0]; Значительно меньшее изменение [3625.0];

Изменение, внесенное в [И239.0]; Изменение во времени [И240.0]; Изменение заказа [И242.0]; Изменение знака на противоположный [И243.0]; Изменение от [И245.0]; Изменение относительно [И244.0]; Изменение по окружности [И246.0]; Изменение ... с изменением... [И247.0]; Изменение свойств от... к [И248.0]; Изменение существующего положения дел [И249.0]; Изменение только [И250.0]; Изменения в потреблении [И251.0];

Изменения и дополнения [И252.0]; Изменения условий [И254.0]; Изменениями ... как и изменениями ..., пренебрегаем [И253.0]; Иметь право вносить изменения в рабочие чертежи [И432.0]; Иногда они нуждаются в некотором изменении с учетом [И563.0]; Кратковременное изменение [K463.0]; Лист регистрации изменений [L54.0]; Насколько большие изменения [H538.0]; Не вызывать изменений [H796.0]; Не приводить к заметному изменению [H1024.0]; Не чувствителен к изменению [H1147.0]; Необходимо внести некоторые изменения [H1363.0]; Об изменениях не сообщается [018.0]; Область изменения [094.0]; Общая закономерность изменения [0326.0]; Определять по изменению [0827.0]; Оставаться без изменений [01081.0]; Оставлять без изменения [01130.0]; Плавное изменение [P273.0]; Подвергаться изменениям по сравнению с [P659.0]; Предусматривать возможность изменения [P1916.0]; Претерпевать значительные изменения [P2046.0];

Претерпевать коренное изменение [P2047.0]; Претерпевать лишь незначитель-

ные изменения [П2048.0]; Претерпевать многие изменения [П2049.0]; Претерпевать ряд изменений [П2050.0]; При изменении [П2078.0]; При методичном изменении [П2079.0]; При минимальном изменении [П2080.0]; Рассмотрение вопроса о внесении изменений в [Р495.0]; Реагировать на изменения [Р580.0]; Регистрация изменений [Р598.0]; Резкое изменение [Р631.0]; Результаты можно без изменения использовать в случае [Р648.0]; С изменениями доли каждого из ... в диапазоне [С14.0]; С изменениями от ... [С15.0]; С правом изменения и отмены [С73.0]; Совместное изменение [С858.0]; Сохранять без изменений [С 1127.0]; Способ внесения изменений [С1204.0]; Технические изменения [Т240.0]; Характер зависимости изменения [Х2.0]; Характер изменения [Х3.0]; Чувствителен к изменениям [4222.0]; Чувствительность к изменению скорости [4225.0]

**измененный:** Измененный по сравнению с [И297.0]; Измененный с учетом особенностей [И296.0]; Несколько измененный [Н1580.0]; Соответствующим образом измененный с тем, чтобы учесть [С1027.0]

**изменчивость:** [И255.0]

**изменять:** Если изменять [Е54.0]; Изменять в корне [И257.0]; Изменять в систематическом порядке (И258.0); Изменять картину [И259.0]; Изменять коренным образом [И260.0]; Изменять на заданную величину [И261.0]; Изменять небольшими ступенями [И263.0]; Изменять нумерацию пунктов формулы изобретения [И264.0]; Изменять от ... до [И265.0]; Изменять полярность на обратную [И266.0]; Изменять точку зрения в пользу [И268.0]; Изменять характер [И269.0];

Конструкция может быть изменена без уведомления заказчика [К343.0]; Нельзя изменить независимо от [Н 1313.0]; Ником образом не изменит [Н 1759.0]; Плавно изменять [П276.0]; Позволяет изменять [П909.0]; Сильно изменять [С470.0]; Это мало бы что изменило (Э 141.0)

**изменяться:** В ближайшее время положение должно измениться [В42.0]; Все время изменяться [В1549.0]; Изменился лишь [И292.0]; Изменился бы лишь незначительно [И293.0]; Изменяться по ... от ... до [И283.0]; Изменяться в ... раз [И276.0]; Изменяться в диапазоне [И272.0]; Изменяться в зависимости [И273.0]; Изменяться в обе стороны от заданного значения [И274.0]; Изменяться в широких пределах [И277.0]; Изменяться во времени [И275.0]; Изменяться как квадрат [И278.0]; Изменяться на обратный [И279.0]; Изменяться не более, чем в ... раз [И280.0]; Изменяться обратно пропорционально [И289.0]; Изме-

няться от ... до [И282.0]; Изменяться от ... к [И284.0]; Изменяться от одного к другому [И285.0]; Изменяться от опыта к опыту [И286.0]; Изменяться по сравнению с [И287.0]; Изменяться примерно в ... раз [И281.0]; Изменяться пропорционально [И288.0]; Изменяться с [И290.0]; Изменяться таким образом, что [И291.0]; К ... году положение резко изменится [К5.0]; Мало изменился за последние ... лет [М26.0]; Мало изменяться [М25.0]; Меньше всего изменился [М109.0]; Может измениться [М278.0]; Может в какой-то степени измениться [М276.0]; Насколько результаты изменяются [Н548.0]; Не изменился более, чем на ... по сравнению с [Н870.0]; Не изменяться [Н869.0]; Не изменяться заметно при [Н871.0]; Не изменяться по сравнению с предыдущим [Н872.0]; Не изменяться существенно [Н873.0]; Непрерывно изменяться [Н1525.0]; Обстоятельства изменились [О260.0]; Почти не изменяется [П 1566.0]; Сильно изменяться [С471.0]; Сильно изменяться в зависимости от [С472.0]; Ситуация изменилась [С502.0]; Ситуация может в корне измениться [С503.0]; Слабо изменяться с [С566.0]

**изменяющийся:** Изменяющиеся требования [И295.0]; Изменяющийся во времени [И294.0]; Легко приспособляться к изменяющимся [Л26.0]

**измерение:** [И298.0]; Анализ погрешностей измерений [А116.0]; В пределах ошибки измерения [В393.0]; В пределах точности измерений [В395.0]; Весь объем измерений по программе [В958.0]; Во время измерений [В33.0]; Выполнять измерения [В1881.0]; Вычислять по результатам измерения [В2059.0]; Дата проведения измерений [Д 138.0]; Делать измерения [Д199.0]; До начала измерений [Д450.0]; Единица измерения коэффициента [Е12.0]; Не поддаваться измерению [Н976.0]; Обеспечивать измерения при [О41.0]; Объем измерений [О365.0]; Оснащать приборами для измерений [О951.0]; Основное внимание при измерениях было сосредоточено на [О984.0]; Ошибки, связанные с другими измерениями [О1694.0]; Пересчет единиц измерения [П171.0]; По результатам этих измерений [П464.0]; Погрешность измерения [П600.0]; Полноценные результаты измерения [П 1073.0]; Полоса статической ошибки верхнего предела измерений — [П1122.0]; Последующее измерение [П1418.0]; Приборы для измерения [П2194.0]; Проводить измерения [П2673.0]; Рассчитанный по результатам измерений [Р515.0]; С точностью, не выходящей за пределы погрешности измерений [С138.0];

Точность измерений была неопределенной

[Т375.0]; Эффект, обусловленный методом измерения [Э222.0]

**измеренный:** Измеренный в эксперименте [И305.0]; Измеренный по нормали к [И306.0]

**измерительный:** Данные о проверке измерительных приборов поверочными органами [Д113.0]; Измерительные средства [И309.0]; Измерительный участок [И308.0]; Проверка измерительных приборов поверочными органами [П530.0]; Проверка измерительных приборов инспектирующими органами [П2620.0]

**измеряемый:** В число измеряемых величин входили [В762.0]; Измеряемый сигнал содержал шумы [И307.0]; Период жизни, измеряемый миллисекундами [П229.0]; Шумы в измеряемом сигнале отсутствовали [Ш45.0]

**измерять:** Измерялся ли он вообще [ИЗО3.0]; Измерять по [ИЗО0.0]; Измерять с точностью [ИЗО 1.0]; Измерять через равные промежутки времени [ИЗО2.0]; Надежно измерить не удавалось [Н262.0]; Необходимо измерять при [Н1367.0]; Приблизительно измерять [П2185.0]; Расходы измерялись по отдельности [Р529.0]; Чтобы измерить ..., закрывали [4187.0]

**изнашиваться:** [ИЗ 10.0]

**износ:** В порядке убывающей сопротивляемости износу [В369.0]; Весь износ [В956.0]; Вызывать износ (В1805.0); Испытание на износ [И749.0]; Обычно был виден износ [0402.0]; Проверять износ (П2636.0); Сопротивляться износу [С1053.0]; Состояние износа [СИ 10.0]

**изношенный:** Сильно изношенный [С473.0]

**изнутри:** [ИЗ12.0]

**изобилие:** В изобилии [В129.0]

**изображать:** Изображать в изометрической проекции [ИЗ 14.0]; Изображать схематически [ИЗ15.0]; Один такой... изображен на [0496.0]; Схематически изображать [С1601.0]

**изображение:** Аксонометрическое изображение [А87.0]; Изображение отражается на [ИЗ17.0]; Условное изображение [У410.0]

**изображенный:** Изображенный на [ИЗ16.0]

**изобретательность:** Все еще требуется немалая доля изобретательности [В977.0]; Проявлять большую изобретательность [П3042.0]

**изобретательский:** Изобретательская деятель-  
ность [ИЗ18.0]

**изобретение:** Альтернативный пункт формулы изобретения [А106.0]; Без отступления от существа и объема изобретения [Б42.0]; Вариант изобретения [В811.0]; Вносить поправки в описание изобретения [В1230.0]; Дата осуществления изобретения [Д131.0]; Дата подачи полного описания изобретения 15 июля 1970 г. (Д132.0); Дата публикации полного описания изобретения 6 января 1980 г. [Д139.0]; Двукратное упоминание

признака изобретения [Д162.0]; Доведение изобретения до практического использования [Д487.0]; Европейская формула изобретения [Е1.0]; Известность признака изобретения [И167.0]; Изменяя нумерацию пунктов формулы изобретения [И264.0]; Изобретение относится к [ИЗ19.0]; Конкретный пример осуществления изобретения [К321.0]; Ложное утверждение в описании изобретения [Л97.0]; Материалы, могущие опорочить новизну изобретения [М70.0]; Избыточность формулы изобретения [И166.0]; Название изобретения [Н289.0]; Настоящее изобретение относится к ... и в частности к [Н574.0]; Неработоспособность изобретения [Н1556.0]; Новые признаки изобретения [Н1834.0]; Носить иллюстративный характер и не иметь целью ограничить настоящее изобретение [Н 1872.0]; Общий пункт формулы изобретения [0323.0]; Объект изобретения [0358.0]; Объект изобретения не предусмотрен патентным законом [0359.0]; Объем изобретения [0366.0]; Ограничительная часть формулы изобретения [0479.0]; Описание изобретения [0770.0]; Отличительная часть формулы изобретения [01405.0]; Отличительный признак изобретения [01404.0]; Отсутствие признаков изобретения [01552.0]; Отсутствие раскрытия изобретения [01554.0]; Отход от существа изобретения [01581.0]; Охраноспособность объекта изобретения [01625.0]; Очевидность изобретения [01646.0]; Подавать заявку на изобретение в патентное ведомство [П628.0]; Подробное описание изобретения [П816.0]; Полное описание изобретения [П1083.0]; Положение об открытиях, изобретениях и рационализаторских предложениях [П1098.0]; Поменять порядок следования пунктов формулы изобретения (П1232.0); Предпосылки к созданию изобретения [П 1805.0]; Работоспособность изобретения [Р93.0]; Резюме изобретения [Р663.0]; Составлять по новому формулу изобретения [С1090.0]; Ссылка на признаки, ранее не введенные в пункт формулы изобретения [С1345.0]; Структура описания изобретения [С1520.0]; Существо изобретения [С1552.0]; Техничко-экономические результаты применения изобретения [Т217.0]; Цель изобретения [Ц19.0]

**изогнуть:** Изогнуть на ... градусов [ИЗ320.0]

**изоленга:** Обмотать изоленгой [0118.0]

**изолированный:** [ИЗ32.0]

**изолировать:** Изолировать друг от друга [ИЗ22.0]

**изометрически:** [ИЗ 14.0]

**изотермический:** Изображать в изометрической проекции [ИЗ14.0]; Практически изотермический [П1647.0]

**из-под** [ИЗ24.0]

**изучаемый:** [ИЗ28.0]

**изучать:** Изучать возможность применения [ИЗ26.0]; Изучать литературу в поисках информации [ИЗ27.0]; Изучен недостаточно полно [ИЗ29.0]; Мало изучены [М27.0]; Наименее изучены [ИЗ36.0]; Такая возможность изучается [Т65.0]

**изучение:** Для изучения этого вопроса необходимо дальнейшие исследования [Д344.0];

Изучение аварийных случаев [ИЗ30.0]; Исследователи, занимающиеся изучением [И790.0]; Систематическое изучение [С499.0]; Стать предметом интенсивного и тщательного изучения [С1410.0]; Стимулировать более глубокое изучение [С 1457.0]; Тщательное изучение [Т506.0], Тщательное изучение вопроса [Т507.0]

**изъятие:** Лист изъятий [Л53.0]; Просьба об изъятии [П2943.0]

**изымать:** Временно изымать из эксплуатации [В1522.0]; Изымать из эксплуатации [ИЗ31.0]; Изымать из эксплуатации и передавать [ИЗ32.0], Изымать полностью [ИЗ33.0]

**изыматься;** Изыматься из обращения [ИЗ34.0];

Незамедлительно изыматься [Н1247.0]

**иллюстративный:** Носить иллюстративный характер и не иметь целью ограничить настоящее изобретение [Н1872.0]

**иллюстрация:** В целях иллюстрации [В746.0];

Для иллюстрации [Д345.0], Приведен с целью иллюстрации и не является исчерпывающим [П2258.0]; С целью иллюстрации этого обстоятельства [С 172.0]; Служить для иллюстрации [С671.0]

**иллюстрировать:** [ИЗ350.0]; Иллюстрировать этот вывод [ИЗ351.0]; Сказанное дополнительно иллюстрируется [С505.0]

**именно:** А именно [А17.0]; А именно тот из них, который [А18.0]; Вполне возможно, что дело обстоит именно так [В1317.0]; Делать именно то, что требуется [Д200.0]; Для ... должен быть выбран именно [Д334.0];

Если уж мы предпочитаем называть его именно так [Е 140.0]; И именно поэтому [ИЗ 1.0]; И именно этому последнему вопросу уделяется наибольшее внимание [ИЗ2.0]; Именно когда требовалось [ИЗ36.0]; Именно по этой причине [ИЗ33.0]; Именно потому, что [ИЗ354.0]; Именно так и обстоит дело [ИЗ355.0]; Именно такое [ИЗ357.0]; Какой именно [К148.0], Относиться именно к этой области [01447.0]; Представляют интерес два случая, а именно [П1850.0]; Так именно и делали [Т32.0]; Так именно и происходило во всех [Т33.0]; Что именно используется, зависит от [4140.0]; Это, по видимому, объясняется только одним, а именно [Э164.0]

**именоваться:** [ИЗ358.0]

**иметь:** Важно иметь в виду, что [В797.0];

Возможно, имело место [В 1298.0]; Выводы имеют путанный характер [В1731.0]; Действительно имело место [Д173.0]; Зависимость имеет неопределенный характер [З106.0]; И хотя он и имеет недостатки [И71.0]; Имеет значение ..., а не [ИЗ388.0]; Имеет смысл говорить о [И450.0]; Иметь большое значение для [ИЗ389.0]; Иметь большой вес [ИЗ360.0]; Иметь в виду [ИЗ361.0]; Иметь в запасе на случай ремонта [ИЗ364.0]; Иметь в распоряжении [ИЗ365.0]; Иметь весьма дискуссионный характер [И463.0]; Иметь возможность сравнить [ИЗ370.0]; Иметь далеко идущие последствия [И429.0]; Иметь дело непосредственно с [ИЗ377.0]; Иметь мало общего с [И415.0]; Иметь место [И409.0]; Иметь наибольшие шансы на успех [ИЗ374.0]; Иметь общую цель [И414.0]; Иметь плохую репутацию [И445.0]; Иметь под рукой [И420.0]; Иметь полную возможность [ИЗ375.0]; Иметь право на [И431.0]; Иметь своей ближайшей аналогией [И421.0]; Иметь смысл только при [И451.0]; Иметь тенденцию к [И456.0]; Иметь целью [И473.0]; Иметь юридическую силу [И476.0]; Не иметь значения [Н877.0]; Не иметь ничего общего с [Н881.0]; Не иметь себе равных по [Н884.0]; Не иметь себе равных [Н883.0]; Необходимо иметь в виду [Н 1368.0]; Следует иметь в виду [С603.0]; Таким образом мы имеем [Т97.0]; Такое же или даже большее значение имеет [Т86.0]; Теперь из уравнения ..., имеем [Т168.0]; Только и имеет значение [Т308.0]

**иметься:** А их имеется [А19.0]; В литературе имеется очень мало рекомендаций [В171.0];

В настоящее время имеются широкие возможности [В48.0]; В распоряжении конструктора имеются [В463.0]; Во всех случаях имеется [В565.0]; Для этого имеются вполне понятные причины [Д425.0]; Если имеется [Е53.0]; Если бы имелся [Е103.0]; Имевшийся в то время [И534.0]; Имеется в [И486.0]; Имеется в виду, что [ИЗ362.0]; Имеется возможность [И487.0]; Имеется все больше свидетельств того, что [И488.0]; Имеется копия [И489.0]; Имеется мало [И490.0]; Имеется мало общего между ... и [И491.0]; Имеется много [И492.0]; Имеется на выбор четыре основных [И493.0]; Имеется намерение [И494.0]; Имеется основание [И495.0]; Имеется полное основание ожидать, что [И496.0]; Имеется тенденция к [И497.0]; Иметься в запасе [И480.0]; Иметься в избытке [И481.0]; Иметься в наличии у [И482.0]; Иметься в продаже [И483.0]; Иметься в распоряжении [И484.0]; Имеются свидетельства [И506.0]; Имеются большие возможности для [И498.0]; Имеются веские

доводы в пользу [И500.0], Имеются веские основания полагать, что [И501.0]; Имеются все возможности [И499.0]; Имеются все основания ожидать [И503.0]; Имеются все основания полагать [И502.0]; Имеются лишь в минимальном количестве [И504.0]; Имеются сведения о том, что [И505.0], Имеются случаи, когда [И507.0]; Когда данные для них имеются [К231.0]; Назначаемый, когда имеются клинические показания [И295.0]; Например имелись случаи, когда [И488.0]; Но между ... и ... имеется мало общего [И1798.0]; Под ... имеется в виду [И608.0]; У

... имеется тенденция к [У2.0]; Уже имелся [У182.0]

**имеющий:** В небольшом числе случаев, имею-щих, однако, немаловажное значение [В542.0], Вопрос, имеющий большое значение для [В1397.0], Другой вопрос, имеющий практическое значение [Д753.0]; Завышать на небольшую, но имеющую существенное значение, величину [З132.0]; Имеющая самостоятельное значение задача [И520.0]; Имеющий размеры [И514.0]; Имеющий содержание [И515.0]; Имеющий значение для [И508.0]; Имеющий класс не ниже [И511.0], Имеющий множество подражаний [И509.0]; Имеющий отношение к [И512.0]; Имеющий практическое значение [И510.0]; Имеющий прямое отношение к настоящему исследованию [И513.0]; Имеющий точность [И516.0]; Имеющий учебный характер [И517.0]; Имеющий широкое хождение [И518.0], Имеющий шкалу с разрешающей способностью [И519.0]; Не имеющий полосок [И888.0]; Не имеющий прямого отношения к [И889.0]; Приобретать репутацию не имеющей себе равных по [И2491.0]; Способ, имеющий очень большие преимущества по сравнению с [С1209.0]

**имеющийся:** Большинство имеющихся в продаже [Б220.0], Большинство имеющихся данных [Б221.0]; В свете имеющегося опыта [В488.0]; В соответствии с имеющимся на сегодня проектом [В593.0]; Имеющаяся информация [И529.0]; Имеющиеся данные позволяют предположить, что [И531.0]; Имеющиеся данные показывают, что [И532.0]; Имеющиеся на сегодня [И530.0]; Имеющиеся экспериментальные данные [И533.0], Имеющийся в настоящее время у [И523.0]; Имеющийся в продаже [И524.0]; Имеющийся в продаже в настоящее время [И525.0], Имеющийся в распоряжении [И526.0]; Имеющийся опыт [И527.0]; Имеющийся опыт позволяет предположить [И528.0]; Имеющийся у [И522.0]; Легко разместиться в имеющемся пространстве [И27.0]; Лучший из имеющихся на сегодня [И102.0]; Не выходит за рамки имеющего-

ся опыта эксплуатации [И803.0]; Обзор имеющейся литературы по этому вопросу [И066.0]; Почти все имеющиеся на сегодня данные [И1548.0]; Самое ... из имеющихся в настоящее время [С229.0]; Существенно дополнять имеющиеся данные [С1562.0];

Часть имеющихся результатов [И431.0]

**имитация:** [И535.0]

**имя:** Имя и фамилия полностью [И537.0];

Носящий имя [И1878.0]

**иначе:** В нашем случае дело обстоит иначе [В540.0]; Вести себя иначе [В941.0]; Вести себя несколько иначе [В942.0]; Влияние ... так или иначе всегда сказывается [В1144.0]; Говоря иначе [И4.0]; Дело обстоит совершенно иначе [Д248.0]; Если не указано иначе [Е 150.0]; Если это не оговорено иначе [Е166.0]; Если это не согласовано иначе [Е167.0]; Записывать иначе [З384.0]; Иначе говоря [И539.0]; Иначе обстоит дело в случае [И540.0]; Иначе обстояло дело в случае [И541.0]; Иначе, чем это делают [И542.0]; На практике дело обстоит несколько иначе [И113.0]; Не путем ..., а как-то иначе [И1044.0]; Несколько иначе, чем в [И1581.0]; Поступать иначе — значит [И1502.0]; Совсем иначе [С886.0]; Совсем иначе, чем [С887.0]; Так или иначе [Т31.0]

**инвентаризация:** Ежегодная инвентаризация [Е30.0]

**инвентарный:** Инвентарная ведомость [И544.0];

Инвентарный номер [И543.0]

**инвестиция:** В поисках технической помощи и инвестиций [В346.0]

**индекс:** Верхние индексы [В924.0]; Индекс национальной классификации [И546.0]; Индекс означает [И548.0]; Индекс относится к [И547.0]; Нижний индекс [И1724.0]

**индивидуальность:** [И549.0]

**индивидуальный:** Индивидуальная подрегулировка [И551.0]

**индикаторный:** Индикаторная лампочка горит, когда ... ниже нормальной [И552.0]

**инертный:** В атмосфере инертного аргона (В4.0); Инертный по отношению к [И553.0]

**инерционность:** [И554.0]

**инерция:** Тепловая инерция [Т183.0]

**инженер:** В настоящее время усилия инженеров направлены на [В59.0]; Инженер-практик [И555.0]; Инженеры и техники [И556.0];

Повсеместно используются инженерами [И565.0]

**инженерный:** В инженерных расчетах [В467.0]; Достаточный для инженерных расчетов [Д701.0]; Инженерный здравый смысл [И557.0]; Приближенная инженерная оценка [И2183.0]; С инженерной точки зрения [С 126.0]; Тщательный инженерный анализ каждого случая [Т505.0]; Часто встречается в инженерной практике [И420.0]



**инициатива:** По инициативе [П373.0]; Проявлять инициативу [П3043.0]

**инкубация:** Предварительная инкубация [П1705.0]

**иногда:** [И558.0]; Иногда ..., но чаще [И561.0]; Иногда достаточно одних только [И559.0]; Иногда называемый просто [И560.0]; Иногда нужно (И562.0); Иногда они нуждаются в некотором изменении с учетом [И563.0]; Иногда полезно знать и [И564.0]; Иногда создают трудности [И565.0]

**иного:** В качестве иного подхода [В141.0]; Нет иного выхода, как только [Н1646.0]; Ничего иного не остается, как только [Н1767.0]; Того или иного размера [Т353.0]; Того или иного рода [Т354.0]

**иной:** Аналогичный..., но с несколько иными [А135.0], Благодаря тем или иным его достоинствам [Б 114.0]; Быть иным [Б308.0]; В каком-либо ином отношении [В302.0]; В той или иное время [В71.0]; В той или иной форме [В736.0]; В том или ином направлении [В238.0]; Воспользоваться несколько иным подходом [В1420.0]; Иной, чем [И567.0], Иной, чем в [И568.0]; Иными словами [И569.0], Какой-либо иной [К161.0]; Картина может оказаться иной [К188.0]; Никто иной, как сам [Н1763.0]; Ничто иное, как [Н 1778.0]; Обнаруживать в той или иной степени [О129.0]; Обусловлено ли ... или чем-нибудь иным, например [О275.0]; По той или иной причине [П447.0]; Положение совершенно иное [П1103.0]; Представлять собой не что иное, как [П1875.0]; Принцип совершенно иной [П2466.0]; Совершенно иная ситуация [С823.0]; Совершенно иной по сравнению [С824.0]; Ставить своей целью не что иное, как [С 1364.0]; Те или иные [Т361.0]

**инспектирование:** [И570.0]

**инспектирующий:** Проверка измерительных приборов инспекторскими органами [П2620.0]; Сведения о результатах проверки инспекторскими и проверяющими лицами [С269.0]

**инспекционный:** Инспекционный орган [И571.0]

**инструктаж:** Начальный инструктаж по технике безопасности [Н709.0]; Проходить специальный инструктаж [П3011.0]; Регулярный инструктаж [Р621.0]

**инструкция:** Вносить изменения и уточнения в инструкцию [В1219.0]; Временная инструкция [В 1515.0]; Должностная инструкция [Д591.0]; Изделие ... подвергнуто консервации на... согласно требованиям, предусмотренным инструкцией по эксплуатации [И215.0]; Изделие... упаковано на... согласно требованиям, предусмотренным инструкцией по эксплуатации [И218.0]; Инст-

рукция по заполнению формуляра и контролю за его ведением [И573.0]; Инструкция по консервации [И574.0]; Инструкция по монтажу [И575.0]; Инструкция по применению [И576.0]; Инструкция по техническому обслуживанию [И577.0]; Инструкция по уходу и ремонту [И578.0]; Инструкция по эксплуатации [И579.0]; Инструкция, упакованная вместе с [И580.0]; Монтаж, отладку и опробование производить в строгом соответствии с рекомендациями, изложенными в инструкции по эксплуатации [М249.0]; Описывать в технической инструкции [О778.0]; Постоянно действующая инструкция [П1474.0]; Согласно инструкции [С907.0]; Согласно инструкции изготовителя [С908.0]; Условия хранения должны соответствовать требованиям, изложенным в описании и инструкции по эксплуатации изделия [У403.0]

**инструмент:** Ведомость запасных частей, инструмента и принадлежностей [В872.0]; Запасные части, инструмент, принадлежности, материалы [З379.0]; Заявка на инструмент [З552.0]; Инструмент и принадлежности [И581.0]; Инструменты и приспособления [И582.0]; Мощный инструмент исследования [М397.0]; Набор инструментов [Н229.0]; Приборы, инструмент, приспособления и материалы, необходимые для выполнения работы [П2195.0]; Принадлежности и инструмент [П2405.0]

**инструментальный:** Инструментальная кладовая [И583.0]

**интеграл:** Вычислять интеграл [В2054.0]; Интеграл от [И584.0]

**интегрирование:** Интегрирование в пределах от... до [И585.0]; Интегрирование по времени [И587.0]; Интегрирование по частям [И588.0]; Интегрирование уравнения в пределах от... до [И586.0]; Пределы интегрирования [П1717.0]

**интеллектуальный:** Права на интеллектуальную собственность [П 1600.0]

**интенсивно:** Интенсивно трудиться [И590.0]

**интенсивность:** [И591.0, И592.0, И593.0, И594.0]

**интенсивный:** Стать предметом интенсивного и тщательного изучения [С1410.0]

**интенсификация:** [И595.0, И596.0]

**интервал:** В течение интервала времени [В696.0]; Интервал времени [И598.0]; Интервал между [И599.0]; Интервал между техническими обслуживаниями [И600.0]; Месячный интервал [М 153.0]; Наборный экземпляр рукописи напечатанный на машинке через... интервала [Н232.0]; Напечатанный через ... интервала [Н457.0]; Напечатать через один интервал [Н456.0]; С интервалом (С16.0, С20.0); С большим интервалом (С21.0); С заданными интервалами [С23.0]; С интервалом ... месяцев [С18.0, С19.0]; С интервалом 1 минута [С17.0]; С

меньшим интервалом [С22.0]; Увеличивать интервалы [У60.0]; Через очень короткие интервалы времени [469.0]  
**интерес:** Больше не представляет интереса [В216.0]; В диапазоне размеров, представляющих интерес для данного исследования [В98.0]; В интересах безопасности [В 131.0];

В интересах как... так и [В132.0]; В интересах торговли (В133.0); В последнее время возродился интерес к использованию [В61.0];

Возбуждать интерес к (В 1254.0); Возобновился интерес к [В1354.0]; Возобновлять интерес к [В1353.0]; Возрождать интерес к [В1369.0]; Вряд ли представляет большой интерес [В 1557.0]; Второстепенный интерес

[В1660.0]; Вызывать интерес [В1806.0]; Вызывать большой интерес [В 1807.0]; Вызывать наибольший интерес [В1808.0]; Глубокий интерес к [Г61.0]; Для большинства, представляющих практический интерес случаев [Д391.0]; Для нас представляет интерес [Д356.0]; Задевать интерес [З180.0]; Интерес в отдельных случаях представляет [И602.0]; Интерес к ... упал [ИБ03.0]; Интерес, проявленный к [И604.0]; Неослабевающий интерес [И1453.0]; Область, представляющая большой интерес в настоящее время [0100.0]; Особый интерес представляют [01064.0]; Поблагодарить за неослабный интерес и поддержку [П520.0]; Повышать интерес к [П585.0]; Почувствовать интерес к [П1569.0]; Практический интерес [П1666.0];

Представлять интерес [П1845.0]; Представлять в основном академический интерес [П1847.0]; Представлять интерес только для [П1846.0]; Представлять интересы [П1851.0];

Представлять практический интерес [П1849.0]; Представлять собой только академический интерес [П1848.0]; Представляют интерес два случая, а именно [П 1850.0]; Представляющий интерес [П 1861.0]; Представляющий временный интерес [П1865.0]; Представляющий интерес в настоящее время [П1862.0]; Представляющий интерес для [П1863.0]; Представляющий интерес только для посвященных [П1864.0]; Представляющий наибольший интерес [П1866.0]; Представляющий не меньший интерес, чем [П1867.0]; Представляющий постоянный интерес [П 1868.0]; Представляющий практический интерес [П1869.0]; Прививать интерес к [П2198.0]; Приобретать интерес [П2480.0]; Приобретать не столько практический, сколько академический интерес [П2481.0]; Пробуждать интерес к [П2610.0]; Проявлять интерес к [П3044.0]; Проявление интереса к [П3039.0]; Ради интереса [Р142.0];

Растет интерес к [Р520.0]; С интересом выслушать [С24.0]; Случай, представляющий практический интерес [С709.0]; Спо-

собствовать повышению интереса к ним [С1230.0]; Там, где это представляет интерес [Т113.0]; У ... отсутствует большой интерес к [У9.0]; Эти вопросы представляют общий интерес [Э211.0]

**интересно:** Было бы интересно получить ваши соображения по этому вопросу [Б378.0];

Было бы интересно узнать мнение авторов по этому вопросу [Б379.0]; Для начала интересно рассмотреть [Д359.0]; Довольно интересно, что [Д503.0]; Интересно было бы рассмотреть и (И614.0); Интересно отметить, что [И612.0]; Интересно рассмотреть [И613.0]; Интересно, что [И615.0]; Интересно, что если [И616.0]; Интересно, что хотя [И617.0]; Особенно интересно отметить [01039.0]

**интересный:** Анализ ... позволяет сделать несколько интересных выводов [А109.0]; В качестве интересного побочного результата укажем, что [В142.0]; Давать довольно интересные результаты [Д54.0]; Иметь интересное последствие [И430.0]; Интересен не только с точки зрения [И609.0]; Интересен сам по себе [И610.0]; Интересная особенность [И608.0]; Интересный момент [И606.0]; Интересный результат [И607.0]; Наиболее интересные результаты [Н319.0]; Один из интересных результатов [0511.0]; Особенно интересен тем, что [01038.0]; Открывать интересные возможности [01360.0]; Очень интересные результаты [01662.0]; Позволяет обнаружить некоторые интересные обстоятельства [П914.0]; Приводить к ряду интересных [П2240.0]; Самое интересное то, что [С230.0]

**интересовать:** В настоящей работе нас интересуют [В430.0]; В основном интересуется [В280.0]; Вопрос, который интересует многих [В1398.0]; Нас интересовало, будут ли [Н403.0]; Нас интересуется исключительно случай [Н404.0]

**интересоваться:** [И618.0]; Глубоко интересоваться [Г65.0]

**интересующий:** В интересующем нас диапазоне [В103.0]; Интересующий нас [И619.0];

Интересующий нас в первую очередь [И620.0]

**интерполяция:** Линейная интерполяция [Л51.0]

**интуитивно:** Интуитивно казалось бы, что [И624.0]; Интуитивно чувствовалось [И626.0];

Интуитивно чувствовать [И625.0]; Чисто интуитивно [4105.0]

**интуитивный:** Интуитивное обоснование [И622.0]; Интуитивные доказательства [И623.0]; Интуитивный подход к [И621.0]

**информационный:** Информационный бюллетень [И636.0]; Информационный поиск [И637.0]; Полезный с информационной точки зрения [П1019.0]

**информация:** Априорная информация о... [A155.0]; Богатый информацией [B150.0]; Важная информация [B790.0]; Важная для конструкторов информация [B791.0]; Вся информация содержится в [B959.0]; Давать информацию [D18.0]; Давать довольно большую информацию [D20.0]; Давать информацию о [D19.0]; Давать необходимую информацию о [D21.0]; Давать непосредственную информацию о [D22.0]; Для полноты информации [D380.0]; Дополнительная информация о [D629.0]; Достоверная информация [D735.0]; За дополнительной информацией обращайтесь к [314.0]; Значительный объем информации [3637.0]; Изучать литературу в поисках информации [I327.0]; Имеющаяся информация [I529.0]; Информация о [I629.0]; Информацию о порядке заказа можно получить по телефону (I635.0); Информация из первых рук [I628.0]; Информация, получаемая из [I630.0]; Информация, полученная в [I631.0]; Информация, полученная от [I632.0]; Информация содержится в [I633.0]; Информация такого рода [I634.0]; Использовать информацию строго конфиденциально [I702.0]; Источник информации [I813.0]; Исчерпывающая информация о [I848.0]; Минимальный объем информации [M177.0]; Наиболее ценная информация [H338.0]; Не давать информации [H814.0]; Не давать какой-либо информации о [H815.0]; Нельзя получить существенной информации [H1330.0]; Но можно получить еще и дополнительную информацию [H1800.0]; Обращаться за информацией по телефону или факсу [0224.0]; Обширная информация [0295.0]; Поиск информации [P944.0]; Получать информацию [P1145.0]; Предварительная информация [P1706.0]; Распространение информации [P435.0]; Расчет по методу ... начинается со сбора информации по [P550.0]; Совершенно секретная информация [C843.0]; Содержать информацию [C942.0]; Содержать много полезной технической информации [C943.0]; Ценная информация [Ц37.0]; Широкое освещение средствами массовой информации [Ш16.0]

**информировать:** Информировать о [I638.0]

**иск:** Иск о возмещении убытков [I640.0]; Иск о нарушении патентных прав [I641.0]; Предъявлять иск [П1932.0]; Предъявлять встречный иск [П1933.0]

**искажение:** Вносить искажение в [B1220.0]

**искаженный:** В искаженном виде [B20.0]

**искать:** Искать компромисс между [I643.0]; Искать неисправность в [I644.0]; Искать причину [I645.0]; Искать пути [I646.0, I647.0]; Искать решение для [I648.0]; Искать решение проблемы [I649.0]; Причину нужно искать в [П2587.0]

**исключать:** Временно исключить из рассмотрения [B1523.0]; Если исключить непредвиденные обстоятельства [E55.0]; Исключать влияние [I651.0]; Исключать возможность [I652.0]; Исключать действия [I653.0]; Исключать из рассмотрения [I654.0]; Исключать из дальнейшего рассмотрения [I655.0]; Исключать из числа возможных [I657.0]; Исключать из числа их возможных источников [I658.0]; Исключать из числа рассматриваемых вариантов [I659.0]; Исключать опасность [I660.0]; Исключать какую бы то ни было опасность [I661.0]; Исключать полностью [I663.0]; Исключать практически опасность ошибки [I662.0]; Исключать такой фактор как [I664.0]; Исключая из рассмотрения [I656.0]; Не исключена опасность [H890.0]; Не исключена также возможность [H891.0]; Нельзя исключить возможность того, что [H1314.0]; Позволяет исключить из рассмотрения [P1910.0]; Соответствие настоящему стандарту не исключает [C1011.0]; Это не исключает возможности использования [Э 149.0]

**исключаться:** Автоматически исключаться [A66.0]; Исключаться с самого начала [I665.0]

**исключение:** Без исключения [Б 19.0]; Без каких-либо изменений, за исключением [B22.0]; В порядке исключения [B364.0]; Во всем диапазоне, за исключением его границ [B 101.0]; Во всех случаях, за исключением [B564.0]; Возможно, что некоторым исключением являются [B1310.0]; Все без исключения [B999.0]; Все ... без исключения ... нуждаются в [B1000.0]; Все... за исключением [B 1004.0]; Всюду, за исключением [B1650.0]; Единственное исключение [E18.0]; За исключением [316.0]; За исключением одного серьезного отличия [317.0]; За исключением особо оговоренных (318.0); За исключением случаев [321.0]; За исключением особо указанных случаев [326.0]; За исключением особо упомянутых случаев [327.0]; За исключением случаев, в которых [322.0]; За исключением случаев, когда [323.0]; За исключением случаев, оговоренных особо [324.0]; За исключением случаев, предусмотренных пунктом 2.5 [328.0]; За исключением случаев, указанных на чертежах [325.0]; За исключением случая [319.0]; За исключением случая, когда [320.0]; За исключением того, что [329.0]; За небольшим исключением [330.0]; Исключение делается в отношении [I667.0]; Исключение из правила [I668.0]; Исключение из уравнения [I669.0]; Исключение из этого [I670.0]; Исключение составляли, пожалуй [I672.0]; Исключение составляют [I671.0]; Каждый без исключения [K29.0]; Не яв-

ляться исключением в этом отношении [Н1150.0]; Никаких исключений не допускается [Н1743.0]; Обработать кругом за исключением [0184.0]; Почти без исключения [П1543.0]; Радиусы за исключением указанных [Р145.0]; Распространяется на все..., за исключением тех, которые [Р443.0]; Симметрично относительно осевой линии за исключением указанного [С485.0]; Скорее правило, чем исключение [С538.0]; Являться исключением [Я17.0]

**исключено;** Из этого следует, что не исключено существование [И143.0]; Не исключено, что [Н892.0]; По-видимому, не исключено [П339.0]; Хотя и не исключено, что [Х97.0]

**исключительно:** Исключительно за счет [И674.0]; Исключительно надежная работа [И675.0]; Исключительно хороший [И676.0];

Использоваться исключительно для [И725.0];

Когда-то были исключительно областью применения [К240.0]; Нас интересует исключительно случай [Н404.0]; Основываться исключительно на [01021.0]; Полагаться исключительно на [П1010.0]; Посвященный исключительно [П 1345.0]; Почти исключительно [П1551.0]; Свойственно исключительно [С342.0]

**исключительный:** Лишь в исключительных случаях [Л83.0]

**искомый:** [И677.0, И678.0]

**искусность:** [И679.0]

**искусственно:** [И680.0]; Вызывать искусственно [В 1809.0]

**искушение:** Испытывают обычно искушение [И766.0]; Не поддаваться искушению [Н977.0]; Появляется искушение [П1592.0]; У... может появиться искушение (У4.0)

**исполнение:** Иметь полностью тропическое исполнение [И402.0]; Контроль за исполнением [К356.0]; Контроль сроков исполнения [К361.0]; Обычного исполнения [0398.0];

Тропическое исполнение (Т471.0); Шкаф защищенного исполнения [Ш31.0]

**исполнительный:** Исполнительный механизм [И681.0]

**использование:** Аналогичное использование [А131.0]; Без использования [Б20.0]; Борьба путем использования [Б259.0]; В обязанности подрядчика входит использование (В267.0); В периоды между использованиями хранить в закрытых контейнерах [В334.0];

В последнее время возродился интерес к использованию [В61.0]; Внедрять использование ... на отдельных [В1189.0]; Вносит не меньшую путаницу, чем использование [В1234.0]; Возможности использования [В1325.0]; Выигрыш от использования [В1844.0]; Диапазон предполагаемого использования [Д286.0]; Для использования [Д346.0]; Для повторного использования

[Д347.0]; Для последующего использования [Д348.0]; Доведение изобретения до практического использования [Д487.0]; Запатентовать использование в [З380.0]; Запрещать использование [З408.0]; Идеален для использования в [И99.0]; Использование ... не приводит к значительному улучшению [И687.0]; Использование в больших масштабах [И683.0]; Использование вместо [И684.0]; Использование вызвано желанием [И685.0]; Использование выражения для ... оправдано потому, что [И686.0]; Использование неудачно [И688.0]; Использование одной общей кривой [И689.0]; Использование посторонними лицами [И690.0]; Использование ... привело бы к [И691.0]; Использованию не подлежат [И692.0]; Как при использовании ..., так и без него [К124.0]; Контроль за правильным использованием [К357.0]; Многократное использование [М219.0]; Недостаток использования [Н1202.0]; Некоторые из трудностей, которые могут возникнуть при использовании [Н1300.0]; Некритический подход к использованию [Н1303.0]; Неосторожное использование [Н1454.0]; Непригодный для использования [Н1538.0]; Непригодный для практического использования [Н1539.0]; Область использования [095.0]; Ограничиваться лишь случаями использования [0468.0]; Определять порядок использования [0829.0]; Перед использованием [П85.0]; Планируется ли какая-либо дальнейшая работа с использованием... [П285.0]; По мере использования [П388.0]; Повторное использование при строительстве [П583.0]; Полная свобода действий в области использования [П1082.0]; Последующее использование [П1419.0]; Появилась заметная тенденция к использованию [П1594.0]; Предназначаться специально для использования при [П1750.0]; Предполагаемое использование [П1800.0]; Преимущество использования ... состоит в том, что [П 1975.0]; Преимущество, получаемое в результате использования [П1977.0]; Прекращать использование [П1988.0]; При использовании [П2081.0, П2083.0]; При использовании таких координат [П2082.0]; При условии правильного использования [П2151.0]; Пригоден для использования согласно условиям [П2281.0]; Пригодность для практического использования [П2268.0]; Пригодный для использования в космических условиях [П2274.0]; Пригодный для непосредственного использования [П2275.0]; Пригодный для практического использования [П2277.0]; Принципы, лежащие в основе использования [П2463.0]; Промышленное использование [П2852.0]; Рассматривать возможность ис-

пользования [P457.0]; Рассматривая возможность использования [P477.0]; Реальные возможности использования [P594.0]; С использованием [C25.0]; С теми же самыми проблемами приходится сталкиваться при использовании [C119.0]; Сделать непригодным для дальнейшего использования [C397.0]; Слишком необычный для практического использования [C653.0]; Требовать использования [T436.0]; Упорно противиться использованию [У325.0]; Характер использования [X4.0]; Чтобы внести ясность в использовании термина [4176.0]; Это не исключает возможности использования [Э 149.0]

**использованный:** Выбросить использованный [В1724.0]; Использован для изготовления [И710.0]; Материалы использованные при экспертизе заявки [M69.0]; Могут быть использованы повторно [M260.0]; Может быть использована для [M316.0]; Так что в общей сложности было использовано [T42.0]

**использовать:** Безразлично, что использовать (Б79.0); Вместо ... можно использовать [В1159.0]; Выгодно использовать [В1763.0]; Возможность выгодно использовать [В1319.0]; Голословно использовать в качестве доказательства [Г86.0]; Давать право использовать [Д35.0]; Достаточно использовать [Д685.0]; Если мы хотим использовать его с уверенностью [Е133.0]; Желательно использовать [Ж5.0]; Заманчиво использовать (3272.0); Запрещается использовать [3409.0]; Использовать для многих целей (И700.0); Использовать в качестве [И694.0]; Использовать в качестве основы [И695.0]; Использовать в практике проектирования [И696.0]; Использовать вместо [И697.0]; Использовать возможность [И698.0]; Использовать все его возможности [И699.0]; Использовать для разных целей [И701.0]; Использовать информацию строго конфиденциально [И702.0]; Использовать одинаковую систему обозначений [И703.0]; Использовать по назначению [И705.0]; Использовать повторно [И704.0]; Использовать поразному [И706.0]; Использовать принцип [И707.0]; Использовать с выгодой [И708.0]; Использовать совместно с [И709.0]; Которые можно было сразу же использовать в [К424.0]; Который следует использовать при [К419.0]; Максимально использовать [M7.0]; Не использовать для [Н894.0]; Не позволяют использовать [Н994.0]; Не рекомендуется использовать [Н1058.0]; Не следует использовать для [Н1069.0]; Нельзя использовать где-либо еще [Н1315.0]; Обычно используют [0407.0]; Очень хорошо использовать для этого [01675.0]; Первым использовал [П66.0]; Позволяет использовать [П911.0];

Позволяет использовать способность

[П912.0]; Полезно учесть влияние ..., используя [П1014.0]; Полностью использовать возможности [П 1043.0]; Полностью использовать преимущества [П1044.0]; Поэтому для того, чтобы ... требовалось использовать [П1579.0]; Приходится использовать [П2557.0]; Разрешается использовать только [P318.0]; Результаты можно без изменения использовать в случае [P648.0]; Следует использовать в максимальной степени [С604.0]; Чтобы можно было использовать ..., необходимо знать [4189.0]

**использоваться:** Аналогичный... используется в случае [А134.0]; В настоящее время используются [В49.0]; В основном... используются в [В281.0]; Вселять уверенность в том, что в будущем для ... будет использоваться [В 1576.0]; Для этого использовался [Д426.0]; Довольно широко используется [Д520.0]; Использовались и используются [И733.0]; Использоваться в качестве [И716.0]; Использоваться в том же значении, что и [И718.0]; Использоваться в умеренной степени [И719.0]; Использоваться вместо [И717.0]; Использоваться главным образом в [И720.0]; Использоваться для [И721.0]; Использоваться для предотвращения пожара [И722.0]; Использоваться для привода [И723.0]; Использоваться до настоящего времени [И724.0]; Использоваться исключительно для [И725.0]; Использоваться наравне с [И726.0]; Использоваться повседневно [И727.0]; Использоваться почти на пределе возможностей [И728.0]; Использоваться совместно [И729.0]; Используется [И730.0]; Используется определение [И731.0]; Используются только [И732.0]; Наиболее часто используются (Н341.0); Не использовался [Н893.0]; Непосредственно использовался [Н1480.0]; Повсеместно использоваться [П564.0]; Повсеместно используются инженерами [П565.0]; Постоянно использоваться [П1475.0]; Что именно используется, зависит от [4140.0]; Широко использоваться [Ш21.0]; Широко используется с тех пор [Ш22.0]

**используемый:** В значении, используемом [В 125.0]; Используемый в настоящее время [И711.0]; Используемый для борьбы с [И712.0]; Используемый ... представлял собой [И713.0]; Используемый при [И714.0]; Наиболее широко используемый [Н343.0]; Обычно используемый [0406.0]

**использующийся:** Использувавшийся [И734.0]

**испортить:** Испортить всю работу [И736.0];

Не бойтесь испортить [Н751.0]

**исправление:** Если эти меры не приводят к исправлению неисправности [Е176.0]; Исправление документа [И738.0]; Причина отказа и исправление — [П2583.0]

**исправленный:** Исправленный пункт документа [И742.0]

**исправлять:** Исправить положение можно [И741.0]; Нельзя было исправить [Н1310.0]; Исправлять положение [И740.0]

**исправный:** В исправном состоянии [В617.0]; Гарантировать исправную работу в течение одного года со дня [Г16.0]; Исправен [И744.0]; Исправный [И743.0]; Исправное состояние [И745.0] •

**испрашивать:** Испрашивать согласие [И746.0]

**испытание:** Акт приемосдаточных испытаний [А91.0]; Акт технического испытания [А93.0]; Аттестационное испытание [А167.0]; Во время испытаний [В34.0]; Всестороннее испытание [В 1585.0]; Выдерживать испытание временем [В1793.0]; Выдерживать испытания [В1792.0]; Выключить из работы на время испытания [В1846.0]; Гарантийные испытания [Г12.0]; Данные, полученные ранее в эксплуатационных испытаниях [Д117.0]; Доводочные испытания [Д497.0]; Зависеть от результатов испытаний [З98.0]; Заводские испытания [З121.0]; Заводские испытания в присутствии представителя заказчика [З122.0]; Затруднять проведение испытаний [З499.0]; Испытание модели [И748.0]; Испытание на износ [И749.0]; Испытание на патентоспособность [И750.0]; Испытание на растяжение [И751.0]; Испытание проведено в присутствии представителя [И752.0]; Испытания в отсутствие представителя заказчика [И753.0]; Испытания показали, что [И754.0]; Испытания, проверка и приемка после ремонта [И755.0]; Контрольные испытания [К365.0]; Лабораторные испытания [Л4.0]; Наладочные испытания [Н385.0]; Натурные испытания [Н585.0]; Не пройти приемочные испытания [Н1041.0]; Организации, участвующие в испытаниях [О904.0]; Осмотр после окончания испытания [О942.0]; Отборочные испытания [О1209.0]; Планируется испытание [П284.0]; По мере выполнения программы испытаний [П387.0]; По окончании испытания [П424.0]; Подлинным испытанием для ... является [П748.0]; Послеремонтные испытания, проверка и приемка [П1423.0]; Прекращать испытания [П1989.0]; Приемочное испытание [П2310.0]; Присутствовать при испытании [П2541.0]; Проведение испытаний [П2615.0]; Проведение испытаний запланировано на [П2616.0]; Проводить испытания [П2674.0]; Проводить приемочные испытания [П2675.0]; Программа испытаний [П2706.0]; Программа и методика испытаний [П2705.0]; Протокол испытаний [П2986.0]; Проходить испытания [П3002.0]; Растягивать испытания более, чем на [Р525.0]; Результаты сдаточных испытаний

[Р659.0]; Усовершенствования, показавшие хорошие результаты при лабораторных испытаниях, в практических условиях часто оказывались непригодными [У418.0]; Успешно прошел испытания [У435.0]; Эксплуатационные испытания [Э54.0]; Этап испытаний [Э95.0]

**испытанный:** (И771.0); Испытан согласно принятой методике [И772.0]; Самый ... из всех испытанных [С216.0]

**испытательный:** Испытательный срок [И767.0]; Проектные, построечные и испытательные данные [П2777.0]

**испытуемый;** [И769.0]

**испытываемый:** Испытываемый образец [И770.0]

**испытывать:** Испытывать большую потребность в [И757.0]; Испытывать в (И758.0);

Испытывать в присутствии [И760.0]; Испытывать влияние [И759.0]; Испытывать давление со всех сторон [И761.0]; Испытывать до разрушения [И762.0]; Испытывать затруднения, пытаюсь [И763.0]; Испытывать огромные трудности [И764.0]; Испытывать те же трудности [И765.0]; Испытывают обычно искушение [И766.0]; Наибольшее влияние, как можно видеть, испытывает ..., затем ... и наконец [Н349.0]; Спроектировать, изготовить и испытать в [С 1258.0]

**исследование:** Благодаря симметрии можно ограничиться исследованием только... [Б112.0]; В диапазоне размеров, представляющих интерес для данного исследования [В98.0]; В настоящее время проводится дополнительное исследование [В58.0]; В настоящем исследовании внимание сосредоточено на [В134.0]; В нашу задачу не входило исследование [В250.0]; В предыдущих исследованиях была сделана попытка [В 135.0]; В такого рода исследовании трудно ожидать большой точности [В136.0]; В течение всего исследования [В690.0]; Вопрос нуждается в дополнительном исследовании [В1400.0]; Вопрос, заслуживающий исследования [В1395.0]; Впервые в подобного рода исследованиях [В1451.0]; Всестороннее исследование [В1586.0]; Вызывать рост количества исследований [В1821.0]; Глубокое исследование [Г63.0]; Дальнейшие исследования могли бы быть продолжены по двум направлениям (Д107.0); Для выяснения причин необходимо дополнительное исследование (Д336.0); Для изучения этого вопроса необходимы дальнейшие исследования [Д344.0]; Заслуживать исследования [З449.0]; Заслуживать подробного исследования [З450.0]; Заслуживать продолжения исследования [З451.0]; Заслуживающий исследования [З464.0];

Известен своими исследованиями [И173.0];

Имеющий прямое отношение к настоящему исследованию [И513.0]; Исследование ведется по многим направлениям [И774.0]; Исследование влияния [И775.0]; Исследование корней уравнения [И777.0]; Исследование на маломасштабной модели [И778.0]; Исследование оказалось более трудным [И779.0]; Исследование патентной чистоты изделия [И780.0]; Исследования по нескольким направлениям [И781.0]; Исследование решения [И782.0]; Исследование срока действия патента [И776.0]; Исследование уровня техники [И783.0]; Исследования будут продолжены [И784.0]; Исследования в продолжение описываемой работы [И785.0]; Исследования, выполненные [И786.0]; Исследования с металлографическим уклоном [И787.0]; Капитальное теоретическое исследование [К177.0]; Конкретные выводы из исследования [К322.0]; Металлографическое исследование [М154.0]; Мощный инструмент исследования [М397.0]; На основании результатов нашего исследования можно сделать следующие основные выводы [Н85.0]; Нам не удалось обнаружить ни одной опубликованной работы по теме нашего исследования [Н399.0]; Направление исследований [Н469.0]; Направление дальнейших исследований [Н470.0]; Наше исследование преследовало две цели [Н738.0]; Необходимы дальнейшие исследования в этой области [Н 1423.0]; Непрерывные исследования [Н 1518.0]; Нуждаться в дополнительном исследовании [Н1881.0]; Нуждаться в тщательном дополнительном исследовании [Н1882.0]; Область плодотворных исследований [099.0]; Облегчать исследования [0107.0]; Обширные исследования [0297.0]; Одной из целей исследования было получение [0534.0]; Особенно широкое исследование [01052.0]; Открывать новое поле для исследований (01363.0); Отчет об исследовании [01587.0]; Параметрическое исследование [П24.0]; Перспективные исследования [П256.0]; Побудили нас провести настоящее исследование [П528.0]; Повод для исследования [П540.0]; Поддаваться качественному исследованию [П704.0]; Поисковые исследования [П949.0]; Положение дел в области исследования [П1094.0]; Получать в результате исследования [П1128.0]; Послужить толчком для исследований [П1426.0]; Предварительные исследования [П1708.0]; Предмет исследований [П 1743.0]; Предмет исследования в работе [П1744.0]; Предпроектные исследования [П1827.0]; Предшествующие исследования [П1931.0]; Проводить исследования [П2676.0]; Проводить

аналогичные исследования [П2677.0]; Проводить исследования своими силами [П2678.0]; Продолжающееся в настоящее время исследование [П2749.0]; Работы, наиболее близкие к нашему исследованию [Р35.0]; Распространение исследования на [Р436.0]; Рассматривать настоящую работу как часть более широкого исследования [Р466.0]; Стать предметом дальнейших исследований [С1409.0]; Тема исследования [Т138.0]; Теоретическое исследование [Т159.0]; Технично-экономическое исследование [Т215.0]; Только первый шаг исследования [Т311.0]; Тщательное исследование [Т508.0]; Уместно распространить исследования и на другие [У288.0]; Уточнять результаты исследования с помощью более новых данных [У573.0]; Финансировать исследования [Ф34.0]; Фрактографическое исследование [Ф55.0]; Хотя исследованиями еще не установлено [Х100.0]; Хотя по исследованиям ... существует обширная литература [Х106.0]; Цель исследования [Ц20.0]; Что касается предположения о ..., то последующие исследования его не подтвердили [4145.0]; Экспериментально-теоретическое исследование [Э39.0]; Это исследование — только начало [Э138.0]; Являться темой многих исследований [Я33.0]; Являться темой многочисленных исследований [Я34.0]

**исследованный:** В исследованном диапазоне [В104.0]; Исследованный диапазон [И802.0];

Исследованный нами в данной работе [И803.0]; Пока мало исследован теоретически [П959.0]; Полностью еще не исследован [П1038.0]

**исследователь:** Исследователи в области [И789.0]; Исследователи, занимающиеся изучением [И790.0]; Как это было показано ранее другими исследователями [К108.0]; Привлекать все большее внимание исследователей [П2201.0]; Такое расхождение неудивительно, если учесть трудности, которые исследователи встречают при [Т74.0]

**исследовательский:** Исследовательская группа [И791.0]; Исследовательская деятельность приняла такой размах, что [И792.0]; Исследовательская работа, посвященная [И793.0]

**исследовать:** Исследовать более глубоко [И795.0]; Исследовать более подробно [И796.0]; Исследовать возможности [И798.0]; Исследовать вопрос [И799.0]; Исследовать на [И800.0]; Исследуем теперь [И801.0]; Предложение исследовать [П 1738.0]; Тщательно исследовать все возможные [Т510.0]

**исследоваться:** Последним исследовался [П1398.0]

**исследуемый:** В исследуемом случае [B530.0];

Исследуемый вариант [I805.0]

**иссякать:** [I806.0]

**истекать:** Гарантийный срок службы еще не истек [Г9.0]

**истекший:** В истекшем году [B427.0]

**истечение:** Дата истечения срока более ранних по приоритету патентов [D125.0]; Дата истечения срока действия патента [D126.0]; По истечении [П374.0]; По истечении ... минут (П376.0); По истечении достаточно длительного времени [П375.0]; По истечении некоторого длительного периода времени [П377.0]; По истечении периода [П378.0]; По истечении этого времени [П380.0]; По истечении этого периода [П379.0]; После истечения гарантийного срока [П 1357.0]; Через ... дней после истечения [465.0]

**истина:** Более близко к истине, когда [B155.0];

Общеизвестная истина [O300.0]

**истинно:** [I807.0]

**истинный:** Занижен по сравнению с истинным значением [3321.0]; Истинная причина [I809.0]

**истолкование:** Ошибочное истолкование [O1699.0]

**исторически:** Чисто исторически сложилось так, что [4106.0]

**исторический:** Определять историческое значение [O820.0]

**история:** Веха в истории развития [B1037.0]; История насчитывает более ... лет [I810.0]; Поворотный момент в истории [П554.0]; Проследить историю развития [П2906.0]

**источник:** Аварийный источник питания [A58.0]; Авторитетный источник [A79.0]; Внешний источник питания [B 1195.0]; Данные других источников [D109.0]; Исключать из числа их возможных источников [I658.0]; Источник информации [I813.0]; Источник ошибок [I811.0]; Источник питания [I812.0]; Обращаться к источникам [O230.0]; Полученные из разных источников [П1196.0]; Работать с источниками [P75.0]; Хранить вдали от источников тепла и предохранять от огня и прямого воздействия солнечных лучей [X121.0]

**истощаться:** Запасы истощаются [3376.0]

**истощение:** До истощения [D444.0]

**исходить:** [I814.0]; Исходить из предположения, что [I815.0]; Принципы, из которых исходили при [П2461.0]

**исходный:** В исходном положении [B352.0]; В исходном случае [B531.0]; В исходном состоянии [B618.0]; Вернуть прерыватель в исходное положение [B900.0]; Вернуться к исходному состоянию [B902.0]; Возврат к

исходному [B1261.0]; Возвращать в исходное положение [B1265.0]; Возвращаться в исходное положение [B1272.0]; Исходное значение [I832.0]; Исходные данные [I833.0]; Исходные данные для [I834.0]; Исходные справочные данные [I835.0]; Исходные условия [I836.0]; Исходный случай [I831.0]; Оставлять в исходном положении [O1131.0]; Относительно исходного значения для [O1432.0]; Повернуть в исходное положение [П545.0]

**исходя:** Выбор был сделан, исходя из [B1708.0];

Исходя из [I816.0]; Исходя из всего этого [I827.0]; Исходя из геометрических соотношений для [I817.0]; Исходя из ... можно утверждать, что [I818.0]; Исходя из одних только [I819.0]; Исходя из сегодняшнего уровня знаний [I820.0]; Исходя из сегодняшних представлений [I822.0]; Исходя из соображений [I821.0]; Исходя из того, насколько [I823.0]; Исходя из условия, что [I824.0]; Исходя из этих данных можно сделать следующие выводы [I825.0]; Исходя из этого [I826.0]; Исходя лишь из [I828.0]; Определяли раньше исходя из [O839.0]; Рассчитывать исходя из теоретических положений [P508.0]

**исходящий:** Исходящий номер [I837.0]; На Ваш исходящий [H9.0]

**исчезать:** Всякое подобие... исчезает [B1654.0];

Если неисправность не исчезла [E155.0]; Исчезать навсегда [I839.0]; Исчезают сами по себе [I840.0]; Проблема должна исчезнуть [П2599.0]

**исчезающе:** Исчезающе малый [I841.0]

**исчезновение:** [I842.0]

**исчерпывать:** Исчерпывать возможности [I843.0]; Исчерпывать все возможности [I844.0]

**исчерпывающий:** Исчерпывающая информация о [I848.0]; Исчерпывающий обзор [I846.0]; Исчерпывающий перечень [I847.0]; Перечень не является исчерпывающим [П212.0]; Перечень тем не является исчерпывающим [П213.0]; Приведен с целью иллюстрации и не является исчерпывающим [П2258.0]

**исчисляться:** Срок должен исчисляться со дня получения [C1331.0]

**итог:** Получаемый в конечном итоге [П1187.0]

**итога:** Итого с начала эксплуатации [I851.0];

Итого цена, фоб завод, США, без экспортной упаковки [I849.0]; Итого цена, фоб североамериканский порт, экспортная упаковка, океанский фрахт [I850.0]

**итоговый:** Итоговый учет работы по [I852.0]

**июль:** Дата подачи полного описания изобретения 15 июля 1970 г. [D132.0]; Заявка подана в Австралии ... июля [3558.0]



# К

**кабель:** Номер кабеля и куда идет [Н1841.0]; Обрыв кабеля цепи управления [0249.0]; Отсоединить кабель [01525.0]; Плохой контакт или неправильное соединение кабелей [П311.0]

**кабельный:** Трубопроводная и кабельная обвязка [Т472.0]

**кавычки:** [К24.0]; Заключать в кавычки [3236.0]

**кадры:** Научно-технические кадры [Н599.0]; Подбор кадров [П649.0]

**каждодневные:** Каждодневные дела [К26.0]; Каждодневные нужды [К27.0]

**каждый:** В каждой графе [В137.0]; В каждом случае [В532.0]; В каждом таком случае [В533.0]; В каждый из ... помещали по одному [В 138.0]; В каждый момент времени [В215.0]; Для каждого из [Д349.0]; Заменять каждые полгода [3281.0]; Защищать при каждом удобном случае [3548.0]; Знать, что делать, на каждом этапе [3593.0]; Каждые... или чаще [К40.0]; Каждый без исключения [К29.0]; Каждый в отдельности [КЗО.О]; Каж-дый второй [КЗ 1.0]; Каждый из главных [К32.0]; Каждый из двух [К33.О]; Каждый из которых [К34.0]; Каждый из многочисленных [К35.0]; Каждый из них состоит в основном из [К37.0]; Каждый из них [К36.0]; Каждый имеет свои преимущества и недостатки [К38.0]; Каждый раз [К39.0]; Необходимо через каждые ... часов работы [Н1390.0]; Объем каждого места, м<sup>3</sup> [0367.0]; Определение влияния каждой переменной в отдельности [0806.0]; 3 отверстия с каждой стороны [01226.0]; Отдельно для каждого [01290.0]; Отдельно для каждого случая [01289.0]; Оценивается в каждом случае отдельно [01638.0]; По ... в каждом [П343.0]; По одному в каждый момент времени [П420.0]; По одному для каждой области [П421.0]; Примерно каждые 2 минуты [П2389.0]; Припуск 4 мм на каждую сторону для шлифовки и полировки [П2511.0]; Рассматривать каждый из ... по очереди [Р459.0]; Растить с каждым годом [Р519.0]; С изменениями доли каждого из ... в диапазоне [С 14.0]; Состояние дел на каждом этапе [С1108.0]; Специфический для каждого [С 1182.0]; Тщательный инженерный анализ каждого случая [Т505.0]; Через каждые ... часа [466.0]; Через каждые ... часов эксплуатации [467.0]

**кажется:** Для неспециалистов кажется странным [Д364.0]; Нам кажется [Н395.0]; Не так плохо, как это кажется [Н1103.0]; Не так

серьезен, как это кажется [Н1105.0]; Но поскольку, как нам кажется, в этом направлении мало что делается [Н1809.0]; Чем это кажется [459,0]

**кажущийся:** Больше кажущийся, чем реальный [Б205.0]; Кажущаяся аномалия [К44.0]; Кажущееся противоречие [К45.0]; Кажущийся более простым [К43.0]; Кажущийся простым [К42.0]; Скорее кажущийся, чем реальный [С535.0]

**казаться:** В свое время казалось не столь важным [В67.0]; Интуитивно казалось бы, что [И624.0]; Казалось бы [К48.0]; Казалось бы, противоречит [К49.0]; Казалось бы, что [КЗО.О]; Казаться на глаз [К47.0]; Несколько лет назад казалось [Н1582.0]

**какой:** Без ... было бы трудно сказать с уверенностью, какой [Б12.0]; В какой степени [В657.0]; В отношении того, какой [В301.0]; В том виде, в каком [В24.0]; В том виде, в каком он был получен [В25.0]; В том виде, в каком она существовала [В27.0]; Вне зависимости от того, на какой стороне [В1176.0]; Исключать какую бы то ни было опасность [И661.0]; Каков бы ни был [К153.0]; Какова бы ни была причина [К156.0]; Какова была величина [К149.0]; Каково ожидаемое влияние [К150.0]; Какое бы то ни было [К157.0]; Какое отношение имеет все это к [К151.0]; Какой бы она ни была [К152.0]; Какой именно [К148.0]; Каким бы ни был [К155.0]; Не идти ни в какое сравнение с [Н867.0]; Не совсем ясно, каким образом [Н1086.0]; Не такой, какой хотелось бы иметь [НИ 13.0]; Независимо оттого, какой [Н 1230.0]; Необходимо обязательно указывать, какой [Н1376.0]; Нерешенным остается вопрос о том, какой [Н1568.0]; Ни при каких обстоятельствах [Н1706.0]; Определять, какой из [0823.0]; Остается выяснить, в какой мере [01117.0]; Остается выяснить, каким образом [01118.0]; По какой бы то ни было причине [П445.0]; Показывать, по какому пути следует идти [П982.0]; Соответствовать пунктам ... или в зависимости от того, какой из них подходит [С1018.0]; Стать точно таким, каким [С1411.0]; Такой ..., какого только можно достичь [Т55.0]; Только такова, какова [Т319.0]; Устранять какие бы то ни было [У525.0]; Чтобы определить, в какой степени [4201.0]

**какой-либо:** [К158.0]; Выделить какой-либо один... оказалось невозможным [В1788.0]; Какой-либо другой [К159.0]; Какой-либо из

[K160.0]; Какой-либо иной [K161.0]; Придавать какой-либо физический смысл [П2294.0]; Без какого-либо [B21.0]; Без какого-либо физического обоснования [B26.0]; Какого-либо ... обнаружить не удалось [K165.0]; Мы не видим какого-либо удовлетворительного объяснения [M415.0]; В каком-либо ином отношении [B302.0]; Мы не знаем о каком-либо [M417.0]; Практически без какого-либо обслуживания, помимо [П1645.0]; Расчет не дает какого-либо [P548.0]; *Какая-либо*: Едва ли есть какая-либо польза от [E5.0]; Какая-либо определенная зависимость от ... отсутствует [K162.0]; Планируется ли какая-либо дальнейшая работа с использованием... [П285.0]; Без какой-либо видимой связи с [B27.0]; Если по какой-либо причине происходит [E67.0]; Заниматься какой-либо деятельностью [3353.0]; Какой-либо определенной зависимости от ... не видно [K163.0]; Не давать какой-либо информации о [H815.0]; Нельзя получить с какой-либо точностью [H1329.0]; По какой-либо другой причине [П446.0]; С какой-либо степенью надежности [C26.0]; Смоделировать реальный ... с какой-либо точностью [C739.0]; *Какое-либо*: Какое-либо ... не наблюдалось [K164.0]; Какие-либо: Какие-либо .... по-видимому, отсутствуют [K166.0]; Какие-либо признаки отсутствовали [K167.0]; Налагать какие-либо обязательства на [H378.0]; Нам неизвестны какие-либо [H397.0]; Нам неизвестны какие-либо опубликованные [H398.0]; Не мог бы автор дать какие-либо рекомендации по [H918.0]; Нельзя предложить какие-либо неоспоримые аргументы [H1331.0]; Кратковременная работа с ... не приводила к каким-либо повреждениям в [K461.0]; Если это не требуется какими-либо техническими условиями [E169.0]; Без каких-либо ... помимо [B25.0]; Без каких-либо изменений, за исключением [B22.0]; Без каких-либо неблагоприятных последствий [B23.0]; Без каких-либо признаков [B52.0]; Без каких-либо серьезных последствий [B24.0]; Каких-либо особых проблем не встретилось [K168.0]; Мы не видим каких-либо непреодолимых трудностей [M414.0]; Не давать каких-либо неожиданных результатов [H822.0]; Не иметь каких-либо других ... кроме [H880.0]; Не обнаруживать каких-либо признаков [H938.0]; Не позволяли сделать каких-либо определенных выводов [H997.0]; Не приносить каких-либо неожиданностей технического характера [H1038.0]; Установка не дает каких-либо значительных преимуществ [У500.0] **какой-то**: [K169.0]; А не какая-то особенность [A27.0]; В какой-то момент [B216.0]; В ка-

кой-то степени [B658.0]; Всего после каких-то [B1572.0]; Должен каким-то образом входить [D582.0]; За каких-то несколько [37.0, 38.0]; Заменять за какие-то несколько минут [3280.0]; Какой-то один [K170.0]; Может в какой-то степени измениться [M276.0]; Связано каким-то [C364.0] **как-то**: Как-то связан с [K 127.0]; Не путем ..., а как-то иначе [H 1044.0]; Чтобы как-то облегчить ситуацию [4188.0] **калибровать**: Калибровать по [K171.0] **калить**: Ось калить... [01184.0] **камень**: Камень преткновения [K172.0] **кампания**: Кампания по [K174.0] **канал**: Распределение по каналам [P416.0] **кандидат**: Выдвижение кандидатов на премию [B1783.0] **кандидатская**: Защищать кандидатскую и докторскую диссертации [3540.0] **кантовать**: Верх, не кантовать [B918.0]; Не кантовать [H896.0] **канцелярский**: Явная канцелярская описка [Я52.0] **капитальный**: Временные нормы расхода ЗИП на капитальный ремонт [B1518.0]; Капитальное теоретическое исследование [K177.0]; Капитальный ремонт [K176.0]; Общие технические условия на капитальный и средний ремонт [0344.0]; Период между капитальными ремонтами [B 1529.0]; Проводить капитальный ремонт [П2679.0] **карта**: Карта длительного хранения [K179.0]; Карта смазки [K180.0]; Карта технологического процесса [K181.0]; Карта учета технических осмотров и регламентных работ [K182.0]; Маршрутная технологическая карта [M53.0]; Технологическая карта [T256.0]; Технологическая карта выполнения регламентных работ [T257.0] **карт-бланш** [K183.0] **картина**: Без учета всей картины [B61.0]; Для обеспечения полной картины при сравнении [D369.0]; Дополнительно усложняют картину [D621.0]; Если верна обратная картина [E39.0]; Изменять картину [И259.0]; Картина была очень четкой [K185.0]; Картина в общих чертах сохраняется [K186.0]; Картина может оказаться иной [K188.0]; Картина того, что происходит [K189.0]; Наблюдается противоположная картина [H218.0]; Общая картина остается прежней [0328.0]; Объективная картина [0361.0]; Ограничивают его применение, так как получаемые результаты дают только качественную картину [0461.0]; Односторонняя картина [0593.0]; Ожидаемая физическая картина [0599.0]; Описание качественной картины [0771.0]; Подробная картина (П815.0); Получать картину [П1146.0]; Противоположная картина наблюдается для

[П2962.0]; Противоположная картина наблюдалась в случае [П2963.0]; Совершенно запутать картину [С822.0]; Упорядоченная картина, в соответствии с которой [У327.0];

Чтобы не затемнять картину [4193.0]

**картотека:** Заносить в картотеку [3364.0]

**касательная:** По касательной к [П381.0]; Про-

водить касательную [П2680.0]

**касательный:** Касательный к [К193.0]

**касаться:** Касаться только [К191.0]; Мы не будем касаться вопроса [М413.0]; Не касаться [Н897.0]; Старайтесь не касаться [С1426.0]; Что касается [4143.0]; Что касается обсуждаемого вопроса [4144.0]; Что касается предположения о ..., то последующие исследования его не подтвердили [4145.0]

**касающийся:** [К192.0]; Подробности, касающиеся ... приведены на [П803.0], Решение, касающееся [Р737.0]; Сделать несколько замечаний, касающихся [С398.0]; Требования, касающиеся [Т421.0]

**каталог:** Каталог деталей и сборочных единиц

[К194.0], Наименование детали по каталогу [Н363.0], Номер детали по каталогу или клейму на детали [Н 1840.0]

**каталожный:** Каталожная серия [К195.0]

**катать:** Катить, а не переворачивать [К199.0]

**категорически:** Категорически воспрещается [К197.0, К198.0]; Утверждать категорически [У556.0]

**категория:** Подпадать под категорию [П773.0]

**кафедра:** Возглавлять кафедру [В1280.0]

**качественно:** Согласовываться как качественно, так и количественно [С925.0]

**качественный:** В качественном отношении [В303.0]; Качественная сторона задачи (К204.0); Качественная характеристика [К205.0]; Качественный показатель [К203.0], Обсуждение качественной закономерности [0266.0]; Ограничивают его применение, так как получаемые результаты дают только качественную картину [0461.0];

Описание качественной картины [0771.0];

Поддаваться качественному исследованию [П704.0]; Показывать с качественной точки зрения [П986.0]; Придавать новые качественные характеристики [П2292.0];

Различие скорее количественное, чем качественное [Р232.0];

Различия качественного характера [Р237.0]; С качественной точки зрения [С127.0];

Скорее как качественный, а не количественный показатель

• [С536.0]; Существует качественное согласие [С1570.0]

**качество:** В качестве [В139.0]; В качестве вознаграждения за [В140.0]; В качестве иного подхода [В141.0]; В качестве интересного побочного результата укажем, что [В142.0]; В качестве контраргумента

[В143.0]; В качестве определяющего выбирается меньшее из значений [В 144.0]; В качестве ориентира [В145.0]; В качестве основы для сравнения [В146.0]; В качестве первого приближения [В147.0]; В качестве последней меры предосторожности [В 148.0]; В качестве предостережения напомним [В149.0]; В качестве примера [В150.0]; В качестве примера первого из них [В151.0]; В качестве такового [В152.0];

Взяв в качестве примера [В1073.0]; Вос-

станавливать качество до первоначального уровня [В1437.0];

Выбирать в качестве решения системы уравнений [В1690.0];

Выбор... в качестве [В1709.0];

Высокое качество изготовления [В1985.0];

Гарантия качества массовой продукции [Г19.0];

Голословно использовать в качестве доказательства [Г86.0];

Достаточно высокое качество [Д683.0];

Еще более худшего качества [Е197.0];

Знак качества [З574.0];

Использовать в качестве основы [И694.0];

Использовать в качестве основы [И695.0];

Использоваться в качестве [И716.0];

Качество работ [К201.0];

Контроль качества изготовления [К359.0];

Контроль качества изделий [К360.0];

Критерий качества [К484.0];

Лабораторного качества [ЛЗ.0];

Находить всё большее применение в качестве [Н619.0];

Не настолько, чтобы можно было рекомендовать в качестве [Н928.0];

Неудовлетворительное качество пленки [Н1672.0];

Низкое качество [Н1731.0];

Обеспечение качества [030.0];

Обладать качествами [077.0];

Оправдывать выбор в качестве [0801.0];

Оценка качества [01642.0];

Показатели качества товара [П972.0];

Показатель качества изделия [П968.0];

Привлекать в качестве субподрядчика [П2203.0];

Пригодность в качестве [П2266.0];

Промышленного качества [П2857.0];

Работать в качестве [Р44.0];

Работая в качестве [Р45.0];

Рекомендуются в качестве [Р683.0];

Сертификат качества [С432.0];

Служить в качестве [С669.0];

Снижать качество [С767.0];

Соответствовать по качеству [С1015.0];

Только в качестве последнего средства [Т302.0];

Требуемые качества [Т461.0];

Удостоверение о качестве изготовления (У178.0);

Улучшение качества [У245.0];

Ухудшать качество [У585.0];

Хотя бы в качестве [Х86.0];

Ценное качество [Ц39.0];

Явно предпочтительнее в качестве [Я49.0]

**квадрат:** Возводить в квадрат [В1255.0];

Изменяться как квадрат [И278.0];

Квадрат со стороны [К206.0];

Обработка экспериментальных данных по методу наименьших квадратов [0191.0];

Обратно пропорционально квадрату [0200.0];

Приближение по методу наименьших квадратов [П2178.0];

Пропорционально квадрату [П2880.0], Со стороной квадрата [С 117.0]

**квадратный:** Выражение в квадратных скобках [В1959.0]; Квадратное поперечное сечение со стороной [К209.0]; Квадратные скобки [К210.0]; Квадратный корень из [К207.0];

Квадратный корень из комплексного числа (К208.0); Корень квадратный из [К381.0]; Числа в квадратных скобках обозначают номера в списке работ, приведенном в конце статьи [4104.0]

**квалификация:** Сравниться по квалификации [С1291.0]

**квалифицированный:** [К211.0, К212.0]

**кверху:** Обращенный кверху [0243.0]; Поверхность, обращенная кверху [П537.0]

**квинтэссенция:** [К213.0]

**квитанция:** Квитанция об оплате [К214.0]

**керосин:** Разбавленный керосином [Р157.0]

**километр:** Количество отработанных часов, циклов, километров [К266.0]

**кислород:** Установка по производству кислорода [У502.0]

**кислый:** В кислой среде [В629.0]

**кисть:** Нанести кистью слой (Н451.0); Наноситься кистью [Н452.0]

**клавиатура:** Вводить с клавиатуры [В845.0]

**кладовая:** Инструментальная кладовая [И583.0]

**клапан:** Преждевременное срабатывание предохранительного клапана [П1970.0]

**класс:** Аттестован в соответствии с требованиями ... для Класса [А170.0]; В пределах данного класса [В392.0]; Имеющий класс не ниже [И511.0]; Обработать по классу точности [0185.0]; Относить к классу [01440.0];

Параллельность осей отверстий ... по 3-му классу точности [П21.0]; Потребный класс чистоты обработки [П1529.0]

**классификация:** [К215.0]; Индекс национальной классификации [И546.0]

**классифицировать:** Классифицировать как [К217.0]; Классифицировать по [К218.0];

Классифицировать [К216.0]

**классический:** Классический случай [К219.0]

**класть:** Не класть плашмя — хрупкий груз [Н898.0]

**клей:** Нанесение клея [Н436.0]

**клеймение:** Место клеймения [М142.0]

**клеймо:** [К220.0]; Лежало клеймо [Л37.0];

Личное клеймо [Л65.0]; Номер детали по каталогу или клейму на детали [Н1840.0]

**клемма:** Минусовая клемма соединена с массой [М 182.0]; Подключить вольтметр к клеммам [П729.0]

**климат:** Условия холодного климата [У402.0]

**клинический:** Назначаемый, когда имеются клинические показания [Н295.0]

**ключ:** Ключ к [К224.0]; Ключ к пониманию причин [К222.0]; Ключ к разгадке [К223.0];

Ключ к успеху [К225.0]; Под ключ [П609.0];

Поставить ключ в положение «вкл» [П1439.0]; Проектирование под ключ [П2767.0]

**ключевой:** Занимать ключевое положение [3346.0]; Ключевые фигуры в нефтяной промышленности [К226.0]; Удерживать ключевую позицию в [У125.0]

**книга:** На эту тему написаны целые книги [Н 169.0]

**книзу:** Обращенный книзу [0244.0]; Поверхность, обращенная книзу [П537.0]

**кнопка:** Нажать кнопку [Н285.0]; Отпускать кнопку [01496.0]; При нажатой кнопке [П2092.0]; Удерживать кнопку нажатой [У126.0]

**когда:** Более близко к истине, когда [В155.0];

Было время, когда [В367.0]; В пределе, когда ... [В400.0]; В случаях, когда [В560.0]; В случаях, когда учитывается [В561.0]; В тех редких случаях, когда [В578.0]; В тех случаях, когда это возможно [В577.0]; В то время, когда (В73.0); В то время, когда писалась [В74.0]; В то же самое время, когда происходит [В78.0]; В то же самое время, когда [В77.0]; В тот момент времени, когда [В222.0];

В тот самый момент, когда [В223.0]; Вплоть до того момента, когда ... больше не применимо [В1474.0];

Времена, когда ..., давно прошли [В1513.0]; Всякий раз, когда [В1652.0]; Даже в том случае, когда [Д81.0];

Достигается быстрее, когда [Д726.0]; Еще не наступило время, когда можно будет полностью отказаться от [Е213.0];

Еще тогда, когда [Е230.0]; За исключением случаев, когда [323.0];

За исключением случая, когда [320.0]; Именно, когда требовалось [И356.0];

Имеются случаи, когда [И507.0]; Индикаторная лампочка горит, когда ... ниже нормальной [И552.0];

К тому времени, когда [К4.0]; Когда будет получено больше данных о [К228.0];

Когда вам будет удобно [К229.0]; Когда высохнет [К230.0];

Когда данные для них имеются [К231.0]; Когда он не находится в работе [К233.0];

Когда от системы требуется [К234.0]; Когда отсутствует [К235.0];

Когда потребность в ... наиболее высока [К236.0];

Когда придет время [К237.0]; Когда процесс закончен [К238.0];

Когда это необходимо для понимания (К242.0);

Когда это обусловлено [К241.0];

Когда это удобно [К243.0]; Лампочка загорается, когда [Л6.0];

Момент времени, когда [М243.0];

Наблюдаться во всех случаях, когда [Н217.0];

Назначаемый, когда имеются клинические показания [Н295.0];

Например, имелись случаи, когда [Н488.0];

Находиться на таком этапе разработки, когда [Н677.0];

Обратное утверждение справедливо, когда [0206.0];

Однако когда [0564.0];

Особенно тогда, когда [01047.0];

Работа

находится сейчас в таком состоянии, когда [P26.0], Разногласия начинаются, когда [P281.0]; Рассмотрим случай, когда [P481.0]; Режим реализуется всякий раз, когда [P627.0]; Рекомендуются только в случае, когда это действительно необходимо [P682.0]; Сейчас, когда как никогда возросла [C411.0]; Случай, когда [C706.0]; Теперь, когда [T169.0]; Теперь, когда известны ..., становится возможным [T171.0]; Теперь, когда можно [T172.0]; Теперь, когда достигнуто довольно хорошее понимание [T170.0]; Теперь, когда позади осталась половина [T173.0]; Тогда, когда [T287.0]; Только в случае, когда предпринимались специальные меры по [T305.0]; Тот редкий случай, когда [T350.0], Чем в случае, когда отсутствует [445.0]

**когда-либо:** Из когда-либо [И122.0]; Чем когда-либо прежде [450.0]

**когда-нибудь:** Когда-нибудь в будущем [K232.0]

**когда-то:** Когда-то были исключительно областью применения [K240.0]

**кой (= какой, который):** Ни в коей мере [H1690.0]; Ни в коей степени не [H1691.0];

Ни в коей степени не является [H 1692.0];

Ни в коем случае [H1693.0], Ни в коем

случае не должны [H 1694.0]; Ни в коем

случае не следует допускать [H1695.0]

**кое-что:** И кое-что уже было известно о [И36.0]

**колебание:** Допускаемые колебания параметров процесса [Д655.0]; Допускать колебания напряжения в сети [Д658.0]; Допускать колебания угла [Д657.0]; Колебания объема поставок [K246.0]; Небольшие колебания условий проведения опыта [H1164.0]

**колебаться:** Колебаться во времени [K248.0];

Колебаться между... и [K249.0]; Колебаться

с опережением по фазе [K250.0]

**количественно:** Согласовываться как качественно, так и количественно [C925.0]

**количественный:** Количественный скачок [K252.0]; На количественной основе [H93.0];

Различие скорее количественное, чем качественное [P232.0]; Скорее как качественный, а не количественный показатель [C536.0]

**количество:** Больше количество [B247.0];

Больше количество [B240.0]; Больше количество фактов [B244.0]; Больше количество данных [B241.0]; Больше количество и разнообразие [B242.0]; Больше количество работ [B243.0]; Больше количество экспериментальных данных [B245.0]; Больше количество эксплуатационных данных [B246.0]; В количестве [В 153.0]; В большом количестве [В154.0]; В неограниченном количестве и при очень умеренной стоимости [В 156.0]; Вводить ограничения

на количество [B846.0]; Вероятно, было бы достаточно и меньшего количества [B904.0];

Во все возрастающем количестве [B155.0];

Все большее количество [B982.0]; Все количество [B981.0]; Все то большое количество [B983.0]; Вызывать рост количества исследований [B1821.0]; Добавлять еще некоторое количество [Д476.0]; Доводить суммарное количество до [Д495.0]; Дополнительное количество [Д633.0]; Значительно меньшее количество [3626.0]; Значительное количество [3611.0]; И в меньших количествах [И8.0]; Из-за самого их количества [И229.0]; Имеются лишь в минимальном количестве [И504.0]; Количество заметно уменьшилось [K256.0]; Количество мало по сравнению с [K258.0]; Количество присутствующей [K254.0]; Количество отработанных часов, циклов, километров [K266.0]; Количество деталей на узел [K255.0]; Количество изделий согласно спецификации [K257.0]; Количество мест [K259.0]; Количество набранных баллов [K260.0]; Количество отработанных часов [K261.0]; Количество расхождений все же достаточно велико, свидетельствуя [K262.0]; Количество, содержащееся в [K263.0]; Количество точек смазки [K265.0]; Малое количество [M18.0]; Малое количество датчиков [M19.0]; Меньше 10% количества [M100.0]; Меньшее количество [M113.0, M114.0]; Минимальное количество [M178.0]; Наличное количество [H387.0]; Не позволяет получить достаточное количество [H991.0]; Небольшое количество [H1166.0]; Недостаточное количество данных [H 1206.0]; Незначительное количество [H 1261.0]; Неограниченное количество [H1436.0]; Неограниченное количество вариантов [B 106.0]; Ограниченное количество данных [0473.0]; Огромное количество [0481.0]; Огромное количество данных [0482.0]; Преобладающее количество [П2013.0]; Производить в большом количестве [П2788.0]; Равное количество тех и других [P131.0]; Растущее количество данных [P522.0]; Сохранять количество продукта, достаточное для работы в течение [C944.0]; Содержаться в незначительном количестве [C950.0]; Суммарное количество [C1546.0]; Экономить количество топлива, эквивалентное [C1634.0]; Только 40% количества ..., удаляемого [Т312.0], Увеличение количества [У53.0]; Уменьшение количества [У276.0]; Чрезмерное количество воды [4123.0]; Чтобы уменьшить количество необходимых вычислений [4216.0]

**коллега:** Коллега из [K267.0]

**колонна:** Осмотреть колонны и удостовериться в отсутствии [0945.0]

**команда:** По команде [П382.0]; Последовательность команд [П1403.0]

**комбинация:** Известная комбинация, не обладающая новой функцией и не дающая нового результата [И170.0]; Комбинация буквы и цифры (К268.0); Комбинация того и другого [К269.0]

**комбинированный:** [К270.0, К271.0]

**комиссионные:** [К272.0]

**комитет:** Председателем комитета является [П1828.0]

**комментарий:** Комментарии авторов по этому вопросу [К273.0]

**комментировать:** [К274.0]

**коммерческий:** Коммерческая ценность [К275.0]; Коммерческий учет [К276.0]; Коммерческое предложение по [К277.0]

**комнатный:** Охлаждение на воздухе до комнатной температуры [01622.0]; Прогреться до комнатной температуры [П2713.0]

**компания:** Многопрофильная компания [М223.0]; Начинать компанию по механизации [Р177.0]; Поставляться посторонними компаниями [П1457.0]; Специализированная компания [С1155.0]

**компенсация:** Выплачивать компенсацию [В1865.0]

**компенсировать:** (К278.0); Более чем компенсирует [Б196.0]; Компенсировать проигрыш в [К279.0]

**компенсироваться:** [К280.0]

**компетентность:** [К281.0]; Техническая компетентность [Т224.0]

**компетентный:** Компетентный специалист [К282.0]

**компетенция:** [К283.0]; Входить в компетенцию [В1668.0]; Входить в компетенцию эксплуатационного персонала [В1669.0]

**комплексный:** Квадратный корень из комплексного числа [К208.0]; Комплексная установка [К288.0]; Комплексное опробование (К289.0); Комплексный заказ [К285.0]; Комплексный осмотр [К286.0]; Комплексный подход [К287.0]

**комплект:** В комплекте с [В157.0]; Ведомость группового [одиночного] комплекта [В867.0]; Групповой комплект запасных частей [Г146.0]; Комплект запасных частей [К291.0]; Комплект поставки [К292.0]; Комплект технической документации [К293.0]; Не входит в комплект стандартного оборудования [Н792.0]; Одиночный комплект [0555.0]; Подобранный комплект [П648.0]; Полный комплект [П1076.0]; Поставляться в комплекте с [П1452.0]; Прилагаемый к комплекту [П2351.0]; Ремонтный комплект запчастей [Р698.0]

**комплектация:** [К294.0]; Место комплектации [М143.0]

**комплектно:** Заменять комплектно [3282.0]

**комплектность:** [К296.0]; Проверять комплектность поставки [П2637.0]

**комплектный:** Комплектная поставка [К295.0]

**комплектование:** [К297.0]

**комплектоваться:** комплектуется [К300.0]

**комплектывочная:** Комплектывочная ведомость [К298.0]; Комплектывочная спецификация [К299.0]

**комплектующие:** Комплектующие изделия [К301.0]

**компоновка:** [К302.0]

**компоновочный:** Компоновочный чертеж [К303.0]

**компромисс:** Достигать компромисса между (Д706.0); Идти на компромисс [И109.0]; Искать компромисс между [И643.0]; Компромисс между [К305.0]; Компромисс между противоречивыми требованиями [К306.0]; На основе некоторого компромисса [Н90.0]; Находить наилучший компромисс между (Н604.0); Необходимо идти на компромиссы [Н1366.0]

**компромиссный:** Делается попытка найти компромиссное решение [Д216.0]

**компьютер:** Основы работы на компьютере [0957.0]

**конвенционный:** Дата конвенционного приоритета [Д127.0]; Страна конвенционного приоритета [С1480.0]

**конвенция:** Предусматриваться конвенцией [П1922.0]

**конец:** Без конца обсуждать [Б28.0]; Биение поверхности диаметра на длине ... мм от конца вала не более ... мм [Б108.0]; Ближе к концу [Б128.0]; В конце [В159.0]; В конце ... и начале ... годов [В161.0]; В конце 60-х годов (В160.0); До конца [Д446.0]; До самого конца [Д447.0]; Доводить до конца [Д490.0]; Заделка концов [3184.0]; Знаменовать собой конец [3585.0]; К концу [К6.0]; К концу опыта [К7.0]; К концу периода [К8.0]; Конец столетия [К309.0]; На конце [Н63.0, Н64.0]; На конце которого [Н65.0]; Немного не доходить до конца [Н1346.0]; Переворачивать другим концом [П76.0]; Передний конец [П112.0]; Подытоживать в конце [П895.0]; Положить конец [П1117.0]; С середины до конца ... годов [С94.0]; Сохраняться до конца [С1145.0]; Уплотненный по концам [У312.0]; Числа в квадратных скобках обозначают номера в списке работ, приведенном в конце статьи [4104.0]

**конечно:** Естественно конечно, что [Е181.0]; И конечно не будет большим преувеличением сказать [И35.0]; Конечно, не следует строить догадки [К318.0]; Конечно, существуют и различия [К319.0]; Меры по ..., конечно, помогут [М128.0]; Можно было бы конечно [М393.0]; Мы понимаем, конечно, что [М432.0]; Понятно конечно, что [П1278.0];

Это, конечно, сильно задержало бы всю работу [Э139.0]

**конечноразноотная:** Конечноразностная форма [К316.0]

**конечный:** В конечном счете [В158.0]; Конечная цель [К314.0]; Конечный продукт [К311.0]; Конечный результат [К312.0]; Конечный успех [К313.0]; Конечных размеров [К315.0]; Остаться конечной [01091.0]; Получаемый в конечном итоге [П1187.0]

**конкретно:** А более конкретно [А2.0]; А конкретнее [А3.0]; Более конкретно [Б161.0]; Если говорить более конкретно, то [Е114.0]

**конкретность:** Для конкретности [Д350.0]

**конкретный:** В отрыве от конкретного применения [В319.0]; В этом конкретном случае (В556.0); Для конкретного случая [Д392.0]; Конкретные выводы из исследования [К322.0]; Конкретный пример осуществления изобретения (К321.0); Посвящать этому конкретному вопросу [П1343.0]; Рассматривать конкретные вопросы [Р464.0]; С учетом конкретных положений контракта [С162.0]; Типичный для конкретного [Т267.0]

**конкурент:** [К323.0]; Главный конкурент на рынке [Г44.0]; Превосходить конкурентов [П1684.0]

**конкурентный:** Конкурентный вариант [К325.0]; Сохранять первенство в конкурентной борьбе [С1131.0]

**конкурентоспособность:** Невыгодные условия в отношении конкурентоспособности [Н1177.0]

конкурентоспособный: Конкурентоспособный по [К324.0]; Потенциально конкурентоспособный [П1510.0]

**конкуренция:** Быть вне конкуренции [Б302.0]; Конкуренция со стороны [К326.0]; Недобросовестная конкуренция — [НИ 87.0]; Составлять конкуренцию [С1084.0]

**конкурировать:** Конкурировать с ... в отношении [К328.0]; Не могут конкурировать с [Н922.0]

**конкурирующий:** Конкурирующая реакция [К330.0]; Конкурирующий фактор [К329.0]

**конкурс:** Принимать участие в конкурсе [П2436.0]

**конкурсный:** Победа в конкурсных торгах [П518.0]

**консервация:** Дата консервации [Д128.0]; Изделие ... подвергнуто консервации на ... согласно требованиям, предусмотренным инструкцией по эксплуатации [И215.0]; Инструкция по консервации [И574.0]; Консервация и хранение оборудования [К332.0]; Отметки о консервации отсутствуют — [01414.0]; Покрытия, смазка и консервация — (П1004.0); Сведения о консервации и упаковке [С267.0]

**консервировать:** Посадочные места консервировать по н.л816 [П1341.0]

**консистентный:** Наносить небольшой слой консистентной смазки [Н442.0]

**констатировать:** Приходится с сожалением констатировать, что [П2559.0]

**конструирование:** Освободить от ответственности за конструирование [0923.0]

**конструировать:** [К333.0]

**конструктивный:** Конструктивная критика [К337.0]; Конструктивные особенности [К338.0]; Конструктивные соображения [К339.0]; Конструктивный вариант [К335.0]; Конструктивный вариант, показанный на (К336.0); По конструктивным соображениям [П383.0, П479.0]; Расширять конструктивные возможности [Р567.0]

**конструктор:** Важная для конструкторов информация [В791.0]; Особое беспокойство вызывает у конструктора [01065.0]; Проблема ... стоит перед конструкторами уже много лет [П2606.0]

**конструкторский:** Конструкторские разработки [К340.0]; Спроектированы в разных конструкторских бюро [С1263.0]

**конструкционный:** Конструкционная целостность [К341.0]

**конструкция:** Вариант конструкции [В812.0]; Вносить изменение в конструкцию [В1218.0]; Выбор определялся наличием, а не конструкцией [В1715.0]; Должен иметь конструкцию (Д581.0); Иметь конструкцию [И403.0]; Иметь прочную конструкцию [И404.0]; Иметь составную конструкцию [И405.0]; Конструкция оказалась лучше (К344.0); Конструкция может быть изменена без уведомления заказчика [К343.0]; Конструкция, удовлетворяющая требованиям санитарных норм [К345.0]; Модульная конструкция [М239.0]; На случай ... конструкцией предусматривается [Н147.0]; Несущая способность конструкции [Н1645.0]; Общее описание основных узлов конструкции [0335.0]; Обычной конструкции [0397.0]; Ограничения, налагаемые существующей конструкцией [0444.0]; Окончательный вариант конструкции [0709.0]; Переходить на конструкцию [П198.0]; Поверочный расчет конструкции [П533.0]; Пригодность конструкции для циклического режима работы [П2271.0]; Принципы, положенные в основу конструкции [П2464.0]; Проект конструкции [П2763.0]; Прост по конструкции [П2935.0]; Прочная конструкция [П3034.0]; Прочность конструкции [П3032.0]; Реальный узел конструкции [Р591.0]; Степень сложности конструкции [С1452.0]; Строительная конструкция [С1506.0]; Усовершенствование конструкции [У415.0]; Формула для расчета конструкции [Ф45.0]

**консультант:** [К346.0]  
**консультативный:** [К347.0]  
**консультация:** Обращаться за консультацией к [0226.0]  
**контакт:** Важно поддерживать постоянный контакт с [В801.0]; Контакт замкнут [К348.0]; Контакт разомкнут [К349.0]; Плохой контакт или неправильное соединение кабелей [П311.0]; Работать в тесном контакте с [Р48.0]; Чтобы гарантировать надежность контактов [4178.0]  
**контейнер:** В периоды между использованиями хранить в закрытых контейнерах [В334.0]  
**контракт:** Аннулировать контракт [А147.0]; Действующий на дату заключения контракта [Д191.0]; Заказ в рамках существующего контракта [3216.0]; Заключение контракта на [3246.0]; Обусловлены контрактом [0273.0]; Когда это оговорено контрактом [К241.0]; По контракту с [П384.0]; Получать контракт на поставку [П1147.0]; Приложения к контракту считаются его неотъемлемой частью [П2359.0]; С учетом конкретных положений контракта [С 162.0]  
**контраргумент:** В качестве контраргумента [В 143.0]  
**контролировать:** Более тщательно контролировать [Б187.0]; Контролировать выполнение работ [К351.0]; Контролировать работу [К352.0]; Необходимо контролировать более строго [Н 1371.0]; Тщательно контролировать^ 11.0]  
**контролироваться:** Успехи обучаемого контролируются [У431.0]  
**контролируемый:** Контролируемые условия [К353.0]  
**контроль:** Вся работа подлежит контролю и приемке со стороны продавца [В961.0]; Выборочный контроль [В1718.0]; Выборочный приемочный контроль [В 1719.0]; Выходить из-под контроля [В2043.0]; Знак контроля [3575.0]; Инструкция по заполнению формуляра и контролю за его ведением [И573.0]; Контроль за [К355.0]; Контроль за исполнением [К356.0]; Контроль за правильным использованием [К357.0]; Контроль за разрушением [К358.0]; Контроль качества изготовления [К359.0]; Контроль качества изделий [К360.0]; Контроль сроков исполнения [К361.0]; Метод неразрушающего контроля (М158.0); Многократный выборочный контроль [М218.0]; Находиться под контролем [Н681.0]; Оперативный контроль за выполнением графика [0750.0]; Осуществлять контроль за [01178.0]; Отдел технического контроля [01283.0]; Периодический контроль основных эксплуатационно-технических характеристик [П236.0]; Последовательный выборочный контроль изделий [П1408.0]; Пра-

вила контроля [П1611.0]; С целью контроля [С 173.0]; Систематический и выборочный контроль [С498.0]; Строгий контроль [С1492.0]; функция защиты контроля последовательности операций сигнализации и управления [Ф63.0]  
**контрольный:** Контрольная ведомость [К362.0]; Контрольная цифра [К363.0, П292.0]; Контрольная цифра для [К364.0]; Контрольные испытания (К365.0); Контрольные опыты [К366.0]; Результаты контрольного анализа [Р647.0]; Техническое освидетельствование изделия специальными контрольными органами [Т232.0]  
**контур:** Очерчивать контур [01682.0]  
**конус:** Сводить на конус [С318.0]  
**конусность:** Конусность ... мм на длине ... мм [К367.0]  
**конференция:** Обслуживание участников конференции [0254.0]; Пленарное заседание конференции [П295.0]; Представление на конференции [П 1835.0]  
**конфигурация:** Определять выбор окончательной конфигурации [0816.0]  
**конфиденциально:** Использовать информацию строго конфиденциально [И702.0]  
**конфиденциальный:** Конфиденциальные сведения [К368.0]  
**концентрация:** [К369.0]; В концентрации 1 весовая часть ... на ... частей... [В162.0]  
**концентрично:** Вставлять концентрично в [В1609.0]  
**концепция:** Ярким проявлением такой концепции было [Я63.0]  
**кончать:** В любом месте, начиная от ... и кончая [В188.0]; Начиная с ... и кончая [Н732.0]; Проследить, начиная с ... и кончая [П2909.0]  
**кончатся:** На этом не кончается [Н210.0]  
**кооперация:** [К370.0]  
**координата:** В двойных логарифмических координатах [В164.0]; В координатах (В163.0); В системе координат x, y, z, [В 165.0]; Начало координат [Н703.0]; Перестраивать в координатах [П170.0]; При использовании таких координат [П2082.0]; Пространственная координата [П2941.0]; Рассматривать в системе координат [Р456.0]; Система координат [С490.0]; Угловая координата [У79.0]  
**копировать:** [К372.0]  
**копия:** В двух одинаковых копиях [В167.0]; Имеется копия [И489.0]; Копия чертежа [К374.0]; Передавать копии документов [П95.0]; Точная копия [Т382.0]  
**коренной:** Изменять коренным образом [И260.0]; Коренная причина [К376.0]; Коренное различие [К377.0]; Коренное улучшение [К378.0]; Коренным образом видоизменить [К379.0]; Коренным образом отличаться от [К380.0]; Отличаться не столь



коренным образом, как это может показаться [01386.0]; Претерпевать коренное изменение [П2047.0]

**корень:** Извлекать корень из [И 179.0]; Изменять в корне [И257.0]; Исследование корней уравнения [И777.0]; Квадратный корень из комплексного числа [К208.0]; Квадратный корень из [К207.0]; Корень степени [К384.0]; Корень кубический из [К382.0]; Корень кубический из [К381.0]; Корень четвертой степени из [К383.0]; Обратное пропорционально корню кубическому из [0201.0]; Пропорционально кубическому корню из [П2881.0]; Ситуация может в корне измениться [С503.0]

**королевский:** Королевское авторское право [К385.0]

**короткий:** В очень короткие сроки [В636.0]; В течение короткого времени [В697.0]; За возможно более короткое время [33.0]; За один короткий период [337.0]; За относительно короткое время [35.0]; За очень короткий период времени [338.0]; Защита от короткого замыкания [3534.0]; Короткий период [К387.0]; Короткое замыкание [К388.0]; Короткое замыкание на землю [К389.0]; Действовать на коротком расстоянии [Д181.0]; Кривая в виде коротких штрихов [К475.0]; На короткое время [Н23.0]; Обрывы и короткие замыкания цепи [0248.0]; Поскольку в короткой статье невозможно было бы [П1348.0]; Проверить отсутствие коротких замыканий [П2657.0]; Через очень короткие интервалы времени [469.0]

**короткоживущий:** Короткоживущий промежуточный продукт [К390.0]

**корпус:** Административный корпус [А82.0]; В корпусе ... находятся [В166.0]; Выпускаться в стандартном корпусе [В1929.0]; Отсоединить корпус [01520.0]; Отсоединить реле от корпуса [01521.0]; Сверлить совместно с отверстием в корпусе [С273.0]; Служить корпусом [С679.0]; Соединение на корпус обеспечивается штифтом (С958.0); Соединиться с корпусом [С966.0]

**коррективы:** Вносить коррективы [В1221.0]

**корректировать:** Корректировать в зависимости от [К392.0]

**корреляционный:** Находить корреляционное выражение для [Н603.0]

**корреляция:** Корреляция не была обнаружена [К395.0]; Корреляция всех результатов [К396.0]; Корреляция данных по параметру [К394.0]; Получать корреляцию [П1148.0]

**коррозионный:** Коррозионное воздействие [К397.0]

**коррозия:** Влияние длительной работы ... в условиях коррозии и отложений [В1133.0]; Припуск на коррозию [П2510.0]

**косвенно:** Входить в уравнение косвенно в виде [В1676.0]; Косвенно подразумеваться [К404.0]; Не только непосредственно, но и косвенно [НИ 17.0]; Прямо или косвенно [П3064.0, Я44.0]; Прямо или косвенно все ... связаны с вопросом [П3065.0]

**косвенный:** Косвенные доказательства [К400.0]; Косвенные последствия, связанные с [К401.0]; Косвенным образом [К402.0]

**космический:** Пригодный для использования в космических условиях [П2274.0]

**косой:** Косая черта [К398.0, К406.0]

**который:** А именно тот из них, который [А18.0]; А это и были как раз те ..., которые требовались [А46.0]; Без которого этот ... был бы невозможен [Б29.0]; В зависимости от того, который из них требовался (В116.0); В течение которых (В698.0); В том смысле, в котором он определен [В585.0]; В условиях, которые существовали в то время [В714.0]; Время, в течение которого [В1539.0]; Все точки которых [В1021.0];

Всего лишь предположение, которое нуждается в проверке [В1568.0]; Далеко не последний из которых [Д98.0]; Длительность которого составляла [Д312.0]; Еще одна область, которой уделяется очень мало внимания [Е222.0]; Ждем ваших замечаний, которые следует направлять по адресу [Ж1.0]; И последний вопрос, который нужно рассмотреть в связи с [И50.0];

Наиболее серьезная авария, которая только может произойти [Н331.0]; Начало которых планируется в ближайшем будущем [Н704.0]; Ни один из которых [Н1702.0]; О которых идет речь в [07.0]; Один из наиболее важных вопросов на который необходимо ответить [0514.0]; Одна из главных трудностей, с которыми приходится сталкиваться [0529.0]; Основан на теории, в соответствии с которой [01026.0]; Положительный показатель степени, величина которого больше единицы [П 1111.0]; Посредством которого [П1437.0]; Примером которого служит [П2381.0]; Свидетельство, которым подтверждается выполнение всех требований по [С289.0]; Тех, которые [Т363.0]; Только те, которые [Т320.0]

**коэффициент:** Единица измерения коэффициента [Е12.0]; Коэффициент готовности [К431.0]; Коэффициент запаса по [К432.0]; Коэффициент пересчета [К433.0]; Повышение коэффициента [П592.0]; Предложенный в работе... коэффициент [П1736.0]; Умножение на масштабный коэффициент [У294.0]; Численный коэффициент [492.0]

**кпд:** Повышать кпд [П586.0]; С кпд [С29.0]

**краевой:** Краевая задача [К434.0]

**край:** До края [Д448.0]; На крае [Н70.0]; На краю [Н69.0]; Уплотнять по краю [У311.0]

**крайне:** Было бы крайне желательно [Б380.0]; Крайне важно [К436.0]; Крайне желательно, чтобы [К437.0]; Крайне неблагоприятный [К439.0]; Крайне нежелательно [К441.0]; Крайне нежелательный [К440.0]; Крайне необходим [К442.0]; Крайне необходим для [К443.0]; Крайне необходим для обеспечения [К444.0]; Крайне необходимо несколько прояснить этот вопрос [К445.0]; Оказываться крайне неудачным [0665.0]; Что крайне нежелательно [4152.0]

**крайний:** В крайнем положении [В353.0], В крайнем случае [В534.0]; Крайний срок (К448.0); По крайней мере [П398.0]; По крайней мере, в настоящее время [П399.0]; По крайней мере, в связи с [П400.0]; Представляется, по крайней мере на первый взгляд [П1895.0]

**краска:** Цифры и риски нанести масляной краской черного цвета [Ц54.0]

**красный:** Проходить красной нитью через [П3003.0]

**краткий:** Заслуживать краткого упоминания (3461.0); Краткий обзор (К450.0); Краткое изложение доклада [К452.0]; Краткое изложение метода с примерами применения [К453.0]; Краткое изложение [К451.0]; Краткое изложение содержания [К454.0]; Краткое описание [К455.0]; Краткое описание чертежей [К456.0]; Ниже приводится краткое описание [Н1722.0]; Формулировать в виде краткого и точного вопроса [Ф48.0]

**кратко:** В статье кратко рассмотрены некоторые вопросы [В641.0]; Кратко описываться в [К457.0]; Кратко охарактеризовать [К458.0]; Кратко перечислить [К459.0]; Ниже кратко рассматривается [Н1715.0]; Рассмотрим теперь кратко [Р484.0]; Теперь кратко опишем [Т174.0]

**кратковременный:** Кратковременная работа с ... не приводела к каким-либо повреждениям в [К461.0]; Кратковременное воздействие со стороны [К462.0]; Кратковременное изменение [К463.0]; Кратковременные перебои в [К464.0]

**краткость:** Для краткости [Д351.0]; Для обеспечения ясности и краткости изложения [Д370.0]

**кратность:** [К465.0]

**кратный:** Видимый при 30-кратном увеличении [В1096.0]; Кратное увеличение [К467.0]; С кратным увеличением [С 143.0]

**кратчайший:** В кратчайшие сроки [В634.0]; Поставка в кратчайшие сроки (П 1447.0)

**кредит:** Предоставлять кредит [П1761.0]

**кредитование:** Условия кредитования [У398.0]

**крепко:** Крепко прижать [К468.0]

**крепление:** Крепление к [К470.0]

**крепящий:** Крепящий к [К471.0]

**крестик:** [К473.0]

**крест-накрест:** [К472.0]

**кривая:** Аппроксимирующая кривая [А153.0]; Брать значение по кривой [Б265.0]; Все кривые [В1005.0]; Группа кривых [П41.0]; Из этих кривых ясно [И140.0]; Использование одной общей кривой [И689.0]; Кривая в виде коротких штрихов [К475.0]; Кривая, построенная по формуле [К477.0]; Кривая термпары [К478.0]; Кривые вычерчены по значениям [К481.0]; Кривые плавно соединяют точки [К482.0]; Наиболее точно аппроксимирующая кривая (Н332.0); Огибающая кривых [0433.0]; Отклоняться от кривой не более, чем на [01343.0]; Относительное расположение кривых [01426.0]; Перелом кривой [П127.0]; Плавная кривая, проведенная через точки [П271.0]; Подбирать кривую для экспериментальных точек [П644.0]; Построить кривую [П1488.0]; Проведение аппроксимирующей кривой через экспериментальные точки [П2614.0]; Проводить кривую через точки [П2682.0]; Проводить плавную кривую через точки [П2684.0]; Проводить регрессионную кривую через точки [П2685.0]; Сближение кривых [С246.0]; Сводить в одну кривую [С312.0]; Серия из трех кривых [С427.0]; Сливаться в одну кривую [С644.0]; Сливаться с кривыми [С645.0]; Сплошная кривая [С1193.0]; Сравниваются типичные кривые [С1283.0]; Тангенс угла наклона кривой [Т116.0]; Точка перегиба кривой [Т371.0]; Укладываться на одну кривую [У228.0]; Ход кривой аналогичен [Х28.0]; Штриховая кривая [Ш41.0]; Штрихпунктирная кривая [Ш42.0]

**критерий:** Критерий качества [К484.0]; Критерий подобия [К485.0]; Пересчитывать с соблюдением критериев подобия [П178.0]; При ... можно руководствоваться таким приближенным критерием как [П2091.0]; Противоположные критерии [П2968.0]; Удовлетворять критерию сходимости [У167.0]; Часто противоречивые критерии [427.0]

**критика:** Вызывать критику [В1810.0]; Доказывать несостоятельность критики [Д537.0]; Конструктивная критика [К337.0]; Критика задним числом [К486.0]; Критика, направленная на [К487.0]; Критика прототипа [К488.0]; Критика со стороны [К489.0]; Могут быть подвергнуты критике [М263.0]; Необоснованная критика [Н1356.0]; Несмотря на всю эту критику [Н1615.0]; Ответ на критику [01233.0]; Подвергать критике [П652.0]; Подвергаться критике [П660.0]; Учитывать критику [У611.0]

**критиковать:** [К490.0]

**критически:** Критически относиться к [К496.0]; Критически оценивать [К497.0]; Критически проанализировать [К498.0]; Относиться

критически [01450.0]; Следует относиться очень критически [С614.0]

**критический:** В критической обстановке [В258.0]; Еще одно критическое замечание [Е224.0]; Критические замечания и предложения (К495.0); Критический разбор (К492.0); Критическое значение, ниже которого [К493.0]; Критическое рассмотрение [К494.0]; Подвергать критическому анализу [П653.0]; Существует некое верхнее критическое значение, выше которого [С 1572.0]

**критичность:** [К499.0]

**кроме:** А кроме того [А20.0]; Все кроме одного [В1006.0]; Для всех кроме [Д329.0]; Нет иного выхода, кроме как [Н1646.0]; Кроме того (К501.0); Любой кроме [Л124.0]; Не иметь каких-либо других..., кроме [Н880.0]; Пескооструить и покрыть грунтом, кроме места посадки и разбега [П259.0]

**кромка:** Долить масло до нижней кромки отверстия под пробку [Д600.0]; Затупить острые кромки [3504.0]; Острые кромки притупить [01168.0]

**кронштейн:** Установить на кронштейн [У481.0]

**круг:** Круг вопросов [К502.0]; Определять круг проблем [0824.0]; Предназначаться для узкого круга [П 1749.0]; Расширять круг наших читателей [Р570.0]

**круглогодичный:** [К503.0]

**круглосуточно:** [К505.0]; Работать круглосуточно [Р54.0]

**круглосуточный:** Автоматическая круглосуточная работа [А70.0]; Круглосуточная работа [К504.0]

**круглый:** Круглые скобки [К506.0]; Отклонение от круглой формы [01327.0]

**кругом:** Обработать кругом, за исключением [0184.0]

**крупнейший:** Крупнейший производитель [К509.0]

**крупногабаритный:** Крупногабаритные детали [К510.0]

**крупномасштабный:** Крупномасштабные работы^ 11.0]

**крупносерийный:** Крупносерийное производство [К512.0]

**крупный:** Крупный недостаток [К508.0]; Являться крупным шагом вперед [Я10.0]; Сетка с крупными ячейками [С450.0]

**кручение:** Работающий на кручение [Р88.0]

**крышка:** Завинчивающаяся крышка [386.0]; Закрывать крышкой [3265.0]; Произвести расточку под подшипник совместно с крышкой детали [П2793.0]

**кстати:** Особенно кстати потому, что [01040.0]; Пришелся весьма кстати [П2570.0]

**кто-либо:** Кто-либо из всех [К514.0]

**куб:** В кубе [В170.0]; Куб со стороны [К515.0]

**кубический:** Корень кубический из [К382.0]; Корень кубический из [К381.0]; Обратное пропорционально корню кубическому из [0201.0]; Пропорционально кубическому корню из [П2881.0]

**куда:** Номер кабеля и куда идет [Н1841.0]

**курс:** Быть в курсе надвигающихся событий [Б299.0]; Вводить ... в курс дела [В841.0]; Держать в курсе относительно [Д263.0]; Держать в курсе происходящего [Д264.0]; Программа курса [П2707.0]; Свидетельство об окончании курса [С287.0]; Учебник по курсу [У603.0]; Читая курс лекций [4114.0]

## Л

**лабораторный:** Выходить из стадии лабораторных разработок [В2045.0]; Лабораторного качества [Л3.0]; Лабораторные испытания [Л14.0]; Лабораторный вариант [Л2.0]; Не выходить из стадии лабораторных разработок [Н804.0]; Общепринятая лабораторная практика [0309.0]; Усовершенствования, показавшие хорошие результаты при лабораторных испытаниях, в практических условиях часто оказывались непригодными [У418.0]

**лампа:** Перегрев двигателя, о чем сигнализирует лампа на пульте управления [П79.0]

**лампочка:** Загорается сигнальная лампочка [3142.0]; Индикаторная лампочка горит, когда ... ниже нормальной [И552.0]; Лам-

почка гаснет [Л17.0]; Лампочка загорается, когда (Л6.0); Не горит зеленая сигнальная лампочка ГОТОВНОСТЬ К РАБОТЕ [Н808.0]; Не горят лампочки приборной доски [Н809.0]; Перегорела лампочка [П77.0]

**лапка:** Отогнуть лапки [01475.0]

**левее:** Намного левее [Н417.0]

**левосторонний:** [Л8.0]

**левый:** В левой части [В754.0]; Левая часть уравнения [Л10.0]; Нижний левый участок [Н1725.0]; Самый левый [С217.0]

**легкий:** Легкие постукивания [Л13.0]; Легкий доступ [Л12.0]

**легко:** В этом можно легко убедиться, посмотрев на [В769.0]; К подобным вопросам нельзя

относиться легко [К13.0]; Легко виден (Л15.0); Легко вычисляется по [Л16.0]; Легко и надежно [Л17.0]; Легко обрабатываемый [Л18.0]; Легко подвергаться [Л19.0]; Легко поддаваться анализу (Л21.0); Легко поддаваться [Л20.0]; Легко показать, что [Л22.0]; Легко получить [Л23.0]; Легко понять, что [Л24.0]; Легко поправимый [Л25.0]; Легко приспособляться к изменяющимся [Л26.0]; Легко разместиться в имеющемся пространстве [Л27.0]; Место, легко доступное для прочтения [М144.0]; Не всегда легко [Н779.0]; Относительно легко [О1433.0]; Так легко не определить [Т14.0]; Этого можно добиться относительно легко [Э204.0]

**легкодоступный:** Легкодоступное место [Л32.0]

**легкость:** Лёгкость, с которой [Л34.0]; С легкостью [С30.0]

**легче:** Легче всего это можно сделать путем [Л29.0]; Легче сказать, чем выполнить [Л30.0]; Легче справляться [Л31.0]; На... легче [Н3.0]; Физический смысл легче понять, если [Ф22.0]

**лежать:** В основе... лежит... [В273.0]; В основе работы лежат... главных принципа [В274.0]; Лежало клеймо [Л37.0]; Лежать в основе [Л39.0]; Лежать на линии [Л36.0]; Ответственность за ... лежит на [О1236.0]; Тех, на ком лежит ответственность за [Т364.0]

**лежащий:** Главные допущения, лежащие в основе [Г57.0]; Допущения, лежащие в основе [Д671.0]; Идея, лежащая в основе [И103.0]; Лежащий в основе [Л40.0]; Лежащий на пути [Л38.0]; Не лежащий на (Н899.0); Принципы, лежащие в основе использования [П2463.0]; Суть, лежащая в основе [С1550.0]

**лекция:** Читать курс лекций [4114.0]; Читать лекции [4115.0]

**лента:** Записывать на магнитной ленте [3385.0]

**леса:** Возводить леса [В1259.0]

**лет:** В ближайшие... лет [В7.0]; В течение всех этих лет [В693.0]; В течение многих лет [В699.0]; В течение последних ... лет или около того [В710.0]; В течение следующих двух-трех лет [В711.0]; За последние ... лет наблюдается (341.0); Изготовитель гарантирует работу изделия в течение ... лет, считая срок пребывания в пути и хранения на складах со дня выпуска с предприятия [И207.0]; История насчитывает более ... лет [И810.0]; Лет назад [Л41.0]; Лет через [Л42.0]; Мало изменился за последние... лет [М26.0]; Непрерывно в течение многих лет [Н1524.0]; Несколько лет назад казалось [Н1582.0]; опережать на несколько лет [О757.0]; Опыт, накопленный в течение многих лет [О878.0];

Опыт нескольких лет промышленной эксплуатации [0892.0]; Отставать на несколько лет [01532.0]; Перспектива на ближайшие ... лет [П251.0]; Проблема стоит перед конструкторами уже много лет [П2606.0]; Про-

исходить раз в ... лет [П2830.0]; Проработать несколько лет [П2894.0]; Прошедшие

...

лет [П3037.0]; Прошло более... лет [П3016.0];

Прошло довольно много лет, прежде чем [П3017.0]; Раз в ... лет [Р148.0]; Реализовать в ближайшие ... лет или около того [Р587.0]; Сохранять еще много лет [С1128.0]; Срок действия ... лет [С1329.0]; Срок хранения агрегата в упаковке поставщика составляет ... лет [С1335.0]; Чем ... лет назад [451.0]

**летний:** [Л43.0]; Опирается на ...-летний опыт [0764.0]

**лечение:** Поддаваться лечению [П705.0]

**либо:** Забраковать либо пустить на слом [375.0];

Либо..., либо..., либо [Л45.0]; Либо ..., либо [Л44.0]; Либо и те и другие [Л46.0]; Физическое либо юридическое лицо [Ф26.0]; Это позволяет предположить, что либо ..., либо [Э 176.0]

**лидерство:** Сохранять лидерство [С1131.0]

**ликвидация:** Полномочия на ликвидацию [П1030.0]

**ликвидировать:** Ликвидировать пробел [Л48.0];

Ликвидировать разрыв между [Л49.0]

**линеаризация:** [Л50.0]

**линейка:** С помощью масштабной линейки и делительного циркуля [С61.0]

**линейно:** Зависеть линейно от [393.0]; Увеличиваться линейно с [У68.0]

**линейный:** Аппроксимироваться линейным выражением [А151.0]; Линейная интерполяция [Л51.0]; Линейная функция [Л52.0]

**линия:** В стороне от линии [В678.0]; Лежать на линии [Л36.0]; Ложиться на прямую линию [Л95.0]; На линии [Н71.0]; На одной линии с

[Н82.0]; По одной линии [П417.0]; Проводить линию, параллельную [П2683.0]; Располагать в линию [Р371.0]; Симметрично относительно осевой линии, за исключением указанного [С485.0]

**лист:** Без предъявления упаковочного листа претензии не принимаются [Б46.0]; Лист изъятый [Л53.0]; Лист регистрации изменений [Л54.0]; Отгрузочный лист вложенный в [01271.0]; При отсутствии упаковочного листа претензии приниматься не будут [П2106.0]; Сборочный лист [С258.0]; Экзаменационный лист [Э4.0]

**литейный:** Литейный припуск для черновой обработки [Л55.0]; Не допускаются литейные дефекты и следы обработки [Н844.0]; Неуказанные литейные радиусы выполнить ...мм [Н1676.0]

**литература:** Анализ литературы [А115.0]; Брать из литературы [Б267.0]; В литературе имеется очень мало рекомендаций [В 171.0]; В литературе отсутствуют сообщения о [В172.0]; В литературе по этому вопросу [В173.0]; В открытой литературе [В174.0]; Встречаться в литературе [В1628.0]; Данные

о в литературе отсутствуют [Д112.0]; Делать обзор литературы [Д212.0]; Изучать литературу в поисках информации [И327.0]; Недостаточно, по-видимому, освещен в литературе [Н 1209.0]; Неоднократно описывался в литературе [Н1441.0]; Несколько менее освещен в литературе вопрос о [Н1584.0]; Обзор имеющейся литературы по этому вопросу [066.0]; Обзор литературы по [065.0]; Обширная литература [0296.0]; Опубликованные в литературе [0869.0]; Отсутствовать в открытой литературе [01559.0]; Подробный обзор соответствующей литературы [П1813.0]; Пример списка литературы [П2380.0]; Рекламная литература [Р666.0]; Список литературы [С1187.0]; Список новейшей литературы [С1188.0]; Техническая литература [Т225.0]; Хотя по исследованиям ... существует обширная литература [Х106.0]

**лихва:** С лихвой окупается [С31.0]; Экономия в стоимости материала с лихвой перекрывает затраты на [Э25.0]

**лицевой:** Лицевой поверхностью вниз [Л62.0]

**лицензионный:** Заключать лицензионное соглашение о [3241.0]; Лицензионные платежи [Л60.0]

**лицензия:** Заявление с просьбой о выдаче лицензии [3560.0]; Лицензия, выданная [Л56.0]; Лицензия на право изготовления [Л57.0]; Лицензия на право сбыта и продажи [Л58.0]; Лицензия на эксплуатацию [Л59.0]; По лицензии [П385.0]; Предоставление лицензий [П1755.0]; Продаваться по лицензии [П2721.0]

**лицо:** Должностное лицо [Д592.0]; Должность подписывающего лица [Д594.0]; Должность, фамилия и подпись лица, ответственного за хранение [Д595.0]; Использование посторонними лицами [И690.0]; Лица, ответственные за ..., должны быть обучены пользованию [Л64.0]; Любое лицо, отличное от [Л125.0]; Ответственное лицо [01241.0]; Оценка, выполняемая незаинтересованными лицами [01641.0]; Полномочное лицо [П1031.0]; Сведения о результатах проверки инспектирующими и проверяющими лицами [С269.0]; Фамилия и подпись лица, ответственного за проведение технического обслуживания [Ф17.0]; Физическое либо/юридическое лицо [Ф26.0]

**лично:** Лично присутствовать [Л66.0]

**личность:** Удостоверение личности [У177.0]

**личный:** Личное клеймо [Л65.0]; Получать в личное и бессрочное пользование [П1127.0]

**лишать:** Лишать возможности [Л68.0]; Лишать гарантии [Л69.0]; Лишать законной силы [Л70.0]; Лишать общности [Л71.0]; Лишен общности [Л72.0]; Лишены этих недостатков [Л76.0]; Не лишено некоторого [Н900.0]

**лишаться:** Лишаться уверенности [Л74.0]

**лишенный:** [Л75.0]; Быть лишенным [Б309.0]; Оказываться лишенным свободы [0668.0]

**лишний:** В ... с лишним раз больше [В443.0]; Лишний раз подтверждает [Л78.0]; Лишний раз подтверждает правомерность [Л79.0]; Удалить лишнюю [У93.0]

**лишь:** В одном лишь [В269.0]; Важен лишь постольку, поскольку [В787.0]; Все это позволяет лишь [В995.0]; Всего лишь один [В1567.0]; Всего лишь предположение, которое нуждается в проверке [В1568.0]; Давать лишь незначительное преимущество [Д44.0]; Давать лишь слабое представление о [Д39.0]; Достаточно лишь упомянуть, что [Д687.0]; Достичь этого можно лишь [Д725.0]; Если ограничиться всего лишь [Е62.0]; Изменился бы лишь незначительно [И293.0]; Иметь лишь местное значение [И394.0]; Иметь целью лишь [И474.0]; Имеются лишь в минимальном количестве [И504.0]; Исходя лишь из [И828.0]; Лишь бы иметь возможность [Л82.0]; Лишь в исключительных случаях [Л83.0]; Лишь незначительно [Л84.0]; Лишь один из способов [Л85.0]; Но потребовалось лишь немного времени, чтобы [Н1810.0]; Но это всего лишь догадка [Н 1819.0]; Но это приводит лишь к замене [Н1822.0]; О... известно лишь, что [02.0]; Обнаруживать лишь незначительные преимущества по сравнению с [0130.0]; Ограничиваться лишь случаями использования [0468.0]; Оказывать лишь небольшую помощь [0646.0]; Осталось лишь [01128.0]; Претерпевать лишь незначительные изменения [П2048.0]; Приведенные соображения справедливы лишь [П2255.0]; С той лишь разницей, что [С84.0]; Следует рассматривать лишь как предварительные [С627.0]; Указывать лишь на [У215.0]; Уступая по ... лишь [У547.0]; Ценой лишь небольшого усложнения [Ц35.0]; Это всего лишь два из многочисленных примеров [Э122.0]; Это всего лишь некоторые из [Э 123.0]; Это пока лишь догадка [Э179.0]; Эффективно лишь отчасти [Э226.0]

**лоб:** В лоб [В175.0]

**логарифмический:** В двойных логарифмических координатах [В 164.0]

**логика:** Логика подсказывает [Л86.0]; По логике [П386.0]

**логичен:** Выбор... наиболее логичен [В1712.0]

**логически:** Логически обосновывать [Л87.0]; Обосновывать логически [0173.0]

**логический:** Давать логическое объяснение [Д25.0]; Логическое обобщение [Л89.0]; Логическое обоснование [Л88.0]

**логично:** Логично, по-видимому, предположить, что [Л91.0]; Логично предположить,

что [Л192.0]; Поэтому вполне логично [П1578.0]

**логичный:** Представляется логичным [П1889.0];

Считать логичным [С1613.0]; Таким образом самым логичным объяснением представляется следующее [Т100.0]

**ложиться:** Ложиться на прямую линию [Л195.0];

Ложиться с очень небольшим разбросом [Л196.0]

**ложно:** Утверждение о том, что .... ложно [У560.0]

**ложный:** Заведомо ложный [378.0]; Ложное утверждение в описании изобретения [Л197.0]; Ложные показания [Л198.0]

**локализовать:** [Л99.0, Л100.0]

**локальный:** [Л101.0]

**лопатка:** Ограничения, налагаемые шагом лопаток [0445.0]

**лучше:** Быть лучше [Б310.0]; Вдвое лучше [В857.0]; Если и лучше, то очень ненамного [Е126.0]; Ещё лучше [Е206.0]; Значительно лучше [3621.0]; Или еще лучше [И339.0]; Конструкция оказалась лучше [К344.0]; Лучше в отношении [Л1105.0], Лучшие всего демонстрируют [ЛИ 1.0]; Лучше всего направлять [Л112.0]; Лучше всего проиллюстрировать это на примере [Л113.0]; Лучше всего работает при [Л114.0]; Лучше всего, чтобы это сделал [Л1106.0]; Лучше остановить свой выбор на [Л1107.0]; Лучше понять [Л1108.0]; Лучше согласовываться [Л1109.0]; Лучше удовлетворять требованиям [Л110.0];

Намного лучше предыдущих [Н418.0]; Несколько лучше по [Н1583.0]; Обещает стать еще лучше [062.0]; Оказываться несколько лучше [0674.0]; Позволяет лучше [П1913.0]; Работать значительно лучше [Р53.0]; Работать лучше, чем [Р52.0]; Раза в ... лучше [Р 152.0]; Со временем становятся только лучше [С190.0]; Такой же или лучше, чем [Т80.0]; Это лучше, чем [Э 140.0]

**лучший:** В лучшем случае [В535.0, В536.0]; В лучшем случае спорный, в худшем [В537.0]; За неимением лучшего [333.0]; И это только к лучшему [И80.0]; Лучшие из ..., эксплуатируемые в настоящее время [Л103.0];

Лучший из имеющихся на сегодня [Л102.0]; Ничего лучшего пока нет и не было [Н1768.0]; Общепринятый, хотя может быть и не самый лучший метод [0307.0]; Объединять в себе лучшие черты [0354.0]; Один из лучших обзоров [0512.0]; Оставляет желать много лучшего [01138.0]; С помощью ... можно добиться лучших результатов [С63.0]; С целью лучшего понимания [С176.0]; Самое лучшее, что может быть сделано [С231.0]; Самый лучший [С218.0]

**лыска:** Сделать лыску на глубину резьбы [С396.0]; Шлифовать лыску на глубину резьбы [Ш34.0]

**львиный:** Львиная доля [Л115.0]

**любезно:** Любезно предоставленный нам [Л116.0]

**любезный:** При любезном посредничестве [П2085.0]

**любой:** В любое время [В44.0]; В любой момент времени в процессе [В218.0]; В любом месте по длине [В189.0]; В любом месте, начиная от ... и кончая [В188.0]; В любом случае [В538.0]; В любом соотношении [В604.0]; Готовы ответить на любые вопросы [Г107.0]; Знать в любой момент времени [3590.0]; Или по любой другой причине [И346.0]; Иметь любую ... вплоть до [И407.0]; Любое лицо, отличное от [Л125.0]; Любое объяснение вроде того, что [Л126.0]; Любой другой [Л118.0]; Любой из возможных вариантов [Л119.0];

Любой из двух [Л120.0]; Любой из них, который [Л123.0]; Любой из трех [Л121.0]; Любой, кроме [Л124.0]; Любые два из [Л127.0]; О любых повреждениях немедленно сообщите [09.0]; Преодолевать почти любые трудности [П2024.0]; Чем любой другой [452.0]

**любопытно:** Любопытно, что [Л129.0]

**любопытный:** Любопытный пример [Л128.0]

**люди:** Обеспечение людьми [031.0]

**люфт:** [Л130.0]; Выбирать люфт в [В 1696.0]; Осевой и радиальный люфты [0926.0]; Устранять люфт [У526.0]

## М

**магнитный:** Записывать на магнитной ленте [3385.0]

**макет:** [М1.0]; Функциональный макет [Ф58.0]

**макетирование:** [М2.0]

**максимально:** В максимально возможной степени [В659.0]; В условиях, максимально

приближенных к эксплуатационным [В715.0]; Максимально возможный [М4.0]; Максимально допустимый [М5.0]; Максимально достижимый [М6.0]; Максимально использовать [М7.0]; Максимально увеличивать [М8.0]

**максимальный:** Достигать максимального значения [Д707.0]; Извлекать максимальную пользу из [И181.0]; Максимально [М11.0]; Максимальная готовность [М10.0]; Период максимального спроса [П230.0]; Размеры выбраны из расчета удовлетворения максимальной потребности в течение [Р256.0]; Разность между максимальной и минимальной температурами не должна превышать [Р285.0]; Следует использовать в максимальной степени [С604.0]; Уменьшаться до максимального значения [У261.0]; Устанавливать на максимальную мощность [У466.0]

**максимум:** [М12.0]; Виден максимум [В1092.0];

Достигать максимума [Д708.0]; Проходить через максимум [П3013.0]; Расхождения составляют максимум [Р543.0]; Составлять максимум [С 1085.0]

**мало:** В литературе имеется очень мало рекомендаций [В 171.0]; В прошлом уделялось мало внимания [В426.0]; Весьма мало вероятно, что [В1029.0]; Влиять мало или вообще

не влиять [В1148.0]; Времени до окончания работы мало [В1547.0]; Еще одна область, которой уделяется очень мало внимания [Е222.0]; Имеется мало общего между ... и [И491.0], Иметь мало общего с [И415.0];

Количество ... мало по сравнению с [К258.0];

Мало вероятно также, что [М46.0], Мало вероятно, что ... оказывали сильное влияние на [М43.0]; Мало вероятно, что эти надежды оправдаются [М45.0];

Мало влиять или совсем не влиять на [М21.0]; Мало говорилось о [М23.0]; Мало заботясь о [М24.0];

Мало изменился за последние ... лет [М26.0]; Мало изучены [М27.0]; Мало кто сомневается в том, что [М28.0];

Мало меняться с [М29.0]; Мало надежды на [М30.0];

Мало напоминает то, что происходит в [М32.0]; Мало отличается от [М33.0];

Мало по сравнению [М33.0]; Мало помогает [М34.0];

Мало сказываться на [М36.0]; Мало чем поможет [М37.0];

Мало что дает для повышения [М38.0]; Мало что известно о [М39.0];

Мало что меняет [М40.0]; Мало что может добавить [М41.0];

Но между ... и ... имеется мало общего [Н1798.0];

Но поскольку, как нам кажется, в этом направлении мало что делается [Н1809.0];

По-видимому, мало вероятно [П334.0]; По-видимому, мало что можно сделать [П333.0];

Пока мало исследован теоретически [П959.0];

Слишком мало [С651.0]; Содержат очень мало или совсем не содержат [С948.0];

Уделять мало внимания [У112.0], Учитывая

... мало вероятно, что [У617.0]; Это мало бы

что изменило [Э141.0]

**маловажный:** И последнее, но не самое маловажное [И448.0]

**маловероятен:** В высшей степени маловероятен [В652.0]; Такая ситуация маловероятна [Т68.0]

**маловероятный:** Делать маловероятным [Д201.0], Представляется маловероятным [П1887.0]

**малоизвестный:** [М47.0]

**маломасштабный:** Исследование на маломасштабной модели [И778.0]

**малоутешительный:** Общее положение дел не такое малоутешительное, как [О336.0]

**малочисленный:** [М48.0]; Данные малочисленны [Д110.0]; И того малочисленное [И62.0]; К сожалению, малочисленны [К16.0]

**малоэффективный:** [М49.0]

**малый:** Бесконечно малый [В85.0]; Вероятность ... по-прежнему мала [В908.0];

Достаточно мал и поэтому делает возможным [Д688.0];

Как бы малы они ни были [К53.0], Малая полуось эллипса [Б232.0];

Величина небаланса оказалась очень малой [В889.0];

И даже то малое, что было сделано [И23.0];

Из-за малого времени для [И222.0];

Исчезающе малый [И841.0]; Малая разность близких между собой больших величин [М16.0];

Малая скорость [М17.0]; Малое количество датчиков [М19.0];

Малый наклон [М14.0];

Настолько малы, что ими можно пренебречь [Н561.0];

Отбрасывание малых членов [О1212.0];

Ошибка вносимая в результате такого допущения мала [О1692.0];

Пренебрегать величиной которая мала по сравнению с [П2002.0];

Пренебрежимо мал по абсолютному значению [П2007.0];

Пренебрежимо мал по сравнению с [П2006.0];

При малом увеличении [П2143.0];

При малых временах [П2086.0];

Работа с малой мощностью [Р31.0];

Самое малое [С232.0];

Слишком малый [С650.0];

Становиться пренебрежимо малым по сравнению с [С1401.0];

Требовать очень малого в отношении [Т443.0]

**манометр:** Стрелка манометра должна вернуться на нуль [С 1485.0]

**марка:** [М50.0]; Все провода марки ... если нет других указаний [В1015.0];

Название марки [Н290.0];

Тип марка по ГОСТу или обозначение по чертежу [Т263.0]

**маркирование:** Маркирование и пломбирование [М51.0]

**маркировка:** Иметь цветную маркировку [И408.0];

Маркировка, упаковка, транспортирование и хранение [М52.0]

**маршрут:** Маршрут ремонта [М54.0]

**маршрутный:** Маршрутная технологическая карта [М53.0]

**маскироваться:** [М55.0]

**масло:** Долить масло до нижней кромки отверстия под пробку [Д600.0];

Отсутствие масла [О1549.0];

Пропитанный маслом [П2876.0]



**маслоопасно:** [M56.0]  
**масляный:** Масляные пятна не допускаются [M57.0]; Цифры и риски нанести масляной краской черного цвета [Ц54.0]  
**масса:** массой [C966.0]; Соединение на массу обеспечивается штифтом [C958.0]; Отсоединять массу [O1520.0]; Отсоединять реле от массы [O1521.0]; Минусовая клемма соединена с массой [M182.0]; Основная масса опубликованных работ [O978.0]; Поднимать массу вопросов [П754.0]; Соединён с массой [C967.0]  
**массив:** Основной массив [O968.0]  
**массивный:** [M58.0]  
**массовый:** Гарантия качества массовой продукции [Г19.0]; Массовое производство [M59.0]; Начинать массовый выпуск [H717.0]; Широкое освещение средствами массовой информации [Ш16.0]  
**мастер:** Мастер ОТК [M60.0]  
**мастерская:** Отправлять в ремонтную мастерскую [O1490.0]; Ремонтная мастерская [P702.0]  
**мастерство:** Уровень мастерства [У371.0]  
**масштаб;** Авторитет международного масштаба [A77.0]; В больших масштабах развиваются работы по [B184.0]; В масштабах всей страны [B 182.0]; В масштабе самописца [B178.0]; В одинаковом масштабе [B180.0]; В промышленных масштабах [B185.0]; В уменьшенном масштабе [B181.0]; Внедрение в широких масштабах [B1184.0]; Вычерчивать в масштабе [B2050.0]; Выяснить влияние масштаба [B2089.0]; Для правильного выбора масштаба необходимо [Д333.0]; Изготавливать в масштабе [И185.0, И186.0, И187.0]; Изготавливать в промышленных масштабах (И 189.0); Изготавливать модель в масштабе [И188.0]; Изготовленный в уменьшенном масштабе [И199.0]; Использование в больших масштабах [И683.0]; Масштаб менее [M62.0]; Масштаб по оси произвольный [M63.0]; Масштабы этих проблем все более возрастают [M64.0]; Нарисованный в масштабе [H503.0]; Не в масштабе [H763.0]; Небольшой по масштабам [H1163.0]; Освоение технологии в промышленных масштабах [O925.0]; Подбирать масштаб [П645.0]; Подчеркнутые размеры даны не в масштабе [П886.0]; Построить в одинаковом масштабе [П1486.0]; Производство в промышленных масштабах [П2807.0]; Экономия обусловленная ростом масштаба [Э27.0]  
**масштабный:** С помощью масштабной линейки и делительного циркуля [С61.0]; Умножение на масштабный коэффициент [У294.0]  
**математический:** Математическая модель [M67.0]; Математический анализ [M66.0];

Непреодолимые пока математические сложности [H1521.0]  
**материал:** В зависимости от наличия материала [B113.0]; Ведомость дополнительного оборудования и материалов [B870.0]; Ведомость потребности в материалах и покупных изделиях на заказ [B877.0]; Вспомогательные материалы для доклада [B 1605.0]; Вырезаемый материал [B1964.0]; Дополнительное оборудование и материалы [Д634.0]; Запас материалов [3371.0]; Запасные части, инструмент, принадлежности, материалы [3379.0]; Заявка на материалы [3553.0]; Заявка на покупные материалы [3554.0]; Значительная экономия материалов [3610.0]; Материал должен поступить в Оргкомитет не позднее [M68.0]; Материалы, использованные при экспертизе заявки (M69.0); Материалы, могущие опорочить новизну изобретения [M70.0]; Наличие детали или материалы [H388.0]; Новый материал [H 1830.0]; Нормы расхода материалов [H1869.0]; Объем представляемого материала [O368.0]; Особо опасный материал [O1060.0]; Перечень недостающих материалов — [П214.0]; После раздачи экзаменационных материалов [П 1367.0]; Потребность в материале [П1527.0]; Представленные материалы по ... включают в себя [П1904.0]; Представляют собой собственность фирмы или засекреченные материалы [П1883.0]; Приборы, инструмент, приспособления и материалы, необходимые для выполнения работы [П2195.0]; Работа с материалами [P32.0]; Расход материала минимален (P527.0); Расходные материалы [P537.0]; Резервные материалы [P630.0]; Сводная таблица по замене материалов [С326.0]; Свойства материала по данным поставщика [С339.0]; Сорт материала [С1062.0]; Спецификация на материалы [С1177.0]; Список сборочных материалов [С1189.0]; Способ нанесения смазочных материалов [С1205.0]; Ссылочные материалы [С 1347.0]; Стендовые материалы [С1449.0]; Экономия в стоимости материала с лихвой перекрывает затраты на [Э25.0]  
**материально-техническое:** Материально-техническое снабжение [M73.0]; Находиться в системе материально-технического обеспечения [H647.0]; Нормы материально-технического обеспечения ремонта [H 1865.0]  
**материальный:** Материальные запасы [M71.0]; Материальные ценности [M72.0]; Меры по предупреждению материальных потерь и травматизма [M131.0]  
**машина:** Вскрытие машины [B1592.0]; На этой машине [H208.0]; Несоблюдение указанных требований может привести к поломке машины или травме [H 1626.0]

**машинка:** Наборный экземпляр рукописи, напечатанный на машинке через ... интервала [Н232.0]

**машинный:** Машинные распечатки экспериментальных данных [М74.0]

**мгновение:** На мгновение [Н72.0]

**мгновенный:** Мгновенное возмущение [М76.0]; Мгновенное значение [М77.0]

**медицинский:** Медицинский факультет [М78.0]; Медицинское обслуживание [М79.0]

**медь:** Продаваться изготовленными из меди [П2720.0]

**между:** Большое сходство между [Б252.0]; В период между ... и ... минутами [В332.0]; В периоды между использованиями хранить в закрытых контейнерах [В334.0]; В этом... и заключается основное различие между [В767.0]; Взаимодействие между [В1050.0]; Где-то между [Г30.0]; Делать выбор между [Д197.0]; Делить между собой [Д239.0]; Длина участка между осями [Д294.0]; Добиваться равновесия между [Д482.0]; Достигать компромисса между [Д706.0]; Зависимость между... и [З107.0]; Зажатый между [З197.0]; Зажимать между [З199.0]; Зазор между [З206.0]; Занимать промежуточное положение между [З348.0]; Имеется мало общего между... и [И491.0]; Интервал между техническими обслуживаниями [И600.0]; Искать компромисс между [И643.0]; Колебаться между ... и [К249.0]; Компромисс между противоречивыми требованиями [К306.0]; Ликвидировать разрыв между [Л49.0]; Малая разность близких между собой больших величин [М16.0]; Между настоящим моментом времени и примерно ... годом [М81.0]; Между тем [М82.0]; Между этими двумя [М83.0]; Много общего между [М196.0]; Натягивать между [Н588.0]; Находить наилучший компромисс между [Н604.0]; Находящийся между [Н690.0]; Не делать различия между [Н827.0]; Но между ... и ... имеется мало общего [Н1798.0]; Обходной путь между [О289.0]; Основное различие между ... и ... заключается в [О994.0]; Остается еще найти связь между ... и [О1119.0]; Отсутствие связи между элементами [О1555.0]; Перекидывать мостик между [П117.0]; Перераспределение между [П158.0]; Переход между [П187.0]; Период между капитальными ремонтами [В1529.0]; Поверхность раздела между [Г112.0]; Подсоединять между ... и [П825.0]; Полное соответствие между [П1088.0]; Посредине между [П1434.0]; Предмет спора между специалистами в области [П1747.0]; Присоединять вольтметр между ... и землей [П2523.0]; Промежуточный между предельными значениями [П2843.0]; Пропорционально распределить между [П2882.0]; Про-

тиворечие между [П2972.0]; Равновесие между [Р109.0]; Разграничение между ... и [Р192.0]; Разделять между [Р202.0]; Различие между... заключается в [Р228.0]; Различие между ... и ... очень невелико [Р229.0]; Различие между ... и ... состоит в [Р230.0]; Различия в свойствах между [Р236.0]; Размещать между [П1242.0]; Разница в ... между [Р276.0]; Разность между максимальной и минимальной температурами не должна превышать [Р285.0]; Разрыв между теорией и практикой [Р335.0]; Расположенный между [Р396.0]; Распределять ответственность между [Р426.0]; Распределять поровну между [Р428.0]; Распределяться равномерно между [Р431.0]; Расстояние между параллельными гранями [Р500.0]; Расстояние между торцами [Р501.0]; Расхождение между [Р540.0]; Свободный проход между [С304.0]; Связь между ... и [С372.0]; Согласие между [С900.0]; Соответствие между... и [С1010.0]; Соотношение между... записывается обычно в виде [С1034.0]; Сопrotивление между [С1048.0]; Сотрудничество между [С1122.0]; Сохранять равновесие между [С1138.0]; Средний между [С1313.0]; Средняя нагрузка между отказами [С1315.0]; Стараться добиться равновесия между [С1424.0]; Степенная зависимость между [С1454.0]; Существует тесная связь между... и [С1581.0]; Угол между ... и [У80.0]; Указывать на прямую связь между [У210.0]; Уклон между отметками [У232.0]; Улавливать различия между [У240.0]; Устанавливать между [У451.0]; Установлено, что различие между ... отсутствует [У488.0]; Химическая реакция между [Х23.0]; Четкая зависимость между [480.0]; Чтобы разобраться в таких расхождениях между результатами [4209.0]

**международный:** Авторитет международного масштаба [А77.0]; Общепринятые международные стандарты [О310.0]; Получать международное признание [П1168.0]; Пользующийся международной известностью [П1227.0]; Следовать международной практике [С590.0]

**межзаводской:** [М84.0]

**межремонтный:** Межремонтный период [М85.0]

**межтрубный:** В межтрубном пространстве [В415.0]; Межтрубное пространство [М86.0]

**мелкий:** Мелкая подробность [М89.0]; Мелкий ремонт [М88.0]; Сетка с мелкими ячейками [С450.0]

**мелкоизмельченный:** [М90.0]

**мелкосерийный:** Мелкосерийное производство [М91.0]

**мнее:** Более или менее такой же [Б160.0];

Более или менее [Б159.0]; Выраженный менее сильно [В1956.0]; Выход из строя

, менее, чем за [B2026.0], Гораздо менее выражен [Г91.0]; До тех пор пока ... остается менее [Д465.0], Значительно менее [3623.0]; И тем не менее [И61.0]; И что не менее важно [И74.0]; Масштаб менее (М62.0); Менее выраженный по сравнению с [М96.0]; Менее ... минут [М101.0]; Менее 10% количества [М100.0]; Менее важен [М93.0], Менее важные факторы, влияющие на [М94.0]; Менее выраженный [М95.0];

Менее высокая чистота обработки [М97.0]; Менее зависеть от {М98.0}; Менее или равен [М99.0]; Менее продолжительный [Б179.0]; Менее равномерно [М102.0]; Менее равномерный [М 103.0]; Менее терпим к [М104.0]; Менее, чем за [М106.0]; Намного менее [Н419.0]; Не менее и не более [Н908.0]; Не менее важно то, что [Н905.0]; Не менее важно, чтобы [Н906.0]; Не менее важный [Н902.0, Н903.0]; Не менее значительный [Н907.0]; Немногим менее (Н1343.0);

Несколько менее освещен в литературе вопрос о (Н 1584.0); Никак не менее [Н1733.0]; Оказываться менее [0687.0]; Окупаться менее, чем за [0732.0]; Становиться менее убедительным из-за [С1385.0]; Стать менее строгим [С1403.0]; Тем не менее [Т135.0]; Хотя и менее широко известный [Х94.0]

**меньше:** В... раз меньше [В449.0]; Вдвое меньше [В858.0]; Весить в два раза меньше [В928.0];

Всего на несколько ... меньше [В1569.0]; Гораздо меньше [Г90.0]; Должен быть равен или меньше (Д576.0); Еще меньше, чем (Е208.0); Значительно меньше [3624.0]; И того меньше [И63.0]; Меньше в ... раз [М108.0]; Меньше всего изменился [М109.0];

Меньше или равен [М110.0]; Меньше, чем этого хотелось бы [МП 1.0]; На ... меньше [Н4.0]; На две ... меньше [Н5.0]; На один меньше [Н81.0]; На порядок величины меньше [Н107.0]; Намного меньше, чем [Н420.0]; Настолько меньше, что (Н562.0); Не больше и не меньше [Н748.0]; Несколько меньше, чем [Н1585.0]; Объем вычислений намного меньше, чем [0364.0]; После того, как ... стал меньше [П1376.0]; Примерно в два раза меньше [П2385.0]; Продолжительность в ... раз меньше [П2754.0]; Требовать меньше энергии, чем [Т438.0]; У одних больше, у других меньше [У8.0]; Уверенности меньше [У74.0]; Уделяется гораздо меньше внимания [У118.0]; Что явно меньше [4173.0]

**меньший:** В значительно меньшей степени [В661.0]; В качестве определяющего выбирается меньшее из значений [В144.0]; В меньшей степени [В660.0]; В меньшую сторону [В680.0]; Вероятно, было бы достаточно и меньшего количества [В904.0]; Вносит не меньшую путаницу, чем использование

(В1234.0); Выбирается меньшее из двух значений [В 1704.0]; Выбор меньшего значения [В1710.0]; Вызывая меньшее охлаждение [В1835.0]; Давать меньшую экономию [Д69.0]; Давать существенно меньшие значения, чем экспериментальные [Д17.0]; До величины, несколько меньшей [Д438.0]; Еще меньший [Е207.0]; Значительно меньшее изменение [3625.0]; Значительно меньшее количество [3626.0]; И в меньших количествах [И8.0]; Меньшее из двух значений [М112.0]; Меньшее количество [М113.0, М114.0]; Намного меньший [Н422.0]; Не должен превышать меньшего из двух значений [Н833.0]; Несколько меньший [Н1586.0]; Но никак не меньший, чем [Н1806.0]; Обеспечивать при меньшем ... дополнительный [046.0]; Отличаться в меньшей степени от [01377.0]; Отношение меньшего диаметра к большему [01467.0]; Пересчитанный на меньшие размеры (П180.0);

По меньшей мере ..., а предпочтительнее [П402.0]; Представляющий не меньший интерес, чем [П1867.0]; При значениях больших и меньших, чем [П2075.0]; При меньшей, чем этого хотелось, скорости [П2087.0]; При меньшем содержании [П2088.0]; При этом и меньших [П2169.0]; Придавать меньший вес [П2286.0]; Придавать меньшее значение [П2290.0]; Рисковать в меньшей степени [Р750.0]; С меньшим интервалом [С22.0]; Сделать как можно меньшим [С395.0]; Со все меньшей скоростью [С98.0]; Сопражено с меньшими трудностями [С1058.0]; Хотя и в меньшей степени, если [Х91.0]; Экспериментальная работа проводилась в меньшем объеме [Э36.0]

**меню:** Просматривать пункты меню [П2911.0];

Управляться с помощью меню [У333.0]

**менять:** Мало что меняет [М40.0]; Менять знак [М116.0]; Менять местами [М119.0];

Менять направление движения на обратное [М117.0]; Менять направление [И262.0]; Менять положение по отношению друг к другу [М118.0]; Можно было менять [М324.0]; Практически ничего не меняет [П1656.0]

**меняться:** Заметно меняться [3295.0]; Мало меняться с [М29.0]; Меняться на (М120.0);

Меняться ролями [М121.0]; Не меняться по сравнению с [Н909.0]

**меняющийся:** Непрерывно меняющийся [Н1526.0]

**мера:** Безотлагательные меры (Б77.0); Были приняты меры к защите персонала от воздействия... [Б366.0]; В качестве последней меры предосторожности [В 148.0]; Вовремя принимать меры [В1249.0]; Воспользоваться в полной мере [В1418.0]; Временная мера [В1516.0]; Всевозможные меры (В1562.0);

Должные меры предосторожности [Д596.0]; Если эти меры не приводят к исправлению неисправности [Е 176.0]; Мера предосторожности по поддержанию [М125.0]; Мера предосторожности против [М127.0]; Меры по ..., конечно, помогут [М128.0]; Меры по безопасности и охране [М134.0]; Меры по ослаблению воздействия [М129.0]; Меры по предотвращению несанкционированного [М 130.0]; Меры по предупреждению материальных потерь и травматизма [М131.0]; Меры по проверке [М132.0]; Меры предосторожности могут быть реализованы путем [М124.0]; Меры предосторожности по технике безопасности [М126.0]; Меры, принятые для [М 133.0]; Немедленно принять меры по [Н1339.0]; Необходимо принимать меры по [Н1381.0]; Необходимые меры по устранению [Н 1422.0]; Несмотря на все меры предосторожности [Н1611.0]; Ни в коей мере [Н 1690.0]; Обеспечивать меры [044.0]; Обычные меры предосторожности [0399.0]; Оставаться неизменным по мере [01101.0]; Остаётся выяснить, в какой мере [01117.0]; По крайней мере в настоящее время [П399.0]; По крайней мере в связи с [П400.0]; По меньшей мере [П401.0]; По мере выполнения программы испытаний [П387.0]; По мере использования [П388.0]; По мере необходимости [П389.0]; По мере появления [П390.0]; По мере приближения даты [П391.0]; По мере приближения к [П392.0]; По мере того, как продолжался [П396.0]; По мере того как [П395.0]; Предпринимать меры по быстрому и надежному удалению [П1821.0]; Представляется, по крайней мере, на первый взгляд [П1895.0]; Предупредительная мера [П1907.0]; Предусматривать меры по [П1917.0]; При соответствующих мерах предосторожности [П2133.0]; Принимать все возможные меры для [П2418.0]; Принимать все меры для [П2417.0]; Принимать меры по устранению [П2415.0]; Принимать меры предосторожности против [П2416.0]; Принимать необходимые меры [П2419.0]; Принимать соответствующие меры предосторожности [П2420.0]; Принимать специальные меры [П2421.0]; Принимать энергичные меры по [П2422.0]; Принимаются соответствующие меры [П2423.0]; Противопожарные меры [П2957.0]; Служить мерой [С680.0]; Соблюдать меры предосторожности [С812.0]; Специальные меры по защите от [С1167.0]; Только в случае, когда предпринимались специальные меры по [Т305.0]; Энергичные меры по [Э82.0]; Являться мерой [Я 18.0]

**мерило:** [М135.0]

**мероприятие:** Одновременно с этим мероприятием [0585.0]; Планы мероприятий

[П280.0]; Последовательность мероприятий [П1404.0]; Рекламные мероприятия [Р667.0]

**мертвый:** Мертвая точка [М136.0]

**местный:** Иметь лишь местное значение [И394.0]; Местные власти [М138.0]; Местные повреждения (М139.0); Обслуживание местными силами [0253.0]

**место:** Бронировать места в гостинице [Б282.0];

Быть на рабочем месте [Б311.0]; В двух местах по длине (В191.0); В любом месте по длине [В189.0]; В любом месте, начиная от ... и кончая [В188.0]; В том же месте, что и [В190.0]; В целях экономии места [В748.0]; В этом и других местах [В193.0]; Вид грузовых мест [В1081.0]; Возможно, имело место [В1298.0]; Время не стояло на месте [В1532.0]; Встать на место [В1613.0]; Выбор места [В1711.0]; Выполняемый по месту [В1921.0]; Высвободить место [В1968.0];

Где-то в другом месте [Г28.0]; Дата и место

проведения [Д124.0]; Действительно имело место [Д 173.0]; Держать в холодном месте [Д265.0]; Для устранения зазора, определить толщину прокладки по месту [Д416.0];

Для экономии места [Д423.0]; Документация находится в месте № [Д563.0]; Доставка к месту назначения [Д678.0]; Доставляться к месту назначения по железной дороге [Д680.0]; Доступное место [Д743.0];

Если... действительно имеют место [Е47.0];

Зависеть от места и времени [395.0]; Занимаемое место [3358.0]; Занимать ... место по [3333.0]; Занимать высокое место [3331.0]; Занимать достойное место [3332.0];

Занимать одно из последних мест в списке [3334.0]; Занимать первое место в изготовлении [3335.0]; Занимать последнее место в списке [3336.0]; Занимать принадлежащее ему по праву место [3337.0]; Занимать прочное место [3338.0]; Иметь место [И409.0]; К месту назначения [К9.0]; Количество мест [К259.0]; Легкодоступное место [Л32.0]; Менять местами [М119.0]; Места сварки зачистить [М 150.0]; Место зарождения [М 141.0]; Место клеймения (М142.0); Место комплектации [М143.0];

Место, легко доступное для прочтения [М144.0]; Место назначения [М145.0]; Место проведения опытов [М146.0]; Место проведения работ по [М147.0]; Место разрушения [М148.0]; Место смазки [М149.0];

На месте проведения работы [Н74.0]; Наиболее узкое место [Н336.0]; Не к месту [Н895.0]; Номера мест [Н1846.0]; Обозначение укладочного или упаковочного места [0155.0]; Обучение на рабочих местах [0279.0]; Объем каждого места, м<sup>3</sup> [0367.0];

Одно место — одна серия [0501.0]; Определить по месту в сборке с дет. [0838.0];

Определять место, занимаемое [0825.0];

Освобождать место для [0920.0]; Оставаться на месте [01092.0]; Оставаться на прежнем месте [01093.0]; Оставаться на своих местах [01094.0]; Отводить место [01258.0]; Отметки о произведенном ремонте, место и дата [01417.0]; Отогнуть по месту [01476.0]; Перемещение на новое место [П138.0]; Переносить в другое место [П144.0]; Пескооструить и покрыть грунтом, кроме места посадки и разбега [П259.0]; По месту [П403.0]; Подобающее ему место [П761.0]; Подробности, относящиеся к ..., опущены для экономии места [П805.0]; Поменять местами [П1230.0]; Поменяться местами [П1233.0]; Поместить в безопасное место [П1240.0]; Посадочные места консервировать по н.л. 816 [П1341.0]; Посещение объектов на местах [П1346.0]; Поставить на место [П1440.0]; Поставляется к месту назначения [П1454.0]; Постукивая молотком, установить на место [П1494.0]; Предусматривать место для [П1918.0]; Проверять на месте [П2642.0]; Производственное обучение на местах [П2803.0]; Просто не могут иметь места [П2922.0]; Пустое незаполненное место [П3087.0]; Рабочее место (P101.0); Расселяться по месту работы [P448.0]; Ремонт на месте [P695.0]; Ряд мест нуждается в доработке [P783.0]; Ряд общих мест [P784.0]; С целью экономии места [C 180.0]; Садиться на место [C195.0]; Сдвигаться с места [C381.0]; Сдвинута с места [C384.0]; Слабое место [C563.0]; Следующее место по ... занимают [C638.0]; Снять ..., а затем установить на место [C792.0]; Сопротивления, обозначенные P, переменные для регулировки на месте [C1050.0]; Специально отведенные места [C1169.0]; Ставить на свое место [C1358.0]; Стоять на втором месте после [C 1475.0]; Техническая документация находится в месте № [T223.0]; Точно в том месте, где [T386.0]; Три четвертых места [T468.0]; Труднодоступное место [T489.0]; Удерживать на месте [У128.0]; Удерживаться на месте [У136.0]; Узкое место [У192.0]; Указывать место работы и должность [У204.0]; Уплотнять в месте прохода через стенку [У309.0]; Устанавливать на видном месте [У452.0]; Установить на его место [У484.0]; Установить пробку на место [У483.0]; Установленный на место [У491.0]; Уступать место (У545.0); Уточнить по месту [У574.0]; Хранить в защищенном от неблагоприятных погодных условий месте [Х1 17.0]; Хранить в сухом месте [Х1 18.0]; Числитель — порядковый номер места [496.0]; Что обычно имеет место для [4155.0] **местонахождение:** [M151.0]; Получатель груза и его местонахождение [П1124.0]

**местоположение:** [M152.0]; Примерно известное местоположение [П2388.0] **месяц:** В ближайшие месяцы [B8.0]; В течение ... месяцев, считая от даты [B705.0]; Выданный не более 6 месяцев назад [B1773.0]; Выполнение которой займет, как предполагается, 18 месяцев [B1868.0]; Не позднее ... месяцев со дня [H1004.0]; Не ранее, чем за ... месяцев до [H1051.0]; С интервалом ... месяцев [C18.0, C19.0]; Текущего месяца [T129.0] **месячный:** Месячный интервал [M153.0] **металл:** Изготовление в металле [И209.0] **металлографический:** Исследования с металлографическим уклоном [И787.0]; Металлографическое исследование [M 154.0] **метка:** Совмещать сборочные метки [C867.0] **метод:** В соответствии с этим методом [B602.0]; Возможности метода [B1326.0]; Вычислительные методы [B2062.0]; Для ... разработали специальный метод [Д388.0]; Достоинство метода [Д739.0]; Краткое изложение метода с примерами применения [K453.0]; Метод, впервые предложенный [M 157.0]; Метод неразрушающего контроля [M158.0]; Метод проб и ошибок [M159.0]; Метод строительства [M160.0]; Метод устранения неисправности [M161.0]; Методом [M156.0]; Методы, пособия и условия обучения [M162.0]; Неспособность метода [H1639.0]; Новый метод [H 1831.0]; Новым в предлагаемом нами методе является [H1835.0]; Обработка экспериментальных данных по методу наименьших квадратов [0191.0]; Общая черта двух методов (0329.0); Общепринятый, хотя может быть, и не самый лучший метод [0307.0]; Один из пригодных методов решения (0518.0); Описываемый ниже метод [0790.0]; Определять двумя методами [0818.0]; Организационные методы [0905.0]; Перспективный метод [П255.0]; По методу [П404.0]; Полезный метод [П1018.0]; Приближение по методу наименьших квадратов [П2178.0]; Приближенный метод [П2180.0]; Применение метода ограничивается [П2363.0]; Присущий методу [П2544.0]; Прогрессивный метод [П2717.0]; Расчет по методу... начинается со сбора информации по [P550.0]; Расчет по этому методу может давать ошибку, достигающую [P551.0]; Расчетные методы, отличающиеся высокой точностью [P560.0]; Решено методом, который будет описан ниже [P726.0]; Самые передовые промышленные методы [C235.0]; Современные методы (C883.0); Справедливость метода [C1241.0]; Строгий метод [C1493.0]; Существо метода состоит в [C1553.0]; Технологический метод [T255.0]; Эффект, обусловленный методом измерения (Э222.0); Эффективность метода [Э230.0]

**методика:** Вычислять по методике [B2058.0]; Испытан согласно принятой методике [I772.0]; Методика заключается в следующем [M164.0]; Методика связана с большими алгебраическими преобразованиями [M166.0]; Методика тарирования [M167.0]; Методика эксперимента [M168.0]; Методикой предусматривается [M 169.0]; Недостатки методики экспериментов [H 1203.0]; Общепризнанная методика [0303.0]; Предложенная методика имеет, по-видимому, общий характер [П1737.0]; Программа и методика испытаний [П2705.0]; Следуя методике вычисления [C596.0]; Такая методика совершенно неприемлема [Т66.0]

**методичный:** При методичном изменении [П2079.0]

**механизированный:** Полностью механизированный [П 1045.0]

**механизм:** Благодаря этой работе станут более понятными механизмы [B115.0]; Исполнительный механизм [И681.0]; Определяющий механизм [0855.0]

**механистический:** Механистический подход [M170.0]

**механический:** Гарантия на механическую работу [Г20.0]; Механическая целостность [M171.0]

**мешать:** Мешает отсутствие [M174.0]; Мешать наблюдению [M173.0]; Не мешать [H910.0]; Размещать таким образом, чтобы не мешать [P266.0]

**микроскоп:** В микроскоп [B 194.0]

**миллисекунда:** Период жизни, измеряемый миллисекундами [П229.0]

**мимо:** Проходить мимо [П3004.0]

**минимальный:** Выдерживать минимальным [B1794.0]; Имеются лишь в минимальном количестве [И504.0]; Минимальное количество [M178.0]; Минимальный ... должен составлять [M176.0]; Минимальный объём информации (M177.0); Поддерживать минимальным [П711.0]; При минимальной нагрузке [П2089.0]; При минимальном изменении [П2080.0]; При минимальных затратах времени [П2090.0]; Разность между максимальной и минимальной температурами не должна превышать [P285.0]; Расход материала минимален [P527.0]

**минимум:** Если не устранить полностью, то хотя бы свести к минимуму [E152.0]; Как минимум (K80.0); Минимум знаний о [M179.0]; Минимум располагается выше [M180.0]; Необходимо как минимум [H1370.0]; Необходимый минимум [H1416.0]; Но для этого необходимо как минимум [H1789.0]; Отстоять от минимум на [01539.0]; Проходить через минимум [П3014.0]; Сводить к минимуму [C316.0]; Следует проявлять осторожность, сводя к

минимуму [C623.0]; Сокращать до минимума [C984.0]

**министерство:** Руководство министерства [P770.0]

**миновать:** миная [M 184.0]

**минувший:** В минувшем году [B427.0]

**минус:** [M181.0]; При температуре до минус 40 "C [П2138.0]

**минусовый:** Минусовая клемма соединена с массой [M182.0]

**минута:** В период между ... и ... минутами [B332.0]; За 1 минуту [39.0]; Заменять за какие-то несколько минут [3280.0]; Меньше ... минут [M101.0]; Отменять в последнюю минуту [01412.0]; По истечении ... минут [П376.0]; Получать за несколько минут [П1139.0]; Примерно каждые ... минуты [П2389.0]; С интервалом 1 минута [C17.0]; Спустя несколько минут [C1270.0]; Устанавливаются в течение нескольких минут [У473.0]

**мириться:** Как бы ни мирились с нею в прошлом [K54.0]

**мнение:** Было бы интересно узнать мнение авторов по этому вопросу [B379.0]; Вопреки распространенному мнению [B1389.0]; Всеобщее мнение [B1579.0]; Высказать свое мнение по вопросу [B1974.0]; Высказывать мнение о причинах (B 1971.0); Единодушное мнение [E14.0]; Мнения расходятся [M 188.0]; Обмен мнениями [0119.0]; Отсутствие единого мнения среди... относительно [01548.0]; Ошибочное мнение [01700.0]; По мнению авторов [П406.0]; По моему мнению [П407.0]; По нашему мнению [П408.0]; Придавать вес мнению [П2285.0]; Придерживаться мнения [П2299.0]; Сходиться во мнении о [C1604.0]; Широко распространенное мнение [Ш25.0]

**мнимый:** Разделение действительной и мнимой частей [P198.0]

**многий:** В течение многих лет [B699.0]; Во многих отношениях [B312.0]; Во многих случаях [B568.0]; Во многих практических случаях [B569.0]; Во многом ведут себя так же, как [B 199.0]; Во многом зависят от [B200.0]; Во многом обусловили [B201.0]; Во многом обязаны... [B202.0]; Во многом одинаковы [B203.0]; Во многом опирается на [B204.0]; Во многом похожи [B205.0]; Во многом содействовать [B206.0]; Во многом так же, как [B207.0]; Во многом такой же, как [B208.0]; Во многом является делом [B210.0]; Вопрос, который интересует многих [B1398.0]; Выбирать... из числа многих возможных [B1694.0]; И многие другие [И38.0]; И многие преимущества сводятся на нет [И39.0]; Использовать для многих целей [И700.0]; Исследование ведется по многим направлениям [И774.0]; Многие из

более ранних [М 190.0]; Многие считают [М191.0]; Многих потенциальных опасностей можно избежать [М192.0]; Находиться на стыке со многими науками [Н675.0]; Не говоря уже о многих других [Н807.0]; Непрерывно в течение многих лет [Н1524.0]; Описан во многих работах [0789.0]; Опыт, накопленный в течение многих лет [0878.0]; Отличаться во многих отношениях [01379.0]; Претерпевать многие изменения [П2049.0]; Соглашаться со многим из того, что [С931.0]; Ссылки на можно встретить во многих работах [С1346.0]; Являться темой многих исследований [Я33.0]

**много:** Во много раз больше [В444.0]; Во много раз толще, чем [В451.0]; Во много раз превышает [В450.0]; Делать много для развития науки и техники в области (Д202.0); Для этого может потребоваться много времени [Д427.0]; Довольно много общего [Д505.0]; Затрачивать много времени [3489.0]; Имеется много [И492.0]; Иметь много общего [И416.0]; Много времени потрачено на [М194.0]; Много говорилось и писалось о [М195.0]; Много общего между [М 196.0]; Много преимуществ в других отношениях [М197.0]; Много работать над [М198.0]; Много спорить [М199.0]; Много усилий было потрачено на [М200.0]; Много ценных уроков извлечено из [М201.0]; На эту тему написано много статей [Н 168.0]; О котором много пишут [05.0]; Оставляет желать много лучшего [01138.0]; Отнимать много времени [01424.0]; Очень много общего [01664.0]; Подтверждалось уже много раз [П862.0]; Поскольку выше много говорилось (П1349.0); Проблема стоит перед конструкторами уже много лет [П2606.0]; Прошло довольно много лет, прежде чем [П3017.0]; Содержать много полезной технической информации [С943.0]; Содержится много (С951.0); Сохранять еще много лет [С1128.0]; Сэкономить много времени и усилий [С 1635.0]; Так много, что [Т15.0]; Требовать много времени [Т439.0]; Требуемый много времени [Т463.0]; Уделять много внимания [У113.0]; Уделять много времени [У114.0]

**многое:** Многое еще нужно сделать, чтобы [М205.0]; Многое еще предстоит сделать по части [М206.0]; Многое значит для (М207.0); Многое из сказанного справедливо и для [М208.0]; Многое позаимствовать у [М209.0]; Многое сделать для развития науки и техники в области [М212.0]; Многое сделать для того, чтобы [М211.0]; Не только ..., но и многое другое [НИ 19.0]; От ... также многое зависит [01196.0]; Пока многое еще неясно [П960.0]

**многokrатно:** Многократно окупаться [М214.0]; Многократно подтверждать [М215.0]; Многократно превышать [М216.0]

**многokrатный:** Многократное использование [М219.0]; Многократный выборочный контроль [М218.0]

**многoлетний:** Многолетний опыт удовлетворительной эксплуатации (М222.0); Многолетний опыт [М221.0]

**многoпрофильный:** Многопрофильная компания [М223.0]

**многoсменный:** Многосменная работа [М224.0]

**многoчисленный:** Более многочисленны, чем (Б162.0); Гораздо многочисленнее [Г92.0]; Каждый из многочисленных [К35.0]; Многочисленны и разнообразны [М227.0]; Многочисленные отверстия [М226.0]; Подвергаться многочисленным проверкам [П661.0]; Понадобятся многочисленные переделки [П1258.0]; Слишком многочисленны, чтобы их можно было здесь перечислить [С652.0]; Снабженный многочисленными приборами [С758.0]; Это всего лишь два из многочисленных примеров [Э122.0]; Являться темой многочисленных исследований [Я34.0]

**множественность:** Множественность формулы изобретения [И166.0]

**множественный:** [М231.0]

**множество:** Бесчисленное множество вариантов [Н1436.0]; Бесчисленное множество [Б105.0, Б106.0]; В случае ... приходится сталкиваться с множеством проблем [В524.0]; Давать множество преимуществ по сравнению с [Д46.0]; Имеющий множество подражаний [И509.0]; Множество других [М229.0]; Множество фактов, свидетельствующих об обратном [М230.0]; Проходить через множество этапов [П3015.0]; Снабжать множеством [С756.0]; Существует множество самых разных определений [С1571.0]; Это подтверждается множеством данных (Э 173.0)

**могущий:** Материалы, могущие опорочить новизну изобретения [М70.0]

**моделирование:** [М232.0]

**моделировать:** [М233.0]

**модель:** Действующая модель [Д189.0]; Закладывать в модель [3229.0]; Изготавливать модель в масштабе [И188.0]; Испытание модели [И748.0]; Исследование на маломасштабной модели [И778.0]; Математическая модель [М67.0]; Модель в натуральную величину [М235.0]; Модель в соответствии с которой [М236.0]; Описываться моделью [0793.0]; Параметры, рассчитанные по модели [П23.0]; Уточнение модели [У569.0]

**модем:** Передача файлов по модему [П106.0]

**модернизация:** [М237.0]; Подвергаться модернизации [П662.0]

**модернизировать:** [М238.0]

**модный:** Стать модным [С1404.0]

**модуль:** Изготавливать в виде модулей [И184.0]

**модульный:** Модульная конструкция [М239.0]

**можно:** А следовательно, можно сделать вывод, что [А40.0]; Анализ данных в настоящее время продолжается, но некоторые выводы можно сделать уже сейчас [А113.0]; Без него можно обойтись [Б34.0]; В заключение можно отметить [В121.0]; В правомерности двух последних допущений можно усомниться. [В386.0]; В этом можно легко убедиться, посмотрев на [В769.0]; Вполне можно было бы [В1482.0]; Вряд ли можно ожидать, что такой [В1556.0]; Если бы можно было [Е104.0];

Если это можно назвать [Е 165.0]; Задачу можно привести к безразмерному виду [3176.0]; Запрос можно направлять по адресу [3415.0]; И последнее, что можно сделать, это [И49.0]; Из этого можно сделать вывод, что [И142.0]; Как можно ближе [К81.0]; Как можно было бы предположить [К82.0]; Как можно видеть [К85.0]; Легче всего это можно сделать путем [Л29.0]; Можно многое узнать о [М384.0]; Можно было бы задать вопрос о [М392.0]; Можно было бы конечно [М393.0]; Можно видеть, что [М326.0]; Мож-

но выйти из положения [М331.0]; Можно доказать [М332.0]; Можно надеяться, что [М335.0]; Можно объяснить [М337.0]; Можно показать, что [М346.0]; Можно рассуждать следующим образом [М365.0]; Можно сделать вывод [М368.0]; Можно считать, что [М377.0]; Можно считать [М379.0]; Можно только догадываться о [М380.0]; Можно толь-

ко случайно [М381.0]; Можно узнать по [М383.0]; Можно узнать [М382.0]; Можно упомянуть о [М386.0]; Можно установить что началом послужил [М387.0]; Можно утверждать что [М388.0]; Насколько можно судить по [Н545.0]; Некоторое представленные можно получить [Н1296.0]; Последнее выражение можно упростить до вида [П1389.0]; Резюмируя, можно сказать, что [Р664.0]; Скорее можно сказать, что [С537.0];

Читателю можно порекомендовать [4112.0]; Что можно объяснить несколькими причинами [4148.0]; Что можно только приветствовать [4149.0]; Это можно объяснить несколькими причинами [Э165.0]; Эту трудность можно обойти [Э111.0]

**молекулярный:** Характеризоваться молекулярным весом [Х10.0]

**молоток:** Постукивая молотком, установить на место [П1494.0]

**молчаливо:** Молчаливо свидетельствовать об этом факте [М240.0]

**молчание:** Обходить молчанием вопрос о [0281.0]; Однако нельзя обойти молчанием [0568.0]

**момент:** Аннулировать в самый последний момент [А145.0]; Более поздние моменты

времени [Б174.0]; Более ранние моменты времени [Б 180.0]; В каждый момент времени [В215.0]; В какой-то момент [В216.0]; В любой момент времени в процессе [В218.0];

В момент разрушения [В213.0]; В настоящий момент времени [В219.0]; В некоторый момент времени в процессе [В221.0]; В некоторый момент времени [В220.0]; В последовательные моменты времени [В225.0];

В различные моменты времени [В226.0]; В тот момент времени, когда [В222.0]; В тот самый момент, когда [В223.0]; В этот момент времени [В224.0]; Вплоть до того момента, когда ... больше не применимо (В1474.0); Для моментов времени [Д352.0];

Для ряда последовательных моментов времени, охватывающих всю продолжительность [Д353.0]; Для этого нет более подходящего момента, чем [Д431.0]; До момента времени [Д449.0]; Затянуть без смазки с моментом затяжки [3513.0]; Знать в любой момент времени [3590.0]; Интересный момент [И606.0]; К моменту написания этой [К10.0]; Между настоящим моментом времени и примерно ... годом (М81.0); Момент времени, когда [М243.0]; Момент времени [М242.0]; Момент затяжки без смазки [М244.0]; Момент затяжки со смазкой [М245.0]; Момент начала [М246.0]; На данный момент времени [Н75.0]; Начиная с этого момента [Н734.0]; Основной момент [0969.0]; Отсрочка на... с момента [01527.0];

По одному в каждый момент времени [П420.0]; Поворотный момент в истории [П554.0]; Позволяет отметить два момента [П917.0]; Последовательные моменты времени [П1410.0]; С момента его первого применения [С32.0]; С момента первого появления в [С33.0]; С этого момента и до момента окончания [С35.0]; Следует отметить два момента [С612.0]; Следует отметить еще два момента [С613.0]

**монопольный:** Монопольная поставка [М252.0]

**монтаж:** Инструкция по монтажу [И575.0]; Монтаж и демонтаж [М248.0]; Монтаж,

отладку и опробование производить в строгом соответствии с рекомендациями, изложенными в инструкции по эксплуатации [М249.0]; Монтаж схемы внутри пульта управления [М250.0]; Облегчать монтаж при повторной сборке [0108.0]; Основные требования к монтажу и эксплуатации — [01012.0]; Правила ремонта и монтажа [П1614.0]; Сборка и монтаж оборудования (С255.0); Сборка и монтаж узла [С256.0]

**монтажный:** Ведомость объема строительных и монтажных работ [В874.0]; Договор о проведении монтажных работ [Д524.0]; Монтажная организация [М251.0]; Разметка монтажных отверстий [Р261.0]



**море:** Абсолютная отметка над уровнем моря [A52.0]; На высоте ... над уровнем моря [H32.0]; На уровне моря [H174.0]

**морской:** В морских условиях [B723.0]

**мостик:** Перекидывать мостик между [P1117.0]

**мотивировать:** [M253.0]

**мочь:** Вполне могут быть [B1480.0]; Для этого

может потребоваться много времени [D427.0]; Другим решением могло бы быть [D761.0]; Зачастую могут оказаться вполне достаточными [3525.0]; И хотя может показаться, что [И69.0]; Картина может оказаться иной [K188.0]; Могут быть использованы повторно [M260.0]; Могут оказаться несостоятельными [M266.0]; Могут потребоваться [M267.0]; Могут привести к [M268.0]; Может быть, автор прокомментирует [M307.0]; Может ввести в заблуждение [M270.0]; Может найти применение [M279.0]; Может показаться неоправданным [M296.0]; Насколько я могу судить [H550.0]; Не могут заменить [H921.0]; Пока что мы не можем объяснить [P965.0]; Положение может еще более ухудшиться [P11096.0]; После периода времени, который может быть довольно длительным [P11362.0]; Примером может служить [P2382.0]; Это может оказаться трудной задачей [Э143.0]

**мощность:** Величина потребной мощности [B893.0]; Выигрыш в мощности [B1842.0];

Затраты мощности на собственные нужды (3488.0); Мощность на выходе [M399.0];

Мощность, подводимая к [M400.0]; Мощ-

ность, потребляемая [M401.0]; Мощность предприятия [M402.0]; Номинальная длительная мощность [H1849.0]; Номинальная мощность [H1850.0]; Определение мощности [0811.0]; Повышать номинальную мощность [P588.0]; Поглощать избыточную мощность [P597.0]; Потреблять мощность [P1525.0]; Проектная мощность [P2772.0]; Производственные мощности [P2805.0]; Работа с малой мощностью [P31.0]; Работать на полной мощности [P57.0]; Работать на полную мощность [P58.0]; С номинальной мощностью [C36.0]; Снижать номинальную мощность [C768.0]; Снижение номинальной мощности [C778.0]; Удельная мощность [U106.0]; Устанавливать на максимальную мощность [U466.0]; Установить уровень подводимой мощности, равный [U487.0]

**мощный:** Мощное средство [M397.0]; Мощный инструмент исследования [M397.0];

Мощный стимул для [M404.0]

**мощь:** Научный потенциал и техническая мощь [H596.0]

**мысленно:** Мысленно представлять себе (M442.0)

**мысль:** Мысль об особой важности [M441.0];

Наводить на мысль о возможности существования [H243.0]; Наводить на мысль о возможности [H242.0]; Наводить на мысль о необходимости [H244.0]; Отсюда появляется мысль [01577.0]; Приводить к мысли о целесообразности (P2227.0); Продолжая эту мысль, отметим [P2744.0]

## Н

**набивать:** Набивать в [H214.0]

**набиваться:** [369.0]

**наблюдаемый:** (H226.0); Впервые наблюдаемый [B1452.0]; Тенденция, наблюдаемая для [T150.0]

**наблюдать:** Наблюдать за [H215.0]; Наблюдая

при этом за [H225.0]; Пристально наблюдать за новинками в этой области [P2528.0]

**наблюдаться:** В последние годы наблюдается [B87.0]; За последние ... лет наблюдается [341.0]; Заметного отклонения от обычной зависимости не наблюдалось [3290.0]; Какое-либо не наблюдалось [K164.0]; Наблюдается обратная [H218.0]; Наблюдается протиположная зависимость [H219.0]; Наблюдается тенденция к [H220.0]; Наблюдается тенденция отхода от [H221.0]; Наблюдалась противоположная тенденция [H222.0];

Наблюдались визуально и на слух [H224.0];

Наблюдался и прежде [H223.0]; Наблюдаться во всех случаях, когда [H217.0]; Противоположная картина наблюдается для [P2962.0]; Противоположная картина наблюдалась в случае [P2963.0]; Противоположная тенденция наблюдается для [P2966.0]; Противоположный эффект наблюдается [P2961.0]; То же самое наблюдалось [T357.0]

**наблюдение:** [H227.0]; Визуальные наблюдения [B1105.0]; Мешать наблюдению [M173.0];

Под наблюдением оператора [P611.0]; Проведение наблюдений [P2617.0]; Регистрировать в журнале наблюдений [P600.0]

**набор:** Набор и сброс нагрузки [H228.0];

Набор инструментов [H229.0]; Набор образцов [H231.0]; Размер обеспечить путем на-

бора прокладок [P253.0]; Ремонтный набор [P699.0]

**наборный:** Наборный экземпляр рукописи, напечатанный на машинке через интервала [H232.0]

**набранный:** Количество набранных баллов [K260.0]

**набрасывать** [H234.0]

**наброс:** Наброс нагрузки [H233.0]

**наверняка:** Наверняка извлекут пользу из [H237.0]; Наверняка правильное, чем [H238.0]; Почти наверняка благодаря [П 1552.0]; Почти наверняка потому, что [П 1553.0]

**навертывать:** Навернуть на [H235.0]

**наверху:** Наверху [H239.0]; Расположенный наверху [P398.0]

**навлекать:** Навлекать дурную славу [H241.0]; Навлекать на себя неприятности [H240.0]

**наводить:** Наводить на мысль о возможности существования [H243.0]; Наводить на мысль о необходимости [H244.0]

**навсегда:** Исчезать навсегда [H839.0]; Пропасть навсегда [П2871.0]; Раз и навсегда [P150.0]; Раз и навсегда установленный [P151.0]

**навстречу:** Идя навстречу потребностям [H117.0]; Охотно идти навстречу [01624.0]

**навык:** [H245.0]; Закреплять практические навыки [3262.0]; При наличии некоторых навыков [П2094.0]; Развивать навыки [P180.0]

**наглядность:** Для наглядности [D354.0]

**наглядный:** Давать наглядное представление о [D40.0]; Наглядные пособия [H246.0]; Наиболее наглядный [H320.0]

**нагревать:** Нагревать до [H247.0]; Нагревать до покраснения [H248.0]

**нагружать:** Нагружать вручную [H249.0]

**нагрузка:** Без нагрузки [B30.0]; Брать на себя всю нагрузку [B269.0]; Во время работы с нагрузкой [B38.0]; Выдерживать нагрузку [B1795.0]; Длительная нагрузка [D299.0]; До полной нагрузки [D454.0]; На нагрузке [H76.0]; Набор и сброс нагрузки [H228.0]; Наброс нагрузки [H233.0]; Нагрузка, передаваемая [H250.0]; Нести нагрузку [H1641.0]; Нулевая нагрузка [H1912.0]; Передавать нагрузку на ... через [П98.0]; Под нагрузкой [П612.0]; Преподавание с частичной нагрузкой [П2026.0]; При минимальной нагрузке [П2089.0]; Приложенные нагрузки [П2360.0]; Работа на нагрузке [P21.0]; Работа на частичной нагрузке [P24.0]; Работать на полной нагрузке [P57.0]; Равномерное распределение нагрузки [P 115.0]; Распределять нагрузку (P425.0); Устанавливать нагрузку в соответствии с потребностью [Y454.0]; Физическая нагрузка [Ф24.0]

**надавливать:** Надавливать вниз на [H253.0]; Надавливать на [H254.0]

**надбавка:** Надбавка к стоимости [H255.0]

**надвигать:** Надвигать на [H256.0]

**надвигающийся:** Быть в курсе надвигающихся событий [B299.0]

**надевать:** Надевать на [H257.0]

**надежда:** Большие надежды возлагались на то, что [B256.0]; В надежде [B227.0, B228.0]; В надежде, что это поможет [B229.0]; Возлагать большие надежды на то, что [B 1288.0]; Все надежды на ... необходимо связывать с [B1008.0]; Мало вероятно, что эти надежды оправдаются [M45.0]; Мало надежды на [M30.0]; Оправдывать возлагавшиеся на него надежды [0800.0]; Подавать надежды [P629.0]; Подающий надежды [P630.0]

**надежен:** Абсолютно надежен при [A54.0]

**надежно:** Легко и надежно [Л17.0]; Надежно закреплен [H259.0]; Надежно затянуть [H260.0]; Надежно защищать от постороннего вмешательства [H261.0]; Надежно измерить не удавалось [H262.0]; Надежно работать в неблагоприятных условиях [H263.0]

**надежность:** Безопасность и надежность [B73.0]; Закладывать надежность в [3230.0]; Надежность запуска [H264.0]; Обосновывать документально надежность результатов [0172.0]; Поощрять высокую надежность [П1281.0]; С какой-либо степенью надежности [C26.0]; Уделять большее внимание надежности эксперимента [Y110.0]; Чтобы гарантировать надежность контактов [4178.0]; Эксплуатационная надежность [Э53.0]

**надежный:** Исключительно надежная работа [H675.0]; Надежная гарантия [H269.0]; Надежная защита [H270.0]; Надежная охрана [H271.0]; Надежная работа [H272.0]; Надежная сборка [H273.0]; Надежная финансовая основа [H274.0]; Надежные результаты [H275.0]; Надежный ограниченно [H266.0]; Надежный при отказе отдельных элементов [H267.0]; Надежный способ [H268.0]; Наилучший способ надежного обеспечения [H354.0]; Предпринимать меры по быстрому и надежному удалению [П1821.0]; Становиться надежным [C 1386.0]

**наделять:** Наделять полномочиями [H276.0]

**надеяться:** Можно надеяться, что [M335.0]; Мы надеемся выяснить [M410.0]; Мы надеемся, что [M411.0]; Надеюсь, что ответил на все Ваши вопросы [H277.0]; Не позволяет надеяться на [H989.0]; Нужно надеяться, что [H1902.0]; Остается надеяться, что [01120.0]; Тогда можно было бы надеяться, что [T288.0]; Хотелось бы надеяться [X81.0]; Хочется надеяться, что [X82.0]

**надзор:** Надзор со стороны продавца за [H278.0]; Ответственность поставщика по надзору [01239.0]; Перечень изделий или

их составных частей для периодической проверки органами надзора [П209.0]

**надлежащий:** Надлежащим образом [Н279.0]; При условии надлежащего ухода [П2149.0]

**надлежит:** [Н280.0]

**надо:** Надо полагать [Н281.0]; Надо признать, что [Н282.0]

**надобность:** Отверстие сверлить в случае надобности [01219.0]; Переключать без надобности не разрешается [П118.0]

**надпись:** Надписи на чертежах [Н283.0]

**нажатый:** При нажатой кнопке [П2092.0]; Удерживание в нажатом положении [У121.0]; Удерживать кнопку нажатой [У126.0]

**нажимать:** Нажать кнопку [Н285.0]; Нажать на [Н286.0]; Нажимать на [Н287.0]

**назад:** В направлении назад [В232.0]; Вперед и назад [В1458.0]; Выданный не более 6 месяцев назад [В1773.0]; Забирать назад заявления [370.0]; Лет ... назад [Л41.0]; Несколько лет назад казалась [Н1582.0]; Оглядываясь назад [0435.0]; Перемещаться назад [П135.0]; Подставлять назад [П829.0]; Сдвинуть назад [С382.0]; Чем ... лет назад [451.0]

**название:** Идти под названием [И110.0]; Известны под общим названием [И176.0]; Известный под названием [И169.0]; Иметь название [И410.0]; Как следует из названия [К117.0]; Название детали [Н288.0]; Название изобретения [Н289.0]; Название марки [Н290.0]; Название фирмы [Н291.0]; Обычно известные под названием [0405.0]; Получать название [П1149.0]; Получать свое название за то, что [П1150.0]; Явление, известное под названием старения [Я5.0]

**названный:** Заслуживает быть названным [3462.0]

**наземный:** Наземная техника [Н292.0]

**назначаемый:** Назначаемый, когда имеются клинические показания [Н295.0]

**назначать:** Назначать на [Н293.0]; Назначать слушание дела [Н294.0]

**назначение:** Выполнять свое назначение [В1884.0]; Двойное назначение [Д160.0]; Доставка к месту назначения [Д678.0]; Доставляться к месту назначения по железной дороге [Д680.0]; Использовать по назначению [И705.0]; К месту назначения [К9.0]; Место назначения [М145.0]; Назначение состоит в [Н298.0]; Общее назначение [0334.0]; Поставляется к месту назначения [П1454.0]; Ряд установок различного назначения [Р787.0]; Уяснить назначение [У623.0]

**назначенный:** Назначенный ориентировочно на [Н296.0]; Официально назначенный [01604.0]

**назревать:** Назрела необходимость в [Н299.0]

**называемый:** [Н303.0]; Иногда называемый просто [И560.0]; Ниже называемый всюду

[Н1717.0]; Так называемый [Т16.0]; Эти так называемые [Э218.0]

**называть:** Будем называть это явление [Б343.0]; Если можно так назвать [Е49.0]; Если уж мы предпочитаем называть его именно так [Е140.0]; Если это можно назвать [Е165.0]; Который обычно называют [К418.0]; Называть неточно [Н301.0]; Называют обычно [Н302.0]; Часто называют [423.0]

**называться:** Вне зависимости от того, как это называется [В1175.0]; Который впредь будет называться [К411.0]; Ниже будет называться [Н1713.0]; Обобщенно называются [0145.0]; То, что в настоящее время называется [Т278.0]

**наиболее:** Выбор... наиболее логичен [В1712.0];

Для ... наиболее пригоден [Д355.0]; Для ... наиболее важны, а не [Д326.0]; Когда потребность в ... наиболее высока [К236.0];

Наиболее благоприятные результаты [Н305.0]; Наиболее благоприятные условия [Н306.0]; Наиболее близкий по смыслу [Н307.0]; Наиболее близко подходит по [Н309.0]; Наиболее быстро растущий [Н310.0]; Наиболее важны [Н311.0]; Наиболее важный вопрос при [Н312.0]; Наиболее важный результат [Н313.0]; Наиболее важный [Н314.0]; Наиболее вероятная причина [Н315.0]; Наиболее вероятно [Н316.0]; Наиболее достоверный [Н317.0]; Наиболее значительный из [Н318.0]; Наиболее интересные результаты [Н319.0]; Наиболее наглядный [Н320.0]; Наиболее обоснованный [Н321.0]; Наиболее перспективное направление [Н323.0]; Наиболее перспективны в [Н324.0]; Наиболее перспективный из [Н322.0]; Наиболее подходящий [Н325.0];

Наиболее поразительным оказалось то, что [Н326.0]; Наиболее привлекательный [Н327.0]; Наиболее приемлемое объяснение заключается в том, что [Н328.0]; Наиболее распространенный [Н329.0]; Наиболее рационально [Н330.0]; Наиболее серьезная авария, которая только может произойти [Н331.0]; Наиболее точно аппроксимирующая кривая [Н332.0]; Наиболее трудная техническая задача [Н333.0]; Наиболее удаленный [Н334.0]; Наиболее удобно выразить через [Н335.0]; Наиболее узкое место [Н336.0]; Наиболее употребительный [Н337.0]; Наиболее ценная информация [Н338.0]; Наиболее часто встречаемые [Н339.0]; Наиболее часто встречающийся [Н340.0]; Наиболее часто используются [Н341.0]; Наиболее часто применяемый для [Н342.0]; Наиболее широко используемый [Н343.0]; Наиболее широко применяются в [Н344.0]; Наиболее эффективно [Н345.0];

Некоторые, хотя и не все, наиболее известные [Н1302.0]; Один из наиболее важных

вопросов, на который необходимо ответить [0514.0]; Один из наиболее выдающихся ... своего времени [0513.0]; Одна из наиболее насущных проблем [0530.0]; Одна из наиболее трудных проблем [0531.0]; Остановившись на наиболее важных вопросах [01153.0]; Перечень наиболее часто встречающихся неисправностей [П211.0]; Работать наиболее долго [Р62.0]; Работы, наиболее близкие к нашему исследованию [Р35.0]; Тот, который наиболее выгоден [Т349.0]; Что наиболее важно [4150.0]

**наибольший:** Вызывать наибольший интерес [В1808.0]; Допускать наибольшую [Д659.0];

И именно этому последнему вопросу уделяется наибольшее внимание (И32.0); Иметь наибольшие возможности для применения в [И373.0]; Иметь наибольшие шансы на успех [И374.0]; Наибольшее влияние, как можно видеть, испытывает ..., затем .... и наконец [Н349.0]; Наибольшее возмущение вызывает [Н350.0]; Наибольшие помехи в работе аппаратуры создавал [Н351.0]; Наибольший для [Н347.0]; Наибольший успех выпал на долю [Н348.0]; Находить наибольшее применение в [Н612.0]; Область наибольшей активности [096.0]; Оказывать наибольшее влияние [0630.0]; Получать наибольшую пользу от [П1160.0]; Пользующийся наибольшей известностью [П1228.0]; Пользующийся наибольшим спросом (П1229.0); Представляющий наибольший интерес [П1866.0]; Приобретать наибольшее значение [П2477.0]; Проявляться в наибольшей степени [П3053.0]; Способствовать наибольшему [С1227.0]

**наивность:** Некоторая наивность [Н 1292.0]

**наивысший:** Достигать наивысшего уровня [Д718.0]

**наилучший:** Давать наилучшие результаты [Д57.0]; Наилучшая аппроксимация экспериментальных данных [Н352.0]; Наилучший вариант [Н353.0]; Наилучший способ надежного обеспечения [Н354.0]; Наилучшим образом приспособлены для [Н356.0]; Наилучшим образом решает задачу [Н357.0];

Наилучшим образом удовлетворять потребностям [Н358.0]; Находить наилучший компромисс между [Н604.0]; Оценивать наилучшим образом [01631.0]; Чтобы наилучшим образом [4190.0]

**наименее:** Наименее важен [Н359.0]; Наименее изучены [Н360.0]

**наименование:** Наименование детали по каталогу [Н363.0]; Торговое наименование [Т331.0]

**наименьший:** В наименьшей степени подвержен влиянию [В663.0]; В наименьшей степени [В662.0]; Зависеть в наименьшей степени от [390.0]; Обладать наименьшими

свойствами [085.0]; Обработка экспериментальных данных по методу наименьших квадратов [0191.0]; Приближение по методу наименьших квадратов [П2178.0]

**наинизший:** Достигать наинизшего уровня [Д719.0]

**наихудший:** В расчете на наихудшие условия [В465.0]; Для наихудшего случая [Д393.0];

Показывать в наихудшем свете [П975.0]

**найден:** Было найдено, что [0691.0]; Было найдено (Б371.0); Впоследствии было найдено, что [В1497.0]; Если найдено, что неисправность находится в [Е58.0]; Найдено, что ... не всегда обеспечивают [Н624.0]; Никаких реальных доказательств этого пока не найдено [Н1748.0]; Объяснение этому не найдено [0374.0]; Ответ на вопрос все еще не найден [01230.0]; Причина не найдена [П2580.0]; Техническое решение было найдено с появлением [Т236.0]

**накануне:** Находиться накануне [Н678.0]

**накапливать:** [Н364.0]

**накладная:** Железнодорожная накладная [Ж9.0]; Заводские накладные расходы [3123.0]; Накладная груза — [Н365.0]

**накладывать:** Накладывать на [Н368.0]

**наклон:** Малый наклон [М14.0]; Тангенс угла наклона кривой [Т116.0]; Угол наклона [У81.0]

**наклонен:** Наклонен к [Н371.0]

**наклонный:** [Н372.0]

**наклонять:** Наклонять под углом [Н370.0]

**наконец:** Во-первых,... во-вторых,... и наконец, в третьих. [В328.0]; Наибольшее влияние, как можно видеть, испытывает..., затем... и наконец [Н349.0]; Наконец, необходимо определить [Н374.0]; Наконец, уместно сказать о [Н375.0]; Сначала .... затем ... и наконец [С762.0]

**накопление:** Накопление [Н376.0]; Постепенное накопление [П1466.0]

**накопленный:** Большой опыт в этой области накоплен в [Б227.0]; Накопленный опыт [Н377.0]; Опыт, накопленный в течение многих лет [0878.0]; Опыт, накопленный к настоящему времени [0879.0]; Судя по накопленному к настоящему времени опыту [С 1533.0]

**налагаемый:** Ограничения, налагаемые существующей конструкцией [0444.0]; Ограничения, налагаемые шагом лопаток [0445.0]; Степень ограничений, налагаемых на [С1451.0]

**налагать:** Налagать какие-либо обязательства на [Н378.0]; Налagать ограничение на [Н366.0, Н380.0]; Налagать ограничение [Н379.0]; Налagать ответственность на ... за соблюдение [Н382.0]; Налagать практическое ограничение на [Н381.0]; Налagать условия [Н367.0]; Налagать штраф за [Н383.0]

**наладка:** [Н384.0]; Ручная наладка и регулировка [Р779.0]

**наладочный:** Наладочные испытания [Н385.0]

**наличие:** [Н386.0]; В зависимости от наличия материала [В113.0]; Выбор определяется наличием, а не конструкцией [В1715.0]; Иметь-

ся в наличии у [И482.0]; Подразумевается наличие [П788.0]; При наличии некоторых навыков [П2094.0]; Проверять наличие [П2641.0]

**наличный:** Наличное количество [Н387.0]; Наличный остаток [Н389.0]; Наличные детали или материалы [Н388.0]

**налог:** Прибыль за вычетом подоходного налога [П2196.0]

**наложение:** Наложение граничных условий на [Н391.0]; Наложение условия на [Н390.0]; Чтобы избежать наложения экспериментальных точек и вызываемой этим путаницы [4183.0]

**наматывать:** Наматывать на [Н407.0]

**нарек:** Не было даже и намека на [Н759.0]

**намереваться:** [Н408.0]; Не намереваясь никоим образом опорочить [Н924.0]

**намерение:** Имеется намерение [И494.0]; С намерением [С37.0]; Хотя может быть это и не входило в первоначальные намерения [Х101.0]

**намеренно:** Делать намеренно [Д204.0]; Это сделано намеренно [Э130.0]

**намечать:** Как намечалось первоначально [К92.0]; Намечать отверстие [Н410.0]; Намечать очередность этапов программы [Н411.0]

**намеченный:** Намеченный срок [Н412.0]

**намечено:** Завершение строительства намечено на [385.0]

**нами:** Исследованный нами в данной работе [И803.0]; Новым в предлагаемом нами методе является [Н1835.0]; Охватывать все вопросы, рассмотренные нами [01614.0]; Полученные нами результаты [П 1198.0]; Полученный нами ранее [П1193.0]; Рассмотревшиеся нами до сих пор [Р491.0]

**намного:** Другие преимущества намного пере-

вешивают такой недостаток как [Д758.0]; Намного более совершенный [Н414.0]; Намного большая вероятность [Н415.0]; Намного больше [Н416.0]; Намного легче [Н417.0]; Намного лучше предыдущих [Н418.0]; Намного менее [Н419.0]; Намного меньше, чем [Н420.0]; Намного меньше [Н421.0]; Намного меньший [Н422.0]; Намного ниже, чем [Н424.0]; Намного облегчить задачу [Н425.0]; Намного опережать график [Н427.0]; Намного отличаться от [Н428.0]; Намного превосходить наши ожидания [Н429.0]; Намного превосходить численно [Н430.0]; Намного превышать [Н431.0]; Намного превышающий [Н432.0]; Намного продвинулся в нашем представлении о

[Н433.0]; Намного удовлетворительнее других [Н434.0]; Объем вычислений намного меньше, чем [0364.0]; Поскольку... намного больше [П1350.0]; Распределение намного равномернее [Р418.0]

**намоченный:** Намоченный в [Н435.0]

**нанесение:** Нанесение клея [Н436.0]; Нанесение покрытия из ... на [Н437.0]; Способ нанесения смазочных материалов [С 1205.0]

**нанесенный:** Нанесенный на график в зависимости от [Н450.0]

**наносимый:** Покрытие наносимое на [П1003.0]

**наносить:** Нанести кистью слой [Н451.0]; Наносить небольшой слой консистентной смазки [Н442.0]; Наносить отдельно [Н443.0]; Наносить повреждение [Н444.0]; Наносить покрытие [Н445.0]; Наносить риски на [Н446.0]; Наносить сетку на [Н447.0]; Наносить слой (Н439.0); Наносить тонкий слой на [Н440.0]; Наносить ... тонким слоем на [Н441.0]; Наносить точки на график [Н448.0]; Наносить урон [Н453.0, Н454.0]; Цифры и риски нанести масляной краской черного цвета [Ц54.0]

**наноситься:** Наноситься кистью [Н452.0]

**наоборот:** [Н455.0]; А наоборот [А23.0]; А не наоборот [А30.0]; Если бы было наоборот [Е101.0]; И наоборот [И41.0]; Или даже наоборот [И337.0]; Или наоборот отсутствие пластичности [И342.0]; Упущение или наоборот достижение [У350.0]; Часто однако бывает наоборот [425.0]

**наперед:** Задом наперед [3192.0]

**напечатанный:** Наборный экземпляр рукописи, напечатанный на машинке через ... интервала [Н232.0]; Напечатанный через ... интервала [Н457.0]

**напечатать:** Напечатать через один интервал [Н456.0]

**написание:** К моменту написания этой [К10.0]

**написанный:** Статьи, написанные научными работниками [С1439.0]; Статьи, написанные работниками промышленности [С1440.0]

**написать:** На эту тему написано много статей [Н168.0]; На эту тему написаны целые книги [Н169.0]

**наподобие:** [Н458.0]

**наполовину:** Заполнять наполовину [3402.0];

Наполовину зачерненные значки [Н459.0];

Наполовину прав [Н460.0]; Наполовину уменьшить [Н461.0]; Уменьшать наполовину (У256.0)

**напоминать:** Близко напоминать [Б 141.0]; Больше напоминать..., чем... [Б207.0]; В качестве предостережения напомним [В 149.0]; Внешне напоминать [В1192.0]; Вовремя об этом напомнили [В1250.0]; Здесь уместно напомнить [3567.0]; Мало напоминает то, что происходит в [М32.0]; Мало напоминает

[M31.0]; На первый взгляд больше напоминает [H14.0]; Напоминаем, что [H464.0]; Напоминать нам о необходимости [H466.0]; Напоминать по [H463.0]; Напомним, что [H465.0]; Необходимо напомнить [H1372.0]; Несколько напоминать [H1587.0]; Очень напоминать [O1665.0]; Поразительно напоминать [P1321.0]

**напоминающий:** [H467.0]; Весьма напоминающие [B1030.0]; Отдаленно напоминающий [O1281.0]; Сильно напоминающий [C474.0]

**направлен:** В настоящее время усилия инженеров направлены на [B59.0]; Все усилия по ... должны быть направлены на [B1023.0]; Главное усилие должно быть направлено на [Г55.0]; Значительные усилия будут направлены на [3612.0]; Направлен вниз [H484.0]; Проводимая в настоящее время работа направлена на [П2700.0]; Программа как раз и направлена на решение этих задач [П2708.0]

**направление:** Анализ проводился по двум направлениям [A112.0]; В направлении вверх

[вниз] [B230.0]; В направлении вверх [вниз] по течению [B231.0]; В направлении вперед [назад] [B232.0]; В направлении от [B233.0]; В направлении, противоположном [B234.0]; В окружном направлении [B235.0]; В осевом направлении [B236.0]; В противоположном направлении [B237.0]; В том или ином направлении [B238.0]; Влиять в противоположном направлении [B1147.0]; Дальнейшие исследования могли бы быть продолжены по двум направлениям [Д107.0]; Двигаться по направлению к [Д155.0]; Действовать в одном и том же или в противоположном направлениях [Д177.0]; Действовать в правильном направлении [Д179.0]; Еще один шаг в направлении [E221.0]; Исследование ведется по многим направлениям [И774.0]; Исследование по нескольким направлениям [И781.0]; Менять направление движения на обратное [M117.0]; Менять направление [И262.0]; Наиболее перспективное направление [H323.0]; Направление противоположно [H471.0]; Направление снизу вверх [H473.0]; Направление совпадает с направлением стрелок [H472.0]; Направление дальнейших исследований [H470.0]; Направление исследований [H469.0]; Но поскольку, как нам кажется, в этом направлении мало что делается [H1809.0]; По направлению к [П409.0]; Повернуть на небольшой угол в том или другом направлении [П549.0]; Положительный в направлении [П1108.0]; Послужить началом работ в этом направлении [П1425.0]; Предпочтительное направление [П1815.0]; Противоположный по направлению [П2959.0]; Работа в аналогичном направлении [P3.0]; Работа в этом направле-

нии [P4.0]; Развиваться в направлении [P183.0]; Разработка велась по двум направлениям [P306.0]; Разрезать в продольном направлении [P312.0]; Способствовать в двух направлениях [С1223.0]; Указывать направление [У211.0]; Частичный успех в этом направлении [410.0]; Шаг в этом направлении [Ш2.0]; Шаги в правильном направлении [Ш7.0]

**направленный:** Значительные усилия, направленные на [3613.0]; Критика, направленная на [K487.0]; Направленный в сторону от [H481.0]; Направленный вверх поток [H482.0]; Направленный на [H483.0]; Программа, направленная на решение этих задач [П2709.0]; Усилия, направленные на получение [У380.0]

**направлять:** Для экономии времени все заказы на запчасти направляйте в ближайшее отделение или представительство фирмы [Д422.0]; Ждем ваших замечаний, которые следует направлять по адресу [Ж1.0]; Запрос можно направлять по адресу [3415.0]; Лучше всего направлять [J112.0]; Направлять в письменной форме [H476.0]; Направлять в сторону от [H477.0]; Направлять и стимулировать [H478.0]; Направлять усилия на [H479.0]; Направьте струю прямо на [H480.0]; Настоящим направляем 1 экз. [H576.0]; При сем направляем [П2123.0]; Способность направлять [С1214.0]

**направо:** Сверху слева вниз направо (С281.0); Слева направо [С569.0]

**напрашиваться:** Напрашивается вывод, что [H485.0]; Отсюда напрашивается вывод [O1574.0]; Отсюда напрашиваются два вывода [O1575.0]

**напрессовывать:** Напрессовать на [H486.0]

**например:** Как например [K93.0]; Которые требуются, например, для [K427.0]; Могли бы, например, выбрать [M256.0]; Можно представить себе, например, что [M359.0]; Можно сослаться, например, на [M374.0]; Например, имелись случаи когда [H488.0]; Например, можно было бы [H489.0]; О чем свидетельствует, например [O15.0]; Предположим, например, что [П1790.0]; Так например [Т17.0]; Такой, например, как [Т92.0]

**напротив:** [H490.0]

**напряжение:** Допускать колебания напряжения в сети [Д658.0]; Запрещается работать под напряжением [3412.0]; Защита от перегрузки по напряжению [3535.0]; Напряжение переменного тока подводится к цепи через [H491.0]; Напряжение сети подводится к [H492.0]; Находиться под напряжением [H682.0]; Оставаться под напряжением [O1108.0]; Падение напряжения на [П10.0]; Повышать напряжение до [П587.0]; Подавать напряжение на вход [П632.0]; Пода-

вать напряжение на [П631.0]; Подводить напряжение к [П682.0]; Подводить напряжение через к [П683.0]; Прикладывать напряжение к [П2331.0]; Сетевое напряжение не поступает на электрошкаф [С449.0];  
 Ставить под напряжение [С1360.0]  
**напряженный:** Напряженный график выполнения [Н493.0]  
**напрямую:** Напрямую связана с [Н494.0]; Напрямую через [Н495.0]; Связан напрямую с [С359.0]  
**нарабатывать:** Нарботать часов [Н497.0]  
**наработка:** [Н496.0]; Профилактические работы, выполняемые после ... часов наработки [П2996.0]; Средняя наработка между отказами [С1315.0]  
**наравне:** Использоваться наравне с [И726.0]; Наравне с [Н498.0]  
**нарастание:** [Н499.0]  
**наращивание:** Нарращивание работ [Н500.0]  
**нарезать:** Нарезать М6 на глубину 3 мм (Н502.0); Нарезать резьбу [Н501.0]  
**нарисованный:** Нарисованный в масштабе [Н503.0]  
**наружный:** Наружная обвязка [Н507.0]; Наружная поверхность (Н508.0); Наружная сторона [Н509.0]; Наружный, диаметр [Н505.0]; Наружным диаметром [Н506.0]; По самой наружной [П465.0]; Протирать наружную поверхность [П2983.0]; С наружной стороны [С 108.0]  
**наружу:** [Н510.0]; Действовать наружу [Д182.0]; Обращен наружу [0241.0]  
**нарушать:** Нарушать алфавитный порядок [Н512.0]; Нарушать нормальную работу [Н516.0]; Нарушать общность [Н513.0]; Нарушать патент [Н514.0]; Нарушать работу (Н515.0); Нарушать равновесие [Н517.0]; Нарушать рекомендации [Н518.0]; Нарушать товарный знак [Н520.0]; Нарушать требования [Н521.0]; Seriously нарушать [С443.0]; Сшивку не нарушать [С 1631.0]; Чтобы не нарушить [4194.0]  
**нарушаться:** [Н522.0]; Но, к сожалению, четкость этого объяснения нарушается тем, что [Н1796.0]; Явно нарушаться [Я45.0]  
**нарушение:** А это является нарушением основного допущения (А48.0); Без нарушения работы [Б32.0]; Без нарушения целостности [Б33.0]; Иск о нарушении патентных прав [И641.0]; Нарушение гипотезы [Н526.0]; Нарушение допущения [Н527.0]; Нарушение патентных прав [Н528.0]; Нарушение работы вызывает появление сигнала тревоги [Н529.0]; Нарушение равновесия [Н530.0]; Нарушение этого требования [Н531.0]; Не приводить к нарушению работы [Н1026.0]; Ответственность за нарушение патента [01237.0]; Проверка нарушения патентных прав (П2621.0); Условие нарушения пропор-

ции [У389.0]; Эксплуатация с нарушением правил [Э58.0]; Эксплуатироваться с серьезным нарушением правил [Э62.0]  
**нарушенный:** Нарушена [Н524.0]; Нарушенный режим [Н523.0]  
**наряд:** Наряд на выполнение работы [Н533.0]; Наряд-заказ [Н532.0]  
**наряду:** Наряду с некоторыми другими усовершенствованиями [Н535.0]  
**население:** Потребление на душу населения [П1521.0]  
**насквозь:** Проходить насквозь через [П3005.0]  
**насколько:** В связи с этим... сразу же возникает вопрос, насколько [В508.0]; Важен лишь настолько, насколько [В787.0]; Вытянуть...насколько позволяют [В2021.0]; Для этого необходимо некоторое представление о том, насколько [Д429.0]; Зависит от того, насколько удастся преодолеть [З100.0]; Исходя из того, насколько [И823.0]; Насколько актуален для [Н537.0]; Насколько большие изменения [Н538.0]; Насколько бы они отличались, если бы [Н539.0]; Насколько важно [Н540.0]; Насколько важным может оказаться даже небольшое увеличение [Н541.0]; Насколько возможно [Н542.0]; Насколько известно авторам [Н543.0]; Насколько можно судить по [Н545.0]; Насколько мы себе это представляем [Н546.0]; Насколько нам известно [Н544.0]; Насколько правомерно [Н547.0]; Насколько результаты изменяются [Н548.0]; Насколько увеличить (Н552.0); Насколько ценным является [Н549.0]; Насколько это уместно (Н553.0); Насколько я могу судить [Н550.0]; Насколько я понимаю [Н551.0]; Настолько, насколько это оказалось практически возможным [Н564.0]; Настолько, насколько [Н563.0]; Неясно, насколько возможны [Н1689.0]; Понимание того, насколько [П1267.0]; Только настолько, насколько это требуется [Т314.0]  
**настаивать:** Настаивать на том, чтобы [Н555.0]; Настаивать на [Н554.0]; Не настаивать [Н925.0]  
**настало:** Настало время [Н556.0]; Настало время для [Н557.0]  
**настолько:** Быть достаточно ... и в то же время не настолько... [Б306.0]; Важен лишь настолько, насколько [В787.0]; Может быть настолько сильным, что приведет к [М312.0]; Настолько, насколько это оказалось практически возможным [Н564.0]; Настолько, что [Н559.0, Н560.0]; Настолько малы, что ими можно пренебречь [Н561.0]; Настолько меньше, что [Н562.0]; Настолько, насколько [Н563.0]; Настолько убедителен, что [Н565.0]; Настолько хорошо известны, что вряд ли нуждаются в повторении [Н566.0]; Настолько, что [Н567.0]; Не настолько велик, чтобы представить опасность [Н927.0]; Не на-

столько велик, чтобы [H926.0]; Не настолько, чтобы можно было рекомендовать ... в качестве [H928.0], Не настолько чувствителен, чтобы различить ... и [H929.0]; Но все же не настолько, чтобы [H1781.0]; Но до тех пор пока ... не настолько велика, чтобы [H1790.0]; Ровно настолько, чтобы [P753.0]; Становится настолько .... что перестает быть [C1387.0]; Только настолько, насколько это требуется [T314.0]

**настораживать:** Несколько настораживает то обстоятельство, что [H 1588.0]

**настороженность:** С некоторой настороженностью [C38.0]

**настоятельно:** Настоятельно просить [H568.0];

Настоятельно рекомендовать [H569.0], Настоятельно рекомендуется [H570.0]

**настоятельный:** Необходимость в стала особенно настоятельной [H 1403.0]

**настоящий:** Анализ данных в настоящее время продолжается, но некоторые выводы можно сделать уже сейчас [A113.0]; В настоящее время ведется работа [B46.0]; В настоящее время ведутся поиски [B47.0]; В настоящее время имеются широкие возможности [B48.0]; В настоящее время используются [B49.0], В настоящее время неизвестно [B50.0]; В настоящее время непонятно [B51.0]; В настоящее время неясно [B52.0]; В настоящее время общепринято, что [B53.0]; В настоящее время отсутствуют [B55.0]; В настоящее время получила широкое распространение практика [B56.0]; В настоящее время предпринимаются попытки [B57.0]; В настоящее время проводится дополнительное исследование [B58.0]; В настоящее время усилия инженеров направлены на [B59.0]; В настоящей работе нас интересуют [B430.0]; В настоящей работе под ... понимается [B431.0]; В настоящей статье рассматриваются ... и не рассматриваются [B644.0]; В настоящем исследовании

внимание сосредоточено на [B 134.0]; В настоящий момент времени [B219.0], Действующий в настоящее время [Д190.0]; Достаточно полное описание в настоящее время отсутствует [Д691.0]; Из-за отсутствия в настоящее время [И225.0]; Имеющий прямое отношение к настоящему исследованию [И513.0]; Имеющийся в настоящее время у [И523.0]; Имеющийся в продаже в настоящее время [И525.0]; Использоваться до настоящего времени [И724.0]; Используемый в настоящее время [И711.0]; Результаты, полученные к настоящему времени [P653.0]; Лучшие из эксплуатируемые в настоящее время (Л103.0); Между настоящим моментом времени и примерно ... годом [M81.0]; Настоящая гарантия не распространяется на [H572.0]; Настоящая ра-

бота [H573.0]; Настоящее изобретение относится к ... и в частности к (H574.0);

Настоящим высылаем [H575.0]; Настоящим направляем 1экз. [H576.0]; Находящийся в настоящее время в [H687.0], Носить иллюстративный характер и не иметь целью ограничить настоящее изобретение [H1872.0]; Область представляющая большой интерес в настоящее время [0100.0];

Определение, принятое в настоящей статье [0810.0]; Опыт, накопленный к настоящему времени [0879.0]; По крайней мере в настоящее время [П399.0]; Побудили нас провести настоящее исследование [П528.0]; Построенный к настоящему времени [П1491.0];

Представляющий интерес в настоящее время [П1862.0]; Применяемый в настоящее время [П2375.0]; Принятый в настоящее время [П2447.0]; Проводимая в настоящее время работа направлена на [П2700.0]; Проводимый в настоящее время [П2699.0]; Продолжающееся в настоящее время исследование [П2749.0]; Работа, выполняемая в настоящее время [P14.0]; Разрабатываемый в настоящее время [P303.0]; Рассматривать настоящую работу как часть более широкого исследования [P466.0]; Самое... из имеющихся в настоящее время [C229.0]; Соответствие настоящему стандарту не исключает [C1011.0]; Составлять предмет настоящей статьи [C1091.0]; Среди различных ... применяемых в настоящее время [C 1305.0];

Стандартный в настоящее время [C1419.0];

Строящийся в настоящее время [C1516.0];

Судя по накопленному к настоящему времени опыту [C1533.0]; Тема настоящей статьи [T139.0]; То, что в настоящее время называется [T278.0]; Успехи, достигнутые к настоящему времени [У429.0]; Цель настоящей статьи состоит в том, чтобы [Ц21.0];

Эксплуатируемый в настоящее время [Э63.0]; Эта работа в настоящее время ведется [Э109.0]; Являться неотъемлемой частью настоящих технических условий [Я19.0]

**настройка:** Сохранять настройку [C1132.0];

Тонкая настройка [T326.0]

**наступать:** Еще не наступило время, когда можно будет полностью отказаться от [E213.0]

**наступление:** После наступления (П 1358.0);

Ускорять наступление [У383.0]

**насушный:** Насушная необходимость в [H577.0]; Насушные практические задачи [H578.0]; Одна из наиболее насущных проблем [0530.0]; Появилась насущная потребность в (П 1595.0)

**насчитывать:** [H579.0]; История насчитывает более ... лет [И810.0]; Штат насчитывал ... человек [Ш38.0]



**насыпать:** Насыпать тонким слоем [H581.0]  
**наталкиваться:** Наталкиваться на [H582.0],  
 Наталкиваться на трудности [H583.0]  
**натуральный:** В натуральную величину [B239.0]; Модель в натуральную величину [M235.0]; Натуральных размеров [H584.0];  
 Чертеж в натуральную величину [474.0]  
**натурный:** Натурные испытания [H585.0]  
**натягивать:** Натягивать вдоль [H587.0]; Натягивать между [H588.0]; Натянут слабо [H591.0]; Натянут туго [H592.0]; Натянуть на [H590.0]; Натянуть провисший [H589.0]; Туго натягивать [T498.0]  
**наугад:** Выбор наугад [B1713.0]; Для выбранного наугад [D335.0]  
**наука:** Делать много для развития науки и техники в области [D202.0]; Многое сделать для развития науки и техники в области [M212.0]; Находиться на стыке со многими науками [H675.0]; Область науки и техники [097.0]; Прикладная наука [P2330.0]; Связь науки с производством [C373.0]  
**научиться:** Придется научиться, как [P2563.0]  
**научно-исследовательский:** На стадии научно-исследовательской разработки [H153.0]; Научно-исследовательские и проектно-конструкторские работы [H597.0]; Отчет о научно-исследовательской работе [01592.0]  
**научно-технический:** Научно-техническая обшественность [H598.0]; Научно-технические кадры [H599.0]; Научно-технические работники [H600.0]; Развитие научно-технического прогресса [P 188.0]  
**научный:** Внедрение научных результатов в производство [B 1186.0]; Научная общественность [H593.0]; Научная репутация [H594.0]; Научное общество [H595.0]; Научный потенциал и техническая мощь [H596.0]; Статьи, написанные научными работниками [C1439.0]  
**находить:** Было бы хорошо найти объяснение [B385.0]; В то время мы просто не смогли найти объяснения [B75.0]; Делается попытка найти компромиссное решение [D216.0]; Может найти применение как [M280.0]; Может найти применение [M279.0]; Найти не удалось [H625.0]; Находить распространение в [H622.0]; Находить более широкое применение [H616.0]; Находить все более широкое применение в [H618.0]; Находить всё большее применение в качестве [H619.0]; Находить всё большее применение [H617.0]; Находить все больший спрос [H620.0]; Находить корреляционное выражение для [H603.0]; Находить наибольшее применение в [H612.0]; Находить наилучший компромисс между [H604.0]; Находить необходимым [H605.0]; Находить непосредственное применение в [H613.0]; Находить отражение в [H607.0]; Находить поддержку у

[H608.0]; Находить применение в (H611.0);  
 Находить промышленное применение [H621.0]; Находить способ [H609.0]; Находить, что в этом нет необходимости [H606.0];  
 Находить широкое применение в (H615.0);  
 Обычно находят [0409.0]; Остается еще найти связь между ... и [01119.0]; Подробности можно найти в [P804.0]; Подтверждение такого предположения можно найти [P865.0]; Пока не находит широкого распространения [P963.0]; Причину этого найти нетрудно [P2588.0]  
**находиться:** В корпусе ... находятся [B166.0];  
 Документация находится в месте [D563.0];  
 Если найдено, что неисправность находится в [E58.0]; И все еще находится в эксплуатации [И19.0]; Когда он не находится в работе [K233.0]; Находиться в диапазоне [H627.0]; Находиться в зависимости от [H628.0]; Находиться в затруднении [H630.0]; Находиться в зацеплении с [H631.0]; Находиться в начальной стадии [H655.0]; Находиться в неисправности [H632.0]; Находиться в нормальной эксплуатации [H666.0];  
 Находиться в одной плоскости с [H634.0];  
 Находиться в очень хорошем состоянии [H653.0]; Находиться в плоскости [H633.0];  
 Находиться в покое [H635.0]; Находиться в положении [H636.0]; Находиться в пределах досягаемости [H637.0]; Находиться в пределах точности расчета [H638.0]; Находиться в производстве [H639.0]; Находиться в противоречии с [H640.0]; Находиться в противофазе [H641.0]; Находиться в процессе [H642.0]; Находиться в прямой зависимости от [H629.0]; Находиться в работе [H643.0]; Находиться в рабочем положении [H644.0]; Находиться в рабочем состоянии [H651.0]; Находиться в равновесии [H645.0];  
 Находиться в режиме [H646.0]; Находиться в системе материально-технического обеспечения [H647.0]; Находиться в согласии с [H648.0]; Находиться в соответствии с [H649.0]; Находиться в состоянии упадка [H650.0]; Находиться в сфере полномочий [H660.0]; Находиться в условиях [H661.0];  
 Находиться в хозяйственном владении (H662.0); Находиться в хорошем состоянии [H652.0]; Находиться в центре внимания [H663.0]; Находиться в числе [H664.0]; Находиться в экспериментальной стадии [H657.0]; Находиться в эксплуатации [H665.0]; Находиться вблизи отметки [H667.0]; Находиться все еще на стадии планирования [H659.0]; Находиться друг против друга [H668.0]; Находиться еще на стадии разработки [H658.0]; Находиться на уровне с [H676.0]; Находиться на грани [H669.0]; Находиться на начальной стадии [H656.0]; Находиться на подлинном подье-

ме [H670.0]; Находиться на постоянном дежурстве [H671.0]; Находиться на пределе допустимых значений [H673.0]; Находиться на пределе своих возможностей [H674.0]; Находиться на пределе [H672.0]; Находиться на стыке со многими науками [H675.0]; Находиться на таком этапе разработки когда [H677.0]; Находиться накануне [H678.0]; Находиться под давлением [H679.0];

Находиться под действием пружины в закрытом положении [H680.0]; Находиться под контролем [H681.0]; Находиться под напряжением [H682.0]; Находиться сзади [H683.0];

Находясь в режиме [H684.0]; Не находится в работе [H930.0]; Преимущества находятся на стороне [П1980.0]; Работа находится сейчас в таком состоянии, когда [P26.0]; Сейчас в центре внимания находятся две проблемы [C410.0]; Техническая документация находится в месте ... [T223.0]; Чтобы разобраться, где находится неисправность — в ... или в [4210.0]

**находящийся:** Загрязнения, находящиеся в воздухе [3151.0]; Заявка, находящаяся на рассмотрении [3557.0]; Находящиеся на расстоянии ... друг от друга [H692.0]; Находящийся в зацеплении [H686.0]; Находящийся в настоящее время в [H687.0]; Находящийся в нерабочем состоянии [H654.0]; Находящийся в распоряжении [H688.0]; Находящийся в эксплуатации [H689.0]; Находящийся между [H690.0]; Находящийся на расстоянии ... от [H691.0]; Находящийся на стороне [H693.0]; Находящийся поблизости [H694.0]; Находящийся под [H695.0]

**нацелен:** Нацелен на [H696.0, H697.0]; Нацелены на то, чтобы [H698.0]

**национальность:** Национальность, возраст, пол и общественное положение [H699.0]

**национальный:** Индекс национальной классификации [И546.0]

**начавшийся:** Начавшееся недавно и продолжающееся [H700.0]

**начало:** Ближе к началу [B129.0]; Брать свое начало в работе [B275.0]; В конце ... и начале ... годов [B161.0]; В начале ... годов [B241.0]; В начале опыта [B242.0]; В начале столетия (B243.0); В начале этапа [B245.0]; В

начале этого столетия [B244.0]; В самом начале (B246.0); Давать начало [D23.0]; Дата начала срока действия патента [D129.0]; Для начала было бы полезно [D358.0]; Для начала интересно рассмотреть [D359.0]; Для начала мы принимаем, что [D360.0]; До начала измерений [D450.0]; До начала ремонтных работ [D451.0]; Если для начала пренебречь [E48.0]; Ещё в начале [E200.0]; Задерживать начало строительства [3186.0]; Издавать к началу [И211.0]; Исключаться с самого начала [И665.0]; Итого с начала

эксплуатации [И851.0]; Как это говорилось в начале [K66.0]; Можно установить, что началом послужил [M387.0]; Момент начала [M246.0]; Начало координат [H703.0]; Начало которых планируется в ближайшем будущем [H704.0]; Начало работ [H707.0];

Начало разрушения [H708.0]; Начинаться одновременно с началом образования [H722.0]; Положить начало работам [П1119.0]; Положить начало существующей практике [П1120.0]; Понимать с самого начала [П1271.0]; Послужить началом последующих работ [П 1424.0]; Послужить началом работ в этом направлении [П 1425.0]; При осмотре до начала [П2105.0]; Продолжение, начало см на стр. [П2751.0]; С самого начала [C93.0]; Следует с самого начала подчеркнуть, что [C617.0]; Спустя... после начала [C1271.0]; Это исследование — только начало [Э138.0]

**начальный:** В начальной стадии развития [B639.0]; На начальном этапе работы внимание будет уделено [H199.0]; Находиться в начальной стадии [H655.0]; Находиться на начальной стадии [H656.0]; Начальное приближение [H711.0]; Начальные и граничные условия [H712.0]; Начальный инструктаж по технике безопасности [H709.0]; Начальный период времени [H710.0]; Убытки в начальный период работы [У42.0]

**начинать:** В любом месте, начиная от ... и кончая [B188.0]; Запрещается начинать или продолжать работы при обнаружении неисправности электрооборудования [3410.0]; Как только ... начнет [K130.0]; Можно начать немедленные действия по [M336.0]; Начинает обычно [H720.0]; Начинается раньше и длится дольше [H724.0]; Начинать действовать (H714.0); Начинать заново [H715.0]; Начинать играть роль [H716.0]; Начинать компанию по механизации (P 177.0); Начинать массовый выпуск [H717.0]; Начинать отчет времени [H718.0]; Начинать применяться [H719.0]; Начинать с допущения [H728.0]; Начиная от ... и далее [H726.0]; Начиная с ... и кончая [H732.0]; Начиная с ... и заканчивая [H731.0]; Начиная с того времени [H733.0]; Начиная с этого момента [H734.0]; Начнем с того, что [H735.0]; Придётся начать все заново [П2564.0]; Продолжать, начав с [П2739.0]; Производство которого начинается годом раньше [П2808.0]; Проследить ..., начиная с ... и кончая [П2909.0]; Расчет по методу... начинается со сбора информации по [P550.0]; Только начинается [T315.0]

**начинаться:** Начинаться и заканчиваться [H721.0]; Начинаться одновременно с началом образования [H722.0]; Начинаться с [H729.0]; Начинаться у [H723.0]; Начинаются

неприятности, обусловленные [H725.0]; Описывание результатов начинается с ..., затем описывается [0773.0]; Разногласия начинаются, когда [P281.0]; Уже начался [U183.0]

**начисто:** [B2016.0]; Протирать начисто [P2984.0]

**наш:** В нашем случае дело обстоит иначе [B540.0]; В нашем случае удобнее [B541.0]

**наша:** В нашей организации [B247.0]; В нашу задачу не входило исследование [B250.0]; В нашу задачу не входит [B249.0]; Как в нашей стране, так и за рубежом [K121.0]; Наша неспособность [H737.0]

**наше:** Возросло наше умение [B1367.0]; Если мы хотим продвинуться в нашем понимании [E134.0]; К нашему сожалению [K17.0]; Намного продвинуться в нашем представлении о [H433.0]; На основании результатов нашего исследования можно сделать следующие основные выводы [H85.0]; Нам не удалось обнаружить ни одной опубликованной работы по теме нашего исследования [H399.0]; Наше исследование преследовало две цели [H738.0]; Оставлять на наше усмотрение [01133.0]; По нашему мнению [P408.0]; Работы, наиболее близкие к нашему исследованию [P35.0]; Серьезное препятствие нашему делу [C441.0]

**наши:** В наши цели не входило [B248.0]; Намного превосходить наши ожидания [H429.0]; Наши результаты не окончательны [H739.0]; Наши знания недостаточно, чтобы [H740.0]; Расширять круг наших читателей [P570.0]; Результаты превзошли все наши ожидания [P655.0]; Сохраняться до наших дней [C1146.0]

**небаланс:** Величина небаланса оказалась очень малой [B889.0]

**небезопасный:** Может оказаться небезопасным [M289.0]

**небезынтересно:** Небезынтересно посмотреть [H1155.0]

**неблагодарный:** Неблагодарная работа [H1156.0]

**неблагоприятно:** Неблагоприятно влиять [H1160.0]; Отражаться неблагоприятно на [01505.0]; Сказываться неблагоприятно на [C516.0]

**неблагоприятный:** Без каких-либо неблагоприятных последствий [B23.0]; В особо неблагоприятной окружающей среде [B630.0]; Крайне неблагоприятный [K439.0]; Надежно работать в неблагоприятных условиях [H263.0]; Неблагоприятное влияние [H1158.0]; Неблагоприятные последствия [H1159.0]; Оказывать неблагоприятное влияние на [0631.0]; Способность работать в неблагоприятных условиях [C1216.0]; Уцелеть в неблагоприятных условиях работы [U594.0]; Хранить в защищенном от неблагоприятных погодных условий месте [X17.0]

**неблагоразумно:** Было бы неблагоприятно [B381.0]

**небольшой:** В небольшом числе случаев, имеющих, однако, немаловажное значение [B542.0]; Вносить небольшую ошибку [B1226.0]; Для обеспечения .... на такие небольшие затраты можно пойти [D367.0]; Если не считать небольшого [E147.0]; За небольшим исключением [330.0]; Завышать на небольшую, но имеющую существенное значение, величину [3132.0]; Изменять небольшими ступенями [I263.0]; Иметь небольшое преимущество в случае [I436.0]; Иметь очень небольшое практическое значение [I396.0]; Ложиться с очень небольшим разбросом [L96.0]; На небольшом расстоянии [H134.0]; На небольшое расстояние от [H125.0]; Наносить небольшой слой консистентной смазки [H442.0]; Насколько важным может оказаться даже небольшое увеличение [H541.0]; Небольшие колебания условий проведения опыта [H1164.0]; Небольшими ступенями [H1165.0]; Небольшое количество [H1166.0]; Небольшое число опытов [H1167.0]; Небольшой недостаток [H1162.0]; Небольшой по масштабам [H1163.0]; Но с небольшим запасом [H1815.0]; Оказывать лишь небольшую помощь [0646.0]; Очень большое, большое и небольшое [01656.0]; Повернуть на небольшой угол в том или другом направлении [P1549.0]; Составлять небольшую долю [C1080.0]; Составлять только небольшую долю [C1082.0]; Ценой лишь небольшого усложнения [C35.0]

**неважно:** Практически неважно, где [P1652.0]

**невелик:** Выигрыш невелик [B1843.0]; Значение невелико [3598.0]; Опыт показал, что польза такого подхода невелика [0883.0]; Польза невелика [P11212.0]; Различие между ... и ... очень невелико [P229.0]; Разница практически невелика [P279.0]; Риск невелик [P747.0]; Рыночный спрос на... невелик [P781.0]; Уровень знаний в области все еще невелик [U370.0]; Число невелико [4100.0]

**неверный:** [H1168.0]; Оказываться неверным [0670.0]

**невесомость:** В условиях невесомости [B716.0]

**невидимый:** Могут быть невидимы [M261.0]; Невидимый невооруженным глазом [H1169.0]

**невозможен:** Без вашей поддержки и сотрудничества наш успех невозможен [B13.0]; Без которого этот ... был бы невозможен [B29.0]; Дальнейший рост невозможен [D105.0]; Практически невозможен [P1653.0]

**невозможно:** А в случае ... это вообще невозможно [A5.0]; Важность ... невозможно переоценить [B776.0]; Невозможно в связи с риском [H1171.0]; Невозможно переоце-

нить важность [Н1172.0]; Невозможно удовлетворительно объяснить [Н1173.0]; Невозможно [Н1170.0]; Непосредственное сравнение невозможно [Н1490.0]; Получить было невозможно [П1182.0]; Получить невозможно [П1184.0]; Поскольку в короткой статье невозможно было бы [П1348.0]; Почти невозможно [П1554.0]; Практически получить невозможно [П1662.0]; Трудно, или даже невозможно [Т478.0]; Что почти невозможно [4160.0]

**невозможный:** А может быть и невозможным [А22.0]; Выделить какой-либо один... оказалось невозможным [В1788.0]; Делать невозможным [Д205.0]; Делать очень трудным, если вообще не невозможным [Д229.0]; Делать почти невозможным [Д206.0]; Может оказаться невозможным [М290.0]; По совершенно независимым от нас причинам оказалось невозможным [П444.0]; Сделало бы невозможным [С403.0]; Становится невозможным (С 1388.0); Что делало невозможным [4133.0]

**невооруженный:** Виден невооруженным глазом [В1093.0]; Замечать невооруженным глазом [З307.0]; Можно видеть невооруженным глазом [М327.0]; Невидимый невооруженным глазом [Н1169.0]; Невооруженный глаз [Н1174.0]; Представляется невооруженному глазу [П1892.0]; Хорошо виден невооруженным глазом [Х45.0]

**невосприимчивость:** Невосприимчивость к помехам, вносимым [Н1175.0]

**невосприимчивый:** Невосприимчивый к [Н1176.0]

**невредимый:** Оставаться невредимым [01095.0]

**невыгодно:** Невыгодно отличаться от [Н1178.0]; Невыгодно с технико-экономической точки зрения [Н1179.0]; С экономической точки зрения, невыгодно [С131.0]

**невыгодный:** Невыгодные условия в отношении конкурентоспособности [Н1177.0]; Показывать в невыгодном свете (П976.0); Ставить в невыгодные условия [С1355.0]

**невыполнение:** невыполнение этого может привести к [НИ 80.0]

**невыполненный:** невыполненный заказ [Н1181.0]

**невыясненный:** В частности, осталось невыясненным [В760.0]; Оставаться невыясненным [01096.0]

**негабаритный:** негабаритное оборудование [Н1183.0]; негабаритные размеры [Н1184.0]

**недавний:** В недавнем прошлом [В423.0]; Вопреки недавним высказываниям по этому вопросу [В1387.0]; До недавнего времени (Д441.0); Основан на недавних достижениях в области [01025.0]

**недавно:** [Н1185.0]; Начавшееся недавно и продолжающееся (Н700.0); Появиться срав-

нительно недавно [П1596.0]; Совсем недавно [С888.0]

**недалеккий:** В недалеком прошлом [В424.0]

**недалеко:** Недалеко от [НИ 86.0]

**недальновидный:** Было бы недальновидным не считаться с возможностями [В382.0]

**недействительный:** В противном случае гарантия будет считаться недействительной [В551.0]; Делать недействительным [Д207.0]; Становиться недействительным (С 1389.0)

**неделя:** В течение нескольких дней или недель [В701.0]; Нерабочие дни недели [Н1557.0]; Рабочие дни недели [Р103.0]

**недобросовестный:** Недобросовестная конкуренция [Н1187.0]; Недобросовестное вмешательство [НИ 88.0]

**недовыполнение:** [Н1189.0]

**недолго:** Длиться недолго [Д320.0]; Существовать недолго [С1567.0]

**недолговечный:** [НИ 90.0]

**недооценивать:** [НИ91.0]; Нельзя недооценивать [Н1317.0]; Преимущество, которое часто недооценивают [П1976.0]

**недопустим:** Недопустим по нескольким причинам [Н1193.0]

**недопустимо:** Недопустимо большой [НИ94.0]

**недопустимый:** Положение становится все более недопустимым [П1104.0]

**недоработан:** Недоработан в этом отношении [Н 1197.0]

**недоразвитость:** Недоразвитость технологии производства [Н1628.0]

**недосмотр:** [Н1198.0]; По недосмотру [П410.0]

**недостаток:** [Н1199.0]; В этом и заключается основной недостаток [В768.0]; Достоинства и недостатки [Д741.0]; Другие преимущества намного перевешивают такой недостаток как [Д758.0]; Если говорить о недостатках, то [Е118.0]; И хотя он и имеет недостатки [И71.0]; Иметь недостатки [И411.0]; Иметь свои преимущества и недостатки [И381.0]; Каждый имеет свои преимущества и недостатки [К38.0]; Крупный недостаток [К508.0]; Лишены этих недостатков [Л76.0]; Не такие явные недостатки [НИ 14.0]; Небольшой недостаток [Н1162.0]; Недостатки методики экспериментов [Н1203.0]; Недостаток, заключающийся в [Н1200.0]; Недостаток, заключающийся в том, что [Н1201.0]; Недостаток использования (Н1202.0); Обходить недостатки [0284.0]; Общий недостаток, заключающийся в необходимости [0322.0]; Однако и у... есть недостаток — это [0563.0]; Основные недостатки [01003.0]; Превалировать над недостатками [П1681.0]; Серьезный недостаток [С438.0]; Страдать от такого недостатка как [С 1479.0]; Устранять недостатки известного прототипа [У528.0]; Устранять недостатки, связанные с [У529.0]; Хотя нет недостатка в [Х104.0]

**недостаточно:** Изучен недостаточно полно [И329.0]; Наши знания недостаточно, чтобы [Н740.0]; Недостаточно для поддержания (Н1208.0); Недостаточно, по-видимому, освещен в литературе [Н1209.0]; Недостаточно реалистические результаты [Н1210.0]; Недостаточно хорошо известен [Н1211.0]; Недостаточно хорошо определен [Н1212.0]; Одного желанья недостаточно [0503.0]; Одного только недостаточно [0504.0]

**недостаточность:** Недостаточность знаний [Н1204.0]

**недостаточный:** [Н1205.0]; Может оказаться недостаточным [М291.0]; Недостаточное количество данных [Н1206.0]; Необходимый, но недостаточный [Н1415.0]

**недостача:** Претензия по недостатке [П2042.0]

**недостающий:** Недостающие изделия [Н1213.0];

Перечень недостающих материалов [П214.0]

**недостижим:** На практике недостижим [Н114.0]

**недоступно:** Недоступно высокий [Н1216.0]

**недоступный:** Недоступный для всеобщего пользования [Н1214.0]

**недостижимый:** [Н1217.0]; Делать недостижимым для [Д208.0]

**неестественно:** Неестественно высокий [Н1218.0]

**нежелание:** Можно понять нежелание [М354.0]; Нежелание заниматься [Н1219.0]

**нежелательно:** Крайне нежелательно (К441.0);

Что крайне нежелательно [Ч 152.0]; Что нежелательно [4151.0]

**нежелательный:** [Н1220.0]; Крайне нежелательный [К440.0]; Нежелательное последствие [Н1221.0]

**нежели:** Другой, нежели [Д754.0]

**незавершенный:** Незавершенное производство [Н1222.0]; Оставаться незавершенным [01097.0]

**независимо:** Действовать независимо друг от друга [Д183.0]; Независимо друг от друга (Н1225.0); Независимо от [Н1223.0]; Независимо от других [Н1226.0]; Независимо от причины [Н1227.0]; Независимо оттого, где [Н1229.0]; Независимо от того, какой [Н1230.0]; Независимо полученные результаты расчетов [Н1232.0]; Независимо полученный [Н 1231.0]; Нельзя изменять независимо от [Н1313.0]; Одинаковый ..., независимо от [0542.0]; Описывать независимо от [0781.0]; Предлагать независимо [П1728.0]; Рассматривать независимо от [Р468.0]; Совершенно независимо друг от друга [С827.0]; Совместно или независимо друг от друга [С859.0]

**независимость:** Независимость от [Н 1233.0]

**независимый;** Независимая оценка [Н1236.0];

Независимая переменная [Н1237.0]; Независимы друг от друга [Н1239.0]; Независимы друг от друга работы [Н1238.0]; Независимый от [Н1235.0]; Полностью независимы друг от друга [П 1046.0]; Уравнение с независимыми переменными [У357.0]

**независящий:** Независящий от [Н857.0]; По независящим от нас обстоятельствам [П411.0]; По совершенно независящим от нас причинам оказалось невозможным [П444.0]

**независящий:** Независящий от [Н857.0]; По независящим от нас обстоятельствам [П411.0]; По совершенно независящим от нас причинам оказалось невозможным [П444.0]

**незадолго:** Незадолго до [Н1240.0]

**незаинтересованный:** Незаинтересованная организация [Н1241.0]; Оценка, выполняемая незаинтересованными лицами [01641.0]

**незаконченный:** [Н1242.0]

**незакрепленный:** [Н1243.0]

**незакрытый:** Незакрытый заказ [Н1244.0]

**незамедлительно:** Незамедлительно известить [Н1246.0]; Незамедлительно изыматься [Н1247.0]; Незамедлительно сообщать о [Н1248.0]

**незаменим:** [Н1249.0]

**незаметно:** Незаметно развивающийся [Н1250.0]

**незамеченный:** Оказываться незамеченным [0671.0]; Оставаться незамеченным [01098.0]; Сбои проходят незамеченными [С248.0]

**незаполненный:** Незаполненный объем [Н1251.0]; Пустое незаполненное место [П3087.0]

**незаслуженно:** Незаслуженно большое внимание [Н1252.0]

**незатухающий:** [Н1253.0]

**незачем:** Незачем беспокоиться о [Н 1254.0]

**незнакомый:** Незнаком для [Н1255.0]; Незнакомый со сложностями [Н 1256.0]

**незнание:** [Н1257.0]

**незначителен:** Незначителен по сравнению с [Н1263.0]

**незначительно:** Изменился бы лишь незначительно [И293.0]; Лишь незначительно [Л84.0]; Незначительно влиять на [Н1265.0]; Незначительно отличается от [Н1266.0]; Незначительно превосходить [Н1267.0]

**незначительный:** Был незначительным или вообще отсутствовал [Б362.0]; Давать лишь незначительное преимущество [Д44.0]; Если и обеспечили доказательства, то очень незначительные [Е125.0]; Играть незначительную роль [И91.0]; Незначительная тенденция к [Н1259.0]; Незначительное количество [Н1261.0]; Незначительное увеличение [Н1261.0]; Незначительные различия [Н1262.0]; Обнаруживать лишь незначительные преимущества по сравнению с [0130.0]; Претерпевать лишь незначительные изменения [П2048.0]; Сводить до незначительного уровня [С315.0]; Содержаться в незначительном количестве [С950.0]

**незыблемый:** [Н 1268.0]

**неизбежно:** [Н 1273.0]; При этом неизбежно возникает проблема [П2170.0]

**неизбежный:** Не являться неизбежным злом [Н1151.0]; Неизбежные трудности [Н1272.0]; Неизбежный отказ от [Н1271.0]; Неизбежный вывод [Н1270.0]; Некоторый... неизбежен [Н1291.0]; Почти неизбежный [П1555.0]

**неизвестен:** Достоверно неизвестен [Д734.0]; Пока еще неизвестен [П954.0]

**неизвестно:** Автору неизвестно о [А76.0]; В настоящее время неизвестно [В50.0]; Неизвестно, во что обойдется разработка [Н1274.0]

**неизвестный:** Нам неизвестны какие-либо опубликованные [Н398.0]; Неизвестного происхождения [Н 1275.0]; Оставаться неизвестным [01099.0]; Пока еще неизвестным способом [П955.0]; Происходить по неизвестной причине [П2828.0]

**неизменно:** Давать неизменно хорошие результаты [Д58.0]; Неизменно приводили к [Н1278.0]

**неизменный:** [Н1276.0]; Оставаться неизменным [01100.0]; Оставаться неизменным по мере [01101.0]; При всех других условиях, остающихся неизменными [П2055.0]; При всех других условиях, остающихся неизменными (П2155.0); При неизменном [П2095.0]; Сохранять неизменный характер [С1133.0]

**неимение:** За неимением [331.0, 332.0]; За неимением лучшего [333.0]

**неиспользованный:** Большие неиспользованные возможности [Б254.0]

**неисправность:** Выявление неисправностей [В2080.0]; Если найдено, что неисправность находится в [Е58.0]; Если неисправность не исчезла [Е155.0]; Если неисправность сохраняется [Е59.0]; Если эти меры не приводят к исправлению неисправности (Е176.0); Запись об устранении неисправностей [3389.0]; Запрещается начинать или продолжать работы при обнаружении неисправности электрооборудования [3410.0]; Искать неисправность в [И644.0]; Метод устранения неисправности [М161.0]; Находиться в неисправности [Н632.0]; Неисправность, причина неисправности, способ устранения (Н 1280.0); Обнаружение неисправностей [0126.0]; Обнаружение неисправности в детали [0127.0]; Определение неисправности [0807.0]; Определять и устранять неисправность [0821.0]; Отметки об устранении неисправностей [01418.0]; Перечень наиболее часто встречающихся неисправностей [П211.0]; После устранения неисправности [П 1379.0]; Способ устранения неисправности [С1208.0]; Устанавливать неисправность [У455.0]; Устранять неисправность [У530.0]; Учет неисправностей при

эксплуатации [У606.0]; Чтобы разобраться, где находится неисправность — в или в [4210.0]

**неисправный:** [Н1282.0, Н1283.0]

**неисследованный:** Неисследованная область [Н1284.0]

**нейтрализовать:** Нейтрализовать путем [Н1286.0]

**некий:** Некая совокупность [Н1287.0]; Существует некое верхнее критическое значение, выше которого [С1572.0]; Существует, по-видимому, некий порог, выше которого [С1577.0]; Хотя и можно представить себе некий [Х95.0]

**некомплектный:** [Н1288.0]

**неконкурентоспособный:** [Н1289.0]

**некоторый:** В некоторой степени [В664.0]; В некотором отношении [В304.0]; В некоторый момент времени [В220.0]; Вносить некоторый элемент субъективности, выразившийся в том, что [В1223.0]; Возведенный в некоторую степень [В1258.0]; Возможно, оказывает некоторое влияние [В1300.0]; Готовы пойти на некоторые неудобства [Г105.0]; Давать некоторое представление о [Д41.0]; Давать некоторые преимущества [Д47.0]; Достигать некоторого успеха [Д722.0]; Иметь некоторое отношение к [И425.0]; На некоторое время [Н22.0];

Некоторое представление можно получить [Н1296.0]; Необходимо внести некоторые изменения [Н 1363.0]; Обладать некоторыми преимуществами по сравнению [082.0];

Перемещаться на некоторое расстояние [П1109.0]; Поделиться некоторыми соображениями [П723.0]; С некоторой остороженностью [С38.0]; Связано с некоторой опасностью [С365.0]; Являться в некоторой степени обнадеживающим [Я 11.0]

**некритический:** Некритический подход к использованию [Н1303.0]

**некруглый:** [Н 1304.0]

**некуда:** [Н1305.0]

**нелегкий:** Оказываться нелегкой задачей [0666.0]

**нелегко:** Нелегко отличить от [Н1306.0]; Нелегко, чтобы ... был [Н 1308.0]; Объяснять нелегко [0380.0]; Оказалось бы нелегко [0690.0]; Оценить нелегко [01637.0]; Получить нелегко (П1185.0)

**нелишне:** [Н1308.0]; Совсем нелишне [С889.0]

**нельзя:** А нельзя ли... [А33.0]; Вообще нельзя было [В1378.0]; К подобным вопросам нельзя относиться легко [К13.0]; На ... нельзя рассчитывать [Н77.0]; Не зная, что этого делать нельзя [Н864.0]; Нельзя было исправить [Н1310.0]; Нельзя было ожидать [Н1311.0]; Нельзя было отличить от [Н1312.0]; Нельзя изменять независимо от [Н1313.0];

Нельзя исключить возможность того, что

[Н1314.0]; Нельзя использовать где-либо еще [Н1315.0]; Нельзя не принимать во внимание того, что [Н1316.0]; Нельзя недооценивать [Н1317.0]; Нельзя ни подтвердить, ни опровергнуть [Н1318.0]; Нельзя объяснить таким образом [Н1319.0]; Нельзя ожидать, что [Н1320.0]; Нельзя основывать на догадке [Н1321.0]; Нельзя оставить без ответа [Н1322.0]; Нельзя отрицать и тот факт, что [Н1324.0]; Нельзя отрицать (Н1323.0); Нельзя оценить без [Н1325.0]; Нельзя переоценить [Н 1326.0]; Нельзя полагаться на одну только [Н1328.0]; Нельзя полагаться на (Н1327.0); Нельзя получить с какой-либо точностью [Н1329.0]; Нельзя получить существенной информации [Н1330.0]; Нельзя предложить какие-либо неоспоримые аргументы [Н1331.0]; Нельзя разделить влияние и [Н 1332.0]; Нельзя сказать ничего определенного [Н 1333.0]; Нельзя упускать из виду [Н1334.0]; Но для ... и нельзя было бы ожидать (Н1788.0); О ... никогда нельзя сказать, что [010.0]; Однако нельзя обойти молчанием [0568.0]; По причинам, которые нельзя объяснить различием в [П453.0]; Получить было нельзя (П1182.0); Спрашивается, а нельзя ли [С1255.0]; Чего нельзя сказать о [439.0]; Что можно и чего нельзя делать [4147.0]; Эти опасения нельзя ни подтвердить, ни опровергнуть [Э216.0]; Этого нельзя делать [Э205.0]; Этого нельзя сказать о [Э206.0]

**немало:** На это уйдет немало времени [Н207.0]; Немало доказательств того, что [Н1336.0]; Немало помогли результаты работы [Н1337.0]; Прилагать немало усилий [П2348.0]; Таких... существует немало [Т78.0]

**немаловажный:** В небольшом числе случаев, имеющих, однако, немаловажное значение [В542.0]; Немаловажное соображение в пользу — это [Н1335.0]

**немалый:** В немалой степени [В665.0]; Все еще требуется немалая доля изобретательности [В977.0]; Прилагать немалые усилия [П2349.0]

**немедленно:** [Н1247.0]; Немедленно принять меры по [Н 1339.0]; О любых повреждениях немедленно сообщите [09.0]; Остановить немедленно [01156.0]; Планируется немедленно приступить к [П287.0]

**немедленный:** Для обеспечения немедленно доступа [Д368.0]; Можно начать немедленные действия по [М336.0]

**неминуемый:** [Н 1340.0]

**немногие:** Немногим [Н1341.0]; Немногим бо-  
лее [Н1342.0]; Немногим менее [Н1343.0]; Один из немногих [0515.0]; Очень немногие [01666.0]; Очень немногие, по-видимому, знают [01667.0]

**немного:** Возможно, придется немного попрактиковаться [В1304.0]; Если и теряется,

то очень немного [Е128.0]; Немного далеко от [Н 1345.0]; Немного не доходить до конца [Н1346.0]; Немного удивляет [Н1347.0]; Но потребовалось лишь немного времени, чтобы [Н1810.0]; Нужно немного [Н1903.0];

Подвинуть немного [П678.0]

**немногочисленный:** [Н1349.0]

**немножко:** Немножко не хватает [Н1348.0]

**немыслимый:** [Н1350.0]

**ненадежный:** [Н1351.0]

**ненадолго:** Подключаться к работе в этой области ненадолго [П728.0]

**ненамного:** Если и лучше, то очень ненамного [Е126.0]; Отличаться совсем ненамного [01398.0]

**ненормально:** Ненормально работающий [Н1352.0]; Работать ненормально [Р63.0]

**ненормальность:** Ненормальности в работе [Н1353.0]

**ненормальный:** Ненормальные условия работы [Н1354.0]

**ненужный:** Делать ненужным [Д209.0]; Избегать ненужных потерь [И156.0]; Избегать ненужных расходов и потерь времени [И157.0]

**необоснованно:** Давать необоснованно оптимистические результаты [Д59.0]; Давать необоснованно пессимистические результаты [Д60.0]; Необоснованно высок [Н1358.0]

**необоснованный:** Необоснованная критика [Н1356.0]; Опасения оказались необоснованными [0737.0]; Опасения оказались совершенно необоснованными [0738.0]; Требование было необоснованным [Т417.0]

**необработанный:** Необработанные данные по [Н 1360.0]; Необработанные поверхности загрунтовать с последующей окраской [Н1361.0]

**необходим:** Крайне необходим [К442.0]; Крайне необходим для обеспечения [К444.0]

**необходимо:** Больше ..., чем необходимо для [Б211.0]; В заказе необходимо указывать [В 119.0]; В первую очередь необходимо рассмотреть (В323.0); Все надежды на ... необходимо связывать с [В1008.0]; Длиться не более, чем это необходимо [Д319.0]; Для выяснения причин необходимо дополнительное исследование [Д336.0]; Для правильного выбора масштаба необходимо [Д333.0]; Для протекания реакции с большой скоростью необходимо (Д384.0); Для того чтобы ..., необходимо выполнение условия [Д407.0]; Для этого необходимо вначале [Д428.0]; Для этого необходимо некоторое представление о том, насколько [Д429.0]; Для этого необходимо сделать следующее [Д430.0]; Еще один фактор, который необходимо учитывать, — это [Е220.0]; Здесь необходимо отметить, что [3565.0];

Знание необходимо при [3588.0]; Когда это

необходимо для понимания [К242.0]; Которые необходимо учитывать при проектировании [К425.0]; Крайне необходимо несколько прояснить этот вопрос [К445.0]; На которые необходимо обратить внимание [Н67.0]; Наконец, необходимо определить [Н374.0]; Необходимо через каждые ... часов работы [Н1390.0]; Необходимо внести некоторые изменения [Н1363.0]; Необходимо все же признать, что [Н1364.0]; Необходимо знать [Н1365.0]; Необходимо идти на компромиссы [Н1366.0]; Необходимо измерять при [Н1367.0]; Необходимо иметь в виду [Н1368.0]; Необходимо как минимум [Н1370.0]; Необходимо контролировать более строго [Н1371.0]; Необходимо напомнить [Н1372.0]; Необходимо обеспечить возможность [Н1373.0]; Необходимо обеспечить [Н1374.0]; Необходимо обратиться к [Н1375.0]; Необходимо обязательно указывать, какой [Н1376.0]; Необходимо опасаться некоторого [Н1377.0]; Необходимо отдавать себе отчет в том, что [Н1369.0]; Необходимо подчеркнуть, что [Н 1378.0]; Необходимо признать, что ответ на этот вопрос пока отсутствует [Н1380.0]; Необходимо принимать меры по [Н1381.0]; Необходимо проявлять большую осторожность [Н1382.0]; Необходимо сделать все возможное для того, чтобы [Н1384.0]; Необходимо сделать гораздо больше [Н 1385.0]; Необходимо сделать несколько замечаний [Н 1386.0]; Необходимо следить за тем, чтобы ... не повредил [Н 1389.0]; Необходимо следить за тем, чтобы [Н1387.0]; Необходимо тщательно взвешивать [Н1391.0]; Необходимо учитывать, что [Н1393.0]; Необходимо хорошо знать [Н1393.0]; Необходимо, чтобы ... имел [Н1396.0]; Но для этого необходимо как минимум [Н1789.0]; Но прежде, чем заняться этим, необходимо [Н1811.0]; О которых необходимо иметь правильное представление [08.0]; Один из наиболее важных вопросов, на который необходимо ответить [0514.0]; Однако здесь необходимо сделать оговорку [0562.0]; Прежде всего необходимо [П 1949.0]; При заказе необходимо указывать номер серии [П2072.0]; Работу необходимо продолжить [Р34.0]; Рекомендуется только в случае, когда это действительно необходимо [Р682.0]; Там, где это необходимо [Т110.0]; Требования по ... необходимо увязывать с требованиями по [Т426.0]; Туда, где это необходимо [Т500.0]; Фактор, который необходимо иметь в виду [Ф13.0]; Чем это необходимо [458.0]; Чтобы .... необходимо вначале [4196.0]; Чтобы можно было использовать..., необходимо знать [4189.0]; Чтобы правильно ..., необходимо знать [4205.0]

**необходимость:** Без необходимости [Б35.0, Б37.0, Б50.0]; Без необходимости в [Б36.0]; Без необходимости прибегать к [Б38.0]; Без необходимости привлечения [Б49.0]; Было решено, что необходимость в... отсутствует [Б374.0]; В этом не было никакой необходимости (В770.0); Вывод о необходимости [В1726.0]; Вызывать необходимость в применении [В1812.0]; Вызываться необходимостью (В 1830.0); Выказываться о необходимости [В1978.0]; Если будет выявлена необходимость в [Е38.0]; Если позднее возникнет необходимость в таком [Е71.0]; Если такая необходимость возникнет [Е94.0]; Избавлять себя от необходимости [И151.0]; Наводить на мысль о необходимости [Н244.0]; Назрела необходимость в [Н299.0]; Напоминать нам о необходимости [Н466.0]; Насущная необходимость в [Н577.0]; Находить, что в этом нет необходимости [Н606.0]; Не было необходимости [Н760.0]; Не было также необходимости [Н761.0]; Не освобождает от необходимости соблюдать [Н962.0]; Необходимость ... была ясна [Н1398.0]; Необходимость по-прежнему оставалась неотложной [Н1407.0]; Необходимость в ... возникает из-за [Н1399.0]; Необходимость в ... вообще отпадает [Н1401.0]; Необходимость в ... отсутствует [Н1402.0]; Необходимость в ... стала особенно настоятельной [Н 1403.0]; Необходимость в которых диктуется [Н1404.0]; Необходимость в таком ... становится очевидной, если [Н1405.0]; Необходимость в точном знании [Н 1406.0]; Необходимость проведения дальнейшей работы (Н 1408.0); Нет необходимости [Н 1647.0]; Общий недостаток, заключавшийся в необходимости (0322.0); Отпадает необходимость в [01486.0]; Отсутствие у них необходимости в [01556.0]; По мере необходимости [П389.0]; По необходимости [П412.0]; Повторять его нет необходимости [П1574.0]; Подтверждать необходимость [П848.0]; Подтверждать обоснование необходимости проведения [П849.0]; Подчеркивать необходимость [П881.0]; Появляется необходимость [П1593.0]; Предупреждать о необходимости [П1910.0]; При необходимости долить [П2097.0]; При необходимости дополнительного (П2098.0); При необходимости отрегулировать [П2099.0]; При этом отпадает необходимость в [П2171.0]; Приводить к необходимости [П2228.0]; Принимать решение о необходимости [П2432.0]; С ростом необходимости в [С91.0]; Сталкиваться с необходимостью принять правильное решение о [С1370.0]; Существует острая необходимость в [С1576.0]; Теперь отпала необходимость [Т177.0]; Указывать на необходимость [У208.0]; Усложняться из-за



необходимости в [У413.0]; Устранять всякую необходимость [У532.0]; Устранять необходимость в [У531.0]; Этот результат говорит о необходимости дальнейших [Э105.0]

**необходимый:** Весь необходимый [В957.0]; Время, необходимое для того, чтобы [В1545.0]; Время, необходимое для ... чтобы [В1544.0]; Время, необходимое для достижения [В 1542.0]; Время, необходимое для расчета [В1543.0]; Да это и не считалось необходимым [Д2.0]; Давать необходимую информацию о [Д21.0]; Для изучения этого вопроса необходимы дальнейшие исследования [Д344.0]; Достаточное, но не необходимое условие [Д703.0]; Если это окажется необходимым [Е171.0]; Может оказаться весьма необходимым [М285.0]; Может оказаться необходимым для [М287.0]; Можете счесть необходимым [М322.0]; Находить необходимым [Н605.0]; Не хватать сил, необходимых для [Н1145.0]; Необходимое зажатие [Н1418.0]; Необходимое требование [Н1419.0]; Необходимое условие для [Н1421.0]; Необходимы дальнейшие исследования в этой области [Н1423.0]; Необходимы для более полной оценки [Н1413.0];

Необходимые для работы знания [Н 1411.0]; Необходимые меры по устранению [Н1422.0]; Необходимый для того, чтобы [Н1412.0]; Необходимый и достаточный [Н1414.0]; Необходимый минимум [Н1416.0];

Необходимый, но недостаточный [Н1415.0]; Необходимый опыт [Н1417.0]; ; Обладать необходимой [078.0]; Приборы, инструмент, приспособления и материалы, необходимые для выполнения работы [П2195.0]; Принимать необходимые меры [П2419.0]; Совершенно необходимый для [С829.0]; Стать необходимым [С1390.0]; Там, где это представляется необходимым [Т114.0]; Условие, необходимое для [У390.0]; Численность обслуживающего персонала, необходимого для [490.0]; Чтобы уменьшить количество необходимых вычислений [4216.0]; Ярлык с указанием необходимого ремонта [Я64.0]

**необыкновенный:** [Н1424.0, Н1425.0]

**необычно:** [Н1432.0]

**необычный:** Вещь довольно необычная для [В1039.0]; Не является необычным [Н1153.0]; Не являются для ... необычными [НИ 54.0]; Необычная особенность (Н 1429.0); Необычная характеристика [Н1430.0]; Необычное явление [Н1431.0]; Необычный в том смысле [Н1427.0]; Необычным у этого ... было [Н1428.0]; Слишком необычный для практического использования [С653.0]; Такие... довольно необычны [Т76.0]

**необязательно:** Знать обязательно [3592.0]; Обычно совсем обязательно [0413.0]

**неоговоренный:** Неоговоренные поверхности обработать до С 5 [Н1433.0]

**неограниченный:** В неограниченном количестве и при очень умеренной стоимости [В 156.0]; В течение неограниченного периода времени [В706.0]; Неограниченное количество [Н 1436.0]; Неограниченное количество вариантов [Б106.0]; Неограниченный доступ к [Н1435.0]

**неодинаково:** Их влияние неодинаково [И855.0]

**неодинаковый:** [Н 1437.0]

**неоднозначность:** Неоднозначность в отношении [Н 1438.0]

**неоднократно:** Как уже неоднократно говорилось [К65.0]; Неоднократно доказан [Н1440.0]; Неоднократно описывался в литературе [Н1441.0]; Неоднократно подчеркивать [Н1442.0]; Неоднократно указывать [Н1443.0]; Подробно и неоднократно [П794.0]

**неожиданно:** Довольно неожиданно [Д506.0]; Неожиданно низкие показания [Н 1445.0]

**неожиданность:** Не приносить каких-либо неожиданностей технического характера [Н1038.0]; Неожиданность заключается в [Н1444.0]

**неожиданный:** На первый взгляд это может показаться неожиданным [Н16.0]; Не давать каких-либо неожиданных результатов [Н822.0]; Не совсем неожиданный [Н1079.0]; Не являться неожиданным [НИ 52.0]; Неожиданный результат [Н1446.0]; Показать несколько неожиданным [П997.0]; Этот результат несколько неожиданный [Э106.0]

**неокончательный:** [Н1447.0]

**неоправданный:** Может показаться неоправданным [М296.0]; Неоправданные осложнения [Н1448.0]

**неопределенность:** Неопределенность в отношении [Н1450.0]; Неопределенность отличительных признаков [Н 1451.0]; Область неопределенности [098.0]; Устранять неопределенность [У533.0]; Чтобы избежать неопределенности [4184.0]

**неопределенный:** Зависимость имеет неопределенный характер [3106.0]; Неопределенные выражения [Н1452.0]; Решение становится неопределенным [Р743.0]; Точность измерений была неопределенной [Т375.0]

**неослабевающий:** Неослабевающий интерес [Н 1453.0]

**неослабный:** Поблагодарить за неослабный интерес и поддержку [П520.0]

**неоспоримый:** Нельзя предложить какие-либо неоспоримые аргументы [Н 1331.0]

**неосторожный:** Неосторожное использование [Н 1454.0]

**неосуществимый:** В обычных условиях может оказаться неосуществимым [В725.0]; Практически неосуществим [П1654.0]

**неотличимый:** Неотличимый от [Н1455.0]

**неотложный:** Необходимость по-прежнему оставалась неотложной [Н1407.0]; Неотложный ремонт [Н1456.0], Являться неотложным делом [Я21.0]

**неотъемлемый:** Неотъемлемая часть [Н1457.0];

Приложения к контракту считаются его неотъемлемой частью [П2359.0]; Служащий неотъемлемой частью [С666.0]; Являться неотъемлемой частью настоящих технических условий [Я19.0]

**неофициальный:** В неофициальном порядке [В372.0]; Неофициальное предложение [Н1458.0]

**неоценимый:** [Н1459.0]; Оказывать неоценимую помощь в [0648.0]; Оказываться неоценимым для [0672.0]; Оказываться неоценимым при [0673.0]

**неплоскостность:** Неплоскостность на [Н1460.0]

**неплотно:** Неплотно прилегающие друг другу [Н1461.0]

**неплохо:** Что совсем неплохо, если учесть [4165.0]

**неповрежденный:** Оставаться неповрежденным [01102.0]; Оставлять неповрежденным [01135.0]

**неподвижно:** неподвижно закреплять в положении, при котором [Н1462.0]; неподвижно прикреплять к [Н1463.0]

**неподвижный:** [Н1464.0]

**неподтвержденный:** неподтвержденный признак [Н1465.0]

**неполадка:** [Н1466.0]; Выявление и устранение неполадок [В2081.0]; Выявлять и устранять неполадки [В2084.0]; Диагностика неполадок [Д279.0]; Не всегда служит показателем неполадок в работе [Н783.0]; Свидетельствовать о неполадках в [С296.0]; Технические неполадки [Т241.0]; Устранять неполадки [У534.0]

**не полностью:** Учитывать не полностью [У612.0]

**неполный:** Неполные или вообще отсутствуют [Н1467.0]; Обсуждение было бы неполным без [0265.0]

**непомерно:** непомерно высокий [Н 1468.0]

**непонятно:** В настоящее время непонятно [В51.0]

**непоправимый:** непоправимое повреждение [Н1470.0]; непоправимый вред [Н1469.0]

**непосвященный:** Для непосвященных поясним, что [Д363.0]

**непосильный:** Оказываться непосильной задачей [0667.0]

**непоследовательно:** [Н1471.0]

**непоследовательность:** Проявлять непоследовательность [П3045.0]

**непоследовательный:** Быть непоследовательным [Б313.0]

**непосредственно:** Выводить непосредственно из [В 1739.0]; Вычислять непосредственно по

[В2056.0]; Запитывать непосредственно [3391.0]; Иметь дело непосредственно с [И377.0]; Которыми можно было бы воспользоваться непосредственно (К428.0); Не только непосредственно, но и косвенно [НИ 17.0]; Непосредственно зависеть от (Н1479.0); Непосредственно использоваться [Н1480.0]; Непосредственно на [Н 1473.0]; Непосредственно над [Н 1474.0]; Непосредственно перед [Н1475.0, Н1476.0]; Непосредственно перед тем, как (Н 1481.0); Непосредственно под [Н1477.0]; Непосредственно позади [Н1478.0]; Непосредственно связана с [Н 1482.0]; Непосредственно связанный с [Н 1483.0]; Получать непосредственно из баланса [П1152.0]; Соединяться непосредственно с [С965.0];

Считывать непосредственно с [С1630.0]

**непосредственный:** В непосредственной близости друг к другу [В253.0]; Давать непосредственную информацию о [Д22.0]; Иметь непосредственное отношение к практике [И427.0]; Находить непосредственное применение в [Н613.0]; Непосредственная опасность для персонала [Н1485.0]; Непосредственное влияние [Н1487.0]; Непосредственное доказательство отсутствует [Н1488.0];

Непосредственное следствие из этого вывода состоит в том, что [Н1489.0]; Непосредственное сопоставление [Н1491.0]; Непосредственное сравнение невозможно [Н1490.0]; Непосредственный доступ к [Н1486.0]; Под непосредственным руководством [П615.0]; Пригодный для непосредственного использования [П2275.0]

**неправильно:** Заставлять работать неправильно [3468.0]; Неправильно отрегулирован [Н1493.0]; Неправильно оформленный чертеж [Н1494.0]; Неправильно применяться [Н1495.0]; Неправильно принимать за [Н1496.0]; Неправильно работающий [Н1497.0]; Работать неправильно [Р64.0]; Совершенно неправильно [С830.0]

**неправильный:** Было бы неправильным [Б383.0]; Неправильная работа [Н1499.0];

Неправильная уставка регулятора [Н1500.0]; Неправильная форма [Н1501.0]; Неправильная эксплуатация [Н 1502.0]; Неправильное понимание [Н1503.0]; Неправильное представление [Н1504.0]; Неправильное применение [Н1505.0]; Неправильное срабатывание [Н1506.0]; Плохой контакт или неправильное соединение кабелей [П311.0]

**непревзойденный:** непревзойденная репутация [Н1508.0]

**непредвиденный:** Возникли непредвиденные трудности [В1348.0]; Если исключить непредвиденные обстоятельства [Е55.0]; Непредвиденное обстоятельство [Н1510.0]; Непредвиденное последствие для [Н1512.0]; Непредвиденное явление [Н1513.0]

**непреднамеренный:** Непреднамеренный отказ [H1515.0]

**непрекращающийся:** Непрекращающиеся исследования [H1518.0]; Непрекращающиеся споры о [H1519.0]; Непрекращающийся рост [H1517.0]

**непременный;** Непременное условие для понимания [H1520.0]

**непреодолимый:** Мы не видим каких-либо непреодолимых трудностей [M414.0]; Непреодолимые пока математические сложности [H1521.0]; Непреодолимые трудности [H1522.0]

**непрерывно:** Непрерывно в течение многих лет [H1524.0]; Непрерывно изменяться [H1525.0]; Непрерывно меняющийся [H1526.0]; Непрерывно совершенствоваться [H1527.0]; Проводить непрерывно [P2687.0]; С непрерывно возрастающей скоростью [C97.0]

**непрерывный:** Непрерывная дробь [H1529.0]; Непрерывная подача [H1530.0]; Непрерывная работа [H1531.0]; Непрерывная регистрация [H1532.0]; Непрерывного действия [H1533.0]; Непрерывное совершенствование [P1480.0]; Работающий в непрерывном режиме [P83.0]

**непрестанный:** Непрестанное стремление к [H1534.0]

**непригодность:** непригодность для [H1536.0]

**непригодный:** непригоден для [H1542.0]; непригоден обычно для [H1543.0]; непригодные документы [H1541.0]; непригодный для использования [H1538.0]; непригодный для практического использования [H1539.0]; непригодный для эксплуатации [H1540.0]; Оказываться совершенно непригодным [O685.0]; Признать непригодными для ... из-за [P2314.0]; Сделать непригодным для дальнейшего использования [C397.0]; Совершенно непригоден [C831.0]; Становиться все более непригодным [C1392.0]; Становиться непригодным [C1391.0]; То, что хорошо для одного..., может оказаться непригодным для другого {T281.0}; Усовершенствования, пока-завшие хорошие результаты при лабораторных испытаниях, в практических условиях часто оказывались непригодными [Y418.0]; Явно непригодный [Y46.0]

**неприемлемо;** неприемлемо большой [H1544.0]; Совершенно неприемлемо [C832.0]

**неприемлемый:** неприемлем, если мы хотим обеспечить хорошую работу [H1546.0]; Такая методика совершенно неприемлема [T66.0]

**неприменим:** [H1547.0]

**непринужденный:** непринужденная атмосфера [H1548.0]

**неприсланный:** Неприсяжные и потерянные при транспортировке [H1549.0]

**неприятность:** Вызывать неприятности [B1813.0]; Навлекать на себя неприятности [H240.0]; Начинаются неприятности, обусловленные [H725.0]; Чтобы избежать этих неприятностей [4186.0]

**непродолжительный:** (H1550.0); На непродолжительное время [H24.0]

**непроницаемый:** Непроницаемый для [H1551.0]

**непропорционально:** [H1552.0]

**непросроченный:** Непросроченный паспорт [H1553.0]

**непросто:** Ответить непросто [O1234.0]

**непростой:** Было непростой [B372.0]; Непростая задача [H1554.0]; Решить непростую задачу [P722.0]

**неработающий:** [H1555.0]

**неработоспособность:** Неработоспособность изобретения [H1556.0]

**неработоспособный:** Делать неработоспособным [D210.0]

**нерабочий:** Находящийся в нерабочем состоянии [H654.0]; Нерабочие дни недели [H1557.0]; Приходить в нерабочее состояние [P2549.0]; Работа выполняемая в нерабочее время [P15.0]

**неравенство:** [H1558.0]; Ограничение в виде неравенства [O441.0]; Справедливо следующее неравенство [C1249.0]

**неравномерно:** Неравномерно распределенный по окружности [H1561.0]

**неравномерный:** [H1559.0, H1560.0]

**неразбериха:** Устранять неразбериху (Y535.0)

**неразрушающий:** Метод неразрушающего контроля [M158.0]

**неразрывно:** Неразрывно связан с [H1562.0]

**неразумно:** И поэтому было бы неразумно [I51.0]

**неразъемный:** Ремонт деталей и неразъемных составных частей [P693.0]

**нерасчетный:** Работа в нерасчетном режиме [P5.0]

**нереалистично:** [H1563.0]

**нереальный:** Нереальный случай [H1564.0]; Совершенно нереален для [C833.0]; Совершенно ясно, что такой ... нереален [C847.0]

**нередкий:** [H1565.0]

**нередко:** [H1566.0]

**нерешенный:** Нерешенная проблема [H1567.0]; Нерешенным остается вопрос о том, какой [H1568.0]; Один из нерешенных вопросов [O516.0]; Оставаться нерешенным [O1103.0]; Остаются сложными вопросами, нерешенными до сих пор [O1127.0]; Уточнения по нерешенным вопросам [Y570.0]

**несанкционированный:** Меры по предотвращению несанкционированного [M130.0]; Несанкционированное вмешательство [H1569.0]

**несвойственно:** [H1571.0]

**несистематический:** [Н1572.0]  
**несколько:** Будет описано несколько ниже [Б345.0]; В заключение несколько слов о (В122.0); В несколько раз больше [В441.0]; Вести себя несколько странно [В944.0]; Воспользоваться несколько иным подходом [В1420.0]; Впечатление несколько портит [В 1459.0]; Занимать несколько большее время [3327.0]; Иметь в распоряжении несколько вариантов [И366.0]; Иметь несколько дискуссионный характер [И464.0]; Исследование по нескольким направлениям [И781.0]; Крайне необходимо несколько прояснить этот вопрос [К445.0]; Может быть следует сказать несколько слов об этом [М314.0]; На практике дело обстоит несколько иначе [Н113.0]; Необходимо сделать несколько замечаний [Н1386.0]; Несколько больше по абсолютной величине [Н 1575.0]; Несколько настораживает то обстоятельство, что [Н1588.0]; Несколько раз [Н1599.0]; Несколько уменьшается [Н1605.0]; Один или несколько [0489.0]; Оказываться несколько лучше [0674.0]; Поясним сказанное несколькими примерами [П1598.0]; Проработать несколько лет [П2894.0]; Спустя несколько минут [С1270.0]; Чтобы несколько разобраться в том [4197.0]; Это можно объяснить несколькими причинами [Э165.0]; Это несколько удивляет [Э 153.0]  
**несложный:** [Н 1608.0]  
**несмешивающийся:** [Н1609.0]  
**несмотря:** Несмотря на ..., некоторые выводы могут быть сделаны [Н1618.0]; Несмотря на все меры предосторожности (Н1611.0); Несмотря на все попытки [Н1612.0]; Несмотря на все эти возможные причины [Н1614.0]; Несмотря на всю эту критику [Н1615.0]; Несмотря на достигнутые успехи [Н1616.0]; Несмотря на некоторую упрощенность, это описание вполне удовлетворительно [Н1617.0]; Несмотря на некоторые опасения [Н1619.0]; Несмотря на то, что [Н1620.0]; Несмотря на эти оговорки [Н 1621.0]; Но несмотря на это [Н1804.0]  
**несмыаемый:** Несмыаемая [Н1622.0]  
**несоблюдение:** Несоблюдение срока [Н1624.0]; Несоблюдение требований [Н1625.0]; Несоблюдение указанных требования может привести к поломке машины или травме [Н1626.0]  
**несовершенный:** [Н1627.0]  
**несовершенство:** [Н 1628.0]  
**несовместимость:** Несовместимость с [Н1629.0]  
**несовместимый:** [Н1630.0]  
**несоизмерим:** несоизмерим с [Н 1631.0]; Совершенно несоизмеримы [С835.0]  
**несомненно:** Влияние ... несомненно [В1139.0]; Им, несомненно, будут пользоваться и в дальнейшем [И536.0]; Несомненно хуже

[Б104.0]; Несомненно, являются значительным шагом вперед [Н1633.0]; Почти несомненно [П 1556.0]  
**несомненность:** Со всей несомненностью [С191.0]  
**несомненный:** Несомненные доказательства [Н1634.0]  
**несомый:** Несомый газом [Н1635.0]  
**несоответствие:** [Н1636.0]  
**несоответствующий:** несоответствующий требованиям [Н1637.0]  
**несостоятельность:** Доказывать несостоятельность критики [Д537.0]; Подчеркивать явную несостоятельность [П883.0]; Показывать полную несостоятельность [П983.0]  
**несостоятельный:** Могут оказаться несостоятельными [М266.0]  
**неспециалист:** Для неспециалистов кажется странным [Д364.0]  
**неспособность:** Из-за неспособности [И223.0]; Наша неспособность [Н737.0]; Неспособность метода [Н 1639.0]  
**неспособный:** Делать неспособным [Д211.0]; Если ... оказывается неспособным [Е64.0]  
**нестандартный:** [Н1640.0]  
**нести:** Нести нагрузку [Н1641.0]; Нести ответственность за [Н1642.0]; Нести расходы [Н1644.0]; Нести часть ответственности за то, что [Н1643.0]  
**несущая:** Несущая способность конструкции [Н1645.0]  
**несущественный:** Упоминание несущественных признаков [У317.0]; Хотя такое различие может показаться несущественным [Х109.0]  
**нетерпение:** Ожидать с нетерпением дальнейших результатов по [0604.0]  
**нетерпимость:** Нетерпимость к [Н1655.0]  
**нетерпимый:** Нетерпимый к [Н1656.0]  
**неточно:** Называть неточно [Н301.0]; Неточно определенное [Н 1659.0]  
**неточность:** [Н1657.0]  
**неточный:** [Н1658.0]; Несколько неточны [Н1589.0]  
**нетронутый:** [Н1660.0]  
**нетрудно:** В этом нетрудно убедиться, если [В772.0]; Нетрудно догадаться теперь, что [Н1662.0]; Нетрудно показать, что [Н1663.0]; Нетрудно представить себе [Н1664.0]; Объяснить нетрудно [0381.0]; Причину этого найти нетрудно [П2588.0]  
**нетрудоспособность:** Нетрудоспособность в течение [Н1665.0]  
**неубедительный:** [Н1666.0]; Считать неубедительным [С1614.0]  
**неуверенно:** Выражаться неуверенно относительно возможности [В1951.0]  
**неудача:** Заканчиваться неудачей [3224.0]; Неудача в [Н1667.0]; Окончиться неудачей [0696.0]; Преследовали неудачи, связанные

с [П2038.0]; Терпеть неудачу в попытке (Т193.0); Эту неудачу можно объяснить одной из следующих причин [Э 167.0]

**неудачно:** Использование неудачно [И688.0]

**неудачный:** Неудачное решение [Н1668.0]; Оказываться крайне неудачным [0665.0]; Предотвращать повреждение при неудачном [П1775.0]

**неудивительно:** Неудивительно, что [Н1669.0]; Такое расхождение неудивительно, если учесть трудности, которые исследователи встречают при [Т74.0]; Что неудивительно [4153.0]; Что совершенно неудивительно [4164.0]

**неудобно:** Неудобно для практического пользования [Н 1670.0]

**неудобство:** Готовы пойти на некоторые неудобства [Г105.0]; Не может не вызывать неудобств [Н914.0]; Пойти на некоторые неудобства [П951.0]; Создавать неудобства [С975.0]

**неудовлетворительный:** В целом неудовлетворительное положение [В742.0]; Может показаться неудовлетворительной [М297.0]; Неудовлетворителен в отношении [Н1674.0]; Неудовлетворительное качество пленки [Н1672.0]; Неудовлетворительное состояние промышленности [Н1673.0]

**неуказанный:** Неуказанные допуски ... мм [Н1675.0]; Неуказанные литейные радиусы выполнить... мм [Н1676.0]

**не улавливаемый:** Снижать до уровня, не улавливаемого даже с помощью точного химического анализа [С766.0]

**неумышленный:** [Н1514.0]

**неуправляемый:** [Н1677.0]

**неустановившийся:** [Н1678.0]

**неустойчивость:** Происхождение неустойчивости [П2831.0]

**неустойчивый:** Неустойчивое равновесие [Н1680.0]; Склонный к неустойчивой работе [С528.0]; Неустойчивое равновесное состояние [У514.0]

**неутешительный:** Результаты оказались неутешительными [Р650.0]

**нефтяной:** Ключевые фигуры в нефтяной промышленности [К226.0]

**нехватка:** [Н1681.0]; Большая нехватка [Б231.0]; Восполнять нехватку [В1414.0]; Из-за нехватки [И224.0]

**нецелесообразно:** [Н1683.0]; Практически нецелесообразно [П 1655.0]

**нецелесообразный:** [Н1682.0]; Представляется нецелесообразным [П1894.0]; Экономически нецелесообразный [Э20.0]

**нечетный:** Четное и нечетное числа [487.0]

**нечто:** Нечто вроде этого и можно было ожидать [Н1685.0]

**нечувствительность:** Нечувствительность к [Н1686.0]

**неэкономично:** [Н1687.0]

**неэффективно:** Работает неэффективно и часто вообще бесполезен [Р65.0]

**неэффективный:** Оказываться неэффективным [0675.0]

**неявно:** Неявно подразумевается [Н1688.0]; Явно или неявно [Я44.0]

**неясен:** Смысл пока неясен [С752.0]

**неясно:** В настоящее время неясно [В52.0]; Значение этого обстоятельства неясно [3603.0]; Неясно, насколько возможны [Н1689.0]; Пока многое еще неясно [П960.0]; Положение с ... неясно [П1101.0]; Совершенно неясно [С837.0]; Совсем неясно [С898.0]

**неясный:** Оставаться неясным [01104.0]; Физический смысл остается неясным [Ф23.0]

**нигде:** Мы нигде не говорим о том, что [М426.0]; Нигде не было [Н1710.0]; Нигде не упоминается [Н1711.0]

**ниже:** Будет описано несколько ниже [Б345.0]; Будет рассмотрено ниже [Б348.0]; Где-то ниже [Г31.0]; Значительно ниже [3627.0]; Имеющий класс не ниже [И511.0]; Индикаторная лампочка горит, когда ... ниже нормальной [И552.0]; Как будет показано ниже [К105.0]; Как выше, так и ниже [К122.0]; Критическое значение, ниже которого [К493.0]; На ... ниже [Н6.0]; На изложенных ниже условиях [Н 178.0]; Намного ниже, чем [Н424.0]; Не ниже [Н931.0]; Несколькo ниже [Н 1590.0]; Ниже будет называться [Н1713.0]; Ниже будет показано, что [Н1714.0]; Ниже кратко рассматривается [Н1715.0]; Ниже мы рассмотрим [Н1716.0]; Ниже называемый всюду [Н1717.0]; Ниже нормального [Н1718.0]; Ниже обобщены основные достижения [Н1719.0]; Ниже по течению [Н1720.0]; Ниже приводится краткое описание [Н1722.0]; Но как будет показано ниже [Н1793.0]; Описываемый ниже метод [0790.0]; Падать ниже допустимого предела [П5.0]; По стоимости ниже первоначально планируемой [П487.0]; После того как ... стал ниже [П1376.0]; Последние два вопроса обсуждаются ниже [П1392.0]; Представленный ниже [П1903.0]; Располагаться все ниже и ниже [Р383.0]; Решено методом, который будет описан ниже [Р726.0]; Существует некое ниже критическое значение, ниже которого [С1572.0]; Температура ниже окружающей [Т144.0]; Упасть ниже допустимого значения [У307.0]; Ценится ниже, чем [Ц36.0]; Это существенно ниже [Э199.0]; Этот вопрос будет еще раз рассмотрен ниже [Э97.0]; Этот вопрос будет рассмотрен подробнее ниже [Э98.0]

**нижеследующий:** В одном из нижеследующих разделов статьи [В454.0]; Мы, фирма Великобритании Бабкок энд Уилкокс Лтд

настоящим заявляем изобретение на которое просим выдать нам патент и способ, с помощью которого оно осуществляется, подробно изложенный в нижеследующем описании [M440.0]

**нижний:** Нижний участок [B922.0]; Долить масло до нижней кромки отверстия под пробку [D600.0]; На нижней стенке [H157.0]; Нижний индекс [H1724.0]; Нижний левый участок [H1725.0]; Нижний предел применимости [H1726.0]; Нижняя граница [H1727.0]; Нижняя сторона [H1728.0]; Нижняя часть [H1729.0]; Округление в нижнюю сторону [0721.0]; Округлять в нижнюю сторону до [0724.0]; С нижней стороны [C109.0]; Самое нижнее положение [C228.0]; Существует некое нижнее критическое значение, ниже которого [C1572.0]

**низ:** [H1730.0]

**низкий:** Неожиданно низкие показания [H1445.0]; Низкое качество [H1731.0]; Отклоняться в сторону низких значений [01339.0]; Самый низкий [C219.0]; Слишком низкая температура [C654.0]; Такое низкое [T69.0]; Уменьшение и без того низкого [Y275.0]

**низкосортный:** [H1732.0]

**никак:** Никак не менее [H 1733.0]; Никак не объясняет [H1734.0]; Никак не отмечено было такое достоинство как [H1735.0]; Никак не отражает (H 1736.0); Никак не проявляется [H1737.0]; Но никак не меньший, чем [H1806.0]; Этот вопрос никак не освещается [Э 101.0]

**никакой:** В этом не было никакой необходимости [B770.0]; Вообще никакого [B1380.0]; Выгоды в этом нет никакой [B1759.0]; Не давать никаких преимуществ [H820.0]; Не давать никакой выгоды [H813.0]; Не оказывать никакого влияния [H956.0]; Не оставляет у нас никакого сомнения в том, что если [H964.0]; Не придавать никакого значения [H1030.0]; Не связано никакими условиями [H 1062.0]; Нет никаких оснований ожидать [H1648.0]; Нет никакого смысла в [H1651.0]; Нет почти никакого сомнения в том, что [H1653.0]; Никакая другая ... не дает (H1739.0); Никаких ... не требуется [H1744.0]; Никаких ... обнаружено не было [H1742.0]; Никаких ... пока не обнаружено [H1747.0]; Никаких вопросов в этом отношении не возникло [H1740.0]; Никаких других (H1741.0); Никаких исключений не допускается [H1743.0]; Никаких осложнений больше не было [H1745.0]; Никаких особых предосторожностей не принималось [H1746.0]; Никаких реальных доказательств этого пока не найдено [H1748.0]; Никакого дополнительного объяснения не требуется [H1749.0]; Никакой не [H1738.0];

Никакой поправки на ... не требуется [H1750.0]; От ... нет никакого проку [01191.0]; Почти не было никакого сомнения относительно [П1564.0]

**никогда:** Как никогда прежде [K96.0]; Может никогда и не потребоваться [M281.0]; Никогда не дают [H1752.0]; Никогда не должны [H 1753.0]; Никогда не оставляйте [H1754.0]; Никогда не превышает [H1755.0]; Никогда не считался оправданным по причине [H1757.0]; Никогда не [H1751.0]; О ... никогда нельзя сказать, что [010.0]; Однако этого никогда не происходило [0575.0]; Сейчас как никогда прежде важны для [C412.0]; Сейчас, когда как никогда возросла [C411.0]; Фактически этого никогда не бывает [Ф11.0]

**никоим:** Не намереваясь никоим образом опорочить [H924.0]; Никоим образом не изменит [H 1759.0]; Никоим образом не подменяет [H1760.0]

**никто:** Не может никто себе представить [H917.0]; Никто из [H1762.0]; Никто иной как сам [H 1763.0]; Никто не понимает [H1764.0]; Никто, по-видимому, до сих пор не [H1765.0]; Никто серьезно не задумывался над [H1766.0]

**нить:** Проходить красной нитью через [П3003.0]

**ничего:** В этом нет ничего удивительного [B771.0]; Если он даже не дает ничего другого [E65.0]; Не иметь ничего общего с [H881.0]; Нельзя сказать ничего определенного [H 1333.0]; Ничего иного не остается как только [H 1767.0]; Ничего лучшего пока нет и не было (H 1768.0); Ничего не говорится о [H1769.0]; Ничего не делается для того, чтобы [H1770.0]; Ничего не знающий о [H1771.0]; Ничего не зная о [H1772.0]; Ничего нового не даст [H 1773.0]; Ничего такого вроде и не требуется [H1774.0]; Практически ничего не меняет [П 1656.0]; Это ничего не дает [Э154.0]

**ничем:** Ничем не грозит [H1775.0]; Ничем не отличаться от [H1776.0]; Ничем не уступает [H1777.0]

**ничто:** Ничто иное как [H1778.0]

**ничуть:** Выглядеть ничуть не хуже [B1752.0];

Ничуть от этого не хуже [H1779.0]

**новейший:** [H1824.0]; Новейшие сведения [H1825.0]; Список новейшей литературы [C 1188.0]

**новизна:** Материалы, могущие опорочить новизну изобретения [M70.0]; Новизна по сравнению с существующим уровнем техники [H 1826.0]; Отсутствие новизны [01550.0]; Отчет о новизне [01590.0]

**новинка:** Пристально наблюдать за новинками в этой области [П2528.0]

**новшество:** [H1827.0]; Представлять собой новшество [П 1876.0]

**новый:** Выглядеть как новый [В 1751.0]; Извещенная комбинация, не обладающая новой функцией и не дающая нового результата [И170.0]; Не давать нового [Н816.0]; Не показывать чего-либо нового [Н1010.0]; Ничего нового не даст [Н1773.0]; Новое здесь то, что [Н1832.0]; Новое применение известного способа [Н1833.0]; Новые признаки изобретения [Н1834.0]; Новый для [Н1829.0]; Новый материал [Н1830.0]; Новый метод [Н1831.0]; Новым в предлагаемом нами методе является [Н1835.0]; Определяться для новых условий [0841.0]; Открывать новое поле для исследований [01363.0]; Относящийся к новой технике [01460.0]; Перемещение на новое место [П138.0]; По новому освещается [П413.0]; Подниматься на новую ступень технического развития [П760.0]; Предъявлять новые требования к [П1938.0]; Привыкнуть к новому [П2264.0]; Придавать новые качественные характеристики [П2292.0]; Принципиально новый [П2468.0]; Прокладывать новые пути [П2834.0]; Составлять по новому формулу изобретения [С1090.0]; Старые и новые результаты [С1432.0]; Требовались новые [Т454.0]; Уточнять результаты исследования с помощью более новых данных [У573.0]

**нога:** В ногу со временем [В254.0]; Идти в ногу с [И106.0]

**ноль:** [Н1836.0]

**номенклатура:** Номенклатура и периодичность работ по техническому обслуживанию [Н1838.0]; Расширение номенклатуры продукции [Р562.0]; Расширять номенклатуру изделий [Р571.0]

**номер:** Входящий номер сопроводительного документа и дата [В1683.0]; Заводской номер [3115.0]; Инвентарный номер [И543.0]; Исходящий номер [И837.0]; Номер детали по каталогу или клейму на детали [Н1840.0]; Номер кабеля и куда идет [Н1841.0]; Номер п/п [Н1844.0]; Номер первой заявки [Н1842.0]; Номер позиции [Н1843.0]; Номера деталей соответствуют спецификации сборного чертежа [Н1845.0]; Номера мест [Н1846.0]; Опознавательный номер [0797.0]; При заказе необходимо указывать номер серии [П2072.0]; Проверить совпадение номера с [П2661.0]; Числа в квадратных скобках обозначают номера в списке работ, приведенном в конце статьи [4104.0]; Числитель — порядковый номер места [496.0]

**номинал:** Заменять на ... того же типа, размера и номинала [3284.0]

**номинальный:** Номинальная длительная мощность [Н1849.0]; Номинальная мощность [Н1850.0]; Отклонение от номинального значения [01328.0]; Повышать номинальную мощность [П588.0]; Проверить соответствие

плавких предохранителей номинальным значением [П2662.0]; Продаваться по цене выше номинальной [П2722.0]; С номинальной мощностью [С36.0]; Снижать номинальную мощность [С768.0]; Снижение номинальной мощности [С778.0]; Шлифовать до получения номинальной шероховатости [Ш32.0]

**номограмма:** [Н1852.0]

**норма:** Ведомственные нормы [В881.0]; Вновь увеличивают ... до нормы [В1210.0]; Возвращаться к норме [В1276.0]; Временные нормы расхода ЗИП на капитальный ремонт [В1518.0]; Вышеуказанные нормы [В2076.0]; Значения, указанные в нормах [3604.0]; Конструкция, удовлетворяющая требованиям санитарных норм [К345.0]; Нормы выбросов [Н1863.0]; Нормы должны содержать больше рекомендаций по [Н1864.0]; Нормы материально-технического обеспечения ремонта [Н1865.0]; Нормы по строительству [Н1866.0]; Нормы проектирования [Н1867.0]; Нормы расхода запасных частей [Н1868.0]; Нормы расхода материалов [Н1869.0]; Отклонение от нормы (01329.0); Превышать допускаемые эксплуатационными нормами пределы [П1697.0]; Предписываемый нормами [П1785.0]; Санитарно-гигиенические нормы [С242.0]; Санитарные нормы [С241.0]; Соблюдение требований норм [С816.0]; Строительные нормы и правила [С1508.0]; Технически обоснованные нормы [Т247.0]; Удовлетворение требований норм [У156.0]; Удовлетворять нормам [У168.0]

**нормаль:** [Н1853.0]; Измеренный по нормали к [И306.0]

**нормально:** А все остальное оборудование работает нормально [А8.0]; Вести себя нормально во всех отношениях [В945.0]; Все у нас будет нормально [В986.0]

**нормальный:** Индикаторная лампочка горит, когда ... ниже нормальной [И552.0]; Нарушать нормальную работу [Н516.0]; Находиться в нормальной эксплуатации [Н666.0]; Ниже нормального [Н1718.0]; Нормальные условия работы [Н1854.0]; Превышать нормальный уровень [П1698.0]; При нормальном освещении [П2104.0]; Признаки нормальной работы [П2322.0]; Работа в нормальных и аварийных условиях [Р6.0]; Это нормальное явление [Э155.0]

**нормативный:** Нормативная база [Н1855.0];

Указанный в нормативных документах [У218.0]

**нормирование:** Нормирование рабочего времени [Н1856.0]

**нормированный:** Нормированные пределы [Н 1858.0]; Нормирован по [Н 1859.0]

**нормировать:** Нормировать функцию [Н1860.0]

**нормирующий:** Нормирующий параметр [Н1861.0]

**носить:** В силу того, что... носит характер [В516.0]; Носить более субъективный характер, чем [Н1871.0]; Носить иллюстративный характер и не иметь целью ограничить настоящее изобретение [Н1872.0]; Носить поисковый характер [Н1873.0]; Носить пред-варительный характер [Н1874.0]; Носить случайный характер [Н1875.0]; Носить устойчивый характер [Н1876.0]; Носить экспериментальный характер [Н1877.0]

**носящий:** Носящий имя [Н1878.0]

**ноу-хау:** Передавать ноу-хау в виде [П99.0]

**ночь:** На ночь [Н78.0]; Оставлять на ночь [О1134.0]

**нужда:** В случае нужды [В520.0]; Затраты мощности на собственные нужды [3488.0]; Каждодневные нужды [К27.0]; На нужды (Н79.0); Отвечающий нуждам [О1251.0]; Удовлетворять нужды [У169.0]

**нуждаться:** Вопрос нуждается в дополнительном исследовании [В1400.0]; Все ... без исключения ... нуждаются в [В1000.0]; Всего лишь предположение, которое нуждается в проверке [В 1568.0]; Гипотеза нуждается в проверке [Г38.0]; Достаточно хорошо известен и поэтому не нуждается в дополнительном рассмотрении [Д698.0]; Если только она не нуждается в замене [Е163.0]; Еще нуждаются в теоретическом объяснении [Е218.0]; Иногда они нуждаются в некотором изменении с учетом [И563.0]; Настолько хорошо известны, что вряд ли нуждаются в повторении [Н566.0]; Не нуждаются в дальнейшей подрегулировке [Н932.0]; Не нуждаются в пояснении [Н933.0]; Нуждаться в ремонте [Н1893.0]; Нуждаться в дальнейшем [Н1880.0]; Нуждаться в дополнительном исследовании [Н1881.0]; Нуждаться в дополнительном экспериментальном подтверждении [Н1883.0]; Нуждаться в доработке [Н1884.0]; Нуждаться в значительном увеличении [Н1885.0]; Нуждаться в некоторой [Н1886.0]; Нуждаться в объяснении [Н1887.0]; Нуждаться в особом внимании [Н1888.0]; Нуждаться в очень серьезном ремонте [Н1894.0]; Нуждаться в пересмотре [Н1889.0]; Нуждаться в полной замене [Н1890.0]; Нуждаться в ремонте [Н1892.0]; Нуждаться в тщательном дополнительном исследовании [Н 1882.0]; Нуждаться в экспериментальной проверке [Н1891.0]; Остро нуждается в [О1165.0]; Ряд мест нуждается в доработке [Р783.0]; Эти вопросы нуждаются в пояснении [Э210.0]

**нужно:** Вам будет нужно [В808.0]; Главное, о чем нужно помнить [Г51.0]; Если бы нужно было [Е106.0]; Если это нужно [Е170.0]; И последний вопрос, который нужно рассмотреть в связи с [И50.0]; Или нужно учитывать

также [И344.0]; Иногда нужно [И562.0]; Их нужно было бы учесть [И856.0]; Как раз то, что нужно [К112.0]; Который ещё нужно определить [К416.0]; Многое еще нужно сделать, чтобы [М205.0]; Нам все еще нужно определить [Н394.0]; Нам нужно только [Н401.0]; Не нужно [Н935.0]; Нужно было бы [Н1896.0]; Нужно было проявлять большую осторожность [Н1897.0]; Нужно взять за правило [Н1898.0]; Нужно еще определить [Н 1899.0]; Нужно еще убедиться, могут ли [Н1900.0]; Нужно как следует подумать о том, как [Н1901.0]; Нужно надеяться, что [Н1902.0]; Нужно немного [Н1903.0]; Нужно определить [Н1904.0]; Нужно получить согласие [Н 1905.0]; Нужно понимать в том смысле, что [Н1906.0]; Нужно приложить все усилия для того, чтобы [Н1907.0]; Нужно различать два случая [Н 1908.0]; Нужно следовать некоторым правилам [Н1909.0]; Нужно теперь решить [Н1910.0]; Однако нужно еще [0569.0]; Однако при этом не нужно забывать, что [0572.0]; Особенно нужно отметить, что [01041.0]; Первое допущение, которое нужно сделать, относится к [П57.0]; Прежде всего нужно было решить, будет ли [П1950.0]; Причину нужно искать в [П2587.0]; Сколько ... нужно для того, чтобы [С532.0]; Там, где это нужно [Т111.0]; Теперь все что нужно сделать — это [Т167.0]; Трудность состоит в том, что нужно [Т493.0]

**нужный:** Как выбрать нужный вам [К61.0]; Которым так нужен [К420.0]; Нам нужен [Н400.0]; Не нужен [Н934.0]; Помимо тех, которые нужны для [П 1250.0]; Совершенно не нужен [С828.0]; Стало ясно, что для ... нужен [С1415.0]

**нулевой:** Нулевая нагрузка [Н1912.0]; Нулевая фаза [Н1913.0]; Нулевое значение [Н1914.0, Н1915.0]; Принимаются нулевыми [П2452.0]; Установить рукоятку..., чтобы получить нулевое показание на дисплее [У485.0]

**нуль:** [Н1916.0]; Делать равным нулю [Д225.0]; Из требования равенства нулю [И136.0]; Обращать в нуль [0207.0]; Обращаться в нуль [0222.0]; Падать до нуля [П2.0]; Приравнивать к нулю [П2516.0]; Равен нулю [Р137.0]; Разрабатывать с нуля [Р299.0]; С нуля [С39.0]; Сводить к нулю [С317.0]; Стрелка манометра должна вернуться на нуль [С1485.0]; Стремиться к бесконечности при стремящемся к нулю [С 1487.0]; Сумма равна нулю [С1541.0]; Уменьшаться до нуля [У262.0]; Устанавливать на нуль [У467.0]; Уходить на нуль [У581.0]

**нумерация:** Изменять нумерацию пунктов формулы изобретения [И264.0]

**нынешний:** В нынешних условиях [В724.0]; В пересчете на нынешние цены [В331.0]; При нынешних ценах на [П2100.0]



# О

**обветшать:** [023.0]  
**обвязка:** Наружная обвязка [Н507.0]; Трубопроводная и кабельная обвязка [Т472.0]  
**обгонять:** [024.0]  
**обезличенный:** Обезличенные данные [025.0]  
**обезопасить:** Обезопасить от [027.0]  
**обертывать:** [028.0]; Плотно обертывать [П302.0]  
**обескураживать:** [029.0]; Несколько обескураживает [Н1591.0]  
**обеспечен:** Не обеспечен [Н937.0]  
**обеспечение:** В целях обеспечении безопасности [В747.0]; Вплоть до обеспечения сходимости [В1471.0]; Для обеспечения ..., на такие небольшие затраты можно пойти [Д367.0]; Для обеспечения заданного цикла [Д366.0]; Для обеспечения немедленного доступа [Д368.0]; Для обеспечения полной картины при сравнении [Д369.0]; Для обеспечения ясности и краткости изложения [Д370.0]; Задача состоит в обеспечении возможности [З173.0]; Затруднять обеспечение [З497.0]; Иметь целью обеспечение [И475.0]; Крайне необходим для обеспечения [К444.0]; Наилучший способ надежного обеспечения [Н354.0]; Находиться в системе материально-технического обеспечения [Н647.0]; Нормы материально-технического обеспечения ремонта [Н1865.0]; Обеспечение качества [030.0]; Обеспечение людьми [031.0]; Обеспечение проверки [032.0]; Обеспечение успеха [033.0]; Материально-техническое обеспечение [М73.0]; Программное обеспечение ЭВМ [П2712.0]; С целью обеспечения [С174.0]; Способствовать обеспечению [С1228.0]; Цель поэтому состоит в обеспечении [Ц24.0]; Шлифовать после сварки для обеспечения гладких внешних поверхностей [Ш36.0]  
**обеспечиваемый:** Дополнительная защита, обеспечиваемая [Д628.0]  
**обеспечивать:** Автоматически обеспечивать [А67.0]; В состоянии обеспечить потребности [В608.0]; Должен быть так ..., чтобы обеспечить [Д577.0]; Доступ к ... обеспечивается путем [Д742.0]; Если и обеспечили доказательства, то очень незначительные [Е125.0]; Земление обеспечивается [З203.0]; Найдено, что ... не всегда обеспечивают [Н624.0]; Не обеспечивать [Н936.0]; Необходимо обеспечить возможность [Н1373.0]; Необходимо обеспечить [Н1374.0]; Неприемлем, если мы хотим обеспечить хорошую работу [Н1546.0]; Обеспечивать

более глубокое понимание [035.0]; Обеспечивать возможность [037.0]; Обеспечивать для [038.0]; Обеспечивать достоверность [039.0]; Обеспечивать доступ к [040.0]; Обеспечивать запас [042.0]; Обеспечивать измерения при [041.0]; Обеспечивать меры [044.0]; Обеспечивать основу для принятия важных решений о [045.0]; Обеспечивать потребности в [047.0]; Обеспечивать при меньшем ... дополнительный [046.0]; Обеспечивать работу [048.0]; Обеспечивать резервное батарейное питание в течение [049.0]; Обеспечивать связь с [050.0]; Обеспечивать сопоставление результатов [051.0]; Обеспечивать сходимость решения [052.0]; Обеспечивая в то же время [053.0]; Обеспечивая тем самым [054.0]; Обеспечить или даже превзойти заданные характеристики [056.0]; Размер ... обеспечить путем набора прокладок [Р253.0]; Соединение на корпус/массу обеспечивается штифтом [С958.0]; Так, чтобы обеспечить [Т48.0]; Что обеспечивает [4154.0]; Чтобы обеспечить [4198.0]  
**обеспечиваться:** [055.0]; Проверить правильность установки, при которой обеспечиваются [П2660.0]  
**обеспечивающий:** Рабочие условия, обеспечивающие [Р104.0]  
**обесточивать:** [057.0]  
**обесцвечивать:** [058.0]  
**обесценить:** Обесценить эти преимущества [060.0]  
**обещанный:** Гарантия обещанных преимуществ подтверждена [Г21.0]  
**обещать:** Обещает стать еще лучше [062.0]  
**обзор:** Визуальный обзор [В1103.0]; Всесторонне рассмотрены в обзоре [В1587.0]; Всесторонний обзор [В 1583.0]; Делать обзор литературы [Д212.0]; Исчерпывающий обзор [И846.0]; Краткий обзор [К450.0]; Обзор известного уровня техники [063.0]; Обзор имеющейся литературы по этому вопросу [066.0]; Обзор литературы по [065.0]; Обзор эксплуатационных данных по [067.0]; Обширный обзор [0291.0]; Один из лучших обзоров [0512.0]; Подробный обзор соответствующей литературы [П813.0]  
**обзорный:** Обзорная статья по этому вопросу [069.0]  
**обиняки:** Если говорить без обиняков [Е113.0]  
**обиход:** Входить в обиход [В1671.0]  
**обкатка:** [070.0]  
**обладать:** Обладать возможностями [072.0]; Обладать качествами [077.0]; Обладать ха-

рактеристиками [090.0]; Обладать чертами [091.0]; Обладать большими преимуществами [080.0]; Обладать всеми достоинствами [075.0]; Обладать дополнительными преимуществами [081.0]; Обладать достоинством, состоящим в том, что [076.0]; Обладать наименьшими свойствами [085.0]; Обладать некоторыми преимуществами по сравнению [082.0]; Обладать необходимой [078.0]; Обладать огромными возможностями [073.0]; Обладать определенными возможностями по [074.0]; Обладать особыми или уникальными свойствами [086.0]; Обладать преимуществами [079.0]; Обладать свойствами, требуемыми (087.0); Обладать способностью [089.0]; Обладать хорошими свойствами [088.0]; Обладать явными преимуществами по сравнению с [084.0]

**обладающий:** Известная комбинация, не обладающая новой функцией и не дающая нового результата [И170.0]

**область:** Авторитет в области [А78.0]; Большой опыт в этой области накоплен в [Б227.0]; В области, удаленной от [В256.0]; Вне области [В1178.0]; Вносить существенный вклад в современные достижения в области [В1215.0]; Внутри области [В1240.0]; Выходящий за пределы области [В2037.0]; Делать много для развития науки и техники в области [Д202.0]; Достижения в области техники [Д732.0]; Еще одна область, которой уделяется очень мало внимания [Е222.0];

Исследователи в области [И789.0]; Когда-то были исключительно областью применения (К240.0); Многое сделать для развития науки и техники в области [М212.0]; Неисследованная область [Н1284.0]; Необходимы дальнейшие исследования в этой области [Н1423.0]; Область изменения [094.0]; Область использования [095.0]; Область наибольшей активности [096.0]; Область науки и техники [097.0]; Область неопределенности [098.0]; Область плодотворных исследований [099.0]; Область, представляющая большой интерес в настоящее время [0100.0]; Область применения [0101.0]; Область применимости [0102.0]; Область существования [0103.0]; Общее состояние дел в области [0340.0]; Опыт в области [0877.0]; Основан на недавних достижениях в области [01025.0]; Основные работы в этой области [01010.0]; Относиться именно к этой области [01447.0]; Отставать в области [01531.0]; По одному ... для каждой области [П421.0]; Подключаться к работе в этой области ненадолго [П728.0]; Полная свобода действий в области использования [П1082.0]; Положение дел в области исследования [П1094.0]; Последние успехи в области [П 1393.0, П1397.0]; Предмет спора

между специалистами в области [П1747.0]; Представлять собой самые последние технические достижения в области [П1878.0];

Прекращать деятельность в области [П1986.0]; Применение ограничивается областью [П2364.0]; Пристально наблюдать за новинками в этой области [П2528.0]; Промежуточная область [П2846.0]; Самые первые работы в этой области [С234.0]; Современный уровень техники в области [С880.0];

Специалист в данной области техники [С1159.0]; Специалисты, работающие в этой области [С1162.0]; Специальная подготовка в области [С1165.0]; Технический прогресс в области [Т221.0]; Узкоспециализированная область [У193.0]; Указание области техники [У197.0]; Уровень знаний в области ... все еще невелик [У370.0]; Успехи в области [У428.0]; Явный сдвиг в область [Я54.0]

**облегчать:** Облегчать выполнение требований [0105.0]; Облегчать еще больше [0106.0];

Облегчать исследования [0107.0]; Облегчать монтаж при повторной сборке [0108.0]; Облегчать перемещение [0109.0]; Облегчать решение проблемы [0110.0]

**облегчаться:** Еще более облегчается [Е193.0]; Ответ на вопрос облегчается, если мы [01231.0]; Очень облегчается [01668.0]; Сравнение облегчается [С 1278.0]

**облегчение:** Для облегчения расчета [Д372.0]; Для облегчения сборки [Д373.0]; Для облегчения смазки [Д374.0]; Облегчение решения задачи [0112.0]; Облегчение требований технических условий [0113.0]

**облегчить:** Намного облегчить задачу [Н425.0]; Чтобы как-то облегчить ситуацию [4188.0];

Чтобы облегчить анализ задачи [4199.0]

**облекать:** Облекать властью [Н276.0]

**облицованный:** [0114.0]

**обманчив:** [0115.0]

**обманчиво:** Обманчиво простой [0116.0]

**обматывать:** [0117.0]; Обмотать изоляцией [0118.0]

**обмен:** В обмен на (В257.0); Обмен мнениями [0119.0]; Обмен опытом будет продолжен [0120.0]; Производить обмен [П2790.0]; Соглашаться на некоторые ... в обмен на возможность [С930.0]

**обнадеживать:** Весьма обнадеживать [В1031.0]; Очень обнадеживает [01669.0]; Результаты обнадеживают [Р649.0]

**обнадеживающий:** Весьма обнадеживающий [В 1032.0]; Давать весьма обнадеживающие результаты [Д53.0]; Являться в некоторой степени обнадеживающим [Я 11.0]

**обнажать:** [0122.0]

**обнаружен:** В одном случае было обнаружено, что [В545.0]; Корреляция не была обнаружена [К395.0]; Не были обнаружены [Н758.0]; Никаких ... обнаружено не было

[H1742.0]; Никаких ... **пока** не обнаружено [H1747.0]

**обнаружение:** Запрещается начинать или продолжать работы при обнаружении неисправности электрооборудования [3410.0]; Обнаружение дефектов [0124.0]; Обнаружение неисправностей [0126.0]; Обнаружение неисправности в детали [0127.0]; Обследование с целью обнаружения [0251.0]; Предел обнаружения [П1713.0]; Раннее обнаружение [P343.0]

**обнаруживаемый:** Обнаруживаемый в [0139.0]

**обнаруживать:** Какого-либо ... обнаружить не удалось [K165.0]; Нам не удалось обнаружить ни одной опубликованной работы по теме нашего исследования [H399.0]; Не обнаруживать каких-либо признаков [H938.0]; Не обнаруживать существенных различий [H939.0]; Не обнаруживать четкой закономерности [H940.0]; Обнаруживать в той или иной степени [0129.0]; Обнаруживать лишь незначительные преимущества по сравнению с [0130.0]; Обнаруживать несколько более сильную зависимость от [0131.0]; Обнаруживать признаки [0132.0]; Обнаруживать противоположную зависимость [0133.0]; Обнаруживать сильное сходство с [0134.0]; Обнаруживать тенденцию к [0135.0]; Позволяет обнаружить некоторые интересные обстоятельства [П914.0]

**обнаруживаться:** Обнаруживаться не так часто, как [0137.0]; Тенденция к... обнаруживается [T146.0]

**обновление:** Поэтапное обновление [П1573.0]

**обновлять:** [0140.0, 0141.0]

**обобщать:** Обобщать на [0146.0]

**обобщен:** Ниже обобщены основные достижения [H 1719.0]

**обобщение:** Логическое обобщение [J189.0]; Некоторые обобщения, относящиеся к [H1301.0]; Обобщение на случай более сложного [0144.0]

**обобщенно:** Обобщенно называются [0145.0]

**обобщенный:** В обобщенной форме [B732.0]

**обогащать:** Взаимно обогащать друг друга {B1044.0}; Попробуем обобщить [П1305.0]

**обогащенный:** [0147.0, 0148.0]

**обозначать:** Обозначим через [0150.0]; При чем ... обозначает [П2572.0]; Условно обозначать [У407.0]; Числа в квадратных скобках обозначают номера в списке работ, приведенном в конце статьи [4104.0]

**обозначаться:** Точкой обозначается дифференцирование по [T373.0]

**обозначение:** Для обозначения полужирного шрифта [Д375.0]; Использовать одинаковую систему обозначений [И703.0]; Обозначение или № чертежа [0152.0]; Обозначение укладочного или упаковочного места

[0155.0]; Обозначения см на [0154.0]; Обозначения здесь следующие [0153.0]; Тип марка по ГОСТу или обозначение по чертежу [T263.0]

**обозначенный:** [0156.0]; Провода или выводы, обозначенные ..., присоединить к (П2668.0); Сопротивления, обозначенные R, переменные для регулировки на месте [С1050.0]; Четко обозначенный [482.0]

**обозримый:** В обозримом будущем [B15.0]; В обозримые сроки [B635.0]

**обойти:** Однако нельзя обойти молчанием [0568.0]; Эту трудность можно обойти [Э111.0]

**обойтись:** Без него можно обойтись [B34.0];

Неизвестно, во что обойдется разработка [H1274.0]; Обойтись без [0157.0]; Позволяет обойтись без [П915.0, П916.0]; Полностью обойтись без [П1047.0]

**оборот:** Вывернуть на четверть оборота [B1750.0]; Достигать полных оборотов [Д710.0]; На обороте [H80.0]; Оборот запасов [0158.0]; Открывать на ... оборотов [01362.0]; Повернуть на два оборота [П531.0]; Повернуть на четверть оборота [П547.0]; Поворачивать на полный оборот [П543.0]; Смотри на обороте [С744.0]; Суммарный оборот [С 1543.0]

**оборотный:** Для вскрытия упаковки смотри оборотную сторону [Д330.0]; Обратная сторона [0159.0]

**оборудование:** А все остальное оборудование работает нормально [A8.0]; Аттестация оборудования [A169.0]; Ведомость дополнительного оборудования и материалов [B870.0]; Восстановление работоспособности оборудования [B1440.0]; Вспомогательное оборудование [B1602.0]; Дополнительное оборудование и материалы [Д634.0]; Консервация и хранение оборудования [K332.0]; Не входит в комплект стандартного оборудования [H792.0]; Негабаритное оборудование [H1183.0]; Отключить оборудование от электросети [01347.0]; Перечень оборудования — [П215.0]; Приемка оборудования [П2305.0]; Приобретать оборудование [П2482.0]; Приобретение оборудования [П2483.0]; Пускать оборудование в работу [П3081.0]; Работать на оборудовании [P56.0]; Работы по ремонту оборудования [P37.0]; Сборка и монтаж оборудования [С255.0];

Спецификация оборудования [С 1178.0]

**оборудованный:** Оборудованный в соответствии с требованиями заказчика [0161.0]; Оборудованный осушителем [0162.0]

**обоснование:** Без какого-либо физического обоснования [B26.0]; Интуитивное обоснование [И622.0]; Логическое обоснование [J188.0]; Обоснование запроса на отступление [0164.0]; Обоснование пригодности

[0165.0]; Подтверждать обоснование необходимости проведения [П849.0]; Технико-экономическое обоснование [Т216.0]; Физическое обоснование [Ф27.0]

**обоснованность:** Обоснованность такого представления данных весьма сомнительна [0167.0]

**обоснованный:** Документально обоснованный

[Д559.0]; Наиболее обоснованный [Н321.0]; Обоснованное значение [0170.0]; Обоснованный выбор [0169.0]; Технически обоснованные нормы [Т247.0]; Хорошо обоснованные допущения о [Х57.0]; Хорошо обоснованные экспериментальные данные [Х56.0]

**обосновывать:** Логически обосновывать [Л87.0]; Обосновывать документально надежность результатов [0172.0]; Обосновывать логически [0173.0]; Обосновывать точку зрения [Д543.0]

**обособленно:** [0174.0]

**обостряться:** [0175.0]; Особенно обостряться [01042.0]; Проблема еще более обострилась [П2600.0]

**обрабатываемость:** Оказывать влияние на обрабатываемость [0623.0]

**обрабатываемый:** Легко обрабатываемый [Л18.0]

**обрабатывать:** Неоговоренные поверхности обрабатывать до С 5 [Н1433.0]; Обрабатывать вручную [0177.0]; Обрабатывать данные (0178.0); Обрабатывать данные в виде графиков [0179.0]; Обрабатывать до заданных размеров [0180.0]; Обрабатывать совместно [0181.0]; Обработать в сборке [0182.0]; Обработать за одну установку [0183.0]; Обработать кругом, за исключением [0184.0]; Обработать по классу точности [0185.0]; Обработать по указанной длине с обеих сторон [0186.0]; Окончательно обработать после сварки [0705.0]; Ось обрабатывать в центрах [01185.0]; Поверхность с указанной чистотой обработать после сварки [П1536.0]

**обрабатываться:** Обрабатывается таким образом, что [0187.0]

**обработанный:** Допускаемое отклонение размеров обработанных поверхностей  $\pm 0,013$  мм [Д654.0]; Обработанная поверхность [0189.0]; Обработанный по [0188.0]

**обработка:** Литейный припуск для черновой обработки [Л155.0]; Менее высокая чистота обработки [М97.0]; Не допускаются литейные дефекты и следы обработки [Н844.0]; Обработка данных [0190.0]; Обработка экспериментальных данных по методу наименьших квадратов [0191.0]; Операции сканирования, стробирования и обработки сигналов [0753.0]; Подвергать обработке [П654.0]; Подвергаться специальной обра-

ботке [П663.0]; Подвергаться черновой обработке с припуском [П665.0]; Поддаваться обработке [П706.0]; Подлежащий обработке [П741.0]; Получение и обработка данных [П1207.0]; Потребный класс чистоты обработки [П1529.0]; При обработке данных была сделана попытка [П2101.0]; Применять обработку [П2369.0]; Следы обработки [С579.0]; Чистота обработки поверхности [4109.0]

**образ:** Аналогичным образом [А136.0]; Вести себя противоположным образом [В948.0];

Вести себя таким образом [В947.0]; Выбирать произвольным образом [В1697.0]; Главным образом [Г59.0]; Дело обстоит таким образом, что [Д249.0]; Должен каким-то образом входить [Д582.0]; Если бы ... должным образом учитывался [Е 102.0]; Зависеть сложным образом от [3102.0]; Задавать произвольным образом [3155.0]; Затем полученные таким образом значения можно [3482.0]; И притом весьма сложным образом [И53.0]; Изменять коренным образом [И260.0]; Изменяться таким образом, что [И291.0]; Использоваться главным образом в [И720.0]; Коренным образом видоизменять [К379.0]; Коренным образом отличаться от [К380.0]; Косвенным образом [К402.0];

Можно описать следующим образом [М343.0]; Можно представить себе следующим образом [М360.0]; Можно рассуждать следующим образом [М365.0]; Надлежащим образом [Н279.0]; Наилучшим образом приспособлены для [Н356.0]; Наилучшим образом решает задачу [Н357.0]; Наилучшим образом удовлетворять потребностям [Н358.0]; Не все ведут себя таким образом [Н777.0]; Не намереваясь никоим образом опорочить [Н924.0]; Не описывают должным образом [Н958.0]; Не совсем понятным образом [Н1081.0]; Не совсем ясно, каким образом [Н 1086.0]; Нельзя объяснить таким образом [Н1319.0]; Никоим образом не изменит [Н1759.0]; Никоим образом не подменяет [Н1760.0]; Обрабатывается таким образом, что [0187.0]; Объяснять следующим образом [0378.0]; Обычным образом [0391.0]; Определяться следующим образом [0846.0]; Основанный главным образом на [01030.0]; Основаны главным образом на опыте [01028.0]; Особым образом [01070.0]; Остается выяснить, каким образом [01118.0]; Осуществляться следующим образом [01181.0]; Отличаться не столь коренным образом, как это может показаться [01386.0]; Оценивать наилучшим образом [01631.0]; Подписан должным образом [П778.0]; Подытоживать следующим образом [П896.0]; Получаемый таким образом [П1188.0]; Полученные таким образом

результаты [П1199.0]; Поступать обычным образом [П1503.0]; Поступая таким образом [П1505.0]; Привело главным образом к тому, что [П2247.0]; Равным образом относится к [Р133.0]; Размещать таким образом, чтобы не мешать [Р266.0]; Разрушаться аналогичным образом [Р330.0]; Реагировать на ... аналогичным образом [Р579.0]; Регулировать таким образом, чтобы ... был постоянным [Р617.0]; Связано некоторым образом с [С364.0]; Связанные тесным образом с [С355.0]; Связаны сложным образом [С367.0]; Следующим образом [С640.0]; Совершенно противоположным образом по сравнению (С842.0); Соответствующим образом измененный с тем, чтобы учесть [С1027.0]; Соответствующим образом определенный [С1028.0]; Специфическим для данной образ [С1181.0]; Спроектировать таким образом, чтобы [С1260.0]; Таким же образом, как и [Т104.0]; Таким образом достигался [Т94.0]; Таким образом зная ..., можно было [Т95.0]; Таким образом можно предположить, что [Т96.0]; Таким образом мы имеем [Т97.0]; Таким образом очевидно, что [Т98.0]; Таким образом подытоживая, можно сказать, что [Т99.0]; Таким образом самым логичным объяснением представляется следующее [Т100.0]; Таким образом, что [Т101.0]; Таким образом, чтобы [Т102.0];

Усовершенствовать таким образом, чтобы можно было [У421.0]; Чтобы наилучшим образом [4190.0]; Это достигается следующим образом [Э 133.0]

**образец:** Вырезать образцы [В 1962.0]; Головной образец [Г84.0]; Демонстрационный опытный образец [Д254.0]; Доводить до уровня опытного образца [Д494.0]; Доводка опытного образца [Д496.0]; Заявка на промышленный образец [3555.0]; Изготавливать по образцу [И193.0]; Изготовленный по образцу [И202.0]; Испытываемый образец [И770.0]; Набор образцов [Н231.0]; Образец по ГОСТу [0193.0]; Опытный образец [0895.0, 0896.0]; Отобранные образцы [01474.0]; Патент на промышленный образец [ПЗО.0]; Первый опытный образец [П50.0]; Проверка по образцу [П2623.0]; Разработка опытного образца [Р309.0]; Служить образцом для сравнения [С684.0]; Смоделировать по образцу [С738.0]; Типичный образец [Т268.0]; Типовой образец [Т273.0]; Тонкостенный образец [Т329.0]

**образный** [0194.0]

**образование:** Вероятность образования [В906.0]; Взаимодействовать с... с образованием [В 1053.0]; Затрачиваться на образование [3492.0]; Начинаться одновременно с началом образования [Н722.0]; Образование разными путями [0196.0]; По образова-

нию и по призванию [П416.0]; Промежуточное образование [П2847.0]; Распад с образованием [Р360.0]; Реагировать с образованием [Р582.0]; Реакция образования [Р583.0]; Сливаться с образованием [С646.0]; Способствовать образованию [С1229.0]; Тенденция к образованию отложений [Т147.0]

**образовывать:** [0197.0]

**образцовый:** Образцовый пример того [0198.0];

Тарировать по образцовому [Т119.0]

**обратимый:** Иметь обратимый характер [И468.0]

**обратно:** Изменяться обратно пропорционально [И289.0]; Обратно пропорционален [0199.0]; Обратно пропорционально квадрату [0200.0]; Обратно пропорционально корню кубическому из [0201.0]; Туда и обратно [Т501.0]

**обратный:** В обратной последовательности [В382.0]; В обратном порядке [В373.0]; В порядке, обратном операции [В365.0]; В последовательности, обратной [В380.0]; Величина, обратная [В890.0]; Выполнение расчета в обратном порядке [В1872.0]; Выполнить сборку в обратном порядке [В1909.0]; Доказывать обратное [Д538.0]; Если верна обратная картина [Е39.0]; Заполнять обратную сторону бланка [3399.0]; Изменять полярность на обратную [И266.0]; Изменяться на обратный [И279.0]; Менять направление движения на обратное [М 117.0]; Множество фактов свидетельствующих об обратном [М230.0]; Наблюдается обратная [Н218.0]; Обратная величина [0203.0]; Обратная подстановка [0204.0]; Обратная реакция [0205.0]; Обратное утверждение справедливо, когда [0206.0]; Получать обратным пересчетом [П1153.0]; Реакция (1) является обратной по отношению к реакции (2) [Р585.0]; Реакция, обратная реакции (1) [Р584.0]; Сборка выполняется в порядке, обратном разборке [С254.0]; Формулировка обратной задачи [Ф50.0]

**обращать:** В последнее время стали обращать внимание и на [В63.0]; Если обратить внимание на то, что [Е61.0]; Заставили обратить более пристальное внимание на [3472.0]; Мы обратили внимание на то, что [М427.0]; На которые необходимо обратить внимание [Н67.0]; На это обращал внимание также [Н203.0]; Не обращать внимания на [Н941.0]; Не обращать на это внимания [Н942.0]; Не обращая внимания на [Н943.0];

Обратите внимание на следующие особенности [0214.0]; Обратите внимание, что [0215.0]; Обращает на себя внимание [0212.0]; Обращать более пристальное внимание на [0209.0]; Обращать в нуль [0207.0]; Обращать внимание на противоречие [0210.0]; Обращать на это особое внимание

[0218.0]; Обращать основное [0216.0]; Обращать особое внимание на то, что [0217.0]; Обращать свой взор на [0219.0]; Обращать силы природы на благо человечества [0220.0]; Обращены друг к другу [0245.0];

Первым, на что обратили внимание, было [П67.0]; Пользуясь случаем, я обращаю ваше внимание на [П1222.0]; Пришлось обратить серьезное внимание на [П2567.0]

**обращаться:** За дополнительной информацией обращайтесь к [314.0]; Необходимо обратиться к [Н1375.0]; Обратимся теперь к [0232.0]; Обращаться в нуль [0222.0]; Обращаться в суд [0223.0]; Обращаться за информацией по телефону или факсу [0224.0]; Обращаться за консультацией к [0226.0]; Обращаться за советом [0227.0]; Обращаться за технической помощью к [0225.0]; Обращаться к аналогии [0229.0]; Обращаться к источникам [0230.0]; Обращаться осторожно [0236.0]; Обращаться по телефону [0231.0]; Обращаться с просьбой к ... о [0237.0]; Обращаясь к прошлому, можно сказать что [0234.0]; Обращаясь теперь к ..., видим [0235.0]; Основное внимание обращается на [0983.0]; Осторожно обращаться с [01164.0]; Отказываться от ... и обращаться к [01311.0]; По вопросу ... обращайтесь на завод [П349.0]; По всем вопросам обращайтесь по адресу [П355.0]; Причем особое внимание обращается на [П2573.0]; Рассмотрев ..., обратимся теперь к [Р478.0]; Следует обращаться с осторожностью [С606.0]

**обращен:** Должен быть обращен к [Д574.0]; Обращен в сторону от [0239.0]; Обращен вниз [0240.0]; Обращен внутрь [0241.0]; Особое внимание было обращено на [01066.0]

**обращение:** Грубое обращение с грузом [Г134.0]; Изыматься из обращения [И334.0]; Обращение к [0246.0]; Памятка по обращению с электроприборами [П112.0]; Признаки грубого обращения с грузом при транспортировке [П2321.0]; Простота обращения [П2936.0]; Требовать особого обращения [Т440.0]; Хранение и обращение с ними [Х1 13.0]

**обращенный:** Быть обращенным к [Б314.0]; Обращенный к [0242.0]; Обращенный кверху [0243.0]; Обращенный книзу [0244.0]; Поверхность, обращенная кверху [П537.0]

**обрешетка:** Осмотреть обрешетку [0946.0]; Прикреплять упаковочную тару к обрешетке [П2341.0]

**обрисовывать:** Обрисовывать в общих чертах [0247.0]

**обрыв:** Обрыв кабеля цепи управления [0249.0]; Обрывы и короткие замыкания цепи [0248.0]

**обследование:** Обследование с целью обнаружения [0251.0]; Отчет об обследовании [01588.0]; Периодическое плановое обследование [П238.0]; Проводить обследование [П2688.0]

**обслуживаемый:** Территория, обслуживаемая [Т196.0]

**обслуживание:** Вид технического обслуживания [В1087.0]; Виды и периодичность технического обслуживания [В1088.0]; Выполнять операции по техническому обслуживанию [В1891.0]; Высококачественное обслуживание [В1987.0]; Длительная эксплуатация без обслуживания [ДЗО3.0]; Единый регламент технического обслуживания [Е26.0]; Заключать договор на обслуживание с [3238.0]; Инструкция по техническому обслуживанию [И577.0]; Интервал между техническими обслуживаниями [И600.0]; Медицинское обслуживание [М79.0]; Не требующий большого обслуживания [Н1126.0]; Номенклатура и периодичность работ по техническому обслуживанию [Н 1838.0]; Обслуживание местными силами [0253.0]; Обслуживание участников конференции [0254.0]; Отчет по эксплуатации и обслуживанию — (01594.0); Перечень работ для различных видов технического обслуживания [П220.0]; Периодичность технического обслуживания — [П245.0]; Послепродажное обслуживание [П1421.0]; Почти без обслуживания [П1544.0]; Практически без какого-либо обслуживания, помимо [П1645.0]; Претензии по техническому обслуживанию — [П2043.0]; Простота обслуживания [П2937.0]; Работать без обслуживания [Р39.0]; Регламент технического обслуживания [Р606.0]; Ремонт и обслуживание [Р694.0]; Руководство по техническому обслуживанию [Р771.0]; Текущие расходы на обслуживание [Т131.0]; Текущий ремонт и обслуживание [Т128.0]; Техническое обслуживание (Т230.0); Требуемая трудоемкость обслуживания [Т460.0]; Упрощать обслуживание (У340.0); Фамилия и подпись лица, ответственного за проведение технического обслуживания [Ф17.0]

**обслуживать:** [0255.0, 0256.0]

**обслуживаться:** [0257.0]

**обслуживающий:** Застрахованный от ошибок обслуживающего персонала [3476.0]; Обслуживающий персонал [0258.0]; Численность обслуживающего персонала, необходимого для [490.0]; Численность обслуживающего персонала [Ш39.0]

**обстановка:** В критической обстановке (В258.0); Как и в реальной обстановке [К71.0]; Совещание прошло в дружественной обстановке [С854.0]; Экономическая обстановка [Э10.0]

**обстоятельство:** В зависимости от обстоятельств [В114.0]; В свете того обстоятельства [В492.0]; В связи с этим обстоятельством [В505.0]; Вследствие различных обстоятельств [В1598.0]; Дополнительные обстоятельства [Д643.0]; Если бы не то обстоятельство, что [Е 112.0]; Если исключить непредвиденные обстоятельства [Е55.0]; Если не считать этого обстоятельства [Е148.0]; Заслуживают внимания два обстоятельства [3447.0]; Значение этого обстоятельства не ясно [3603.0]; Имея в виду это обстоятельство [И478.0]; Непредвиденные обстоятельства [Н1511.0]; Несколько настораживает то обстоятельство, что [Н1588.0]; Ни при каких обстоятельствах [Н 1706.0]; Обстоятельства изменились [0260.0]; Обстоятельства против [0261.0]; Особенного упоминания заслуживает то обстоятельство, что [01057.0]; По независящим от нас обстоятельствам [П411.0]; По поводу этого обстоятельства [П438.0]; Позволяет обнаружить некоторые интересные обстоятельства [П914.0]; Последнее обстоятельство [П1391.0]; С учетом этого обстоятельства [С164.0]; С целью иллюстрации этого обстоятельства [С172.0]; Связано с тем обстоятельством, что [С366.0]; Усугубляться тем обстоятельством, что [У552.0]; Учет этого обстоятельства [У607.0]; Учитывать то обстоятельство, что [У615.0]; Чтобы учесть это обстоятельство [4218.0]; Это обстоятельство важно учитывать при [Э156.0]; Это обстоятельство вызывает сожаление [Э157.0]; Это обстоятельство объясняет, почему [Э160.0]; Это обстоятельство очень важно [Э 158.0]

**обстоять:** В нашем случае дело обстоит иначе (В540.0); Вполне возможно, что дело обстоит именно так [В1317.0]; Дело обстоит совершенно иначе [Д248.0]; Дело обстоит таким образом, что [Д249.0]; Именно так и обстоит дело [И355.0]; Иначе обстоит дело в случае [И540.0]; На практике дело обстоит несколько иначе [Н113.0]; Несколько хуже обстоит дело с [Н1606.0]; Позволяет предположить, что так дело и обстоит в действительности [П924.0]; Так обстоит дело с [Т18.0]

**обстукивать:** [0262.0]

**обсуждаемый:** Что касается обсуждаемого вопроса [4144.0]

**обсуждать:** Без конца обсуждать [Б28.0]; Мы с готовностью обсудим [М435.0]; Обсуждать в порядке их важности [0264.0]; Подробно обсуждались в ... и здесь повторяются не будут (П796.0); Попытка подробно обсудить численные результаты [П1311.0]; Продолжать обсуждать пути улучшения [П2740.0]

**обсуждаться:** Последние два вопроса обсуждаются ниже — [П 1392.0]

**обсуждение:** В остальной части обсуждения [В756.0]; В последующем обсуждении [В383.0]; Дальнейшее обсуждение этого вопроса будет продолжено в [Д 106.0]; Заслуживать обсуждения [3452.0]; Мы ограничимся обсуждением [М428.0]; Обсуждение было бы неполным без [0265.0]; Обсуждение качественной закономерности [0266.0]; Обсуждение результатов [0267.0]; Ограничить обсуждение вопросами [0458.0]; Поблагодарить за ценные замечания и полезные обсуждения [П521.0]; Последующее обсуждение будет ограничено [П1420.0]; Предмет обсуждения [П1745.0]

**обусловленный:** Возможно, что этот эффект обусловлен [В 1312.0]; Дополнительное ограничение, обусловленное перемешиванием [Д635.0]; Затруднения, обусловленные [3495.0]; Когда это обусловлено [К241.0]; Начинаются неприятности, обусловленные [Н725.0]; Обусловлен в равной степени как ..., так и [0272.0]; Обусловлен тем, что [0274.0]; Обусловлено ли ... или чем-нибудь иным например [0275.0]; Обусловлено поведением [0276.0]; Обусловлено тем, что [0277.0]; Обусловлены контрактом [0273.0]; Повреждение, обусловленное внешними причинами [П558.0]; Потери, обусловленные [П1516.0]; Экономия, обусловленная ростом масштаба [Э27.0]; Эффект, обусловленный методом измерения [Э222.0]; Это обусловлено [Э159.0]

**обусловливать:** Более ... обусловливает более... [Б163.0]; Во многом обусловили [В201.0]; Обусловливая ..., обычно указывают [0270.0]

**обусловливаться:** [0271.0]

**обусловливающий:** [0278.0]

**обучаемый:** Успехи обучаемого контролируются [У431.0]

**обучен:** Лица, ответственные за ..., должны быть обучены пользованию [Л64.0]

**обучение:** Методы, пособия и условия обучения [М162.0]; Обучение на рабочих местах [0279.0]; Обучение персонала [0280.0]; Производственное обучение на местах [П2803.0]; Специальное обучение [С 1166.0]

**обходить:** Обходить молчанием вопрос о [0281.0]; Обходить патент [0282.0]; Обходить препятствия [0283.0]; Обходить трудности [0284.0]

**обходиться:** Обходиться без [0286.0]; Обходиться в сумму [0287.0]; Обходиться дорогой ценой [0288.0]

**обходной:** Обходной путь между [0289.0]

**обширный:** Более обширные данные [Б164.0]; Обширная библиография по этому вопросу [0293.0]; Обширная деформация [0294.0]; Обширная информация [0295.0]; Обширная литература [0296.0]; Обширные иссле-

дования [0297.0]; Обширный обзор [0291.0]; Обширный перечень [0292.0]; Хотя по исследованиям существует обширная литература [X106.0]

**общедоступный:** [0298.0]

**общеизвестно:** Общеизвестно, что [0302.0]

**общеизвестный:** Общеизвестная истина [0300.0]; Общеизвестен как [0301.0]

**общепризнанный:** общепризнанная методика [0303.0]; общепризнанные трудности [0304.0]

**общепризнано:** общепризнано, что [0305.0]

**общепринято:** В настоящее время общепринято, что [B53.0]; общепринято также [0313.0]; общепринято, что [0314.0]

**общепринятый:** общепринят в практике [0312.0]; общепринятая лабораторная практика [0309.0]; общепринятые международные стандарты [0310.0]; общепринятые стандарты на проектирование [0311.0]; общепринятый, хотя может быть и не самый лучший, метод [0307.0]; Статья общепринятым [C1405.0]

**общественность:** [0315.0]; Научная общественность [H593.0]; Научно-техническая общественность [H598.0]

**общественный:** Национальность, возраст, пол и общественное положение [H699.0]

**общество:** Научное общество [H595.0]; Слои общества [C664.0]

**общий:** В общей сложности [B259.0]; В общем и целом [B261.0]; В общем случае [B544.0]; В

общем соответствуют [B263.0]; В общем эти данные свидетельствуют о [B264.0]; В общих чертах [B265.0]; В самом общем случае [B552.0]; Вывод уравнений в общей форме [B1729.0]; Давать общее представление о [D42.0]; Делается попытка ответить хотя и в общем виде на вопрос [D217.0]; Довольно много общего [D505.0]; Доказывать в довольно общем виде [D536.0]; Затем мы можем в общем случае принять, что [3481.0];

Избирать более общий подход [И163.0];

Известны под общим названием [И176.0];

Имеется мало общего между ... и [И491.0];

Иметь более общий характер [И466.0]; Иметь

мало общего с [И415.0]; Иметь много общего [И416.0]; Иметь общий характер [И465.0];

Иметь общую цель [И414.0]; Иметь один общий [И417.0]; Иметь ряд общих [И418.0];

Иметь что-либо общее с [И419.0]; Использование одной общей кривой [И689.0]; Картина в общих чертах сохраняется [К186.0];

Много общего между [М196.0]; На общей основе [Н95.0]; Не иметь ничего общего с [Н881.0]; Не позволяя сделать даже самых общих замечаний [Н1000.0]; Но между ... и

... имеется мало общего [Н1798.0]; Обрисовывать в общих чертах [0247.0]; Общая

длина [0324.0]; Общая закономерность из-

менения [0326.0]; Общая картина остается прежней [0328.0]; Общая черта двух методов [0329.0]; Общее впечатление о [0330.0];

Общее для ... пренебрежение [0331.0]; Общее заблуждение [0332.0]; Общее значение [0333.0]; Общее назначение [0334.0];

Общее описание основных узлов конструкции [0335.0]; Общее положение дел не такое безнадежное [0336.0]; Общее представление о [0337.0]; Общее руководство по ремонту [0338.0]; Общее свойство [0339.0]; Общее состояние дел в области [0340.0]; Общее сходство [0341.0]; Общие

вопросы [0342.0]; Общие сведения [0343.0];

Общие технические условия на капитальный и средний ремонт [0344.0]; Общие указания [0345.0]; Общий для всех случаев [0318.0]; Общий для всех трех [0319.0];

Общий для всех [0317.0]; Общий недостаток, заключавшийся в необходимости [0322.0]; Общий пункт формулы изобретения [0323.0]; Общим для всех ... является [0320.0];

Описывать в общих чертах [0776.0];

Описывать в самых общих чертах [0777.0];

Очень много общего [01664.0]; Предложенная методика имеет, по-видимому, общий

характер [П1737.0]; Пригодный для общего случая [П2276.0]; Применять общий анализ

к частному случаю [П2370.0]; Рассматриваться в общих чертах [P486.0]; Ряд общих

мест [P784.0]; Ряд общих указаний [P785.0];

С целью получения общих зависимостей, а не точных численных результатов [C 175.0];

Следовать общей схеме [C591.0]; Так что в

общей сложности было использовано [T42.0];

Устанавливать на общей [У453.0]; Утверждения общего характера [У559.0]; Эти вопросы представляют общий интерес [Э211.0];

Это в общем-то большого значения не имеет [Э117.0]; Являться автором в общей

сложности ... публикаций [Я7.0]; Являться более

общим случаем [Я8.0]

**общность:** [0346.0]; Лишать общности [Л171.0];

Лишен общности [Л172.0]; Нарушать общность [Н513.0]

**объединен:** Объединены на [0353.0]

**объединение:** Объединение в одну систему с [0349.0]; Объединение в сеть всей [0348.0]

**объединять:** Объединять в один узел [0351.0];

Объединять в одну сеть [0352.0]; Объединять в себе лучшие черты [0354.0]; Объединять результаты [0355.0];

Раскрывая скобки, объединяя подобные члены и решая относительно [P357.0]; Уравнения можно

объединить и получить следующее выражение [У359.0]

**объединяться:** Объединяться с [0356.0]

**объект:** Демонтаж с объекта и последующая

разборка [Д260.0]; Объект изобретения не

предусмотрен патентным законом [0359.0];



Объект изобретения [0358.0]; Охраноспособность объекта изобретения [01625.0]; Посещение объектов на местах (П 1346.0); Строящийся объект [С 1517.0]

**объективно:** Объективно оценивать [0360.0]

**объективный:** Объективная картина (0361.0); Объективная оценка [0362.0]

**объем:** Без отступления от существа и объема изобретения [Б42.0]; В ограниченном объеме [В266.0]; Ведомость объема работ [В873.0];

Ведомость объема строительных и монтажных работ [В874.0]; Весь объем измерений по программе [В958.0]; Занимать объем [З340.0]; Значительный объем информации [К246.0]; Колебания объема поставок [М177.0]; Минимальный объем информации (М177.0); Незаполненный объем [Н1251.0]; Объем вычислений намного меньше, чем [0364.0]; Объем измерений [0365.0]; Объем изобретения [0366.0]; Объем каждого места, м<sup>3</sup> [0367.0]; Объем представляемого материала [0368.0]; Объем работ [0369.0]; Объем экспериментальной работы [0370.0]; Осуществлять в полном объеме [01174.0]; Относительный объем [01428.0]; Периодичность и объем освидетельствовании [П242.0]; После проведения большого объема экспериментальных работ [П 1365.0]; Со-  
стоять по объему на ... из [СИ 17.0]; Увеличивать объем памяти на [У62.0]; Экспериментальная работа проводилась в меньшем объеме [Э36.0]

**объявлять:** Объявлять совещание открытым [0371.0]

**объяснен:** Могут быть объяснены только [М262.0]; Смысл которых будет объяснен [С751.0]

**объяснение:** Было бы хорошо найти объяснение [Б385.0]; В то время мы просто не смогли найти объяснения [В75.0]; Вероятное объяснение [В914.0]; Давать логическое объяснение [Д25.0]; Еще ждут своего объяснения [Е205.0]; Еще не получил полного объяснения [Е215.0]; Еще не получил удовлетворительного объяснения [Е216.0]; Еще нуждаются в теоретическом объяснении [Е218.0]; Заслуживать объяснения [З453.0]; Любое объяснение вроде того, что [Л126.0]; Может служить объяснением [М305.0]; Мы не видим какого-либо удовлетворительного объяснения [М415.0]; Наиболее приемлемое объяснение заключается в том, что [Н328.0]; Не поддаваться объяснению [Н978.0]; Не получать объяснения [Н1014.0];

Не получило достаточного объяснения и [Н1015.0]; Никакого дополнительного объяснения не требуется [Н1749.0]; Но, к сожалению, четкость этого объяснения нарушается тем, что [Н1796.0]; Нуждаться в объяснении [Н1887.0]; Объяснение не более, чем

догадка [0373.0]; Объяснение этому не найдено [0374.0]; Очевидное объяснение [01650.0]; Пока еще не получивший объяснения [П956.0]; Правдоподобное объяснение [П 1605.0]; Предлагать объяснение [П1729.0]; Привлекать для объяснения [П2204.0]; Таким образом самым логичным объяснением представляется следующее [Т100.0]; Такое объяснение заманчиво [Т70.0]; Частичным объяснением может служить [412.0]; Это объяснение согласовывалось с [Э168.0]

**объясним:** Вполне объясним [В1483.0]

**объяснять:** И вероятно объясняют [И15.0];

Которые позволяют объяснить, почему [К426.0]; Можно объяснить [М337.0, М338.0, М339.0]; Не в состоянии объяснить [Н790.0]; Невозможно удовлетворительно объяснить [Н1173.0]; Нельзя объяснить таким образом [Н1319.0]; Никак не объясняет [Н1734.0]; Объяснить нетрудно [0381.0]; Объяснять тем, что [0379.0]; Объяснять нелегко [0380.0]; Объяснять, почему [0376.0]; Объяснять причину [0377.0]; Объяснять следующим образом [0378.0]; Объясняют обычно [0382.0]; Один из фактов, которым можно объяснить [0524.0]; Отчасти это объясняли [01585.0]; По причинам, которые нельзя объяснить различием в [П453.0]; Пока что мы не можем объяснить [П965.0]; Полностью объяснять [П1048.0]; Трудно объяснить одним только [Т479.0]; Удовлетворительно объяснять [У 159.0]; Что можно объяснить несколькими причинами [4148.0]; Это дополнительно объясняет, почему [Э161.0];

Это можно объяснить несколькими причинами [Э 165.0]; Это можно попытаться объяснить тем, что [Э166.0]; Это обстоятельство объясняет, почему [Э160.0]; Эту неудачу можно объяснить одной из следующих причин [Э167.0]

**объясняться:** Как это сделать, объясняется [К144.0]; Объясняется это, по-видимому, тем, что [0385.0]; Объясняется это частично [0386.0]; Полностью объясняется [П1049.0]; Скорее всего это объясняется [С541.0]; Только частично объясняется [Т321.0]; Это объясняется тем, что [Э163.0]; Это, по-видимому, объясняется только одним, а именно [Э164.0]

**обыкновенный:** [0387.0]

**обычно:** А не ..., как это обычно предполагается [А29.0]; В прошлом обычно считалось [В425.0]; Выход заключается обычно в [В2023.0]; Испытывают обычно искушение [И766.0]; Как обычно бывает в таких случаях [К98.0]; Как это обычно бывает [К141.0]; Который обычно называют [К418.0]; Называют обычно [Н302.0]; Начинает обычно [Н720.0]; Непригоден обычно для [Н1543.0];

Обусловливая ,обычно указывают [0270.0]; Объясняют обычно [0382.0]; Обычно бывает выгодно [0401.0]; Обычно был виден износ [0402.0]; Обычно встречается чаще [0403.0]; Обычно встречающийся [0404.0]; Обычно известные под названием [0405.0]; Обычно используемый [0406.0]; Обычно используют [0407.0]; Обычно на практике требуется [0408.0]; Обычно находят [0409.0]; Обычно не учитывают при [0410.0]; Обычно подразумевается, что [0411.0]; Обычно прибегают к [0412.0]; Обычно совсем необязательно [0413.0]; Обычно считают, что [0414.0]; Обычно считающийся [0415.0]; Обычно это считается само собой разумеющимся [0416.0]; Оказываться обычно [0676.0]; Поставляться обычно без [П1455.0];

Приводить обычно к [П2223.0]; Соотношение между ... записывается обычно в виде [С1034.0]; Так бывает обычно, если [Т11.0]; Чаше, чем обычно думают [437.0]; Чем это обычно возможно [461.0]; Что обычно имеет место для [4155.0]; Это ведет обычно к [3118.0]

**обычный:** В обычных условиях может оказаться неосуществимым [В725.0]; Взятые обычными [В1074.0]; Вполне обычное явление [В 1484.0]; Вполне обычны ситуации, в которых [В1485.0]; Довольно обычный [Д508.0]; Заметного отклонения от обычной зависимости не наблюдалось [3290.0]; Обычная вещь при [0393.0]; Обычная деятельность [0394.0]; Обычного исполнения [0398.0]; Обычное для... пузырение [0395.0]; Обычное явление [0396.0]; Обычной конструкции [0397.0]; Обычные меры предосторожности [0399.0]; Обычный способ заключается в [0390.0]; Обычный способ [0389.0]; Обычным образом [0391.0]; Обычным способом [0392.0]; Поступать обычным образом [П1503.0]; Стал обычным [С1412.0]; Технология обычная для среднего уровня техники [Т251.0]; Что считается вполне обычным для [4169.0]

**обязан:** Во многом обязаны... [В202.0]

**обязанность:** [Д567.0]; В обязанности подрядчика входит использование [В267.0]; Взять на себя обязанности председателя [В1068.0]; Вменить в обязанность [В1151.0]; Выполнение обязанностей [В 1869.0]; Выполнять должностные обязанности [В 1887.0]; Выполнять обязанности, предусмотренные [В1886.0]; Обязанности взял на себя [0418.0]; Обязанности по такой... возлагаются целиком на [0422.0]; Обязанность, возлагаемая на [0419.0]; Обязанность выполнять [0420.0];

Обязанность программиста [0421.0]

**обязателен:** [0425.0]

**обязательно:** Желательно, но не обязательно [Ж6.0]; Не обязательно должен быть боль-

шим [Н946.0]; Не обязательно должен быть одинаковым [Н947.0]; Не обязательно должен иметь такой же [Н949.0]; Не обязательно должны быть сохранены [Н948.0]; Не обязательно может быть [Н950.0]; Необходимо обязательно указывать, какой [Н1376.0]; Но это не обязательно так [Н1821.0]; Обязательно должен существовать [0427.0]; Обязательно запомните порядок [0428.0]; Обязательно проявилось бы [0429.0]; При заказе этой детали обязательно укажите [П2073.0]; Решение арбитража окончательно и обязательно для обеих сторон [Р733.0]

**обязательный:** Обязательные работы, выполняемые при профилактическом ремонте [0424.0]; Перечень обязательных работ, выполняемых при профилактическом ремонте [П216.0]; Предусматриваться законом в обязательном порядке [П 1921.0]

**обязательство:** Брать на себя обязательства по... [Б271.0]; Взять на себя обязательства по [В1069.0]; Выполнять обязательства по рекламациям [В 1889.0]; Выполнять обязательства [В1888.0]; Гарантийные обязательства [Г13.0]; Налагать какие-либо обязательства на [Н378.0]; Обязательства не заканчиваются с [0431.0]; Обязательство не распространяется на [0430.0]

**обязываться:** Обязуется [0432.0]

**огibaющая:** Огибающая кривых [0433.0]

**огласка:** Без широкой огласки [Б63.0]

**оглядываться:** Оглядываться на [0434.0]; Оглядываясь назад [0435.0]

**огнеопасно:** [0436.0]

**огнестойкий:** [0437.0]

**огнестойкость:** [0438.0]

**оговаривать:** [0439.0]

**оговоренный:** За исключением особо оговоренных [318.0]; За исключением случаев, оговоренных особо [324.0]

**оговорено:** Если не оговорено особо [Е 150.0];

Если это не оговорено иначе [Е166.0]; Когда это оговорено контрактом [К241.0]

**оговорка:** Несмотря на эти оговорки [Н1621.0];

Однако здесь необходимо сделать оговорку [0562.0]; С оговоркой, что [С40.0]

**огонь:** Хранить вдали от источников тепла и предохранять от огня и прямого воздействия солнечных лучей [Х1 21.0]

**ограничение:** В связи с ограничениями по времени [В499.0]; Вводить ограничения на количество [В846.0]; Габаритные ограничения [Г2.0]; Дополнительное ограничение, обусловленное перемешиванием [Д635.0]; Налагать ограничение на (Н366.0, Н380.0); Налагать практическое ограничение на [Н381.0]; Ограничение в виде неравенства [0441.0]; Ограничение, выражающееся в требовании постоянства [0442.0]; Ограни-

чения, налагаемые существующей конструкцией [0444.0]; Ограничения, налагаемые шагом лопаток [0445.0]; Ограничения по загрязнению окружающей среды [0446.0]; Ограничения по срокам [0447.0]; Ограничения практического характера [0448.0]; Ограничения технологического характера [0449.0]; Пространственные ограничения [П2942.0]; Снимать ограничение (С784.0); Снятие ограничения [С797.0]; Степень ограничений, налагаемых на [С1451.0]; Устранять ограничение [У536.0]

**ограниченно:** Надежный ограниченно [Н266.0]

**ограниченный:** В ограниченной степени [В666.0]; В ограниченном объеме [В266.0];

Величина ... ограничена пределами [В891.0];

Возможности ограничены [В1327.0]; Иметь ограниченное применение [И439.0]; Иметь ограниченную применимость [И440.0]; Ограничен в своих действиях [0476.0]; Ограниченное количество данных [0473.0]; Ограниченные возможности по применению [0475.0]; Ограничены диапазоном [0478.0]; Последующее обсуждение будет ограничено [П1420.0]; Представлять ограниченную ценность [П1860.0]; Работа ограничена [Р27.0, Р28.0]

**офаничивать:** Носить иллюстративный характер и не иметь целью ограничить настоящее изобретение [Н1872.0]; Ограничивать величиной, не превышающей [0451.0]; Ограничивать заранее заданной величиной [0457.0]; Ограничивать величиной [0464.0]; Ограничивать воздействие [0452.0]; Ограничивать возможности по [0454.0]; Ограничивать выбор [0455.0]; Ограничивать диапазон применимости значениями [0456.0]; Ограничивать обсуждение вопросами [0458.0]; Ограничивать работу несколькими часами [0459.0]; Ограничивать рассмотрением [0465.0]; Ограничивать свободу выбора [0460.0]; Ограничивают его применение, так как получаемые результаты дают только качественную картину [0461.0]; Ограничивая рассмотрение [0462.0]

**ограничиваться:** Анализ ограничивается только [А108.0]; Благодаря симметрии можно ограничиться исследованием только... [Б 112.0]; Если ограничиться всего лишь [Е62.0]; Мы ограничимся обсуждением [М428.0]; Ограничиваться лишь случаями использования [0468.0]; Ограничиваться рассмотрением вопросов [0466.0]; Ограничиваться случаем [0467.0]; Ограничиваться теми .... которые (0469.0); Ограничиваться узкими пределами [0470.0]; Ограничившись на некоторое время рассмотрением [0471.0]; Применение ... ограничивается областью [П2364.0]; Применение метода ограничивается [П2363.0]; Ценность его результатов

несколько ограничивается тем, что [Ц42.0];

Я ограничусь рассмотрением [Я2.0]

**ограничительный:** Ограничительная часть формулы изобретения [0479.0]

**огромный:** Испытывать огромные трудности [И764.0]; Обладать огромными возможностями [073.0]; Огромное значение [0480.0]; Огромное количество данных [0482.0]; Оказывать огромную помощь при прослушивании [0649.0]; Трудности огромны [Т494.0]

**один:** В один ряд [В483.0]; В одно и то же время (В80.0); В одной из последующих статей [В645.0]; Важно одно [В799.0]; Все кроме одного [В1006.0]; Далеко отстоящий один от другого [Д103.0]; Еще один шаг в направлении [Е221.0]; За один раз [349.0];

Исходя из одних только [И819.0]; Лишь один из способов [Л85.0]; На один меньше [Н81.0]; Не отличаются одно от другого более, чем на [Н969.0]; Нельзя полагаться на одну только [Н1328.0]; Ни один из которых [Н 1702.0]; Ни один из них сам по себе не [Н1704.0]; Один единственный [0487.0]; Одна из наиболее трудных проблем [0531.0]; Одно это [0502.0]; Одного желания недостаточно [0503.0]; Означать одно и то же [0616.0]; По одному для каждой области [П421.0]; Почти в одно и то же время [П1546.0]; Противоречат один другому [П2977.0]; Равный одной десятой [Р128.0]; Ясно одно [Я65.0]

**одинаково:** Выступать одинаково с обеих сторон [В1999.0]; И ... и ... одинаково считают, что [ИЗ.О]; Одинаково важны [0549.0]; Одинаково с обеих сторон [0551.0]; Одинаково хорошо работающий [0553.0]; Работать совершенно одинаково [Р77.0]

**одинаковый:** В двух одинаковых копиях [В167.0]; В одинаковом масштабе [В180.0];

Взаимосвязаны, но не одинаковы [В1056.0];

Во многом одинаковы [В203.0]; Использовать одинаковую систему обозначений [И703.0]; Не обязательно должен быть одинаковым [Н947.0]; Одинаковые ... дают разный [0547.0]; Одинаковые во всех отношениях [0546.0]; Одинаковый, независимо от [0542.0]; Одинаковый в остальных отношениях [0541.0]; Одинаковый порядок с [0543.0]; Попадать в одинаковые условия [П1286.0]; Построить в одинаковом масштабе [П1486.0]; Почти одинаковый [П1558.0]; Практически одинаковые [П1657.0]; Примерно одинаковый [П2392.0]; Располагаться в одинаковом порядке по [Р377.0]; Совершенно одинаковый [С838.0]; Сравнить при одинаковых условиях [С1281.0]

**одинокый:** Ведомость одиночного комплекта [В867.0]; Одинокый комплект [0555.0]

**однажды:** Только однажды [Т317.0]; Уже не однажды доказал [У185.0]

**однако:** В небольшом числе случаев, имеющих, однако, немаловажное значение [B542.0]; Дело однако в том что (Д252.0); Может показаться однако [M294.0]; Однако был только [0557.0]; Однако ... в большинстве ... отсутствует [0559.0]; Однако было решено, что [0558.0]; Однако важно отметить тот факт, что [0560.0]; Однако все сходится на том, что [0561.0]; Однако здесь необходимо сделать оговорку [0562.0]; Однако и у ... есть недостаток — это [0563.0]; Однако когда [0564.0]; Однако может случиться, что [0565.0]; Однако можно показать, что [0566.0]; Однако на практике [0567.0]; Однако нельзя обойти молчанием [0568.0]; Однако нужно еще [0569.0]; Однако опять-таки [0570.0]; Однако при этом возникло две проблемы [0571.0]; Однако при этом не нужно забывать, что [0572.0]; Однако хотя и известно, что [0573.0]; Однако это не так [0576.0]; Однако это не так, потому что [0577.0]; Однако это совсем не означает, что [0578.0]; Однако этого не происходило [0574.0]; Однако этого никогда не происходило [0575.0]; Подчеркнем однако, что (П885.0); Часто однако бывает наоборот [425.0]

**одновременно:** И одновременно проводится [И45.0]; Начинаться одновременно с началом образования [Н722.0]; Одновременно выполненные [0580.0]; Одновременно публикуемая статья [0581.0]; Одновременно с этим мероприятием [0585.0]; Почти одновременно с этим [П1559.0]; Происходить одновременно [П2826.0]; Протекать одновременно [П2949.0]; Проходить одновременно с ... по [П3006.0]

**одновременный:** С одновременным уменьшением [С149.0]

**однозначно:** Однозначно определяться [0588.0]; Однозначно связан с (0589.0);

Описывать однозначно [0782.0]

**однозначный:** Однозначное соответствие [0587.0]

**одноименный:** [0590.0]

**однократный:** [0591.0]

**одноразовый:** [0592.0]

**односторонний:** Односторонняя картина [0593.0]

**одобрение:** Одобрение технического проекта [0594.0]; Отказываться от одобрения [01313.0]

**одобрительно:** Одобрительно отзываться [0595.0]

**ожидаемый:** Давно ожидаемый [Д76.0]; Каково ожидаемое влияние [К150.0]; Несколько хуже ожидаемого [Н 1607.0]; Ожидаемая физическая картина [0599.0]; Ожидаемые в будущем [0600.0]; Ожидаемые условия эксплуатации [0601.0]; Ожидаемый в бли-

жайшем будущем [0597.0]; Ожидаемый дефицит [0598.0]; Результат, близкий к ожидаемому [Р639.0]; Результат, противоположный ожидаемому [Р641.0]; Хорошо согласуются с ожидаемыми [Х77.0]; Этот результат совпадает с ожидаемым [Э107.0]; Эффект, противоположный ожидаемому [Э224.0]

**ожидание:** Вопреки ожиданиям [В 1388.0]; Намного превосходить наши ожидания [Н429.0]; Не оправдывать ожиданий [Н959.0]; Оправдывать ожидания [0803.0]; Против ожидания [П2952.0]; Результаты превзошли все наши ожидания [Р655.0]

**ожидать:** А не ... как этого можно было бы ожидать [А28.0]; Аналогичного ... можно было бы ожидать и для [А129.0]; В такого рода исследовании трудно ожидать большой точности [В136.0]; Вряд ли можно ожидать, что такой [В1556.0]; Есть основания ожидать, что [Е191.0]; Имеется полное основание ожидать, что [И496.0]; Именуются все основания ожидать [И503.0]; Как и следовало ожидать [К79.0]; Как можно было ожидать, судя по [К83.0]; Можно было бы ожидать, что [М394.0]; Можно ожидать, что к ... это число составит [М342.0]; Можно ожидать, что на практике [М341.0]; Нельзя было ожидать [Н1311.0]; Нельзя ожидать, что [Н 1320.0]; Нет никаких оснований ожидать [Н1648.0]; Нечто вроде этого и можно было ожидать [Н1685.0]; Но для ... и нельзя было бы ожидать [Н 1788.0]; Ожидать не следовало [0603.0]; Ожидать с нетерпением дальнейших результатов по [0604.0]; По сравнению с тем, чего можно было бы ожидать [П486.0]; Поэтому ... ожидать и не следовало [П1582.0]; Поэтому нет оснований ожидать [П1581.0]; Следовало бы ожидать [С635.0]; Следует ожидать [С607.0]; Так как этого и можно было ожидать [Т40.0]; То можно было бы ожидать, что [Т275.0]; Чем можно было бы ожидать, судя по [453.0]; Этого следовало ожидать [Э208.0]; Этого также следовало ожидать [Э209.0]

**ожидаться:** Ожидается в ближайшее время [0605.0]; Ожидается появление [0606.0]; Ожидалось, что [0607.0]

**озабоченность:** Особую озабоченность вызывают [01071.0]

**озаглавленный:** [0608.0]

**ознакомляться:** Внимательно ознакомиться [В1206.0]; Ознакомиться с указаниями [0610.0]; С подробностями можно ознакомиться в работе [С56.0]

**ознакомление:** Ознакомление с [0613.0]; При ознакомлении [П2102.0]; При беглом ознакомлении [П2055.0]

**означать:** А это означает, что [А47.0]; Все это вместе взятое означает, что [В992.0]; Индекс означает [И548.0]; Не означает ли это,

что [H953.0]; Но это совсем не означает, что [H1823.0]; Однако это совсем не означает, что [0578.0]; Означает также [0620.0]; Означать в свете [0615.0]; Означать одно и то же [0616.0]; Означать по умолчанию (0617.0); Означать то же самое, что и [0618.0]; Отнюдь не означает [01473.0];

Практически это означает, что [П1664.0];

Термин ... означает здесь (T190.0); Что означает, что [4156.0]; Это не означает что (Э 137.0); Это означает практически, что [Э135.0]; Это означает, что [Э134.0]

**оказание:** Оказание услуг [0621.0]

**оказываемый:** Сопrotивление, оказываемое [C1049.0]

**оказывать:** Возможно, оказывает некоторое влияние [B1300.0]; Мало вероятно, что ... оказывали сильное влияние на [M43.0]; Не оказывать влияния [H954.0]; Не оказывать заметного влияния [H955.0]; Не оказывать никакого влияния [H956.0]; Не оказывать существенного влияния на [H957.0]; Оказывает действие [0642.0]; Оказывать воздействие на [0637.0]; Оказывать благоприятное влияние на [0624.0]; Оказывать благоприятное влияние, уменьшая [0625.0]; Оказывать большую помощь в [0645.0]; Оказывать влияние на обрабатываемость [0623.0]; Оказывать вредное влияние на [0627.0]; Оказывать давление на [0641.0]; Оказывать давление [0640.0]; Оказывать двоякое влияние на [0628.0]; Оказывать действие [0636.0]; Оказывать длительное воздействие [0638.0]; Оказывать заметное влияние на [0629.0]; Оказывать лишь небольшую помощь [0646.0]; Оказывать наибольшее влияние [0630.0]; Оказывать неблагоприятное влияние на [0631.0]; Оказывать некоторое влияние на [0632.0]; Оказывать некоторое воздействие [0639.0]; Оказывать некоторую помощь в [0647.0]; Оказывать неопределимую помощь в [0648.0]; Оказывать огромную помощь при прослушивании [0649.0]; Оказывать пагубное влияние на [0633.0]; Оказывать помощь в выборе [0644.0]; Оказывать противоположное влияние [0634.0]; Оказывать сильное влияние на [0635.0]; Оказывать сопротивление движению [0652.0]; Оказывать существенную помощь при [0650.0]; Оказывать техническое содействие [0653.0]; Оказывать услуги по [0654.0]; Показано, что ... не оказывает большого влияния [П1992.0]; Что может оказать влияние, так это [4146.0]; Это также могло оказывать некоторое влияние [Э 147.0]

**оказываться:** В обычных условиях может оказаться неосуществимым [B725.0]; Величина небаланса оказалась очень малой [B889.0]; Всякий раз оказывалось, что [B1653.0]; Выделить какой-либо один... ока-

залось невозможным [B1788.0]; Если окажется, что [E63.0]; Если оказывается неспособным [E64.0]; Если это окажется необходимым [E171.0]; Зачастую могут оказаться вполне достаточными [3525.0]; И ... и ..., и ... оказываются [И4.0]; Исследование оказалось более трудным [И779.0]; Картина может оказаться иной [K188.0]; Конструкция оказалась лучше (K344.0); Могут оказаться несостоятельными (M266.0); Может оказаться более успешным [M283.0]; Может оказаться важным то, что [M284.0]; Может оказаться весьма необходимым [M285.0];

Может оказаться достаточным [M286.0];

Может оказаться невозможным [M289.0];

Может оказаться невозможным [M290.0];

Может оказаться недостаточным [M291.0];

Может оказаться необходимым для [M287.0];

На случай, если ... окажется [H146.0]; Наиболее поразительным оказалось то, что [H326.0]; Насколько важным может оказаться даже небольшое увеличение [H541.0];

Настолько, насколько это оказалось практически возможным [H564.0]; Оказались возможными после того, как стало ясно, что [0663.0]; Оказалось бы нелегко [0690.0];

Оказалось, что фактически [0692.0]; Оказалось, что [B371.0]; Оказаться разбалансированным [0683.0]; Оказывалось, что [0689.0];

Оказываться безуспешным [0656.0]; Оказываться более влиятельным, чем [0657.0];

Оказываться в затруднительном положении [0658.0]; Оказываться в состоянии [0659.0];

Оказываться в точности равным [0660.0]; Оказываться верным [0661.0];

Оказываться возможным [0662.0]; Оказываться довольно трудным делом [0664.0];

Оказываться крайне неудачным [0665.0]; Оказываться лишенным свободы [0668.0];

Оказываться менее [0687.0]; Оказываться на удивление успешным [0669.0];

Оказываться неверным [0670.0]; Оказываться незамеченным [0671.0];

Оказываться нелегкой задачей (0666.0); Оказываться неопределимым при (0672.0);

Оказываться неопределимым при [0673.0]; Оказываться непосильной задачей [0667.0];

Оказываться несколько лучше [0674.0]; Оказываться неэффективным [0675.0];

Оказываться обычно [0676.0]; Оказываться очень полезным для тех кто [0680.0];

Оказываться плохим [0677.0]; Оказываться подозрительно высоким [0678.0];

Оказываться полезным не только как простой анализатор спектра [0681.0];

Оказываться полезным при [0679.0]; Оказываться равным [0682.0];

Оказываться сильно преувеличенным [0684.0]; Оказываться скрытым [0686.0];

Оказываться совершенно непригодным [0685.0]; Оказываться таким хорошим [0688.0];

Опасения оказались нео-

боснованными [0737.0]; Опасения оказались совершенно необоснованными [0738.0]; По совершенно независимым от нас причинам оказалось невозможным [П444.0]; Попытки оказались безуспешными [П 1313.0]; Попытки оказались в основном безуспешными [П1314.0]; Поскольку оказалось, что [П1351.0]; Различие оказывается еще более сильным [P231.0]; Результаты оказались неутешительными [P650.0]; Тем самым оказалось возможным [Т137.0]; То, что хорошо для одного ..., может оказаться непригодным для другого [Т281.0]; Усовершенствования, показавшие хорошие результаты при лабораторных испытаниях, в практических условиях часто оказывались непригодными [У418.0]; Часто оказывается достаточным определить [426.0]; Это может оказаться трудной задачей [Э 143.0]

**оканчивать:** Оканчивать по специальности [0693.0]

**оканчиваться:** Оканчиваться на [0695.0]; Окончаться неудачей [0696.0]

**оканчивающийся:** Оканчивающийся на [0697.0]

**океанский:** Итого цена, фоб североамериканский порт, экспортная упаковка, океанский фрахт [И850.0]

**окисление:** Протекание процесса окисления [П2946.0]; Путь окисления [П3095.0]

**около:** Быть равным ... или около того [B333.0]; В течение последних ... лет или около того [B710.0]; Группироваться около [Г145.0]; Или около того (И345.0); Иметь точность около [И458.0]; На это уходит в среднем около [Н205.0]; Около ... дней в году [0699.0]; Реализовать в ближайшие лет или около того [P587.0]; Что-то около [4221.0]

**окольный:** Окольный путь [0701.0]

**окончание:** Аттестат об окончании школы [А166.0]; Времени до окончания работы мало [В 1547.0]; До окончания этапа [Д452.0]; Не допускать полного закрытия захвата до окончания операции по п.5 [Н842.0]; Не позднее, чем за ... дней до окончания [Н1007.0]; Окончание работы планируется на [0702.0]; Окончание строительства планируется в [0703.0]; Осмотр после окончания испытания [0942.0]; По окончании испытания [П424.0]; После окончания (П 1359.0); С этого момента и до момента окончания [С35.0]; Свидетельство об окончании курса [С287.0]; Своевременное окончание [С329.0]; Сразу же после окончания [С1299.0]

**окончательно:** Окончательно договориться [0704.0]; Окончательно обработать после сварки [0705.0]; Окончательно принятый [0706.0]; Решение арбитража окончательно и обязательно для обеих сторон [P733.0]

**окончательный:** Вносить в окончательный список [B1212.0]; Выдавать окончательные технические требования [B1767.0]; Наши результаты не окончательны [Н739.0]; Окончательная редакция правил [0713.0]; Окончательная сборка [0714.0]; Окончательное разрешение для [0715.0]; Окончательное решение [0716.0]; Окончательные выводы [0717.0]; Окончательные технические условия на [0718.0]; Окончательный вариант конструкции [0709.0]; Окончательный вариант реферата [0710.0]; Окончательный показатель [0711.0]; Окончательный результат [0712.0]; Определять выбор окончательной конфигурации [0816.0]; Перед окончательной сборкой [П88.0]; Перед тем, как сделать окончательный выбор [П91.0]; После окончательного выбора [П1360.0]; Слишком рано делать окончательные выводы о [С655.0]; Считать окончательным [С 1622.0]; Хотя окончательные рекомендации пока давать рано [X105.0]

**окошко:** Сразу же по уведомлению о появлении окошка в графике [С1297.0]

**окраска:** Загрунтовывать с последующей окраской [3146.0]; Необработанные поверхности загрунтовать с последующей окраской (Н1361.0); Приобретать коричневую окраску [П2484.0]

**окрашенный:** Слегка окрашенный в цвет [С573.0];

**окрашивать:** Окрашивать в цвет [0719.0]

**окрестности:** Группироваться в окрестности постоянного значения, равного... [Г144.0]; Разлагать в ряд в окрестности [P214.0]

**округление:** Округление в нижнюю сторону [0721.0]; Правило округления [П1609.0]

**округленно:** [0722.0]

**округлять:** Округлять в нижнюю сторону до [0724.0]; Округлять до ближайшего целого [0725.0]; Округлять до ближайших [0726.0]; Округлять до трех значащих цифр после запятой [0727.0]

**окружать:** Окружать некоторой тайной [0728.0]

**окружающий:** В особо неблагоприятной окружающей среде [B630.0]; Влияние на окружающую среду [В 1135.0]; Воздействие на окружающую среду [B1283.0]; Вредная окружающая среда [B1510.0]; Загрязнение окружающей среды [3148.0]; Ограничения по загрязнению окружающей среды [0446.0]; Окружающая среда [0729.0]; Окружающее пространство [0730.0]; Окружающий воздух [0731.0]; Оценка воздействия на окружающую среду [01640.0]; Потери в окружающее пространство [П1514.0]; Потери в окружающую среду [П1515.0]; Равно такому для окружающей среды [P140.0]; Температура ниже окружающей [Т144.0]; Температура окружающей среды [Т143.0]

**окружной:** В окружном направлении [B235.0]  
**окружность:** Изменение по окружности [I246.0]; Неравномерно распределенный по окружности [H 1561.0]; 3 отверстия Ж 12 мм, равномерно расположенных по окружности Ж60 мм [01225.0]; Отстоящие друг от друга по окружности на [01543.0]; Плотно прилегающий по всей окружности [П306.0]; По всей окружности [П356.0]; По окружности один паз шириной ... мм [П427.0]; Положение на окружности [П1097.0]; Равномерно расположенные по окружности [P121.0]; Расположение по окружности [P411.0]; Шаг ... градусов по окружности [Ш4.0]; Шаг по окружности [Ш5.0]  
**окупаемость:** Период окупаемости [П231.0]  
**окупаться:** Многократно окупаться [M214.0]; Окупаться менее, чем за [0732.0]; С лихвой окупается [С31.0]  
**окупить:** Результаты окупил [P651.0]  
**олицетворять:** Олицетворять собой [0733.0]  
**омывать:** [0734.0]  
**опасаться:** [0739.0]; Необходимо опасаться некоторого (H1377.0); Seriously опасаться [С445.0]  
**опасение:** Без опасения внести серьезную ошибку [B39.0]; Вызывать опасения [B 1814.0]; Высказывавшиеся ранее опасения [B1980.0]; Высказывать опасения по этому же поводу [B1972.0]; Из опасения [И125.0]; Не вызывать опасений [H797.0]; Несмотря на некоторые опасения [H1619.0]; Опасение, связанное с [0736.0]; Опасения оказались необоснованными [0737.0]; Опасения оказались совершенно необоснованными [0738.0]; Существует опасение, что [С1573.0]; Широко распространенное опасение [Ш27.0]; Эти опасения нельзя ни подтвердить, ни опровергнуть [Э216.0]  
**опасно:** По-видимому, опасно [П336.0]  
**опасность:** В связи с опасностью [B500.0]; Всегда существует опасность [B1565.0]; Грозить серьезной опасностью [Г130.0]; Если существует реальная опасность того, что [E92.0]; Застраховывать от опасности [3475.0]; Избегать опасности [И158.0]; Исключать какую бы то ни было опасность (И661.0); Исключать опасность [И660.0]; Исключать практически опасность ошибки [И662.0]; Многих потенциальных опасностей можно избежать [M192.0]; Не исключена опасность [H890.0]; Не настолько велик, чтобы представить опасность [H927.0]; Непосредственная опасность для персонала [H1485.0]; Опасность должна быть предотвращена с помощью [0743.0]; Опасность загрязнения атмосферы [0744.0]; Опасность отсутствовала [0745.0]; Опасность разрушения [0746.0]; Опасность резкого уменьшения [0747.0]; Опасность, создаваемая

[0748.0]; Опасность такого подхода в том, что [0749.0]; Подвергать опасности работу [П656.0]; Подвергаться опасности [П666.0]; Предотвращать опасность [П 1772.0]; Представлять большую опасность [П1853.0]; Предупреждать о скрытой опасности [П1911.0]; Приводить к опасности [П2229.0]; Связано с некоторой опасностью [С365.0]; Стоять перед опасностью [С1477.0]; Существует опасность [С1574.0]; Существует реальная опасность того, что [С1575.0]; Указывать на опасность [У209.0]; Уменьшать опасность случайного включения [У257.0]; Устранение всякой опасности [У518.0]; Устранять опасность [У537.0]

**опасный:** Вести к опасным последствиям [B936.0]; Опасен для жизни [0740.0]; Опасен только в том случае, если [0741.0]; Особо опасный материал [01060.0]; Представлять собой опасный участок [П1884.0]

**оперативный:** Оперативный контроль за выполнением графика [0750.0]

**оператор:** Без вмешательства оператора [B15.0]; Вернуться из подпрограммы к оператору [B901.0]; Под наблюдением оператора [П611.0]

**операция:** Будьте осторожны, выполняя следующие операции [B358.0]; В порядке, обратном операции [B365.0]; Выполнять операции по техническому обслуживанию [B1891.0]; Выполнять операцию [B1890.0]; Не допускать полного закрытия захвата до окончания операции по п.5 [H842.0]; Операции сканирования, стробирования и обработки сигналов [0753.0]; Периодические операции [П239.0]; Повторять те же самые операции [П1578.0]; Ручные операции [P780.0]; Технологическая операция [Т258.0]; Функция защиты контроля последовательности операций сигнализации и управления [Ф63.0]

**опережать:** Намного опережать график [H427.0]; опережать на два года [0756.0]; опережать на несколько лет [0757.0]; опережать по фазе на [0758.0]; Отставать от... и опережать [01534.0]; Следовать за .... а не опережать [С588.0]

**опережение:** Колебаться с опережением по фазе [K250.0]

**опечатка:** Перечень замеченных опечаток [П208.0]

**опилить:** Опилить и полировать [0759.0]

**опираться:** Опираться на [0761.0]

**опираться:** Во многом опирается на (B204.0); Опирается на большой длине [0763.0]; Опирается на ... -летний опыт [0764.0]; Опираясь на опыт [0765.0]; Опираясь на этот вывод [0767.0]; Полностью опираться на [П1050.0]

**опирающийся:** Опирающийся на [0768.0]; Разрешение, опирающееся на [P327.0]

**описание:** Вносить поправки в описание изобретения [В 1230.0]; Дата подачи полного описания изобретения 15 июля 1970 г. [Д132.0]; Дата публикации полного описания изобретения 6 января 1980 г. [Д139.0]; Достаточно полное описание в настоящее время отсутствует [Д691.0]; Краткое описание чертежей [К456.0]; Ложное утверждение в описании изобретения [Л97.0]; Несмотря на некоторую упрощенность, это описание вполне удовлетворительно [Н1617.0]; Ниже приводится краткое описание [Н 1722.0]; Общее описание основных узлов конструкции [О335.0]; Описание изобретения [0770.0]; Описание качественной картины [0771.0]; Описание подобия [0772.0]; Описание результатов начинается с ..., затем описывается [0773.0]; Описание экспонатов [0774.0]; Подробное описание изобретения [П816.0]; Полное описание изобретения [П1083.0]; Структура описания изобретения [С1520.0]; Техническое описание [Т231.0]; Упоминать при описании [У320.0]; Условия хранения должны соответствовать требованиям, изложенным в описании и инструкции по эксплуатации изделия [У403.0]

**описанный:** Более подробно описаны в [Б169.0];

Будет описано несколько ниже [Б345.0]; Как описано выше [К99.0]; Который будет описан в следующем [К408.0]; Не может быть достаточно точно описан с помощью [Н912.0]; Описан во многих работах [0789.0];

Описанный в [0788.0]; Отличия от только что описанного [01410.0]; Подробно описанный [П798.0]; Помимо описанного [П1248.0]; Решено методом, который будет описан ниже [Р726.0]; Так, как это описано в [Т37.0]; Так, как это описано выше [Т38.0];

Только что описанный [Т323.0]; Точно так же, как это было описано в [Т405.0]

**описка:** Явная канцелярская описка [Я52.0]

**описываемый:** Исследования в продолжение описываемой работы [И785.0]; Описываемые здесь опыты [0791.0]; Описываемый ниже метод [0790.0]

**описывать:** Все хуже описывает [В987.0]; Мож-

но описать следующим образом [М343.0];

Не описывают должным образом [Н958.0]; Не позволяет точно описать [Н993.0]; Описывать в общих чертах [0776.0]; Описывать в самых общих чертах [0777.0]; Описывать в технической инструкции [0778.0]; Описывать дугу [0779.0]; Описывать на примере [0780.0]; Описывать независимо от [0781.0]; Описывать однозначно [0782.0]; Описывать последовательность событий [0783.0]; Описывать с помощью [0784.0]; Описывать экспериментальные данные выражением [0785.0]; Описывать экспери-

ментальные результаты [0786.0]; Опишем теперь [0787.0]; Подробно описывать [П797.0]; Правильно описывать [П1620.0]; Теперь кратко опишем [Т174.0]; Уравнение описывает [У354.0]; Хорошо описывают работу [Х60.0]

**описываться:** В заключение статьи показывается ... и описывается [В124.0]; В предлагаемой работе описывается [В432.0]; Кратко описываться в [К457.0]; Неоднократно описывался в литературе [Н1441.0]; Описание результатов начинается с ..., затем описывается [0773.0]; Описываться моделью [0793.0]; Описываться уравнениями [0794.0]; Хорошо описываться приближенным выражением [Х58.0]; Хорошо описываться уравнением [Х59.0]

**опись:** Опись приложений к формуляру [0795.0]; Опись чертежей [0796.0]

**оплата:** Квитанция об оплате [К214.0]; Расписка в получении оплаты [Р366.0]; Счет-фактура подлежит оплате без скидки [С1608.0]

**опознавательный:** Опознавательный номер [0797.0]

**опорочить:** Материалы, могущие опорочить новизну изобретения [М70.0]; Не намереваясь никоим образом опорочить [Н924.0]

**оправдание:** [0798.0]; Служить оправданием [С685.0]; Считаться оправданием для [С 1623.0]

**оправданный:** Никогда не считался оправданным по причине [Н 1757.0]; Практически оправданный путь [П1659.0]; Экономически оправдан [Э21.0]

**оправдано:** Использование выражения для ... оправдано потому, что [И686.0]

**оправдывать:** Вполне может оправдать [В 1481.0]; Не оправдывать ожиданий [Н959.0]; Оправдывать возлагавшиеся на него надежды [0800.0]; Оправдывать выбор в качестве [0801.0]; Оправдывать дополнительные затраты [0802.0]; Оправдывать ожидания [0803.0]; Оправдывать расходы [0804.0]; По-видимому, не оправдывают дополнительные затраты, связанных с [П340.0]

**оправдываться:** Мало вероятно, что эти надежды оправдаются [М45.0]

**определение:** Используется определение [И731.0]; Не поддающийся определению [Н979.0]; Не подпадать под определение [Н984.0]; Определение влияния каждой переменной в отдельности [0806.0]; Определение неисправности [0807.0]; Определение ответственности [0808.0]; Определение первоочередности [0809.0]; Определение, принятое в настоящей статье [0810.0]; Определение размеров [0811.0]; Определение характеристик [0812.0]; По определению представляет собой [П428.0]; Подробное определение [П817.0]; Поскольку точное определе-



кие было сопряжено с некоторыми трудностями [П 1352.0]; Существует множество самых разных определений [С1571.0]; Трудно дать точное определение [Т477.0]

**определенность:** Для определенности [Д377.0];

Со всей определенностью говорят о том, что [С 192.0]; Со всей определенностью заявлять об отсутствии ответственности за [С 193.0]; Указывать со всей определенностью [У214.0]

**определенный:** В том смысле, в котором он определен [В585.0]; Действовать в определенной последовательности [Д178.0]; Какая-либо определенная зависимость от ... отсутствует [К162.0]; Какой-либо определенной зависимости от... не видно [К 163.0]; На определенное время [Н25.0]; Не позволяли сделать каких-либо определенных выводов [Н997.0]; Не позволять автору прийти к определенным выводам [Н988.0]; Недостаточно хорошо определен [Н1212.0];

Нельзя сказать ничего определенного [Н1333.0]; Неточно определенное [Н1659.0];

Обладать определенными возможностями по [074.0]; Определенную ценность представляет также [0849.0]; При определенных условиях [П2156.0]; С определенной уверенностью [С 146.0]; Соответствующим образом определенный [С 1028.0]

**определяемый:** Определяемый в соответствии с [0850.0]; Определяемый по уравнению [0852.0]; Определяемый практикой проектирования [0853.0]; Узкие пределы, определяемые [У191.0]; Четко определяемый [483.0]

**определять:** Выбор определялся наличием, а не конструкцией [В1715.0]; Для устранения зазора определить толщину прокладки по месту [Д416.0]; Задание значения определяет [3160.0]; Который ещё нужно определить [К416.0]; Наконец необходимо определить [Н374.0]; Нам все еще нужно определить [Н394.0]; Нужно еще определить [Н1899.0]; Нужно определить [Н1904.0]; Определив .... можно переходить к [0837.0]; Определить по месту в сборке с дет. [0838.0]; Определяли раньше исходя из [0839.0]; Определять по графику [0826.0]; Определять в виде [0814.0]; Определять величину [0815.0]; Определять выбор окончательной конфигурации [0816.0]; Определять границы [0817.0]; Определять двумя методами [0818.0]; Определять достаточно точно [0819.0]; Определять и устранять неисправность [0821.0]; Определять историческое значение [0820.0]; Определять как [0822.0]; Определять, какой из [0823.0]; Определять круг проблем [0824.0]; Определять место, занимаемое [0825.0]; Определять на свет [П2910.0]; Определять по изменению [0827.0]; Определять по таблице [0828.0];

Определять по [0844.0]; Определять порядок использования [0829.0]; Определять, правильно ли работает [0830.0]; Определять причину [0831.0]; Определять размеры деталей [0833.0]; Определять с погрешностью [0834.0]; Определять характер [0835.0]; Определять численно [0836.0]; Остается определить, является ли [01121.0];

Отсутствующие размеры определять в соответствии с размерами сопрягаемых деталей — [01563.0]; Полностью определять [П1051.0]; Попытаться определить причину [П1309.0]; Так легко не определить [Т14.0]; Точно определять [Т391.0]; Часто оказывается достаточным определить [426.0]; Чтобы определить, в какой степени [4201.0];

Чтобы определить значение [4202.0]

**определяться:** Однозначно определяться [0588.0]; Определяется условиями договора [0847.0]; Определяться для новых условий [0841.0]; Определяться не столь просто [0842.0]; Определяться одним только [0843.0]; Определяться полностью [0845.0];

Определяться следующим образом [0846.0]

**определяющий:** В качестве определяющего выбирается меньшее из значений [В144.0];

Главные факторы, определяющие [Г58.0]; Определяющие уравнения [0858.0];-Определяющий вид разрушения [0854.0]; Определяющий механизм [0855.0]; Определяющий фактор [0857.0]; Определяющим является член [0859.0]; Становиться определяющим [С1394.0]

**опробование:** [0860.0]; Комплексное опробование [К289.0]; Монтаж, отладку и опробование производить в строгом соответствии с рекомендациями, изложенными в инструкции по эксплуатации [М249.0]

**опровергать:** Не опровергают факта [Н960.0]; Нельзя ни подтвердить, ни опровергнуть [Н1318.0]; Но и не опровергает [Н1792.0]; Опровергать вывод [0862.0]; Эти опасения нельзя ни подтвердить, ни опровергнуть [Э216.0]

**опровержение:** В опровержение [В271.0]

**опрокидывание:** [0863.0]

**опрокидывать:** Не опрокидывать [Н961.0]

**опрометчиво:** Опрометчиво считать, что [0864.0]

**опрос:** Письменный опрос [П261.0]

**оптимальный:** Далеко от оптимального [Д89.0];

Оптимальный путь [0865.0]

**оптимизировать:** Оптимизировать по [0866.0]

**оптимизм:** Заставляет воздерживаться от чрезмерного оптимизма [3470.0]

**оптимистический:** Давать необоснованно оптимистические результаты [Д59.0]; Чрезмерно оптимистические выводы [4119.0]

**опубликованный:** В опубликованных ранее работах [В435.0]; Все опубликованные ра-

боты по [B1010.0]; Нам не удалось обнаружить ни одной опубликованной работы по теме нашего исследования [H399.0]; Нам неизвестны какие-либо опубликованные [H398.0]; Опубликованная работа [0868.0]; Опубликованные в литературе [0869.0]; Опубликованные результаты успешного применения [0870.0]; Основная масса опубликованных работ [0978.0]; Последние работы, опубликованные в [П1395.0]; Преобладающее большинство опубликованных работ [П2012.0]; Результаты будут опубликованы позже [P645.0]; Согласно опубликованным данным [C909.0]

**опубликовывать:** Возможность опубликовать эти результаты [B1320.0]; Опубликовать [0867.0]; Собираться опубликовать [C809.0]

**опускать:** Опускать в [0872.0]; Рекомендуются опускать [P679.0]

**опускаться:** Опускаться на дно [0874.0]

**опущен:** На схеме опущены [H165.0]; Опущены, чтобы не загромождать график [0875.0];

Подробности, относящиеся к .... опущены для экономии места [П805.0]; Подробности получения решения опущены [П806.0]

**опыт:** Большой опыт в этой области накоплен в [B227.0]; Большой профессиональный опыт

[B228.0]; В опытах [B272.0]; В диапазоне параметров, охваченном опытами [B97.0]; В начале опыта [B242.0]; В одном из первых опытов [B270.0]; В свете имеющегося опыта [B488.0]; В течение всего опыта [B689.0, B691.0]; В течение всей серии опытов [B692.0]; Воспроизводимость результатов от

опыта к опыту (B 1432.0); Длительный полужительный опыт [Д309.0]; Дополнительный опыт [Д624.0]; Зависеть в основном от опыта [391.0]; Из опыта следует, что [И128.0];

Из опыта известно, что [И126.0]; Из опыта хорошо известно, что [И 127.0]; Из этих опытов пять [И147.0]; Изменяться от опыта к опыту [И286.0]; Имеющийся опыт позволяет предположить [И528.0]; К концу опыта [K7.0]; Контрольные опыты [K366.0]; Место проведения опытов [M146.0]; Многолетний опыт удовлетворительной эксплуатации [M222.0]; Мы знаем из опыта, что [M409.0]; Мы убедились на опыте (M438.0); Накопленный опыт [H377.0]; Наш опыт говорит о том, что [H736.0]; Не выходить за рамки имеющегося опыта эксплуатации [H803.0]; Небольшие колебания условий проведения опыта [H1164.0]; Небольшое число опытов [H1167.0]; Необходимый опыт [H1417.0]; Обмен опытом будет продолжен [0120.0]; Опирайтесь на ... -летний опыт [0764.0]; Опираясь на опыт [0765.0]; Описываемые здесь опыты [0791.0]; Опыт в области [0877.0]; Опыт, накопленный в течение многих лет [0878.0]; Опыт, накопленный к

настоящему времени [0879.0]; Опыт не удалось закончить [0880.0]; Опыт нескольких лет промышленной эксплуатации [0892.0]; Опыт организации работ [0881.0]; Опыт по [0882.0]; Опыт показал, что польза такого подхода невелика [0883.0]; Опыт показывает, что [0884.0]; Опыт, полученный при [0885.0]; Опыт проектирования [0886.0]; Опыт работы на [0887.0]; Опыт свидетельствует о том, что [0888.0]; Опыт учит [0889.0]; Опыт эксплуатации [0891.0]; Опыты пришлось прекратить [0890.0]; Основанный на положительном опыте [01031.0]; Основаны главным образом на опыте [01028.0]; Отсутствие у эксплуатационного персонала опыта по [01557.0]; Первый опыт эксплуатации показал [П149.0]; Повторять опыты [П1576.0]; Положительный опыт проектирования [П1109.0]; Полученный в опыте [П1190.0]; После того, как опыт продолжался довольно длительное время [П1375.0]; Последовательность опытов [П1405.0]; Постигать на горьком опыте [П1468.0]; Практический опыт [П1667.0]; Предшествующий опыт показывает [П1930.0]; Прикидочный опыт [П2327.0]; Приобретать опыт [П1154.0]; Приобретать опыт по [П2485.0]; Приобретать существенный опыт в [П2486.0]; Проводить опыты [П2689.0]; Продолжительность опыта [П2756.0]; Производственный опыт [П2797.0]; Серия опытов [C428.0]; Слепой опыт [C641.0]; Среднее значение для двух опытов [C1321.0]; Ставить опыт [C1359.0]; Судя по накопленному к настоящему времени опыту [C1533.0]; Убедиться на собственном опыте в преимуществах [У36.0]; Условия проведения опытов [У399.0]; Эксплуатационный опыт [Э48.0]

**опытно-конструкторский:** Опытно-конструкторские работы по [0894.0]

**опытный:** Демонстрационный опытный образец [Д254.0]; Доводить до уровня опытного образца [Д494.0]; Доводка опытного образца [Д496.0]; Опытная [0893.0]; Опытный образец [0895.0, 0896.0]; Первый опытный образец [П150.0]; Разработка опытного образца [P309.0]

**опять:** [0897.0]; А затем опять [A14.0]

**опять-таки:** И опять-таки [И46.0]; Однако опять-таки [0570.0]; Опять-таки благодаря [0898.0]

**орган:** [0899.0]; Данные о проверке измерительных приборов поверочными органами [Д113.0]; Заинтересованные органы [3214.0]; Инспекционный орган [И571.0]; Перечень изделий или их составных частей для периодической проверки органами надзора [П209.0]; Поверка измерительных приборов поверочными органами [П1530.0]; Проверка

измерительных приборов инспектирующими органами [П2620.0]; Регламентирующие органы [Р607.0]; Техническое освидетельствование изделия специальными контрольными органами [Т232.0]

**организационный:** Организационные методы [0905.0]

**организация:** В нашей организации [В247.0]; Данные других организаций [Д109.0]; Монтажная организация [М251.0]; Незаинтересованная организация [Н1241.0]; Опыт организации работ [0881.0]; Организации, участвующие в испытаниях [0904.0]; Организация работы [0901.0]; Организация ремонта [0902.0]; Организация транспортных перевозок [0903.0]; Проект организации строительства [П2764.0]; Сторонняя организация [С1473.0]

**организовывать:** [0906.0, 0907.0]

**органитет:** Материал должен поступить в Оргкомитет не позднее [М68.0]

**ордината:** на оси ординат [01322.0]

**ориентация:** Ориентация относительно [0908.0]

**ориентир:** В качестве ориентира [В 145.0]; Слу-  
жить ориентиром для [С686.0]

**ориентировать:** Ориентировать по ветру [0908.0]

**ориентировка:** Служить для ориентировки [С672.0]

**ориентировочно:** [0911.0]; Назначенный ориентировочно на [Н296.0]

**ориентировочный:** Ориентировочный перечень [0910.0]; Только как ориентировочные [Т309.0]

**осадки:** Защищать от попадания атмосферных осадков и посторонних веществ [3545.0]

**осваивать:** Осваивать практически [0912.0]

**осваиваться:** Осваиваться с [0913.0]

**освещать:** Освещать вопрос [0915.0]; Освещать лучом света [0916.0]; Освещать [0914.0]

**освещаться:** По новому освещается [П413.0]; Этот вопрос никак не освещается [Э101.0]

**освещен:** Недостаточно, по-видимому, освещен в литературе [Н1209.0]; Несколько менее освещен в литературе вопрос о [Н1584.0]

**освещение:** Дежурство и освещение [Д164.0]; При освещении [П2103.0]; При нормальном освещении [П2104.0]; Широкое освещение средствами массовой информации [Ш16.0]

**освидетельствование:** [0917.0]; Дата освидетельствования [Д130.0]; Запись результатов освидетельствования [3390.0]; Периодичность и объем освидетельствования [П242.0]; Периодичность освидетельствования [П243.0]; Техническое освидетельствование изделия специальными контрольными органами [Т232.0]

**освобождать:** Не освобождает от необходимости соблюдать [Н962.0]; Не освобождает от ответственности за [Н963.0]; Освободить винт [0919.0]; Освободить место для [0920.0]; Освободить от ответственности за конструирование [0923.0]

**освоен:** Вполне освоен [В 1486.0]; Хорошо освоен [Х61.0]

**освоение:** Длительный период освоения [Д308.0]; Освоение рынка [0924.0]; Освоение технологии в промышленных масштабах [0925.0]; Поэтапное освоение [П1572.0]; Промышленное освоение [П2853.0]

**осевой:** В осевом направлении [В236.0]; Осевой и радиальный люфты [0926.0]; Симметрично относительно осевой линии, за исключением указанного [С485.0]

**ослабевать:** [0927.0]

**ослабление:** Меры по ослаблению воздействия [М129.0]; Ослабить винты [0933.0]; Ослабить хомуты [0934.0]; Ослабление влияния [0928.0]

**ослаблять:** Ослаблять воздействие [0931.0]; Затягивать друг друга [0932.0]; Ослаблять затяжку болтов [0930.0]

**осложнение:** Без осложнений [Б40.0]; Вызывать осложнения [В1815.0]; Неоправданные осложнения [Н1448.0]; Никаких осложнений больше не было [Н1745.0]; Практические осложнения, связанные с [П1678.0]; Приводить к осложнениям [П2230.0]; Устранять все осложнения, связанные с [У524.0]

**осложнять:** Дополнительно осложнять проблему [Д614.0]; Еще более осложняет [Е194.0]; Осложнять ситуацию [0936.0]

**осложняться:** Дело осложняется еще и тем, что [Д250.0]; Дополнительно осложняется тем, что [Д615.0]; Задача еще больше осложняется тем, что [3169.0]; Осложняться серьезными различиями [0938.0]; Осложняться тем, что [0939.0]; Проблема дополнительно осложняется тем, что [П2603.0];

Требования усложняются тем, что [Т423.0]

**осматривать:** Внимательно осмотрите [В1207.0]; Осмотреть колонны и удостовериться в отсутствии [0945.0]; Осмотреть обрешетку [0946.0]; Тщательно осмотреть [Т512.0]

**осмотр:** Акт технического осмотра [А94.0];

Ведомость осмотров, проверок и ремонтов [В875.0]; Вид осмотра или проверки [В1083.0]; Визуальный осмотр [В1104.0]; Вскрыть для осмотра [В1593.0]; Дата осмотра [Д130.0];

Карта учета технических осмотров и регламентных работ [К182.0]; Комплексный осмотр [К286.0]; Осмотр после окончания испытания [0942.0]; Осмотр и приемка [0941.0]; Отчет об осмотре [01589.0]; Перечень осмотров, проверок и ремонтов [П217.0]; Периодический осмотр [П237.0];

Плановый осмотр [П290.0]; При осмотре до

начала [П2105.0]; Проводить осмотр [П2686.0]; Проходить визуальный осмотр [П2999.0]; Снимать с целью осмотра [С789.0];

Текущий осмотр [Т125.0]; Убедиться путем осмотра в отсутствии [У37.0]

**осмотрено:** [0947.0]

**осмотрительность:** Следует проявлять большую осмотрительность [С621.0]

**осмысливать:** [0948.0]

**оснастка:** [0949.0]; Технологическая оснастка [Т259.0]

**оснащать:** Оснащать приборами для измерений [0951.0]

**оснащенный:** Оснащенный датчиками [0952.0];

Хорошо оснащенный приборами [Х62.0]

**основа:** Быть основой [Б318.0]; В качестве основы для сравнения [В146.0]; В основе ... лежит [В273.0]; В основе работы лежат ... главных принципа [В274.0]; В основу деятельности положено [В275.0]; В самой своей основе [В277.0]; В своей основе [В276.0]; Взятый за основу [В1075.0]; Главные допущения, лежащие в основе [Г57.0]; Допущения, лежащие в основе [Д671.0]; Закладывать основу [З231.0, З232.0]; Закладывать хорошую основу [З233.0]; Идея, лежащая в основе [И103.0]; Использовать в качестве основы [И695.0]; Лежать в основе [Л39.0];

Лежащий в основе [Л40.0]; На арендной основе [Н92.0]; На количественной основе [Н93.0]; На некоторой произвольной основе [Н94.0]; На общей основе [Н95.0]; На основе ... разработан [Н91.0]; На основе некоторого компромисса [Н90.0]; На периодической основе [Н96.0]; На повседневной основе [Н97.0]; На субъективной основе [Н98.0]; На чисто теоретической основе [Н99.0];

Надежная финансовая основа [Н274.0]; Обеспечивать основу для принятия важных решений о [045.0]; Основа для понимания [0954.0]; Основа для сравнения [0955.0];

Основа успешной работы [0956.0]; Основы работы на компьютере [0957.0]; Подготавливать основу для [П694.0]; Положить в основу [П1116.0]; Правильный в своей основе [П1627.0]; Принципы, лежащие в основе использования [П2463.0]; Принципы, положенные в основу конструкции [П2464.0]; Прочная основа для [П3036.0];

Разрабатывать на чисто теоретической основе [Р297.0]; Разработанный на основе [Р305.0]; Служить основой для [С689.0];

Создавать основу для [С976.0]; Судить о ... на основе [С 1528.0]; Суть, лежащая в основе [С1550.0]; Теоретические основы изложены в [Т160.0]; Физические основы [Ф29.0];

Являющийся в своей основе химическим [Я38.0]

**основание:** Возражать на том основании, что [В1357.0]; Вывод о том, что ... был сделан на

основании [В1727.0]; Выводы, сделанные на основании полученных результатов [В1734.0]; Выводы, сделанные на основании [В1733.0]; Давать основание для [Д26.0];

Есть все основания полагать [Е192.0]; Есть основание усомниться в [Е 189.0]; Есть основания ожидать, что [Е191.0]; Есть основания считать, что [Е190.0]; И не без основания [И42.0]; Имеется полное основание ожидать что [И496.0]; Имеются веские основания полагать, что [И501.0]; Имеются все основания ожидать [И503.0]; Имеются все основания полагать [И502.0]; На законном основании [Н87.0]; На основании выполненного доказательства [Н84.0]; На основании результатов нашего исследования можно сделать следующие основные выводы [Н85.0]; На основании того, что [Н86.0]; На том основании, что [Н88.0]; На этом основании был сделан вывод [Н89.0]; Нет никаких оснований ожидать [Н 1648.0]; Основание для апелляции [0959.0]; Основание для браковки [0960.0]; Основание для охлаждения [0961.0]; Основание для проведения работ [0962.0]; Основание для сдачи в ремонт [0963.0]; Основание не соглашаться [0964.0]; Основание сомневаться в [0965.0];

Поэтому нет оснований ожидать [П1581.0]; Предполагать на основании [П1787.0]; С достаточным основанием можно принять, что [С41.0]; С полным основанием [С42.0]; Служить основанием для [С687.0]

**основанный:** Быть основанным на [Б317.0]; Основанный главным образом на [01030.0];

Основанный на положительном опыте [01031.0]; Основанный на самых последних достижениях в практике расчетов [01032.0];

Основаны главным образом на опыте [01028.0]; Основаны на том, что [01029.0]; Тщательно разделять результаты расчетов, основанных на ... и на [Т516.0]; Утверждение основано на том, что [У561.0]

**основной:** А это является нарушением основного допущения [А48.0]; Альбом основных сочленений и ремонтных допусков изделия [А105.0]; В основном ... используются в [В281.0]; В основном благодаря работе [В279.0]; В основном интересуется [В280.0]; В основном не зависит [В282.0]; В основном правильный [В283.0]; В основном такой же, как [В284.0]; В основном устранил эту трудность [В285.0]; В этом и заключается основной недостаток [В768.0]; В этом... и заключается основное различие между [В767.0]; Дискуссия развернулась в основном по вопросу о [Д291.0]; Зависеть в основном от опыта [З391.0]; Имеется на выбор ... основных [И493.0]; Иметь основное значение для [И395.0]; Каждый из них состоит в основном из [К37.0]; На основа-

нии результатов нашего исследования можно сделать следующие основные выводы [Н85.0]; Ниже обобщены основные достижения [И 1719.0]; Обращать основное [0216.0]; Общее описание основных узлов конструкции [0335.0]; Одно из основных последних достижений в [0535.0]; Основная идея заключается в [0976.0]; Основная масса опубликованных работ [0978.0]; Основная проблема, связанная с [0979.0]; Основная цель [0980.0]; Основная часть статьи [0981.0]; Основное внимание будет уделено [0986.0]; Основное внимание должно быть уделено (0987.0); Основное внимание обращается на [0983.0]; Основное внимание по-прежнему уделяется [0988.0]; Основное внимание при измерениях было сосредоточено на [0984.0]; Основное внимание уделено [0985.0]; Основное внимание уделялось [0989.0]; Основное допущение состояло в том, что [0990.0]; Основное значение в том, что [0991.0]; Основное препятствие на пути повышения [0992.0]; Основное различие заключается в том, что [0993.0]; Основное различие между ... и ... заключается в [0994.0]; Основное различие не в том ... а в том [0995.0]; Основное различие относится к [0996.0]; Основное соображение в пользу [0997.0]; Основной аргумент против [0967.0]; Основной массив [0968.0]; Основной момент [0969.0]; Основной претендент на роль [0970.0]; Основной узел [0971.0]; Основной упор в работе сделан на [0972.0]; Основной фактор, способствующий [0974.0]; Основной элемент [0975.0]; Основные виды деятельности (0998.0); Основные виды работ [0999.0]; Основные детали [01000.0]; Основные закономерности поведения [01002.0]; Основные недостатки [01003.0]; Основные особенности [01004.0]; Основные понятия [01005.0]; Основные преимущества [01006.0]; Основные принципы работы [01008.0]; Основные проверки технического состояния изделия [01009.0]; Основные работы в этой области [01010.0]; Основные технические данные и характеристики [01011.0]; Основные требования к монтажу и эксплуатации [01012.0]; Основные условия поставки [01013.0]; Основные факты, относящиеся к [01014.0]; Основные физические законы [01015.0]; Основные явления, происходящие в [01016.0]; Основным из них является [01017.0]; Останавливаться в основном на [01154.0]; Перечень основных проверок технического состояния изделия [П218.0]; Периодический контроль основных эксплуатационно-технических характеристик [П236.0]; Подтверждать основной вывод о том, что [П845.0]; Попыт-

ки оказались в основном безуспешными [П1314.0]; Представлять в основном академический интерес [П1847.0]; Продиктован в основном [П2731.0]; Происходить в основном [П2819.0]; Решение было сопряжено с основными трудностями [P734.0]; С удвоенной основной частотой [С186.0]; Сводиться в основном к [С323.0]; Связан в основном с [С358.0]; Состоять из основных частей [СИ 16.0]; Существует три основных типа [С1582.0]; Табличка с основными данными [Т6.0]; Уделять основное внимание [У115.0]; Являться основным в [Я20.0]

**основополагающий:** Основополагающая работа [01019.0]; Основополагающий фактор [01018.0]

**основоположник:** Один из основоположников [0517.0]

**основывать:** Нельзя основывать на догадке [Н1321.0]

**основываться:** Основываться исключительно на [01021.0]; Основываться на допущении о том, что [01022.0]; Основываться на допущении [01023.0]; Решение по должно основываться на [P739.0]

**особенно:** Играть особенно важную роль в [И87.0]; Не должен особенно отличаться от [Н831.0]; Необходимость в ... стала особенно настоятельной [Н1403.0]; Особенно в случае [01034.0]; Особенно для [01035.0];

Особенно, если учесть, что [01037.0]; Особенно интересен тем что [01038.0]; Особенно интересно отметить [01039.0]; Особенно кстати, потому что [01040.0]; Особенно нужно отметить, что [01041.0]; Особенно обостряться [01042.0]; Особенно потому, что [01043.0]; Особенно при [01044.0]; Особенно привлекательное свойство для [01045.0]; Особенно справедливо для [01046.0]; Особенно тогда, когда [01047.0]; Особенно точный [01048.0]; Особенно удобен для [01049.0]; Особенно учитывая всеобщую тенденцию к [01050.0]; Особенно ценны [01051.0]; Особенно широкое исследование [01052.0]; Проводить особенно жесткую политику по [П2692.0]; Сказанное особенно верно, если [С508.0]; Сказанное особенно справедливо для (С511.0); Это особенно относится к [Э169.0]; Это особенно справедливо для случая [Э195.0]

**особенность:** А не какая-то особенность [А27.0]; Впечатляющая особенность [В1461.0]; Главная особенность [Г47.0]; Знакомить с особенностями [3579.0]; Измененный с учетом особенностей [И296.0]; Интересная особенность [И608.0]; Конструктивные особенности [К338.0]; Необычная особенность [Н1429.0]; Обратите внимание на следующие особенности [0214.0]; Одна из особенностей [0532.0]; Основные особен-

ности [01004.0]; Особенности эксплуатации в тропических условиях [01054.0]; Существенная особенность [С1555.0]; Характерная особенность [Х18.0]

**особенный:** Особенности упоминания заслуживает то обстоятельство, что [01057.0];

Особенное внимание требуется при [01056.0]; Особенной похвалы заслуживает их [01058.0]

**особо:** В особо неблагоприятной окружающей среде [В630.0]; Если не оговорено особо [Е150.0]; За исключением особо оговоренных [318.0]; За исключением особо указанных случаев [326.0]; За исключением особо упомянутых случаев [327.0]; За исключением случаев, оговоренных особо [324.0]; Особо выделять [01059.0]; Особо опасный материал [01060.0]; Особо отметим, что [01061.0]; Приобретать особо большое значение [П2475.0]

**особый:** Вопрос приобрел особое значение [В 1407.0]; Каких-либо особых проблем не встретилось [К168.0]; Мысль об особой важности [М441.0]; Не уделяется особого внимания [Н1130.0]; Никаких особых предосторожностей не принималось [Н1746.0];

Нуждаться в особом внимании [Н1888.0];

Обладать особыми или уникальными свойствами [086.0]; Обращать на это особое внимание [0218.0]; Обращать особое внимание на то, что [0217.0]; Особого упоминания заслуживает [01069.0]; Особое беспокойство вызывает у конструктора [01065.0]; Особое внимание было обращено на [01066.0]; Особое внимание уделяется [01067.0]; Особое подозрение вызывают [01068.0]; Особую озабоченность вызывают [01071.0]; Особую признательность следует выразить [01072.0]; Особые замечания по эксплуатации изделия и аварийным случаям [01073.0]; Особые отметки [01074.0];

Особые трудности возникают при [01075.0];

Особый интерес представляют [01064.0];

Особым образом [01070.0]; Причем особое внимание обращается на [П2573.0]; Следует соблюдать особую осторожность [С632.0]; Требовать особого обращения [Т440.0]; Уделять особое внимание [У116.0]; Хотя и без особого успеха [Х90.0]

**осознание:** Осознание того, что [01076.0]

**оспаривать:** Оспаривать решение [01077.0]

**осредненный:** Осреднённый по [01078.0]

**оставаться:** В частности, осталось невыясненным [В760.0]; Вопрос ... остается открытым [В1406.0]; Выводы остаются прежними [В 1732.0]; До тех пор, пока остается менее [Д465.0]; Мог остаться [М255.0]; Необходимость по-прежнему оставалась неотложной [Н1407.0]; Нерешенным остается вопрос о том, какой [Н1568.0]; Ничего иного не

остается, как только [Н1767.0]; Но факт остается фактом [Н1817.0]; Общая картина остается прежней [0328.0]; Один вопрос остается открытым [0485.0]; Оставалось лишь [01128.0]; Оставаться без изменений [01081.0]; Оставаться без ответа [01082.0];

Оставаться в работе в течение [01085.0];

Оставаться в резерве на случай [01086.0];

Оставаться в силе [01087.0]; Оставаться в

эксплуатации [01088.0]; Оставаться весьма

перспективным [01089.0]; Оставаться далекой

перспективой [01090.0]; Оставаться конечной [01091.0]; Оставаться на месте [01092.0]; Оставаться на прежнем месте [01093.0]; Оставаться на своих местах [01094.0]; Оставаться невредимым [01095.0];

Оставаться невыясненным [01096.0]; Оста-

ваться незавершенным [01097.0]; Оставаться

незамеченным [01098.0]; Оставаться неиз-

вестным [01099.0]; Оставаться неизмен-

ным по мере [01101.0]; Оставаться непов-

режденным [01102.0]; Оставаться нерешен-

ным [01103.0]; Оставаться неясным [01104.0]; Оставаться открытым [01105.0];

Оставаться под вопросом [01106.0]; Оста-

ваться под напряжением [01108.0]; Оста-

ваться позади [01109.0]; Оставаться пока

под вопросом [01107.0]; Оставаться после

этого постоянным [01111.0]; Оставаться

почти постоянным [01112.0]; Оставаться

прежним [01113.0]; Оставаться стабильным [01114.0]; Оставаться таким же, как в слу-

чае [01115.0]; Остаеся выяснить, в какой

мере [01117.0]; Остаеся выяснить, каким

образом [01118.0]; Остаеся еще найти

связь между ... и [01119.0]; Остаеся наде-

яться, что [01120.0]; Остаеся определить,

является ли [01121.0]; Остаеся ответить на

следующий вопрос [01122.0]; Остаеся пред-

положить, что [01123.0]; Остаеся решить

вопрос [01124.0]; Остаеся спорным [01125.0]; Остаеся только догадываться [01126.0]; Остаются сложными вопросами, нерешенными до сих пор [01127.0]; Решение должно оставаться за [Р736.0]; Теперь, когда позади осталась половина [Т 173.0];

Теперь остается [Т 176.0]; Факт остается

фактом [Ф5.0]; Физический смысл остается

неясным [Ф23.0]

**оставленный:** Оставленный без присмотра [01139.0]; Эта страница преднамеренно оставлена пустой [Э110.0]

**оставлять:** Если на время оставить в стороне другие соображения [Е57.0]; Не оставляет у нас никакого сомнения в том, что если [Н964.0]; Не оставляйте включенным в сеть [Н965.0]; Нельзя оставить без ответа [Н1322.0]; Никогда не оставляйте [Н1754.0];

Оставляет желать много лучшего [01138.0];

Оставлять без изменения [01130.0]; Остав-

- лять в исходном положении [01131.0]; Оставлять впечатление [01132.0]; Оставлять на наше усмотрение [01133.0]; Оставлять на ночь [01134.0]; Оставлять неповрежденным [01135.0]; Оставлять после себя [01136.0]; Оставлять пост председателя [01137.0]; Почти не оставлять сомнения [П1567.0]
- оставшийся:** Оставшаяся часть статьи [01129.0]
- остальной:** А в остальном... [А4.0]; А все остальное оборудование работает нормально [А8.0]; В остальной части обсуждения [В756.0]; В остальной части статьи рассматриваются [В757.0]; В остальном [В286.0]; В остальных отношениях [В313.0]; Во всех остальных отношениях [В310.0]; Все остальные [В 1011.0]; На остальной части поверхности [Н187.0]; Одинаковый в остальных отношениях [0541.0]; Остальная часть [01141.0]; Остальные ... процентов [01144.0]; Остальные размеры по сопряженной детали [01146.0]; При сравнимых в остальном условиях [П2160.0]; Рассматривать отдельно от остальной части [Р469.0]
- останавливать:** Лучше остановить свой выбор на [Л107.0]; Останавливать на продолжительное время [01148.0]; Останавливать работу [01149.0]; Остановить немедленно [01156.0]; Остановить свой выбор на первом [01157.0]
- останавливаться:** На этом не останавливается [Н211.0]; Не должен на этом останавливаться [Н830.0]; Останавливаться в основном на [01154.0]; Останавливаться на вопросе [01152.0]; Останавливаться на наиболее важных вопросах [01153.0]; Останавливаться на следующих параметрах [01155.0]; Подробнее остановиться на [П801.0]; Полностью останавливаться [П1052.0]; Пускаться и останавливаться [П3084.0]; Я остановился на рассмотрении [Я3.0]
- останов:** Вынуждать останов [В1857.0]; Вынужденный останов [В1860.0]; Запланированный останов [3394.0]; Непреднамеренный останов [Н1515.0]; Останов на ремонт [01159.0]
- остановка:** Время остановки [В1530.0]; Выбегать до остановки [В1685.0]; До полной остановки [Д455.0]; Остановка производства на [01160.0]; Резко тормозить до полной остановки [Р635.0]
- остановленный:** Автоматически остановлен из-за... [А68.0]; На остановленном [Н100.0, Н101.0]
- остаток:** Наличный остаток [Н389.0]; Остатки [01161.0]; Удаление остатков [У89.0]
- остающийся:** При всех других условиях, остающихся неизменными [П2055.0, П2155.0]
- остерегаться:** [01162.0]; Следует остерегаться [С608.0]
- осторожен:** Будьте осторожны при [Б359.0]; Будьте осторожны, выполняя следующие операции [Б358.0]; Будьте предельно осторожны [Б360.0]
- осторожно:** Обращаться осторожно [0236.0]; Осторожно обращаться с [01164.0]
- осторожность:** Необходимо проявлять большую осторожность [Н1382.0]; Необходимо соблюдать осторожность при [Н 1383.0]; Но применять их следует с осторожностью [Н1813.0]; Нужно было проявлять большую осторожность [Н1897.0]; При следует проявлять осторожность [П2125.0]; Проявлять осторожность [П3046.0]; Рекомендуется применять с осторожностью [Р681.0]; С осторожностью [С43.0]; С некоторой осторожностью [С44.0]; С предельной осторожностью [С45.0]; Следует обращаться с осторожностью [С606.0]; Следует проявлять большую осторожность [С624.0]; Следует проявлять должную осторожность, принимая [С626.0]; Следует проявлять должную осторожность [С625.0]; Следует проявлять осторожность, сводя к минимуму [С623.0]; Следует соблюдать особую осторожность [С632.0]; Требовать большой осторожности [Т433.0]
- остро:** Особенно остро стоять [01042.0]; Остро нуждаться в [01165.0]
- острота:** Острота проблемы [01166.0]
- остроумный:** Остроумное решение [01167.0]
- острый:** Затупить острые кромки [3504.0]; Не допускаются острые углы [Н845.0]; Острые кромки притупить [01168.0]; Острые углы скруглить радиусом ... мм [01169.0]; Острые углы допускаются [01170.0]; Существует острая необходимость в [С 1576.0]
- осушитель:** Оборудованный осушителем [0162.0]
- осуществимость:** Практическая осуществимость [П1669.0]
- осуществимый:** Не осуществимо в [Н966.0]; Практически осуществимый [П1660.0]; Там, где это практически осуществимо [Т112.0]
- осуществление:** Дата осуществления изобретения [Д131.0]; Доведение изобретения до практического осуществления [Д487.0]; Конкретный пример осуществления изобретения [К321.0]; Осуществление проекта [01172.0]; Препятствовать практическому осуществлению [П2032.0]; Простота осуществления [П2938.0]; Пути осуществления [П3097.0]
- осуществлять:** Осуществлять в полном объеме [01174.0]; Осуществлять единый подход при [01175.0]; Осуществлять идею [01176.0]; Осуществлять контроль за [01178.0]; Трудно осуществить [Т480.0]
- осуществляться:** Мы, фирма Великобритании Бабкок энд Уилкоккс Лтд, настоящим заяв-

ляем изобретение, на которое просим выдать нам патент, и способ, с помощью которого оно осуществляется, подробно изложенный в нижеследующем описании [M440.0]; Осуществляться с помощью [01180.0]; Осуществляться следующим образом [01181.0]; Осуществляться точно по графику [01182.0]; Финансирование работы осуществлялось [F33.0]

**ось:** Вращаться относительно оси [B1504.0]; Выравнивать ось ... с осью [B1937.0]; Длина участка между осями [D294.0]; Масштаб по оси произвольный [M63.0]; Ось калишь [01184.0]; Ось обрабатывать в центрах [01185.0]; Ось симметрии [01186.0]; Откладывать на/по оси абсцисс [01321.0]; Откладывать по/на оси ординат [01322.0]; Параллельность осей отверстий Ж12 и Ж20 по 3-му классу точности [П21.0]; Перекос оси фотоэлемента [П124.0]; Симметрично относительно оси [C484.0]; Становиться параллельным оси абсцисс [C 1397.0]; Удалён от...

по оси [U95.0]; Устанавливать вдоль оси [У449.0]

**отбирать:** Отбирать из [01206.0]; Отбирать пробу [01207.0]; Тщательно отбирать [T513.0]

**отбираться:** отбираться из верхней части [01264.0]

**отбор:** Отбор пробы [01208.0]

**отборочный:** Отборочные испытания [01209.0]

**отбраковка:** [01210.0]

**отбраковывать:** Отбраковывать на ранней стадии изготовления [01211.0]

**отбрасывание:** Отбрасывание малых членов [01212.0]

**отбрасывать:** Отбрасывать вариант [01214.0]; Отбрасывать цифры, стоящие после [01215.0]

**отваливаться:** [01216.0]

**отведенный:** Специально отведенные места [C 1169.0]

**отвергать:** Отвергать возможность [01218.0]

**отверстие:** 3 отверстия Ж12 мм равномерно расположенных по окружности Ж60 мм [01225.0]; 3 отверстия с каждой стороны [01226.0]; Входить в отверстие [B1672.0]; Выталкивать через отверстия [B2008.0]; Долить масло до нижней кромки отверстия под пробку [D600.0]; Заглушить отверстие [3139.0]; Многочисленные отверстия [M226.0]; Намечать отверстие [H410.0]; Отверстие сверлить в случае надобности [01219.0]; Отверстия диаметром 0,4 мм [01220.0]; Отверстия по шаблону [01221.0]; Отверстия под болты [01222.0]; Отверстия под цилиндрический штифт сверлить и развернуть [01223.0]; Отверстия с резьбой [01224.0]; 3 отверстия через 120° [01227.0]; Отклонение от соосности поверхностей относительно отверстия Ж20 мм не более указанного [01334.0];

Параллельность осей отверстий Ж12 и Ж20 по 3-му классу точности [П21.0]; Просверливать отверстия [П2899.0]; Протянуть через отверстие [П2991.0]; Развернуть отверстия под шпильки [P179.0]; Разметка монтажных отверстий [P261.0]; Сверлить совместно с отверстием в корпусе [C273.0]; Следите за соосностью штифта и его отверстия [C583.0]; Совмещать отверстия [C865.0]

**ответ:** В ответ на вопрос [B288.0]; В ответ на запрос [B290.0]; В своем ответе [B291.0]; Давать ответ на вопрос о [D28.0]; Давать ответ на этот вопрос [D29.0]; Давать удовлетворительный ответ [ДЗО.0]; Не давать ответа на вопрос [H818.0]; Нельзя оставить без ответа [H 1322.0]; Необходимо признать, что ответ на этот вопрос пока отсутствует [H1380.0]; Оставаться без ответа [01082.0]; Ответ на вопрос [01232.0]; Ответ на вопрос все еще не найден [01230.0]; Ответ на вопрос облегчается, если мы [01231.0]; Ответ на критику [01233.0]; Ответ на [01228.0]; Полный ответ [П 1077.0]; Получать ответ на [П1155.0]; Прямой ответ на вопрос [П3059.0]; Составлять ответы на запросы [C1087.0]; Уклоняться от прямого ответа [У233.0]

**ответственность:** Взять на себя ответственность [B272.0]; Возлагать на себя всю ответственность за [B 1290.0]; Возлагать ответственность за... на [B1289.0]; Налагать ответственность на ... за соблюдение [H382.0]; Не освобождает от ответственности за [H963.0]; Нести ответственность за [H1642.0]; Нести часть ответственности за то, что [H 1643.0]; Определение ответственности [0808.0]; Освободить от ответственности за конструирование [0923.0]; Ответственность за ... возлагается теперь на пользователя [01235.0]; Ответственность за ... лежит на [01236.0]; Ответственность за нарушение патента [01237.0]; Ответственность поставщика по надзору [01239.0]; Распределять ответственность между [P426.0]; Снимать ответственность с [C785.0]; Снимать с себя всякую ответственность за [C788.0]; Со всей определенностью заявлять об отсутствии ответственности за [C193.0]; Тех, на ком лежит ответственность за [T364.0]

**ответственный:** Быть ответственным за [B319.0]; Должность, фамилия и подпись лица, ответственного за хранение [D595.0]; Лица, ответственные за... должны быть обучены пользованию [L64.0]; Лицо, ответственное за [L63.0]; Ответственное лицо [01241.0]; Персонал, ответственный за выполнение аварийных мер [П249.0]; Фамилия и подпись лица, ответственного за проведение технического обслуживания [Ф17.0]

**отвечать:** Вполне отвечать современному уровню техники [B 1487.0]; Готовы ответить на



любые вопросы [Г107.0]; Делается попытка ответить, хотя и в общем виде, на вопрос [Д217.0]; Надеюсь, что ответил на все Ваши вопросы — [Н277.0]; Не позволяют нам ответить на этот вопрос [Н995.0]; Один из наиболее важных вопросов, на который необходимо ответить [0514.0]; Остается ответить на следующий вопрос [01122.0]; Ответить непросто [01234.0]; Отвечать своему предназначению [01243.0]; Отвечать стандартам [01244.0]; Отвечать техническим условиям [01245.0]; Отвечать требованиям во всех отношениях [01247.0]; Отвечать утвердительно [01248.0]; Отвечать целям [01249.0]; Сначала мы ответим на более простые вопросы [С763.0]

**отвечающий:** Отвечающий за ... перед [01250.0]; Отвечающий нуждам [01251.0]; Отвечающий требованиям [01253.0]

**отвешивать:** [01254.0]

**отвинчивать:** [01255.0]

**отводимый:** Отводимый на долю [01260.0]; Участок, отводимый под строительство [У601.0]

**отводить:** Отводить время на [01257.0]; Отводить место [01258.0]; Отводить на долю [01259.0]; Отводить под [01261.0]; Отводить тепло от [01263.0]

**отводиться:** [01264.0]

**отворачивать:** [01265.0]

**отгибать:** Отогнуть лапки [01475.0]; Отогнуть по месту [01476.0]

**отгружать:** Отгружать в виде одного агрегата [01266.0]; Отгружать в частично разобранном виде [01267.0]

**отгрузка:** Отгрузка [01268.0]; Разрешение на отгрузку [Р324.0]

**отгрузочный:** Отгрузочная ведомость [01269.0]; Отгрузочная спецификация [01270.0]; Отгрузочный лист, вложенный в [01271.0]

**отдаваемый:** Предпочтение, отдаваемое в случае [П1810.0]; Предпочтение, отдаваемое одному... по сравнению с другим [П1811.0]

**отдавать:** В целом отдавалось предпочтение [В743.0]; Необходимо отдавать себе отчет в том, что [Н1369.0]; Отдавать все большее предпочтение [01278.0]; Отдавать должное тому, кто этого заслуживает [01273.0]; Отдавать на отзыв [01274.0]; Отдавать предпочтение перед [01277.0]; Отдавать себе отчет в том, что [01275.0, С609.0]; Отдавать тепло [01280.0]; Отдавать явное предпочтение [01279.0]; Предпочтение было отдано [П 1809.0]; То, что предпочтение было отдано .... а не [Т280.0]

**отдаваться:** Предпочтение отдается [П1812.0]; Явное предпочтение отдается [Я55.0]

**отдаленно:** Отдаленно напоминающий [01281.0]

**отдаленный:** В не столь отдаленном будущем [В14.0]

**отдел:** Отдел снабжения [01282.0]; Отдел технического контроля [01283.0]; Отдел эксплуатации электростанции [01284.0]; Технический отдел [Т218.0]; Эксплуатационно-технический отдел [Э56.0]

**отделение:** Газовое отделение фирмы [Г4.0]; Для экономии времени все заказы на запчасти направляйте в ближайшее отделение или представительство фирмы [Д422.0]

**отдельвать:** Отдельвать под [01291.0]

**отдельно:** Наносить отдельно [Н443.0]; Отдельно для каждого случая [01289.0]; Оценивается в каждом случае отдельно [01638.0]; Рассматривать отдельно от остальной части [Р469.0]

**отдельность:** В отдельности от других [В293.0]; Вместе и по отдельности [В 1153.0]; Действовать по отдельности или вместе [Д185.0]; Каждый в отдельности [КЗО.О]; Определение влияния каждой переменной в отдельности [0806.0]; По отдельности и вместе [П430.0]; По отдельности или вместе [П431.0]; Рассматриваться в отдельности [Р487.0]; Расходы измерялись по отдельности [Р529.0]

**отдельный:** Ведомость запчастей, поставляемых за отдельную плату [В871.0]; Внедрять использование ... на отдельных [В1189.0]; Выполненный в виде отдельного узла [В1911.0]; Заслуживать отдельного глубокого анализа [3443.0]; Заслуживать отдельного рассмотрения [3459.0]; Интерес в отдельных случаях представляет [И602.0]; Надежный при отказе отдельных элементов [Н267.0]; Отдельная задача (01285.0); Отдельный вопрос [01063.0]; Отдельный глубокий анализ [01286.0]; Отдельный документ [01287.0]; Отдельным письмом [01288.0]; Разбиваться на отдельные (Р162.0); Сложение отдельных [С660.0]; Это отдельный вопрос [Э 170.0]

**отделять:** Отделять от [01293.0]

**отдирать:** [01294.0]

**отдых:** Дни отдыха и праздничные дни [Д434.0]

**отечественный:** Отечественная промышленность [01295.0]

**отживать:** Отживать свой век [01296.0]

**отжиг:** Отжиг на твердый раствор [01297.0]; Отжиг при ... "С [01298.0]

**отжимать:** Отжимать от [01300.0]

**отзыв:** Отдавать на отзыв [01274.0]; Положительный отзыв [П1110.0]

**отзывать:** Отзывать заявку [01301.0]

**отзываться:** Одобрительно отзываться [0595.0]

**отк:** Мастер ОТК [М60.0]

**отказа:** Ввергивать до отказа [В827.0]; Дата и время отказа изделия или его составной части [Д123.0]; До отказа [Д453.0]; Затянуть до отказа [3514.0]; На случай отказа [Н148.0]; Надежный при отказе отдельных элемен-

тов [Н267.0]; Неизбежный отказ от [Н1271.0]; Отказ от ... в пользу [01304.0]; Отказ от пункта формулы [01305.0]; Отказ от условия [01306.0]; Предупреждать о возможном отказе [П1909.0]; Приводить к отказу [П2231.0]; Причина отказа [П2575.0]; Причина отказа и исправление [П2583.0]; С учетом всех возможных отказов [С160.0]; Средняя наработка между отказами [С1315.0]

**отказывать:** Включается автоматически, если отказывает [ВЦ 14.0]; Отказывать в праве на [01307.0]

**отказываться:** Еще не наступило время, когда можно будет полностью отказаться от [Е213.0]; От ... вскоре отказались [01189.0]; От ... пришлось отказаться [01193.0]; От него бы отказались [01190.0]; Отказываться от ... в пользу [01309.0]; Отказываться от ... и обращаться к [01311.0]; Отказываться от ... из за [01310.0]; Отказываться от идеи [01312.0]; Отказываться от одобрения [01313.0]; Отказываться от предположения [01314.0]; Решительно отказываться от [Р745.0]

**откачивать:** Откачать воздух из [01315.0]

**откидываться:** Откидываться на петлях [01316.0]

**откладывать:** Откладывать в сторону [01318.0];

Откладывать до бесконечности [01319.0];

Откладывать на два года [01320.0]; Откладывать по [01322.0]

**откладываться:** Откладываться беспорядочно [01323.0]

**отклонение:** Допускаемое отклонение размеров обработанных поверхностей  $\pm 0,013$  мм [Д654.0]; Допускается отклонение [Д662.0]; Допускать некоторые отклонения по [Д661.0]; Допустимое отклонение от расчетного режима [Д669.0]; Заметного отклонения от обычной зависимости не наблюдалось [3290.0]; Отклонение величины угла по отношению к поверхности А не более 0,003 мм [01325.0]; Отклонение от круглой формы [01327.0]; Отклонение от номинального значения [01328.0]; Отклонение от нормы [01329.0]; Отклонение от перпендикулярности поверхностей В и С не более 0,003 мм

[01330.0]; Отклонение от прямолинейности образующих не более 0,01 мм [01331.0];

Отклонение от расчета [01332.0]; Отклонение от соосности поверхностей А, В и С не более 0,02 мм [01333.0];

Отклонение от соосности поверхностей относительно отверстия Ж20 мм не более указанного [01334.0]; Отклонение от условий [01335.0];

Отклонение от установившейся практики [01336.0]; Отклонение поверхности от плоскостности не более 0,02 мм [01337.0];

Приводить к отклонению от [П2232.0]; Работать

с отклонениями от проекта [Р76.0]; Случайные отклонения [С715.0]; Среднеквадратичное отклонение [С 1308.0]; Стандартное отклонение [С1422.0]; Явные отклонения от проекта [Я59.0]

**отклонять:** [01338.0]

**отклоняться:** Значительно отклоняться от [3628.0]; Отклоняться в сторону низких значений [01339.0]; Отклоняться от вертикали [01341.0]; Отклоняться от кривой не более, чем на [01343.0]; Отклоняться от прямолинейной траектории [01344.0];

Стрелка должна отклониться на [С1484.0]

**отключать:** Отключать от сети [01346.0]; Отключать питание от [01348.0]; Отключать по одному [01349.0]; Отключить оборудование от электросети [01347.0]; Отключить потребителей тока [01352.0]

**отключаться:** Отключаться от сети [01351.0]

**отключение:** Аварийное отключение [А56.0]

**отключенный:** Отключен [01353.0]; Проверка при отключенном электропитании [П2626.0]

**отковать:** Отковать заодно с [01354.0]

**открепить:** Открепить, не трогая [01355.0]

**открывать:** Не все открыты в последнее время [Н788.0]; Открывать на ... оборотов [01362.0]; Открывать большие возможности [01359.0]; Открывать возможности для [01358.0]; Открывать заседание, посвященное [01361.0]; Открывать интересные возможности [01360.0]; Открывать новое поле для исследований [01363.0]; Открывать широкие перспективы [01364.0]; Открывать широкие просторы для творческой работы [01365.0]

**открытые:** Положение об открытиях, изобретениях и рационализаторских предложениях—[П1098.0]

**открытый:** [01366.0]; В открытой литературе [В174.0]; Вопрос ... остается открытым [В 1406.0]; Заело в открытом положении [3196.0]; Застреть в открытом положении [3477.0]; Объявлять совещание открытым [0371.0]; Один вопрос остается открытым [0485.0]; Оставаться открытым [01105.0];

Отсутствовать в открытой литературе [01559.0]; Хранение в помещении на открытом воздухе [Х1 12.0]

**откуда:** [01367.0]

**отладка:** Монтаж, отладку и опробование производить в строгом соответствии с рекомендациями, изложенными в инструкции по эксплуатации [М249.0]; Отладка в производственных условиях [01369.0]

**отлаиваться:** [01370.0]

**отливка:** Допускается разностенность отливки в пределах... от толщины стенки [Д664.0];

Отливку тщательно очистить от грязи и формовочной земли [01371.0]

**отлитый:** Отлитый заодно с [01372.0]

**отличать:** Нелегко отличить от [Н1306.0]; Нельзя было отличить от [Н1312.0]; Отличать один от другого [01375.0]; Отличать от ... по [01374.0]; Следует отличать от [С610.0]

**отличаться:** Больше не отличается от [В215.0];

Выгодно отличаться от [В1764.0]; Заметно отличаться от [3297.0]; Значительно отличаться [3629.0]; Коренным образом отличаться от [К380.0]; Мало отличается от [М33.0]; Намного отличаться от [Н428.0]; Насколько бы они отличались, если бы [Н539.0]; Не должен особенно отличаться от [Н831.0]; Не отличается от [Н967.0]; Не отличаться более, чем на [Н968.0]; Не отличаются одно от другого более, чем на [Н969.0]; Невыгодно отличаться от [Н1178.0];

Незначительно отличается от [Н1266.0]; Ничем не отличаться от [Н1776.0]; Отличаться в ... раз [01378.0]; Отличаться в меньшей степени от [01377.0]; Отличаться в среднем на [01380.0]; Отличаться во многих отношениях [01379.0]; Отличаться друг от друга на [01381.0]; Отличаться друг от друга не более, чем в раз [01382.0]; Отличаться друг от друга не более, чем на [01383.0]; Отличаться не более, чем в ... раз [01384.0]; Отличаться не более, чем на [01385.0]; Отличаться не столь коренным образом, как это может показаться [01386.0];

Отличаться от... не более, чем на [01388.0]; Отличаться от ... тем, что [01391.0]; Отличаться от среднего значения не более, чем на [01389.0]; Отличаться от таковых для [01390.0]; Отличаться по внешнему виду от [01393.0]; Отличаться по своей работе [01394.0]; Отличаться по свойствам от [01395.0]; Отличаться по форме от [01396.0];

Отличаться самое большое на [01397.0]; Отличаться совсем ненамного [01398.0]; Отличаться тем, что [01399.0]; Отличаться только тем, что [01401.0]; Отличаться шириной и глубиной [01400.0]; Полностью отличаются от [П 1053.0]; Почти не отличался [П1568.0]; Практически не отличается от [П1650.0]; Резко отличаться от ... своим [Р633.0]; Резко отличаться от [Р632.0]; Результаты практически не отличаются от [Р654.0]; Сильно отличаться от [С476.0]; Слегка отличаться [С574.0]; Существенно отличаться [С1563.0]; Явно отличались от [Я47.0]

**отличающийся:** Значительно отличающийся от [3630.0]; Отличающийся от [01403.0];

Расчетные методы, отличающиеся высокой точностью [Р560.0]; Эти, отличающиеся друг от друга [Э217.0]

**отличие:** В отличие от этого [В296.0]; В отличие от... не [В295.0]; За исключением одного серьезного отличия [317.0]; Иметь несколько существенных отличий [И422.0];

Отличия от только что описанного [01410.0]; Получать диплом с отличием [П1136.0]

**отличительный:** Неопределенность отличительных признаков [Н1451.0]; Отличительная часть формулы изобретения [01405.0]; Отличительная черта [01406.0]; Отличительный признак изобретения [01404.0]

**отлично:** Отлично работать [01408.0]

**отличный:** Любое лицо, отличное от [Л125.0];

Отличный от [01409.0]; Поддерживать в отличном состоянии [П709.0]

**отложение:** Вероятность отложения [В907.0]; Влияние длительной работы ... в условиях коррозии и отложений (В1133.0); Тенденция к образованию отложений [Т147.0]

**отмена:** С правом изменения и отмены [С73.0]

**отменить:** Отменять в последнюю минуту [01412.0]; Отменять заказ [01413.0]

**отметка:** Абсолютная отметка над уровнем моря [А52.0]; Находиться вблизи отметки [Н667.0]; Особые отметки [01074.0]; Отметки о консервации отсутствуют — [01414.0]; Отметки о проведенном ремонте и доработках по указаниям и бюллетеням — [01415.0]; Отметки о проверке правильности ведения формуляра — [01416.0]; Отметки о произведенном ремонте место и дата — [01417.0]; Отметки об устранении неисправностей — [01418.0]; Уклон между отметками [У232.0]

**отмечать** В заключение можно отметить [В121.0]; В связи с этим следует отметить, что [В507.0]; Важно отметить, что [В800.0]; Здесь отметим только, что [3564.0]; Здесь необходимо отметить, что [3565.0]; Интересно отметить, что [И612.0]; Можно отметить [М344.0]; Однако важно отметить тот факт, что [0560.0]; Особенно интересно отметить [01039.0]; Особенно нужно отметить, что [01041.0]; Особо отметим, что [01061.0]; Отметим также и то, что [01421.0]; Отметим также, что [01422.0]; Относительно ... можно отметить, что [01434.0]; Позволяет отметить два момента [П917.0]; Попутно отметим [П1308.0]; Продолжая эту мысль, отметим [П2744.0]; Следует отметить два момента [С612.0]; Следует отметить еще два момента [С613.0]; Справедливости ради в отношении ... отметим, что [С1244.0]; Уместно отметить, что [У286.0]

**отмечаться:** Как отмечалось выше [К100.0];

Как уже отмечалось [К134.0]

**отмечено:** Никак не отмечено было такое достоинство как [Н1735.0]

**отнесение:** Без отнесения затрат на счет [В41.0]

**отнесенный:** Отнесенный к [01455.0]

**отнимать:** Отнимать много времени [01424.0]

**относительно:** Возникли сомнения относительно [В1350.0]; Вопрос относительно [В 1405.0]; Вращаться относительно оси

[B1504.0]; Всеобщее согласие относительно [B1580.0]; Выводы, сделанные относительно [B1735.0]; Вызывать сомнения относительно того, что [B1826.0]; Вызывать сомнения относительно [B1825.0]; Выражаться неуверенно относительно возможности [B1951.0]; Держать в курсе относительно [D263.0]; Допущения, сделанные относительно [D672.0]; За относительно короткое время [35.0]; Изменение относительно (И244.0); Не пришли к выводам относительно проблемы в целом [H1040.0]; Некоторое сомнение относительно того, будет ли [H1297.0]; Один относительно другого [0491.0]; Ориентация относительно [0908.0]; Отклонение от соосности поверхностей относительно отверстия Ж20 мм не более указанного [01334.0]; Относительно ... можно отметить, что [01434.0]; Относительно бесшумный [01431.0]; Относительно исходного значения для [01432.0]; Относительно легко [01433.0]; Относительно не зависит от [01435.0]; Относительно того, как следует рассматривать [01437.0]; Отсутствие единого мнения среди относительно [01548.0]; Почти не было никакого сомнения относительно [П1564.0]; Прав в своем предположении относительно [П1602.0]; Разброс экспериментальных точек относительно среднего; значения составляет [P174.0]; Раскрывающая скобка, объединяя подобные члены и решая относительно [P357.0]; Решая уравнение относительно ..., получаем [P725.0]; Симметричен относительно [C483.0]; Симметрично относительно осевой линии, за исключением указанного [C485.0]; Симметрично относительно оси [C484.0]; Система двух уравнений относительно [C496.0]; Симметричный относительно центра [C734.0]; Споры относительно ... все еще продолжаются [C1197.0]; Этого можно добиться относительно легко [Э204.0]

**относительный:** Иметь относительный характер [И469.0]; Относительная влажность [01425.0]; Относительное расположение кривых [01426.0]; Относительное уменьшение [01427.0]; Относительные достоинства [01429.0]; Относительный объем [01428.0]

**относить:** Может быть отнесен к [M311.0]; Отнесено к [01456.0]; Относить к [01438.0, 01439.0]; Относить к классу [01440.0]; Относить на счет [01441.0, 01442.0]; Относиться к разности [01463.0]; Частично должно быть отнесено на счет [48.0]

**относиться:** В равной степени относятся к случаю [B668.0]; Все еще скептически относятся к [B975.0]; Изобретение относится к [И319.0]; Индекс относится к [И547.0]; К ним относятся [K11.0]; К подобным вопросам нельзя относиться легко [K13.0]; К

числу других преимуществ относятся [K21.0]; К числу примеров такого относятся [K22.0]; Критически относиться к [K496.0]; Настоящее изобретение относится к ... и в частности к [H574.0]; Основное различие относится к [0996.0]; Относиться еще к году [01445.0]; Относиться еще ко времени публикаций [01446.0]; Относиться именно к этой области [01447.0]; Относиться к последнему времени [01448.0]; Относиться критически [01450.0]; Относиться с должным пониманием [01451.0]; Относиться скептически к [01452.0]; Относиться строго говоря к [01453.0]; Первое допущение, которое нужно сделать, относится к [П157.0]; Равным образом относится к [P133.0]; Следует относиться очень критически (С614.0); Термин относится к [Т191.0]; То же самое относится к [Т358.0]; Это относится к [Э171.0]; Это же предупреждение относится и к [Э172.0]; Это особенно относится к [Э169.0]

**относящийся:** В случае, относящемся к [B522.0]; Документация, относящаяся к [D564.0]; Некоторые обобщения, относящиеся к [H1301.0]; Основные факты, относящиеся к [01014.0]; Относящиеся к делу рекомендации, содержащиеся в [01459.0]; Относящийся к делу [01458.0]; Относящийся к новой технике [01460.0]; Относящийся к этой теме [01461.0]; Подробности, относящиеся к ..., опущены для экономии места [П805.0]; Получать некоторые отсутствующие данные, относящиеся к [П1135.0]; Состояние дел, относящихся к [С1109.0]; Справедливо большинство замечаний, относящихся к [С1247.0]; Статьи, относящиеся к [С1441.0]

**отношение:** Аналогичные соображения должны быть справедливы и в отношении [A133.0]; Благодаря внимательному отношению к [B111.0]; В других отношениях [B311.0]; В каком-либо ином отношении [B302.0]; В качественном отношении [B303.0]; В некотором отношении [B304.0]; В остальных отношениях [B313.0]; В отношении влияния, которое [B298.0]; В отношении как ... так и [B299.0]; В отношении того, какой [B301.0]; В том отношении, что [B305.0]; В требуемом отношении [B306.0]; В этом отношении [B307.0]; В этом отношении, по видимому, не было большого выбора [B308.0]; Вести себя нормально во всех отношениях [B945.0]; Во всех остальных отношениях [B310.0]; Во всех отношениях [B309.0]; Во многих отношениях [B312.0]; Выводы, сделанные в отношении [B1735.0]; Высказываться сдержанно в отношении [B1979.0]; Дополнять в том отношении, что [D647.0]; Занимать второстепенное положение по отношению к [3345.0]; Запас по отношению к [3374.0]; Заслуживать отно-

шения со стороны [3454.0]; Иметь некоторое отношение к [И425.0]; Иметь непосредственное отношение к практике [И427.0]; Иметь отношение к данному вопросу [И424.0]; Имеющий отношение к [И512.0]; Имеющий прямое отношение к настоящему исследованию [И513.0]; Инертный по отношению к [И553.0]; Исключение делает-ся в отношении [И667.0]; Какое отношение имеет все это к [К151.0]; Конкурировать с ... в отношении [К328.0]; Лучше в отношении [Л105.0]; Менять положение по отношению друг к другу [М118.0]; Много преимуществ в других отношениях [М197.0]; Может не иметь отношения к [М318.0]; Не имеющий прямого отношения к [Н889.0]; Не являться исключением в этом отношении [Н1150.0]; Невыгодные условия в отношении конкурентоспособности [Н1177.0]; Недоработан в этом отношении [Н1197.0]; Неоднозначность в отношении [Н1438.0]; Неопределенность в отношении [Н1450.0]; Неудовлетворителен в отношении [Н1674.0]; Никаких вопросов в этом отношении не возникло [Н1740.0]; Одинаковые во всех отношениях [0546.0]; Одинаковый в остальных отношениях [0541.0]; Отвечать требованиям во всех отношениях [01247.0]; Отклонение величины угла по отношению к поверхности не более мм — [01325.0]; Отличаться во многих отношениях [01379.0]; Отношение к [01466.0]; Отношение равное [01468.0]; Отношение длины к диаметру [01465.0]; Отношение меньшего диаметра к большему [01467.0]; Отношение равно [01469.0]; Отношение [01464.0, 01470.0]; отношении что [Н1427.0]; Очень перспективен в отношении [01670.0]; Очень удобный в практическом отношении [01673.0]; Пагубный в экологическом отношении [В1507.0]; По отношению к [П432.0]; Позиция занятая по отношению к [П941.0]; Положение по отношению друг к другу [П1099.0]; Превосходить в отношении [П1683.0]; Примечательны в двух отношениях [П2397.0]; Пристрастное отношение к или предубеждение против [П2529.0]; Реакция является обратной по отношению к реакции [Р585.0]; Серьезное отношение со стороны [С440.0]; Справедливости ради в отношении отметим что [С1244.0]; Такое отношение не помогает [Т71.0]; Требовать внимательного к себе отношения [Т434.0]; Требовать очень малого в отношении [Т443.0]; Уведомлять о решении, принятом в отношении [У47.0]; Улучшение в отношении [У246.0]; Устойчив по отношению к [У515.0]; Уступать в отношении [У544.0]; Хуже в отношении [Х129.0]; Эквивалентно в отношении [Э3.0]

**отные:** [01471.0]  
**отнюдь:** Отнюдь не [01472.0]; Отнюдь не означает [01473.0]  
**отобранный:** Отобранные образцы [01474.0]  
**отодвигать:** [01477.0]; Отодвинуть от [01479.0]  
**отодвигаться:** [01478.0]  
**отождествлять:** Отождествлять с [01480.0]  
**отопительный:** Отопительный сезон [01481.0]  
**отопление:** Отопление зданий [01482.0]  
**оторванный:** Оторванный от жизни [01484.0]  
**отпадать:** Необходимость в ... вообще отпадает [Н1401.0]; Необходимость в ... отпадает [Н 1400.0]; Отпадает необходимость в [01486.0]; При этом отпадает необходимость в [П2171.0]; Теперь отпала необходимость [Т 177.0]  
**отпаивать:** Отпаивать от [01487.0]  
**отпираться:** [01488.0]  
**отправка:** [01268.0]; Задержать отправку [3187.0]  
**отправление:** Порядок почтовых отправлений [П1336.0]  
**отправлять:** Отправлять в ремонтную мастерскую [01490.0]; Отправлять по факсу [01491.0]; Отправлять по электронной почте [01492.0]; Отправлять почтой [01493.0]; Отправлять [01489.0]  
**отправной:** Отправная точка [01494.0]; Отправной точкой для послужил [01495.0]  
**отпуск:** Годичный отпуск [Г82.0]  
**отпускать:** Отпускать кнопку [01496.0]; Отпустить переключатель [01497.0]  
**отрабатывать:** Отработать свыше часов [01498.0]  
**отработавший:** Отработавший свой ресурс [01499.0]  
**отработанный:** Количество отработанных часов [К261.0]  
**отражать:** Никак не отражает [Н1736.0]; Отражать различия [01501.0]; Отражать реальное положение дел [01502.0]; Точно отражать [Т392.0]; Хорошо отражают [Х63.0]  
**отражаться:** Изображение отражается на [И317.0]; Как это отразится на [К142.0]; Отражаться на [01504.0]; Отражаться неблагоприятно на (01505.0); Что отразилось в [4157.0]  
**отражение:** Находить отражение в [Н607.0]  
**отрасль:** В отраслях промышленности [В317.0]; В некоторых отраслях промышленности [В316.0]; В отрасли [В314.0]; Ведущие отрасли промышленности [В884.0]; Во всех отраслях промышленности [В315.0]; Отрасль знаний [01506.0]; Отрасль промышленности [01507.0]; Различные отрасли промышленности [Р241.0]  
**отрегулировать:** Неправильно отрегулирован [Н1493.0]; Отрегулировать на [01511.0]; Отрегулировать в соответствии с ТУ [01510.0]; При необходимости отрегулировать [П2099.0]

**отредактированный:** [01512.0]  
**отрезать:** Отрезать длиной [01513.0]  
**отрезок:** За приемлемый отрезок времени [310.0]  
**отремонтированный:** Только что отремонтированный [Т324.0]  
**отрицательно:** Отрицательно влиять [01515.0]  
**отрицательный:** [01514.0], Дробный отрицательный показатель степени [Д746.0]  
**отрицать:** Нелзя отрицать и тот факт, что [Н1324.0]  
**отрыв:** В отрыве от [В318.0]; В отрыве от конкретного применения [В319.0]; Рассматривать в отрыве один от другого [Р453.0]  
**отрываться:** [01516.0]; Оторваться от [01483.0]  
**отрывочный:** [01517.0]  
**отскакивать:** Отскакивать от [01518.0]  
**отслаиваться:** Отслаиваться от [01519.0]  
**отсоединять:** Отсоедините кабель [01525.0]; Отсоединять корпус [01520.0]; Отсоединять от [01522.0]; Отсоединять реле от корпуса [01521.0]; Отсоединять токоподводящие провода [01523.0]  
**отсоединяться:** [01524.0]  
**отсрочивать:** Отсрочивать расходование средств [01526.0]  
**отсрочка:** Отсрочка на один месяц с момента [01527.0]; Отсрочка решения [01528.0]  
**отставание:** Отставание в [01529.0]; Отставание по срокам [01530.0]  
**отставать:** Не отставать от (Н970.0); Отставать в области [01531.0]; Отставать на несколько лет [01532.0]; Отставать от ... и опережать [01534.0]; Отставать от требуемого [01535.0]  
**отстоять:** Отстоять друг от друга на расстоянии [01540.0]; Отстоять на некотором расстоянии от [01537.0]; Отстоять от ... минимум на [01539.0]  
**отстоящий:** Далеко отстоящий один от другого [Д103.0]; Отстоящие друг от друга на расстоянии [01542.0]; Отстоящие друг от друга по окружности на [01543.0]; Отстоящие от ... на расстоянии [01541.0]  
**отступление:** Без отступления от существа и объема изобретения [Б42.0]; Обоснование запроса на отступление [0164.0]; Отступление от рабочих чертежей — [01544.0]; Отступление от формы [01545.0]; Разрешение на отступление [Р325.0]  
**отсутствие:** В отсутствие входного сигнала [В321.0]; В связи с отсутствием [В501.0]; В случае отсутствия [В523.0]; За отсутствием более точных данных [332.0]; Из-за отсутствия в настоящее время [И225.0]; Из-за отсутствия в то время [И226.0]; Или наоборот отсутствие [И342.0]; Испытания в отсутствие представителя заказчика [И753.0]; Мешает отсутствие [М174.0]; Осмотреть колонны и удостовериться в отсутствии

[0945.0]; Отсутствие времени не позволило [01547.0]; Отсутствие единого мнения ... среди ... относительно [01548.0]; Отсутствие масла [01549.0]; Отсутствие новизны [01550.0]; Отсутствие полезности [01551.0]; Отсутствие признаков изобретения [01552.0]; Отсутствие притязаний [01553.0]; Отсутствие раскрытия изобретения [01554.0]; Отсутствие связи между элементами [01555.0]; Отсутствие у них необходимости в [01556.0]; Отсутствие у эксплуатационного персонала опыта по [01557.0]; Полное отсутствие [П1084.0]; При отсутствии упаковочного листа претензии приниматься не будут [П2106.0]; Проверить отсутствие коротких замыканий [П2657.0]; Проверить отсутствие разрывов в [П2658.0]; Проверять отсутствие разрывов [П2643.0]; Свидетельствовать об отсутствии влияния [С298.0]; Свидетельствовать об отсутствии [С297.0]; Случай отсутствия [С708.0]; Со всей определенностью заявлять об отсутствии ответственности за [С 193.0]; Такое отсутствие воспроизводимости [Т72.0]; Тормозиться из-за отсутствия [Т337.0]; Убедиться в отсутствии повреждений [У28.0]; Убедиться путем осмотра в отсутствии [У37.0]; Условие отсутствия [У391.0]  
**отсутствовать:** Был незначительным или вообще отсутствовал [Б362.0]; Было решено, что необходимость в... отсутствует [Б374.0]; В литературе отсутствуют сообщения о [В 172.0]; В настоящее время отсутствует [В54.0]; В природе отсутствует [В406.0]; Влияние отсутствует [В1140.0]; Все еще отсутствует [В972.0]; Данные о ... в литературе отсутствуют [Д112.0]; Данные отсутствуют [Д111.0]; Достаточно полное описание в настоящее время отсутствует [Д691.0]; Зависимость от ... отсутствует [3111.0]; Как если бы ... отсутствовали [К68.0]; Какая-либо определенная зависимость от... отсутствует [К162.0]; Какие-либо ..., по-видимому, отсутствуют [К166.0]; Какие-либо признаки отсутствовали [К167.0]; Когда отсутствует [К235.0]; Необходимо признать, что ответ на этот вопрос пока отсутствует [Н1380.0]; Необходимость в ... отсутствует [Н1402.0]; Неполные или вообще отсутствуют [Н1467.0]; Непосредственное доказательство ... отсутствует [Н1488.0]; Однако... в большинстве... отсутствует [0559.0]; Опасность отсутствовала [0745.0]; Отметки о консервации отсутствуют [01414.0]; Отсутствовать в открытой литературе [01559.0]; Отсутствовать в случае [01560.0]; Отсутствует подача [01561.0]; Отсутствуют доказательства [01562.0]; Перспектива отсутствует [П252.0]; Пока еще отсутствуют [П957.0]; Полностью отсутствовать [П1054.0];

Практически отсутствуют [П 1661.0]; Слу- чаи практически отсутствуют [С712.0]; Со- вершенно отсутствуют [С839.0]; Такая по- грешность в величине ... отсутствует у [Т67.0]; Точные данные по ... отсутствуют [Т384.0]; У ... отсутствует большой интерес к [У9.0]; Угроза отсутствует [У85.0], Уста- новлено, что различие между... отсутствует [У488.0], Чем в случае, когда отсутствует [445.0]; Шумы в измеряемом сигнале отсут- ствовали [Ш45.0]; Эффект практически от- сутствует [Э223.0]

**отсутствующий:** Отсутствующие размеры оп- ределять в соответствии с размерами со- прягаемых деталей [01563.0]; Получать не- которые отсутствующие данные, относя- щиеся к [П1135.0]

**отсчет:** Два последовательных отсчета расхо- дились не более, чем на [Д 147.0]; Начинать отсчет времени [Н718.0]; Отсчет времени [01564.0]; Отсчет по шкале [01565.0]; От- счет с ... значащими цифрами [01566.0]; Плоскость отсчета [П298.0]; Последователь- ные отсчеты [П1411.0]; Система отсчета [С491.0]; Точность отсчета [Т376.0]

**отсчитываемый:** Отсчитываемый по [01569.0]

**отсчитывать:** Отсчитывать от (01567.0); От- считывать по секундомеру [01568.0]

**отсюда:** Отсюда делается вывод [01571.0]; Отсюда можно сделать вывод [01572.0]; Отсюда мы делаем вывод, что [01573.0]; Отсюда напрашивается вывод [01574.0]; Отсюда напрашиваются два вывода [01575.0]; Отсюда понятно, почему [01576.0]; Отсюда появляется мысль [01577.0]; Отсю- да следовало, что [01579.0]; Отсюда следу- ет, что [01578.0]

**оттенок:** Дополнительный оттенок значения [Д625.0]; Оттенки цвета [01580.0]

**отход:** Наблюдается тенденция отхода от [Н221.0]; Отход от существа изображения [01581.0]; Тенденция отхода от [Т151.0]

**отходить:** Отходить на второй план [01582.0]

**отцеплять:** Отцепить от [01583.0]

**отчасти:** Отчасти это объясняли [01585.0]; Эффективно лишь отчасти [Э226.0]

**отчет:** Необходимо отдавать себе отчет в том, что [Н1369.0]; Отдавать себе отчет в том, что [01275.0]; Отчет о научно-исследова- тельской работе [01592.0]; Отчет о новизне [01590.0]; Отчет о проделанной работе [01593.0]; Отчет о работе по [01591.0]; Отчет об исследовании [01587.0]; Отчет об обследовании [01588.0]; Отчет об осмотре [01589.0]; Отчет по эксплуатации и обслу- живанию [01594.0]; Промежуточный отчет [П2844.0]; Следует отдавать себе отчет в том, что [С609.0]; Текущий отчет о [Т126.0]

**отчетливо:** Более отчетливо видны [Б 166.0]

**отчетность:** Проверять отчетность [П2644.0]

**отчетный:** Отчетные данные [01595.0]

**отчитываться:** Отчитываться перед ... о [01596.0]

**отъезд:** Время приезда и отъезда [В1534.0]

**отыскание:** Отыскание повреждений [01598.0]; Отыскание средств [01599.0]

**отыскивать:** [01600.0]

**официально:** Официально извещать за... дней о [01603.0]; Официально назначенный [01604.0]; Официально принятый [01605.0]; Официально уведомить [01606.0]; Оформ- лен официально [01611.0]

**официальный:** Официальный представитель [01602.0]; Существует в ... вариантах на официальных языках [С 1569.0]

**оформление:** Оформление документов [01608.0]; Оформление результатов про- верки [01609.0]; Ускорять оформление зая- вок [У385.0]

**оформленный:** Неправильно оформленный чертеж [Н1494.0]; Оформлен официально [01611.0]

**оформлять:** [01610.0]

**охарактеризовать:** Кратко охарактеризовать [К458.0]; Охарактеризовать по-другому [01612.0]; Полностью охарактеризовать (П 1055.0)

**охватывать:** Охватывать все вопросы, рас- смотренные нами [01614.0]; Охватывать все стороны [01615.0]; Охватывать диапа- зон [01616.0]; Охватывать период времени [01617.0]; Охватывать целую гамму [01618.0]

**охватывающий:** Для ряда последовательных моментов времени, охватывающих всю про- должительность (Д353.0)

**охваченный:** В диапазоне параметров, охва- ченном опытами [В97.0]; Охваченный учас- ток [01619.0]

**охлаждаться:** [01620.0]

**охлаждение:** Вызывая меньшее охлаждение [В1835.0]; Основание для охлаждения [0961.0]; Охлаждение до ... со скоростью [01621.0]; Охлаждение на воздухе до ком- натной температуры [01622.0]; Охлажде- ние с печью [01623.0]

**охотно:** Охотно идти навстречу [01624.0]

**охрана:** Меры по безопасности и охране [М134.0]; Надежная охрана [Н271.0]

**охраноспособность:** Охраноспособность объекта изобретения [01625.0]

**охраняемый:** Изделие, охраняемое патентом [И214.0]

**охранять:** [01626.0]

**оценивать:** Критически оценивать [К497.0]; Нельзя оценить без [Н1325.0]; Объективно оценивать [0360.0]; Оценивать в целом [01628.0]; Оценивать важность для [01629.0]; Оценивать возможное влияние [01630.0]; Оценивать наилучшим образом [01631.0]; Оценивать по достоинству [01633.0]; Оце-

нивать последствия [01634.0]; Оценивать равным [01635.0]; Оценивать эти вопросы [01636.0]; Оценить нелегко [01637.0]; Чтобы оценить важность [4203.0]

**оцениваться:** Оценивается в каждом случае отдельно [01638.0]

**оценка:** Беспристрастная оценка [Б99.0]; Более точная оценка [Б185.0]; Грубая оценка [Г133.0]; Независимая оценка [Н1236.0]; Необходимы для более полной оценки [Н1413.0]; Объективная оценка [0362.0]; Оценка воздействия на окружающую среду [01640.0]; Оценка, выполняемая незаинтересованными лицами [01641.0]; Оценка качества [01642.0]; Оценка потребности в рабочей силе и средства энергообеспечения [01643.0]; Оценка тяжести условий работы [01644.0]; По самым грубым оценкам [П433.0]; При оценке [П2107.0]; Приближенная инженерная оценка [П2183.0]; Расходиться в оценке [Р533.0]; Серьезная оценка [С439.0]; Составляет по оценке [С1100.0]; Способ оценки [С1206.0]; Субъективный характер оценки [С1525.0]; Техническая оценка [Т226.0]; Техноэкономическая оценка [Т213.0]; Уточненная оценка [У571.0]

**очевидно:** [01645.0]; Из вышеизложенного очевидно, что [И148.0]; Совершенно очевидно, что [С840.0]; Совсем не очевидно [С893.0]; Таким образом очевидно, что [Т98.0]

**очевидный:** Необходимость в таком ... становится очевидной, если [Н1405.0]; Очевидное объяснение [01650.0]; Очевидность изобретения [01646.0]; Очевидные трудности, связанные с [01651.0]; Очевидный вывод [01648.0]; Очевидный выход из положения — это ... или [01649.0]; Превосходство было очевидным [П1688.0]; С учетом этих очевидных трудностей [С166.0]; Становиться очевидным [С1395.0, С1396.0]; Это становится очевидным при [Э 197.0]

**очень:** Безусловно очень важный [Б82.0]; В литературе имеется очень мало рекомендаций [В171.0]; В неограниченном количестве и при очень умеренной стоимости [В156.0]; В очень короткие сроки [В636.0]; Величина небаланса оказалась очень малой [В889.0]; Влияние ... не очень сильно выражено [В1136.0]; Все еще очень далеки от цели [В973.0]; Делать очень трудным, если вообще не невозможным [Д229.0]; Если и встречается, то очень редко [Е 124.0]; Если и лучше, то очень ненамного [Е126.0]; Если и обеспечили доказательства, то очень незначительные [Е 125.0]; Если и теряется, то очень немного (Е128.0); Еще одна область, которой уделяется очень мало внимания [Е222.0]; За очень короткий период време-

ни [338.0]; И это очень даже хорошо [И82.0]; Иметь очень небольшое практическое значение [И396.0]; Картина была очень четкой [К185.0]; Ложиться с очень небольшим разбросом [Л96.0]; Мы не очень ошибемся, если скажем, что [М418.0]; Находиться в очень хорошем состоянии [Н653.0]; Не очень хорошо [Н971.0]; Нуждаться в очень серьёзном ремонте [Н 1894.0]; Обходиться очень дорого [0288.0]; Оказываться очень полезным для тех, кто [0680.0]; Очень близкий, но несколько превышающий [01653.0]; Очень близко к [01654.0]; Очень большая гибкость в [01655.0]; Очень большое, большое и небольшое [01656.0]; Очень быстрый [01657.0]; Очень важно [01658.0]; Очень важные требования, которые должны быть выполнены [01659.0]; Очень вероятно, что [01660.0]; Очень затрудняет [01661.0]; Очень и очень редкий [01663.0]; Очень интересные результаты [01662.0]; Очень много общего [01664.0]; Очень напоминать [01665.0]; Очень немногие, по-видимому, знают [01667.0]; Очень облегчается [01668.0]; Очень обнадёживает [01669.0]; Очень перспективен в отношении [01670.0]; Очень понятен всем [01671.0]; Очень сильно зависит от [01672.0]; Очень удобный в практическом отношении [01673.0]; Очень уместный [01674.0]; Очень хорошо использовать для этого [01675.0]; Очень хорошо подходит для [01676.0]; Очень хорошо работает [01677.0]; Очень хорошо согласовывается с [01678.0]; Очень хорошо учитывает [01679.0]; Положение с поставками очень тяжелое [П1102.0]; Различие между ... и ... очень невелико [Р229.0]; Следить очень внимательно за [С582.0]; Следует относиться очень критически [С614.0]; Содержат очень мало или совсем не содержат [С948.0]; Способ, имеющий очень большие преимущества по сравнению с [С1209.0]; Требовать очень малого в отношении [Т443.0]; Уделяется очень большое внимание [У119.0]; Хотя очень может быть, что это происходит из-за [Х1 02.0]; Через очень короткие интервалы времени [469.0]; Это обстоятельство очень важно [Э158.0]

**очередность:** Намечать очередность этапов программы [Н411.0]; Очередность ввода агрегатов [01680.0]; Порядок очередности поставки [П 1335.0]

**очередь:** Агрегаты первой очереди [А81.0]; Будут ... в первую очередь [Б351.0]; В первую очередь необходимо рассмотреть (В323.0); В последнюю очередь [В324.0]; В свою очередь [В325.0, В326.0]; Выходить из строя в первую очередь [В2047.0]; Выяснить в первую очередь [В2090.0]; Для нас в первую очередь важно то, что [Д327.0];



Интересующий нас в первую очередь [И620.0]; Очередь реконструкции [01681.0]; Первая очередь [П54.0]; По очереди [П434.0]; Рассматривать в первую очередь [Р454.0]; Рассматривать каждый из ... по очереди [Р459.0]

**очерк:** Уместно закончить этот биографический очерк о [У285.0]

**очерченный:** [01683.0]

**очерчивать:** Очерчивать контур [01682.0]

**очистка:** Отливку тщательно очистить от грязи и формовочной земли [01371.0]; Очистка от [01686.0]; Очистка строительной площадки [01687.0]; Система очистки [С492.0]

**очищать:** Очищать от [01689.0]; Очищать, промывать, высушивать и протирать [01690.0]; Тщательно очищать от [Т514.0]

**ошибиться:** Мы не очень ошибемся, если скажем, что [М418.0]; Рискует ошибиться [Р751.0]

**ошибка:** Без опасения внести серьезную ошибку [Б39.0]; В пределах ошибки измерения [В393.0]; Величина ошибки [В892.0]; Вносить небольшую ошибку [В1226.0]; Вносить ошибку [В1224.0]; Вносить поправку на ошибку [В 1232.0]; Вносить серьезную ошибку [В1225.0]; Возможные ошибки, вносимые [В1335.0]; Выявлять и устранять ошибки [В2084.0]; Давать ошибку в расчете [Д31.0]; Диапазон ошибок [Д285.0]; Дополнительная ошибка [Д630.0]; Застрахованный от ошибок обслуживающего персонала

[3476.0]; Исключать практически опасность ошибки [И662.0]; Источник ошибок [И811.0]; Метод проб и ошибок [М159.0]; Ошибка, вносимая в результате такого допущения, мала [01692.0]; Ошибка, присущая [01693.0]; Ошибки, связанные с другими измерениями [01694.0]; Полоса статической ошибки верхнего предела измерений [П1122.0]; Предполагаемая ошибка [П1799.0]; Признать свою ошибку, допущенную в [П2313.0]; Расчет по этому методу может давать ошибку, достигающую [Р551.0]; Систематические и случайные ошибки [С501.0]; Содержать ошибку, равную [С945.0]; Устранять систематическую ошибку [У539.0]; Явная ошибка [Я53.0]

**ошибкоустойчивость:** [01695.0]

**ошибочно:** Ошибочно принимать за [01697.0]

**ошибочность:** Ошибочность теории [01702.0]

**ошибочный:** Давать ошибочные результаты [Д61.0]; Если бы ... то можно было бы прийти к ошибочному выводу [Е107.0]; Может дать ошибочные результаты [М274.0]; Ошибочное истолкование [01699.0]; Ошибочное мнение [01700.0]; Ошибочные результаты [01701.0]; Ошибочный вывод [01698.0]; Численные значения ошибочны [495.0]

**ошупь:** На ошупь [Н 102.0]; Пробовать на ошупь [П2609.0]; Теплый на ошупь [Т182.0]

**ошутимый:** Ошутимая выгода [01703.0]; С ошутимым успехом [С 154.0]

## П

**пагубный:** Оказывать пагубное влияние на [0633.0]; Пагубный в экологическом отношении [В1507.0]

**падать:** Возрастает..., а затем падает [В1364.0];  
Падать до нуля [П2.0]; Падать на величину, превышающую [П4.0]; Падать на [П3.0]; Падать ниже допустимого предела [П5.0]; Падать по дуге [П6.0]; Продолжать падать [П2741.0]; Стабильно падает [С1353.0]

**падение:** Падение давления на [П9.0]; Падение напряжения на [П10.0]; Предотвращать падение [П 1773.0]

**паз:** По окружности один паз шириной ... мм [П427.0]

**палец:** Постукивать пальцем [П1493.0]

**паллиативный:** Паллиативный характер [П11.0]

**памятка:** Памятка по обращению с электроприборами [П12.0]

**память:** Всплывать в памяти [В1600.0]; Увеличивать объем памяти на [У62.0]

**панацея** [П13.0]

**панель:** При снятой панели [П2128.0]

**пара:** [П14.0]; Взвешенный в паре [В 1064.0];  
Парами [П 15.0]

**парабола:** Приблизительно по параболе [П2189.0]

**параграф:** Параграф протокола гласит [П16.0]

**парадокс:** Приводить к парадоксу [П2233.0]

**паразитный:** [П17.0]

**параллельно:** Параллельно с ... ведется поиск [П19.0]; Параллельно с этим [0584.0, П20.0];  
Последовательно и параллельно протекающие процессы [П1400.0]; Проводить параллельно [П2690.0]; Расположенный параллельно [Р400.0]; Соединенный параллельно [С970.0]

**параллельность:** Параллельность осей отверстий Ж 12 и Ж20 по 3-му классу точности [П21.0]

**параллельный:** Проводить линию, параллельную [П2683.0]; Работать по параллельной

схеме включения [P68.0]; Расстояние между параллельными гранями [P500.0]; Становиться параллельным оси абсцисс [C1397.0]

**параметр:** В диапазоне параметров, охваченном опытами [B97.0]; Допускаемые колебания параметров процесса (D655.0); Корреляция данных по параметру [K394.0]; Нормирующий параметр [H1861.0]; Останавливаться на следующих параметрах [O1155.0]; Параметры процесса [P22.0]; Параметры, рассчитанные по модели [P23.0]

**параметрический:** Параметрическое исследование [P24.0]

**парный:** [P25.0]

**партия:** [P26.0]; Партиями [P27.0]

**паспорт:** Непросроченный паспорт [H1553.0]; Паспорт на [P28.0]

**паспортный:** Паспортная табличка [P29.0]

**патенту** Ведение дела по заявке на патент [B864.0]; Вопрос о выдаче патента рассматривается [B1401.0]; Выдавать патент [B1768.0]; Дата выдачи патента [D120.0]; Дата истечения срока более ранних по приоритету патентов [D125.0]; Дата истечения срока действия патента [D126.0]; Дата начала срока действия патента [D129.0]; Заявка, по которой принято решение на выдачу патента [3559.0]; Изделие, охраняемое патентом [I214.0]; Исследование срока действия патента [I776.0]; Мы, фирма Великобритании Бабкок энд Уилкоккс Лтд, настоящим заявляем изобретение, на которое просим выдать нам патент, и способ, с помощью которого оно осуществляется, подробно изложенный в нижеследующем описании [M440.0]; Нарушать патент [H514.0]; Обходить патент [O282.0]; Ответственность за нарушение патента [O1237.0]; Патент на промышленный образец — [P30.0]; Подавать заявку на выдачу патента в США [P627.0]; Подпадать под патент [P774.0]; Подпадающий под патент [P775.0]; Получать патент в США [P1156.0]; Портфель патентов [P1328.0]; Продлевать действие патента [P2733.0]; Решение о выдаче патента [P738.0]; Срок действия патента [C1330.0]

**патентный:** Иск о нарушении патентных прав [I641.0]; Исследование патентной чистоты изделия [I780.0]; Нарушение патентных прав [H528.0]; Объект изобретения не предусмотрен патентным законом [O359.0]; Перерегистрировать патентные права [P100.0]; Подавать заявку на изобретение в патентное ведомство [P628.0]; Проверка нарушения патентных прав [P2621.0]

**патентованный:** [P31.0]

**патентоспособность:** Испытание на патентоспособность [I750.0]; Патентоспособность предложения [P32.0]

**патенточистый:** Патенточистое изделие [P33.0]

**первенство:** первенство в конкурентной борьбе! 131.0]

**первичный:** [P34.0]

**первоклассный:** [P35.0]

**первоначально:** [P41.0]; Как намечалось первоначально [K92.0]; По стоимости ниже первоначально планируемой [P487.0]; Потребовалось больше времени, чем планировалось первоначально [P1532.0]

**первоначальный:** В процессе первоначальной [B420.0]; Восстанавливать качество до первоначального уровня [B1437.0]; Первоначальная редакция документа [P40.0]; Первоначальный вариант рукописи [P37.0]; Первоначальный подход к [P38.0]; Хотя может быть это и не входило в первоначальные намерения [X101.0]

**первоочередной:** Выявление первоочередных задач [B2082.0]; Первоочередная задача [P43.0]; Первоочередная цель [P44.0]; Первоочередное дело — это [P45.0]; Статья первоочередной задачей [C1406.0]

**первоочередность:** Определение первоочередности [O809.0]

**первосортный:** В первосортном состоянии [B619.0]

**первостепенный:** Дело первостепенной важности [D246.0]; Задача первостепенной трудности [3170.0]; Иметь первостепенное значение для понимания [I398.0]; Иметь первостепенное значение [I397.0]; Становиться делом первостепенной важности [C1381.0]; Требовать к себе первостепенного внимания [T437.0]; Являться первостепенным [Y21.0]

**первый:** Агрегаты первой очереди [A81.0]; Был, по-видимому, первым кто [B322.0]; Быть одним из первых, кто [B321.0]; Быть первыми в своем роде [B320.0]; В качестве первого приближения [B147.0]; В качестве примера первого из них [B151.0]; В одном из первых опытов [B270.0]; В первом приближении [B402.0]; В первую очередь необходимо рассмотреть [B323.0]; Выдвигать на первый план [B1781.0]; Делать первые шаги [D213.0]; Деление второго на первое дает [D237.0]; Из первых рук [I129.0]; На первое время [H26.0]; На первый взгляд [H13.0]; Одними из первых заинтересовавшихся ползучестью [O539.0]; Первая редакция пояснительной записки [P155.0]; Первое впечатление было, что [P156.0]; Первое, о чем мы подумали [P158.0]; Первое появление [P159.0]; Первое, что хочется сделать это [P161.0]; Первые успехи [P165.0]; Первый из авторов [P147.0]; Первый, кто [P148.0, P162.0]; Первый шаг к пониманию [P151.0]; Первый этап работы [P152.0]; По первому требованию [P435.0]; При первом удобном случае [P2127.0]; С первой по-

пытки [С46.0]; Самые первые работы в этой области [С234.0]

**переезд:** [П169.0]; К переездам допускаются [К12.0]

**перебой:** Кратковременные перебои в (К464.0);  
Перебой в электроснабжении [П70.0]; Работа с перебойми [Р33.0]

**перевешивать:** Другие преимущества намного перевешивают такой недостаток как [Д758.0]; Перевешивать при выборе [П72.0]

**переводить:** Переводить на счёт [П73.0]

**перевозка:** [П74.0]; На время перевозки [Н20.0];  
Организация транспортных перевозок [0903.0]; Экспортная упаковка и перевозка в пределах страны [Э66.0]

**переворачивать:** Катить, а не переворачивать [К199.0]; Переворачивать другим концом [П76.0]

**перегиб:** Точка перегиба кривой [Т371.0]

**переговоры:** Вступать в переговоры с [В1640.0];  
Решать вопросы путем переговоров [Р720.0]

**перегорать:** Перегорела лампочка [П77.0]; Перегорели предохранители [П78.0]

**перегородка:** От перегородок требуется способность [01199.0]

**перегрев:** Перегрев двигателя, о чем сигнализирует лампа на пульте управления [П79.0]

**перегружать:** Чтобы не перегружать график [4195.0]

**перегрузка:** Защита от перегрузки по напряжению [3535.0]; Защищать от перегрузки [3543.0]; Перегрузка в порту [П81.0]; Перегрузка цепи [П82.0]; Сработала тепловая защита от перегрузки [С1276.0]

**перегруппировка:** После перегруппировки [П1361.0]

**перегруппировывать:** Подставляя уравнения и перегруппировывая члены, получим [П834.0]

**перед:** Задача поставленная перед [3171.0]; Задача, стоящая перед [3174.0]; Знак перед скобкой [3576.0]; Не иметь преимуществ друг перед другом [Н882.0]; Непосредственно перед тем, как [Н1481.0]; Отвечающий за... перед [01250.0]; Отдавать на рецензию перед публикацией [01274.0]; Отдавать предпочтение перед [01277.0]; Отчитываться перед ... о [01596.0]; Перед ... все время стоит задача [П86.0]; Перед использованием [П85.0]; Перед окончательной сборкой [П88.0]; Перед самым [П89.0]; Перед тем, как перейти к примерам [П90.0]; Перед тем, как сделать окончательный выбор [П91.0]; Проблема стоит перед конструкторами уже много лет [П2606.0]; Располагаться перед [Р388.0]; Ставить задачу перед [С1356.0]; Стоять перед дилеммой [С1476.0]; Стоять перед опасностью [С1477.0];

**передаваемый:** Нагрузка, передаваемая [Н250.0]

**передавать:** Изымать из эксплуатации и передавать [И332.0]; Передавать копии документов [П195.0]; Передавать в арбитраж [П193.0]; Передавать в руки [П194.0]; Передавать на рассмотрение [П196.0]; Передавать нагрузку на ... через [П198.0]; Передавать ноу-хау в виде [П199.0]; Передавать по радио [П101.0]; Передавать сигналы по [П102.0]; Передавать управление [П103.0]; Передавать энергию [П 104.0]; Смысл которого может быть передан как [С750.0]

**передаваться:** [П105.0]

**передача:** Передача файлов по модему [П106.0]

**передвигать:** [П107.0]

**передвигаться:** [П108.0, П109.0]

**перделка:** [П110.0]; Понадобятся многочисленные перделки [П 1258.0]; Разрешение на перделку [Р326.0]; С перделками [С47.0]

**перделывать:** Перделывать из [П111.0]

**передний:** На переднем плане [Н 104.0]; На переднем рубеже техники [Н 140.0]; Передний конец [П 112.0]; С передней стороны [С113.0]

**передовой:** Воспользоваться достижениями передовой техники [В1419.0]; Самые передовые промышленные методы [С235.0]

**передышка:** [П113.0]

**переименование:** Переименование файла [П114.0]

**перейти:** Быстро перейти к [Б292.0]; Если перейти к еще более частному случаю [Е66.0]; Перед тем, как перейти к примерам [П90.0]; Перейдем теперь к рассмотрению [П202.0]; Прежде, чем перейти к..., уместно сделать следующие замечания [П1956.0]

**перекачивать:** [П115.0]

**перекачиваться:** Перекачиваться в [П 116.0]

**перекидывать:** Перекидывать мостик между [П117.0]

**переключатель:** Главное положение переключателя [Г52.0]; Отпустить переключатель [01497.0]; Поставить переключатель в положение «ВКЛ» [П1443.0]; Установить и удерживать переключатель в положении [У480.0]

**переключать:** Включить ..., затем переключить на [В1116.0]; На ходу не переключать [Н 182.0]; Переключать на автоматический режим работы [П119.0]; Переключать без надобности не разрешается [П118.0]; Переключать с режима на режим [П120.0]

**переключаться:** Переключаться на [П121.0]; Переключаться с ... на [П122.0]

**переключение:** Переключение с... на [П123.0]

**перекос:** Перекос оси фотоэлемента [П124.0]

**перекрывать:** Перекрывать доступ давлению [П125.0]; Экономия в стоимости материала с лишней перекрытой затратой на [Э25.0]

**перекрываться:** [П126.0]

**перелом:** Перелом кривой [П127.0]

**перемежаться:** [П128.0]

**переменный:** Напряжение переменного тока подводится к цепи через [Н491.0]; Независимая переменная [Н1237.0]; Определение влияния каждой переменной в отдельности [0806.0]; Питание от сети переменного постоянного тока — [П266.0]; Производить замену переменной [П2789.0]; С переменным успехом [С155.0]; Уравнение с независимыми переменными [У357.0]

**перемешанный:** Хорошо перемешанный [Х65.0]

**перемешивание:** Дополнительное ограничение, обусловленное перемешиванием [Д635.0]

**перемешивать:** [П130.0]; Хорошо перемешивать (Х6\*0)

**перемещать:** Перемещать в положение пуска [П132.0]; Перемещать зонд [П133.0]

**перемещаться:** Может перемещаться [М292.0]; Перемещаться на некоторое расстояние [П 109.0]; Перемещаться назад [П 135.0]; Свободно перемещаться [С309.0]

**перемещение:** Облегчать перемещение [0109.0]; Перемещение жидкостей запрещается [П136.0]; Перемещение за время [П137.0]; Перемещение на новое место [П138.0]; Транспортировка, хранение и перемещение грузов [Т415.0]

**перемычка:** Соединять перемычками [С961.0]

**переналадка:** [П139.0]

**переносить:** Перенесено из раздела «Е» [П142.0]; Перенести на другой день [П141.0]; Переносить в левую часть уравнения [П145.0]; Переносить в другое место [П144.0]; Переносить дату на более поздний срок [П146.0]; Переносить с ... на [П148.0]

**переоборудовать:** [П149.0]

**переоценить:** Важность ... невозможно переоценить [В776.0]; Невозможно переоценить важность [Н1172.0]; Нельзя переоценить [Н 1326.0]; Трудно переоценить важность [Т481.0]

**переоценка:** Переоценка ценностей [П150.0]

**перепад:** Поддерживать перепад на [П716.0]

**переписка:** Установление деловой переписки [У506.0]

**переписывать:** Переписывать в безразмерном виде [П152.0]; Переписывать в дифференциальной форме [П153.0]; Переписывать уравнение в виде [П154.0]

**переподготовка:** [П155.0]

**перепроверка:** [П156.0]

**переработка:** [П157.0]

**перераспределение:** Перераспределение между [П158.0]

**перерегистрировать:** Перерегистрировать патентные права [П 100.0]

**перерыв:** В течение года без перерыва [В694.0]; Пускать повторно после перерыва [П3083.0]; С перерывом в несколько дней [С20.0]

**пересекать:** [П159.0]

**пересертификация:** [П160.0]

**пересечение:** Точка пересечения [Т372.0]; Угол пересечения [У82.0]

**пересиливание:** [П161.0]

**пересматривать:** [П162.0]; Пересмотреть и дополнить [П163.0]; Пересмотреть решение [П164.0]

**пересмотр:** Нуждаться в пересмотре [Н1889.0]; Подлежать пересмотру [П736.0]; Требовать пересмотра [Т444.0]

**переставать:** До тех пор, пока ... не перестанут прилипать [Д464.0]; Переставать быть справедливым [П167.0]; Совсем перестать работать [С890.0]; Становится настолько ..., что перестает быть [С 1387.0]

**переставлять:** Переставлять на [П169.0]

**перестраивать:** Перестраивать в координатах [П170.0]

**пересчет:** В пересчете на год [В329.0]; В пересчете на нынешние цены [В331.0]; Коэффициент пересчета [К433.0]; Пересчет единиц измерения [П171.0]; Пересчет размеров [П172.0]; Получать обратным пересчетом [П1153.0]

**пересчитанный:** Пересчитанный на большие размеры [П179.0]; Пересчитанный на меньшие размеры [П180.0]

**пересчитывать:** Пересчитывать в ... по формуле [П174.0]; Пересчитывать из ... в [П175.0]; Пересчитывать на реальное значение [П176.0]; Пересчитывать показания ... в показания [П177.0]; Пересчитывать с соблюдением критериев подобия [П178.0]

**пересылать:** Пересылать не позднее [П181.0]; Пересылать рукопись [П 182.0]

**перетягивать:** [П183.0]

**перустанавливать:** [П184.0]

**переход:** Дополнительный выигрыш при переходе к [Д623.0]; Переход был плавным [П186.0]; Переход между [П187.0]; Переход на работу в промышленности [П189.0]; Переход от ... к [П190.0]; Переход с ... на [П191.0]; Переход с одного топлива на другое [П192.0]; При переходе к [П2108.0]; При переходе от ... к [П2109.0]; С переходом от... к [С48.0]; Сделать переход на... по возможности безболезненным [С399.0]; Явно выраженный переход [Я42.0]

**переходить:** Определив ..., можно переходить к [0837.0]; Переходить в [П193.0]; Переходить к [П194.0]; Переходить на другое [П197.0]; Переходить на конструкцию [П198.0]; Переходить на работу в режиме (П199.0); Переходить от... к [П195.0]; Переходить плавно в [П200.0]; Переходить с ... на [П201.0]; Последовательно переходим к ... и [П1401.0]

**переходный:** Переходный период [П203.0]; Переходный процесс [Н1678.0, П204.0]; Пе-

реходный режим [П205.0]; Переходный характер [П206.0]

**перечень:** Вышеприведенный перечень далеко не полон [В2073.0]; Исчерпывающий перечень [И847.0]; Обширный перечень [0292.0]; Ориентировочный перечень [0910.0]; Перечень замеченных печаток [П208.0]; Перечень изделий или их составных частей для периодической проверки органами надзора [П209.0]; Перечень материалов [П210.0]; Перечень можно было бы продолжить [П221.0]; Перечень наиболее часто встречающихся неисправностей [П211.0]; Перечень не является исчерпывающим [П212.0]; Перечень недостающих материалов [П214.0]; Перечень оборудования [П215.0]; Перечень обязательных работ, выполняемых при профилактическом ремонте [П216.0]; Перечень осмотров, проверок и ремонтов — [П217.0]; Перечень основных проверок технического состояния изделия [П218.0]; Перечень приборов и аппаратуры для периодической проверки точности показаний [П219.0]; Перечень работ для различных видов технического обслуживания [П220.0]; Перечень тем не является исчерпывающим [П213.0]; Продолжать перечень [П2742.0]

**перечисленный:** Перечисленные в пункте [П225.0]

**перечислять:** Кратко перечислить [К459.0]; Перечислять в таблице [П223.0]; Перечислять преимущества [П224.0]; Слишком многочисленны, чтобы их можно было здесь перечислить [С652.0]

**периметр:** По периметру [П436.0]; По всему периметру [П437.0]

**период:** Брать средним за период [В276.0]; В более поздний период времени [В336.0]; В период между ... и ... минутами [В332.0]; В период, предшествующий [В333.0]; В течение заданного периода времени [В704.0]; В течение продолжительного периода времени [В707.0]; В тот же период [В338.0]; Вступать в период [В1641.0]; Гарантийный период [Г7.0]; Длительность периода получения покупных изделий [Д313.0]; Длительный период времени [Д307.0]; За период с ... по [З35.0]; К концу периода [К8.0]; Короткий период [К387.0]; Межремонтный период [М85.0]; Начальный период времени [Н710.0]; Охватывать период времени [01617.0]; Переходный период [П203.0]; Период бездействия [П227.0]; Период между капитальными ремонтами [В1529.0]; Период окупаемости [П231.0]; Период приработки [П232.0]; Период работы [П233.0]; Период роста [П234.0]; По истечении некоторого длительного периода времени [П377.0]; Пусконаладочный период [П3085.0]; С периодом [С49.0]; Убытки в начальный период работы [У42.0]

**периодически:** [П241.0]; Проверять периодически [П2645.0]

**периодический:** Вообще не является периодическим [В1377.0]; На периодической основе [Н96.0]; Перечень изделий или их составных частей для периодической проверки органами надзора [П209.0]; Периодические операции [П239.0]; Периодические регламентные работы [П240.0]; Периодический контроль основных эксплуатационно-технических характеристик [П236.0]; Периодический осмотр [П237.0]; Периодическое плановое обследование [П238.0]

**периодичность:** Виды и периодичность технического обслуживания [В 1088.0]; Номенклатура и периодичность работ по техническому обслуживанию [Н 1838.0]; Периодичность и объём освидетельствования — [П242.0]; Периодичность освидетельствования [П243.0]; Периодичность проверки и замены смазки [П244.0]; Периодичность технического обслуживания [П245.0]

**перпендикулярно:** Перпендикулярно плоскости рисунка [П247.0]

**перпендикулярность:** Отклонение от перпендикулярности поверхностей В и С не более 0,003 мм [01330.0]

**перпендикулярный:** Перпендикулярный к [П248.0]

**персонал:** Административно-управленческий персонал [А84.0]; Административный персонал [А85.0]; Были приняты меры к защите персонала от воздействия... [Б366.0]; Входить в компетенцию эксплуатационного персонала [В 1669.0]; Высококвалифицированный персонал [В1989.0]; Застрахованный от ошибок обслуживающего персонала [З476.0]; Непосредственная опасность для персонала [Н1485.0]; Обслуживающий персонал [0258.0]; Обучение персонала [0280.0]; Отсутствие у эксплуатационного персонала опыта по [01557.0]; Персонал, ответственный за выполнение аварийных мер [П249.0]; Руководящий персонал [Р776.0]; Сокращать административный персонал [С983.0]; Технический персонал [Т219.0]; Уровень подготовки персонала [У372.0]; Численность обслуживающего персонала, необходимого для [490.0]; Численность обслуживающего персонала [Ш39.0]; Эксплуатационный и ремонтный персонал [Э50.0]

**перспектива:** Далекая перспектива [Д88.0]; Оставаться далекой перспективой [01090.0]; Открывать широкие перспективы [01364.0]; Перспектива отсутствует [П252.0]; Перспектива на ближайшие ... лет [П251.0]; Реальная перспектива [Р593.0]; Сталкиваясь с перспективой превращения в [С 1371.0]; Экономические перспективы [Э12.0]

**перспективность:** [П253.0]

**перспективный:** Наиболее перспективное направление [Н323.0]; Наиболее перспективны в [Н324.0]; Наиболее перспективный из [Н322.0]; Оставаться весьма перспективным [01089.0]; Очень перспективен в отношении [01670.0]; Перспективен для [П257.0];

Перспективны с точки зрения [П258.0]; Перспективные исследования [П256.0]; Перспективный метод [П255.0]; Представляются перспективными для [П1898.0]; Являться перспективным [Я22.0]

**пескооструить:** Пескооструить и покрыть грунтом, кроме места посадки и разъема [П259.0]

песок: Построено на песке [П1492.0]

**пессимистический:** Давать необоснованно пессимистические результаты [Д60.0]

**петля:** Откидываться на петлях [01316.0]

**печать:** В открытой печати [В174.0]; Выводить на печать [В1744.0];

**печь:** Охлаждение с печью [01623.0]

**пирог:** Сравнить сапоги с пирогами [С1282.0]

**писать:** В то время, когда писалась [В74.0]; Много говорилось и писалось о [М195.0]; О котором много пишут [05.0]; О котором часто пишут как о [06.0]

**письменный:** В письменной форме [В733.0];

Направлять в письменной форме [Н476.0]; Письменное разрешение [П260.0]; Письменный опрос [П261.0]; Положительное письменное заключение [П1113.0]; Представлять в письменной форме для рассмотрения [П1841.0]; С письменного согласия [С50.0]; Согласовывать в письменной форме [С914.0]; Составлен в письменной форме и подписан [С1101.0]

**письмо:** Гарантийное письмо [Г11.0]; Отдельным письмом [01288.0]; Подтверждать получение письма [П851.0]

**питаемый:** [П265.0]

**питание:** Аварийный источник питания [А58.0];

Внешний источник питания [В1195.0]; Источник питания [И812.0]; Обеспечивать резервное батарейное питание в течение [049.0]; Отключать питание от [01348.0];

Питание от сети переменного [постоянного] тока [П266.0]; Питание поступает от [П267.0]; Подключать питание к [П727.0]; С питанием [С51.0]

**питать:** Питаться электроэнергией [П263.0]

**питаться:** Питаться от ... через [П264.0]

**плавающий:** Плавающий срок [П268.0]

**плавкий:** Проверить соответствие плавких предохранителей номинальным значением [П2662.0]

**плавно:** Кривые плавно соединяют точки [К482.0]; Плавно возрастать [П275.0]; Плавно изменять [П276.0]; Плавно переходить в [П277.0]; Плавно сдвинуть до самого [П278.0]

**плавный:** Беспрепятственная и плавная работа [Б97.0]; Переход был плавным [П186.0];

Плавная и бесшумная работа [П270.0]; Плавная кривая, проведенная через точки [П271.0]; Плавное выполнение проекта [П272.0]; Плавное изменение [П273.0]; Проводить плавную кривую через точки [П2684.0]

**план:** В плане [В339.0]; В ретроспективном плане [В340.0]; В теоретическом плане [В341.0]; Выдвигать на первый план [В1781.0]; Запускать план в действие [3419.0]; На заднем плане [Н103.0]; На переднем плане [Н104.0]; Не всё идет точно по плану [Н786.0]; Отходить на второй план [01582.0]; Планы мероприятий [П280.0]; Приступить к выполнению плана [П2531.0]; Составлять план [С1088.0]

**планирование:** Находиться все еще на стадии планирования [Н659.0]

**планировать:** Планировать на [П282.0]

**планироваться:** В ближайшее время не планируется [В43.0]; Ввод ... в эксплуатацию планируется на [В837.0]; Выполнять ..., как это и планировалось [В1882.0]; Начало которых планируется в ближайшем будущем [Н704.0]; Окончание работы планируется на [0702.0]; Окончание строительства планируется в [0703.0]; Планироваться в будущем [П283.0]; Планируется испытание [П284.0]; Планируется ли какая-либо дальнейшая работа с использованием... [П285.0];

Планируется на ближайшее будущее [П286.0]; Планируется немедленно приступить к [П287.0]; Планируется проведение экспериментов [П288.0]; Потребовалось больше времени, чем планировалось первоначально [П1532.0]

**планируемый:** По стоимости ниже первоначально планируемой [П487.0]

**планово-профилактический:** График планово-профилактического ремонта [Г123.0];

Планово-профилактический ремонт [П293.0]

**плановый:** Периодическое плановое обследование [П238.0]; Плановая дата ввода в эксплуатацию [П291.0]; Плановый осмотр [П290.0]; Строительство закончилось на ... дней раньше планового срока [С1510.0]

**плата:** Ведомость запчастей, поставляемых за отдельную плату [В871.0]; Возвращение платы за экзамен [В1278.0]; За плату [339.0];

Ремонт выполняется за плату [Р692.0]

**платеж:** Лицензионные платежи [Л60.0]

**платежеспособность:** [П294.0]

**платежеспособный:** Стать платежеспособным [С1407.0]

**платить:** Цена, которую приходится платить за эти [Ц31.0]

**плашмя:** Не класть плашмя — хрупкий груз [Н898.0]

**пленарный:** Пленарное заседание конференции [П295.0]; Пленарный доклад [П296.0]

**пленка:** Неудовлетворительное качество пленки (Н 1672.0); При разрушении пленки [П2119.0]

**плодотворный:** Область плодотворных исследований [099.0]; Плодотворная совместная работа [П297.0]

**пломбирование:** Маркирование и пломбирование (М51.0)

**плоскостность:** Отклонение поверхности от плоскостности не более ... мм [01337.0]

**плоскость:** В одной плоскости с [В342.0]; В проекции на плоскость (В410.0); В средней плоскости [В343.0]; Взаимно-перпендикулярные плоскости [В1046.0]; Находиться в одной плоскости с [Н634.0]; Перпендикулярно плоскости рисунка (П247.0); Плоскость отсчета [П298.0]; Совмещать в одной плоскости [С864.0]

**плотно:** Плотно обертывать (П302.0); Плотно прилегать к внутренней поверхности [П304.0]; Плотно прилегающий по всей окружности [П306.0]; Плотно уложенные (П307.0); Плотно упакованный [П308.0]

**плотность:** Убедиться в плотности [У29.0]

**плотный:** Плотный график работ (П300.0)

**плохо:** Не включайте ... в плохо проветриваемом помещении [Н772.0]; Не так плохо, как это кажется [Н1103.0]; Плохо влиять [П313.0]; Плохо защищены от воздействия [П314.0]; Плохо согласовываться с [П315.0]; Плохо сопротивляться [П316.0]; Плохо справляясь с [П317.0]; Плохо спроектирован [П318.0]; Работать плохо [Р67.0]; Так же плохо, как и [Т12.0]; Плохо согласовываться с [У161.0]; Это хорошо. Плохо то, что [3201.0]

**плохой:** Вне зависимости от того, хорошие они или плохие [В1177.0]; Иметь плохую репутацию [И445.0]; Не так уж плох в том смысле, что [НИ 10.0]; Оказываться плохим [0677.0]; Плохой доступ к [П310.0]; Плохой контакт или неправильное соединение кабелей [П311.0]

**площадка:** Выбирать строительную площадку [В1702.0]; Очистка строительной площадки [01687.0]; Строительная площадка [С1507.0]; Транспортировать на строительную площадку [Т412.0]; Транспортировка к строительной площадке [Т413.0]

**площадь:** Занимаемая площадь [3357.0]; Занимать большую площадь [3342.0]; Площадь поверхности [П319.0]; Площадь поперечного сечения [П320.0]; Площадь проходного сечения [П321.0]; Производственная площадь [П2799.0]; Размещать на площади (Р265.0); Среднее значение по площади [С 1322.0]

**плюс:** Плюс несколько других [П322.0]; При температуре до плюс ...°С [П2139.0]

**победа:** Победа в конкурсных торгах [П518.0]

**поблагодарить:** Поблагодарить за неослабный интерес и поддержку [П520.0]; Поблагодарить за ценные замечания и полезные обсуждения [П521.0]

**поблизости:** [П522.0]; Находящийся поблизости [Н694.0]; Расположенный поблизости [Р402.0]

**побочный:** В качестве интересного побочного результата укажем, что [В142.0]; Побочный положительный эффект [П526.0]; Побочный продукт [П523.0]; Побочный результат [П524.0]

**побуждать:** Побудили нас провести настоящее исследование [П528.0]

**поведение:** Обусловлено поведением [0276.0]; Основные закономерности поведения [01002.0]

**поверить:** Если верить в то, что [Е68.0]; Поверить в [П529.0]

**поверка:** Данные о поверке измерительных приборов поверочными органами [Д113.0]; Поверка измерительных приборов поверочными органами [П530.0]

**повернуто:** Условно повернуто [У408.0]

**повернутый:** Повернутый на [П532.0]; Правильно повернутый [П1621.0]

**поверочный:** Данные о поверке измерительных приборов поверочными органами [Д113.0]; Поверка измерительных приборов поверочными органами [П530.0]; Поверочный расчет конструкции [П533.0]

**повертывать:** Повернуть в сторону от себя [П546.0]; Повернуть на небольшой угол в том или другом направлении (П549.0); Повернуть в исходное положение [П545.0]; Повернуть на два оборота [П531.0]; Повернуть на четверть оборота [П547.0]; Повернуть рукоятку регулятора по часовой стрелке [П548.0]

**поверх:** [П534.0]

**поверхностный:** Получать поверхностное представление о [П1165.0]; Работа имеет поверхностный характер [Р20.0]

**поверхность:** Биение поверхности диаметра О на длине ... мм от конца вала не более ... мм [В108.0]; Видны на поверхности [В1094.0]; Внутренняя поверхность [В1237.0]; Выбирать из самых различных поверхностей [В1692.0]; Выступать над поверхностью (В1997.0); Дайте поверхности как следует высохнуть [Д72.0]; Допускаемое отклонение размеров обработанных поверхностей  $\pm 0,013$  мм [Д654.0]; Заданный заподлицо с поверхностью [3183.0]; Лицевой поверхностью вниз [Л62.0]; На остальной части поверхности [Н187.0]; На поверхности раздела (Н105.0); На расстоянии ... от поверхности [Н131.0]; Наружная поверхность (Н508.0); Необработанные поверхности загрунтовать с последующей окраской

[Н 1361.0]; Неоговоренные поверхности обработать до С5 [Н1433.0], Обработанная поверхность [0189.0]; Отклонение величины угла по отношению к поверхности не более ... мм [01325.0]; Отклонение поверхности от плоскостности не более мм [01337.0]; Плотно прилегать к внутренней поверхности [П304.0]; Площадь поверхности [П319.0]; Поверхность, обращенная кверху [П537.0]; Поверхность раздела между [Г112.0]; Поверхность с указанной чистотой обработать после сварки [П^36.0]; Повреждение поверхности [П559.0]; Подготовка поверхности [П699.0]; Протирать наружную поверхность [П2983.0]; Торцевая поверхность [Т340.0]; Чистота обработки поверхности (4109.0); Шероховатость поверхности [Ш10.0]; Шлифовать поверхность шкуркой [Ш35.0]

**по-видимому:** Логично, по-видимому предположить, что [Л91.0]; Не должно, по-видимому, повлечь за собой [Н836.0]; Недостаточно, по-видимому, освещен в литературе [Н1209.0]; Объясняется это, по-видимому, тем, что [0385.0]; Очень немногие, по-видимому, знают [01667.0]; По-видимому, вполне уместно [П331.0]; По-видимому, можно сказать [П335.0]; По-видимому, не приносит пользы [П341.0]; По-видимому, опасно [П336.0]; Существует, по-видимому, некий порог, выше которого [С1577.0]

**повлечь:** Не должно, по-видимому, повлечь за собой [Н836.0]; Повлечь за собой замену на [П539.0]

**повлиять:** И возможно не повлияет на [И16.0];

И вряд ли сильно повлияют на [И18.0];

Сильно повлиять на выбор [С477.0]

**повод:** Высказывать опасения по этому же поводу [В1972.0]; По поводу этого обстоятельства [П438.0]; Повод для исследования [П540.0]; Сообщите, что Вы думаете по этому поводу [С 1002.0]; Этот же вопрос можно задать по поводу [Э102.0]

**поворачивать:** Поворачивать на ... градусов [П542.0]; Поворачивать на полный оборот [П543.0]; Поворачивать на угол [П544.0]

**поворот:** Поворот на угол [П551.0]; Поворот против часовой стрелки и по часовой стрелке [П552.0]

**поворотный:** Поворотный момент в истории [П554.0]

**повредить:** Не повредите резьбу [Н972.0]; Необходимо следить за тем, чтобы ... не повредил [Н1389.0]; Старайтесь не повредить [С 1427.0]

**повреждение:** Защищать от случайных повреждений [3547.0, П 1783.0]; Кратковременная работа с ... не приводила к каким-либо повреждениям в [К461.0]; Местные повреждения [М 139.0]; Наносить повреж-

дение [Н444.0]; Неправильное повреждение [Н1470.0]; О любых повреждениях немедленно сообщите [09.0]; Отыскание повреждений [01598.0]; Повреждение или порча (П557.0); Повреждение, обусловленное внешними причинами [П558.0]; Повреждение поверхности [П559.0]; Получать повреждение [П1157.0]; Предотвращать повреждение от чрезмерного [П1774.0]; Предотвращать повреждение при неудачном [П1775.0]; Скрытые повреждения [С560.0]; Убедиться в отсутствии повреждений [У28.0]; Устранять повреждение [У538.0]

**поврежденный:** [П560.0, П561.0]; Повреждена [П555.0]

**повседневно:** Использоваться повседневно [И727.0]

**повседневный:** В повседневной жизни [В111.0]; На повседневной основе [Н97.0]; Повседневная работа [П563.0]

**повсеместно:** Повсеместно использоваться [П564.0]; Повсеместно используются инженерами [П565.0]; Повсеместно принято [П566.0]

**повсеместный:** Приобретать почти повсеместное распространение [П2490.0]; Стало повсеместным [С1413.0]

**повсюду:** [П567.0]

**повторение:** Настолько хорошо известны, что вряд ли нуждаются в повторении [Н566.0]

**повторно:** Использовать повторно [И704.0];

Могут быть использованы повторно [М260.0]; Повторно включить [П570.0]; Повторно присоединить [П571.0]; Пускать повторно после перерыва [П3083.0]

**повторный:** Для повторного использования [Д347.0]; Облегчать монтаж при повторной сборке [0108.0]; Повторное использование при строительстве [П583.0]; Повторный пуск [П582.0]

**повторять:** Вышеописанную процедуру повторять для других [В2071.0]; Повторим, что [П580.0]; Повторять в точности [П573.0]; Повторять его нет необходимости [П574.0]; Повторять еще дважды [П575.0]; Повторять опыт [П576.0]; Повторять с частотой [П577.0]; Повторять те же самые операции [П578.0]; Повторять форму [П579.0]; Полностью повторять [П1056.0]

**повторяться:** [П581.0]; И повторяется [И72.0];

Подробно обсуждались в ... и здесь повторяться не будут [П796.0]; После это не повторялось [П 1382.0]

**повышать:** Еще более повышать доверие к [Е195.0]; Повышать интерес к [П585.0]; Повышать КПД [П586.0]; Повышать напряжение до [П587.0]; Повышать номинальную мощность [П588.0]; Повышать производительность труда [П589.0]; Повышать уверенность в [П590.0]



**повышаться:** Точность расчетов повышается благодаря тому, что [Т377.0]

**повышение:** Мало что дает для повышения [М38.0]; Основное препятствие на пути повышения [0992.0]; Повышение коэффициента [П592.0]; Повышение температуры [П593.0]; С повышением [С54.0]; Служить стимулом для повышения [С703.0]; Способствовать повышению интереса к ним [С1230.0]

**повышенный:** Повышенная температура [П595.0]; Предъявлять повышенные требования к [П1939.0]

**погашать:** Погашать банковскую ссуду [П596.0]

**поглощать:** Поглощать избыточную мощность [П597.0]

**погодный:** Защита от погодных воздействий [3536.0]; Защищен от погодных воздействий [3549.0]; Хранить в защищенном от неблагоприятных погодных условий месте [Х1 17.0]

**погрешность:** Анализ погрешностей измерений [А116.0]; В пределах погрешности [В394.0]; Определять с погрешностью [0834.0]; Погрешность в [П599.0]; Погрешность измерения [П600.0]; Погрешность, не превышающая [П601.0]; Пределы погрешности (П1718.0); С точностью, не выходящей за пределы погрешности измерений [С138.0]; Содержать большую погрешность [С939.0]; Такая погрешность в величине отсутствует у [Т67.0]

**погружать:** Погружать на глубину... в [П602.0]

**погрузка:** Во время погрузки [В35.0]

**погрузочно-разгрузочный:** Погрузочно-разгрузочные работы [П603.0]

**подавать:** Заявка подана в Австралии ... июля [3558.0]; Подавать апелляционную жалобу на [П625.0]; Подавать жалобу на... в [П626.0]; Подавать заявку на выдачу патента в США [П627.0]; Подавать заявку на изобретение в патентное ведомство [П628.0]; Подавать надежды [П629.0]; Подавать напряжение на вход [П632.0]; Подавать под давлением [П633.0]; Подавать рекламу [П634.0]; Подавать сигнал [П635.0]

**подаваться:** Подаваться через [П637.0]

**подавлять:** [П638.0]

**подавляющий:** [Д768.0]; Подавляющее большинство [П639.0]

**податливый:** [П640.0]

**подача:** Бесперебойность подачи [Б89.0]; Выключена подача [В1850.0]; Дата подачи полного описания изобретения 15 июля 1970 г. [Д132.0]; Непрерывная подача [Н1530.0]; Отсутствует подача [01561.0]; Подача заявки [П641.0]

**подающий:** Подающий надежды (П630.0)

**подбирать:** Подбирать равной [П646.0]; Подбирать друг к другу для (П643.0); Подбирать

кривую для экспериментальных точек [П644.0]; Подбирать масштаб [П645.0]; Подбирать по [П647.0]

**подбор:** Подбор кадров [П649.0]

**подвергаемый:** Подвергаемый действию [П670.0]

**подвергать:** Изделие подвергнуто консервации на... согласно требованиям, предусмотренным инструкцией по эксплуатации [И215.0]; Могут быть подвергнуты критике [М263.0]; Можно подвергнуть сомнению [М345.0]; Не подвергая риску [Н973.0]; Подвергать воздействию [П650.0, П651.0]; Подвергать критике [П652.0]; Подвергать критическому анализу [П653.0]; Подвергать обработке [П654.0]; Подвергать опасности работу [П656.0]; Подвергать риску [П657.0]

**подвергаться:** Легко подвергаться [Л19.0]; Подвергаться изменениям по сравнению с [П659.0]; Подвергаться модернизации (П662.0); Подвергаться критике [П660.0]; Подвергаться многочисленным проверкам [П661.0]; Подвергаться опасности [П666.0]; Подвергаться ряду воздействий [П658.0]; Подвергаться сомнению [П667.0]; Подвергаться специальной обработке [П663.0]; Подвергаться термообработке [П664.0]; Подвергаться циклическому [П668.0]; Подвергаться черновой обработке с припуском [П665.0]; Подвергнется впоследствии [П669.0]

**подвергающийся:** Подвергающийся воздействию [П671.0]

**подверженность:** [П674.0]

**подверженный:** [П673.0]; В наименьшей степени подвержен влиянию [В663.0]

**подвешенный:** Подвешен к [П675.0]; Подвешенный к [П676.0]; Подвешенный над [П677.0]

**подвинуть:** Подвинуть немного [П678.0]

**подвод:** Подвод тепла к [П680.0]; Прекращать подвод энергии [П1990.0]

**подводимый:** Мощность, подводимая к (М400.0); Установить уровень подводимой мощности, равный [У487.0]

**подводить:** Подводить давление к [П681.0]; Подводить напряжение к [П682.0]; Подводить напряжение через ... к [П683.0]

**подводиться:** Напряжение переменного тока подводится к цепи через [Н491.0]; Напряжение сети подводится к [Н492.0]

**подгонка:** Подгонка на глаз [П685.0]; Подгонка под [П686.0]

**подгонять:** Подгонять друг к другу [П688.0]; Подгонять к экспериментальным точкам [П689.0]; Точно подгонять [Т396.0]

**подготавливать:** Подготавливать для [П692.0];

Подготавливать к производству [П693.0];

Подготавливать основу для [П694.0]; Подготавливать рукопись к публикации [П695.0]

**подготовительный:** Подготовительная работа [П696.0]; Подготовительный этап [П697.0]

**подготовка:** Подготовка к зиме [П701.0]; Подготовка поверхности [П699.0]; Подготовка прибора к работе — [П700.0]; При подготовке к [П2110.0]; Программа подготовки [П2710.0]; Специальная подготовка в области [С1165.0]; Уровень подготовки персонала [У372.0]

**подгруппа:** [П702.0]

**подаваться:** Легко поддаваться анализу [Л21.0]; Не поддаваться воздействию [Й975.0]; Не поддаваться измерению [Н976.0]; Не поддаваться искушению [Н977.0]; Не поддаваться объяснению [Н978.0]; Поддаваться качественному исследованию [П704.0]; Поддаваться лечению [П705.0]; Поддаваться обработке [П706.0]; Поддаваться расчету [П707.0]

**подающийся:** Не поддающийся определению [Н979.0]; Не поддающийся решению [Н980.0]

**поддержание:** Мера предосторожности по поддержанию [М125.0]; Недостаточно для поддержания [Н1208.0]

**поддерживать:** Важно поддерживать постоянный контакт с [В801.0]; Поддерживать в отличном состоянии [П709.0]; Поддерживать в хорошем состоянии [П710.0]; Поддерживать минимальным [П711.0]; Поддерживать на заданном уровне [П712.0]; Поддерживать на заранее выбранном уровне [П713.0]; Поддерживать не выше [П714.0]; Поддерживать перепад на [П716.0]; Поддерживать постоянным [П717.0]; Поддерживать предложение [П718.0]; Поддерживать при постоянной температуре [П719.0]; Поддерживать равным [П720.0]; Поддерживать смоченным [П721.0]; Точно поддерживать [Т397.0]

**поддержка:** Без вашей поддержки и сотрудничества наш успех невозможен [Б 13.0]; Высказываться в поддержку [В1976.0]; Находить поддержку у [Н608.0]; Поблагодарить за неослабный интерес и поддержку [П520.0]; Получать поддержку и признание [П1170.0]; При финансовой поддержке со стороны [П2163.0]

**поддон:** Снять с поддона [С795.0]

**поделенный:** Поделенный на [П722.0]

**поделиться:** Поделиться некоторыми соображениями [П723.0]

**подключать:** Подключать к работе [П725.0]; Подключать к сети [П726.0]; Подключать питание к [П727.0]; Подключить вольтметр к клеммам [П729.0]

**подключаться:** Подключаться к работе в этой области ненадолго [П728.0]

**подключенный:** Не подключен к сети [Н981.0]; При подключенном электропитании [П2166.0]

**подкреплять:** Подкреплять выводы [П731.0]; Подкреплять результаты [П732.0]; Подкреплять теоретические расчеты [П733.0]; Подкреплять точку зрения [П734.0]

**подлежать:** Вся работа подлежит контролю и приемке со стороны продавца [В961.0]; Использование не подлежат [И692.0]; Не подлежат разборке [Н982.0]; Подлежать пересмотру [П736.0]; Подлежать подтверждению [П737.0]; Подлежать рассмотрению на [П739.0]; Подлежит рассмотрению и утверждению со стороны заказчика (П738.0); Счет-фактура подлежит оплате без скидки [С1608.0]

**подлежащий:** Ведомость дефектов, подлежащих устранению силами поставщика [В868.0]; Подлежащий обработке [П741.0]; Подлежащий прокатке [П742.0]; Подлежащий рассмотрению [П743.0]; Подлежащий сопоставлению с [П744.0]; Подлежащий хранению [П745.0]

**подлинно:** Подлинно выдающееся достижение [П750.0]

**подлинный:** Находиться на подлинном подъеме [Н670.0]; Подлинные условия [П747.0]; Подлинным испытанием для ... является [П748.0]; С подлинным верно [С55.0]

**подменять:** никоим образом не подменяет [Н 1760.0]

**поднимать:** Поднимать в горизонтальном положении [П752.0]; Поднимать вопрос [В1778.0, П753.0]; Поднимать давление [П755.0]; Поднимать здесь [П756.0]; Поднимать массу вопросов [П754.0]; Поднимать строго по вертикали [П757.0]

**подниматься:** Подниматься на более высокий энергетический уровень [П759.0]; Подниматься на новую ступень технического развития [П760.0]

**поднятый:** Вопросы, поднятые в [В1411.0]

**подобаяющий:** Подобаяющее ему место [П761.0]

**подобие:** [П762.0]; Всякое подобие ... исчезает [В1654.0]; Закон подобия [3250.0]; Критерий подобия [К485.0]; Описание подобия [0772.0]; Пересчитывать с соблюдением критериев подобия [П178.0]; Сохранять подобие [С1134.0]; Уравнение подобия [У355.0]

**подобно:** Вести себя подобно [В946.0]; Действовать подобно [Д186.0]; Подобно другим [П767.0]; Подобно тому, как это происходит при [П769.0]; Подобно тому, как [П768.0]

**подобный:** Вести себя подобным [В947.0]; Во всем подобен [В82.0]; Впервые в подобного рода исследованиях [В1451.0]; И тому подобное [И66.0]; К подобным вопросам нельзя относиться легко [К13.0]; Подобный этому [П764.0]; Раскрывая скобки, объединяя подобные члены и решая относительно [Р357.0]; Статья, подобная этой [С1436.0]

**подобранный:** Подобранный комплект [П648.0]

**подогнан:** Подогнаны друг к другу [П690.0]

**подозревать:** Мы подозреваем, что [М429.0];  
Не подозревая о [Н983.0]

**подозрение:** Если есть подозрение, что [Е51.0];  
Особое подозрение вызывают [01068.0];  
Подтверждать подозрения [П850.0]; Существует подозрение, что [С1578.0]; У нас появилось подозрение, что [У5.0]

**подозрительно:** Оказываться подозрительно высоким [0678.0]

**подозрительный:** [П770.0]; Несколько подозрительный [Н1592.0];  
^подоплека: [П771.0]

**подотчетен:** [П772.0]

**подотчетный:** Быть подотчетным [Б323.0]

**подоходный:** Прибыль за вычетом подоходного налога [П2196.0]

**подпадать:** Не подпадать под определение [Н984.0]; Подпадать под категорию [П773.0];  
Подпадать под патент [П774.0]

**подпадающий:** Подпадающий под патент [П775.0]; Подпадающий подраздел [П776.0]

**подписать:** [П777.0]

**подписание:** Со дня подписания [С 194.0]

**подписать:** От... протокол подписал [01195.0];  
Подписан должным образом [П778.0]; Подписано полномочным представителем [П779.0]; Составлен в письменной форме и подписан [С 1101.0]

**подписка:** Возобновлять подписку [В1355.0]

**подписывающий:** Должность подписывающего лица [Д594.0]

**подпись:** Без подписи второй стороны не действителен [Б43.0]; Должность, фамилия и подпись лица, ответственного за хранение [Д595.0]; Не действителен без подписи второй стороны [Н825.0]; Подписи и дата [П781.0];  
Подпись под рисунком [П782.0]; Фамилия и подпись лица, ответственного за проведение технического обслуживания [Ф17.0]

**подпрограмма:** Вернуться из подпрограммы к оператору [В901.0]

**подравнивать:** [П783.0]

**подражание:** Имеющий множество подражаний [И509.0]

**подразделять:** Подразделять на [П784.0]

**подразделяться:** Дополнительно подразделяться на [Д616.0]; Подразделяться на группы [П785.0]; Подразделяются по типу на [П786.0]

**подразумеваемый:** Подразумеваемый в случае [П790.0]

**подразумевать:** [П787.0]

**подразумеваться:** Косвенно подразумеваться [К404.0]; Неявно подразумевается [Н1688.0];  
Обычно подразумевается, что [0411.0]; Под этим подразумевается следующее [П623.0]; Подразумевается наличие [П788.0]; Подразумевается, что [П789.0]

**подрегулировка:** Индивидуальная подрегулировка [И551.0]; Не нуждаться в дальнейшей

подрегулировке [Н932.0]; Подрегулировка в ходе процесса [П792.0]

**подробнее:** Подробнее остановиться на [П801.0]; Рассматривать несколько подробнее [Р472.0]; Этот вопрос будет рассмотрен подробнее ниже [Э98.0]

**подробно:** Более подробно о ... говорится в... [Б168.0]; Более подробно описаны в [Б169.0];

Более подробно этот вопрос рассмотрен в [Б170.0]; Довольно подробно [Д509.0]; Исследовать более подробно [И796.0]; Как мы вскоре подробно покажем [К87.0]; Как это будет показано более подробно несколько позже [К106.0]; Мы не будем здесь говорить подробно о [М412.0]; Не позволяет подробно рассмотреть [Н990.0]; Подробно и неоднократно [П794.0]; Подробно излагать [П795.0];  
Подробно обсуждались в ... и здесь повторяться не будут [П796.0]; Подробно описанный [П798.0]; Подробно описывать [П797.0];  
Подробно рассматривать [П799.0]; Попытка подробно обсудить численные результаты [П1311.0]; Рассматривать более подробно несколько позже [Р471.0]

**подробность:** Вдаваться в подробности [В850.0];  
Все подробности [В1012.0]; Мелкая подробность (М89.0); Не вдаваться в подробности [Н766.0]; Не вдаваясь в подробности (Н767.0);  
Подробности приведены в [П807.0]; Подробности анализа приведены в работе [П802.0]; Подробности, касающиеся ..., приведены на [П803.0]; Подробности можно найти в [П804.0]; Подробности, относящиеся к ..., опущены для экономии места [П805.0]; Подробности получения решения опущены [П806.0]; Подробности смотри в тексте [П808.0]; Подробности того, как [П809.0]; Показывать в подробностях [П977.0]; Прежде чем углубиться в подробности [П 1963.0]; С подробностями можно ознакомиться в работе [С56.0]; Скрывать подробности от [С558.0]

**подробный:** Заслуживать подробного анализа [3444.0]; Заслуживать подробного исследования [3450.0]; Подробная картина [П815.0]; Подробное описание изобретения [П816.0]; Подробное определение [П817.0]; Подробные данные [П818.0]; Подробный анализ не понадобится [П811.0]; Подробный вывод [П812.0]; Подробный обзор соответствующей литературы [П813.0]; Подробный указатель (П814.0)

**по-другому:** Охарактеризовать по-другому [01612.0]

**подрывать:** Подрывать доверие к [П819.0]

**подряд:** Дольше чем ... подряд [Д310.0]

**подрядчик:** [П820.0]; В обязанности подрядчика входит использование [В267.0]; Генеральный подрядчик [Г33.0]; Главный подрядчик [Г45.0]

**подсказывать:** [П821.0]; Здравый смысл подсказывает, что [3569.0]; Логика подсказывает [Л86.0];

**подсоединять:** Подсоединять к сопротивлению [П824.0]; Подсоединять к [П823.0]; Подсоединять между ... и [П825.0]

**подсос:** [П826.0]

**подставлять:** Подставлять глаза [П828.0]; Под-  
ставлять назад [П829.0] .

**подставляя:** Подставляя из ...в..., получаем [П830.0]; Подставляя из уравнения [П831.0], Подставляя .... получаем [П832.0], Подставляя уравнение (...) в уравнение [П833.0]; Подставляя уравнения ... и перегруппировывая члены, получим [П834.0]

**подстановка:** Обратная подстановка [0204.0]; Подстановка вместо [П837.0]; Подстановка из... в ...дает [П838.0]; Подстановка величин ... из ... в ... дает [П836.0]; Подстановка уравнения ... в уравнение ... дает [П840.0]; Что после подстановки в ... дает [4159.0]

**подстраховка:** Для подстраховки [Д378.0]

**подсчет:** [П841.0]

**подсчитывать:** Подсчитывать по [П842.0]

**подтвердился:** Это подтвердилось на практике [Э174.0]

**подтверждать:** Документально подтверждать [Д558.0]; Дополнительно подтверждать [Д617.0]; Лишний раз подтверждает правоту [Л179.0], Многократно подтверждать [М215.0]; Нельзя ни подтвердить, ни опровергнуть [Н1318.0]; Подтверждать вывод [П844.0]; Подтверждать документально [П847.0]; Подтверждать необходимость [П848.0]; Подтверждать обоснование необходимости проведения [П849.0]; Подтверждать основной вывод о том, что [П845.0]; Подтверждать подозрения [П850.0]; Подтверждать получение письма [П851.0]; Подтверждать правильность [П852.0], Подтверждать правомочность применения [П853.0]; Подтверждать предположение [П854.0]; Подтверждать пригодность [П855.0]; Подтверждать согласие на [П856.0]; Подтверждать справедливость [П857.0]; Подтверждать тем самым, что [П859.0]; Подтверждать точку зрения о том, что [П858.0]; Подтверждать этот вывод [П846.0]; Проверка подтвердила [П2624.0]; Прошу подтвердить получение [П2903.0]; Частично подтверждать [45.0]; Что касается предположения о ... то последующие исследования его не подтвердили [4145.0]; Эти опасения нельзя ни подтвердить, ни опровергнуть [Э216.0]

**подтверждаться:** И это также подтверждается (И79.0); Не подтверждаться [Н985.0]; Подтверждается также, что [П861.0]; Подтверждалось уже много раз [П862.0]; Свидетельство, которым подтверждается выполнение всех требований по (С289.0); Убе-

дительно подтверждается [У17.0]; Это подтверждается множеством данных [Э173.0]

**подтверждение:** В подтверждение [В344.0]; Впоследствии получили подтверждение в [В 1499.0]; Доказательства в подтверждение этого предложения [Д531.0]; Документальное подтверждение [Д561.0]; Дополнительное подтверждение [Д636.0]; Еще одно убедительное подтверждение [Е227.0]; Нуждаться в дополнительном экспериментальном подтверждении [Н1883.0]; Подлежать подтверждению [П737.0]; Подтверждение заказа [П864.0]; Подтверждение результатов анализа [П866.0]; Подтверждение такого предположения можно найти [П865.0]; Подтверждение этой точки зрения [П867.0]; Получать дальнейшее подтверждение в [П1159.0]; При условии получения подтверждения [П2150.0]; Приводить в подтверждение [П2212.0]; Служить дополнительным подтверждением [С691.0]; Служить подтверждением правильности [С692.0]

**подтвержденный:** Гарантия обещанных преимуществ подтверждена [Г21.0]; Документально подтвержденный (Д559.0); Должен еще быть подтвержден [Д579.0]; Подтвержденный—впоследствии [П868.0]; Поставка через ... после получения подтвержденного заказа [П1448.0]

**подтягивать:** Подтягивать болты на [П870.0]; Подтягивать винты [П871.0]

**подузел:** Поставлять в виде подузлов [П1451.0]

**подумать:** Кто бы мог подумать, что [К513.0]; Нужно как следует подумать о том, как [Н1901.0]; Первое, о чем мы подумали [П158.0]; Стоит подумать об этом [С1465.0]

**подход:** В качестве иного подхода [В141.0]; Воспользоваться несколько иным подходом [В1420.0]; Всесторонний подход [В1584.0]; Избирать более общий подход [И163.0]; Интуитивный подход к [И621.0]; Комплексный подход [К287.0]; Механистический подход [М 170.0]; Некритический подход к использованию [Н 1303.0]; Опасность такого подхода в том, что [0749.0]; Опыт показал, что польза такого подхода невелика [0883.0]; Осуществлять единый подход при [01175.0]; Первоначальный подход к [П38.0]; Подход к решению проблемы [П872.0]; Подход состоит в проведении [П873.0]; Такой подход был продиктован требованием [Т57.0]; Теоретический подход [Т158.0]

**подходить:** Более подходит для [Б171.0]; В зависимости от того, что более подходит [В117.0]; Вполне подошел бы для [В1488.0]; Если подходить к этому вопросу реалистически [Е69.0]; Идеально подходить для [И97.0]; Наиболее близко подходит по [Н309.0]; Очень хорошо подходит для [01676.0]; Подходить для [П874.0]; Соответствовать пунк-

там ... или в зависимости от того, какой из них подходит [С 1018.0]; Точно подходит под [Т398.0]; Хорошо подходит для [Х66.0]

**подходящий:** Более подходящий ... чем [Б172.0]; В число подходящих для... входят [В763.0]; Для этого нет более подходящего момента, чем [Д431.0]; Наиболее подходящий [Н325.0]; Подходящие условия [П876.0]; При подходящих условиях [П2157.0]; Считающийся подходящим [С 1627.0]

**подчеркивать:** Важно подчеркнуть, что [В802.0]; Дополнительно подчеркивать важность [Д618.0]; Необходимо подчеркнуть, что [Н 1378.0]; Неоднократно подчеркивать [Н1442.0]; Подчеркивалось [П884.0]; Подчеркивать важность [П878.0]; Подчеркивать влияние [П879.0]; Подчеркивать значение [П880.0]; Подчеркивать необходимость [П881.0]; Подчеркивать различия в [П882.0]; Подчеркивать явную несостоятельность [П883.0]; Подчеркнем однако, что [П885.0]; Следует еще раз подчеркнуть, что [С600.0]; Следует подчеркнуть, что хотя [С616.0]; Следует с самого начала подчеркнуть, что [С617.0]; Следует также подчеркнуть, что [С618.0]; Этим мы хотим подчеркнуть, что [Э202.0]

**подчеркнутый:** Подчеркнутые размеры даны не в масштабе [П886.0]

**подчиняться:** Не подчиняться требованиям [Н986.0]; Подчиняться условиям [П892.0]; Подчиняться закону [П888.0]; Подчиняться правилу [П889.0]; Подчиняться принципам [П890.0]; Подчиняться соотношению [П891.0]

**подъем:** Находиться на подлинном подъеме (Н670.0); Участок подъема [У602.0]

**подынтегральное:** Подынтегральное выражение [П893.0]

**подытоживать:** Подытоживать в конце (П895.0); Подытоживать в [П894.0]; Подытоживать следующим образом [П896.0]; Подытоживая можно сказать, что [П897.0]; Таким образом подытоживая, можно сказать, что (Т99.0)

**пожалуй:** Исключение составляли, пожалуй [И672.0]; Можно было бы, пожалуй [М395.0]

**пожалуйста:** Сообщите, пожалуйста, об этом [С1001.0]; Укажите, пожалуйста [У216.0]

**пожар:** Вызывать пожар [В1816.0]; Использоваться для предотвращения пожара [И722.0]; Пожар возник из-за [П898.0]

**пожаробезопасность:** Расчет пожаробезопасности [Р553.0]

**пожарооповещение:** Система пожарооповещения [С493.0]

**пожаротушение:** [П899.0]; Система пожаротушения [С494.0]

**пожелать:** Все, кто этого пожелает [В 1007.0]

**позаботиться:** Позаботиться о том, чтобы (П900.0)

**позади:** [П901.0]; Непосредственно позади [Н1478.0]; Оставаться позади [01109.0]; Теперь, когда позади осталась половина [Т173.0]

**позаимствовать:** Многое позаимствовать у [М209.0]

**позволять:** Анализ ... позволяет сделать несколько интересных выводов [А109.0]; Возможно, позволит [В1301.0]; Все это позволяет лишь [В995.0]; Вытянуть...насколько позволяют [В2021.0]; Если мы позволим себе [Е132.0]; Если позволят средства [Е70.0]; Имеющиеся данные позволяют предположить, что [И531.0]; Имеющийся опыт позволяет предположить [И528.0]; Которые позволяют объяснить, почему [К426.0]; Не позволяет надеяться на [Н989.0]; Не позволяет подробно рассмотреть [Н990.0]; Не позволяет получить достаточное количество [Н991.0]; Не позволяет предположить, что [Н992.0]; Не позволяет точно описать [Н993.0]; Не позволяли сделать каких-либо определенных выводов [Н997.0]; Не позволять автору прийти к определенным выводам [Н988.0]; Не позволяют использовать [Н994.0]; Не позволяют нам ответить па этот вопрос [Н995.0]; Не позволяя добиться большого улучшения [Н999.0]; Не позволяя с уверенностью судить о том, произошел ли действительно [Н 1001.0]; Не позволяя сделать даже самых общих замечаний [Н1000.0] Отсутствие времени не позволило [01547.0]; Позволит сэкономить время [П931.0]; Позволяет понять [П920.0]; Позволяет без труда заменять [П905.0]; Позволяет выдвинуть гипотезу о [П903.0]; Позволяет вычислить [П904.0]; Позволяет записать в виде [П906.0]; Позволяет значительно расширить знания о [П907.0]; Позволяет избежать [П908.0]; Позволяет изменять [П909.0]; Позволяет исключить из рассмотрения [П910.0]; Позволяет использовать способность [П912.0]; Позволяет лучше [П913.0]; Позволяет обнаружить некоторые интересные обстоятельства [П914.0]; Позволяет обойтись без (П915.0, П916.0); Позволяет отметить ... момента [П917.0]; Позволяет получить значительную экономию [П919.0]; Позволяет предположить возможность [П922.0]; Позволяет прояснить несколько вопросов [П925.0]; Позволяет рассчитывать ... в зависимости от [П926.0]; Позволяет решить аналитически [П928.0]; Позволяет сравнить (П929.0); Позволяет сразу увидеть [П933.0]; Позволяет сэкономить [П930.0]; Позволяет уверенно рассчитать [П927.0]; Позволяет увидеть [П932.0]; Позволяет удовлетворить [П934.0]; Позволяет уменьшить сроки и стоимость разработки [П935.0];

Позволяет установить [П936.0]; Позволяет

хорошо понять [П921.0]; Уже одно это позволило бы получить (У 186.0); Ценен тем, что позволяет [Ц41.0]; Что как раз и позволяет сделать [4142.0]; Что позволяет предположить существование [4158.0]; Это позволяет существенно упростить [Э 177.0]

**позволяющий:** Решение, позволяющее [Р740.0];

Способ, позволяющий предупредить появление [С1210.0]

**позднее:** [П937.0]; Если позднее возникнет необходимость в таком [Е71.0]; Замечания присылать не позднее [3305.0]; И только позднее [И64.0]; Материал должен поступить в Оргкомитет не позднее [М68.0]; Не позднее ... дней со дня доставки [Н1003.0]; Не позднее ... месяцев со дня [Н1004.0]; Не позднее, чем за ... дней до окончания [Н1007.0]; Не позднее, чем за... до [Н1005.0]; Не позднее, чем через ... после [Н1006.0];

Пересылать не позднее [П181.0]; Позднее ^предусматривается [П938.0]

**поздний:** Более поздние моменты времени (Б174.0); В более поздний период времени [В336.0]; Переносить дату на более поздний срок [П146.0]

**позже:** Будет представлен позже [Б347.0]; Будут рассмотрены несколько позже [Б350.0]; Заниматься несколько позже [3354.0]; Как мы увидим несколько позже [К89.0]; Как это будет показано более подробно несколько позже [К106.0]; Мы вернемся к этому вопросу позже [М406.0]; Не позже, чем за... до даты [Н1008.0]; Несколько позже мы дадим [Н1593.0]; Позже мы покажем, что (П939.0); Рассматривать более подробно несколько позже [Р471.0]; Результаты будут опубликованы позже [Р645.0]; Что и будет сделано позже [4138.0]; Этот вопрос будет рассмотрен позже [Э99.0]

**позиция:** Номер позиции [Н 1843.0]; Позиция, занятая по отношению к [П941.0]; Удерживать ключевую позицию в [У125.0]

**познакомить:** Познакомить читателей [П942.0]

**познания:** Приобретать практические познания о [П2488.0]

**по-иному:** Несколько по-иному [Н 1594.0]

**поиск:** В настоящее время ведутся поиски (Б47.0); В поисках технической помощи и инвестиций [В346.0]; Изучать литературу в поисках информации [И327.0]; Информационный поиск [И637.0]; Параллельно с ... ведется поиск [П19.0]; Поиск информации [П944.0]; Поиск путей совершенствования [П945.0]; Поиск решений продолжается [П947.0]; Поиски путей улучшения [П946.0]

**поисковый:** Носить поисковый характер [Н1873.0]; Поисковые исследования [П949.0]; Поисковый характер [П948.0]

**пойти:** Готовы пойти на некоторые неудобства [Г105.0]; Для обеспечения ... на такие

небольшие затраты можно пойти [Д367.0]; Пойти дальше [П950.0]; Пойти на некоторые неудобства [П951.0]

**пока:** А пока существующее положение сохраняется [А35.0]; Все это пока одни догадки [В996.0]; До тех, пор пока ... не перестанут [Д464.0]; До тех пор, пока остается менее [Д465.0]; До тех пор пока не будет [Д462.0, Д463.0]; Необходимо признать, что ответ на этот вопрос пока отсутствует (Н1380.0); Непреодолимые пока математические сложности [Н1521.0]; Никаких пока не обнаружено [Н1747.0]; Никаких реальных доказательств этого пока не найдено [Н1748.0]; Ничего лучшего пока нет и не было [Н1768.0]; Но пока причины чисто практического характера не позволяют этого сделать [Н 1808.0]; Оставаться пока под вопросом [01107.0]; По причинам, которые пока не установлены [П450.0]; Пока еще не получивший объяснения [П956.0]; Пока еще неизвестен [П954.0]; Пока еще неизвестным способом [П955.0]; Пока еще отсутствуют [П957.0]; Пока же достаточно сказать что [П958.0]; Пока мало исследован теоретически [П959.0]; Пока многое еще неясно [П960.0]; Пока не находит широкого распространения [П963.0]; Пока работает удовлетворительно [П964.0]; Пока что мы не можем объяснить [П965.0]; Смысл пока неясен [С752.0]; Хотя окончательные рекомендации пока давать рано [Х105.0]; Это пока лишь догадка [Э179.0]

**показавший:** Усовершенствования, показавшие хорошие результаты при лабораторных испытаниях, в практических условиях часто оказывались непригодными [У418.0]

**показан** (См. также «показывать»): Как показано [К102.0]; Как будет показано ниже [К105.0]; Как показано на [К103.0]; Как показано справа [К104.0]; Как это будет показано более подробно несколько позже [К106.0]; Как это было показано ранее другими исследователями [К108.0]; Как это вскоре будет показано [К107.0]; На рисунке показан [Н137.0]; Не показаны во избежание путаницы [Н1012.0]; Ниже будет показано, что [Н1714.0]; Показан также [П994.0]; Показано, что ... не оказывает большого влияния [П992.0]; Ранее было показано, что [Р347.0]; Так, как это показано на [Т39.0]; Типичные результаты показаны на [Т271.0]; Чтобы не загромождать график, точки не показаны [4192.0]

**показание:** Вносить поправку в показания [В1228.0]; Давать показания [Д33.0]; Ложные показания [Л98.0]; Назначаемый, когда имеются клинические показания [Н295.0]; Неожиданно низкие показания [Н1445.0];

Пересчитывать показания ... в показания

[П177.0]; Перечень приборов и аппаратуры для периодической проверки точности показаний [П219.0]; Показание [П966.0]; Регистрировать показания [Р601.0]; Установить рукоятку ..., чтобы получить нулевое показание на дисплее [У485.0]

**показанный:** [П995.0]; Аналогичен показанно-му... [А139.0], Конструктивный вариант, показанный на [К336.0]

**показатель:** Важный показатель работы [В780.0], Возможно, это является показателем [В1316.0]; Дробный отрицательный показатель степени [Д746.0]; Дробный показатель степени [Д745.0]; Качественный показатель [К203.0], Не всегда служит показателем неполадок в работе [Н783.0]; Окончательный показатель (0711.0); По всем этим показателям [П358.0]; Показатели безостановочной работы [П971.0]; Показатели качества товара [П972.0]; Показатель качества изделия [П968.0]; Показатель работы [П969.0]; Показатель степени [П970.0]; Положительный показатель степени, величина которого больше единицы [П1111.0]; С показателями степени (С57.0); Скорее как качественный, а не количественный показатель [С536.0]; Служить показателем степени [С694.0]; Служить хорошим показателем [С695.0]; Финансовый показатель [Ф37.0]; Экономические и рабочие показатели [Э13.0]

**показательный:** Более показательный [Б175.0]

**показывать** (См. также «показан»): Анализ данных показывает, что (А114.0); Время покажет [В1531.0]; Еще раз показывает [Е229.0]; Жизнь показывает, что [Ж16.0]; Имеющиеся данные показывают, что [И532.0]; Испытания показали, что [И754.0]; Как и показывает [К75.0]; Как мы вскоре подробно покажем [К87.0]; Легко показать, что [Л22.0]; Можно показать, что [М347.0]; Мы покажем, что [М430.0]; Не показывать чего-либо нового [Н 1010.0]; Нетрудно показать, что [Н1663.0]; Один из способов показать это состоит в том, чтобы [0522.0]; Опыт показывает, что [0884.0]; Позже мы покажем, что [П939.0]; Показывать более убедительно [П974.0]; Показывать в наилучшем свете [П975.0]; Показывать в невыгодном свете [П976.0]; Показывать в подробностях [П977.0]; Показывать в упрощенном виде, что происходит с [П978.0]; Показывать важность (П979.0); Показывать возможности [П980.0]; Показывать значение [П981.0]; Показывать, по какому пути следует идти [П982.0]; Показывать полную несостоятельность [П983.0]; Показывать при-  
менение [П984.0]; Показывать присутствие [П985.0]; Показывать с качественной точки зрения [П986.0]; Показывать себя [П987.0];

Показывать существенные различия [П988.0]; Показывать теоретически и на примерах [П989.0]; Практика показывает, что [П1641.0]; Предшествующий опыт показывает [П1930.0]; Попробуем показать [П1306.0]; Предварительные расчеты показали [П1709.0]; Теоретически показывать [Т165.0]; Только время покажет [Т306.0]; Тщательный анализ показал [Т504.0]; Убедительно показывать [У 18.0]; Химический анализ показал присутствие (Х21.0); Что, как показывают таблицы ... и ... [4141.0], Экспериментальные данные показывают что [Э42.0]

**показываться:** В заключение статьи показывается ... и описывается [В124.0]; И хотя может показаться, что [И69.0]; Может на первый взгляд показаться [М298.0]; Может показаться .... если не учитывать [М295.0]; Может показаться неоправданным [М296.0]; Может показаться неудовлетворительной [М297.0]; На первый взгляд может показаться, что [Н15.0]; На первый взгляд это может показаться неожиданным [Н16.0]; Отличаться не столь коренным образом, как это может показаться [01386.0]; Показаться несколько неожиданным [П997.0]; Хотя такое различие может показаться несущественным [Х1 09.0]; Чем это может показаться на первый взгляд [460.0]

**показывающий:** Показывающий прибор [П1998.0]

**покой:** В состоянии покоя [В609.0]; Находиться в покое [Н635.0]; Состояние покоя [С 1111.0]; Удерживать в покое [У 134.0]

**покраснение:** Нагревать до покраснения [Н248.0]

**покрывать:** Будут ли ... покрыты [Б349.0]; Пескоостроить и покрыть грунтом, кроме места посадки и развеса [П259.0]; Покрывать полностью и выборочно [П1000.0]; Покрывать слоем толщиной [П1001.0]; Покрывать толстым слоем [П 1002.0]

**покрытие:** Защитное покрытие [3537.0]; Нанесение покрытия из ... на [Н437.0]; Наносить покрытие [Н445.0]; Покрытие, наносимое на [П1003.0]; Покрытия, смазка и консервация — [П1004.0]; С покрытием из [С58.0]

**покрытый:** [П1005.0]

**покупка:** Дата покупки [Д133.0]; Прежде чем рассмотреть возможность покупки [П 1960.0]

**покупной:** Ведомость покупных изделий [В876.0]; Ведомость потребности в материалах и покупных изделиях на заказ [В877.0]; Длительность периода получения покупных изделий [Д313.0]; Заявка на покупные материалы [3554.0]; Покупные изделия [ПЮОб.0]

**пол:** Выступать над полом [В1998.0]; Национальность, возраст, пол и общественное положение [Н699.0]

**полагать:** Есть все основания полагать [E192.0];

Имеются веские основания полагать, что [I501.0]; Имеются все основания полагать [I502.0]; Можно полагать, что [M348.0]; Надо полагать [H281.0]; Полагают, что [П1008.0]

**полагаться:** Вынуждает больше полагаться на [B1859.0]; Можно полагаться на [M349.0];

Можно полагаться только на [M350.0], Нельзя полагаться на одну только [H1328.0];^

Полагаться исключительно на [П1010.0]

**полвека:** За последние полвека [342.0]

**полгода:** Заменять каждые полгода [3281.0];

Раз в полгода [P147.0]

**поле:** В поле зрения [B347.0]; На полях [H106.0];

Открывать новое поле для исследований [O1363.0]—" "

**полезно:** Для начала было бы полезно [Д358.0],

Знание полезно для [3587.0]; Иногда полезно знать и [I564.0]; Полезно рассмотреть [П1012.0]; Полезно само по себе [П1013.0];

Полезно учесть влияние, используя [П1014.0]

**полезность:** [П1015.0]; Отсутствие полезности [O1551.0]; Продемонстрировать полезность [П2730.0]

**полезный:** Быть достаточно полезными для [B305.0]; Быть полезным [B325.0]; Для ...

возможно будет полезным [Д328.0]; Как бы ни был полезен этот [K51.0]; Но как бы ни был полезен этот [H1794.0]; Оказываться

очень полезным для тех, кто [O680.0]; Оказываться полезным не только как простой анализатор спектра [O681.0]; Оказываться полезным при [O679.0]; Поблагодарить за

ценные замечания и полезные обсуждения [П521.0]; Полезен для тех, кто [П1022.0];

Полезен при [П1023.0]; Полезное дополнение к [П1020.0]; Полезны при проектировании [П1024.0]; Полезный метод [П1018.0];

Полезный с информационной точки зрения [П1019.0]; Работа будет полезна и при [P2.0]; Руководство, полезное при составлении программы [P773.0]; Служить полезным дополнением (Я23.0); Содержать много

полезной технической информации [C943.0]

**полемика:** В разгар полемики о [B453.0];

Полемика на эту тему [П1025.0]

**ползучесть:** Одними из первых, заинтересовавшихся ползучестью [O539.0]

**полином:** Аппроксимироваться уравнением полинома порядка [A152.0]

**полировать:** Опилить и полировать [O759.0];

Полировать вручную [П1026.0]; Полировать до зеркального состояния [П1027.0]

**полировка:** Припуск... мм на каждую сторону для шлифовки и полировки [П2511.0]

**полис:** Страховой полис [C1483.0]

**политика:** Политика заключается всегда в [П1028.0]; Проводить активную политику по [П2691.0]; Проводить особенно жесткую

политику по [П2692.0]; Сделать своей политикой [C400.0]

**полно:** Достаточно полно [Д690.0]; Изучен недостаточно полно [И329.0]

**полномасштабный:** [П1029.0]

**полномочия:** Выдача свидетельства о полномочиях [B 1774.0]; Наделять полномочиями [H276.0]; Находиться в сфере полномочий [H660.0]; Полномочия на ликвидацию [П 1030.0]; Проверять полномочия [П2648.0]

**полномочный:** Подписано полномочным представителем [П779.0]; Полномочное лицо [П1031.0]

**полностью:** В значительной степени или полностью [B655.0]; Если не устранить полностью, то хотя бы свести к минимуму [E 152.0];

Если полностью пренебречь [E72.0]; Заполнять полностью [3401.0]; Изымать полностью [И333.0]; Иметь полностью тропическое исполнение [И402.0]; Имя и фамилия

полностью [И537.0]; Исключать полностью [И663.0]; Мы полностью согласны с тем, что [M431.0]; Не решать вопроса полностью [H1059.0]; Определяться полностью [O845.0];

Полностью автоматизированный (П 1033.0); Полностью автоматический [П1034.0]; Полностью воспользоваться [П1036.0]; Полностью еще не исследован [П 1038.0]; Полностью зависеть от [П 1039.0]; Полностью заходить в [П 1040.0]; Полностью или частично [П1042.0]; Полностью использовать возможность [П1043.0]; Полностью использовать преимущества [П1044.0]; Полностью механизированный [П1045.0]; Полностью независимы друг от друга [П1046.0]; Полностью обойтись без [П1047.0]; Полностью объяснять [П1048.0]; Полностью опираться на [П1050.0]; Полностью определять [П1051.0];

Полностью останавливаться [П1052.0]; Полностью отличаются от [П1053.0]; Полностью отсутствовать [П1054.0]; Полностью охарактеризовать [П1055.0]; Полностью повторять [П1056.0]; Полностью прекращается [П1057.0]; Полностью признавая [П1058.0];

Полностью применим к [П1059.0]; Полностью противоположно влиянию [П1060.0]; Полностью противоречит [П 1061.0]; Полностью работоспособный [П1062.0]; Полностью разойтись [П1063.0]; Полностью совпадают [П1064.0]; Полностью согласен с [П1065.0]; Полностью согласовываться с [П 1066.0]; Полностью сформулировать [П1067.0]; Полностью теряться из-за [П 1068.0]; Полностью удовлетворять требованиям [П1069.0]; Полностью устранять [П1070.0]; Полностью учитывать [П1071.0, П1089.0]; После того как они будут полностью доработаны [П1374.0]; Поставлять в полностью собранном виде [П1453.0]; Так и не был полностью решен [T29.0]; Утоплен



полностью [У554.0]; Частично или полностью [44.0]; Чтобы полностью воспользоваться преимуществами [4204.0]

**полнота:** Для полноты изложения [Д379.0]; Для полноты информации [Д380.0]; Претендовать на полноту [П2040.0]

**полноценный:** Полноценные результаты измерения [П1073.0]

**полный:** Более полное представление [В176.0];

В полном смысле этого слова [В582.0]; В полном согласии с [В589.0]; В полном соответствии с [В603.0]; Взять полный дифференциал от [В1071.0]; Воспользоваться в полной мере [В1418.0], Вышеприведенный перечень далеко не полон [В2073.0]; Далеко не полон [Д97.0]; Дата подачи полного описания изобретения 15 июля 1970 г. (Д132.0); Дата публикации полного описания изобретения 6 января 1980 г. [Д139.0]; Для обеспечения полной картины при сравнении [Д369.0]; До полной нагрузки [Д454.0],

До полной остановки [Д455.0]; Достаточно полное описание в настоящее время отсутствует [Д691.0]; Достигать полных оборотов [Д710.0]; Еще не получил полного объяснения [Е215.0]; Записывать уравнение в полном виде [З386.0]; Иметь полную возможность [И375.0]; Можно с полной уверенностью считать, что [М378.0]; Необходимы для более полной оценки (Н1413.0); Но в этом вопросе полной ясности еще нет [Н1783.0]; Нуждаться в полной замене [Н1890.0]; Осуществлять в полном объеме [О1174.0]; Поворачивать на полный оборот [П543.0]; Показывать полную несостоятельность [П983.0]; Полная аналогия [П1079.0]; Полная герметизация [П1080.0]; Полная противоположность [П1081.0]; Полная свобода действий в области использования [П1082.0];

Полное описание изобретения [П1083.0]; Полное отсутствие [П1084.0]; Полное представление о [П1085.0]; Полное разрушение [П1086.0]; Полное расплавление [П1087.0]; Полное соответствие между [П1088.0];

Полный ассортимент [П1075.0]; Полный комплект [П1076.0]; Полный ответ [П1077.0];

Полный технический ресурс [П1078.0];

Приводить в полном виде [П2209.0]; Применять с полной уверенностью [П2371.0];

Работать в полном согласии [Р46.0]; Работать на полной мощности [Р57.0]; Работать на полную мощность [Р58.0]; Резко тормозить до полной остановки [Р635.0]; С полным основанием [С42.0]; У него сложилось достаточно полное представление о [У7.0];

Хотя полной уверенности в этом и нет [Х107.0]

**половина:** [П1090.0]; Вследствие симметрии рассматривается только половина [В1599.0];

Равно половине [Р139.0]; Составлять поло-

вину [С1089.0]; Теперь, когда позади осталась половина [Т173.0]

**пологий:** [П1091.0]

**положение:** А пока существующее положение сохраняется [А35.0]; Быть в затруднительном положении [Б297.0]; В ближайшее время положение должно измениться [В42.0];

В верхнем положении [В350.0]; В выключенном положении [В351.0]; В исходном положении [В352.0]; В крайнем положении [В353.0]; В нескольких промежуточных положениях [В355.0]; В положении «включено» [В348.0]; В самом верхнем положении [В354.0]; В целом неудовлетворительное положение [В742.0]; Вернуть в ... положение [В899.0]; Вернуть прерыватель в исходное положение [В900.0]; Влево от прежнего положения [В1128.0]; Возвращать в исходное положение [В1265.0]; Возвращать в

прежнее положение [В1266.0]; Возвращать в рабочее положение [В1267.0]; Возвращать в центральное положение [В1268.0]; Возвращаться в исходное положение [В1272.0];

Выключенное положение [В1849.0]; Выпрямлять положение [В1922.0]; Главное положение переключателя [Г52.0]; Заводить в безвыходное положение [З125.0]; Заело в открытом положении [З196.0]; Занимать положение в [З343.0]; Занимать ведущее положение на [З344.0]; Занимать второстепенное положение по отношению к [З345.0];

Занимать ключевое положение [З346.0]; Занимать промежуточное положение между [З348.0]; Занимать центральное положение [З349.0]; Застрять в открытом положении [З477.0];

Изменение существующего положения дел [И249.0]; Исправить положение можно [И741.0]; Исправлять положение [И740.0]; К ... году положение резко изменится [К5.0]; Менять положение по отношению друг к другу [М118.0]; Можно выйти из положения [М331.0];

Находиться в положении (Н636.0); Находиться в рабочем положении [Н644.0]; Находиться под действием пружины в закрытом положении [Н680.0]; Национальность, возраст, пол и общественное положение [Н699.0];

Неподвижно закреплять в положении, при котором [Н1462.0]; Общее положение дел не такое безнадежное [О336.0]; Оказываться в затруднительном положении [О658.0];

Оставлять в исходном положении [О1131.0];

Отражать реальное положение дел [О1502.0];

Очевидный выход из положения — это ... или [О1649.0];

Перемещать в положение пуска [П1132.0];

Повернуть в исходное положение [П545.0];

Поднимать в горизонтальном положении [П752.0]; Положение ... по отношению друг к другу [П1099.0];

Положение дел в области исследования [П1094.0];

Положение дел с [П1095.0]; Положение может еще более ухудшиться [П1096.0]; Положение на окружности [П1097.0]; Положение об открытиях, изобретениях и рационализаторских предложениях [П1098.0]; Положение рукоятки соответствует ручному режиму работы [П1100.0]; Положение с ... неясно [П 1101.0]; Положение с поставками очень тяжелое [П 1102.0]; Положение совершенно иное [П1103.0]; Положение становится все более недопустимым [П1104.0]; Поправить положение [П 1296.0]; Поставить в затруднительное положение [П1438.0]; Поставить ключ

в положение «вкл» [П1439.0]; Поставить переключатель в положение «ВКЛ» [П1443.0];

При создавшемся положении [П2130.0]; Принимать положение [П2425.0]; Принципы, положенные в основу конструкции [П2464.0]; Рассчитывать исходя из теоретических положений [P508.0]; Регулировать положение [P612.0]; Репутация и финансовое положение фирмы [P710.0]; С учетом конкретных положений контракта [С 162.0]; Самое верхнее положение [С228.0]; Сдвинуть щелчком ... в верхнее положение [С383.0]; Смонтировать новый ... и удостовериться, что ... находится в том же положении, что и на старом [С742.0]; Соответствовать положениям пункта [С 1017.0]; Спасать положение [С1151.0]; Ставить в затруднительное положение [С1354.0]; Такое положение устраивает (Т73.0); Теоретические положения [Т161.0];

Толкование положений [Т296.0]; Удерживание в нажатом положении [У121.0]; Удерживать в требуемом положении [У123.0]; Удерживать господствующее положение [У125.0]; Удерживаться в вертикальном положении [У132.0]; Удерживаться в заданном положении [У133.0]; Устанавливать в положение ВКЛ [У448.0]; Установить выключатель в положение ВЫКЛ [У 477.0]; Установить выключатель в положение СТОП [У478.0]; Установить и удерживать переключатель в положении [У480.0]; Финансовое положение [Ф36.0]; Центральное положение в ... занимает [Ц48.0]; Это положение справедливо [Э196.0]

**положительно:** Положительно влиять [П 1105.0]

**положительный:** Длительный положительный опыт [Д309.0]; Основанный на положительном опыте [01031.0]; Побочный положительный эффект (P526.0); Положительное влияние [П1112.0]; Положительное письменное заключение [П1113.0]; Положительный баланс [П1107.0]; Положительный в направлении [П1108.0]; Положительный опыт проектирования [П1109.0]; Положительный отзыв [П 1110.0]; Положительный показатель степени, величина которого больше единицы [П1111.0]

**положить:** В основу деятельности положено [B275.0]; Положив [П1115.0]; Положить в основу [П1116.0]; Положить конец [П1117.0]; Положить начало работам [П1119.0]; Положить начало существующей практике [П1120.0]

**поломка:** На грани поломки [H40.0]; На случай поломки [H149.0]; Несоблюдение указанных требований может привести к поломке машины или травме [H1626.0]; Под угрозой поломки [P622.0]

**полоса:** Полоса разброса [П1121.0]; Полоса статической ошибки верхнего предела измерений [П1122.0]

**полоска:** Не имеющий полосок [H888.0]

**полтора:** В полтора раза больше [B445.0]

**полугодие:** Во втором полугодии [B356.0]

**полужирный:** Для обозначения полужирного шрифта [Д375.0]

**полукруглый:** Фрезеровать под полукруглую шпонку [Ф57.0]

**полумера:** [П1123.0]

**полуоборот:** Затянуть на последний полуоборот [3515.0]

**полуось:** Большая [малая] полуось эллипса [B232.0]; Малая [большая] полуось [M15.0]

**получаемый:** Вид получаемого продукта [B1084.0]; Выгоды, получаемые в результате [B1757.0]; Информация, получаемая из [И630.0]; Ограничивают его применение, так как получаемые результаты дают только качественную картину [0461.0]; Получаемый в конечном итоге [П1187.0]; Получаемый таким образом [П1188.0]; Преимущество, получаемое в результате использования [П1977.0]

**получатель:** Адрес получателя [A86.0]; Получатель груза и его местонахождение [П1124.0]

**получать** (См. также «получить»): В результате получаем, что [B477.0]; В том виде, в каком он был получен [B25.0]; Выражая ... через ... получаем [B1946.0]; Когда будет получено больше данных о [K228.0]; Не получать объяснения [H1014.0]; Подставляя из ... в ... получаем [P830.0]; Получать выгоду от [П1131.0]; Получать зависимость от [П1140.0]; Получать информацию [П1145.0]; Получать картину [П1146.0]; Получать помощь от [П1161.0]; Получать представление о [П1164.0]; Получать применение [П1173.0]; Получать распространение [П 1176.0]; Получать решением [П1178.0]; Получать бесплатно [П1126.0]; Получать в личное и бессрочное пользование [П1127.0]; Получать в результате исследования [П1128.0]; Получать возможность несколько разобрататься [П1130.0]; Получать всеобщее признание [П1167.0]; Получать давление от [П 1132.0]; Получать дальнейшее подтверж-

дение в [П1159.0]; Получать диплом с отличием [П1136.0]; Получать дополнительные данные [П1134.0]; Получать дополнительный выигрыш [П1137.0]; Получать доступ к [П1138.0]; Получать за несколько минут [П1139.0]; Получать заказы на... от [П1142.0];

Получать из расчета [П1144.0]; Получать контракт на поставку [П1147.0]; Получать корреляцию [П1148.0]; Получать международное признание [П1168.0]; Получать название [П1149.0]; Получать наибольшую пользу от [П1160.0]; Получать некоторые отсутствующие данные, относящиеся к [П1135.0]; Получать непосредственно из баланса [П1152.0]; Получать обратным пересчетом [П1153.0]; Получать ответ на [П1155.0]; Получать патент в США [П1156.0];

Получать поверхностное представление о [П1165.0]; Получать повреждение [П1157.0];

Получать поддержку и признание [П1170.0]; Получать подтверждение [П1158.0]; Получать право на [П1163.0]; Получать признание во всем мире [П1169.0]; Получать путем [П1174.0]; Получать разрешение уйти [П1175.0]; Получать свое название за то, что [П 1150.0]; Получать согласие [П 1179.0];

Получать удостоверение [П1180.0]; Получать указание о [П1181.0]; Получать финансовую помощь от государства [П1162.0]; Получать широкое признание и доверие [П1172.0]; Получать широкое распространение [П1177.0]; При сравнении было получено хорошее согласие [П2135.0]; Решая уравнение относительно ..., получаем [Р725.0]; Соединяя точки, получаем [С963.0]

**получаться:** Получаться благодаря [П1201.0];

Получаться в результате [П1202.0]

**получающийся:** Получающийся уравнения [П1204.0]; Получающийся в результате [П 1203.0]

**получение:** Дата получения заказа [Д134.0]; Длительность периода получения покупных изделий (Д313.0); Одной из целей исследования было получение [0534.0]; Подробности получения решения опущены [П806.0]; Подтверждать получение письма [П851.0]; Получение значения [П1206.0]; Получение и обработка данных [П1207.0]; Получение и проверка груза [П1208.0]; Получение которого становится возможным благодаря [П1209.0]; Поставка через ... после получения подтвержденного заказа [П1448.0]; Предусматривать получение [П1919.0]; При получении [П2111.0]; При условии получения подтверждения [П2150.0]; Прошу подтвердить получение [П2903.0]; Расписка в получении оплаты [Р366.0]; Расписываться в получении [Р367.0]; С целью получения общих зависимостей, а не точных численных результатов [С 175.0]; Способствовать

получению [С 1231.0]; Срок должен исчисляться со дня получения [С1331.0]; Усилия, направленные на получение [У380.0]; Цена сообщается по получении заявки [Ц32.0]; Шлифовать до получения номинальной шероховатости [Ш32.0]

**полученный:** Выводы, сделанные на основании полученных результатов [В1734.0]; Данные, полученные на [Д116.0]; Данные, полученные ранее в эксплуатационных испытаниях [Д117.0]; Затем полученные таким образом значения можно [З482.0]; Информация, полученная в [И631.0]; Информация, полученная от [И632.0]; Независимо полученные результаты расчетов [Н1232.0]; Опыт, полученный при [0885.0]; Полученные данные убедительно доказывают преимущества (П 1195.0); Полученные из разных источников [П 1196.0]; Полученные нами результаты [П1198.0]; Полученные результаты приведены в виде графика на рис. [П1197.0]; Полученные таким образом результаты [П 1199.0]; Полученный в опыте [П1190.0]; Полученный из [П1191.0]; Полученный нами ранее [П1193.0]; Полученный ранее в прошлом (П1192.0); Полученный этим способом [П1194.0]; Результаты, полученные на сегодня (Р653.0); Удобно записать полученные уравнения в форме [У146.0]

**получивший:** Пока еще не получивший объяснения [П956.0]

**получить** (См. также «получать»): Было бы интересно получить ваши соображения по этому вопросу [Б378.0]; В настоящее время получила широкое распространение практика [В56.0]; Впоследствии получили подтверждение в [В1499.0]; Выше на ... по сравнению с тем, что можно было бы получить [В2067.0]; Давать возможность получить [Д10.0]; Еще не получил полного объяснения [Е215.0]; Еще не получил удовлетворительного объяснения [Е216.0]; Информацию о порядке заказа можно получить по телефону [И635.0]; Легко получить [Л23.0]; Можно получить с помощью [М351.0]; Не позволяет получить достаточное количество [Н991.0]; Не получило достаточного объяснения и [Н1015.0]; Некоторое представление можно получить [Н1296.0]; Нельзя получить с какой-либо точностью [Н1329.0]; Нужно получить согласие [Н1905.0]; Подставляя уравнения ... и перегруппировывая члены, получим [П834.0]; Позволяет получить значительную экономию [П919.0]; Получить было нельзя (П1182.0); Получить не удалось [П1183.0]; Получить невозможно [П1184.0]; Получить нелегко [П1185.0]; Решение трудно получить [Р744.0]; Сведения о ... можно получить из [С268.0]; Уже одно это позволило

бы получить [У186.0]; Уравнения можно объединить и получить следующее выражение [У359.0]

**полуэмпирический:** Полуэмпирическая зависимость [П1210.0]; Полуэмпирическое соотношение (П 1211.0)

**польза:** Аргументы, выдвигаемые в пользу [А157.0]; В пользу...говорят [В357.0]; Веские доводы в пользу [В930.0]; Высказываться в пользу [В1977.0]; Главный аргумент в пользу [Г43.0]; Говорить в пользу [Г67.0, Г68.0]; Говорить не в пользу [Г72.0, 0261.0]; Делать выбор в пользу [Д196.0]; Доводы, выдвинутые в пользу (Д498.0); Доказательство в пользу [Д532.0]; Едва ли есть какая-либо польза от [Е5.0]; Есть не вызывающие сомнений доказательства в пользу [Е188.0]; Извлекать максимальную пользу из [И181.0]; Изменять точку зрения в пользу [И268.0]; Имеются веские доводы в пользу [И500.0]; Наверняка извлекут пользу из [Н237.0]; Немаловажное соображение в пользу — это [Н1335.0]; Опыт показал, что польза такого подхода невелика [0883.0]; Основное соображение в пользу^ [0997.0]; Отказ от ... в пользу [01304.0]; Отказываться от ... в пользу [01309.0]; По-видимому, не принесит пользы [П341.0]; Получать наибольшую пользу от [П1160.0]; Польза невелика [П1212.0]; Практическая польза от [П 1671.0]; Приносить большую пользу [П2456.0]; Приносить некоторую пользу тем, что [П2457.0]; Служить на пользу [С681.0]; Убедительно говорить в пользу [У15.0]; Убедительные доказательства в пользу [У23.0]

**пользование:** Владение или пользование [В1125.0]; Лица, ответственные за ..., должны быть обучены пользованию [Л64.0]; Недоступный для всеобщего пользования [Н1214.0]; Неудобно для практического пользования [Н 1670.0]; Получать в личное и бессрочное пользование [П1127.0]; Правила пользования [П1612.0]; Предоставлено во временное пользование [П1762.0]; Удобство пользования [У153.0]

**пользователь:** [П1214.0]; Будущие пользователи [Б285.0]; Ответственность за ... возлагается теперь на пользователя [01235.0]; Самые разные пользователи [С239.0]

**пользоваться:** Им несомненно будут пользоваться и в дальнейшем [И536.0]; Пользоваться дурной славой [П1216.0]; Пользоваться популярностью [П1217.0]; Пользоваться термином [П1218.0]; Пользоваться уважением [П1219.0]; Пользоваться широкой известностью как [П1220.0]; Пользуйтесь только [П1225.0]; Пользуясь рис.... для случая [П 1224.0]; Пользуясь случаем

[П1221.0]; Пользуясь случаем, я обращаю ваше внимание на [П1222.0]; Пользуясь тем, что [П 1223.0]

**пользующийся:** Пользующийся известностью [П1226.0]; Пользующийся международной известностью [П 1227.0]; Пользующийся наибольшей известностью [П 1228.0]; Пользующийся наибольшим спросом [П1229.0]

**полярность:** Изменять полярность на обратную [И266.0]

**поменять:** Поменять местами [П 1230.0]; Поменять на другой [П1231.0]; Поменять порядок следования пунктов формулы изобретения [П1232.0]

**поменяться:** Поменяться местами [П1233.0]

**помеха:** Наибольшие помехи в работе аппаратуры создавал [Н351.0]; Невосприимчивость к помехам, вносимым [Н1175.0]; Помеха, связанная с [П1236.0]

**помечать:** Пометить бирками [П 1234.0]; Помечать звездочкой [двумя звездочками] [П1237.0]

**помешать:** [П1238.0]; Не помешало сделать [Н1016.0]

**поместить:** Поместить в безопасное место [П1240.0]; В каждый из ... помещали по одному [В138.0]; Помещать заказ в [П1241.0];

Чтобы в нем можно было поместить [4175.0]

**помещаться:** [П1243.0]

**помещение:** Вне помещения [В 1180.0]; Внутри помещения [В1241.0]; Не включайте ... в плохо проветриваемом помещении [Н772.0]; Складское помещение [С518.0]; Хранение в помещении на открытом воздухе [Х1 12.0]; Хранить в вентилируемом помещении на затемненном участке [Х1 16.0]

**помещенный:** Помещенный в раствор [П 1245.0]

**помимо:** Без каких-либо .... помимо [Б25.0];

Помимо всего прочего [П1247.0]; Помимо описанного [П1248.0]; Помимо приведенных [П1249.0]; Помимо тех, которые нужны для [П1250.0]; Помимо того, что они являются [П1251.0]; Помимо умения [П1252.0]; Практически без какого-либо обслуживания, помимо [П1645.0]

**помнить:** Главное, о чем нужно помнить [Г51.0]; Необходимо помнить, что [Н1368.0]; Об этом важно помнить при [019.0]; Следует помнить, что [С619.0]; Читателю следует помнить [4113.0]

**помогать:** В надежде, что это поможет [В229.0]; Мало помогает [М34.0]; Мало чем поможет [М37.0]; Меры по... конечно помогут [М128.0]; Не всегда помогает [Н781.0]; Немало помогли результаты работы [Н1337.0]; Помогает предотвратить [П1255.0]; Помогать работе [П1254.0]; Помогают выполнить [П1256.0];

Такое отношение не помогает [Т71.0]

**помощь:** Без помощи [Б44.0]; В поисках технической помощи и инвестиций [В346.0]; В

помощь [B358.0]; Выполнять с помощью [B1894.0]; Выражая ... через ... с помощью уравнения [B1947.0]; Достигается с помощью [D727.0]; Можно избежать с помощью [M334.0]; Можно получить с помощью [M351.0]; Не может быть достаточно точно описан с помощью [H912.0]; Обращаться за технической помощью к [0225.0]; Один из способов, с помощью которого можно было бы [0523.0]; Оказывать большую помощь в [0645.0]; Оказывать лишь небольшую помощь [0646.0]; Оказывать некоторую помощь в [0647.0]; Оказывать неоценимую помощь в [0648.0]; Оказывать огромную помощь при прослушивании [0649.0]; Оказывать помощь в выборе [0644.0]; Оказывать существенную помощь при [0650.0]; Опасность должна быть предотвращена с помощью [0743.0]; Описывать с помощью [0784.0]; Осуществляться с помощью [01180.0]; Получать помощь от [П1161.0]; Получать финансовую помощь от государства [П1162.0]; Посторонняя помощь [П1469.0]; Прикреплять к ... с помощью [П2340.0]; Проверять с помощью экспериментальных данных [П2651.0]; Различить их можно с помощью следующих [P223.0]; С помощью ... можно добиться лучших результатов [СБ3.0]; С помощью ... можно было бы рассчитать [С62.0]; С помощью которого [С60.0]; С помощью масштабной линейки и делительного циркуля [С61.0]; Строить с помощью [С1515.0]; Техническая помощь [Т227.0]; Управляться с помощью меню [У333.0]; Уточнять результаты исследования с помощью более новых данных [У573.0]

**понадобиться:** Могут не понадобиться [M265.0]; Может понадобиться [M299.0];

Подробный анализ не понадобится [П811.0]; Понадобится для будущих [П 1257.0]; Понадобятся многочисленные переделки [П1258.0]

**понемногу:** Понемногу [П1259.0]; Постепенно и понемногу [П 1465.0]

**понижать:** Понижать требования к [П1261.0]; Способность понижать [С 1215.0]

**понижаться:** [П1262.0]

**понижение:** Понижение растворимости [П1263.0]; Тенденция к понижению [Т148.0]

**понимание:** Более глубокое понимание [B157.0];

Более правильное понимание [B177.0]; Важен для понимания [B784.0]; Выслушать с пониманием [B1981.0]; Глубокое понимание [Г64.0]; Добиваться понимания [Д481.0]; Если

мы хотим продвинуться в нашем понимании [E134.0]; Иметь первостепенное значение для понимания [И398.0]; Ключ к пониманию причин [K222.0]; Когда это необходимо для понимания [K242.0]; Не встречать

должного понимания [H791.0]; Неправильное понимание [H1503.0]; Непременное условие для понимания (H1520.0); Обеспечивать более глубокое понимание [035.0];

Основа для понимания [0954.0]; Относиться с должным пониманием [01451.0]; Первый шаг к пониманию [П151.0]; Понимание смысла [П1265.0]; Понимание теории процесса [П1266.0]; Понимание того, насколько [П1267.0]; Понимание того, что [П1268.0]; Правильное понимание [П1632.0]; С целью лучшего понимания [С 176.0]; Современное понимание [С408.0]; Теперь, когда достигнуто довольно хорошее понимание [Т170.0]

**понимать** (См. также «**понять**»): В настоящей работе под ... понимается [B431.0]; Договориться о том, что мы понимаем под [Д527.0]; Должен понимать [Д583.0]; Значительно лучше понимать [3622.0]; Как мы понимаем [K88.0]; Мы понимаем конечно, что [M432.0]; Насколько я понимаю [H551.0]; Не всегда понимают [H782.0]; Никто не понимает [H1764.0]; Нужно понимать в том смысле, что [H1906.0]; Под ... понимается [P613.0]; Понимать под этим следующее — [П1270.0]; Понимать с самого начала [П1271.0]; Понимая при этом всю трудность [П1272.0]; Принимая это решение, мы понимали, что [П2434.0]; С некоторых пор стали понимать, что [С65.0]; Хорошо понимать значение [X68.0]; Часто не понимают [424.0]

**понимающий:** понимающие в [С1163.0]

**поныне:** Спор о ... продолжается и поныне [С1195.0]; Ценность которых сохраняется и поныне [Ц43.0]

**понятие:** [П1277.0]; Близкое понятие [B137.0]; Более широкое понятие [B199.0]; Основные понятия [01005.0]; Расплывчатое понятие [H1659.0]

**понятно:** Вполне понятно [B 1489.0]; И вполне понятно, что [И17.0]; Не совсем понятно [H1080.0]; Отсюда понятно, почему [01576.0]; Понятно, конечно, что [П1278.0]; Сейчас стало понятно, что [С416.0]; Что и понятно, поскольку [4139.0]; Это и понятно, если учесть [Э 181.0]

**понятный:** Благодаря этой работе станут более понятными механизмы [B115.0]; Для этого имеются вполне понятные причины [Д425.0]; Еще не совсем понятен [E217.0]; Не совсем понятным образом [H1081.0]; Очень понятен всем [01671.0]; По вполне понятным причинам [П451.0]; По причинам, которые вскоре станут понятными [П452.0]; Понятен без пояснений [П1276.0]; Становится более понятным [С 1399.0]; Становится понятен смысл [С1400.0]

**понять** (См. также «**понимать**»): Легко понять, что [Л124.0]; Лучше понять [Л108.0];

Можно понять нежелание [M354.0]; Пер-

- вым понять [П68.0]; Позволяет понять [П920.0]; Позволяет хорошо понять [П921.0];  
 Понять, почему [П1275.0]; Трудно понять [Т482.0]; Физический смысл легче понять, если [Ф22.0]; Это можно понять [Э146.0]
- пооперационная:** Пооперационная специализация ремонта [П1279.0]
- поочередно:** [П1280.0]; Все... поочередно [В1013.0]
- поощрять:** Поощрять высокую надежность [П1281.0]
- попадание:** Защищать от попадания атмосферных осадков и посторонних веществ [3545.0]; Защищать от попадания (3544.0); Попадание в [П1283.0]; Предохранять от попадания в [П1782.0]
- попадать:** Попадать ... в различными путями [П1287.0]; Попадать в диапазон [П1285.0]; Попадать в одинаковые условия [П1286.0]; Попадать в эти условия [П1288.0]; Попадать прямо в [П1289.0]
- попарно:** [П 1290.0]
- поперек:** [П12Ш.0]
- попеременно? Попеременно то ..., то [П1293.0]
- поперечник:** В поперечнике [В359.0]
- поперечный:** Квадратное поперечное сечение со стороны [К209.0]; Площадь поперечного сечения [П320.0]; По всему поперечному сечению [П351.0]
- пополам:** Разламываться пополам [Р218.0]; Раз-  
 резать пополам (Р313.0)
- пополнять:** [П1295.0]
- поправимый:** Легко поправимый [Л25.0]
- поправка:** Без поправки на [Б45.0]; Введение поправки в [В824.0]; Введение поправки на различия в [В825.0]; Вводить поправку на [В847.0]; Вносить поправки в документ [В 1229.0]; Вносить поправки в описание изобретения [В1230.0]; Вносить поправку в показания [В1228.0]; Вносить поправку на ошибку [В1232.0]; Никакой поправки на ... не требуется [Н1750.0]; Поправка к договору от [П1298.0]; Учитывать введением соответствующей поправки в величину [У610.0]
- поправлять:** Поправить положение [П1296.0]
- попрактиковаться:** Возможно, придется немного попрактиковаться (В1304.0); Попрактиковаться с [П1300.0]; Попрактикуйтесь в [П1301.0]
- по-прежнему:** Вероятность ... по-прежнему мала [В908.0]; Необходимость по-прежнему оставалась неотложной [Н1407.0]; Основное внимание по-прежнему уделяется [0988.0]; По-прежнему рекомендуется [П1303.0]; Придерживаться по-прежнему [П2300.0]
- попробовать:** Попробовать свои силы в [П1304.0]; Попробуем обобщить [П1305.0]; Попробуем показать [П1306.0]
- попросить:** Нас попросили прислать [Н405.0]; Попросить, чтобы [П1307.0]
- попросту:** Говоря попросту [Г75.0]
- популярность:** Быстро завоевать популярность у [Б291.0]; Пользоваться популярностью [П1217.0]; Потерять популярность [П1518.0]; Приобретать все большую популярность [П2489.0]; Приобретать популярность [П2487.0]
- попутно:** Заметим попутно, что [3310.0]; Попутно отметим [П1308.0]
- попытаться:** Если попытаться [Е73.0]; Попытаться определить причину [П1309.0]; Это можно попытаться объяснить тем, что [Э166.0]
- попытка:** В настоящее время предпринимаются попытки [В57.0]; В попытке [В360.0, В361.0, В362.0]; В предыдущих исследованиях была сделана попытка [В 135.0]; В статье сделана попытка [В643.0]; Делается попытка найти компромиссное решение [Д216.0]; Делается попытка ответить хотя и в общем виде на вопрос [Д217.0]; Делать попытки в будущем [Д215.0]; Делать попытку [Д214.0]; Несмотря на все попытки [Н1612.0]; Попытка подробно обсудить численные результаты [П1311.0]; Попытки не предпринимались [П1312.0]; Попытки оказались в основном безуспешными [П1314.0]; Попытки расчитать [П1315.0]; Попытки сравнить [П1316.0]; Предостерегать против попытки [П1767.0]; Предпринимать попытку [П1822.0]; Предпринята безуспешная попытка [П1823.0]; При обработке данных была сделана попытка [П2101.0]; Ранее уже делались попытки [Р349.0]; С первой попытки [С46.0]; Терпеть неудачу в попытке [Т193.0]
- пора:** До поры до времени [Д456.0]
- поработать:** Дайте поработать на [Д73.0]; Есть над чем поработать [Е 187.0]
- поравняться:** Поравняться друг с другом [П1317.0]
- поражать:** Поражать воображение [П1319.0]
- поразительно:** Поразительно близок [П1320.0]; Поразительно напоминать [П 1321.0]
- поразительный:** Наиболее поразительным оказалось то, что [Н326.0]; Поразительные результаты дало [П1322.0]
- по-разному:** [П462.0] Использовать по-разному [И706.0];
- порекомендовать:** Читателю можно порекомендовать [4112.0]
- пористость:** Уменьшение пористости [У279.0]
- поровну:** Распределять поровну между [Р428.0]
- порог:** Порог чувствительности [П1323.0]; Существует, по-видимому, некий порог, выше которого (С 1577.0)
- порождаемая:** Путаница, порождаемая [П3091.0]
- порожний:** В порожнем состоянии [В620.0]

**порознь:** Порознь или вместе [П1324.0]  
**порой:** [П1325.0]  
**порт:** Итого цена, фоб, североамериканский порт, экспортная упаковка, океанский фрахт [И850.0]; Перегрузка в порту [П81.0]  
**портативность:** [П 1326.0]  
**портить:** [П1327.0]; Впечатление несколько портит [В 1459.0];  
**портфель:** Портфель патентов [П1328.0]  
**поручать:** Поручать проведение [П1330.0]; Поручать субподрядчику [П 1331.0]  
**поручено:** Было поручено [Б373.0]; Поручено разработать [П 1332.0]  
**порча:** Повреждение или порча [П557.0]  
**порядковый:** Числитель — порядковый номер места [496.0]  
**порядок:** Аппроксимироваться уравнением полинома порядка [А152.0]; Более, чем на два порядка величины превышает [Б 198.0]; В алфавитном порядке [В371.0]; В неофициальном порядке [В372.0]; В обратном порядке [В373.0]; В порядке исключения [В364.0]; В порядке рабочей гипотезы [В366.0]; В порядке убывающей [возрастающей] величины [В367.0]; В порядке убывающей важности [В368.0]; В порядке убывающей сопротивляемости износу [В369.0]; В порядке, обратной операции [В365.0]; В систематическом порядке [В374.0]; В указанном хронологическом порядке [В376.0]; В установленном порядке [В377.0]; В хронологическом порядке [В375.0]; В шахматном порядке [В378.0]; В экспериментальном порядке [В379.0]; Вне установленного порядка [В1179.0]; Выполнение расчета в обратном порядке [В1872.0]; Выполнить проверку... в следующем порядке [В1907.0]; Выполнить сборку в обратном порядке [В1909.0]; Давать по порядку [Д32.0]; Если с ... все в порядке [Е85.0]; Закрепить в законодательном порядке [З261.0]; Изменять в систематическом порядке [И258.0]; Информацию о порядке заказа можно получить по телефону [И635.0]; На... порядка величины [Н109.0]; На порядок величины меньше [Н107.0]; На порядок выше [Н108.0]; Нарушать алфавитный порядок [Н512.0]; Обсуждать в порядке их важности [О264.0]; Обязательно запомните порядок [О428.0]; Одинаковый порядок с [О543.0]; Определять порядок использования [О829.0]; Поменять порядок следования пунктов формулы изобретения [П1232.0]; Порядок заполнения и ведения формуляра [П 1334.0]; Порядок очередности поставки [П1335.0]; Порядок почтовых отправлений [П 1336.0]; Порядок работы [П1337.0]; Порядок установки [П1338.0]; Предусматриваться законом в обязательном порядке [П 1921.0]; Приводить все в порядок [П2213.0]; Располагать в другом

порядке [Р375.0]; Располагаться в одинаковом порядке по [Р377.0]; Располагаться в порядке возрастания [Р372.0]; Располагаться в правильном порядке [Р378.0]; Располагаться в том же порядке, что и (Р379.0); Расположенные в шахматном порядке [Р403.0]; Сборка выполняется в порядке, обратном разборке [С254.0]; Содержать счета в порядке [С946.0]; Такой порядок был выбран потому, что [Т58.0]; Указывать порядок сборки [У212.0]; Уменьшающиеся в следующем порядке [У269.0]  
**посадить:** Посадить на шпильки [П1339.0]  
**посадка:** [П1340.0]; Пескоструить и покрыть грунтом, кроме места посадки и разъема [П259.0]  
**посадочный:** Посадочные места консервировать по н.л. 816 [П1341.0]  
**посвящать:** Посвящать этому конкретному вопросу [П1343.0]; Статья посвящена [С1437.0]  
**посвященный:** Исследовательская работа, посвященная [И793.0]; Открывать заседание, посвященное [О1361.0]; Посвященный вопросам [П1344.0]; Посвященный исключительно [П1345.0]; Представляющий интерес только для посвященных [П1864.0]; Совещание, посвященное [С853.0]  
**посещение:** Посещение объектов на местах [П1346.0]  
**поскольку:** Важен лишь постольку, поскольку [В787.0]; Но поскольку, как нам кажется, в этом направлении мало что делается [Н1809.0]; Об этом можно только сожалеть, поскольку [О20.0]; Поскольку ... намного больше [П 1350.0]; Поскольку в короткой статье невозможно было бы [П1348.0]; Поскольку выше много говорилось [П1349.0]; Поскольку оказалось, что [П1351.0]; Поскольку точное определение было сопряжено с некоторыми трудностями [П1352.0]; Что и понятно, поскольку [П139.0]  
**после:** В состоянии после прокатки [В610.0]; Вначале ..., затем .... после этого [В1168.0]; Время, прошедшее после разрушения [В1546.0]; Всего после каких-то [В1572.0]; Вскоре после того, как [В1590.0]; Вскоре после этого [В1591.0]; Даже после того, как [Д85.0]; До и после [Д445.0]; И это после того, как [И77.0]; Изделие после ... принял [И216.0]; Испытания, проверка и приемка после ремонта [И755.0]; Можно было бы вначале .... а после этого [М390.0]; Не позднее, чем через ... после [Н1006.0]; Оказались возможными после того, как стало ясно, что [О663.0]; Окончательно обработать после сварки [О705.0]; Округлять до трех значащих цифр после запятой [О727.0]; Осмотр после окончания испытания [О942.0]; Оставаться после этого постоян-

ным [01111.0]; Оставлять после себя [01136.0]; Отбрасывать цифры, стоящие после [01215.0]; Поверхность с указанной чистотой обработать-после сварки [П536.0]; После завершения [П1355.0]; После ... и до [П1356.0]; После размышления [П1368.0]; После рассмотрения становится ясно, что [П 1369.0]; После это не повторялось [П1382.0]; После ввода в эксплуатацию [П1354.0]; После истечения гарантийного срока [П 1357.0]; После наступления [П1358.0]; После окончания [П1359.0]; После окончательного выбора [П1360.0]; После перегруппировки [П1361.0]; После периода времени, который может быть довольно длительным [П1362.0]; После приведения уравнения к безразмерному виду путем деления обеих его частей на [П1364.0]; После проведения большого объема экспериментальных работ [П 1365.0]; После работы в течение некоторого времени [П1366.0]; После раздачи экзаменационных материалов [П1367.0]; После того как были [П1371.0]; После того как закончен [П1373.0]; После того как стал ниже [П1376.0]; После того как они будут полностью доработаны [П1374.0]; После того как опыт продолжался довольно длительное время [П 1375.0]; После того как условия выполнены [П1377.0]; После употребления [П 1378.0]; После устранения неисправности [П1379.0]; После чего [П1380.0]; После этого [П1381.0]; Поставка через ... после получения подтвержденного заказа [П1448.0]; Профилактические работы выполняемые после ... часов наработки [П2996.0]; Публикация, появившаяся после смерти автора [П3071.0]; Пускать повторно после перерыва [П3083.0]; С точностью до пяти значащих цифр после запятой [С 137.0]; Спустя ... после начала [С1271.0]; Сразу же после окончания [С1299.0]; Сразу же после того как [С1300.0]; Стоять на втором месте после [С1475.0]; Только после того как [Т318.0]; Тотчас же после [Т367.0]; Уже после [У187.0]; Через ... дней после истечения [465.0]; Что после подстановки в ... дает [4159.0]; Шлифовать после сварки для обеспечения гладких внешних поверхностей [Ш36.0]

**последний:** Аннулировать в самый последний момент [А145.0]; В качестве последней меры предосторожности [В 148.0]; В первом случае, ... в последнем случае [В546.0]; В последнее время возродился интерес к использованию [В61.0]; В последнее время придается большое значение [В62.0]; В последнее время стали обращать внимание и на [В63.0]; В последние годы наблюдается [В87.0]; В последние годы [В86.0]; В последнюю очередь [В324.0]; В течение после-

дних ... лет или около того [В710.0]; Воплощать в себе самые последние достижения в [В1384.0]; Далеко не последний из которых [Д98.0]; Далеко не самый последний из них [Д102.0]; За последние ... лет наблюдается [341.0]; За последние полвека [342.0]; Занимать одно из последних мест в списке [3334.0]; Занимать последнее место в списке [3336.0]; Затянуть на последний полуоборот [3515.0]; И именно этому последнему вопросу уделяется наибольшее внимание [И32.0]; И последнее, но не самое маловажное [И48.0]; И последнее, что можно сделать, это [И49.0]; И последний вопрос, который нужно рассмотреть в связи с [И50.0]; Как последнее средство [К109.0]; Мало изменился за последние... лет [М26.0]; На последнем делении шкалы [Н110.0]; Основанный на самых последних достижениях в практике расчетов [01032.0]; Отменять в последнюю минуту [01412.0]; Относиться к последнему времени [01448.0]; Последнее выражение можно упростить до вида [П1389.0]; Последнее замечание о [П1390.0]; Последнее обстоятельство [П1391.0]; Последние два вопроса обсуждаются ниже — [П1392.0]; Последние достижения [П1393.0]; Последние работы, опубликованные в [П1395.0]; Последние технические достижения [П1394.0]; Последние успехи в области [П 1397.0]; Последний вопрос заключается в следующем [П1385.0]; Последний из упомянутых [П1386.0]; Последним исследовался [П 1398.0]; Последняя редакция [П 1387.0]; Представлять собой самые последние технические достижения в области [П 1878.0]; Примером последнего может служить [П2383.0]; Прогресс, достигнутый в последние годы [П2716.0]; С точностью до двух последних значащих цифр [С 136.0]; Самые последние результаты [С236.0]; Только в качестве последнего средства [Т302.0]; Только в последнее время [Т303.0]; Только за последние... года [Т304.0]

**последовательно:** Включать последовательно с [В 1112.0]; Включенный последовательно [В1117.0]; Последовательно и параллельно протекающие процессы [П1400.0]; Последовательно переходим к ... и [П 1401.0]; С последовательно включенным [С69.0]; Соединенный последовательно с [С972.0]

**последовательность:** В обратной последовательности [В382.0]; В последовательности, обратной [В380.0]; В последовательности, указанной на [В381.0]; Действовать в определенной последовательности [Д178.0]; Описывать последовательность событий [0783.0]; Последовательность команд [П1403.0]; Последовательность мероприятий [П1404.0]; Последовательность опытов [П1405.0]; Последо-



вательность этапов в типичном эксперименте [П1406.0]; Сборка в правильной последовательности [С253.0]; Устанавливать последовательность работы [У458.0]; Функция защиты контроля последовательности операций сигнализации и управления [Ф63.0]

**последовательный:** В последовательные моменты времени [В225.0]; Два последовательных отсчета расходились не более, чем на [Д 147.0]; Для ряда последовательных моментов времени, охватывающих всю продолжительность [Д353.0]; Для съемки последовательных эпизодов [Д402.0]; Последовательное соединение [П 1409.0]; Последовательные этапы [П1412.0]; Последовательный выборочный контроль изделий [П 1408.0]; При последовательном снижении [П2112.0]; Работать по последовательной схеме включения [Р68.0]; Серия из последовательных [С426.0]

**последствие:** Без каких-либо неблагоприятных последствий [В23.0]; Без каких-либо серьезных последствий [В24.0]; Вести к опасным последствиям [В936.0]; Вредные последствия [В1512.0]; Иметь далеко идущие последствия [И429.0]; Иметь интересное последствие [И430.0]; Косвенные последствия, связанные с [К401.0]; Неблагоприятные последствия [Н1159.0]; Нежелательное последствие [Н1221.0]; Непредвиденное последствие [Н1512.0]; Одним из последствий этого является [О525.0]; Оценивать последствия [О1634.0]; Последствия аварии [П1414.0]; Последствия аварийного [П1415.0]; Приводить к самым разным последствиям [П2235.0]; С далеко идущими последствиями [С70.0]; Серьезные последствия [С442.0]; Технические последствия [Т242.0]; Экологические последствия [Э6.0]

**последующий:** В одной из последующих статей [В645.0]; В последующем обсуждении [В383.0]; В последующие годы [В88.0]; В последующих преобразованиях [В385.0]; Демонтаж с объекта и последующая разборка [Д260.0]; Для последующего использования [Д348.0]; Необработанные поверхности загрунтовать с последующей окраской [Н1361.0]; Последующая сборка [П1417.0]; Последующее измерение [П1418.0]; Последующее использование [П1419.0]; Последующее обсуждение будет ограничено [П 1420.0]; С последующим [С71.0]; Послужить началом последующих работ [П1424.0]; Что касается предположения о ..., то последующие исследования его не подтвердили [4145.0]; Этой условности мы будем придерживаться на протяжении всего последующего анализа [Э113.0]

**послепродажный:** Послепродажное обслуживание [П1421.0]

**послеремонтный:** Послеремонтная гарантия [П1422.0]; Послеремонтные испытания, проверка и приемка [П 1423.0]

**послужить:** Можно установить, что началом ... послужил [М387.0]; Отправной точкой для... послужил [01495.0]; Послужат стимулом [П 1428.0]; Послужить началом последующих работ [П1424.0]; Послужить началом работ в этом направлении [П 1425.0]; Послужить толчком для исследований [П1426.0]; Послужить трамплином для [П1427.0]

**посмотреть:** В этом можно легко убедиться, посмотрев на [В769.0]; Небезынтересно посмотреть [Н1155.0]; Посмотреть, что же действительно происходит [П1429.0]; Посмотрим теперь, что происходит в [П1431.0]; Посмотрите, работают ли [П1430.0]

**пособие:** Методы, пособия и условия обучения [М162.0]; Наглядные пособия [Н246.0]; Учебное пособие [У604.0]

**поспевать:** Поспевать за [П1432.0]

**поспешный:** Не следует делать поспешных выводов [Н1066.0]; Предостерегать против поспешных выводов [П1768.0]

**посредине:** Посредине между [П1434.0]

**посредничество:** [П 1435.0]; При любезном посредничестве [П2085.0]

**посредство:** Посредством которого [П1437.0]; Через посредство [470.0]

**пост:** Оставлять пост председателя [01137.0]

**поставка:** В состоянии поставки [В611.0]; Войти в поставку [В 1673.0]; Границы поставки [Г115.0]; Дата поставки [Д135.0]; Документы поставки [Д555.0]; Заказ на поставку [3219.0]; Колебания объема поставок [К246.0]; Комплект поставки [К292.0]; Комплектная поставка [К295.0]; Монопольная поставка [М252.0]; Основные условия поставки [01013.0]; Положение с поставками очень тяжелое [П1102.0]; Получать контракт на поставку [П1147.0]; Порядок очередности поставки [П1335.0]; Поставка в кратчайшие сроки [П1447.0]; Поставка через ... после получения подтвержденного заказа [П 1448.0]; Проверять комплектность поставки [П2637.0]; Произвести поставку в требуемый срок [П2792.0]; Протокол о завершении поставок [П2987.0]; Точность соблюдения графика поставки [Т378.0]

**поставленный:** Быть пригодным для поставленной цели [В329.0]; Задача, поставленная перед [3171.0]; Не достигать поставленной цели [Н849.0]; Эксперимент, поставленный с целью [Э31.0]

**поставляемый:** Ведомость запчастей, поставляемых за отдельную плату [В871.0]; Поставляемый в виде [П1449.0]

**поставлять:** Поставить в затруднительное положение [П1438.0]; Поставить ключ в положение «вкл» [П1439.0]; Поставить на место

[П1440.0], Поставить на торец [П1441.0]; Поставить на хранение [П1442.0]; Поставить переключатель в положение «ВКЛ» [П1443.0]; Поставить под сомнение [П1444.0]; Поставить условием [П1445.0]; Поставлять в виде подузлов [П 1451.0]; Поставлять в полностью собранном виде [П 1453.0]

**поставляться:** Поставляется к месту назначения [П1454.0], Поставляться в комплекте с [П1452.0]; Поставляться обычно без [П 1455.0]; Поставляться по специальному заказу [П1456.0], Поставляться посторонними компаниями [П1457.0]; Поставляться россыпью [П 1458.0]

**поставщик:** [П1459.0]; Ведомость дефектов, подлежащих устранению силами поставщика [В868.0]; Генеральный поставщик [Г34.0]; За счет поставщика [360.0]; Ответственность поставщика по надзору [01239.0]; Свойства материала по данным поставщика [С339.0]; Срок хранения-агрегата в упаковке поставщика составляет ... лет [С1335.0]; Число поставщиков [4101.0]

**постановка:** Постановка задачи [П1460.0]

**постараться:** Постараться сделать все, чтобы [П1461.0]

**постепенно:** Постепенно вводить [П1463.0]; Постепенно затухать [П1464.0]; Постепенно и понемногу [П1465.0]; Развиваться постепенно [Р 184.0]

**постепенный:** Постепенное накопление [П1466.0]; Постепенное сокращение [П1467.0]

**постигать:** Постигать на горьком опыте [П1468.0]

**постольку:** Важен лишь постольку, поскольку [В787.0]

**посторонний:** Защищать от попадания атмосферных осадков и посторонних веществ [3545.0]; Использование посторонними лицами [И690.0]; Надёжно защищать от постороннего вмешательства [Н261.0]; Поставляться посторонними компаниями [П1457.0]; Постороннее вещество [П 1470.0]; Посторонние частицы [П1471.0]; Посторонняя помощь [П1469.0]

**постоянно:** Постоянно возвращаться к нему [П1473.0]; Постоянно действующая инструкция [П1474.0]; Постоянно использовать [П1475.0]

**постоянный:** Больше на постоянную величину [Б208.0]; Быть постоянным и равным [Б332.0]; Важно поддерживать постоянный контакт с [В801.0]; Группироваться в окрестности постоянного значения, равного... [Г144.0]; Находиться на постоянном дежурстве [Н671.0]; Оставаться после этого постоянным [01111.0]; Оставаться почти постоянным [01112.0]; Питание от сети переменного постоянного тока [П266.0]; Под-

держивать постоянным [П717.0]; Поддерживать при постоянной температуре [П719.0]; Постоянное значение [П1479.0]; Постоянный и равный значению для [П1478.0]; Представляющий постоянный интерес [П1868.0]; Приблизительно постоянный [П2190.0]; Принимать постоянным [П2426.0]; Регулироваться таким образом, чтобы ... был постоянным [Р617.0]; С постоянной скоростью [С99.0]; Характеризоваться постоянной скоростью [Х1 1.0]

**постоянство:** Ограничение, выражающееся в требовании постоянства [0442.0]; Постоянство по [П1481.0]; Условие постоянства [У392.0]

**построение:** Для удобства построения [Д410.0]; Построение структуры [П 1483.0]; При построении [П2113.0]

**построенный:** Кривая, построенная по формуле [К477.0]; Построенный к настоящему времени [П1491.0]

**построечный:** Проектные построечные и испытательные данные [П2777.0]

**построить:** Построено на песке [П1492.0]; Построить в зависимости от [П1485.0]; Построить в одинаковом масштабе [П1486.0]; Построить график [П1487.0]; Построить кривую [П 1488.0]; Построить по данным [П1489.0]; Построить по проекту [П1490.0]; Предполагается построить [П 1794.0]

**постукивание:** Легкие постукивания [Л13.0]

**постукивать:** Постукивать пальцем [П 1493.0]; Постукивая молотком установить на место [П1494.0]; Слегка постукивать по [С575.0]

**постулировать:** [П 1495.0]

**поступать:** Из ... поступают сообщения [И130.0]; Материал должен поступить в Оргкомитет не позднее [М68.0]; Не знать, как поступить [Н862.0]; Питание поступает от [П267.0]; Поступать в продажу [П1499.0]; Поступать в эксплуатацию [П1500.0]; Поступать вовремя [П 1498.0]; Поступать из [П1501.0]; Поступать иначе — значит [П1502.0]; Поступать обычным образом [П 1503.0]; Поступать по трубопроводу к [П1504.0]; Поступая таким образом [П1505.0]; Сдавать вступительные экзамены и поступать в [С375.0]; Сетевое напряжение не поступает на электрошкаф [С449.0]

**поступаться:** Если поступиться [Е74.0]

**поступление:** Дата поступления в ремонт [Д136.0]; Дата поступления заявки [Д137.0]; При ежегодном поступлении [П2068.0]

**посчастливиться:** Мне посчастливилось [М 186.0]

**посылать:** Посылать апелляцию [П1506.0]; Посылать заказ в [П 1507.0]

**потенциал:** Научный потенциал и техническая мощь [Н596.0]

**потенциально:** Потенциально возможный [П1509.0]; Потенциально конкурентоспособный [П1510.0]

**потенциальный:** Многих потенциальных опасностей можно избежать [М 192.0]; Потенциальные возможности [П1508.0]

**потеря:** Без больших потерь [Б9.0]; Без большой потери точности [Б 10.0]; Возмещать потерю [В1293.0]; Вызывать потери [В1817.0]; Избегать ненужных расходов и потерь времени [И157.0]; Меры по предупреждению материальных потерь и травматизма [М131.0]; Потери в окружающее пространство [П1514.0]; Потери в окружающую среду [П1515.0]; Потери, обусловленные [П1516.0]; Потеря доверия к [П1512.0]; Потеря способности (П1513.0); Приводить к потерям времени и средств [П2236.0]; Сопровождаться потерями [С1045.0]; Уменьшение потерь [У280.0]; Утилизировать потери [У565.0]; Хотя и с некоторой потерей [Х99.0]; Экономия потерь [Э28.0]

**потерянный:** Неприсянные и потерянные при транспортировке [Н1549.0]

**потерять:** Потерять из виду [П1517.0]; Потерять популярность [П1518.0]; Старайтесь не потерять [С 1428.0]

**потеряться:** Чтобы они не потерялись [4200.0]

**поток:** Направленный вверх [вниз] поток [Н482.0]; Разделиться на три потока [Р211.0]; Распространение вверх по потоку [Р434.0]

**потому:** Возможно потому, что [В 1302.0]; Именно потому, что [И354.0]; Использование выражения для ... оправдано потому, что [И686.0]; Однако это не так, потому что [О577.0]; Особенно кстати, потому что [О1040.0]; Особенно потому, что [О1043.0]; Почти наверняка потому, что [П1553.0]; Такой порядок был выбран потому, что [Т58.0]; Хотя бы потому, что [Х87.0]; Это происходит потому, что [Э184.0]

**потонно:** Продаваться потонно [П2723.0]

**потратить:** Много времени потрачено на [М 194.0]; Много усилий было потрачено на [М200.0]; Стоит потратить время и [С1466.0]

**потребитель:** [П 1519.0]; Отключить потребителей тока [О1352.0]

**потребление:** Изменения в потреблении [И251.0]; Потребление на душу населения [П1521.0]; Потребление тока из [П1522.0]; Потребление топлива [П1523.0]; Потребление энергии [П 1524.0]

**потребляемый:** Мощность, потребляемая [М401.0]

**потреблять:** Потреблять мощность [П1525.0]

**потребность:** В связи с возникновением потребности в [В497.0]; В состоянии обеспечить потребности (В608.0); Ведомость потребности в материалах и покупных изделиях на заказ [В877.0]; Идя навстречу потребностям [И117.0]; Испытывать большую потребность в [И757.0]; Когда потребность в ... наиболее высока [К236.0]; Наилучшим

образом удовлетворять потребностям [Н358.0]; Обеспечивать потребности в [О47.0]; Оценка потребности в рабочей силе и средствах энергообеспечения [О1643.0]; Потребность в услугах [П1528.0]; Потребность в материале [П 1527.0]; Появилась насущная потребность в [П1595.0]; Размеры выбраны из расчета удовлетворения максимальной потребности в течение [Р256.0]; Растущая потребность в [Р521.0]; Удовлетворение потребности в [У 155.0]; Удовлетворять свои собственные потребности в [У 170.0]; Устанавливать нагрузку в соответствии с потребностью [У454.0]

**потребный:** Величина потребной мощности [В893.0]; Потребный класс чистоты обработки [П 1529.0]

**потребовать:** Потребовать дополнительные данные [П1530.0]; Это может потребовать нескольких часов [Э 144.0]

**потребоваться:** Вам потребуется [В809.0]; Возможно, что для ... потребуется [В1309.0]; Время, которое потребовалось бы давлением, чтобы [В1541.0]; Для достижения ... может потребоваться [Д339.0]; Для этого может потребоваться много времени [Д427.0]; Если потребуется [Е75.0]; Если это потребуется [Е172.0]; Могут потребоваться [М267.0]; Может никогда и не потребоваться [М281.0]; На завершение этого процесса может потребоваться от ... до [Н58.0]; Нам потребуется [Н402.0]; Но потребовалось лишь немного времени, чтобы [Н1810.0]; Потребовалось больше времени, чем планировалось первоначально [П1532.0]; Потребуется некоторое время [П1531.0]

**потухать:** [П1533.0]

**поузловая:** Поузловая специализация ремонта [П1534.0]

**поупражняться:** Поупражняться в [П1535.0]

**поучительный:** [П1536.0]

**похвала:** Особенной похвалы заслуживает их [О1058.0]

**походить:** Походить на [П1537.0]

**похожий:** [Б131.0]; Внешне похожий [В1193.0]; Во многом похожи [В205.0]; Выглядеть совершенно похожим на [В1753.0]; Делать похожим на [Д218.0]; До некоторой степени похожий [Д469.0]; Довольно похожий на [Д510.0]; Похож по форме на [П1540.0]

**почему:** А не почему оно не работает [А31.0]; Вот почему предлагается [В1446.0]; Которые позволяют объяснить, почему [К426.0]; О том, почему [О11.0]; Объяснить, почему [О376.0]; Отсюда понятно, почему [О1576.0]; Понять, почему [П 1275.0]; Почему не совпадает с [П 1541.0]; Это дополнительно объясняет, почему [Э 161.0]; Это обстоятельство объясняет, почему [Э160.0]

**почесть:** Быть удостоенным почестей [Б340.0]

**почет:** Не в почете [Н764.0]

**почта:** Отправлять по электронной почте [01492.0]; Отправлять почтой [01493.0]

**почти:** Делать почти невозможным [Д206.0]; Использоваться почти на пределе возможностей [И728.0]; Нет почти никакого сомнения в том, что [Н1653.0], Оставаться почти постоянным [01112.0]; Почти без исключения [П1543.0]; Почти без обслуживания [П1544.0]; Почти в два раза [П1545.0]; Почти во всех случаях (П 1547.0); Почти все имеющиеся на сегодня данные [П1548.0]; Почти идеально согласуется [П1550.0]; Почти исключительно [П1551.0]; Почти наверняка благодаря [П 1552.0]; Почти наверняка потому, что [П1553.0]; Почти не было никакого сомнения относительно [П 1564.0]; Почти не видно [П1565.0]; Почти не изменяется [П1566.0]; Почти не оставлять сомнения [П1567.0]; Почт<sup>н</sup>е отличался [П1568.0]; Почти невозможно [П1554.0]; Почти неизбежный [П1555.0]; Почти несомненно [П1556.0]; Почти, но не совсем [П1557.0]; Почти одинаковый [П1558.0]; Почти одновременно с этим [П1559.0]; Почти так же, как [П1560.0]; Почти такой же, как [П1562.0]; Преодолевать почти любые трудности [П2024.0]; Приобретать почти повсеместное распространение [П2490.0]; Что почти невозможно [4160.0]

**почтовый:** Порядок почтовых отправок [П1336.0]

**почувствовать:** Почувствовать интерес к [П1569.0]; Почувствовать себя увереннее при работе с [П1570.0]

**поэтапно:** Рассматривать поэтапно [Р473.0]

**поэтапный:** Поэтапное обновление [П1573.0]; Поэтапное освоение [П1572.0]; Поэтапное строительство [П1574.0]

поэтому: А поэтому желательно иметь... [А37.0]; Достаточно мал и поэтому делает возможным (Д688.0); Достаточно хорошо известен и поэтому не нуждается в дополнительном рассмотрении [Д698.0]; И именно поэтому [ИЗ 1.0]; И поэтому было бы неразумно [И51.0]; И поэтому не учитываются в [И52.0]; Поэтому и была выбрана [П1583.0]; Поэтому было решено [П 1576.0]; Поэтому вполне возможно, что [П1577.0]; Поэтому вполне логично [П1578.0]; Поэтому для того, чтобы ... требовалось использовать [П1579.0]; Поэтому можно предположить, что [П1580.0]; Поэтому нет оснований ожидать [П1581.0]; Цель поэтому состоит в обеспечении [Ц24.0]

**появившийся:** Публикация, появившаяся после смерти автора [П3071.0]

**появление:** [П1584.0, П1585.0]; Вызывать появление [В1818.0]; Нарушение работы вызывает появление сигнала тревоги [Н529.0];

Ожидается появление [0606.0]; Первое появление [П59.0]; По мере появления [П390.0]; Появление ... можно только приветствовать [П1586.0]; Предел появления [П1714.0]; Предупреждать появление [П1912.0]; С момента первого появления в [С33.0]; С появлением [С72.0]; Способ, позволяющий предупредить появление [С1210.0]; Сразу же по уведомлению о появлении окошка в графике [С1297.0]; Техническое решение было найдено с появлением [Т236.0]

**появляться:** Впервые появляться [В1453.0]; Который вскоре появится в [К412.0]; Могли бы появиться в результате [М257.0]; Отсюда появляется мысль [01577.0]; Первые симптомы появились в [П64.0]; Появилась заметная тенденция к использованию [П1594.0]; Появилась насущная потребность в [П1595.0]; Появиться сравнительно недавно [П1596.0]; Появляется искушение [П1592.0]; Появляется необходимость [П1593.0]; Появляться в результате [П1588.0]; Появляться впервые [П1589.0]; Появляться вследствие [П 1590.0]; Появляться на дисплее [П1591.0]; У ... может появиться искушение [У4.0]; У нас появилось подозрение, что [У5.0]

**пояснение:** Не нуждаться в пояснении [Н933.0]; Не требовать пояснения [Н1123.0]; Понятен без пояснений [П1276.0]; Эти вопросы нуждаются в пояснении [Э210.0]

**пояснительный:** Первая редакция пояснительной записки [П155.0]; Пояснительная записка [П 1599.0]

**пояснять:** Для непосвященных поясним, что [Д363.0]; Не могли бы авторы пояснить [Н919.0]; Поясним сказанное несколькими примерами [П1598.0]; Пояснять на примере [П 1597.0]

**прав:** Вести к умалению прав [В938.0]; Иск о нарушении патентных прав [И641.0]; Наполовину прав [Н460.0]; Нарушение патентных прав [Н528.0]; Перерегистрировать патентные права [П100.0]; Прав в своем предположении относительно [П 1602.0]; Права на интеллектуальную собственность [П1600.0]; Предоставлять владельцу права [П1758.0]; Проверка нарушения патентных прав [П2621.0]

**правда:** [П1603.0]

**правдоподобно:** [П1606.0]

**правдоподобный:** В равной степени правдоподобны [В669.0]; Правдоподобное объяснение [П1605.0]

**правило:** Административные правила [А83.0]; Брать за правило (Б264.0); Исключение из правила [И668.0]; Как правило [КНО.0]; Нужно взять за правило [Н1898.0]; Нужно следовать некоторым правилам [Н1909.0]; Окончательная редакция правил [0713.0];

Подчиняться правилу [П889.0]; Правила кон-  
троля [П1611.0]; Правила пользования [П1612.0]; Правила приемки [П16113.0]; Пра-  
вила ремонта и монтажа [П1614.0]; Правила  
техники безопасности [П1615.0]; Правила  
хранения [П1616.0]; Правила эксплуатации  
(П1617.0); Правилами разрешается  
[П1618.0];  
Правило округления [П1609.0]; Скорее пра-  
вило, чем исключение (С538.0); Следить за  
выполнением правил техники безопасно-  
сти [С581.0]; Соблюдать правила [С813.0];  
Стать правилом [С1408.0]; Строго соблю-  
дать правила [С1505.0]; Строительные нор-  
мы и правила [С1508.0]; Твердое правило  
[Т121.0]; Эксплуатация с нарушением пра-  
вил [Э58.0]; Эксплуатироваться с серьез-  
ным нарушением правил [Э62.0]; Эмпири-  
ческое правило [Э81.0], Являться правилом  
[Я24.0]

**правильно:** Вполне правильно [В 1490.0]; И  
это  
совершенно правильно [И78.0]; Наверняка  
правильнее, чем [Н238.0]; Не совсем пра-  
вильно [Н 1082.0]; Определять, правильно  
ли  
работает [0830.0]; После того как все пра-  
вильно отрегулировано [П 1372.0]; Правиль-  
нее записать в виде [П1634.0]; Правильно  
описывать [П1620.0]; Правильно поверну-  
тый [П1621.0]; Правильно смотреть на  
вещи  
[П1622.0]; Правильно составленные доку-  
менты [П1623.0]; Правильно сформулиро-  
вать [П1624.0]; Правильно характеризуют  
[П1625.0]; Чтобы правильно ...,  
необходимо  
знать [4205.0]

**правильность:** Доказывать правильность это-  
го вывода [Д539.0]; Отметки о проверке  
правильности ведения формуляра [01416.0];  
Подтверждать правильность [П852.0]; Про-  
верить правильность заземления [П2659.0];  
Проверить правильность установки, при  
которой обеспечиваются [П2660.0]; Слу-  
жить подтверждением правильности  
[С692.0]; Убедиться в правильности работы  
[У31.0]

**правильный:** Более правильное понимание  
[Б177.0]; Быть правильным [Б326.0]; В ос-  
новном правильный [В283.0]; Действовать  
в  
правильном направлении [Д179.0]; Для пра-  
вильного выбора масштаба необходимо  
[Д333.0]; Для правильной работы [Д386.0];  
Контроль за правильным использованием  
[К357.0]; О которых необходимо иметь пра-  
вильное представление [08.0]; По существу  
правильный [П491.0]; Правильная сборка  
[П1629.0]; Правильная эксплуатация  
[П 1630.0]; Правильное выполнение  
условий  
[П1631.0]; Правильное понимание  
[П1632.0];  
Правильное стимулирование [П1633.0]; Пра-  
вильный в своей основе [П1627.0]; Пра-  
виль-  
ный выбор [П1628.0]; При условии  
правиль-  
ного использования [П2151.0]; При условии

правильного регулирования [П2152.0]; Рас-  
полагаться в правильном порядке [Р378.0];  
Сборка в правильной последовательности  
[С253.0]; Сталкиваться с необходимостью  
принять правильное решение о [С1370.0];  
Убедиться в правильной работе [У30.0];  
Шаги в правильном направлении [Ш7.0]

**правительственная:** Правительственная ди-  
ректива [П1635.0]

**право:** Давать право использовать [Д35.0];  
Занимать принадлежащее по праву место  
[3337.0]; Иметь право вносить изменения в  
рабочие чертежи [И432.0]; Иметь право на  
[И431.0]; Королевское авторское право  
[К385.0]; Лицензия на право изготовления  
[Л157.0]; Лицензия на право сбыта и прода-  
жи [Л58.0]; Отказывать в праве на [01307.0];  
Получать право на [П1163.0]; Предоставля-  
ется право [П1765.0]; С правом изменения  
и отмены [С73.0]; Сохранять за собой право  
[С1129.0]

**правомерно:** Насколько правомерно [Н547.0]

**правомерность:** В правомерности двух после-  
дних допущений можно усомниться [В386.0];  
Лишний раз подтверждает правомерность  
[Л79.0]; Правомерность или приемлемость  
[П 1636.0]

**правомочность:** Подтверждать правомочность  
применения [П853.0]

**правый:** Быть правым [Б327.0]; В правой части  
[В754.0]; В правой части уравнения [В758.0];  
Правая часть уравнения [П1601.0]; Прирав-  
нивать правые части уравнений [П2517.0]

**праздничный:** Дни отдыха и праздничные дни  
[Д434.0]

**праздновать:** Праздновать годовщину  
[П1637.0]; Праздновать юбилей [П1638.0]

**практик:** [П1639.0]

**практика:** В настоящее время получила широ-  
кое распространение практика [В56.0]; В  
промышленности установилась практика  
[В411.0]; В соответствии с установившейся  
практикой [В599.0]; В соответствии с хоро-  
шо зарекомендовавшей себя практикой  
[В600.0]; Взамен существовавшей практики  
[В1059.0]; Внедрение в практику [В1182.0];  
Внедрять в практику [В 1188.0]; Встречаю-  
щийся на практике [В1636.0]; Иметь боль-  
шое значение для практики [И390.0]; Иметь  
непосредственное отношение к практике  
[И427.0]; Использовать в практике проекти-  
рования [И696.0]; Можно ожидать, что на  
практике [М341.0]; На практике возможны  
промежуточные случаи — [НИ 2.0]; На  
практике дело обстоит несколько иначе  
[Н113.0]; На практике недостижим [Н114.0];  
Общепринят в практике [0312.0]; Обще-  
принятая лабораторная практика [0309.0];  
Обычно на практике требуется [0408.0];  
Однако на практике [0567.0]; Определяе-

мый практикой проектирования [0853.0]; Основанный на самых последних достижениях в практике расчетов [01032.0]; Отклонение от установившейся практики [01336.0]; По установившейся практике [П1506.0]; Положить начало существующей практике [П1120.0]; Практика показывает, что [П1641.0]; Практика эксплуатации [П1642.0]; Применять на практике [П2368.0]; Проверять рекомендации на практике [П2650.0]; Производственная практика [П2800.0]; Разрыв между теорией и практикой [P335.0]; Реализовать на практике [P589.0]; Следовать международной практике [C590.0]; Следовать существующей практике [C594.0]; Случаи, которые могут встретиться на практи<sup>е</sup> [C711.0]; Соответствовать установившейся практике [C 1023.0]; Спроектированные в соответствии с современной практикой [C1262.0]; Существует практика (C1579.0); Убедиться на практике [У27.0]; Успешно применять на практике [У434.0]; Установившаяся во всем мире промышленная практика [У496.0]; Установилась практика [У474.0]; Часто встречаться в инженерной практике [420.0]; Это подтвердилось на практике [Э174.0]

**практиковаться:** [П1643.0]

**практически:** Гарантировать практически 100 % ... [Г17.0]; Доказывать практически [Д540.0]; Исключать практически опасность ошибки [И662.0]; Настолько, насколько это оказалось практически возможным [H564.0]; Осваивать практически [0912.0]; Практически без какого-либо обслуживания, помимо [П1645.0]; Практически возможный [П1646.0]; Практически изотермический [П1647.0]; Практически не встречаются [П 1648.0]; Практически не отличается от [П1650.0]; Практически не удалось уменьшить [П1651.0]; Практически неважно, где (П1652.0); Практически невозможен [П1653.0]; Практически неосуществим [П1654.0]; Практически нецелесообразно [П1655.0]; Практически ничего не меняет [П1656.0]; Практически одинаковые [П1657.0]; Практически оправданный путь (П1659.0); Практически осуществимый [П1660.0]; Практически отсутствуют [П1661.0]; Практически получить невозможно (П1662.0); Практически целесообразный [П1663.0]; Практически это означает, что (П 1664.0); Разница практически невелика [P279.0]; Результаты практически не отличаются от [P654.0]; Случаи практически отсутствуют [C712.0]; Там, где это практически осуществимо [Т112.0]; Это означает практически, что [Э135.0]; Эффект практически отсутствует [Э223.0]

**практический:** В практических случаях (B572.0); В ряде практических случаев [B575.0]; Во многих практических случаях [B569.0]; Вопрос большой практической важности [B1392.0]; Для большинства представляющих практический интерес случаев [Д391.0]; Для практических случаев [Д394.0]; Доведение изобретения до практического использования [Д487.0]; Другой вопрос, имеющий практическое значение [Д753.0]; Другой практический путь [Д757.0]; Если говорить о практических возможностях то [E119.0]; Если говорить о практической стороне дела, то [E120.0]; Закреплять практические навыки [3262.0]; Иметь большое практическое значение [И400.0]; Иметь очень небольшое практическое значение [ИЗ96.0]; Иметь практическое значение для [ИЗ99.0]; Имеющий практическое значение [И510.0]; Налгать практическое ограничение на [H381.0]; Насущные практические задачи [H578.0]; Непригодный для практического использования [H1539.0]; Неудобно для практического пользования [H 1670.0]; Но пока причины чисто практического характера не позволяют этого сделать [H1808.0]; Ограничения практического характера [0448.0]; Очень удобный в практическом отношении [01673.0]; Практическая осуществимость [П1669.0]; Практическая польза от [П 1671.0]; Практическая реализация [П1672.0]; Практическая целесообразность [П1673.0]; Практические выводы [П1677.0]; Практические осложнения, связанные с [П 1678.0]; Практические рекомендации по [П1679.0]; Практические соображения [П 1680.0]; Практический выход [П1665.0]; Практический интерес [П1666.0]; Практический опыт [П1667.0]; Практический совет [П1668.0]; Практическое значение [П1674.0]; Практическое применение [П1675.0]; Практическое решение этой проблемы [П1676.0]; Представлять практический интерес [П1849.0]; Представляющий практический интерес [П1869.0]; Препятствовать практическому осуществлению [П2032.0]; Пригодность для практического использования [П2268.0]; Пригодный для практического использования [П2277.0]; Приобретать не столько практический, сколько академический интерес [П2481.0]; Приобретать практические познания о [П2488.0]; С практической точки зрения [C 128.0]; С практической точки зрения [C129.0]; Слишком необычный для практического использования [C653.0]; Случай, представляющий практический интерес [C709.0]; Усовершенствования, показавшие хорошие результаты при лабораторных испытаниях, в практических условиях часто

оказывались непригодными [У418.0]; Целесообразный с практической точки зрения [Ц9.0]

**пробывание:** Длительное пребывание в [Д305.0]; Изготовитель гарантирует работу изделия в течение ... лет, считая срок пребывания в пути и хранения на складах со дня выпуска с предприятия [И207.0]

**превалировать:** Превалировать над недостатками [П 1681.0]

**превосходить:** Значительно превосходить [3631.0]; Намного превосходить наши ожидания [Н429.0]; Намного превосходить численно (Н430.0); Незначительно превосходить [Н1267.0]; Обеспечить или даже превзойти заданные характеристики [056.0]; Превосходить в отношении [П1683.0]; Превосходить конкурентов [П 1684.0]; Превосходить по рабочим характеристикам [П1685.0]; Превосходить по точности [П1686.0]; Превосходить числом [П1687.0]; Результаты превзошли все наши ожидания [Р655.0]; Явно превосходить [Я48.0]

**превосходство:** Превосходство было очевидным [П1688.0]; Превосходство над [П1689.0]

**превратиться:** Вероятность превратиться в [В909.0]

**превращать:** [П 1690.0]

**превращаться:** Взаимно превращаться друг в друга [В1047.0]; Превращаться в точку [П1692.0]

**превращение:** Превращение в [П1693.0]; Сталкиваться с перспективой превращения в [С1371.0]; Фазовое превращение [ФЗ.0]

**превышать:** Более, чем на два порядка величины, превышает [Б198.0]; Вдвое превышать [В859.0]; Во много раз превышает [В450.0]; Достигать, но не превышать [Д709.0]; Если время работы не превышает [Е43.0]; Многократно превышать [М216.0]; Намного превышать [Н431.0]; Не должен превышать меньшего из двух значений [Н833.0]; Не должен превышать [Н832.0]; Не превышать [Н1017.0]; Никогда не превышает [Н1755.0]; Превышать втрое [П1695.0]; Превышать выигрыш [П1696.0]; Превышать допустимые эксплуатационными нормами пределы [П 1697.0]; Превышать нормальный уровень [П1698.0]; Превышать предел по (П 1699.0); Разность между максимальной и минимальной температурами не должна превышать [Р285.0]; Расхождение не превышало [Р541.0]; Сильно превышать [С478.0]; Что в ... раз превышает [4129.0]

**превышающий:** [П1700.0]; До значения, не превышающего [Д443.0]; Едва превышающий [Е8.0]; Завышен на величину, превышающую [3135.0]; Значительно превышающий [3632.0]; Намного превышающий [Н432.0]; Не превышающий [Н1018.0]; Ог-

раничивать величиной, не превышающей [0451.0]; Очень близкий, но несколько превышающий [01653.0]; Падасть на величину, превышающую [П4.0]; Погрешность, не превышающая [П601.0]; Слегка превышающий [С576.0]; Увеличивать 'до величины, несколько превышающей [У58.0]; Увеличивать до значений, превышающих [У59.0]

**превышение:** Превышение стоимости [П 1702.0]

**предварительно:** [П1703.0]

**предварительный:** Значение, принятое в предварительном расчете [3600.0]; Иметь предварительный характер [И470.0]; На этапе предварительного проектирования [Н192.0]; Носить предварительный характер [Н1874.0]; Предварительная инкубация [П1705.0]; Предварительная информация [П1706.0]; Предварительные выводы [П1707.0]; Предварительные исследования [П1708.0]; Предварительные расчеты показали [П1709.0]; Предварительные результаты [П1710.0]; Рассматривать как предварительный [Р463.0]; Сделать предварительный вывод [С393.0]; Следует рассматривать лишь как предварительные [С627.0]; Этот вывод имеет субъективный, сугубо предварительный характер [Э104.0]

**предвидение:** В предвидении того, что [В389.0]

**предвидимый:** Все существующие и предвидимые [В1019.0]

**предвосхищать:** [П1711.0]

**предел:** В задаваемых техническими условиями пределах [В396.0]; В пределах возможностей [В391.0]; В пределах данного класса [В392.0]; В пределах ошибки измерения [В393.0]; В пределах погрешности [В394.0]; В пределах точности измерений [В395.0]; В пределе, когда ... [В400.0]; В приемлемых пределах [В397.0]; В разумных пределах [В398.0]; В узких пределах [В399.0]; Величина ... ограничена пределами [В891.0]; Верхний допустимый предел [В921.0]; Влияние не распространяется за пределы [В1137.0]; Возможности, выходящие за пределы [В1324.0]; Всему есть предел [В1025.0]; Выдерживать в допустимых пределах [В1790.0]; Выход за пределы (В2024.0); Выходить за пределы возможностей [В2033.0]; Выходить за пределы допуска на [В2034.0]; Выходить за пределы расчетных режимов [В2035.0]; Выходящий за пределы возможностей [В2036.0]; Выходящий за пределы области [В2037.0]; Где-то в пределах [Г29.0]; Далеко за пределами возможностей [Д92.0]; До предела [Д466.0]; Допускается разностенность отливки в пределах ... от толщины стенки [Д664.0]; Допустимый предел, устанавливаемый [Д667.0]; Достигать предела своих возможностей [Д711.0]; Жесткие пределы (Ж 10.0); За пределами диапазона

[344.0]; За пределами которой [345.0]; За пределами разрешающей способности [346.0]; За пределы разумного [348.0]; Заведомо в пределах [377.0]; Заходить в пределы пространства, располагаемого для [3520.0]; Изменяться в широких пределах [И277.0]; Интегрирование уравнения в пределах от... до [И586.0]; Использоваться почти на пределе возможностей [И728.0]; Находиться в пределах досягаемости [Н637.0]; Находиться в пределах точности расчета [Н638.0]; Находиться на пределе допустимых значений [Н673.0]; Находиться на пределе своих возможностей [Н674.0]; Не выходить за допустимые пределы [Н802.0]; Не выходить за пределы размеров существующего [Н801.0]; Не выходить за пределы современного уровня техники [Н800.0]; Нижний предел применимости [Н1726.0]; Нормированные пределы [Н1858.0]; Офаничиваться узкими пределами [0470.0]; Падать ниже допустимого предела [П5.0]; Полоса статической ошибки верхнего предела измерений [П1122.0]; Превышать допустимые эксплуатационными нормами пределы [П1697.0]; Превышать предел по [П 1699.0]; Предел обнаружения [П1713.0]; Предел появления [П1714.0]; Предел применимости [П1715.0]; Предел устойчивости [П 1716.0]; Пределы интегрирования [П1717.0]; Пределы погрешности [П1718.0]; Работа за пределами, предусмотренными техническими условиями [Р18.0]; Работать на пределе своих возможностей по [Р59.0]; Работающий на пределе [Р89.0]; Размеры должны быть в пределах допусков [Р259.0]; Расположенный за пределами [Р395.0]; С точностью, не выходящей за пределы погрешности измерений [С138.0]; Узкие пределы, определяемые [У 191.0]; Устанавливать предел [У459.0]; Экспортная упаковка и перевозка в пределах страны [Э66.0]

**предельно:** Будьте предельно внимательны при работе с... [Б361.0]; Будьте предельно осторожны [Б360.0]; Предельно возможный [П1723.0]

**предельный:** В другом предельном случае [В528.0]; В предельном случае [В547.0, В548.0]; Предельное внимание [П 1722.0]; Предельный случай [П1719.0]; Предельный срок представления [П1721.0]; При предельной эффективности [П2114.0]; Промежуточный между предельными значениями [П2843.0]; Рассмотрим другой предельный случай [Р480.0]; С предельной осторожностью [С45.0]

**предисловие:** [П1724.0]

**предлагаемый:** В предлагаемой работе описывается [В432.0]; Новым в предлагаемом нами методе является [Н1835.0]; Предлагаемый на будущее [П 1734.0]

**предлагать:** Был предложен ранее [Б363.0];

Быть одним из тех, кто предложил [Б315.0];

Вот почему предлагается [В 1446.0]; Логично предложить, чтобы [Л93.0]; Мы не предлагаем [М419.0]; Мы предлагаем, чтобы [М433.0];

Нельзя предложить какие-либо неоспоримые аргументы [Н1331.0]; Предлагаем читателям [П 1732.0]; Предлагать вниманию [П1726.0]; Предлагать довод [П1727.0]; Предлагать независимо [П1728.0]; Предлагать объяснение [П1729.0]; Предлагать считать, что [П1730.0]; Предлагать теорию [П1731.0]

**предложение:** Давать предложения по дальнейшему [Д36.0]; Доказательства в подтверждение этого предложения [Д531.0]; Коммерческое предложение по [К277.0]; Критические замечания и предложения [К495.0]; На этапе сбора предложений (Н194.0); Неофициальное предложение [Н 1458.0]; Патентоспособность предложения [П32.0]; По предложению [П440.0]; Поддерживать предложение [П718.0]; Положение об открытиях, изобретениях и рационализаторских предложениях [П1098.0]; Предложение исследовать [П1738.0]; Предложения по дальнейшей работе [П1741.0]; Принимать предложение стать акционером [П2427.0]; Рассматривать предложение с учетом [Р474.0]; С благодарностью принимать замечания и предложения [С2.0]; Содержащиеся в нем предложения [С956.0]; Техническое предложение [Т233.0]

**предложенный:** Метод, впервые предложенный (М 157.0); Предложенная методика имеет, по-видимому, общий характер [П1737.0]; Предложенный в работе ... коэффициент [П1736.0]

**предмет:** Предмет исследования в работе [П1744.0]; Предмет обсуждения [П1745.0];

Предмет спора между специалистами в области [П1747.0]; Составлять предмет настоящей статьи [С1091.0]; Стать предметом дальнейших исследований [С1409.0]; Стать предметом интенсивного и тщательного изучения [С1410.0]; Являться предметом серьезной заботы [Я25.0]

**предназначать:** Предназначать для [П1748.0]

**предназначаться:** Предназначаться для узкого круга [П1749.0]; Предназначаться специально для использования при [П1750.0]

**предназначение:** [П1753.0]; Отвечать своему предназначению [01243.0]

**предназначенный:** Предназначенный для [П1751.0, П1752.0]

**преднамеренно:** Эта страница преднамеренно оставлена пустой [Э110.0]

**предопределять:** [П1754.0]

**предоставление:** Предоставление лицензий [П1755.0]; Предоставление рабочей силы [П1756.0]



**предоставленный:** Любезно предоставленный нам [Л116.0]; Предоставлен самому себе [П1763.0]; Предоставлено во временное пользование (П 1762.0)

**предоставлять:** Предоставлять владельцу права [П1758.0]; Предоставлять возможность [П1759.0]; Предоставлять все преимущества [П1760.0]; Предоставлять кредит [П1761.0]

**предоставляться:** Предоставляется право [П1765.0]

**предостерегать:** Предостерегать против попытки [П 1767.0]; Предостерегать против поспешных выводов [П1768.0]

**предостережение:** [П1769.0]; В качестве предостережения напомним [В149.0]

**предосторожность:** В качестве последней меры предосторожности [В148.0]; Должные меры предосторожности [Д596.0]; Мера предосторожности по поддержанию [М 125.0]; Мера предосторожности против [М127.0]; Меры предосторожности могут быть реализованы путем [М 124.0]; Меры предосторожности по технике безопасности [М 126.0]; Несмотря на все меры предосторожности [Н1611.0]; Никаких особых предосторожностей не принималось [Н1746.0]; Обычные меры предосторожности [0399.0]; При соответствующих мерах предосторожности [П2133.0]; Принимать меры предосторожности против [П2416.0]; Принимать соответствующие меры предосторожности [П2420.0]; Соблюдать меры предосторожности [С812.0]

**предотвращать:** Опасность должна быть предотвращена с помощью [0743.0]; Помогает предотвратить (П1255.0); Предотвращать доступ [П1771.0]; Предотвращать опасность [П1772.0]; Предотвращать падение [П1773.0]; Предотвращать повреждение от чрезмерного [П1774.0]; Предотвращать повреждение при неудачном [П1775.0]; Предотвращать случайное включение [П1776.0]; Предотвращать тенденцию к [П 1777.0]; Чтобы предотвратить это [4206.0]; Эффективно предотвращать [Э227.0]

**предотвращение:** Использоваться для предотвращения пожара [И722.0]; Меры по предотвращению несанкционированного (М130.0); Предотвращение аварий [П1778.0]; С целью предотвращения (С 177.0)

**предохранитель:** Перегорели предохранители [П78.0]; Проверить соответствие плавких предохранителей номинальным значением [П2662.0]

**предохранительный:** Преждевременное срабатывание предохранительного клапана [П 1970.0]

**предохранять:** Предохранять от грязи [П1780.0]; Предохранять от попадания в [П1782.0]; Предохранять от травмы [П1784.0]; Хранить вдали от источников тепла и пре-

дхранять от огня и прямого воздействия солнечных лучей [X121.0]

**предписываемый:** Предписываемый нормами [П1785.0]

**предполагаемый:** Диапазон предполагаемого использования [Д286.0]; Предполагаемая ошибка [П 1799.0]; Предполагаемое использование [П 1800.0]; Предполагаемое участие [П1801.0]

**предпологать:** Если предположить, что [Е76.0]; Естественно было предположить, что [Е 183.0]; Имеющиеся данные позволяют предположить, что [И531.0]; Имеющийся опыт позволяет предположить [И528.0]; Как можно было бы предположить [К82.0]; Логично, по-видимому, предположить, что [Л91.0]; Можно предположить, что [М355.0]; Не позволяет предположить, что (Н992.0); Остается предположить, что [01123.0]; По аналогии можно предположить [П325.0]; Позволяет предположить возможность [П922.0]; Позволяет предположить, что значение ... равно [П923.0]; Позволяет предположить, что так дело и обстоит в действительности [П924.0]; Поэтому можно предположить, что [П1580.0]; Предполагать на основании [П1787.0]; Предположим далее, что [П1787.0]; Предположим, например, что (П 1790.0); Предположим, что мы движемся [П1791.0]; Таким образом можно предположить, что [Т96.0]; Что позволяет предположить существование [4158.0]; Это позволяет предположить, что либо ..., либо [Э176.0]

**предполагаться:** А не ..., как это обычно предполагается [А29.0]; Вначале предполагалось [В1169.0]; Выполнение которой займет, как предполагается, 18 месяцев [В 1868.0]; Как и предполагалось, этого не произошло [К76.0]; Предполагается построить [П1794.0]; Предполагается, что [П1795.0]

**предположение:** Было высказано предположение, что ... является следствием (Б369.0); Всего лишь предположение, которое нуждается в проверке [В1568.0]; Высказывать предположение [В1973.0]; Делать предположение [Д219.0]; Исходить из предположения, что [И815.0]; Основываться на предположении [01023.0]; Отказываться от предположения [01314.0]; Подтверждать предположение [П854.0]; Подтверждение такого предположения можно найти [П865.0]; Прав в своем предположении относительно [П1602.0]; Что касается предположения о ..., то последующие исследования его не подтвердили [4145.0]

**предположительно:** Предположительно устойчивый режим [П1804.0]

**предпосылка:** Предпосылки к созданию изобретения [П 1805.0]

предпочитать^ Если уж мы предпочитаем называть его именно так [Е140.0]; Предпочитают принять [П1807.0]

**предпочтение:** В целом отдавалось предпочтение [В743.0]; Отдавать все большее предпочтение [01278.0]; Отдавать предпочтение перед [01277.0]; Отдавать явное предпочтение [01279.0]; Предпочтение было отдано [П1809.0]; Предпочтение, отдаваемое, в случае [П 1810.0]; Предпочтение, отдаваемое одному... по сравнению с другим [ПГ811.0]; Предпочтение отдается [П1812.0]; То, что предпочтение было отдано ..., а не [Т280.0]; Явное предпочтение отдается [Я55.0]

**предпочтительный:** Предпочтителен с точки зрения [П1817.0]; Предпочтительнее [П1818.0]; Предпочтительное направление [П1815.0]; Предпочтительное решение [П1816.0]; Предпочтительный вариант [П 1814.0]; Явно предпочтительнее в качестве [Я49.0]; Явно предпочтительнее других [Я50.0]

**предпринимать:** В настоящее время предпринимаются попытки [В57.0]; Попытки не предпринимались [П1312.0]; Предпринимать действия [П1820.0]; Предпринимать меры по быстрому и надежному удалению [П 1821.0]; Предпринимать попытку [П1822.0]; Предпринимать усилия по [П1824.0]; Предпринимать шаги [П1825.0]; Предпринята безуспешная попытка [П1823.0]; Только в случае, когда предпринимались специальные меры по [Т305.0]

**предпринятый:** Шаги, предпринятые для [Ш8.0]

**предприятие:** [П1826.0]; Борьба с шумом на предприятии [В260.0]; Головное предприятие [Г86.0]; Изготовитель гарантирует работу изделия в течение ... лет, считая срок пребывания в пути и хранения на складах со дня выпуска с предприятия [И207.0]; Мощность предприятия [М402.0]; На предприятии [Н116.0]; Промышленное предприятие [П2854.0]; Прямо на предприятии [П3066.0]

**предпроектный:** Предпроектные исследования [П1827.0]

**председатель:** Взять на себя обязанности председателя [В 1068.0]; Оставлять пост председателя [01137.0]; Председателем комитета является [П 1828.0]

**представитель:** Будет представлен позже [В347.0]; Быть типичным представителем [В339.0]; Заводские испытания в присутствии представителя заказчика [З122.0]; Испытание проведено в присутствии представителя [И752.0]; Испытания в отсутствие представителя заказчика [И753.0]; Официальный представитель (01602.0); Подписа-

но полномочным представителем [П779.0]; Представители других специальностей [П1830.0]; Представители самых разных специальностей [П 1831.0]; Присутствие представителя завода [П2536.0]

**представительство:** Для экономии времени все заказы на запчасти направляйте в ближайшее отделение или представительство фирмы [Д422.0]

**представить (См. также «представлять»):**

Если вначале представить себе [Е40.0]; Если представить себе, что существует [Е77.0]; Можно представить себе в виде [М358.0]; Можно представить себе, например, что [М359.0]; Можно представить себе следующим образом [М360.0]; Не может никто себе представить [Н917.0]; Не настолько велик, чтобы представить опасность [Н927.0]; Нетрудно представить себе [Н 1664.0]; Представим себе, что [П1873.0]; Трудно себе представить [Т483.0]; Хотя и можно представить себе некий [Х95.0]

**представление:** Более полное представление [Б176.0]; Более широкое представление о [Б199.0]; В свете современных представлений о [В491.0]; Давать более глубокое представление о [Д38.0]; Давать лишь слабое представление о [Д39.0]; Давать наглядное представление о [Д40.0]; Давать некоторое представление о [Д41.0]; Давать общее представление о [Д42.0]; Давать представление о [Д37.0]; Делать представление [Д220.0]; Для этого необходимо некоторое представление о том, насколько [Д429.0]; Иметь представление о [И433.0]; Исходя из сегодняшних представлений [И822.0]; Намного продвинулись в нашем представлении о [Н433.0]; Некоторое представление можно получить [Н 1296.0]; Некоторое элементарное представление о [Н1295.0]; Неправильное представление [Н1504.0]; Несколько другое представление о [Н 1578.0]; О которых необходимо иметь правильное представление [08.0]; Обоснованность такого представления данных весьма сомнительна [0167.0]; Общее представление о [0337.0]; Полное представление о [П1085.0]; Получать представление о [П1164.0]; Получать поверхностное представление о [П1165.0]; Предельный срок представления [П1721.0]; Представление в безразмерной форме [П1833.0]; Представление документов в суд [П1834.0]; Представление на конференции [П1835.0]; Представление о том, что [П1836.0]; Представление технической документации на рассмотрение [П1837.0]; Преувеличенное представление о [П2054.0]; При таком способе представления результатов [П2137.0]; Расширять представление о [П572.0]; Соглашаются с представлениями о том, что

[С926.0]; Составлять представление о [С1092.0]; Существующее представление о [С1586.0]; У него сложилось достаточно полное представление о [У7.0]; Хорошее представление о том, что происходит в [Х35.0]; Целостное представление [Ц12.0]; Цельное и систематизированное представление о [Ц28.0]; Чтобы дать некоторое физическое представление о [4179.0]; Элементарное представление о [Э77.0]

**представленный:** Представлен в [П1901.0];

Представленные материалы по ... включают в себя [П1904.0]; Представленный добровольно [П1902.0]; Представленный ниже [П1903.0]

**представляемый:** Объем представляемого материала [0368.0]

**представлять** (См. также «представить»)

Больше не представляет интереса [Б216.0]; Вряд ли представляет большой интерес [В1557.0]; Для нас представляет интерес [Д356.0]; Интерес в отдельных случаях представляет [И602.0]; Используемый ... представлял собой [И713.0]; Мысленно представлять себе [М442.0]; Насколько мы себе это представляем [Н546.0]; Не представлять большой ценности [Н1019.0]; Не представлять серьезной проблемы [Н1020.0]; Не представлять труда [Н1021.0]; Определенную ценность представляет также [0849.0]; Особый интерес представляют [01064.0]; По определению представляет собой [П428.0]; Представлять большую опасность [П 1853.0]; Представлять в виде [П1839.0]; Представлять в графической форме [П1840.0]; Представлять в основном академический интерес [П1847.0]; Представлять в письменной форме для рассмотрения [П1841.0]; Представлять в течение этого года [П 1843.0]; Представлять графически в зависимости от [П1842.0]; Представлять для ... большую ценность [П1859.0]; Представлять для рассмотрения и утверждения [П1844.0]; Представлять интерес [П1845.0]; Представлять интерес только для [П1846.0]; Представлять интересы [П1851.0]; Представлять на рассмотрение [П 1852.0]; Представлять ограниченную ценность [П1860.0]; Представлять практический интерес [П1849.0]; Представлять проблему для [П1854.0]; Представлять рекомендацию [П1855.0]; Представлять рукопись к [П1856.0]; Представлять себе как [П1872.0]; Представлять серьезную угрозу [П1857.0]; Представлять собой сложность [П1877.0]; Представлять собой не что иное как [П 1875.0]; Представлять собой новшество [П1876.0]; Представлять собой опасный участок [П1884.0]; Представлять собой самые последние технические достижения в области [П1878.0];

Представлять собой серьезную техничес-

кую задачу [П1879.0]; Представлять собой серьезную угрозу для [П1880.0]; Представлять собой скорее [П 1881.0]; Представлять собой среднее значение [П1882.0]; Представлять собой только академический интерес [П1848.0]; Представлять ценность [П1858.0]; Представляют интерес два случая, а именно [П1850.0]; Представляют собой собственность фирмы или засекреченные материалы [П1883.0]; Сам по себе представляет серьезную проблему [С199.0]; Там, где это представляет интерес [Т113.0]; Уравнение представляет собой [У356.0]; Эти вопросы представляют общий интерес [Э211.0]; Ясно представлять себе [Я66.0]

**представляться:** В связи с этим представляется, что [В506.0]; Как это представляется сейчас [К143.0]; Нам представляется, что [Н395.0]; Представляется невооруженному глазу [П1892.0]; Представляется вероятным, что [П1886.0]; Представляется вполне достижимым [П1888.0]; Представляется логичным [П1889.0]; Представляется маловероятным [П1887.0]; Представляется нам достаточно доказательством того, что [П1891.0]; Представляется несколько случайным [П1893.0]; Представляется нецелесообразным [П1894.0]; Представляется по крайней мере на первый взгляд [П1895.0]; Представляется сомнительным [П1897.0]; Представляется целесообразным [П1896.0]; Представлялось в прошлом [П1899.0]; Представляются перспективными для [П1898.0]; Таким образом самым логичным объяснением представляется следующее [Т100.0]; Там, где это представляется необходимым [Т114.0]

**представляющий:** В диапазоне размеров, представляющих интерес для данного исследования [В98.0]; Для большинства представляющих практический интерес случаев [Д391.0]; Область, представляющая большой интерес в настоящее время [0100.0]; Представляющий временный интерес [П 1865.0]; Представляющий интерес в настоящее время [П 1862.0]; Представляющий интерес только для посвященных [П 1864.0]; Представляющий наибольший интерес [П1866.0]; Представляющий не меньший интерес, чем [П1867.0]; Представляющий постоянный интерес [П 1868.0]; Представляющий практический интерес [П1869.0]; Представляющий ценность для [П 1870.0]; Случай, представляющий практический интерес [С709.0]

**предстоять:** Впереди предстоит большая работа [В1457.0]; Многое еще предстоит сделать по части [М206.0]

**предстоящий:** [П 1905.0]

**предубеждение:** Пристрастное отношение к ... или предубеждение против [П2529.0];

Рассматривать без предубеждения [Р452.0]

**предупредительный:** Запрещается производить техобслуживание, не выставив предупредительный знак [3411.0]; Предупредительная мера [П 1907.0]; Установка предупредительных табличек [У504.0]

**предупреждать:** Предупреждать о возможном отказе [П1909.0]; Предупреждать о необходимости [П1910.0]; Предупреждать о скрытой опасности [П1911.0]; Предупреждать появление [П1912.0]; Способ, позволяющий предупредить появление [С 1210.0]

**предупреждение:** [П1913.0]; В заключение одно предупреждение [В 123.0]; Меры по предупреждению материальных потерь и травматизма [М131.0]; Это же предупреждение относится и к [Э172.0]

**предусматривать:** В проекте... должна быть предусмотрена возможность [В409.0];

Объект изобретения не предусмотрен патентным законом [0359.0]; Предусматривать возможность изменения [П1916.0]; Предусматривать меры по [П1917.0]; Предусматривать место для [П1918.0]; Предусматривать получение [П1919.0]; Предусматривать санкционирование [П 1920.0]; Рекомендуется предусматривать [Р680.0]

**предусматриваться:** Методикой предусматривается [М169.0]; На случай ... конструкцией предусматривается (Н147.0); Позднее предусматривается [П938.0]; Предусматриваться законом в обязательном порядке [П1921.0]; Предусматриваться конвенцией [П1922.0];

Реконструкцией предусматривался [Р688.0]

**предусмотренный:** Выполнять обязанности, предусмотренные [В1886.0]; За исключением случаев, предусмотренных пунктом 2.5 [328.0]; Изделие подвергнуто консервации на ... согласно требованиям, предусмотренным инструкцией по эксплуатации [И215.0]; Изделие упаковано на ... согласно требованиям, предусмотренным инструкцией по эксплуатации [И218.0]; Предусмотренный в [П1923.0]; Предусмотренный для [П1924.0]; Предусмотренный пунктом [П1925.0]; Работа за пределами, предусмотренными техническими условиями [Р18.0]

**предшественник:** [П1926.0]

**предшествовать:** Которому предшествовал [К422.0]; Предшествует режим [П1928.0]

**предшествующий:** В период, предшествующий [В333.0]; Предшествующие исследования [П 1931.0]; Предшествующий опыт показывает [П 1930.0]

**предъявление:** Без предъявления упаковочно-го листа претензии не принимаются [Б46.0];

Без предъявления чрезмерных требований к [Б47.0]

**предъявляемый:** Требования по .... предъявляемые к [Т425.0]; Требования, предъявляемые к [Т427.0]

**предъявлять:** Предъявлять более высокие требования к [П1936.0]; Предъявлять встречный иск [П 1933.0]; Предъявлять втрое более высокие требования, чем [П1937.0];

Предъявлять новые требования к [П1938.0];

Предъявлять повышенные требования к [П1939.0];

Предъявлять рекламацию [П 1934.0]; Предъявлять серьезные требования к [П1940.0]; Предъявлять финансовые

требования к [П 1941.0]

**предъявляющий:** Предъявляющий высокие требования [П 1942.0]

**предыдущий:** [П1943.0, П1944.0]; В предыдущем разделе [В455.0]; В предыдущих исследованиях была сделана попытка [В135.0];

Как указано в предыдущем разделе [К136.0];

Как упоминалось в одном из предыдущих разделов [К137.0]; Намного лучше предыдущих [Н418.0]; Не изменяться по сравнению с предыдущим [Н872.0]; Рассмотренный в

предыдущем разделе [Р492.0]; Судя по предыдущим результатам [С 1535.0]

**предыстория:** [П1945.0]

**предэскизный:** На этапе предэскизного проектирования [Н 193.0]; Предэскизная и эскизная стадии проектирования [П1946.0]

**прежде:** Выяснить прежде всего [В2090.0]; Как и прежде [К77.0]; Как никогда прежде [К96.0]; Наблюдался и прежде [Н223.0]; Но прежде, чем заняться этим, необходимо [Н1811.0];

Прежде всего необходимо [П1949.0]; Прежде всего нужно было решить, будет ли [П 1950.0]; Прежде не применялся [П 1951.0]; Прежде чем закончить рассмотрение [П1953.0]; Прежде чем можно будет сказать, что [П 1954.0]; Прежде чем перейти к ..., уместно сделать следующие замечания [П1956.0];

Прежде чем применить в технике [П1957.0]; Прежде чем приступить к рассмотрению [П1958.0];

Прежде чем продолжить [П 1959.0]; Прежде чем рассмотреть возможность покупки [П 1960.0];

Прежде чем согласиться с этим [П1961.0]; Прежде чем углубиться в подробности [П1963.0];

Прежде чем эта проблема будет в значительной степени решена [П1964.0];

Прошло довольно много лет, прежде чем [П3017.0]; Сейчас как никогда прежде важны для [С412.0];

Чем когда-либо прежде [450.0]

**преждевременен:** Хотя этот вывод, возможно, и преждевременен [Х1 10.0]

**преждевременно:** В высшей степени преждевременно [В653.0];

Преждевременно говорить о [П1966.0];

Преждевременно делать вывод [П1967.0]; Прекращать преждевременно [П1991.0]

**преждевременный:** Преждевременное разрушение [П 1969.0];

Преждевременное срабатывание предохранительного клапана

[П1970.0]; Преждевременный выход из строя

[П1968.0]

**прежний:** Влево от прежнего положения [В1128.0]; Возвращать в прежнее положение [В 1266.0]; Выводы остаются прежними

[В1732.0]; Как и в своих прежних работах

[К72.0]; Общая картина остается прежней

[О328.0]; Оставаться на прежнем месте

[01093.0]; Оставаться прежним [01113.0]

**преимущественно:** [П1972.0, П1983.0]

**преимущественный:** [П1971.0]

**преимущество:** Воспользоваться экономическими преимуществами [В1424.0]; Гарантия обещанных преимуществ подтверждена [Г21.0]; Главное преимущество [Г53.0]; Давать большие преимущества [Д45.0]; Давать лишь незначительное преимущество (Д44.0); Давать множество преимуществ по сравнению с [Д46.0]; Давать некоторые преимущества [Д47.0]; Дополнительно преимущество заключающееся в [Д638.0]; Дополнительное преимущество, состоящее в том, что [Д639.0];

Другие преимущества намного перевешивают такой недостаток как [Д758.0]; И многие преимущества сводятся на нет [И39.0]; Иметь преимущество по сравнению с [И434.0]; Иметь небольшое преимущество в случае [И436.0]; Иметь ряд преимуществ по сравнению с [И437.0]; Иметь свои преимущества и недостатки [И381.0];

К числу других преимуществ относятся [К21.0]; Каждый имеет свои преимущества и недостатки [К38.0]; Много преимуществ в других отношениях [М 197.0]; Не давать преимущества [Н819.0]; Не давать никаких преимуществ [Н820.0]; Не иметь преимуществ друг перед другом [Н882.0]; Обещивать эти преимущества [О60.0]; Обладать большими преимуществами [О80.0]; Обладать дополнительными преимуществами [О81.0]; Обладать некоторыми преимуществами по сравнению [О82.0]; Обладать явными преимуществами по сравнению с [О84.0]; Обнаруживать лишь незначительные преимущества по сравнению с [О130.0]; Одно из преимуществ, которое дает [О536.0]; Основные преимущества [О1006.0]; Относительные преимущества [О1429.0]; Перечислять преимущества [П224.0]; Полностью использовать преимущества [П1044.0]; Полученные данные убедительно доказывают преимущества [П 1195.0]; Предоставлять все преимущества [П1760.0]; Преимущества заключаются в [П1979.0]; Преимущества находятся на стороне [П1980.0]; Преимущества, присущие [П1981.0]; Преимущества, связанные с ..., реализуются не полностью [П 1982.0]; Преимущество, заключающееся в том, что [П1974.0]; Преимущество использования состоит в том, что [П1975.0]; Пре-

имущество, которое часто недооценивают [П1976.0]; Преимущество, получаемое в результате использования [П1977.0]; Преимущество теряется [П 1978.0]; Приуси следующие преимущества [П2545.0]; Сохранять преимущества [С1135.0]; Способ, имеющий очень большие преимущества по сравнению с [С1209.0]; Такие преимущества как [Т77.0]; Убедиться на собственном опыте в преимуществах [У36.0]; Установка не дает каких-либо значительных преимуществ [У500.0]; Часть преимуществ теряется [432.0]; Чтобы полностью воспользоваться преимуществами [4204.0]; Это преимущество сводится на нет [Э 182.0]; Явные преимущества [Я60.0]

**прейскурант:** [П1984.0]

**прекращать:** Опыты пришлось прекратить [0890.0]; Прекращать деятельность в области [П1986.0]; Прекращать издание из-за финансовых трудностей [П 1987.0]; Прекращать использование [П1988.0]; Прекращать испытания [П 1989.0]; Прекращать подвод энергии [П1990.0]; Прекращать преждевременно [П1991.0]; Прекращать производство [П1992.0]; Прекращать через несколько часов [П1993.0]

**прекращаться:** Вообще прекращается [В1381.0]; И прекращается [И47.0]; Полностью прекращается [П1057.0]; Прекращаться с [П1995.0]; Совсем прекращаться [С891.0]

**прекращение:** Прекращение воздействия [П1997.0]; Прекращение производства [П1998.0]; Прекращение работ по [П1999.0];

Приказ о временном прекращении работы [П2325.0]

**премия:** Выдвижение кандидатов на премию [В1783.0]; Присуждать премию [П2534.0]

**пренебрегать:** Влиянием ... пренебрегается [В1141.0]; Вполне допустимо пренебречь [В1477.0]; Даже если пренебречь [Д84.0];

Если для начала пренебречь [Е48.0]; Если полностью пренебречь [Е72.0]; Изменениями ..., как и изменениями ..., пренебрегаем [И253.0]; На время пренебрежем [Н21.0];

Настолько малы, что ими можно пренебречь (Н561.0); Пренебрегать в первом приближении [П2001.0]; Пренебрегать величиной, которая мала по сравнению с [П2002.0];

Пренебрегая на время [П2003.0]

**пренебрежение:** [П2004.0]; Общее для ... пренебрежение [0331.0]

**пренебрежимо:** Пренебрежимо мал по абсолютному значению [П2007.0]; Пренебрежимо мал по сравнению с [П2006.0]; Становиться пренебрежимо малым по сравнению с [С1401.0]

**преобладание:** Преобладание над [П2008.0]

**преобладать:** Преобладать над [П2010.0]

**преобладающий:** Влияние ... становится преобладающим [В 1143.0]; Преобладающее

большинство опубликованных работ [П2012.0]; Преобладающее количество [П2013.0], Становиться преобладающим [С 1402.0]

**преобразование:** Алгебраические преобразования [А104.0]; В последующих преобразованиях [В385.0]; Довольно значительные алгебраические преобразования [Д502.0]; Методика связана с большими алгебраическими преобразованиями [М 166.0]; Преобразование в [П2015.0]; Преобразование Лапласа [П2016.0], Производить преобразования [П2791.0]

**преобразовывать:** Преобразовывать энергию [П2018.0]

**преобразовываться:** Преобразовываться в цифровую форму [П2020.0]

**преодолевать:** Зависит от того, насколько удастся преодолеть [3100.0]; Можно было бы преодолеть путем [М396.0]; Преодолевать почти любые трудности [П2024.0]; Преодолевать трудности, связанные с [П2023.0]; Успешно преодолевать этапы [У432.0]; Эту трудность можно преодолеть [Э112.0]

**преодоление:** Преодоление трудностей [П2025.0]

**преподавание:** Преподавание с частичной нагрузкой [П2026.0]

**предпочтительный:** [П1813.0]

**препринт:** [П2027.0]

**препятствие:** Главное препятствие [Г54.0]; Зацепиться за препятствия [3523.0]; Обходить препятствия [0283.0]; Основное препятствие на пути повышения [0992.0]; Препятствия производственного характера [П2029.0]; Серьезное препятствие нашему делу [С441.0]; Устранение препятствий [У519.0]

**препятствовать:** Препятствовать дальнейшему [П2031.0]; Препятствовать практическому осуществлению [П2032.0]; Препятствовать широкому применению [П2033.0]; Применению ... в некоторой степени препятствуют [П2362.0]

**прерыватель:** Вернуть прерыватель в исходное положение [В900.0]

**прерывать:** Прерывать работу [П2035.0]

**прерывистый:** [П2036.0]; Работающий в прерывистом режиме [Р84.0]

**преследовать:** Наше исследование преследовало две цели [Н738.0]; По большей части преследует цель [П327.0]; Преследовали неудачи, связанные с [П2038.0]; Преследовать цель [П2037.0]

**пресс-конференция:** Состоялась пресс-конференция [С1120.0]

**претендент:** Основной претендент на роль [0970.0]

**претендовать:** Претендовать на полноту [П2040.0]

**претензия:** Без предъявления упаковочного листа претензии не принимаются [Б46.0];

Предъявлять претензию к транспортному агентству [П 1934.0]; Претензии по техническому обслуживанию [П2043.0]; Претензии по недостатке [П2042.0]; При отсутствии упаковочного листа претензии приниматься не будут [П2106.0]

**претерпевать:** Претерпевать большие [П2045.0]; Претерпевать значительные изменения [П2046.0]; Претерпевать коренное изменение [П2047.0]; Претерпевать лишь незначительные изменения [П2048.0]; Претерпевать многие изменения [П2049.0]; Претерпевать ряд изменений [П2050.0]

**преткновение:** Камень преткновения [К172.0]

**преувеличение:** [П2051.0]; Большое преувеличение [Б248.0]; И, конечно, не будет большим преувеличением сказать [И35.0]; Не будет большим преувеличением сказать, что [Н753.0];

**преувеличенный:** Оказываться сильно преувеличенным [0684.0]; Преувеличенное представление о [П2054.0]

**преувеличивать:** Преувеличивать влияние [П2053.0]

**прецедент:** Создавать прецедент [С977.0]

**прибегать:** Без необходимости прибегать к [Б38.0]; Для устранения этой проблемы прибегают к [Д417.0]; Не прибегая к слишком большим усложнениям можно [Н1023.0]; Обычно прибегают к [0412.0]; Прибегать к [П2173.0]; Приходится прибегать к [П2558.0]

**приближаться:** Асимптотически приближаться к [А159.0]; Вплотную приблизиться к [В1469.0]; Несколько приблизиться к решению [Н1595.0]; Приблизиться к завершению [П2175.0]; Приблизиться по абсолютной величине к [П2176.0]

**приближающийся:** Значение, приближающееся к [3599.0]; Хотя бы приближающиеся к таким высоким значениям [Х88.0]

**приближение:** В качестве первого приближения [В147.0]; В первом приближении [В402.0]; Давать приближение к [Д48.0]; Длительное приближение к [Д306.0]; Начальное приближение [Н711.0]; По мере приближения даты [П391.0]; По мере приближения к [П392.0]; Пренебрегать в первом приближении [П2001.0]; Приближение по методу наименьших квадратов [П2178.0]; С приближением к [С74.0]; Чтобы это приближение было справедливым [4219.0]

**приближенно:** Приближенно измерять [П2185.0]; Приближенно приравнять [П2186.0]

**приближенный:** В условиях, максимально приближенных к эксплуатационным [В715.0];

При... можно руководствоваться таким приближенным критерием как [П2091.0]; При-

ближенная инженерная оценка [П2183.0]; Приближенное решение [П2184.0]; Приближенный метод [П2180.0]; Приближенный расчет [П2181.0]; Хорошо описываться приближенным выражением [Х58.0]

**приблизительно:** Не зная даже приблизительно [Н863.0]; Приблизительно в этом время [П2188.0]; Приблизительно по параболе [П2189.0]; Приблизительно постоянный [П2190.0]; Приблизительно пропорционален [П2191.0]; Приблизительно так же как [П2192.0]

**прибор:** Данные о поверке измерительных приборов поверочными органами [Д113.0]; Оснащать приборами для измерений [0951.0]; Перечень приборов и аппаратуры для периодической проверки точности показаний [П219.0]; Поверка измерительных приборов поверочными органами [П530.0]; Подготовка прибора к работе [П700.0]; Показывающий прибор [П998.0]; Приборы для измерения [П2194.0]; Приборы, инструмент, приспособления и материалы, необходимые для выполнения работы [П2195.0]; Проверка измерительных приборов инспектирующими органами [П2620.0]; Снабженный многочисленными приборами [С758.0]; Тарировать по эталонному прибору [Т120.0]; Хорошо оснащенный приборами [Х62.0]

**приборный:** Не горят лампочки приборной доски [Н809.0]

**прибыль:** Прибыль за вычетом подоходного налога [П2196.0]

**приведение:** После приведения уравнения к безразмерному виду путем деления обеих его частей на [П1364.0]

**приведенный:** Помимо приведенных [П1249.0]; Приведенные доказательства [П2254.0]; Приведенные соображения справедливы лишь [П2255.0]; Приведенный в таблице [П2253.0]; Рекомендации, приведенные в выводах [Р675.0]; Числа в квадратных скобках обозначают номера в списке работ, приведенном в конце статьи [4104.0]

**приверженность:** [П2197.0]

**привести** (См. также «**приводить**»): Должно было бы привести к более значительным результатам [Д587.0]; Достаточно привести два примера [Д693.0]; Задачу можно привести к безразмерному виду [3176.0]; Могут привести к [М268.0, М301.0]; Может привести к тому, что [М302.0]; Невыполнение этого может привести к [Н1180.0]; Несоблюдение указанных требований может привести к поломке машины или травме [Н1626.0]; Это может привести к [Э145.0]

**приветствовать:** Можно приветствовать [М361.0]; Появление ... можно только приветствовать [П1586.0]; Что можно только приветствовать [4149.0]

**прививать:** Прививать интерес к [П2198.0]

**привлекателен:** Привлекателен тем, что [П2207.0]

**привлекательный:** Наиболее привлекательный [Н327.0]; Особенно привлекательное свойство для [01045.0]

**привлекать:** Привлекать в качестве субподрядчика [П2203.0]; Привлекать внимание к [П2200.0]; Привлекать все большее внимание исследователей [П2201.0]; Привлекать всеобщее внимание к вопросам [П2202.0]; Привлекать к работе над [П2205.0]; Привлекать своей простотой [П2206.0]

**привлечение:** Без необходимости привлечения [Б49.0]

**привод:** Использоваться для привода [И723.0]; Приводом служит [П2263.0]; С приводом от [С76.0]

**приводимый:** Приводимый в действие [П2260.0]; Приводимый воздухом [П2261.0]; Приводимый от [П2262.0]

**приводить** (См. также «**привести**»): Анализ ... приводит к противоположному результату [АН 1.0]; Если эти меры не приводят к исправлению неисправности [Е176.0]; Использование ... не приводит к значительному улучшению [И687.0]; Использование ... привело бы к [И691.0]; Кратковременная работа с ... не приводила к каким-либо повреждениям в [К461.0]; Может быть настолько сильным, что приведет к [М312.0]; Не приводить к заметному изменению [Н1024.0]; Не приводить к значительному улучшению [Н 1025.0]; Не приводить к нарушению работы [Н1026.0]; Неизменно приводили к [Н1278.0]; Но это приводит лишь к замене [Н1822.0]; Подробности анализа приведены в работе [П802.0]; Подробности, касающиеся ... приведены на [П803.0]; Полученные результаты приведены в виде графика на рис. [П1197.0]; Приведем теперь выражения для расчета [П2251.0]; Приведен к [П2256.0]; Приведен с целью иллюстрации и не является исчерпывающим [П2258.0]; Привело главным образом к тому, что [П2247.0]; Приводит к тому, что пропадает всякое желание [П2241.0]; Приводит к частичному успеху [П2244.0]; Приводит в виде [П2208.0]; Приводит в движение [П2210.0]; Приводит в действие [П2211.0]; Приводит в подтверждение [П2212.0]; Приводит в полном виде [П2209.0]; Приводит в рабочее состояние [П2219.0]; Приводит в равновесие [П2214.0]; Приводит в соответствие с [П2216.0]; Приводит в соприкосновение с [П2217.0]; Приводит в состояние [П2218.0]; Приводит все в порядок [П2213.0]; Приводит вывод формулы [П2220.0]; Приводит доводы [П2221.0]; Приводит к опасности [П2229.0];

Приводить к осложнениям [П2230.0]; Приводить к последствиям [П2234.0]; Приводить к потерям времени и средств [П2236.0]; Приводить к безразмерному виду делением на [П2225.0]; Приводить к выводу о том, что [П2226.0]; Приводить к мысли о целесообразности [П2227.0]; Приводить к необходимости [П2228.0]; Приводить к отказу [П2231.0]; Приводить к отклонению от [П2232.0]; Приводить к парадоксу [П2233.0];

Приводить к проигрышу в виде [П2238.0]; Приводить к решению [П2239.0]; Приводить к ряду интересных [П2240.0]; Приводить к самым разным последствиям [П2235.0]; Приводить к удорожанию [П2242.0]; Приводить к уменьшению [П2243.0]; Приводить обычно к [П2223.0]; Приводить тем самым к [П2246.0]; Такой ход рассуждений приводит нас к утверждению [Т59.0]

**приводиться:** Для справок приводится чертеж [Д398.0]; Ниже приводится краткое описание [Н1722.0]; Приводятся также [П2250.0];

**приводящий:** Приводящий к [П2259.0]; Причины, приводящие к [П2589.0]

**привыкать:** Привыкнуть к новому [П2264.0]

**приглашение:** Доклад по специальному приглашению [Д548.0]; Принимать приглашение [П2428.0]

**пригнанный:** Точно пригнанный [Т399.0]

**пригодность:** Доказательство пригодности [Д533.0]; Обоснование пригодности [0165.0]; Подтверждать пригодность [П855.0]; Пригодность в качестве [П2266.0]; Пригодность для практического использования [П2268.0]; Пригодность к работе [П2269.0]; Пригодность к эксплуатации [П2270.0]; Пригодность конструкции для циклического режима работы [П2271.0]

**пригодный:** Более пригодная форма [Б 178.0]; Больше пригодны для ..., чем для.. [Б210.0]; Быть пригодным для поставленной цели [Б329.0]; Вполне пригодный для [В1491.0]; Для ... наиболее пригоден [Д355.0]; Единственно пригодный вариант [Е23.0]; Не пригоден для [Н1027.0]; Не совсем пригоден для [Н1028.0]; Один из пригодных методов решения [0518.0]; Пригоден для использования согласно техусловиям [П2281.0]; Пригоден для применения вплоть до [П2282.0]; Пригодный для использования в космических условиях [П2274.0]; Пригодный для непосредственного использования [П2275.0];

Пригодный для общего случая [П2276.0];

Пригодный для практического использования [П2277.0]; Пригодный для промышленного изготовления [П2278.0]; Пригодный для работы с [П2279.0]; Пригодный для эксплуатации [П2280.0]

**приготавливать:** Приготавливать из [П2283.0]

**придавать:** Не придавать значения [Н1029.0];

Не придавать никакого значения [Н1030.0];

Не следует придавать большого значения [Н1070.0]; Не следует придавать слишком большого значения этому сравнению [Н1071.0]; Придавать большой вес [П2286.01];

Придавать большое значение [П2288.0]; Придавать вес мнению [П2285.0]; Придавать второстепенное значение [П2289.0]; Придавать какой-либо физический смысл [П2294.0]; Придавать меньшее значение [П2290.0]; Придавать новые качественные характеристики [П2292.0]; Придавать силу аргументам [П2293.0]; Придавать слишком большое значение [П2291.0]; Придавать стабильность [П2295.0]; Придавать форму [П2296.0]

**придаваться:** В последнее время придается большое значение [В62.0]

**придерживаться:** Придерживаться версии [П2298.0]; Придерживаться мнения [П2299.01];

Придерживаться по-прежнему [П2300.0];

Придерживаться стандартов [П2301.0]; Придерживаться указаний [П2302.0]; Придерживаться условности [П2303.0]; Строго придерживаться [С 1504.0]; Этой условности мы будем придерживаться на протяжении всего последующего анализа [Э 113.0]

**придумывать:** [П2304.0]

**приезд:** Время приезда и отъезда [В1534.0]

**прием:** Акт приема [А90.0]; Простой прием, заключающийся в [П2930.0]

**приемка:** Вся работа подлежит контролю и приемке со стороны продавца [В961.0];

Испытания, проверка и приемка после ремонта [И755.0]; Осмотр и приемка [0941.0];

Послеремонтные испытания, проверка и приемка [П1423.0]; Правила приемки [П16113.0]; Приемка оборудования [П2305.0]; Свидетельство о приемке [С288.0]

**приемлемость:** Обоснование приемлемости [0165.0]; Правомерность или приемлемость [П 1636.0]

**приемлемый:** В приемлемых пределах [В397.0];

Взаимно приемлемое решение [В1048.0];

Делать приемлемым [Д221.0]; За приемлемый отрезок времени [310.0]; Наиболее приемлемое объяснение заключается в том, что [Н328.0]; По приемлемой цене [П508.0];

Приемлемая альтернатива [П2309.0]; Приемлемый с экономической точки зрения [П2307.0]; Приемлемый уровень [П2308.0]; С приемлемой точностью [С 140.0]; Согласовываться с приемлемой точностью (С924.0);

Сходиться с приемлемой точностью [С1605.0]; Удовлетворительно согласовываться с [У 161.0]; Уменьшение до приемлемого уровня [У273.0]

**приемосдаточный:** Акт приемосдаточных испытаний [А91.0]



**приемочный:** Выборочный приемочный конт- роль [В1719.0]; Не пройти приемочные испытания [Н1041.0]; Приемочное испытание [П2310.0]; Проводить приемочные испытания [П2675.0]

**прижимать:** Крепко прижать [К468.0]; Прижимать к [П2311.0]

**призвание:** По образованию и по призванию [П416.0]

**признавать:** Изготовлен в соответствии с ТУ, проверен и признан годным к эксплуатации [И204.0]; Полностью признавая [П1058.0]; Признавать непригодными для ... из-за [П2314.0]; Признавать свою ошибку, допущенную в [П2313.0]; Признавать справедливость [П2315.0]

**признак:** Без каких-либо признаков [Б52.0]; Внешние признаки [В 1198.0]; Двукратное упоминание признака изобретения [Д 162.0]; Известность признака изобретения [И167.0]; Какие-либо признаки ... отсутствовали [К167.0]; Не обнаруживать каких-либо признаков [Н938.0]; Неопределенность отличительных признаков [Н 1451.0]; Неподтвержденный признак [Н1465.0]; Новые признаки изобретения [Н1834.0]; Обнаруживать признаки [О132.0]; Отличительный признак изобретения [О1404.0]; Отсутствие признаков изобретения [О1552.0]; Признаки грубого обращения с грузом при транспортировке [П2321.0]; Признаки нормальной работы [П2322.0]; Не упомянуты существенные признаки [НИ 35.0]; Ссылка на признаки ранее не введенные в пункт формулы изобретения [С1345.0]; Упоминание несущественных признаков [У317.0];

Что это — признак некоторого [4172.0]

**признание:** Завоевывать все более широкое признание [З128.0]; Завоевывать всеобщее признание [З127.0]; Заслуживать признания [З455.0]; Получать всеобщее признание [П1167.0]; Получать международное признание [П1168.0]; Получать поддержку и признание [П1170.0]; Получать признание во всем мире [П1169.0]; Получать широкое признание и доверие [П1172.0]; Признание важности [П2316.0]; Признание того, что [П2317.0]; Также заслуживает признания [Т52.0]

**признанный:** Признанный авторитет [П2318.0];

Признанный специалист [П2319.0]

**признателен:** Автор признателен ...за [А75.0]

**признательность:** Выражать признательность за [В1944.0]; Особую признательность следует выразить [О1072.0]

**признать:** Вынуждены признать [В 1861.0]; Надо признать, что [Н282.0]; Необходимо все же признать, что [Н1364.0]; Необходимо признать, что ответ на этот вопрос пока отсутствует [Н 1380.0]

**призывать:** Призывать к тому, чтобы [П2324.0]

**приказ:** Приказ о временном прекращении работы [П2325.0]

**прикасаться:** Не прикасайтесь к проводам электропитания [Н1031.0]

**прикидочный:** Прикидочный опыт [П2327.0]; Прикидочный расчёт [П2328.0]

**прикладной:** Прикладная наука [П2330.0]

**прикладывать:** Прикладывать все силы [П2332.0]; Прикладывать напряжение к [П2331.0]

**приклеенный:** Приклеенный к [П2334.0]

**приклеивать:** [П2333.0]

**прикомандировывать:** Прикомандировывать от [П2335.0]

**прикрепленный:** Прикрепленный болтами к [П2343.0]

**прикреплять:** Неподвижно прикреплять к [Н1463.0]; Прикреплять болтами [П2337.0];

Прикреплять достаточно прочно [П2338.0];

Прикреплять к ... с помощью [П2340.0];

Прикреплять упаковочную тару к обрешетке [П2341.0]; Прочно прикреплены к [П3031.0]

**прилагаемый:** Прилагаемый для этой цели [П2350.0]; Прилагаемый к комплекту [П2351.0]; Прилагаемый чертеж [П2352.0];

С ссылками на прилагаемые чертежи [С 118.0]; Согласно прилагаемой спецификации [С910.0]

**прилагать:** Нужно приложить все усилия для того чтобы [Н1907.0]; Прилагать большие усилия [П2346.0]; Прилагать все усилия [П2347.0]; Прилагать немало усилий [П2348.0]; Прилагать немалые усилия [П2349.0]

**прилагаться:** Документы приложены [Д556.0];

Схема прилагается [С1596.0]

**прилежание:** [П2353.0]

**прилегать:** [П2354.0]; Плотно прилегать к внутренней поверхности [П304.0]; Хорошо прилегать [Х69.0]

**прилегающий:** Неплотно прилегающие друг другу [Н1461.0]; Плотно прилегающий по всей окружности [П306.0]; Прилегающий к [П2355.0]

**прилипание:** Прилипание к [П2356.0]; Тенденция к прилипанию [Т149.0]

**прилипать:** Прилипать к [П2357.0]

**приложение:** Опись приложений к формуляру [О795.0]; Приложения к контракту считаются его неотъемлемой частью [П2359.0]

**приложенный:** Приложенные нагрузки [П2360.0]

**применение:** В отрыве от конкретного применения [В319.0]; Возможности применения [В1328.0]; Вызывать необходимость в применении [В1812.0]; Диапазон применения [Д287.0]; Для применения в [Д381.0]; Для промышленного применения [Д382.0]; До-

пускается применение [Д663.0], Достоинством ... является простота применения [Д740.0]; Изучать возможность применения [И326.0]; Иметь применение [И438.0]; Иметь

наибольшие возможности для применения в [И373.0]; Иметь ограниченное применение [И439.0]; Инструкция по применению [И576.0]; Когда то были исключительно областью применения [К240.0]; Краткое изложение метода с примерами применения [К453.0]; Может найти применение как [М280.0]; Находить более широкое применение [Н616.0]; Находить все более широкое применение в [Н618.0]; Находить всё большее применение в качестве [Н619.0];

Находить наибольшее применение в [Н612.0]; Находить непосредственное применение в [Н613.0]; Находить промышленное применение [Н621.0]; Находить широкое применение в [Н615.0]; Неправильное применение [Н1505.0]; Новое применение известного способа [Н 1833.0]; Область применения [0101.0]; Ограниченные возможности по применению [0475.0]; Ограничивают его применение, так как получаемые результаты дают только качественную картину [0461.0]; Опубликованные результаты успешного применения [0870.0]; Подтверждать правомочность применения [П853.0]; Показывать применение [П984.0]; Получать применение [П1173.0]; Практическое применение [П1675.0]; Препятствовать широкому применению [П2033.0]; Пригоден для применения вплоть до [П2282.0]; Применение ограничивается областью [П2364.0]; Применение метода ограничивается [П2363.0]; Применению в некоторой степени препятствуют [П2362.0]; Промышленное применение сводится к [П2855.0]; С момента его первого применения [С32.0]; Специализированное применение [С1156.0]; Технико-экономические результаты применения изобретения [Т217.0]; Успешное применение в [У440.0]; Целесообразность применения в [Ц7.0]; Ширятся возможности применения [Ш29.0]; Экономия благодаря применению [Э23.0]

**примененный:** Впервые примененный [В1454.0]

**применимость:** [П2365.0]; Диапазон применимости [Д288.0]; Иметь ограниченную применимость [И440.0]; Нижний предел применимости [Н1726.0]; Область применимости [0102.0]; Ограничивать диапазон применимости значениями [0456.0]; Предел применимости [П1715.0]; Расширять диапазон применимости [Р569.0]

**применимый:** В равной степени применим [В670.0]; Вплоть до того момента, когда ... больше не применимо [В 1474.0]; Не приме-

ним для [Н1032.0]; Полностью применим к [П1059.0]; Применимый для [П2374.0]; Строго говоря не применим для [С1501.0]; Строго говоря не применим к [С1502.0]

**применяемый:** Наиболее часто применяемый для [Н342.0]; Применяемый в настоящее время [П2375.0]; Применяемый специально для [П2376.0]; Среди различных ..., применяемых в настоящее время [С1305.0]

**применять:** Временно применять [В1525.0]; Есть, где применить [Е185.0]; Но применять ... следует с осторожностью [Н1813.0]; Прежде чем применить его в технике [П1957.0]; Применять для [П2367.0]; Применять на практике [П2368.0]; Применять обработку [П2369.0]; Применять общий анализ к частному случаю [П2370.0]; Применять с полной уверенностью [П2371.0]; Рекомендуются применять с осторожностью [Р681.0];

Успешно применять на практике [У434.0]

**применяться:** Наиболее широко применяются в [Н344.0]; Начинать применяться [Н719.0]; Неправильно применяться [Н 1495.0]; Прежде не применялся [П 1951.0]; Применяется только при [П2372.0]; Успешно применяться [У433.0]; Широко применяться в промышленности [Ш23.0]

**пример:** В качестве примера первого из них [В151.0]; Взяв в качестве примера [В1073.0];

Достаточно привести два примера [Д693.0];

К числу примеров такого ... относятся [К22.0]; Конкретный пример осуществления изобретения [К321.0]; Краткое изложение метода с примерами применения [К453.0]; Лучше всего проиллюстрировать это на примере [Л113.0]; Любопытный пример [Л128.0]; На примере ряда [Н118.0]; Образцовый пример того [0198.0]; Один из примеров такого [0519.0]; Описывать на примере [0780.0]; Перед тем как перейти к примерам [П90.0]; Показывать теоретически и на примерах [П989.0]; Поясним сканзанное несколькими примерами [П 1598.0];

Пример противоположного характера [П2378.0]; Пример расчета [П2379.0]; Пример списка литературы [П2380.0]; Примером которого служит [П2381.0]; Примером может служить [П2382.0]; Примером последнего может служить [П2383.0]; Проиллюстрировать примером [П2812.0]; Следовать примеру [С593.0]; Служить примером [С696.0]; Служить типичным примером [С697.0]; Типичный пример [Т269.0]; Типичным примером которого служит [Т270.0]; Хорошим примером которых служит [Х39.0]; Численный пример [493.0]; Это всего лишь два из многочисленных примеров [Э 122.0]

**примерно:** Достигать примерно [Д712.0]; Изменяться примерно в ... раза [И281.0]; Между настоящим моментом времени и при-

мерно ... годом [М81.0]; Примерно в два раза меньше [П2385.0]; Примерно в то же самое время [П2386.0]; Примерно за одну секунду [П2387.0]; Примерно известное местоположение [П2388.0]; Примерно каждые 2 минуты [П2389.0]; Примерно на высоте [П2390.0]; Примерно один раз в час [П2391.0]; Примерно одинаковый [П2392.0]; Примерно равный [П2393.0]; Примерно то же самое справедливо для [П2394.0]

**примечание:** [П2395.0]; Дополнительные примечания [Д644.0]

**примечательный:** Примечательны в двух отношениях [П2397.0]

**примиряться:** Примиряться с [П2398.0]

**принадлежать:** Заслуга в принадлежит [3441.0];

Не принадлежать к числу сторонников [Н1033.0]; Принадлежать к группе [П2400.0];

Принадлежать к числу (01449.0, П2401.0); Принадлежать на 50% [П2402.0]; Принадлежать фирме [П2403.0]

**принадлежащий:** [П2404.0]; Занимать принадлежащее по праву место [3337.0]; Установлен как принадлежащий [У492.0]

**принадлежность:** Ведомость запасных частей, инструмента и принадлежностей [В872.0]; Вспомогательные принадлежности

[В1606.0]; Запасные части, инструмент, принадлежности, материалы [3379.0]; Инструмент и принадлежности [И581.0]; Принадлежности и инструмент [П2405.0]; Ящик для запчастей и принадлежностей [Я68.0]

**принимать** (См. также «принять»): Были приняты меры к защите персонала от воздействия... [Б366.0]; Вместо ... принимали [В1161.0]; Вовремя принимать меры [В1249.0]; Для начала мы принимаем, что [Д360.0]; Для упрощения принимаем, что [Д414.0]; Если не принимать во внимание [Е142.0]; Не принимать во внимание [Н1034.0]; Не принимать всерьез [Н1036.0]; Нельзя не принимать во внимание того, что [Н 1316.0]; Необходимо принимать меры по [Н 1381.0]; Неправильно принимать за [Н1496.0]; Ошибочно принимать за [01697.0];

При выводе приняты следующие допущения [П2063.0]; Принимаем, что функция выражается в виде [П2442.0]; Принимать без доказательства [П2407.0]; Принимать в расчет [П2408.0]; Принимать в эксплуатацию [П2410.0]; Принимать все возможные меры для (П2418.0); Принимать все меры для [П2417.0]; Принимать допущение о [П2411.0]; Принимать значение [П2412.0]; Принимать меры по устранению [П2415.0]; Принимать меры предосторожности против [П2416.0]; Принимать на веру [П2424.0]; Принимать на себя [Б268.0]; Принимать необходимые меры [П2419.0]; Принимать положение [П2425.0]; Принимать постоян-

ным [П2426.0]; Принимать предложение стать акционером (П2427.0); Принимать приглашение [П2428.0]; Принимать равным [П2429.0]; Принимать различные формы [П2439.0]; Принимать решение в связи с [П2431.0]; Принимать решение о необходимости [П2432.0]; Принимать ряд форм [П2440.0]; Принимать соответствующие меры предосторожности [П2420.0]; Принимать специальные меры [П2421.0]; Принимать участие в конкурсе [П2436.0]; Принимать участие в работе [П2437.0]; Принимать форму [П2438.0]; Принимать характер [П2441.0]; Принимать энергичные меры по [П2422.0]; Принимаемая во внимание [П2409.0]; Принимая это решение, мы понимали, что [П2434.0]; Произвольно принимать равным [П2811.0];

С благодарностью принимать замечания и предложения [С2.0]; Следует проявлять должную осторожность, принимая [С626.0]

**приниматься:** Без предъявления упаковочного листа претензии не принимаются [Б46.0]; Не должно приниматься во внимание [Н837.0]; Не приниматься во внимание [Н1035.0]; Никаких особых предосторожностей не принималось [Н1746.0]; При отсутствии упаковочного листа претензии приниматься не будут [П2106.0]; При этом принимается, что [П2172.0]; Принимается за [П2449.0]; Принимается известным [П2451.0]; Принимается, что [П2450.0]; Принимаются нулевыми [П2452.0]; Принимаются соответствующие меры [П2423.0]; Условно принимается, что [У409.0]

**приносить:** Не приносить вреда [Н1037.0]; Не приносить каких-либо неожиданностей технического характера [Н1038.0]; По-видимому, не приносит пользы [П341.0]; Приносить большую пользу [П2456.0]; Приносить некоторую пользу тем, что [П2457.0]; Приносить свои извинения за [П2454.0]

**принцип:** В основе работы лежат ... главных принципа [В274.0]; В принципе ... запрещается [В404.0]; В принципе прост, так как [В405.0]; Использовать принцип [И707.0]; Основные принципы работы [01008.0]; Подчиняться принципам [П890.0]; Принцип совершенно иной [П2466.0]; Принцип действия и рабочий цикл [П2460.0]; Принцип работы основан на том, что [П2465.0]; Принципы, из которых исходили при [П2461.0]; Принципы, лежащие в основе использования [П2463.0]; Принципы, положенные в основу конструкции [П2464.0]; Работать по принципу [Р69.0]; Руководящий принцип [Р777.0]

**принципиально:** Принципиально новый [П2468.0]

**принятие:** Обеспечивать основу для принятия важных решений о [045.0]; Уведомление о

принятии [У43.0]; Уведомлять о принятии реферата [У45.0]; Уведомлять о принятии статьи [У46.0]

**принятый:** Значение, принятое в предварительном расчете [3600.0]; Испытан согласно принятой методике [И772.0]; Меры, принятые для [М133.0]; Окончательно принятый [0706.0]; Определение, принятое в настоящей статье [0810.0]; Официально принятый [01605.0]; Принятый в настоящее время [П2447.0]; Решение, принятое [Р741.0]; Уведомлять о решении, принятом в отношении [У47.0]; Упрощение, принятое в анализе [У343.0]

**принять** (См. также «принимать»): Если не принять соответствующих мер по борьбе с [Е143.0]; Если принять за [Е80.0]; Если принять во внимание [Е79.0]; Если принять, что [Е81.0]; Затем мы можем в общем случае принять, что [3481.0]; Заявка, по которой принято решение на выдачу патента [3559.0]; Изделие после... принял [И216.0];

Исследовательская деятельность приняла такой размах, что [И792.0]; Немедленно принять меры по [Н1339.0]; Повсеместно принято [П566.0]; Предпочитают принять [П1807.0]; Приняв, как и раньше, что ... известно [П2445.0]; Приняв на время [П2446.0]; Принят по заводскому акту [П2443.0]; Принята договоренность [П2444.0];

С достаточным основанием можно принять, что [С41.0]; Сталкиваться с необходимостью принять правильное решение о [С1370.0]

**приобретать:** Вновь приобретать (В 1211.0); Вопрос приобрел особое значение [В1407.0];

Приобретать значение [П2473.0]; Приобретать окраску [П2484.0]; Приобретать опыт [П1154.0]; Приобретать авиабилеты самостоятельно [П2470.0]; Приобретать большую уверенность в [П2471.0]; Приобретать важность [П2472.0]; Приобретать все большее значение [П2474.0]; Приобретать все большую известность [П2479.0]; Приобретать все большую популярность [П2489.0]; Приобретать дополнительное значение [П2476.0]; Приобретать известность [П2478.0]; Приобретать интерес [П2480.0]; Приобретать наибольшее значение [П2477.0]; Приобретать не столько практический, сколько академический интерес [П2481.0]; Приобретать оборудование [П2482.0]; Приобретать опыт по [П2485.0]; Приобретать особо большое значение [П2475.0]; Приобретать популярность [П2487.0]; Приобретать почти повсеместное распространение [П2490.0]; Приобретать практические познания о [П2488.0]; Приобретать репутацию ..., не имеющей себе равных по [П2491.0]; Приобретать

способность [П2492.0]; Приобретать существенный опыт в [П2486.0]; Приобретать форму [П2493.0]

**приобретение:** Дата приобретения [Д133.0];

Приобретение оборудования [П2483.0]

**приоритет:** Дата истечения срока более ранних по приоритету патентов [Д125.0]; Дата конвенционного приоритета [Д127.0]; Приоритеты, которыми следует руководствоваться [П2494.0]; Прочие даты приоритета [П3026.0]; Страна конвенционного приоритета [С1480.0]

**приостанавливать:** Приостанавливать действие [П2495.0]; Приостанавливать развитие [П2496.0]

**приостановка:** Приостановка добычи [П2497.0]

**приостановлен:** Вся работа по ... была приостановлена [В960.0]

**припаивать:** Припаивать к [П2498.0]; Припаивать серебром [П2499.0]; Припаять, стараясь не [П2500.0]

**приписанный:** Приписанный к [П2504.0]

**приписывать:** Приписывать влиянию [П2502.0];

Приписывать свойства [П2503.0]

**приподнимать:** Приподнимать над [П2506.0]

**приподнятый:** Приподнятый над [П2507.0]

**припоминать:** [П2508.0]

**припуск:** Литейный припуск для черновой обработки [Л55.0]; Подвергаться черновой обработке с припуском [П665.0]; Припуск ... мм на каждую сторону для шлифовки и полировки [П2511.0]; Припуск на коррозию [П2510.0]; Припуск по диаметру [П2512.0]; С припуском по [С78.0]

**приработка:** [П2513.0]; Период приработки [П232.0]

**приравнивание:** Приравнивание к [П2514.0]

**приравнивать:** Приблизленно приравнивать [П2186.0]; Приравнивать к нулю [П2516.0];

Приравнивать правые части уравнений [П2517.0]; Приравнивать стоимость ... к стоимости [П2518.0]

**природа:** В природе отсутствует [В406.0]; Встречаться в природе [В1629.0]; Встречающийся в природе [В1634.0]; Обращать силы природы на благо человечества [0220.0]; По самой своей природе [П469.0]; По своей природе [П467.0]; Устанавливать природу [У461.0]

**прирост:** [П2519.0]; Дополнительный прирост для [Д626.0]

**присмотр:** Оставленный без присмотра [01139.0]

**присоединение:** [П2520.0]

**присоединять:** Повторно присоединить [П571.0]; Присоединить заземляющий провод [П2524.0]; Присоединять к [П2522.0];

Присоединять вольтметр между... и землей [П2523.0]; Провода или выводы, обозначенные ..., присоединить к [П2668.0]

**приспосабливать:** [П2525.0]; Наилучшим образом приспособлены для [Н356.0]; Хорошо приспособлен [Х70.0]

**приспосабливаться:** Легко приспособливаться к изменяющимся [Л26.0]; Приспосабливаться под [П2526.0]

**приспособление:** Зажимное приспособление [3201.0]; Инструменты и приспособления [И582.0]; Приборы, инструмент, приспособления и материалы, необходимые для выполнения работы [П2195.0]

**приспособляемость:** [П2527.0]

**пристально:** Пристально наблюдать за новинками в этой области [П2528.0]

**пристальный:** Заставили обратить более пристальное внимание на [3472.0]; Обращать более пристальное внимание на [0209.0]

**пристрастный:** Пристрастное отношение к ... или предубеждение против [П2529.0]

**приступать:** Можно приступить к [М362.0]; Планируется немедленно приступить к [П287.0]; Прежде чем приступить к рассмотрению [П 1958.0]; Приступить к выполнению плана [П2531.0]; Приступить к строительству своего завода [П2532.0]; Приступить к эксплуатации [П2533.0]

**присуждать:** Присуждать премию [П2534.0]

**присутствие:** В присутствии и с разрешения [В408.0]; Выполняться в присутствии [В1906.0]; Заводские испытания в присутствии представителя заказчика [3122.0]; Испытание проведено в присутствии представителя [И752.0]; Испытывать в присутствии [И760.0]; На это указывает присутствие [Н204.0]; Показывать присутствие [П985.0]; Присутствие представителя завода [П2536.0]; Само их присутствие [С201.0]; Химический анализ показал присутствие [Х21.0]

**присутствовать:** Лично присутствовать [Л66.0]; От ... присутствовали [01192.0]; Присутствовать в виде [П2538.0]; Присутствовать в избытке [П2540.0]; Присутствовать в явном виде [П2539.0]; Присутствовать при испытаниях [П2541.0]

**присутствующий:** [П2542.0]; Все присутствующие (В 1014.0); Количество присутствующей [К254.0]

**присущий:** Всем ... присущ [В1026.0]; Из-за присущей [И227.0]; Ошибка, присущая [01693.0]; Преимущества, присущие [П1981.0]; Присущи следующие преимущества [П2545.0]; Присущий методу [П2544.0]

**присылать:** Нас попросили прислать [Н405.0]

**притирать:** Шлифовать и притирать [Ш33.0]

**притом:** И притом весьма сложным образом [И53.0]

**притуплять:** Острые кромки притупить [01168.0]

**притязания:** Отсутствие притязаний [01553.0]

**притянуть:** Слегка притянуть винтами [С577.0]

**приходить:** Если бы .... то можно было бы прийти к ошибочному выводу [Е107.0]; К аналогичным выводам пришли [К2.0]; К этому выводу можно прийти путем простого [К23.0]; Когда придет время [К237.0]; На смену приходит [Н151.0]; Не позволять автору прийти к определенным выводам [Н988.0]; Не пришли к выводам относительно проблемы в целом [Н1040.0]; Не сразу приходит в голову [Н1091.0]; Приходим к следующему уравнению [П2554.0]; Приходить в ветхость [В1036.0, 023.0]; Приходить в нерабочее состояние [П2549.0]; Приходить в равновесие [П2546.0]; Приходить в соприкосновение с [П2547.0]; Приходить в состояние устойчивого равновесия [П2548.0]; Приходить к аналогичному выводу [П2552.0]; Приходить к выводу о том, что [П2551.0]; Приходить к следующим выводам [П2553.0]; Приходить к соглашению с [П2555.0]; Пришло время [П2594.0]; Сейчас пришло время [С413.0]

**приходиться:** Без этого упрощения пришлось бы [Б64.0]; Большая часть затрат приходится на [Б237.0]; В случае ... приходится сталкиваться с множеством проблем [В524.0]; Возможно, придется немного попрактиковаться [В1304.0]; Если придется [Е78.0]; На долю ... приходится [Н54.0]; На его долю приходится [Н55.0]; Нам бы пришлось [Н393.0]; Не приходится и говорить, что [Н1039.0]; Одна из главных трудностей, с которыми приходится сталкиваться [0529.0]; Опыты пришлось прекратить [0890.0]; От ... пришлось отказаться [01193.0]; Придется вероятно [П2562.0]; Придется научиться, как [П2563.0]; Придется начать все заново [П2564.0]; Придется сталкиваться только при [П2566.0]; Приходится использовать [П2557.0]; Приходится прибегать к [П2558.0]; Приходится с сожалением констатировать, что [П2559.0]; Приходится самому выбирать [П2560.0]; Приходится сталкиваться при [П2561.0]; Приходится на долю [П2569.0]; Пришелся весьма кстати [П2570.0]; Пришлось обратить серьезное внимание на (П2567.0); С теми же самыми проблемами приходится сталкиваться при использовании [С119.0]; Так как чтобы ..., пришлось бы [Т36.0]; Цена, которую приходится платить за эти [Ц31.0]; Чаще всего приходится сталкиваться с [435.0]

**приходящийся:** Доля, приходящаяся на [Д605.0]

**причем:** Причем ... обозначает [П2572.0]; Причем особое внимание обращается на [П2573.0]

**причина:** Анализ причин аварии [А117.0]; Было установлено, что причиной... явился [Б375.0]; Быть одной из причин [Б316.0];

Быть причиной [Б330.0]; Возможная причина этого [В1333.0]; Возникать по следующей причине [В1343.0]; Высказывать мнение о причинах [В 1971.0]; Выявлять и устранять причину [В2085.0]; Главная причина [Г48.0]; Для выяснения причин необходимо дополнительное исследование [Д336.0]; Для этого имеются вполне понятные причины [Д425.0]; Если по какой-либо причине происходит [Е67.0]; Или по любой другой причине [И346.0]; Именно по этой причине [И353.0]; Искать причину [И645.0]; Истинная причина [И809.0]; Какова бы ни была причина [К 156.0]; Ключ к пониманию причин [К222.0]; Коренная причина [К376.0]; Наиболее вероятная причина [Н315.0]; Не являться единственной причиной [Н1149.0]; Недопустим по нескольким причинам [Н1193.0]; Независимо от причины [Н1227.0]; Неисправность, причина неисправности, способ устранения [Н1280.0]; Несмотря на все эти возможные причины [Н1614.0]; Никогда не считался оправданным по причине [Н1757.0]; Но по другим причинам [Н1807.0]; Но пока причины чисто практического характера не позволяют этого сделать [Н1808.0]; Объяснять причину [О377.0]; Одна из возможных причин состоит в том, что [О528.0]; Определять причину [О831.0]; По вполне понятным причинам [П451.0]; По какой бы то ни было причине [П445.0]; По какой-либо другой причине [П446.0]; По причинам, которые вскоре станут понятными [П452.0]; По причинам, которые нельзя объяснить различием в [П453.0]; По причинам, которые пока не установлены [П450.0]; По причине, не зависящей от [П443.0]; По совершенно независимым от нас причинам оказалось невозможным [П444.0]; По тем же причинам, что и в [П455.0]; По той или иной причине [П447.0]; По этой причине, а также из-за [П449.0]; Повреждение обусловленное внешними причинами [П558.0]; Попытаться определить причину [П1309.0]; Причина не найдена [П2580.0]; Причина не совсем ясна [П2582.0]; Причина аварии [П2575.0]; Причина, вызывающая [П2576.0]; Причина заключается в [П2577.0]; Причина и следствие [П2578.0]; Причина не в нем [П2579.0]; Причина отказа и исправление [П2583.0]; Причина, по которой [П2584.0]; Причина такого хорошего [П2585.0]; Причина этого состоит в следующем [П2586.0]; Причину нужно искать в [П2587.0]; Причину этого найти нетрудно [П2588.0]; Причины, приводящие к [П2589.0]; Происходить по двум причинам [П2827.0]; Частично причина этой проблемы в том, что [46.0]; Чисто экономические причины [4107.0]; Что можно объяснить несколькими причинами

[4148.0]; Это можно объяснить несколькими причинами [Э165.0]; Эту неудачу можно объяснить одной из следующих причин [Э 167.0]; Являться причиной [Я26.0]

**причинный:** Причинно-следственная связь [П2590.0]; Причинный анализ [П2591.0];

Причинный фактор [П2592.0]

**причинающий:** Причинающий беспокойство [П2593.0]

**приятно:** Приятно убедиться [П2595.0]

**проанализировать:** Критически проанализировать [К498.0]

**проба:** [П2596.0]; Метод проб и ошибок [М159.0]; Отбирать пробу [О1207.0]; Отбор пробы [О1208.0]

**пробел:** Делать пробелы [Д222.0]; Ликвидировать пробел [Л48.0]

**пробираться:** [П2597.0]

**пробка:** Долить масло до нижней кромки отверстия под пробку [Д600.0]; Затыкать пробкой [З508.0]; Установить пробку на место [У483.0]

**проблема:** Браться за решение проблемы [Б278.0]; В случае ... приходится сталкиваться с множеством проблем [Б524.0]; Выдвигать проблему [В1782.0]; Выяснился ряд других проблем [В2097.0]; Выяснить характер проблем [В2092.0]; Для устранения этой проблемы прибегают к (Д417.0); Дополнительно осложнять проблему [Д614.0]; Единственная проблема состояла в [Е17.0]; Искать решение проблемы [И649.0]; Каких-либо особых проблем не встретилось [К168.0]; Масштабы этих проблем все более возрастают [М64.0]; Не представлять серьезной проблемы [Н1020.0]; Не пришли к выводам относительно проблемы в целом [Н1040.0]; Нерешенная проблема [Н1567.0]; Облегчать решение проблемы [О110.0]; Один из путей решения проблемы [О520.0]; Одна из важных проблем [О527.0]; Одна из наиболее насущных проблем [О530.0]; Одна из наиболее трудных проблем [О531.0]; Одна из проблем, связанных с ..., заключается в том, что [О533.0]; Однако при этом возникло две проблемы [О571.0]; Определять круг проблем [О824.0]; Основная проблема, связанная с [О979.0]; Острота проблемы [О1166.0]; Подход к решению проблемы [П872.0]; Практическое решение этой проблемы [П1676.0]; Представлять проблему для [П1854.0]; Прежде чем эта проблема будет в значительной степени решена [П1964.0]; При этом неизбежно возникает проблема [П2170.0]; Проблема должна исчезнуть [П2599.0]; Проблема не вызывает большого беспокойства [П2601.0]; Проблема ... стоит перед конструкторами уже много лет [П2606.0]; Проблема дополнительно осложняется тем, что [П2603.0]; Про-

блема еще более обострилась [П2600.0]; Проблема осложняется [П2602.0]; Проблема процедурного характера [П2604.0]; Проблема связана с [П2605.0]; Проблеме уделяется большое внимание [П2607.0]; Рассмотрение проблемы [Р497.0]; Решать проблему [Р723.0]; Решение проблемы [Р742.0]; С теми же самыми проблемами приходится сталкиваться при использовании [С119.0]; Сам по себе представляет серьезную проблему [С 199.0]; Связанные с этим проблемы [С354.0]; Сейчас в центре внимания находятся две проблемы [С410.0]; Сталкиваться с проблемой [С 1372.0]; Сталкиваться с такими проблемами как [С1373.0]; Сторона проблемы [С1471.0]; Стоять перед серьезной проблемой [С1478.0]; Удовлетворительное решение проблемы [У163.0]; Упорно трудиться над проблемой [У326.0]; Усугублять проблему [У550.0]; Частично причина этой проблемы в том, что [46.0]; Это было только временным решением проблемы [Э116.0]

**пробный:** Пробный расчет [П2608.0]

**пробовать:** Пробовать на ощупь [П2609.0]

**пробуждать:** Пробуждать интерес к [П2610.0]

**проваливаться:** [П2611.0]

**проведение:** Время проведения [В1535.0]; Дата

и место проведения (Д124.0); Дата проведения измерений [Д 138.0]; Для удобства проведения эксперимента [Д411.0]; Договор о проведении монтажных работ [Д524.0]; Документ, удостоверяющий проведение работ [Д554.0]; Запрос на проведение экспертизы [3416.0]; Затруднять проведение испытаний [3499.0]; Место проведения опытов [М146.0]; Место проведения работ по [М147.0]; На месте проведения работы (Н74.0); Небольшие колебания условий проведения опыта [Н1164.0]; Необходимость проведения дальнейшей работы [Н1408.0]; Основание для проведения работ [0962.0]; Планируется проведение экспериментов [П288.0]; Подтверждать обоснование необходимости проведения [П849.0]; Поручать проведение [П1330.0]; После проведения большого объема экспериментальных работ (П 1365.0); При проведении расчета [П2115.0]; Проведение испытаний запланировано на [П2616.0]; Проведение аналогии [П2613.0]; Проведение аппроксимирующей кривой через экспериментальные точки [П2614.0]; Проведение наблюдений [П2617.0]; Проведение эксперимента [П2618.0]; Условия проведения опытов [У399.0]; Фамилия и подпись лица, ответственного за проведение технического обслуживания [Ф17.0]

**проведенный:** Запись о проведенном ремонте [3388.0]; Отметки о проведенном ремонте и доработках по указаниям и бюллетеням

[01415.0]; Плавная кривая, проведенная через точки [П271.0]; Прямая, проведенная через экспериментальные точки [П3057.0]; Ранее проведенные [Р348.0]; Содержание проведенных работ [С936.0]

**проверенный:** Изготовлен в соответствии с ТУ, проверен и признан годным к эксплуатации [И204.0]; Проверенный в работе [П2665.0]; Проверенный временем [П2666.0];

Современная проверенная техника [С882.0]

**проверить** (См. также «**проверять**»): Мы не пытались проверить некоторые [М421.0];

Проверить вращение [П2655.0]; Проверить отсутствие коротких замыканий [П2657.0]; Проверить отсутствие разрывов в [П2658.0];

Проверить правильность заземления [П2659.0]; Проверить правильность установки, при которой обеспечиваются [П2660.0]; Проверить совпадение номера с [П2661.0]; Проверить соответствие плавких предохранителей номинальным значением [П2662.0]; Проверить уставки регуляторов [П2663.0]; Установить и проверить его работу [У479.0]

**проверка:** Ведомость осмотров, проверок и ремонтов [В875.0]; Вид осмотра или проверки [В1083.0]; Внезапная проверка [В1190.0]; Всего лишь предположение, которое нуждается в проверке [В1568.0]; Выборочная проверка [В1720.0]; Выполнить проверку ... в следующем порядке [В1907.0]; Гипотеза нуждается в проверке [Г38.0]; Испытания, проверка и приемка после ремонта [И755.0]; Меры по проверке [М132.0]; Не выдержал проверки [Н793.0]; Нуждаться в экспериментальной проверке [Н1891.0]; Обеспечение проверки [032.0]; Основные проверки технического состояния изделия [01009.0]; Отметки о проверке правильности ведения формуляра [01416.0]; Оформление результатов проверки [01609.0]; Перечень изделий или их составных частей для периодической проверки органами надзора [П209.0]; Перечень осмотров, проверок и ремонтов [П217.0]; Перечень основных проверок технического состояния изделия [П218.0]; Перечень приборов и аппаратуры для периодической проверки точности показаний [П219.0]; Периодичность проверки и замены смазки [П244.0]; Подвергаться многочисленным проверкам [П661.0]; Получение и проверка груза [П1208.0]; Послеремонтные испытания, проверка и приемка [П 1423.0]; Проверка измерительных приборов инспектирующими органами [П2620.0]; Проверка нарушения патентных прав [П2621.0]; Проверка по образцу [П2623.0]; Проверка подтвердила [П2624.0]; Проверка при включенном электропитании [П2625.0];

Проверка при отключенном электропита-

нии [П2626.0]; Проверка размеров [П2627.0]; Проверка сходимости решения [П2628.0]; Проверка технического состояния [П2629.0]; Проверка точности [П2630.0]; Проверка функционирования [П2631.0]; Простая проверка [П2932.0]; Проходить проверки [П3008.0]; Проходить тщательную проверку [П3009.0]; Сведения о результатах проверки инспектирующими и проверяющими лицами [С269.0]; Требовать экспериментальной проверки [Т447.0]; Экспериментальная проверка [Э35.0]

**проверять** (См. также «**проверить**»): Проверьте, не работает ли случайно [П2664.0]; Проверять в промышленных условиях [П2633.0]; Проверять в условиях эксплуатации [П2634.0]; Проверять гипотезу [П2635.0]; Проверять износ [П2636.0]; Проверять комплектность поставки [П2637.0]; Проверять на глаз [П2639.0]; Проверять на месте [П2642.0]; Проверять на соответствие [П2640.0]; Проверять наличие [П2641.0]; Проверять отсутствие разрывов [П2643.0]; Проверять отчетность [П2644.0]; Проверять периодически [П2645.0]; Проверять по эталону [П2647.0]; Проверять полномочия [П2648.0]; Проверять путем сравнения с [П2649.0]; Проверять рекомендации на практике [П2650.0]; Проверять с помощью экспериментальных данных [П2651.0]; Проверять состояние [П2652.0]; Проверять справедливость [П2653.0]; Регулярно проверять [Р620.0]

**проверяющий:** Сведения о результатах проверки инспектирующими и проверяющими лицами [С269.0]

**проветриваемый:** Не включайте в плохо проветриваемом помещении [Н772.0]

**провисать:** [П2667.0]

**провисший:** Натянуть провисший [Н589.0]

**провод:** Все провода марки..., если нет других указаний [В1015.0]; Не прикасайтесь к проводам электропитания [Н1031.0]; Отсоединять токоподводящие провода [01523.0]; Присоедините заземляющий провод [П2524.0]; Провода или выводы, обозначенные ..., присоединить к [П2668.0]; Провода укладываются и заделываются согласно техническим требованиям [П2669.0]; Проложите заземляющий провод [П2836.0]

**проводимый:** Проводимая в настоящее время работа направлена на [П2700.0]; Проводимый в настоящее время [П2699.0]

**проводить:** Если проводить [Е82.0]; Испытание проведено в присутствии представителя [И752.0]; Побудили нас провести настоящее исследование [П528.0]; Проводить осмотр [П2686.0]; Проводить активную политику по [П2691.0]; Проводить анализ [П2671.0]; Проводить аналогично [П2672.0]; Проводить ана-

логичные исследования [П2677.0]; Проводить измерения [П2673.0]; Проводить испытания [П2674.0]; Проводить исследования своими силами [П2678.0]; Проводить капитальный ремонт [П2679.0]; Проводить касательную [П2680.0]; Проводить кривую через точки [П2682.0]; Проводить линию, параллельную [П2683.0]; Проводить непрерывно [П2687.0]; Проводить обследование [П2688.0]; Проводить опыты [П2689.0]; Проводить особенно жесткую политику по [П2692.0]; Проводить параллельно [П2690.0]; Проводить плавную кривую через точки [П2684.0]; Проводить приемочные испытания [П2675.0]; Проводить работу по [П2694.0]; Проводить ревизию [П2695.0]; Проводить регрессионную кривую через точки [П2685.0]; Проводить сравнение [П2696.0]; Проводить эксперименты [П2697.0]

**проводиться:** Анализ проводился по двум направлениям [А112.0]; В настоящее время проводится дополнительное исследование [В58.0]; Занятия проводятся [З366.0]; И одновременно проводится [И45.0]; Работа проводилась по договору с [Р29.0]; Суммирование проводится (С 1547.0); Экспериментальная работа проводилась в меньшем объеме [Э36.0]

**проводка:** Делать проводку по счету [Д223.0]

**проволок:** Срезать контрольную проволоку [С1325.0]

**проглядеть:** [П2701.0]

**прогноз:** [П2702.0], Справедливость прогнозов [С1242.0]

**программа:** В рамках программы [В460.0]; В рамках совместной советско-американской программы [В461.0]; Весь объем измерений по программе [В958.0]; Включать в свою программу [В1109.0]; Намечать очередность этапов программы испытаний [Н411.0]; По мере выполнения программы испытаний [П387.0]; Программа как раз и направлена на решение этих задач [П2708.0]; Программа выполняется в соответствии с графиком [П2704.0]; Программа и методика испытаний [П2705.0]; Программа испытаний [П2706.0]; Программа курса [П2707.0]; Программа, направленная на решение этих задач [П2709.0]; Программа подготовки [П2710.0]; Программа разработки [П2711.0]; Производственная программа [П2801.0]; Промежуточный этап программы [П2845.0]; Руководство, полезное при составлении программы [Р773.0]; Стандартная программа вычисления [С1420.0]; Стандартная программа для решения системы уравнений [С1421.0]; Строгое выполнение программы [С1494.0]; Урезать программу [У366.0]

**программист:** Обязанность программиста [0421.0]; По усмотрению программиста [П504.0]



**программный:** Программное обеспечение ЭВМ [П2712.0]

**прогреться:** Прогреться до комнатной температуры [П2713.0]

**прогресс:** Достигнут значительный прогресс в [Д728.0]; Прогресс в деле [П2715.0]; Прогресс, достигнутый в последние годы [П2716.0]; Развитие научно-технического прогресса [Р188.0]; Технический прогресс в области [Т221.0]

**прогрессивный:** Прогрессивный метод [П2717.0]

**прогрессировать:** [П2718.0]

**продавать:** [П2719.0]

**продаваться:** Продаваться изготовленными из меди [П2720.0]; Продаваться по лицензии [П2721.0]; Продаваться по цене выше номинальной [П2722.0]; Продаваться потонно [П2723.0]

**продавец:** [П2724.0]; Вся работа подлежит контролю и приемке со стороны продавца [В961.0]; Надзор со стороны продавца за [Н278.0]

**продажа:** Большинство имеющихся в продаже [Б220.0]; Иметься в продаже [И483.0]; Имеющийся в продаже в настоящее время [И525.0]; Лицензия на право сбыта и продажи [Л58.0]; Поступать в продажу [П1499.0]; Разрешенные для продажи изделия [Р328.0]

**продажная:** Продажная цена [П2725.0]

**продвигаться:** Продвигаться на [П2727.0]

**продвижение:** [П2728.0]

**продвинуться:** Если мы хотим продвинуться в нашем понимании [Е134.0]; Намного продвинуться в нашем представлении о [Н433.0]; Сильно продвинуться [С479.0]

**проделанный:** Отчет о проделанной работе [О1593.0]

**продельвать:** Большая работа проделана по [Б233.0]; Прodelать большую работу по [П2729.0]

**продемонстрировать:** На деле продемонстрировать [Н44.0]; Продемонстрировать полезность [П2730.0]; Чтобы продемонстрировать возможности [4207.0]

**продиктован:** Продиктован в основном [П2731.0]; Такой подход был продиктован требованием [Т57.0]

**продлевать:** Продлевать действие патента [П2733.0]; Продлевать существование [П2734.0]

**продлено:** [П2735.0]

**продолжать:** Если продолжить аналогию еще дальше [Е83.0]; Запрещается начинать или продолжать работы при обнаружении неисправности электрооборудования [3410.0]; Перечень можно было бы продолжить [П221.0]; Прежде чем продолжить [П1959.0]; Продолжать аналогию [П2737.0]; Продолжать заниматься [П2738.0]; Продолжать ...,

начав с [П2739.0]; Продолжать обсуждать пути улучшения [П2740.0]; Продолжать па-  
дать [П2741.0]; Продолжать перечень [П2742.0]; Продолжать строительство [П2743.0]; Продолжая эту мысль, отметим [П2744.0]; Работу необходимо продолжить [Р34.0]

**продолжаться:** Анализ данных в настоящее время продолжается, но некоторые выводы можно сделать уже сейчас [А113.0]; Все еще продолжается [В974.0]; Еще продолжается [Е212.0]; И такое ... будет продолжаться [И59.0]; По мере того как продолжался [П396.0], Поиск решений продолжается [П947.0]; После того как опыт продолжался довольно длительное время [П 1375.0]; Продолжаться вплоть до [П2747.0]; Продолжаться по графику [П2748.0]; Рассмотрение этого вопроса продолжается [Р496.0]; Спор о ... продолжается и поныне [С1195.0]; Споры относительно ... все еще продолжаются [С1197.0]

**продолжающийся:** Начавшееся недавно и продолжающееся [Н700.0]; Продолжающееся в настоящее время исследование [П2749.0]

**продолжен:** Дальнейшее обсуждение этого вопроса будет продолжено в [Д106.0]; Дальнейшие исследования могли бы быть продолжены по двум направлениям [Д107.0]; Исследования будут продолжены [И784.0];

Обмен опытом будет продолжен [О120.0]

**продолжение:** Естественное продолжение [Е184.0]; Заслуживать продолжения исследования [3451.0]; Исследования в продолжение описываемой работы [И785.0]; Продолжение на стр. [П2750.0]; Продолжение, начало см на стр. [П2751.0]; Продолжение следует [П2752.0]

**продолженный:** Продолженный до [П2745.0]

**продолжительность:** Для ряда последовательных моментов времени, охватывающих всю продолжительность [Д353.0]; Продолжительность в ... раз меньше [П2754.0]; Продолжительность времени, в течение которого он [П2755.0]; Продолжительность опыта [П2756.0]

**продолжительный:** [П2757.0]; Более продолжительный [Б 179.0]; В течение продолжительного периода времени [В707.0]; В течение продолжительного периода эксплуатации [В708.0]; Довольно продолжительное время [Д511.0]; Останавливать на продолжительное время [О1148.0]

**продольный:** Разрезать в продольном направлении [Р312.0]

**продувать:** Продувать трубопроводы сжатым воздухом [П2759.0]

**продукт:** [П2760.0]; Вид получаемого продукта [В1084.0]; Готовый продукт [Г103.0]; Конеч-

ный продукт [К3 11.0]; Короткоживущий промежуточный продукт [К390.0]; Побочный продукт [П523.0]; Содержать количество продукта, достаточное для работы в течение [С944.0]; Соприкасающиеся с продуктом детали изготовлены из [С 1042.0]; Являться продуктом [Я27.0]

**продукция:** Гарантия качества массовой продукции [Г19.0]; Продукция завода [П2761.0]; Расширение номенклатуры продукции [Р562.0]

**проект:** В проекте... должна быть предусмотрена возможность [В409.0]; В соответствии с имеющимся на сегодня проектом [В593.0]; График работ по проекту [Г125.0]; Одобрение технического проекта [0594.0]; Осуществление проекта [01172.0]; Плавное выполнение проекта [П272.0]; Построить по проекту [П1490.0]; Проект конструкции [П2763.0]; Проект организации строительства [П2764.0]; Работа над проектом [Р25.0]; Работать с отклонениями от проекта [Р76.0]; Рабочий проект [Р95.0]; Руководитель проекта [Р763.0]; Срыв графика проекта [С1340.0]; Технический проект [Т222.0]; Участвовать в проекте [У597.0]; Эскизный проект [Э88.0]; Явные отклонения от проекта [Я59.0]

**проектирование:** В некоторых случаях проектирования [В571.0]; Важный вопрос проектирования [В779.0]; Во время проектирования [В36.0]; Задание на проектирование [3161.0]; Занимающийся проектированием [3360.0]; Использовать в практике проектирования [И696.0]; Которые необходимо учитывать при проектировании [К425.0]; На этапах проектирования и изготовления (Н191.0); На этапе предварительного проектирования [Н192.0]; На этапе предэскизного проектирования [Н 193.0]; Нормы проектирования [Н 1867.0]; Общепринятые стандарты на проектирование [0311.0]; Определяемый практикой проектирования [0853.0]; Опыт проектирования [0886.0]; Полезны при проектировании [П1024.0]; Положительный опыт проектирования [П1109.0]; Предэскизная и эскизная стадии проектирования [П1946.0]; При проектировании [П2116.0]; Проектирование на [П2766.0]; Проектирование под ключ [П2767.0]; Проектирование с запасом [П2768.0]; Работы по проектированию [Р36.0]; Рабочее проектирование [Р102.0]; Разработка и проектирование [Р308.0]; Рекомендации по проектированию [Р671.0]; Снижение расходов на проектирование и изготовление [С779.0]; Стадия проектирования [С1366.0]; Эскизное проектирование [Э89.0]; Этап эскизного проектирования [Э96.0]

**проектировать:** Выгодно проектировать на [В 1765.0]; Проектировать на [П2769.0]; Следует проектировать на [С620.0]

**проектно-конструкторский:** Научно-исследовательские и проектно-конструкторские работы [Н597.0]; Проектно-конструкторское бюро [П2774.0]

**проектно-сметная:** Проектно-сметная документация [П2775.0]

**проектно-строительный:** Проектно-строительные работы [П2776.0]

**проектный:** Завершение и сдача проектных работ [384.0]; Проектная мощность [П2772.0]; Проектная производительность цеха составляет [Н1851.0]; Проектное задание [П2773.0]; Проектные, построечные и испытательные данные [П2777.0]; Проектный вариант [П2771.0]; Противоречивые проектные требования [П2979.0]; Строгие проектные требования [С1498.0]

**проекция:** В проекции на плоскость [В410.0]; Изображать в изометрической проекции [И314.0]

**проигрывать:** Проигрывать при сравнении с [П2778.0]

**проигрыш:** За счет некоторого проигрыша в [359.0]; Компенсировать проигрыш в [К279.0]; Приводить к проигрышу в [П2237.0]; Проигрыш в величине ... составляет [П2780.0]; Проигрыш в длине [П2781.0]

**произведение:** [П2782.0]; Брать равным произведению [Б274.0]; В форме произведения [В731.0]

**произведенный:** Отметки о произведенном ремонте, место и дата [01417.0]

**производитель:** Крупнейший производитель [К509.0]

**производительность:** Высокая производительность [В1983.0]; Заданная производительность [3166.0]; Повышать производительность труда [П589.0]; Проектная производительность цеха составляет [Н1851.0]; Производительность и эффективность [П2785.0]; Производительность труда [П2784.0]; Увеличение годовой производительности [У52.0]; Увеличивать производительность [У63.0]

**производительный:** [П2786.0]; Являться более производительным дешевым и удобным [Я9.0]

**производить:** Запрещается производить техобслуживание, не выставив предупредительный знак [3411.0]; Монтаж, отладку и опробование производить в строгом соответствии с рекомендациями, изложенными в инструкции по эксплуатации [М249.0]; Произвести поставку в требуемый срок [П2792.0]; Произвести расточку под подшипник совместно с крышкой детали [П2793.0]; Производить в большом количестве [П2788.0]; Производить замену переменной [П2789.0]; Производить обмен [П2790.0]; Производить преобразования [П2791.0]

**производиться:** Выбор производится по усмотрению [B1716.0]; Выпуск производится в атмосферу [B1923.0]

**производная:** Брать частную производную от... по... [B277.0]; Производная от... по [P2794.0]; Производная по времени [P2795.0]; Уравнение в частных производных [U352.0]; Частная производная от ... по [414.0]

**производственный:** В производственных условиях [B726.0]; Длительность производственного цикла [D314.0]; Отладка в производственных условиях [01369.0]; Препятствия производственного характера [P2029.0]; Производственная площадь [P2799.0]; Производственная практика [P2800.0]; Производственная программа [P2801.0]; Производственное задание [P2802.0]; Производственное обучение на местах [P2803.0]; Производственные возможности [P2804.0]; Производственные мощности [P2805.0]; Производственный опыт [P2797.0]; Производственный цех [P2798.0]; Результаты производственной деятельности [P656.0]

**производство:** Внедрение научных результатов в производство [B1186.0]; Если мы хотим, чтобы производство было экономически выгодным [E138.0]; Запускать в производство [3418.0]; Крупносерийное производство [K512.0]; Массовое производство [M59.0]; Мелкосерийное производство [M91.0]; На производстве [H119.0]; Находиться в производстве [H639.0]; Незавершенное производство [H1222.0]; Несовершенство технологии производства [H1628.0];

Остановка производства на [01160.0]; Подготавливать к производству [P693.0]; Прекращение производства [P1998.0]; Прекращать производство [P1992.0]; Производство в промышленных масштабах [P2807.0]; Производство которого начинается годом раньше [P2808.0]; Промышленное производство [P2856.0]; Связь науки с производством [C373.0]; Серийное производство [C431.0]; Снижение издержек производства [C776.0]; Удобно для серийного производства [Y151.0];

Уровень производства [U373.0]; Установка по производству кислорода [Y502.0]; Экономически выгодное производство [Э18.0]

**произвольно:** Выбирать произвольно [B1697.0];

Выбираться в некоторой степени произвольно [B1698.0]; Несколько произвольно [H1596.0]; Произвольно принимать равным [P2811.0]

**произвольный:** Выбирать произвольным образом (B1697.0); Задавать произвольным образом (3155.0); Масштаб по оси произвольный [M63.0]; На некоторой произвольной основе [H94.0]; Произвольное допущение

[P2810.0]; Совершенно произвольный [C841.0]

**проиллюстрировать:** Лучше всего проиллюстрировать это на примере [L113.0]; Проиллюстрировать примером [P2812.0]; Чтобы проиллюстрировать сказанное [4208.0]

**проинтегрировать:** Проинтегрировать по [P2813.0]

**проинформировать:** Проинформировать о [P2814.0]

**пристекать:** Пристекать из желания (P2816.0); Пристекать из того, что [P2817.0]

**происходить:** В то же самое время, когда происходит [B78.0]; Возможно, это произошло в результате [B1315.0]; Все ... происходит в [B985.0]; Все же будут, по-видимому, происходить [B979.0]; Действительно происходило [D173.0]; Для того, чтобы это произошло (D408.0); Довольно часто происходит [D519.0]; Если по какой-либо причине происходит [E67.0]; Если это произойдет [E173.0]; Как и предполагалось, этого не произошло [K76.0]; Как только произошло [K131.0]; Как только это происходило [K132.0]; Картина того, что происходит [K189.0]; Мало напоминает то, что происходит в [M32.0]; Могло бы произойти, если бы [M258.0]; На самом деле этого не происходит [H47.0]; Наиболее серьезная авария, которая только может произойти [H331.0];

Не позволяя с уверенностью судить о том, произошел ли действительно [H1001.0]; Ни того, ни другого не происходит [H1708.0];

Но не в такой степени как это, по-видимому, происходило [H1801.0]; Однако этого не происходило [0574.0]; Однако этого никогда не происходило [0575.0]; Подобно тому, как это происходит при [P769.0]; Показывать в упрощенном виде, что происходит с [P978.0]; Посмотреть, что же действительно происходит [P1429.0]; Посмотрим теперь, что происходит в [P1431.0]; Происходить в 100% случаев [P2820.0]; Происходить в основном [P2819.0]; Происходить в результате того, что [P2822.0]; Происходить внезапно [P2824.0]; Происходить во всех [P2823.0]; Происходить на самом деле [P2825.0]; Происходить одновременно [P2826.0]; Происходить по двум причинам [P2827.0]; Происходить по неизвестной причине [P2828.0];

Происходить по типу [P2829.0]; Происходить раз в ... лет [P2830.0]; Разобраться, что же происходит в действительности [P169.0]; Разрушение происходит по [P332.0]; Так именно и происходило во всех [T33.0];

Хорошее представление о том, что происходит в [X35.0]; Хотя очень может быть, что это происходит из-за [X102.0]; Что же действительно происходило при [4136.0];

Это происходит не всегда [Э183.0]; Это

- происходит потому, что [Э184.0], Этого не происходит [Э207.0]
- происходящий:** Держать в курсе происходящего [Д264.0], Основные явления, происходящие в [01016.0]
- происхождение:** Вести свое происхождение от [В940.0], Выдавать сертификат о происхождении товара [В1770.0]; Иметь происхождение [И441.0, И442.0]; Неизвестного происхождения [Н1275.0]; Происхождение неустойчивости [П2831.0]; Проследить происхождение ... до самого [П2908.0]; Сертификат о происхождении товара [С433.0]; Страна происхождения [С1482.0]
- прок:** От ... нет никакого проку [01191.0]
- прокатка:** В состоянии после прокатки [В610.0]; Подлежащий прокатке [П742.0]
- прокладка:** [П2832.0]; Для устранения зазора определить толщину прокладки по месту [Д416.0], Размер обеспечить путем набора прокладок [Р253.0]; Устанавливать на прокладке [У468.0]
- прокладывать:** Прокладывать новые пути [П2834.0]; Проложить заземляющий провод [П2836.0]
- прокомментировать:** Может быть автор прокомментарирует [М307.0]
- проконсультироваться:** Проконсультироваться с [П2835.0]
- проливать:** Проливать дополнительный свет на [П2838.0], Проливать некоторый свет на [П2839.0]
- промедление:** Без промедления [Б53.0]
- промежуток:** Измерять через равные промежутки времени [И302.0]; Через равные промежутки времени [471.0]
- промежуточный:** В нескольких промежуточных положениях [В355.0], Занимать промежуточное положение между [3348.0]; Короткоживущий промежуточный продукт [К390.0]; На практике возможны промежуточные случаи [Н112.0]; Промежуточная область [П2846.0]; Промежуточное образование [П2847.0]; Промежуточный диапазон [П2841.0]; Промежуточный между предельными значениями [П2843.0], Промежуточный отчет [П2844.0]; Промежуточный этап программы [П2845.0]
- промывать:** [П2848.0]; Очищать, промывать, высушивать и протирать [01690.0]; Промыть детали узла [П2849.0]; Тщательно промывать [Т515.0]
- промывка:** [П2850.0]
- промышленной:** Для промышленного применения [Д382.0]; Находить промышленное применение [Н621.0]; Опыт нескольких лет промышленной эксплуатации [0892.0]; Пригодный для промышленного изготовления [П2278.0]; Промышленного качества [П2857.0]; Промышленное использование [П2852.0]; Промышленное освоение [П2853.0]; Промышленное предприятие [П2854.0]; Промышленное применение сводится к [П2855.0]; Промышленное производство [П2856.0]; Условия промышленной эксплуатации [У405.0]; Установившаяся во всем мире промышленная практика [У496.0]
- промышленность:** В отраслях промышленности [В317.0]; В некоторых отраслях промышленности [В316.0]; В промышленности установилась практика [В411.0]; Ведущие отрасли промышленности [В884.0]; Внедрение в промышленность [В1183.0]; Во всех отраслях промышленности [В315.0]; Выпускаемый промышленностью [В1930.0]; Ключевые фигуры в нефтяной промышленности [К226.0]; Неудовлетворительное состояние промышленности [Н1673.0]; Отечественная промышленность [01295.0]; Отрасль промышленности [01507.0]; Переход на работу в промышленности [П189.0]; Промышленности будет, возможно, не хватать [П2859.0]; Промышленность выпускает [П2858.0]; Различные отрасли промышленности [Р241.0]; Стали выпускаться промышленностью [С 1416.0]; Статьи, написанные работниками промышленности [С1440.0]; Широко применяться в промышленности [Ш23.0]
- промышленный:** В промышленных масштабах [В185.0]; Заявка на промышленный образец [3555.0]; Изготавливать в промышленных масштабах [И189.0]; Освоение технологии в промышленных масштабах [0925.0]; Патент на промышленный образец — [П30.0]; Проверять в промышленных условиях [П2633.0]; Производство в промышленных масштабах [П2807.0]; Самые передовые промышленные методы [С235.0]
- проникать:** Пробираться в [П2597.0]; Проникать в [П2861.0]; Проникать внутрь [П2862.0]; Проникать по всей длине [П2863.0]; Проникать через [П2864.0]
- проникновение:** Защищать от проникновения [3546.0]; Проникновение в [П2865.0]
- пронумерованный:** [П2868.0]
- пронумеровать:** Пронумеровано ... страниц [П2867.0]; Пронумеровать от до [П2866.0]
- пропавший:** [П2872.0]
- пропагандировать:** [П2869.0]
- пропадать:** Приводит к тому, что пропадает всякое желание [П2241.0]; Пропасть навсегда [П2871.0]
- прописью:** Прописью [П2873.0]; Цифрами и прописью [Ц55.0]
- пропитанный:** Пропитанный уксусом [П2875.0]; Пропитанный маслом [П2876.0]; Пропитанный эпоксидной смолой [П2877.0]
- пропорционален:** Обратный пропорционален [0199.0]; Приблизительно пропорционален [П2191.0]

**пропорционально:** Изменяться обратно пропорционально [И289.0]; Изменяться пропорционально [И288.0]; Обратно пропорционально квадрату [0200.0]; Обратно пропорционально корню кубическому из [0201.0]; Пропорционально квадрату [П2880.0]; Пропорционально кубическому корню из [П2881.0]; Пропорционально разделить между [П2882.0]; Пропорционально уменьшать размеры [П2883.0]; Прямо пропорционально [П3068.0]; Увеличиваться пропорционально [У69.0]

**пропорциональный:** Пропорциональное увеличение размеров [П2885.0]; Прямо пропорциональный [П3067.0]

**пропорция:** [П2878.0]; В пропорции 3: 5 [В413.0].  
Условие нарушения пропорции [У389.0]

**пропускание:** Пропускание воды через [П2887.0]

**пропускать:** Не пропускать жидкость [Н1043.0];  
Пропускать через [П2889.0]

**пропускной:** Пропускная способность [П2890.0]

**пропылесосить:** [П2891.0]

**проработать:** Проработав некоторое время [П2895.0]; Проработать до [П2893.0]; Проработать несколько лет [П2894.0]

**прорезь:** Заходить в прорезь [3521.0]

**прорываться:** [П2896.0]

**просачиваться:** [П2897.0]

**просверливать:** Просверливать отверстия [П2899.0]

**просить:** Мы, фирма Великобритании Бабкок энд Уилкок Лтд., настоящим заявляем изобретение, на которое просим выдать нам патент, и способ, с помощью которого оно осуществляется, подробно изложенный в нижеследующем описании [М440.0]; Настоятельно просить [Н568.0]; Просим участников выставки [П2902.0]; Просить разъяснения [П2901.0]; Прошу подтвердить получение [П2903.0]

**проследить:** Можно проследить (М363.0); Проследить за [П2905.0]; Проследить историю развития [П2906.0]; Проследить от ... до [П2907.0]; Проследить происхождение до самого [П2908.0]

**прослеживать:** Прослеживать, начиная с ... и кончая [П2909.0]

**прослушивание:** Оказывать огромную помощь при прослушивании [0649.0]

**просматривать:** Просматривать пункты меню [П2911.0]

**просроченный:** [П2912.0]

**проставлять:** Проставлять значения [П2913.0]

**простирается:** Простираться вдоль [П2915.0];  
Простираться за [П2916.0]; Простираться

на всю длину [П2917.0]; Простираться на глубину [П2918.0]; Простираться от ... до [П2919.0]

**просто** (См. также «**проще**»): В то время мы просто не смогли найти объяснения [В75.0];

Далеко не просто [Д100.0]; Иногда называемый просто [И560.0]; Можно считать просто удачей, что [М376.0]; Не так то просто [Н1107.0]; Определяться не столь просто [0842.0]; Просто для ровного счета [П2921.0];

Просто не могут иметь места [П2922.0];  
Просто не может сравниться [П2923.0];  
Просто, но убедительно [П2924.0]; То что

....  
можно считать просто удачей [Т279.0]; Это были не просто [Э 115.0]

**простой**: В принципе прост, так как [В405.0];

Время простоя [В 1536.0]; Далеко не так просты [Д 101.0]; К этому выводу можно прийти путем простого [К23.0]; Кажущийся более простым [К43.0]; Кажущийся простым

[К42.0]; Не так прост [Н1104.0]; Обманчиво простой [0116.0]; Оказываться полезным не только как простой анализатор спектра [0681.0]; Прост по конструкции [П2935.0];

Простая задача [П2931.0]; Простая проверка

[П2932.0]; Простое увеличение размеров [П2933.0]; Простое уравнение для расчета по

[П2934.0]; Простой в работе [П2929.0];

Простой прием, заключающийся в [П2930.0];

Связан простым соотношением с [С360.0];

Сначала мы ответим на более простые вопросы [С763.0]; Совсем не так прост [С895.0];

Сравнительно простое дело [С1289.0]; Являться простым совпадением [Я28.0]

**простор**: Открывать широкие просторы для творческой работы [01365.0]

**простота**: Для простоты [Д383.0]; Достоинством является простота применения

[Д740.0]; Привлекать своей простотой [П2206.0]; Простота обращения [П2936.0];

Простота обслуживания [П2937.0]; Простота осуществления [П2938.0]; Сама простота [С200.0]

**пространно**: Довольно пространно [Д512.0];

Несколько пространно [Н 1597.0]

**пространный**: [П2939.0]

**пространственный**: Пространственная координата [П2941.0]; Пространственные ограничения [П2942.0]

**пространство**: В межтрубном пространстве [В415.0]; Вписываться в пространство, зани-

маемое [В 1467.0]; Заходить в пределы про-

странства, располагаемого для [3520.0]; Лег-

ко разместиться в имеющемся пространстве [Л27.0]; Межтрубное пространство [М86.0];

Окружающее пространство [0730.0]; Потери в окружающее пространство [П1514.0]; Размещение в располагае-

мом пространстве [Р272.0];

Существующее пространство вмещает [С1587.0];

Умещать-

ся в пространстве, занимаемом [У291.0]

**просьба**: В связи с Вашей просьбой сообщаем,

что [В496.0]; Заявление с просьбой о выдаче

лицензии [3560.0]; Обращаться с просьбой к... о [0237.0]; Просьба об изъятии [П2943.0];  
 Просьба разрешить (П2944.0); Согласно Вашей просьбе [С906.0]

**проталкивать:** Проталкивать через [П2945.0]

**протачивать:** [П2989.0]

**протекание:** Для протекания реакции с большой скоростью необходимо [Д384.0]; Протекание процесса окисления [П2946.0]; Протекание химических реакций [П2947.0]

**протекать:** Протекает в два этапа [П2950.0]; Протекать одновременно [П2949.0]

**протекающий:** Последовательно и параллельно протекающие процессы [П1400.0]

**против:** Возбудить дело против [В1253.0]; Возражать против [В1358.0]; Возражение против [В1359.0]; Все «за» и «против» [В1003.0]; Выступать против [В2000.0]; Говорить против [Г72.0, Г73.0]; За и против [315.0]; Мера предосторожности против [М127.0]; Находиться друг против друга [Н668.0]; Обстоятельства против [0261.0]; Основной аргумент против [0967.0]; Поворот против часовой стрелки и по часовой стрелке [П1552.0]; Предостерегать против попытки [П1767.0]; Предостерегать против поспешных выводов [П1768.0]; Принимать меры предосторожности против [П2416.0]; Пристрастное отношение к ... или предубеждение против [П2529.0]; Против ожидания [П2952.0]; Против часовой стрелки [П2953.0]

**противиться:** Упорно противиться использованию [У325.0]

**противный:** В противном случае вы не сможете [В550.0]; В противном случае гарантия будет считаться недействительной [В551.0]; Который в противном случае терялся бы [К410.0]; Результаты свидетельствующие о противном [Р658.0]; Чем это было бы в противном случае [447.0]

**противодействовать:** Противодействовать путем [П2955.0]

**противодействующий:** Противодействующие факторы [П2956.0]

**противопожарный:** Противопожарные меры [П2957.0]

**противоположно:** Направление противоположно [Н471.0]; Полностью противоположно влиянию [П1060.0]

**противоположность:** В противоположность этому [В417.0]; Полная противоположность [П1081.0]

**противоположный:** Анализ ... приводит к противоположному результату [АН 1.0]; В направлении, противоположном [В234.0]; В противоположном направлении [В237.0]; Вести себя противоположным образом [В948.0]; Влиять в противоположном направлении [В1147.0]; Действовать в одном и том же или в противоположном направле-

ниях [Д177.0]; Диаметрально противоположный [Д282.0]; Изменение знака на противоположный [И243.0]; На противоположных сторонах [Н163.0]; На стороне, противоположной [Н159.0]; Наблюдается противоположная зависимость [Н219.0]; Наблюдается противоположная картина [Н218.0]; Наблюдалась противоположная тенденция [Н222.0]; Обнаруживать противоположную зависимость [0133.0]; Оказывать противоположное влияние [0634.0]; Пример противоположного характера [П2378.0]; Противоположная картина наблюдается для [П2962.0]; Противоположная картина наблюдалась в случае [П2963.0]; Противоположная ситуация [П2964.0]; Противоположная тенденция наблюдается для [П2966.0]; Противоположного знака [П2969.0]; Противоположное утверждение [П2967.0]; Противоположные критерии [П2968.0]; Противоположный по направлению [П2959.0]; Противоположный характер зависимости [П2960.0]; Противоположный эффект наблюдается [П2961.0]; Равны по абсолютному значению, но противоположны по знаку [Р132.0]; Результат, противоположный ожидаемому [Р641.0]; Совершенно противоположным образом по сравнению [С842.0]; Эффект, противоположный ожидаемому [Э224.0]

**противоречивый:** Компромисс между противоречивыми требованиями [К306.0]; Несколько противоречивый [Н1598.0]; Противоречивые проектные требования [П2979.0]; Противоречивые сообщения [П2980.0]; Согласовывать противоречивые требования [С915.0]; Часто противоречивые критерии [427.0]

**противоречие:** Вступать в противоречие с [В1643.0]; Кажущееся противоречие [К45.0]; Находиться в противоречии с [Н640.0]; Обращать внимание на противоречие [0210.0]; Противоречие между [П2972.0]; Противоречия в вопросе [П2971.0]; Существенное противоречие [С1557.0]; Явное противоречие [Я56.0]

**противоречить:** Казалось бы противоречит [К49.0]; Полностью противоречит [П1061.0]; Противоречат один другому [П2977.0]; Противоречить выводам [П2974.0]; Противоречить результатам [П2975.0]; Противоречить утверждениям [П2976.0]

**противофаза:** Находиться в противофазе [Н641.0]

**противоядие:** [П2981.0]

**протирать:** Очищать, промывать, высушивать и протирать [01690.0]; Протирать наружную поверхность [П2983.0]; Протирать чисто [П2984.0]

**протокол:** Вести протокол [В939.0]; Выполнение протокола [В1870.0]; Заносить в прото-

кол [3365.0]; От ... протокол подписал [01195.0]; Параграф ... протокола гласит [П116.0]; Протокол заседания [П2985.0]; Протокол испытаний [П2986.0]; Протокол о завершении поставок [П2987.0]

**прототип:** [П2988.0]; Критика прототипа [К488.0]; Устранять недостатки известного прототипа [У528.0]

**протягивать:** [П2990.0]; Протянуть через отверстие [П2991.0]

**протяжение:** На всем протяжении вплоть до [Н121.0]; На протяжении всего [Н120.0]; Сохраняться на протяжении всего [С1147.0];  
Этой условности мы будем придерживаться на протяжении всего последующего анализа [Э113.0]

**протяженность:** Протяженность [П2992.0]; Протяженность 120° [П2993.0]

**профессиональный:** Большой профессиональный опыт [Б228.0]

**профессия:** [П2994.0]; Делиться секретами своей профессии [Д243.0]; Работать по профессии [Р70.0]; С разбиением по профессиям [С81.0]

**профилактический:** Обязательные работы, выполняемые при профилактическом ремонте [0424.0]; Перечень обязательных работ, выполняемых при профилактическом ремонте [П216.0]; Профилактические работы, выполняемые после ... часов наработки [П2996.0]; Профилактический ремонт [П1906.0]; Профилактический уход [П2995.0]

**проход:** Проход через [П2997.0]; Свободный проход между [С304.0]; Уплотнять в месте прохода через стенку [У309.0]

**проходить:** Времена, когда ... давно прошли [В1513.0]; Не пройти приемочные испытания [Н1041.0]; Проходить проверки [П3008.0]; Проходить визуальный осмотр [П2999.0]; Проходить вниз [П3000.0]; Проходить закругления [П3001.0]; Проходить испытания [П3002.0]; Проходить красной нитью через [П3003.0]; Проходить мимо [П3004.0]; Проходить насквозь через [П3005.0]; Проходить одновременно с ... по [П3006.0]; Проходить под [П3007.0]; Проходить расстояние [П3010.0]; Проходить специальный инструктаж [П3011.0]; Проходить тщательную проверку [П3009.0]; Проходить через максимум [П3013.0]; Проходить через минимум [П3014.0]; Проходить через множество этапов [П3015.0]; Прошло более ... лет [П3016.0]; Прошло довольно много лет, прежде чем [П3017.0]; Сбои проходят незамеченными [С248.0]; Совещание прошло в дружественной обстановке [С854.0]; Успешно прошел испытания [У435.0]

**проходной:** Площадь проходного сечения [П321.0]

**прохождение:** Прохождение через [П3018.0]

**процедура:** Вышеописанную процедуру повторяли для других [В2071.0]; Процедура аналогична таковой для [П3019.0]; Процедура сборки [П3020.0]; Утомительная процедура [У567.0]

**процедурный:** Проблема процедурного характера [П2604.0]

**процент:** [П3021.0]; В... процентах случаев [В573.0]; Всего на несколько процентов [В 1570.0]; Высокий процент успеха [В 1982.0]; На ... процентов от [Н 122.0]; На... процентов [Н7.0]; Остальные ... процентов [01144.0]; Увеличение на ... процентов [У54.0]; Увеличивать на ... процентов [У61.0]; Уменьшать на целых ... процентов [У255.0]

**процентный:** Процентное содержание [П3023.0]

**процесс:** [П3024.0]; Авария в процессе эксплуатации [А61.0]; В любой момент времени в процессе [В218.0]; В некоторый момент времени в процессе [В221.0]; В процессе изготовления [В419.0]; В процессе первоначальной [В420.0]; В случае выхода из строя в процессе работы [В518.0]; Допускаемые колебания параметров процесса [Д655.0]; Карта технологического процесса [К181.0]; Когда процесс закончен (К238.0); На завершение этого процесса может потребоваться от ... до [Н58.0]; Находиться в процессе [Н642.0]; Параметры процесса [П22.0]; Переходный процесс [Н1678.0, П204.0]; Подрегулировка в ходе процесса [П792.0]; Понимание теории процесса [П1266.0]; Последовательно и параллельно протекающие процессы [П1400.0]; Протекание процесса окисления [П2946.0]; Упрощать процесс [У341.0]; Хорошо упорядоченный процесс [Х79.0]

**прочерк:** Делать прочерк [Д224.0]

**прочий:** И прочих равных условий [И54.0]; Помимо всего прочего [П1247.0]; При прочих равных условиях [П2158.0]; При равенстве всех прочих факторов [П2118.0]; Прочие данные [П3025.0]; Прочие даты приоритета [П3026.0]

**прочно:** Прикреплять достаточно прочно [П2338.0]; Прочно вошедший в жизнь [П3028.0]; Прочно закреплен на [П3030.0]; Прочно закрепленный [П3029.0]; Прочно прикреплены к [П3031.0]

**прочность:** Запас прочности, введенный в [3375.0]; Прочность конструкции [П3032.0]; Расчет на прочность [Р547.0]

**прочный:** В равной степени прочный [В671.0]; Занимать прочное место [3338.0]; Иметь прочную конструкцию [И404.0]; Прочная конструкция [П3034.0]; Прочная основа для [П3036.0]; Прочная основа [П3035.0]; Такой же прочный [Т82.0]



**прочтение:** Место, легко доступное для прочтения [М144.0]

**прошедший:** Время, прошедшее после разрушения [В1546.0]; Прошедшие... лет [П3037.0]

**прошлое:** В недавнем прошлом [В423.0]; В недалеком прошлом [В424.0]; В прошлом обычно считалось [В425.0]; В прошлом уделялось мало внимания (В426.0); Возврата к прошлому быть не может [В 1262.0]; Все это

в прошлом [В993.0]; Как бы ни мирились с нею в прошлом [К54.0]; Обращаясь к прошлому, можно сказать, что [0234.0]; Полученный ранее в прошлом [П 1192.0]; Представлялось в прошлом [П1899.0]; Уделялось в прошлом большое внимание [У 120.0]; Уходить в прошлое [У579.0]; Чаше, чем в прошлом [436.0]

**проще** (См. также «просто»): Гораздо проще [Г93.0]; Проще в эксплуатации [П2925.0];

Проще всего это сделать, установив [П2927.0]; Проще всего это сделать [П2926.0]

**проявление:** [П3038.0]; Еще одно проявление [Е225.0]; Проявление интереса к [П3039.0];

Ярким проявлением такой концепции было [Я63.0]

**проявленный:** Интерес, проявленный к [И604.0]

**проявлять:** Не должен проявлять [Н834.0]; Необходимо проявлять большую осторожность [Н 1382.0]; Необходимо проявлять [Н1383.0]; Нужно было проявлять большую осторожность [Н1897.0]; При ... следует про-

являть осторожность [П2125.0]; Проявлять активность [П3041.0]; Проявлять большую изобретательность [П3042.0]; Проявлять инициативу [П3043.0]; Проявлять интерес к [П3044.0]; Проявлять непоследовательность [П3045.0]; Проявлять осторожность [П3046.0];

Проявлять свое действие [П3047.0]; Проявлять свойство [П3048.0]; Проявлять тенденцию к [П3049.0]; Следует проявлять большую осмотрительность [С621.0]; Следует проявлять большую осторожность [С624.0]; Следует проявлять должную осторожность, принимая [С626.0]; Следует проявлять осторожность, сводя к минимуму [С623.0]

**проявляться:** Никак не проявляется [Н1737.0];

Обязательно проявилось бы [0429.0]; Проявляться в виде [П3052.0]; Проявляться в наибольшей степени [П3053.0]; Эффект проявляется в [Э225.0]

**прояснение:** До прояснения этих вопросов [Д467.0]

**прояснить:** Крайне необходимо несколько прояснить этот вопрос [К445.0]; Позволяет прояснить несколько вопросов [П925.0]; Прояснить вопрос [П3055.0]; Прояснить содержание [П3056.0]

**пружина:** Находиться под действием пружины в закрытом положении [Н680.0]

**прямая:** Горизонтально и под прямым углом к [Г97.0]; Завязывать прямые связи [З136.0];

Идти вертикально или горизонтально под прямым углом к [И112.0]; Ложиться на прямую линию [Л95.0]; Под прямым углом друг к другу [П621.0]; Проводить прямую через точки [П2693.0]; Прямая, проведенная через экспериментальные точки [П3057.0]; Прямая связь [П3058.0]; Указывать на прямую связь между [У210.0]; Укладываться на прямую [У229.0]

**прямо:** Направьте струю прямо на [Н480.0];

Попадать прямо в [П11289.0]; Прямо или косвенно все ... связаны с вопросом [П3065.0]; Прямо на предприятии [П3066.0]; Прямо пропорционально [П3068.0]; Прямо пропорциональный [П3067.0]; Прямо указывает на то, что [П3069.0]

**прямой:** Имеющий прямое отношение к настоящему исследованию [И513.0]; Находиться в прямой зависимости от [Н629.0];

Не имеющий прямого отношения к [Н889.0]; Прямое воздействие [П3061.0]; Прямое следствие [П3062.0]; Прямой ответ на вопрос [П3059.0]; Прямой результат [П3060.0]; Расстояние по прямой [Р505.0]; Самый прямой путь [С220.0]; Уклоняться от прямого ответа [У233.0]; Хранить вдали от источников тепла и предохранять от огня и прямого воздействия солнечных лучей [Х121.0]

**прямолинейность:** Отклонение от прямолинейности не более ... мм [01331.0]

**прямолинейный:** Отклоняться от прямолинейной траектории [01344.0]

**публикация:** Дата публикации полного описания изобретения 6 января 1980 г. [Д139.0];

Отдавать на рецензию перед публикацией [01274.0]; Относиться еще ко времени публикаций [01446.0]; Подготавливать рукопись к публикации [П695.0]; Публикация на эту тему [П3070.0]; Публикация, появившаяся после смерти автора [П3071.0]; Работа готовится к публикации [Р17.0]; Являться автором в общей сложности... публикаций [Я7.0]

**публиковать:** Публиковать с разрешения [П3073.0]

**публикуемая:** Одновременно публикуемая статья [0581.0]

**пугаться** [П3074.0]

**пульт:** [П3075.0]; Монтаж схемы внутри пульта управления [М250.0]; Перегрев двигателя, о чем сигнализирует лампа на пульте управления [П79.0]

**пункт:** [П3076.0]; Альтернативный пункт формулы изобретения [А106.0]; Включение соответствующих пунктов [В1120.0]; За исключением случаев, предусмотренных пунктом 2.5 [З28.0]; Изменяя нумерацию пунктов формулы изобретения [И264.0]; Исправленный пункт документа [И742.0]; 06-

щий пункт формулы изобретения [0323.0]; Отказ от пункта формулы [01305.0]; Перечисленные в пункте [П225.0]; По всем пунктам [П357.0]; По пункту [П456.0]; Поменять порядок следования пунктов формулы изобретения [П1232.0]; Предусмотренный пунктом [П1925.0]; При условии выполнения пункта ... и в соответствии с ним [П2148.0]; Просматривать пункты меню [П2911.0]; См. пункт [С745.0]; Соответствовать положениям пункта [С1017.0]; Соответствовать пунктам ... или в зависимости от того, какой из них подходит [С1018.0]; Ссылка на признаки, ранее не введенные в пункт формулы изобретения [С1345.0]; То же, что в пункте [Т360.0]

**пуск:** Дата пуска в эксплуатацию [Д141.0]; Перемещать в положение пуска [П132.0]; Повторный пуск [П582.0]; Пуск в эксплуатацию [П3078.0]

**пускать:** Пускать в работу [П3079.0]; Пускать в эксплуатацию [П3082.0]; Пускать оборудование в работу [П3081.0]; Пускать повторно после перерыва [П3083.0]; Забраковать либо пустить на слом [375.0]

**пускаться:** Пускаться в работу с заданной [П3080.0]; Пускаться и останавливаться [П3084.0]

**пусконаладочный:** Пусконаладочные работы [П3086.0]; Пусконаладочный период [П3085.0]

**пустой:** Пустое незаполненное место [П3087.0];

Эта страница преднамеренно оставлена пустой [Э110.0]

**пусть:** Пусть тогда [П3089.0]

**путаница:** Вносит не меньшую путаницу, чем использование [В1234.0]; Может возникнуть большая путаница [М271.0]; Не показаны во избежание путаницы [Н1012.0];

Путаница в вопросе [П3090.0]; Путаница, порождаемая [П3091.0]; Устранять путаницу [У535.0]; Чтобы избежать наложения экспериментальных точек и вызываемой этим путаницы [4183.0]; Чтобы избежать путаницы [4185.0]

**путанный:** Выводы имеют путанный характер [В1731.0]

**путать:** [П3092.0]; Не следует путать с [Н1072.0]

**путь:** Борьба путем использования [В259.0];

Важный шаг на пути создания [В782.0]; Встречаться на пути [В1623.0]; Достигать двумя путями [Д714.0]; Достигать путем [Д713.0]; Доступ к... обеспечивается путем [Д742.0]; Другой возможный путь состоит в [Д752.0]; Другой практический путь [Д757.0]; Другой путь это [Д756.0]; Единственно возможный путь [Е21.0]; Застревать на пути [3478.0]; Значение ... можно дополнительно уточнить путем [3597.0];

Значительно более эффективный путь

[3616.0]; И только путем ... можно было [И65.0]; Идти по нескольким путям [И114.0];

Идти по пути [И 113.0]; Изготовитель гарантирует работу изделия в течение лет считая срок пребывания в пути и хранения на складах со дня выпуска с предприятия [И207.0]; Искать пути [И646.0, И647.0];

К этому выводу можно прийти путем простого [К23.0]; Легче всего это можно сделать путем [Л29.0]; Лежащий на пути [Л38.0]; Меры предосторожности могут быть реализованы путем [М124.0]; Можно было бы преодолеть путем [М396.0]; Можно было выбрать один из двух путей [М325.0]; Можно заставить путем [М333.0];

Не путем ... а как то иначе [Н1044.0];

Нейтрализовать путем [Н1286.0]; Образование разными путями [0196.0]; Обходной путь между [0289.0]; Обычным путем [0391.0]; Один из возможных путей [0507.0]; Один из путей решения проблемы [0520.0]; Окольный путь [0701.0];

Оптимальный путь (0865.0); Основное предприятие на пути повышения [0992.0]; По пути к [П457.0]; По этому пути пошли [П458.0]; Поиск путей совершенствования [П945.0]; Поиски путей улучшения [П946.0];

Показывать по какому пути следует идти [П982.0]; Получать путем [П1174.0]; Попадать в различными путями [П1287.0]; После приведения уравнения к безразмерному виду путем деления обеих его частей на [П1364.0];

Практически оправданный путь [П1659.0]; Проверять путем сравнения с [П2649.0]; Продолжать обсуждать пути улучшения [П2740.0]; Прокладывать новые пути [П2834.0]; Противостоять путем [П2955.0]; Путем скола [П3099.0]; Путем утилизации тепла [П3100.0]; Пути осуществления [П3097.0]; Путь газификации [П3094.0]; Путь окисления [П3095.0]; Путь по которому следует идти если мы хотим разработать [П3096.0]; Различными путями [Р243.0]; Размер ... обеспечить путем набора прокладок [Р253.0]; Регистрировать путем фотографирования [Р602.0]; Решать вопросы путем переговоров [Р720.0]; Самый прямой путь [С220.0]; Следовать по пути [С592.0]; Третий возможный путь состоит в [Т464.0]; Убедиться путем осмотра в отсутствии [У37.0]; Цель достигается путем [Ц16.0]

**пытаться:** [П3101.0]; Испытывать затруднения, пытаясь [И763.0]; Мы не пытались проверить некоторые [М421.0]; Не пытайтесь [Н1045.0]

**пятно:** Масляные пятна не допускаются [М57.0]

**пять:** Из этих опытов пять (И 147.0); С точностью до пяти значащих цифр после запятой [С 137.0]

# р

**работа:** Аварийные условия работы [A57.0]; Автоматическая круглосуточная работа [A70.0]; Активная работа развернулась [A97.0]; Без нарушения работы [B32.0]; Безаварийная работа [B66.0]; Беспрепятственная и плавная работа [B97.0]; Бесшумность работы [B107.0]; Благодаря этой работе станут более понятными механизмы [B115.0]; Большая работа проделана по [B233.0]; Большое количество работ [B243.0]; Брать свое начало в работе [B275.0]; Будьте предельно внимательны при работе с... [B361.0]; В автоматическом режиме работы [B470.0]; В больших масштабах развиваются работы по [B184.0]; В другой работе [B429.0], В настоящее время ведется работа [B46.0]; В настоящей работе нас интересуют [B430.0]; В настоящей работе под ... понимается [B431.0]; В опубликованных ранее работах [B435.0]; В основе работы лежат три главных принципа [B274.0]; В основном благодаря работе [B279.0]; В предлагаемой работе описывается [B432.0]; В результате совместной работы [B478.0]; В свете работы [B489.0]; В случае выхода из строя в процессе работы [B518.0]; В ходе работы (B739.0); В этом режиме работы [B472.0]; Важный показатель работы [B780.0]; Ведомость выполняемых работ [B866.0]; Ведомость объема работ [B873.0]; Ведомость объема строительных и монтажных работ [B874.0]; Включать в работу [BЦ 10.0]; Включение ... в работу [B 1119.0]; Влияние длительной работы ... в условиях коррозии и отложений [B1133.0]; Во время работы с нагрузкой [B38.0]; Во всех работах сообщается о [B434.0]; Возобновлять работу [B1356.0]; Вперед нам предстоит большая работа [B 1457.0]; Времени до окончания работы мало [B1547.0]; Все опубликованные работы по [B1010.0]; Вся работа по ... была приостановлена [B960.0]; Вся работа подлежит контролю и приемке со стороны продавца [B961.0]; Выключить из работы на время испытания [B 1846.0]; Выполнение работы [B1871.0]; Выполнять работу [B1892.0]; Гарантировать исправную работу в течение одного года со дня [Г16.0]; Гарантия на механическую работу (Г20.0); Готов к работе [Г104.0]; График работ по проекту [Г125.0]; График работ [Г124.0]; График хода работ [Г127.0]; Данная работа [Д119.0]; Демонстрация работы в эксплуатационных условиях [Д255.0]; Длительная работа на холостом

ходу (Д300.0); Для правильной работы [Д386.0]; Для работы [Д385.0]; Для удобства работы в ... ввели [Д413.0]; До начала ремонтных работ [Д451.0]; Добросовестная работа [Д485.0]; Договор о проведении монтажных работ [Д524.0]; Договорная работа [Д528.0]; Доклад о ходе работы [Д547.0]; Докладывать о своей работе [Д551.0]; Документ, удостоверяющий проведение работ [Д554.0]; Другие работы на эту тему [Д759.0]; Ежемесячные регламентные работы [Е34.0]; Если время работы не превышает [Е43.0]; Если мы хотим, чтобы работа такого рода была выполнена [Е137.0]; Еще одна работа [Е223.0]; Завершение и сдача проектных работ [384.0]; Зависеть от работы [397.0]; Задел работ [3181.0]; Заимствовать из работы [3209.0]; Замечания по работе [3302.0]; Запрещается начинать или продолжать работы при обнаружении неисправности электрооборудования [3410.0]; Значительная работа [3607.0]; Избегайте работы ... в режиме [И161.0]; Изготовитель гарантирует работу изделия в течение ... лет, считая срок пребывания в пути и хранения на складах со дня выпуска с предприятия [И207.0]; Исключительно надежная работа [И675.0]; Испортить всю работу [И736.0]; Исследование в продолжение описываемой работы [И785.0]; Исследованный нами в данной работе [И803.0]; Исследовательская работа, посвященная (И793.0); Итоговый учет работы по [И852.0]; Как и в своих прежних работах [К72.0]; Карта учета технических осмотров и регламентных работ [К182.0]; Качество работ [К201.0]; Когда он не находится в работе [К233.0]; Контролировать выполнение работ [К351.0]; Контролировать работу [К352.0]; Кратковременная работа с ... не приводила к каким-либо повреждениям в [К461.0]; Круглосуточная работа [К504.0]; Крупномасштабные работы [К511.0]; Место проведения работ по [М147.0]; Многошменная работа (М224.0); На месте проведения работы [Н74.0]; На начальном этапе работы внимание будет уделено [Н199.0]; Надежная работа [Н272.0]; Наибольшие помехи в работе аппаратуры создавал (Н351.0); Нам не удалось обнаружить ни одной опубликованной работы по теме нашего исследования [Н399.0]; Нарастивание работ [Н500.0]; Нарушать нормальную работу [Н516.0]; Нарушение работы ... вызывает появление сигнала тревоги

[H529.0]; Наряд на выполнение работы [H533.0]; Настоящая работа [H573.0]; Научно-исследовательские и проектно-конструкторские работы [H597.0]; Находиться в работе [H643.0]; Начало работ [H707.0]; Не всегда служит показателем неполадок в работе [H783.0]; Не горит зеленая сигнальная лампочка ГОТОВНОСТЬ К РАБОТЕ [H808.0]; Не находится в работе [H930.0]; Не приводить к нарушению работы [H1026.0]; Неблагодарная работа [H1156.0]; Независимые друг от друга работы [H1238.0]; Немало помогли результаты работы [H1337.0]; Ненормальности в работе [H1353.0]; Ненормальные условия работы [H1354.0]; Необходимо ... через каждые ... часов работы [H1390.0]; Необходимость проведения дальнейшей работы [H 1408.0]; Необходимые для работы знания [H1411.0]; Неправильная работа [H1499.0]; Непрерывная работа [H1531.0]; Неприемлем, если мы хотим обеспечить хорошую работу [H1546.0]; Номенклатура и периодичность работ по техническому обслуживанию [H1838.0]; Нормальные условия работы [H 1854.0]; Обеспечивать работу [048.0]; Объем работ [0369.0]; Объем экспериментальной работы [0370.0]; Обязательные работы, выполняемые при профилактическом ремонте [0424.0]; Ограничивать работу несколькими часами [0459.0]; Окончание работы планируется на [0702.0]; Описан во многих работах [0789.0]; Опубликованная работа [0868.0]; Опыт организации работ [0881.0]; Опыт работы на [0887.0]; Опыт-конструкторские работы по [0894.0]; Организация работы [0901.0]; Основа успешной работы [0956.0]; Основание для проведения работ [0962.0]; Основная масса опубликованных работ [0978.0]; Основной упор в работе сделан на [0972.0]; Основные виды работ {0999.0}; Основные принципы работы [01008.0]; Основные работы в этой области [01010.0]; Основополагающая работа [01019.0]; Основы работы на компьютере [0957.0]; Оставаться в работе в течение [01085.0]; Останавливать работу [01149.0]; Открывать широкие просторы для творческой работы [01365.0]; Отличаться по своей работе [01394.0]; Отчет о научно-исследовательской работе [01592.0]; Отчет о проделанной работе [01593.0]; Оценка тяжести условий работы [01644.0]; Первый этап работы [P52.0]; Переключать ... на автоматический режим работы [P119.0]; Переход на работу в промышленности [P189.0]; Переходить на работу в режиме [P199.0]; Перечень обязательных работ, выполняемых при профилактическом ремонте [P216.0]; Перечень работ для различных

видов технического обслуживания [P220.0]; Период работы [P233.0]; Периодические регламентные работы [P240.0]; Плавная и бесшумная работа [P270.0]; Планируется ли какая-либо дальнейшая работа с использованием... [P285.0]; Плодотворная совместная работа [P297.0]; Плотный график работ [P300.0]; Повседневная работа [P1563.0]; Погрузочно-разгрузочные работы [P603.0]; Подвергать опасности работу [P656.0]; Подготовительная работа [P696.0]; Подготовка прибора к работе [P700.0]; Подключать к работе [P725.0]; Подключаться к работе в этой области ненадолго [P728.0]; Подробности анализа приведены в работе (P802.0); Показатели безостановочной работы [P971.0]; Положение рукоятки соответствует ручному режиму работы [P1100.0]; Положить начало работам [P1119.0]; Помогать работе [P1254.0]; Порядок работы [P1337.0]; После проведения большого объема экспериментальных работ [P1365.0]; После работы в течение некоторого времени [P1366.0]; Последние работы, опубликованные в [P 1395.0]; Послужить началом последующих работ [P1424.0]; Послужить началом работ в этом направлении [P1425.0]; Предложения по дальнейшей работе [P1741.0]; Предложенный в работе ... коэффициент [P1736.0]; Предмет исследования в работе (P1744.0); Прекращение работ по [P1999.0]; Преобладающее большинство опубликованных работ [P2012.0]; Прерывать работу [P2035.0]; При работе на [P2117.0]; Приборы, инструмент, приспособления и материалы, необходимые для выполнения работы [P2195.0]; Привлекать к работе над [P2205.0]; Пригодность к работе [P2269.0]; Пригодность конструкции для циклического режима работы [P2271.0]; Пригодный для работы с [P2279.0]; Признаки нормальной работы [P2322.0]; Приказ о временном прекращении работы [P2325.0]; Принимать участие в работе [P2437.0]; Принцип работы [P2459.0]; Принцип работы ... основан на том, что [P2465.0]; Проверенный в работе [P2665.0]; Проводимая в настоящее время работа направлена на [P2700.0]; Проводить работу по (P2694.0); Прodelать большую работу по [P2729.0]; Проектно-строительные работы [P2776.0]; Простои в работе [P2929.0]; Профилактические работы, выполняемые после ... часов наработки [P2996.0]; Пускать в работу [P3079.0]; Пускать оборудование в работу [P3081.0]; Пускаться в работу с заданной [P3080.0]; Пусконаладочные работы [P3086.0]; Работа будет полезна и при [P2.0]; Работа в аналогичном направлении [P3.0]; Работа в нерасчетном режиме [P5.0]; Работа в нормальных и

аварийных условиях [P6.0], Работа в расчетном режиме [P7.0]; Работа в тяжелом режиме [P8.0]; Работа в тяжелых условиях [P9.0], Работа в удаленных районах [P10.0]; Работа в этом направлении [P4.0]; Работа ведется большая [P11.0]; Работа возникла в связи с [P12.0]; Работа вслепую [P13.0], Работа, выполняемая в настоящее время [P14.0]; Работа, выполняемая в нерабочее время [P15.0], Работа, выполняемая по заказу [P16.0], Работа готовится к публикации [P17.0]; Работа за пределами, предусмотренными техническими условиями [P18.0]; Работа, затраченная за время (P19.0); Работа имеет поверхностный характер (P20.0); Работа на нагрузке [P21.0]; Работа на топливе [P22.0]; Работа на холостом ходу (P23.0); Работа на частичной нагрузке [P24.0]; Работа над проектом [P25.0]; Работа находится сейчас в таком состоянии, когда [P26.0], Работа ограничена [P27.0, P28.0]; Работа проводилась по договору с [P29.0]; Работа с ... материалами [P32.0]; Работа с малой мощностью [P31.0]; Работа с перебоями [P33.0]; Работу необходимо продолжить [P34.0], Работы, наиболее близкие к нашему исследованию [P35.0]; Работы по проектированию [P36.0]; Работы по ремонту оборудования [P37.0]; Развертывание работ [P175.0]; Разворачивание работ (P189.0); Различные режимы работы [P242.0]; Распределять работу [P429.0]; Расселяться по месту работы [P448.0]; Рассматривать настоящую работу как часть более широкого исследования [P466.0], Рассчитан на работу от (P512.0); Рассчитанная на ... года работа по [P516.0]; Регламентные работы [P608.0]; Ремонтные работы (P626.0); Ремонтные работы [P703.0]; Руководить выполнением работ [P766.0]; С подробностями... можно ознакомиться в работе [C56.0]; Самые первые работы в этой области [C234.0]; Склонный к неустойчивой работе [C528.0]; Следует избегать работы с [C602.0], Следуя работе [C597.0]; Совместная работа с [C856.0]; Содержание проведенных работ [C936.0], Содержать количество продукта, достаточное для работы в течение [C944.0], Способствовать ... работе [C1232.0]; Срочная работа [C1339.0]; Ссылки на... можно встретить во многих работах [C1346.0]; Так же важен для работы, как и [T27.0]; Технологическая карта выполнения регламентных работ [T257.0]; Требования к работе (T420.0); Тяжелые условия работы [T519.0]; Убедиться в правильной работе [УЗО.0]; Убедиться в правильности работы [УЗ 1.0]; Убытки в начальный период работы [У42.0]; Указывать место работы и должность [У204.0]; Управление всеми строительными работа-

ми [У328.0]; Успешное завершение работы [У438.0]; Устанавливать последовательность работы [У458.0], Установить ... и проверить его работу [У479.0]; Ухудшать работу [У586.0]; Ухудшение работы [У592.0], Уцелеть в неблагоприятных условиях работы [У594.0], Финансирование работы осуществлялось [Ф33.0]; Хорошо описывают работу [Х60.0]; Хотелось бы видеть больше работ по [Х80.0]; Цель работы состояла в [Ц25.0]; Ценность работы в том, что [Ц44.0]; Чем это следует из работы [462.0]; Числа в квадратных скобках обозначают номера в списке работ, приведенном в конце статьи [4104.0]; Число часов работы в год [4103.0]; Экспериментальная работа проводилась в меньшем объеме [Э36.0]; Эта работа в настоящее время ведется [Э109.0]; Это всего лишь некоторые из работ на указанную тему [Э124.0]; Это, конечно, сильно задержало бы всю работу [Э139.0] **работать:** А все остальное оборудование работает нормально [А8.0]; А не почему оно не работает [А31.0]; Активно работать [А98.0]; Все системы работают [В1016.0]; Для того чтобы ... мог работать [Д406.0]; Должен работать [Д584.0]; Если ... некоторое время не работал [Е156.0]; Запрещается работать под напряжением [3412.0]; Заставлять работать неправильно [3468.0]; Лучше всего работает при [Л114.0]; Много работать над [М198.0]; Надежно работать в неблагоприятных условиях [Н263.0]; Не работать [Н1046.0]; Определять, правильно ли работает [0830.0]; Отлично работать [01408.0]; Очень хорошо работает [01677.0]; Пока работает удовлетворительно [П964.0]; Посмотрите, работают ли [П1430.0]; Проверьте, не работает ли случайно [П2664.0]; Работает неэффективно и часто вообще бесполезен [P65.0]; Работать часть срока службы [P79.0]; Работать без обслуживания [P39.0]; Работать безостановочно [P40.0]; Работать бок о бок [P41.0]; Работать большую часть времени при [P80.0]; Работать в высшей степени согласованно [P43.0]; Работать в значительно более тяжелых условиях [P50.0]; Работать в качестве [P44.0]; Работать в полном согласии [P46.0]; Работать в сети (P47.0); Работать в тесном контакте с [P48.0]; Работать в условиях [P49.0]; Работать далеко от точки [P51.0]; Работать значительно лучше [P53.0]; Работать круглосуточно [P54.0]; Работать лучше, чем [P52.0]; Работать на оборудовании [P56.0]; Работать на полной мощности [P57.0]; Работать на полную мощность [P58.0]; Работать на пределе своих возможностей по [P59.0]; Работать на сжатие [P60.0]; Работать на холостом ходу (P61.0); Работать

наиболее долго [P62.0]; Работать ненормально [P63.0]; Работать неправильно [P64.0]; Работать от батарей [P66.0]; Работать плохо [P67.0]; Работать по последовательной схеме включения [P68.0]; Работать по принципу [P69.0]; Работать по профессии [P70.0]; Работать по трехсменному графику [P71.0]; Работать под разрежением [P72.0]; Работать при температуре на ... °C выше [P73.0]; Работать рядом с [P74.0]; Работать с источниками [P75.0]; Работать с отклонениями от проекта [P76.0]; Работать совершенно одинаково [P77.0]; Работать сообща с [P78.0]; Работая в качестве [P45.0]; Собирается работать на [C810.0]; Совсем перестать работать [C890.0]; Способность работать в неблагоприятных условиях [C1216.0]; Способный работать с [C1220.0]; Удовлетворительно работать в течение [Y160.0]; Хорошо работать [X71.0]

**работающий:** Детали, работающие под давлением [D270.0]; Ненормально работающий [H1352.0]; Неправильно работающий [H1497.0]; Одинаково хорошо работающий [O553.0]; Работающий без давления [P82.0]; Работающий в непрерывном режиме [P83.0]; Работающий в прерывистом режиме [P84.0]; Работающий в условиях [P85.0]; Работающий на газе [P86.0]; Работающий на изгиб [P87.0]; Работающий на кручение [P88.0]; Работающий на пределе [P89.0]; Работающий от батарей [P90.0]; Работающий по строгому графику [P91.0]; Работающий под давлением [P92.0]; Специалисты, работающие в этой области [C1162.0]; Хорошо работающий [X72.0]; Численность работающих на заводе составляет человек [491.0]

**работник:** Научно-технические работники [H600.0]; Статьи, написанные научными работниками [C1439.0]; Статьи, написанные работниками промышленности [C1440.0]

**работоспособность:** Восстановление работоспособности оборудования [B1440.0]; Работоспособность изобретения [P93.0]; Сохранять работоспособность [C1136.0]

**работоспособный:** [P94.0]; Быть работоспособным [B331.0]; Полностью работоспособный [П11062.0]

**рабочий:** Быть на рабочем месте [B311.0]; В порядке рабочей гипотезы [B366.0]; В хорошем рабочем состоянии [B622.0]; Возвращать в рабочее положение [B1267.0]; Диапазон рабочих режимов [D289.0]; Иметь право вносить изменения в рабочие чертежи [I432.0]; Находиться в рабочем положении [H644.0]; Находиться в рабочем состоянии [H651.0]; Нормирование рабочего времени [H1856.0]; Обучение на рабочих местах [O279.0]; Отступления от рабочих чертежей [O1544.0]; Оценка потребности в рабочей силе и средствах энергообеспече-

ния [O1643.0]; Превосходить по рабочим характеристикам (П1685.0); Предоставление рабочей силы [П1756.0]; Приводить в рабочее состояние [П2219.0]; Принцип действия и рабочий цикл [П2460.0]; Рабочая группа [P98.0]; Рабочая жидкость [P99.0]; Рабочее место [P101.0]; Рабочее проектирование [P102.0]; Рабочие дни недели [P103.0]; Рабочие условия, обеспечивающие [P104.0]; Рабочие характеристики указаны для [P106.0]; Рабочий проект [P95.0]; Рабочий труд [P778.0]; Рабочий участок [P96.0]; Рабочий цикл [P97.0]; Разработка рабочей документации [P310.0]; Стабильность рабочих характеристик [C1349.0]; Хорошее рабочее состояние [X36.0]; Экономические и рабочие показатели [Э13.0]

**равен** (См. также «равный»): Больше или равен [B204.0]; Должен быть равен или меньше [D576.0]; Меньше или равен [M99.0]; Меньше или равен [MП 0.0]; Отношение равно [O1469.0]; Позволяет предположить, что значение равно [П923.0]; Равен в среднем [P138.0]; Равен или несколько [P136.0]; Равен нулю [P137.0]; Равно или больше [P135.0]; Равно половине [P139.0]; Равно такому для окружающей среды [P140.0]; Сумма равна нулю [C1541.0]; Тогда ... равен [T290.0]

**равенство:** Знак равенства [3577.0]; Из требования равенства нулю [И136.0]; При равенстве всех прочих факторов [П2118.0]; Равенство значений [P108.0]; Условия равенства [Y393.0]

**равновесие:** В равновесии [B436.0]; Восстанавливать равновесие [B1438.0]; Выводить из равновесия [B1740.0]; Добиваться равновесия между [D482.0]; Достигать равновесия [D715.0]; Из условия равновесия [И137.0]; Нарушать равновесие [H517.0]; Нарушение равновесия [H530.0]; Находиться в равновесии [H645.0]; Не в равновесии с [H765.0]; Неустойчивое равновесие [H1680.0]; Приводить в равновесие [П2214.0]; Приходить в равновесие [П2546.0]; Приходить в состояние устойчивого равновесия [П2548.0]; Равновесие между [P109.0]; Равновесие сил [P110.0]; Сдвигать равновесие [C380.0]; Состояние равновесия [СП 12.0]; Сохранять равновесие между [C1138.0]; Стараться добиться равновесия между [C1424.0]; Устанавливается равновесие [Y471.0]

**равновесный:** Достигать равновесного [D716.0]; Достижение равновесного состояния [D730.0]; Равновесное состояние [P111.0]; Установление равновесного состояния [Y507.0]; Устойчивое равновесное состояние [Y514.0]

**равнозначно:** Равнозначно тому же самому [P112.0]

**равномерно:** Менее равномерно [M102.0]; 3 отверстия Ж 12 мм, равномерно расположенных по окружности Ж60 мм [01225.0]; Равномерно затянуть [P117.0]; Равномерно располагаться [P118.0]; Равномерно расположенные вдоль [P120.0], Равномерно расположенные по окружности [P121.0]; Равномерно распределенный [P122.0]; Распределение намного равномернее (P418.0); Распределять равномерно [P430.0]; Распределяться равномерно между [P431.0]

**равномерный:** Менее равномерный [M103.0];

Равномерное распределение нагрузки [P115.0]; Равномерный по [P114.0]

**равноотстоящий:** [P123.0]

**равноосильно:** [P124.0]; Это равноосильно [Э185.0, Э186.0]

**равноудаленный:** Равноудалены от [P125.0]

**равноценный:** [P126.0]

**равный(См. также «равен»):** Брать равным произведению [B274.0]; Были равны соответственно [B334.0]; Быть постоянным и равным [B332.0]; Быть равным ... или около того [B333.0]; В равной или даже большей степени [B672.0]; В равной степени относятся к случаю [B668.0]; В равной степени правдоподобны [B669.0]; В равной степени применим [B670.0]; В равной степени прочный [B671.0]; В равной степени справедлив для [B673.0]; Взять равным [B1072.0]; Выбирать равным [B1699.0]; Группироваться в окрестности постоянного значения, равно... [Г144.0]; Делать равным нулю [Д225.0]; Делить на ... равных [Д241.0]; Должен быть равным [Д575.0]; Зависеть в равной степени от ... и от [392.0]; Значение, равное [3601.0]; И прочих равных условий [И54.0]; Измерять через равные промежутки времени [И302.0]; На равном расстоянии от [Н136.0]; На расстоянии от ..., равном [Н130.0]; Не иметь себе равных по [Н884.0]; Обусловлен в равной степени как ..., так и [0272.0]; Оказываться в точности равным [0660.0]; Оказываться равным [0682.0]; Отношение, равное [01468.0]; Оценивать равным [01635.0]; По существу равны [П492.0]; Подбирать ... равной [П646.0]; Поддерживать равным [П720.0]; Постоянный и равный значению для [П1478.0]; При значении, равном [П2074.0]; При прочих равных условиях [П2158.0]; Примерно равный [П2393.0]; Принимать равным [П2429.0]; Приобретать репутацию не имеющей себе равных по [П2491.0]; Произвольно принимать равным [П2811.0]; Равное количество тех и других [P131.0]; Равны по абсолютному значению но противоположны по знаку [P132.0]; Равный одной десятой [P128.0]; Равный удвоенной ширине [P129.0]; Равный утроенному [P130.0]; Равным образом относится к

[P133.0]; Расположенные на равном расстоянии друг от друга [P404.0]; Рассматривать на равных [P465.0]; Расстояние от ... до ..., равное [P503.0]; С равным успехом [С156.0]; Со скоростью, равной [С100.0]; Содержать ошибку, равную [С945.0]; Считается равным [С1625.0]; Увеличивать равными ступенями [У64.0]; Устанавливать равным [У462.0]; Установить уровень подводимой мощности, равный [У487.0]; Через равные промежутки времени [471.0]

**равняться:** Равняется [P134.0]

**ради:** Ради интереса [P142.0]; Ради удобства [P143.0]; Справедливости ради в отношении втулочного уплотнения отметим, что [С1244.0]; Это собственно то, ради чего [Э188.0]

**радиальный:** Осевой и радиальный люфты [0926.0]

**радио:** Передавать по радио [П101.0]

**радиус:** Вырезанный по радиусу [B1965.0];

Загибать по радиусу [3137.0]; Неуказанные литейные радиусы выполнить ... мм [Н1676.0]; Острые углы скруглить радиусом ... мм [01169.0]; По радиусу [П459.0]; Радиус действия [P144.0]; Радиусы, за исключением указанных, 12 [P145.0]; Скруглять по радиусу [С555.0]

**разбавление:** [P153.0]

**разбавленный:** Разбавленный водой [P156.0];

Разбавленный керосином [P157.0]

**разбавлять:** [P154.0]

**разбалансированный:** Оказаться разбалансированным [0683.0]

**разбивать:** Разбивать на группы [P159.0]; Разбивать на ряд (P160.0); Разбивать по треугольнику со стороны [P161.0]

**разбиваться:** Разбиваться на отдельные [P162.0]

**разбивка:** С разбивкой по треугольнику и шагом [С80.0]

**разбиение:** Разбиение по [P163.0]; С разбиением по профессиям [С81.0]

**разбирать:** [P164.0]; Разобрать и вновь собрать [P165.0]

**разбираться:** [P166.0]; Получать возможность несколько разбраться [П1130.0]; Разобраться во влиянии [P167.0]; Разобраться, с чем мы имеем дело [P168.0]; Разобраться, что же происходит в действительности [P169.0]; Чтобы несколько разбраться в том [4197.0]; Чтобы разбраться в таких расхождениях между результатами [4209.0]; Чтобы разбраться, где находится неисправность — в ... или в [4210.0]

**разбирающийся:** Специалисты, разбирающиеся [С1163.0]

**разблокировать:** [P170.0]

**разбор:** Критический разбор [K492.0]

**разборка:** [P171.0]; Демонтаж и разборка [Д259.0]; Демонтаж с объекта и последую-

щая разборка [Д260.0]; Не подлежать разборке [Н982.0]; Сборка выполняется в порядке, обратном разборке [С254.0]

**разброс:** Большой разброс [Б229.0]; Ложиться с очень небольшим разбросом [Л96.0]; Полоса разброса [П1121.0]; Разброс результатов [Р172.0]; Разброс экспериментальных точек относительно среднего значения составляет [Р174.0]

**разбросанный:** Сильно разбросанные экспериментальные точки [С480.0]

**развернутый:** В развернутом виде [В21.0]

**развертывание:** Развертывание работ [Р175.0]

**развертывать:** Отверстия под цилиндрический штифт сверлить и развернуть [01223.0]; Развернуть отверстия под шпильки [Р179.0]; Развертывать с целью снятия заусенцев [Р178.0]

**развертываться:** Активная работа развернулась [А97.0]; Дискуссия развернулась в основном по вопросу о [Д291.0]

**развивать:** Развивать навыки [Р180.0]

**развиваться:** В больших масштабах развиваются работы по [В184.0]; Развиваться в направлении [Р 183.0]; Развиваться постепенно [Р184.0]

**развивающийся:** Незаметно развивающийся [Н1250.0]

**развитие:** Бурное развитие техники [Б287.0]; В начальной стадии развития [В639.0]; Веха в истории развития [В1037.0]; Делать много для развития науки и техники в области [Д202.0]; Достигать уровня развития [Д717.0]; Много сделать для развития науки и техники в области [М212.0]; Подниматься на новую ступень технического развития [П760.0]; Приостанавливать развитие [П2496.0]; Проследить историю развития [П2906.0]; Развитие во времени [Р186.0]; Развитие идет быстрыми темпами [Р187.0]; Развитие научно-технического прогресса [Р188.0]; Стимулировать развитие [С1459.0]; Тормозить развитие [Т336.0]; Уровень развития техники [У374.0]

**разворачивание:** Разворачивание работ [Р189.0]

**развязывать:** [Р190.0]

**разгадка:** Ключ к разгадке [К223.0]; Разгадка этой загадки [Р 191.0]

**разгар:** В разгар полемики о [В453.0]

**разграничение:** Разграничение между ... и [Р192.0]

**разграничивать:** [Р 193.0]; Четко разграничивать [484.0]

**разгружать:** [Р 194.0]

**раздача:** После раздачи экзаменационных материалов [П 1367.0]

**раздвигать:** [Р 195.0]

**раздел:** [Р196.0]; В одном из нижеследующих разделов статьи [В454.0]; В предыдущем

разделе [В455.0]; Как указано в предыдущем разделе [К136.0]; Как упоминалось в одном из предыдущих разделов [К137.0]; На поверхности раздела [Н105.0]; Перенесено из раздела «Е» [П142.0]; Поверхность раздела [П538.0]; Поверхность раздела между [Г112.0]; Подпадающий под раздел [П1776.0]; Рассмотренный в предыдущем разделе [Р492.0]; Статья состоит из ... разделов [С1438.0]

**разделение:** Разделение действительной и мнимой частей [Р198.0]; Разделение труда [Р 199.0]

**разделять:** Нельзя разделить влияние ... и [Н1332.0]; Разделять влияние этих факторов [Р201.0]; Разделять между [Р202.0]; Разделять на группы по размерам [Р205.0]; Разделять на две группы [Р206.0]; Разделять на две части [Р207.0]; Разделять на ряд [Р208.0]; Разделять по времени [Р209.0]; Разделять точку зрения [Р210.0]; Тщательно разделять результаты расчетов, основанных на ... и на [Т516.0]

**разделяться:** Разделяться на три потока [Р211.0]

**разлагать:** Разлагать в ряд в окрестности [Р214.0]; Разлагать в ряд, сохранив [Р213.0]; Разлагать на составляющие [Р215.0]; Разлагать по членам степенного ряда [Р216.0]

**разлагаться:** Разлагаться до [Р217.0]

**разламываться:** Разламываться пополам [Р218.0]

**разлетаться:** Разлетаться на части [Р219.0]

**разлинованный:** Разлинованный на [Р220.0]

**различать:** Не настолько чувствителен, чтобы различить ... и [Н929.0]; Нужно различать два случая [Н1908.0]; Различать по [Р222.0]; Различить их можно с помощью следующих [Р223.0]; Терять способность различать [Т201.0]; Четко различать ... и [485.0]

**различаться:** Различаться по [Р224.0]; Различаться по степени сложности [Р225.0]

**различающийся:** [Р226.0]

**различие:** Большинство различий [Б222.0]; Большое различие [Б249.0]; В этом... и заключается основное различие между [В767.0]; Введение поправки на различия в [В825.0]; Вводить различие [В848.0]; Единственное различие состоит в том, что [Е19.0]; Конечно, существуют и различия [К319.0]; Коренное различие [К377.0]; Не делать различия между [Н827.0]; Не обнаруживать существенных различий [Н939.0]; Незначительные различия [Н1262.0]; Осложняться серьезными различиями [0938.0]; Основное различие заключается в том, что [0993.0]; Основное различие между ... и ... заключается в [0994.0]; Основное различие не в том ..., а в том [0995.0]; Основное различие относится к [0996.0]; Отражать различия [01501.0]; По причинам, которые



нельзя объяснить различием в [П453.0]; Подчеркивать различия в [П882.0]; Показывать существенные различия [П988.0]; Различие между ... заключается в [P228.0];

Различие между ... и ... очень невелико [P229.0]; Различие между ... и ... состоит в [P230.0]; Различие оказывается еще более сильным [P231.0]; Различие скорее количественное, чем качественное [P232.0]; Различие состоит не только в [P233.0]; Различие состояло в [P234.0]; Различие уменьшается [P235.0]; Различия в свойствах между [P236.0]; Различия качественного характера [P237.0]; Ряд различий в деталях [P786.0]; Существенные различия [C1558.0]; Улавливать различия между [У240.0]; Установлено, что различие между... отсутствует [У488.0]; Хорошо видны различия в [Х47.0]; Хотя такое различие может показаться несущественным [Х109.0]

**различимый:** [P238.0]; Едва различим [Е9.0]; Хорошо различим на слух [Х73.0]

**различный:** В различные моменты времени [В226.0]; Вследствие различных обстоятельств [В1598.0]; Выбирать из самых различных поверхностей [В1692.0]; Два совершенно различных явления [Д 148.0]; Изготавливать с различными [И 196.0]; На различных этапах [Н200.0]; Перечень работ для различных видов технического обслуживания [П220.0]; Попадать в ... различными путями [П1287.0]; Принимать различные формы [П2439.0]; Различные отрасли промышленности [P241.0]; Различные режимы работы [P242.0]; Различный в зависимости от [P240.0]; Различными путями [P243.0]; Ряд установок различного назначения [P787.0]; Среди различных применяемых в настоящее время [С1305.0]

**разложение:** Разложение в степенной ряд по [P246.0]; Разложение на составляющие дает [P249.0]; Разложение в ряд по [P245.0];

Разложение на составляющие [P248.0]

**разматывать:** Разматывать на всю длину [P250.0]

**размах:** [P251.0]; Исследовательская деятельность приняла такой размах, что [И792.0]

**размер:** В два раза больше по размерам [В440.0]; В диапазоне размеров, представляющих интерес для данного исследования [В98.0]; Вдоль размера [В863.0]; Выбирать размеры с запасом [В1700.0]; Габаритные размеры [Г3.0]; Допускаемое отклонение размеров обработанных поверхностей  $\pm 0,013$  мм [Д654.0]; Заменять на ... того же типа, размера и номинала [З284.0]; Изготавливать с размерами [И195.0]; Иметь размеры [И443.0]; Имеющий размеры [И514.0]; Конечных размеров [К315.0]; Натуральных размеров [Н584.0]; Не выходить за пределы

размеров существующего [Н801.0]; Негабаритные размеры [Н1184.0]; Обработать до заданных размеров [О180.0]; Определить размеры [О811.0]; Определять размеры деталей [О833.0]; Остальные размеры по сопряженной детали [О1146.0]; Отсутствующие размеры определять в соответствии с размерами сопрягаемых деталей [О1563.0];

Пересчет размеров [П172.0]; Пересчитанный на большие размеры [П 179.0]; Пересчитанный на меньшие размеры [П180.0];

По размерам [П460.0]; Подчеркнутые размеры даны не в масштабе [П886.0]; При выборе размеров [П2062.0]; Проверка размеров [П2627.0]; Пропорционально уменьшать размеры [П2883.0]; Пропорциональное увеличение размеров [П2885.0]; Простое увеличение размеров [П2933.0]; Разделять на группы по размерам [P205.0]; Размер обеспечить путем набора прокладок [P253.0]; Размером с [P255.0]; Размеры выбраны из расчета удовлетворения максимальной потребности в течение [P256.0];

Размеры в свету [P257.0]; Размеры даны с учетом гальванопокрытия [P258.0]; Размеры должны быть в пределах допусков [P259.0];

С размерами [С82.0]; С теми же размерами [С83.0]; Свободный размер [С305.0]; Соответствовать по типу и размерам [С1016.0];

Того или иного размера [Т353.0]; Точно по размерам [Т393.0]; Характерные размеры [Х14.0]

**размерность:** [P260.0]; Анализ размерностей [А118.0]

**разместиться:** Легко разместиться в имеющемся пространстве [Л27.0]

**разметка:** Разметка монтажных отверстий [P261.0]

**размечать:** [P262.0]

**размещать:** На ... удобно разместить [Н171.0];

Размещать заказы в [P264.0]; Размещать между [П1242.0]; Размещать на площади [P265.0]; Размещать таким образом, чтобы не мешать [P266.0]

**размещаться:** Размещаться вне [P268.0]; Размещаться точно по центру [P269.0]

**размещение:** Для размещения в нем [Д387.0];

Размещение в габаритах [P271.0]; Размещение в располагаемом пространстве [P272.0]

**размыкать:** Размыкать цепь [P274.0]

**размыкаться:** Замыкаться или размыкаться [З316.0]

**размышление:** По дальнейшему размышлению становится ясно, что [П360.0]; По размышлении становится ясно, что [П461.0]; После размышления [П1368.0]

**разница:** Разница практически невелика [P279.0]; Разница в... между [P276.0]; Разница в тепловом расширении у... и [P277.0]; С той лишь разницей, что [С84.0]

**разновидность:** [P280.0]

**разногласие:** Существует серьезное разногласие по вопросу [C1580.0]; Разногласия начинаются, когда [P281.0]

**разнообразие:** [P282.0]; Большое количество и разнообразие [B242.0]; Большое разнообразие [B250.0], Все разнообразие типов [B984.0]

**разнообразный:** [P283.0]; Многочисленны и разнообразны [M227.0], Самые разнообразные [C237.0]

**разностенность:** Допускается разностенность отливки в пределах ... от толщины стенки [D664.0]

**разность:** Малая разность близких между собой больших величин [M16.0], Относя к разности [01463.0]; Разность между [P284.0], Разность между максимальной и минимальной температурами не должна превышать [P285.0]

**разный:** В разное время [B64.0]; В разной степени [B674.0]; В самое разное время [B65.0]; В самых разных случаях [B576.0]; Два совершенно разных типа [D149.0]; Использовать для разных целей [I701.0], Обращение разными путями [0196.0]; Однородные ... дают разный [0547.0]; Полученные из разных источников [P1196.0]; Представители самых разных специальностей [P1831.0]; Приводить к самым разным последствиям [P2235.0]; Разные... для разных [P289.0]; Разные страны [P290.0]; Разных типов [P291.0]; Самого разного рода [C223.0]; Самые разные пользователи [C239.0]; Самые разные системы [C240.0]; Спроектированы в разных конструкторских бюро [C1263.0]; Сталкиваться с самыми разными трудностями [C1375.0]; Существует множество самых разных определений [C1571.0]; У разных изготовителей разные [U 10.0]

**разобранный:** В разобранном виде [B22.0]; Отгружать в частично разобранном виде [01267.0]

**разобшение:** [P292.0]

**разовый:** Разовый заказ [P293.0]

**разогрев:** [P294.0]

**разойтись:** Полностью разойтись [P1063.0]

**разом:** Раз за разом [P149.0]

**разомкнут:** Контакт разомкнут [K349.0]

**разочарование:** Вызывать разочарование [B1819.0]

**разочаровывать:** [P295.0]; Результаты разочаровали [P657.0]; Что в нём разочаровывает, так это [4128.0]

**разрабатываемый:** Разрабатываемый в настоящее время [P303.0]

**разрабатывать:** Для ... разработали специальный метод [D388.0]; На основе ... разработан [H91.0]; Поручено разработать [P1332.0]; Путь, по которому следует идти, если мы хотим разработать [P3096.0]; Разрабатывать

на чисто теоретической основе [P297.0]; Разрабатывать по договору с [P298.0]; Разрабатывать с нуля [P299.0]; Разрабатывать совместно [P300.0]; Разрабатывать специально для [P301.0]; Работать до такой степени, что [P302.0]; Теория ... достаточно хорошо разработана [T156.0]

**разработанный:** Разработанный на основе [P305.0]

**разработка:** Вариант разработки [B813.0]; Время разработки [B1537.0]; Выходить из стадии лабораторных разработок [B2045.0]; Занимающийся разработкой [3361.0]; Конструкторские разработки [K340.0]; На стадии научно-исследовательской разработки [H153.0]; Находиться еще на стадии разработки [H658.0]; Находиться на таком этапе разработки, когда [H677.0]; Не выходить из стадии лабораторных разработок [H804.0]; Неизвестно, во что обойдётся разработка [H1274.0]; Позволяет уменьшить сроки и стоимость разработки [P935.0]; Программа разработки [P2711.0]; Разработка велась по двум направлениям [P306.0]; Разработка поддерживается из-за [P307.0]; Разработка и проектирование [P308.0]; Разработка опытного образца [P309.0]; Разработка рабочей документации [P310.0]; Рекомендации по разработке руководящих указаний [P672.0]; Руководить разработкой [P767.0]; Специализироваться в разработке [C1153.0]; Срок разработки был достаточно большим [C1333.0]; Требовать времени для своей разработки [T435.0]

**разработчик:** Первые разработчики [P63.0]

**разрегулирован:** [P311.0]

**разрежение:** Работать под разрежением [P72.0]

**разрезать:** Разрезать в продольном направлении [P312.0]; Разрезать пополам [P313.0]

**разрешать:** Разрешать вопрос [P315.0]; Разрешать спор [P316.0]; Разрешено [P320.0];

Просьба разрешить [P2944.0]

**разрешаться:** Не разрешается [H1048.0, H1049.0, H1050.0]; Переключать без необходимости не разрешается [P 118.0]; Правилами разрешается [P11618.0]; Разрешается использовать только [P318.0]; Разрешается только для [P319.0]

**разрешающая:** За пределами разрешающей способности [346.0]; Имеющий шкалу с разрешающей способностью [I519.0]; Разрешающая способность [P329.0]; С разрешающей способностью [C85.0]

**разрешение:** В присутствии и с разрешения [B408.0]; Давать разрешение [D49.0]; Допускается только с разрешения [D665.0]; Испрашивать разрешение на ... у [I746.0]; Окончательное разрешение для [0715.0]; Письменное разрешение [P260.0]; Получать разрешение уйти [P1175.0]; Публиковать

вать с разрешения [П3073.0]; Разрешение на вывоз [P323.0]; Разрешение на отгрузку [P324.0]; Разрешение на отступления [P325.0]; Разрешение на переделку [P326.0]; Разрешение, опирающееся на [P327.0]

**разрешенный:** Разрешенные для продажи изделия [P328.0]

**разрушать:** Губить и разрушать [П47.0]

**разрушаться:** Разрушаться аналогичным образом [P330.0]; Разрушаться в результате [P331.0]

**разрушение:** В момент разрушения [B213.0]; Вид разрушения [B1085.0]; Вплоть до разрушения [B1472.0]; Время, прошедшее после разрушения [B 1546.0]; Испытывать до разрушения [И762.0]; Контроль за разрушением [K358.0]; Место разрушения [M148.0]; Начало разрушения [H708.0]; Опасность разрушения [0746.0]; Определяющий вид разрушения [0854.0]; Полное разрушение [П1086.0]; Преждевременное разрушение [П1969.0]; При разрушении пленки [П2119.0]; Разрушение происходит по [P332.0]; Способствовать разрушению [C1233.0]

**разрыв:** Ликвидировать разрыв между [L49.0]; Проверить отсутствие разрывов в [П2658.0]; Разрыв в цепи [P334.0]; Разрыв между теорией и практикой [P335.0]

**разукмплектовывать:** [P336.0]

**разуметь:** Само собой разумеется [C204.0]

**разумеющийся:** Обычно это считается само собой разумеющимся [0416.0]; Считать само собой разумеющимся [C 1615.0]

**разумный:** В разумных пределах [B398.0]; За пределы разумного [348.0]; Разумный выбор [P337.0]

**разъедать:** [P338.0]

**разъем:** Пескоструить и покрыть грунтом, кроме места посадки и разъема [П259.0]

**разъяснение:** Может быть, авторы могли бы дать разъяснения по этому вопросу [M308.0]; Не требовать разъяснений [H1124.0]; Просить разъяснения [П2901.0]

**разъяснять:** [P339.0]

**район:** Работа в удаленных районах [P10.0]

**рамки:** В рамках всего [B459.0]; В рамках данного [B458.0]; В рамках программы [B460.0]; В рамках совместной советско-американской программы [B461.0]; Выходить далеко за рамки [B2039.0]; Заказ в рамках существующего контракта [3216.0]; Не выходить за рамки имеющегося опыта эксплуатации [H803.0]; Укладываться в рамки [Y223.0]

**рамочка:** [P340.0]

**ранее:** Анализировать ранее [A122.0]; Был предложен ранее [B363.0]; В опубликованных ранее работах [B435.0]; Высказывавшиеся ранее опасения [B1980.0]; Данные, полученные ранее в эксплуатационных ис-

пытаниях [D117.0]; Как отмечалось ранее [K100.0]; Как это было показано ранее другими исследователями [K108.0]; На который мы ссылались ранее [H66.0]; Не ранее, чем за ... месяцев до [H1051.0]; Не так страшен, как считалось ранее [H1106.0]; Полученный нами ранее [П1193.0]; Полученный ранее в прошлом [П1192.0]; Ранее было показано, что [P347.0]; Ранее проведенные [P348.0]; Ранее уже делались попытки [P349.0]; Ссылка на признаки, ранее не введенные в пункт формулы изобретения [C1345.0]; Упомянутый ранее [Y324.0]; Чем считалось ранее [456.0]

**ранжирование:** [P341.0]

**ранний:** Более ранние моменты времени [B180.0]; В ранние периоды времени [B337.0];

Дата истечения срока более ранних по приоритету патентов [D125.0]; Многие из более ранних [M190.0]; На ранней стадии [H154.0]; На ранних этапах [H201.0]; На самой ранней стадии [H155.0]; Отбраковывать на ранней стадии изготовления [01211.0]; Ранее обнаружение [P343.0]; Ранний этап [P342.0]

**рано:** Рано говорить о [P345.0]; Слишком рано делать окончательные выводы о [C655.0];

Хотя окончательные рекомендации пока давать рано [X105.0]

**раньше:** Догадываться раньше [D522.0]; На год раньше срока [H38.0]; Начинается раньше и длится дольше [H724.0]; Несколько раньше [H1600.0]; Определяли раньше исходя из [0839.0]; Приняв, как и раньше, что ... известно [П2445.0]; Производство которого начинается годом раньше [П2808.0]; Раньше других [P350.0]; Раньше, чем следует [P351.0]; Строительство закончилось на ... дней раньше планового срока [C1510.0]; Существенно раньше [C1564.0]; Те же, что и раньше [T365.0]

**раскалываться:** Раскалываться вдоль [P352.0]

**раскладывать:** Раскладывать на составляющие [P353.0]

**расконсервация:** Дата расконсервации [D128.0];

Инструкция по расконсервации [И574.0]

**раскритиковать:** [P354.0]

**раскручивать:** [P355.0]

**раскрывать:** [P356.0]

**раскрывая:** Раскрывая скобки, объединяя подобные члены и решая относительно [P357.0]

**раскрытие:** Отсутствие раскрытия изобретения [01554.0]

**распад:** Распад с образованием [P360.0]

**распадаться:** Распадаться дальше [P362.0]; Распадаться до [P363.0]; Распадаться значительно быстрее [P364.0]; Распадаться на части [P365.0]

**распечатка:** Машинные распечатки экспериментальных данных [M74.0]

**расписание:** Точно по расписанию [Т394.0]

**расписка:** Выдавать расписку [В1769.0]; Расписка в получении оплаты [Р366.0]

**расписываться:** Расписываться в получении [Р367.0]

**расплавление:** Полное расплавление [П1087.0]

**распльвчатый:** Распльвчатое понятие [Н1659.0]

**распознавание:** Возможность распознавания ... ухудшается [В1321.0]; Распознавание по [Р368.0]

**располагаемый:** Заходить в пределы пространства, располагаемого для [3520.0]; Размещение в располагаемом пространстве [Р272.0]; Располагаемый для [Р391.0, Р392.0]

**располагать:** Располагать близко к [Р370.0]; Располагать в другом порядке [Р375.0]; Располагать в линию [Р371.0]; Располагать в порядке [Р373.0, Р374.0]; Располагать друг над другом [Р376.0]

**располагаться:** Минимум располагается выше [М180.0]; Равномерно располагаться [Р118.0]; Располагаться в одинаковом порядке по [Р377.0]; Располагаться в порядке возрастания [Р372.0]; Располагаться в правильном порядке [Р378.0]; Располагаться в том же порядке, что и [Р379.0]; Располагаться в центре [Р380.0, Р381.0]; Располагаться вблизи [Р382.0]; Располагаться все ниже и ниже [Р383.0]; Располагаться выше [Р384.0]; Располагаться горизонтально [Р385.0]; Располагаться на некотором расстоянии от [Р386.0]; Располагаться перед [Р388.0]; Располагаться по [Р389.0]; Располагаются на расстоянии друг от друга [Р387.0]

**расположение:** Относительное расположение кривых (01426.0); Расположение в ряд по достоинствам [Р409.0]; Расположение по окружности [Р411.0]; Схема расположения [С1597.0]

**расположенный:** Близко расположенные [Б142.0]; Равномерно расположенные вдоль [Р120.0]; Равномерно расположенные по окружности [Р121.0]; Расположен в ... км к югу от [Р406.0]; Расположенные на равном расстоянии друг от друга [Р404.0]; Расположенные под углом друг к другу [Р405.0]; Расположенный внутри [Р394.0]; Расположенный за пределами [Р395.0]; Расположенный между [Р396.0]; Расположенный наверху [Р398.0]; Расположенный один над другим [Р399.0]; Расположенный параллельно [Р400.0]; Расположенный по центру [Р401.0]; Расположенный поблизости [Р402.0]; Расположены на расстоянии ... друг от друга [Р407.0]

**распожаться:** Распожаться ресурсами [Р412.0]

**распоряжение:** Быть в распоряжении [Б300.0]; В распоряжении имеются [В463.0]; Давать в

ваше распоряжение [Д8.0]; Иметь в распоряжении несколько вариантов [И366.0]; Иметься в распоряжении [И484.0]; Имеющийся в распоряжении [И526.0]; Находящийся в распоряжении [Н688.0]; Распоряжение о выдаче товара со склада (Р413.0); Распоряжение о замене [Р414.0]

**распределение:** Равномерное распределение нагрузки [Р115.0]; Распределение namного равномернее [Р418.0]; Распределение по длине [Р419.0]; Распределение по каналам [Р416.0]; Распределение по [Р420.0]; Распределение температуры [Р421.0]; Распределения совпадают [Р422.0]

**распределенный:** Неравномерно распределенный по окружности [Н1561.0]; Равномерно распределенный [Р122.0]

**распределять:** Пропорционально распределить между [П2882.0]; Распределять между [Р424.0]; Распределять нагрузку [Р425.0]; Распределять ответственность между [Р426.0]; Распределять по группам [Р427.0]; Распределять поровну между [Р428.0]; Распределять работу [Р429.0]; Распределять равномерно [Р430.0]

**распределяться:** Распределяться равномерно между [Р431.0]; Распределяются, вообще говоря, по трем группам [Р432.0]

**распространение:** В настоящее время получила широкое распространение практика [В56.0]; Находить распространение в [Н622.0]; Пока не находит широкого распространения [П963.0]; Получать распространение [П1176.0]; Получать широкое распространение (П1177.0); Приобретать все большее распространение [П2489.0]; Приобретать почти повсеместное распространение [П2490.0]; Распространение вверх по потоку [Р434.0]; Распространение информации [Р435.0]; Распространение исследования на [Р436.0]; Распространение по (Р437.0); Сфера распространения [С1590.0]; Широкое распространение [Ш17.0]

**распространенность:** По распространенности [П463.0]

**распространенный:** [Р445.0]; Вопреки распространенному мнению [В1389.0]; Наиболее распространенный [Н329.0]; Самый распространенный [С221.0]; Широко распространенное мнение [Ш25.0]; Широко распространенное опасение [Ш27.0]

**распространять:** Распространять на [Р440.0]; Распространять на случаи с другими [Р441.0]; Уместно распространить исследования и на другие [У288.0]; Широко распространено мнение, что [Ш26.0]

**распространяться:** Влияние не распространяется за пределы [В1137.0]; Настоящая гарантия не распространяется на [Н572.0]; Обязательство не распространяется на

[0430.0]; Распространяется на все ..., за исключением тех, которые [P443.0]; Распространяться на другие [P444.0]; Сказанное не распространяется на [C506.0]; Требования не распространяются на [T422.0]

**распутывать:** [P446.0]

**распылять;** Распылять усилия [P447.0]

**расселяться:** Расселяться по месту работы [P448.0]

**расслаиваться:** [P449.0]

**расследование:** [P450.0]; Техническое расследование [T234.0]

**рассматривавшийся:** Рассматривавшиеся нами до сих пор [P491.0]

**рассматриваемый:** Исключать из числа рассматриваемых вариантов [И659.0]; Рассматриваемые вопросы [P490.0]

**рассматривать (См. также «рассмотреть»):** Более подробно этот вопрос рассмотрен в [B170.0]; Будет рассмотрено ниже [B348.0]; Будут рассмотрены несколько позже [B350.0]; Была рассмотрена возможность замены [B365.0]; В статье кратко рассмотрены некоторые вопросы [B641.0]; Вообще не рассматривает [B 1375.0]; Всесторонне рассмотрены в обзоре [B1587.0]; До сих пор мы рассматривали [D458.0]; Если рассматривать в связи с [E84.0]; Можно рассматривать как [M364.0]; Не рассматривать [H1052.0]; Не следует рассматривать как свидетельство того, что [H1073.0]; Относительно того, как следует рассматривать [01437.0]; Подробно рассматривать [П799.0];

Рассматривать без предубеждения [P452.0]; Рассматривать более подробно несколько позже [P471.0]; Рассматривать в отрыве один от другого [P453.0]; Рассматривать в первую очередь [P454.0]; Рассматривать в связи с вопросом о [P455.0]; Рассматривать в системе координат [P456.0]; Рассматривать возможность использования [P457.0]; Рассматривать вопрос [P458.0]; Рассматривать каждый из ... по очереди [P459.0];

Рассматривать как доказательство того, что [P461.0]; Рассматривать как некоторого рода [P462.0]; Рассматривать как предварительный (P463.0); Рассматривать конкретные вопросы [P464.0]; Рассматривать на равных [P465.0]; Рассматривать настоящую работу как часть более широкого исследования [P466.0]; Рассматривать не ... а [P467.0]; Рассматривать независимо от [P468.0]; Рассматривать несколько подробнее [P472.0]; Рассматривать отдельно от остальной части [P469.0]; Рассматривать поэтапно [P473.0]; Рассматривать предложение с учетом [P474.0]; Рассматривать только как ..., а не как [P476.0]; Рассмотрен и согласован [P493.0]; Следует ли их действительно рассматривать как [C605.0]; Следует рассмат-

ривать лишь как предварительные [C627.0]; Тщательно рассматривать [T517.0]; Этот вопрос будет еще раз рассмотрен ниже [Э97.0]; Этот вопрос будет рассмотрен подробнее ниже [Э98.0]; Этот вопрос будет рассмотрен позже [Э99.0]

**рассматриваться:** В настоящей статье рассматриваются ... и не рассматриваются [B644.0]; В остальной части статьи рассматриваются [B757.0]; В статье рассматривается вопрос [B642.0]; В этом ... рассматривается вопрос о том, как [B456.0]; Вопрос о выдаче патента рассматривается [B1401.0]; Впоследствии рассматриваются только (B1500.0); Вследствие симметрии рассматривается только половина [B1599.0]; Заказ не будет рассматриваться [3221.0]; Не должен рассматриваться как [H838.0]; Ниже кратко рассматривается [H1715.0]; Рассматриваться в общих чертах [P486.0]; Рассматриваться в отдельности [P487.0]; Рассматривая возможность использования [P477.0]; Рассмотрев ..., обратимся теперь к [P478.0]; Seriously не рассматривался [C444.0]

**рассмотрение:** Важен при рассмотрении [B788.0]; Вносить на рассмотрение [B1222.0];

Возвращать без рассмотрения [B 1264.0]; Вопрос ... требует дополнительного рассмотрения [B 1409.0]; Временно исключить из рассмотрения [B1523.0]; Выпадать из рассмотрения [B1863.0]; Вытекать из рассмотрения [B2013.0]; Достаточно хорошо известен и поэтому не нуждается в дополнительном рассмотрении [D698.0]; Заслуживать более внимательного рассмотрения [3457.0]; Заслуживать дополнительного рассмотрения [3458.0]; Заслуживать отдельного рассмотрения [3459.0]; Заявка, находящаяся на рассмотрении [3557.0]; Исключать из дальнейшего рассмотрения [И655.0]; Исключая из рассмотрения [И656.0]; Критическое рассмотрение [K494.0]; Ограничивать рассмотрением [0465.0]; Ограничиваться рассмотрением вопросов [0466.0]; Ограничивая рассмотрение [0462.0]; Ограничившись на некоторое время рассмотрением [0471.0]; Передавать на рассмотрение [П96.0]; Перейдем теперь к рассмотрению [П202.0]; Подлежать рассмотрению на [П739.0]; Подлежащий рассмотрению [П743.0]; Подлежит рассмотрению и утверждению со стороны заказчика [П738.0]; Позволяет исключить из рассмотрения [П910.0]; После рассмотрения становится ясно, что [П1369.0]; Представление технической документации на рассмотрение [П1837.0]; Представлять в письменной форме для рассмотрения [П1841.0]; Представлять для рассмотрения и утверждения [П1844.0]; Представлять на рассмотрение

[П1852.0]; Прежде чем закончить рассмотрение [П1953.0]; Прежде чем приступить к рассмотрению [П1958.0]; При более близком рассмотрении [П2121.0]; При внимательном рассмотрении [П2122.0]; Рассмотрение вопроса о внесении изменений в [P495.0]; Рассмотрение проблемы [P497.0]; Рассмотрение этого вопроса продолжается [P496.0]; Техническое рассмотрение [T235.0];

Ускоренное рассмотрение [У387.0]; Эти вопросы нуждаются в рассмотрении [Э210.0]; Я ограничусь рассмотрением [Я2.0]; Я остановлюсь на рассмотрении [ЯЗ.0]

**рассмотренный:** Вопросы, не рассмотренные в [В1410.0]; Впервые рассмотренный [В1455.0]; Охватывать все вопросы, рассмотренные нами [01614.0]; Рассмотренный в предыдущем разделе [P492.0]

**рассмотреть** (См. также «**рассматривать**»): В

первую очередь необходимо рассмотреть [В323.0]; Вначале рассмотрим [В1170.0]; Готовы рассмотреть [Г106.0]; Для начала интересно рассмотреть [Д359.0]; Заманчиво рассмотреть [3273.0]; Заново рассмотреть [3363.0]; И последний вопрос, который нужно рассмотреть в связи с [И50.0]; Интересно было бы рассмотреть и [И614.0]; Не позволя-

ет подробно рассмотреть [Н990.0]; Ниже мы рассмотрим [Н1716.0]; Полезно рассмотреть [П1012.0]; Прежде чем рассмотреть возможность покупки [П1960.0]; Рассмотрим вначале [P479.0]; Рассмотрим другой предельный случай [P480.0]; Рассмотрим случай, когда [P481.0]; Рассмотрим теперь доказательства [P483.0]; Рассмотрим теперь кратко [P484.0]; Следует рассмотреть вопрос о [С628.0]; Сначала рассмотрим [С764.0]; Чтобы рассмотреть этот вопрос [4211.0]

**рассогласование:** [P498.0]

**расстояние:** Действовать на коротком расстоянии [Д 181.0]; На безопасном расстоянии от [Н132.0]; На большие расстояния [Н126.0];

На большое расстояние от [Н124.0]; На большом расстоянии [Н133.0]; На небольшое расстояние от [Н125.0]; На небольшом расстоянии [Н134.0]; На некотором расстоянии от [Н 135.0]; На равном расстоянии от [Н136.0]; На расстоянии ... от поверхности [Н131.0]; На расстоянии ... друг от друга [Н128.0]; На расстоянии от .... равном [Н130.0]; Находящиеся на расстоянии ... друг от друга [Н692.0]; Находящийся на расстоянии ... от [Н691.0]; Отстоять друг от друга на расстоянии [01540.0]; Отстоять на некотором расстоянии от [01537.0]; Отстоящие друг от друга на расстоянии [01542.0]; Перемещаться на некоторое расстояние [П109.0]; Проходить расстояние [П3010.0]; Располагаться на некотором расстоянии от . [P386.0]; Располагаются на расстоянии ...

друг от друга [P387.0]; Расположенные на равном расстоянии друг от друга [P404.0];

Расположены на расстоянии ... друг от друга [P407.0]; Расстояние между параллельными гранями [P500.0]; Расстояние между торцами [P501.0]; Расстояние от ... до ..., равное [P503.0]; Расстояние по прямой [P505.0]; Смещать на расстояние [С729.0];

Смещаться вниз на расстояние [С731.0]; Транспортировка на большое расстояние [Т414.0]; Удерживаться на расстоянии от [У137.0]

**расстройство:** [P506.0]

**рассуждать:** Можно рассуждать следующим образом [M365.0]

**рассуждение:** Такой ход рассуждений приводит нас к утверждению [Т59.0]

**рассчитанный:** Значение, рассчитанное по [3602.0]; Параметры, рассчитанные по модели [П23.0]; Рассчитан на работу от [P512.0]; Рассчитанная на ... года работа по [P516.0]; Рассчитанный по результатам измерений [P515.0]; Рассчитанный на срок службы агрегата [P513.0]

**рассчитывать:** Можно рассчитать, зная [M366.0]; На... нельзя рассчитывать [Н77.0];

Позволяет рассчитывать ... в зависимости от [П926.0]; Позволяет уверенно рассчитать (P927.0); Попытки рассчитать [П1315.0]; Рассчитывать исходя из теоретических положений [P508.0]; Рассчитывать с большим запасом [P509.0]; С помощью ... можно было бы рассчитать [С62.0]

**рассчитывая:** [P510.0]

**рассыпаться:** Рассыпаться на части [P517.0]

**раствор:** Отжиг на твердый раствор [01297.0];

Помещенный в раствор [П1245.0]

**растворимость:** Понижение растворимости [П1263.0]

**растворимый:** Водонерастворимый [См. «не растворим в воде»] [В1251.0]; Не растворим в воде [Н1053.0]; Хорошо растворимый в [Х74.0]

**растворитель:** Смоченный в растворителе [С747.0]

**расти:** Растет интерес к [P520.0]; Расти по амплитуде [P518.0]; Расти с каждым годом [P519.0]

**растительный:** Во всем растительном мире [В196.0]

**расточительно:** [P523.0]

**расточка:** Произвести расточку под подшипник совместно с крышкой детали [П2793.0]

**растущий:** Наиболее быстро растущий [Н310.0]; Растущая потребность в [P521.0];

Растущее количество данных [P522.0]

**растягивать:** Растягивать испытания более, чем на [P525.0]

**растяжение:** Испытание на растяжение [И751.0]

**расход:** Возмещение расходов [В1295.0]; Временные нормы расхода ЗИП на капитальный ремонт [В1518.0]; Заводские накладные расходы [З123.0]; Избегать ненужных расходов и потерь времени [И157.0]; Нести расходы [Н1644.0]; Нормы расхода запасных частей [Н1868.0]; Нормы расхода материалов [Н1869.0]; Оправдывать расходы [О804.0]; Расход материала минимален [Р527.0]; Расход энергии [Р528.0]; Расходы измерялись по отдельности [Р529.0]; С расходом [С86.0]; Смета расходов [С725.0]; Снижение расходов на проектирование и изготовление [С779.0]; Текущие расходы на обслуживание [Т 131.0]; Удельный расход на [У107.0]

**расходиться:** Два последовательных отчета расходились не более, чем на [Д 147.0];

Мнения расходятся [М 188.0]; Расходиться в вопросе [Р531.0]; Расходиться в оценке [Р533.0]; Расходиться во все стороны [Р532.0];

Расходиться на [Р534.0]; Расходиться с [Р535.0]; Сближаться и расходиться [С245.0]

**расходный:** Расходная ведомость [Р536.0]; Расходные материалы [Р537.0]

**расходование:** Отсрочивать расходование средств [О1526.0]

**расходовать:** [Р538.0]

**расхождение:** В случаях расхождения ... следует руководствоваться... [В559.0]; Из-за расхождения во взглядах на [И228.0]; Как сходство, так и расхождения [К125.0]; Количество расхождений все же достаточно велико, свидетельствуя [К262.0]; Расхождение между [Р540.0]; Расхождение не превышало [Р541.0]; Расхождения по вопросу [Р542.0]; Расхождения составляют максимум [Р543.0]; Существует серьезное расхождение [С1580.0]; Такое расхождение неудивительно, если учесть трудности, которые исследователи встречают при [Т74.0]; Устранение расхождений [У520.0]; Чтобы разобраться в таких расхождениях между результатами [4209.0]

**расцениваться:** Расценивается как достаточное доказательство того, что [Р544.0]

**расчет:** Более высокий ..., чем дает расчет [Б156.0]; В инженерных расчетах [В467.0]; В расчете на долгие годы (В464.0); В расчете на наилучшие условия [В465.0]; В расчете на то, что [В466.0]; Вариант расчета [В814.0];

Время, необходимое для расчета [В1543.0]; Выполнение расчета в обратном порядке [В1872.0]; Давать ошибку в расчете [Д31.0]; Для облегчения расчета [Д372.0]; Достаточный для инженерных расчетов [Д701.0];

Значение, принятое в предварительном расчете [З600.0]; Находиться в пределах точности расчета [Н638.0]; Не принимать в расчет [Н 1034.0]; Независимо полученные ре-

зультаты расчетов [Н1232.0]; Основанный на самых последних достижениях в практике расчетов [О1032.0]; Отклонение от расчета [О1332.0]; Поверочный расчет конструкции [П533.0]; Поддаваться расчету [П707.0]; Подкреплять теоретические расчеты [П733.0]; Получать из расчета [П1144.0]; Предварительные расчеты показали [П1709.0]; При проведении расчета [П2115.0]; Приближенный расчет [П2181.0]; Приведем теперь выражения для расчета [П2251.0]; Прикидочный расчет [П2328.0]; Пример расчета [П2379.0]; Принимать в расчет [П2408.0]; Пробный расчет (П2608.0); Простое уравнение для расчета по [П2934.0]; Размеры выбраны из расчета удовлетворения максимальной потребности в течение [Р256.0]; Расчет на прочность [Р547.0]; Расчет не дает какого-либо [Р548.0]; Расчет по методу ... начинается со сбора информации по [Р550.0]; Расчет по уравнению [Р552.0]; Расчет по этому методу может давать ошибку, достигающую [Р551.0]; Расчет пожаробезопасности [Р553.0]; Расчет с большим запасом [Р554.0]; Расчет согласуется с экспериментом [Р555.0]; Рекомендации по расчету [Р673.0]; С таким расчетом, чтобы [С87.0]; Теоретические расчеты [Т162.0]; Точность расчетов повышается благодаря тому, что [Т377.0]; Тщательно разделять результаты расчетов, основанных на ... и на [Т516.0]; Учитывать при расчете [У613.0]; Формула для расчета конструкции [Ф45.0]; Чтобы успешно справиться с расчетом [4217.0]

**расчетный:** Выходить за пределы расчетных режимов [В2035.0]; Допустимое отклонение от расчетного режима [Д669.0]; Не достигать расчетного срока службы [Н850.0]; Работа в расчетном режиме [Р7.0]; Расчетная точка [Р558.0]; Расчетная формула [Р559.0]; Расчетные методы, отличающиеся высокой точностью (Р560.0); Расчетный срок службы [Р557.0]; Точно совпадать с расчетными значениями [Т401.0]; Шаг расчетной сетки [Ш6.0]

**расшатываться:** Расшатываться и выпадать из [Р561.0]

**расширение:** Разница в тепловом расширении у и [Р277.0]; Расширение номенклатуры продукции [Р562.0]; Тепловое расширение [Т185.0]

**расширительный:** Расширительные средства [Р564.0]; Расширительный абзац [Р563.0]

**расширять:** Позволяет значительно расширить знания о [П907.0]; Расширять возможности [Р565.0, Р566.0]; Расширять диапазон применимости [Р569.0]; Расширять диапазон [Р568.0]; Расширять и дополнять [Р573.0]; Расширять конструктивные возможности [Р567.0]; Расширять круг наших

читателей [P570.0]; Расширять номенклатуру изделий [P571.0]; Расширять представление о [P572.0]

**расширяться:** [P574.0]; Может свободно расширяться [M303.0]; Сжиматься и расширяться [C451.0]

**ратовать;** Ратовать за [P575.0]

**рационализаторский:** Положение об открытиях, изобретениях и рационализаторских предложениях — [П1098.0]

**рационализировать:** [P576.0]

**рационально:** Наиболее рационально [H330.0]

**рациональный:** Рациональный выбор [P577.0]

**реагировать:** Не реагировать на (H1054.0); Не реагировать с [H1055.0]; Реагировать на ... аналогичным образом [P579.0]; Реагировать на изменения [P580.0]; Реагировать с образованием [P582.0]; Энергично реагировать с [Э83.0]

**реакция:** Вступать в реакцию [B1644.0]; Вызывать реакцию [B 1820.0]; Давать реакцию [Д50.0]; Для протекания реакции с большой скоростью необходимо [Д384.0]; Конкурирующая реакция [K330.0]; Обратная реакция [0205.0]; Протекание химических реакций [П2947.0]; Реакция является обратной по отношению к реакции [P585.0]; Реакция образования [P583.0]; Реакция, обратная реакции [P584.0]; Ускорять реакцию [У384.0]; Химическая реакция между [X23.0]; Ход реакции [X30.0]

**реализация:** Практическая реализация [П1672.0]

**реализовать:** Меры предосторожности могут быть реализованы путем [M124.0]; Реализовать в ближайшие ... лет или около того [P587.0]; Реализовать все возможности [P588.0]; Реализовать на практике [P589.0]

**реализоваться:** Преимущества, связанные с ..., реализуются не полностью [П1982.0]; Режим ... реализуется всякий раз, когда [P627.0]

**реалистичен:** Вполне реалистичен [B1492.0]

**реалистически:** Если подходить к этому вопросу реалистически [E69.0]

**реалистический:** Недостаточно реалистические результаты [H1210.0]

**реально:** Реально существующий [P595.0]

**реальный:** Больше кажущийся, чем реальный [B205.0]; В реальной [B468.0]; В реальных условиях [B727.0]; Вполне реальный [B1493.0]; Встречаемый в реальных топках [B 1635.0]; Если существует реальная опасность того, что [E92.0]; Как и в реальной обстановке [K71.0]; Никаких реальных доказательств этого пока не найдено [H1748.0]; Отражать реальное положение дел [01502.0]; Пересчитывать на реальное значение [П 176.0]; Реальная возможность [P592.0]; Реальная перспектива [P593.0]; Реальные возможности ис-

пользования [P594.0]; Реальный узел конструкции [P591.0]; Скорее кажущийся, чем реальный [C535.0]; Смоделировать реальный ... с какой-либо точностью [C739.0]; Существует реальная опасность того, что [C1575.0]

**ревизия:** [P596.0]; Проводить ревизию [П2695.0]

**регенерированный:** Регенерированный из [P597.0]

**регистрация:** Ведомость регистрации изменений [B878.0]; Заявка на регистрацию товарного знака [3556.0]; Лист регистрации изменений [Л54.0]; Непрерывная регистрация [H1532.0]; Регистрация изменений [P598.0]

**регистрировать:** Регистрировать в журнале наблюдений [P600.0]; Регистрировать показания [P601.0]; Регистрировать путем фотографирования [P602.0]; Регистрировать секундомером [P603.0]; Тщательно регистрировать [Т518.0]

**регистрируемый:** Регистрируемый датчиком [P604.0]

**регламент:** Единый регламент технического обслуживания [E26.0]; Регламент технического обслуживания [P606.0]

**регламентирован:** Состав не регламентирован [C1071.0]

**регламентирующий:** Регламентирующие органы [P607.0]

**регламентный:** Ежемесячные регламентные работы [E34.0]; Карта учета технических осмотров и регламентных работ [K182.0]; Периодические регламентные работы [П240.0]; Регламентные работы [P608.0]; Технологическая карта выполнения регламентных работ [Т257.0]

**регресс:** [P609.0]

**регрессионный:** Проводить регрессионную кривую через точки [П2685.0]

**регулирование:** Автоматическая система регулирования и защиты [A71.0]; Во всем диапазоне регулирования [B102.0]; При условии правильного регулирования [П2152.0]

**регулировать:** Регулировать по [P611.0]; Регулировать положение [P612.0]; Регулировать с точностью [P613.0]

**регулироваться:** Регулироваться автоматически [P615.0]; Регулироваться по [P616.0]; Регулироваться таким образом, чтобы ... был постоянным [P617.0]

**регулировка:** [P618.0]; Выполнить регулировку ... согласно (B1908.0); Ручная наладка и регулировка [P779.0]; Спротивления, обозначенные Р, переменные для регулировки на месте [C1050.0]

**регулируемый:** В регулируемом режиме [B471.0]

**регулярно:** Регулярно проверять [P620.0]

**регулярный:** Регулярный инструктаж [P621.0]

**регулятор:** Неправильная уставка регулятора [H 1500.0]; Повернуть рукоятку регулятора



по часовой стрелке [П548.0]; Проверить уставки регуляторов [П2663.0]

**редакционный:** Редакционная статья [Р622.0]

**редакция:** [Р623.0, Р624.0]; Окончательная редакция правил [0713.0]; Первая редакция пояснительной записки [П55.0]; Первоначальная редакция документа [П40.0]; Последняя редакция [П 1387.0]

**редкий:** В тех редких случаях, когда [В578.0]; На тот редкий случай, если [Н 150.0]; Но такие случаи редки [Н 1816.0]; Очень и очень редкий [01663.0]; Тот редкий случай, когда [Т350.0]

**редко:** Если и встречается, то очень редко [Е124.0]; Если и учитывается, то редко [Е129.0]; Что бывает редко [4127.0]

**реестр:** Реестр товарных знаков [Р625.0]

**реже:** А еще реже [А11.0]; Встречаться все реже [В1621.0]; Встречаться гораздо реже [В1622.0]; Гораздо реже [Г94.0]; Не реже, чем [Н1056.0]; Но не реже [Н1802.0]

**режим:** В автоматическом режиме работы [В470.0]; В регулируемом режиме [В471.0]; В этом режиме работы [В472.0]; Вводить в режим [В842.0]; Выходить за пределы расчетных режимов [В2035.0]; Выходить из режима [В2044.0]; Диапазон рабочих режимов [Д289.0]; Допустимое отклонение от расчетного режима [Д669.0]; Избегайте работы в режиме [И161.0]; Нарушенный режим [Н523.0]; Находиться в режиме [Н646.0]; Находясь в режиме [Н684.0]; Переключать на автоматический режим работы [П119.0]; Переключать с режима на режим [П120.0]; Переходить на работу в режиме [П199.0]; Переходный режим [П205.0]; Положение рукоятки соответствует ручному режиму работы — [П1100.0]; Предположительно устойчивый режим [П1804.0]; Предшествует режим [П1928.0]; Пригодность конструкции для циклического режима работы [П2271.0]; Работа в нерасчетном режиме — [Р5.0]; Работа в расчетном режиме [Р7.0]; Работа в тяжелом режиме [Р8.0]; Работающий в непрерывном режиме [Р83.0]; Работающий в прерывистом режиме [Р84.0]; Различные режимы работы [Р242.0]; Режим реализуется всякий раз, когда [Р627.0]; Установившийся режим [У494.0]

**резерв:** [Р628.0]; В резерве [В473.0]; Оставить-ся в резерве на случай [01086.0]

**резервный:** Обеспечивать резервное батарейное питание в течение [049.0]; Резервные материалы [Р630.0]

**резкий:** Опасность резкого уменьшения [0747.0]; Резкое изменение [Р631.0]

**резко:** К ... году положение резко изменится [К5.0]; Резко отличаться от... своим [Р633.0]; Резко сокращаться [Р634.0]; Резко тормо-

зить до полной остановки [Р635.0]; Резко улучшаться [Р636.0]; Резко упасть [Р637.0]

**результат:** Анализ ... приводит к противоположному результату [АН 1.0]; Анализировать результаты в свете [А121.0]; Аналогичные результаты [А132.0]; В качестве интересного побочного результата укажем, что [В142.0]; В результате ... выяснилось, что [В476.0]; В результате всей этой деятельности [В475.0]; В результате получаем, что [В477.0]; В результате совместной работы [В478.0]; В результате чего [В479.0]; В результате этого ... был выбран [В481.0];

Важность этих результатов состоит в [В777.0]; Внедрение научных результатов в производство [В 1186.0]; Возможно, это произошло в результате [В1315.0]; Возможность опубликовать эти результаты [В1320.0]; Возникать в результате того, что [В1341.0];

Воспроизводимость результатов от опыта к опыту [В1432.0]; Воспроизводимые результаты (В 1435.0); Все эти результаты, взятые вместе [В1024.0]; Второстепенный результат [В 1661.0]; Выводы, сделанные на основании полученных результатов [В1734.0];

Выгоды, получаемые в результате [В 1757.0]; Вычислять по результатам измерения [В2059.0]; Давать более удовлетворительные результаты [Д52.0]; Давать в результате [Д5.0]; Давать весьма обнадеживающие результаты [Д53.0]; Давать довольно интересные результаты [Д54.0]; Давать заслуживающие доверия результаты (Д55.0); Давать наилучшие результаты [Д57.0]; Давать неизменно хорошие результаты [Д58.0]; Давать необоснованно оптимистические результаты [Д59.0]; Давать необоснованно пессимистические результаты [Д60.0]; Давать ошибочные результаты [Д61.0]; Давать такие же результаты [Д62.0]; Должно было бы привести к более значительным результатам [Д587.0]; Зависеть от результатов испытаний [398.0]; Запись результатов освидетельствования [3390.0]; Запутывать результаты [3422.0]; Известная комбинация, не обладающая новой функцией и не дающая нового результата [И170.0]; Интересный результат (И607.0); Конечный результат [К3 12.0]; Корреляция всех результатов [К396.0]; Могли бы появиться в результате [М257.0]; Может быть результатом [М313.0];

Может дать ошибочные результаты [М274.0]; На основании результатов нашего исследования можно сделать следующие основные выводы [Н85.0]; Надежные результаты [Н275.0]; Наиболее благоприятные результаты [Н305.0]; Наиболее важный результат [Н313.0]; Наиболее интересные результаты [Н319.0]; Насколько результаты изменяются [Н548.0]; Наши результаты не оконча-

тельны [H739.0]; Не давать каких-либо неожиданных результатов [H822.0]; Недостаточно реалистические результаты [H1210.0]; Независимо полученные результаты расчетов [H1232.0]; Немало помогли результаты работы [H1337.0]; Неожиданный результат (H1446.0); Обеспечивать сопоставление результатов [051.0]; Обосновывать документально надежность результатов [0172.0]; Обсуждение результатов [0267.0]; Объединять результаты [0355.0]; Ограничивают его применение, так как получаемые результаты дают только качественную картину [0461.0]; Один из интересных результатов [0511.0]; Ожидать с нетерпением дальнейших результатов по [0604.0]; Окончательный результат [0712.0]; Описание результатов начинается с ..., затем описывается [0773.0]; Описывать экспериментальные результаты [0786.0]; Опубликованные результаты успешного применения [0870.0]; Оформление результатов проверки [01609.0]; Очень интересные результаты [01662.0]; Ошибка, вносимая в результате такого допущения, мала [01692.0]; Ошибочные результаты [01701.0]; По результатам этих измерений [П464.0]; Побочный результат [П1524.0]; Подкреплять результаты [П1732.0]; Подтверждение результатов анализа [П866.0]; Полноценные результаты измерения [П1073.0]; Получать в результате исследования [П 1128.0]; Получаться в результате [П1202.0]; Получающийся в результате [П1203.0]; Полученные нами результаты [П1198.0]; Полученные результаты приведены в виде графика на рис. [П1197.0]; Полученные таким образом результаты [П1199.0]; Попытка подробно обсудить численные результаты [П1311.0]; Поразительные результаты дало [П1322.0]; Появляться в результате [П1588.0]; Предварительные результаты [П1710.0]; Преимущество, получаемое в результате использования [П1977.0]; При таком способе представления результатов [П2137.0]; Происходить в результате того, что [П2822.0]; Происходить в результате [П2821.0]; Противоречить результатам [П2975.0]; Прямой результат [П3060.0]; Разброс результатов [P172.0]; Разрушаться в результате [P331.0]; Рассчитанный по результатам измерений [P515.0]; Результат, близкий к ожидаемому [P639.0]; Результат, несколько вводящий в заблуждение [P640.0]; Результат, противоположный ожидаемому [P641.0]; Результат экстраполяции [P642.0]; Результатом было создание [P643.0]; Результатом этого является [P644.0]; Результаты ... превзошли все наши ожидания [P655.0]; Результаты будут опубликованы позже [P645.0]; Результаты говорят сами за себя [P646.0]; Результаты

контрольного анализа [P647.0]; Результаты можно без изменения использовать в случае [P648.0]; Результаты обнадеживают [P649.0]; Результаты оказались неутешительными [P650.0]; Результаты окупил (P651.0); Результаты по (P652.0); Результаты, полученные на сегодня (P653.0); Результаты практически не отличаются от [P654.0]; Результаты производственной деятельности [P656.0]; Результаты разочаровали [P657.0]; Результаты, свидетельствующие о противном [P658.0]; Результаты сдаточных испытаний [P659.0]; С помощью ... можно добиться лучших результатов [C63.0]; С целью получения общих зависимостей, а не точных численных результатов [C175.0]; С целью сопоставления результатов [C 178.0]; Самые последние результаты [C236.0]; Сведения о результатах проверки инспектирующими и проверяющими лицами [C269.0]; Сказываться на результатах и выводах статьи [C514.0]; Совершенно бесполезные результаты [C821.0]; Согласие результатов [C903.0]; Сообщать результаты [C999.0]; Сравнение результатов в целом [C1279.0]; Старые и новые результаты [C 1432.0]; Судя по предыдущим результатам [C1535.0]; Технико-экономические результаты применения изобретения [T217.0]; Типичные результаты показаны на [T271.0]; Только выиграют в результате [T307.0]; Тщательно разделять результаты расчетов, основанных на ... и на [T516.0]; Уверенность в результатах [У73.0]; Усовершенствования, показавшие хорошие результаты при лабораторных испытаниях, в практических условиях часто оказывались непригодными [У418.0]; Уточнять результаты исследования с помощью более новых данных [У573.0]; Уходить в сторону в результате [У580.0]; Ухудшаться в результате [У588.0]; Учитывая эти результаты, мы решили [У620.0]; Ценность его результатов несколько ограничивается тем, что [Ц42.0]; Часть имеющихся результатов [431.0]; Чтобы разобраться в таких расхождениях между результатами [4209.0]; Экспериментальные результаты хорошо согласуются с теорией [Э43.0]; Этот результат говорит о необходимости дальнейших [Э105.0]; Этот результат несколько неожиданный [Э106.0]; Этот результат совпадает с ожидаемым [Э107.0]; Являться результатом [Я29.0] **резльтирующий:** Резльтирующая сила [P661.0] **резьба:** Нарезать резьбу [H501.0]; Не повредите резьбу [H972.0]; Отверстия с резьбой [01224.0]; Сделать лыску на глубину резьбы [C396.0]; Сорванная резьба [C1061.0]; Срывать резьбу [C1341.0]; Шлифовать лыску на глубину резьбы [Ш34.0]

**резьбовое:** Резьбовое соединение ставить на сурике [Р662.0]

**резюме:** Резюме изобретения [Р663.0]

**резюмируя:** Резюмируя, можно сказать что [Р664.0]

**рекламация:** [Р665.0]; Выполнять обязательства по рекламациям [В1889.0]; Подавать рекламацию [П634.0]; Предъявлять рекламацию [П1934.0]

**рекламный:** Рекламная литература [Р666.0]; Рекламные мероприятия [Р667.0]

**рекомендация:** В литературе имеется очень мало рекомендаций [В171.0]; В соответствии с рекомендациями изготовителя [В595.0], Выполнять рекомендации [В1893.0];

Монтаж, отладку и опробование производить в строгом соответствии с рекомендациями, изложенными в инструкции по эксплуатации [М249.0]; Нарушать рекомендации [Н518.0]; Не мог бы автор дать какие-либо рекомендации по [Н918.0]; Нормы должны содержать больше рекомендаций по [Н1864.0]; Относящиеся к делу рекомендации содержащиеся в [01459.0]; Практические рекомендации по [П1679.0]; Представлять рекомендацию [П1855.0]; Проверять рекомендации на практике [П2650.0]; Рекомендации для [Р669.0]; Рекомендации по ... содержатся в [Р674.0]; Рекомендации по проектированию [Р671.0]; Рекомендации по разработке руководящих указаний [Р672.0]; Рекомендации по расчету [Р673.0]; Рекомендации приведенные в выводах [Р675.0]; Ссылаться на рекомендацию фирмы [С1343.0]; Хотя окончательные рекомендации пока давать рано [Х105.0]

**рекомендовать:** Вначале рекомендовалось [В1171.0]; Можно рекомендовать [М367.0];

Настоятельно рекомендовать [Н569.0]; Настоятельно рекомендуется [Н570.0]; Не настолько..., чтобы можно было рекомендовать ... в качестве [Н928.0]; Не рекомендуется, если [Н1057.0]; Не рекомендуется использовать [Н1058.0]; Оператору рекомендуется [0751.0]; По-прежнему рекомендуется [П1303.0]; Рекомендуется только в случае, когда это действительно необходимо [Р682.0]; Рекомендуется затем [Р678.0]; Рекомендуется опускать [Р679.0]; Рекомендуется предусматривать [Р680.0]; Рекомендуется применять с осторожностью [Р681.0]; Рекомендуются в качестве [Р683.0]

**реконструированный:** [Р685.0]

**реконструировать:** [Р684.0]

**реконструируемый:** [Р686.0]

**реконструкция:** Большая реконструкция [В234.0]; Очередь реконструкции [01681.0];

Реконструкцией предусматривался [Р688.0]; Устанавливать при реконструкции существующего [У460.0]

**рекордный:** Рекордная цифра в ..., установленная [Р690.0]

**реле:** Отсоединять реле от корпуса [01521.0]

**ремень:** Снять ремень со шкива [С794.0]

**ремонт:** В состоянии, требующем ремонта [В613.0]; В удовлетворительном состоянии, не требующем ремонта [В621.0]; Ведомость документов для ремонта [В869.0]; Ведомость осмотров, проверок и ремонтов [В875.0]; Вид ремонта [В1086.0]; Возвращать на завод для ремонта [В1271.0]; Временные нормы расхода ЗИП на капитальный ремонт [В1518.0]; Гарантийный ремонт [Г8.0];

График планово-профилактического ремонта [Г123.0]; График ремонта [Г126.0]; Дата выхода из ремонта [Д122.0]; Дата поступления в ремонт [Д136.0]; Запись о проведенном ремонте [З388.0]; Иметь в запасе на случай ремонта [И364.0]; Инструкция по уходу и ремонту [И578.0]; Испытания, проверка и приемка после ремонта [И755.0];

Капитальный ремонт [К176.0]; Маршрут ремонта [М54.0]; Мелкий ремонт [М88.0];

Неотложный ремонт [Н1456.0]; Нормы материально-технического обеспечения ремонта [Н1865.0]; Нуждаться в капитальном ремонте [Н1893.0]; Нуждаться в очень серьезном ремонте [Н1894.0]; Общее руководство по ремонту [0338.0]; Общие технические условия на капитальный и средний ремонт [0344.0]; Обязательные работы, выполняемые при профилактическом ремонте [0424.0]; Организация ремонта [0902.0]; Основание для сдачи в ремонт [0963.0]; Останов на ремонт [01159.0]; Отметки о проведенном ремонте и доработках по указаниям и бюллетеням [01415.0]; Отметки о произведенном ремонте, место и дата [01417.0];

Перечень обязательных работ, выполняемых при профилактическом ремонте [П216.0];

Перечень осмотров, проверок и ремонтов [П217.0];

Период между капитальными ремонтами [В1529.0];

Планово-профилактический ремонт [П293.0];

Пооперационная специализация ремонта [П1279.0];

Поузловая специализация ремонта [П1534.0];

Правила ремонта и монтажа [П1614.0];

Проводить капитальный ремонт [П2679.0];

Профилактический ремонт [П1906.0];

Работы по ремонту оборудования [Р37.0];

Ремонт в заводских условиях [Р691.0];

Ремонт выполняется за плату [Р692.0];

Ремонт деталей и неразъемных составных частей [Р693.0];

Ремонт и обслуживание [Р694.0];

Ремонт на месте [Р695.0];

Срочный ремонт [С1338.0];

Текущий ремонт и обслуживание [Т128.0];

Технические требования на дефектацию и ремонт [Т243.0];

Требовать большого ремонта [Т432.0];

Ярлык с указанием необходимого ремонта [Я64.0]

**ремонтник:** [P696.0]; Бригада ремонтников [B280.0]

**ремонтный:** Альбом основных сочленений и ремонтных допусков изделия [A105.0]; До начала ремонтных работ [D451.0]; Отправлять в ремонтную мастерскую [01490.0]; Ремонтная бригада [P700.0]; Ремонтная ведомость [P701.0]; Ремонтная мастерская [P702.0]; Ремонтные работы [P703.0]; Ремонтный комплекс запчастей [P698.0]; Ремонтный набор [P699.0]; Эксплуатационный и ремонтный персонал [Э50.0]

**ремонтпригодность:** [P704.0]

**рентабельность:** [P705.0]

**рентабельный:** [P706.0]; Рентабельнее [P707.0]

**реорганизация:** [P708.0]

**реорганизовывать:** [P709.0]

**репутация:** Если мы хотим сохранить свою репутацию [E 135.0]; Заботиться о своей репутации [373.0]; Иметь плохую репутацию [И445.0]; Научная репутация [H594.0]; Непревзойденная репутация [H1508.0]; Приобретать репутацию ..., не имеющей себе равных по [П2491.0]; Репутация и финансовое положение фирмы [P710.0]

**ресурс:** Выработанный ресурс [B1933.0]; Выработка ресурса [B 1935.0]; Иметь ресурс [И446.0]; Отработавший свой ресурс [01499.0]; Полный технический ресурс [П1078.0]; Распоряжаться ресурсами [P412.0];

Уменьшение ресурса [Y281.0]

**ретроспективный:** В ретроспективном плане [B340.0]

**реферат:** [P711.0]; Окончательный вариант реферата [0710.0]; Уведомлять о принятии реферата [Y45.0]

**рецензент:** [P712.0]

**рецензирование:** Рецензирование рукописи [P714.0]

**рецензировать:** [P715.0]

**рецензия:** [P716.0]; Отдавать на рецензию перед публикацией [01274.0]

**рецидив:** [P717.0]

**речь:** Владение устной речью [B1126.0]; Не могло быть и речи о [H920.0]; Не может быть и речи [H913.0]; О которых идет речь в [07.0]; Хотя речь до сих пор шла о [X108.0]

**решаемый:** Совместно решаемые уравнения [C860.0]

**решать:** Было решено, что необходимость в... отсутствует [B374.0]; В связи с ... было решено [B495.0]; Вопрос о ..., фактически не решен [B1404.0]; Задачи решены [3177.0];

Мы решили [M434.0]; Наилучшим образом решает задачу [H357.0]; Не решать вопроса полностью [H1059.0]; Нужно теперь решить [H1910.0]; Однако было решено, что [0558.0];

Остается решить вопрос [01124.0]; Позволяет решить аналитически [П928.0]; Поэто-

му было решено [П1576.0]; Прежде всего нужно было решить, будет ли [П1950.0];

Прежде чем эта проблема будет в значительной степени решена [П 1964.0]; Раскрывая скобки, объединяя подобные члены и решая относительно [P357.0]; Решать вопрос [P719.0]; Решать вопросы путем переговоров [P720.0]; Решать задачи, вытекающие из этих [P721.0]; Решать проблему [P723.0];

Решать совместно с [P724.0]; Решая уравнение относительно ..., получаем [P725.0];

Решено методом, который будет описан ниже [P726.0]; Решить непростую задачу [P722.0]; С учетом всего вышесказанного было решено, что [C158.0]; Так и не был полностью решен [T29.0]; Тогда было решено [T284.0]; Успешно решить задачу [Y436.0];

Учитывая эти результаты, мы решили [Y620.0]; Этот вопрос не может быть решен без [Э100.0]

**решаться:** Решаться на что то [P727.0]

**решающий:** Иметь решающее значение для [И401.0]; Решающее значение для [P731.0];

Решающий фактор [P728.0]; Решающий шаг [P729.0]

**решение:** Браться за решение проблемы [B278.0]; Взаимно приемлемое решение [B1048.0];

Выбирать в качестве решения системы уравнений [B1690.0]; Делается попытка найти компромиссное решение [D216.0];

Другим решением могло бы быть [D761.0]; Заявка, по которой принято решение на выдачу патента [3559.0];

Искать решение для [И648.0]; Искать решение проблемы [И649.0]; Исследование решения [И782.0];

Не поддающийся решению [H980.0]; Несколько приблизиться к решению [H1595.0]; Неудачное решение [H1668.0];

Обеспечивать основу для принятия важных решений о [045.0]; Обеспечивать сходимость решения [052.0];

Облегчать решение проблемы [0110.0]; Облегчение решения задачи [0112.0];

Один из пригодных методов решения [0518.0]; Один из путей решения проблемы [0520.0];

Окончательное решение [0716.0]; Оспаривать решение [01077.0];

Остроумное решение [01167.0]; Отсрочка решения [01528.0]; Пересмотреть решение [П164.0];

Подробности получения решения опущены [П806.0]; Подход к решению проблемы [П872.0];

Поиск решений продолжается [П947.0]; Получать решением [П1178.0];

Практическое решение этой проблемы [П1676.0]; Предпочтительное решение [П1816.0];

Приближенное решение [П2184.0]; Приводить к решению [П2239.0];

Принимать решение в связи с [П2431.0]; Принимать решение о необходимости [П2432.0];

Принимая это решение, мы понимали, что [П2434.0];

Проверка схо-

димости решения [П2628.0], Программа как раз и направлена на решение этих задач [П2708.0]; Программа, направленная на решение этих задач [П2709.0], Решение было сопряжено с основными трудностями [P734.0]; Решение арбитража окончательно и обязательно для обеих сторон [P733.0]; Решение в виде степенного ряда по [P735.0]; Решение должно оставаться за [P736.0]; Решение, касающееся [P737.0]; Решение о выдаче патента [P738.0]; Решение по ... должно основываться на [P739.0]; Решение, позволяющее [P740.0]; Решение, принятое [P741.0], Решение проблемы [P742.0]; Решение становится неопределенным [P743.0]; Решение трудно получить [P744.0]; Своевременное решение [С330.0]; Служить решением [С698.0]; Совместное решение уравнений [С861.0]; Сталкиваться с необходимостью принять правильное решение о [С1370.0]; Стандартная программа для решения системы уравнений [С1421.0]; Техническое решение было найдено с появлением [Т236.0]; Уведомлять о решении, принятом в отношении [У47.0]; Удовлетворительное решение проблемы [У163.0], Уравнения были запрограммированы для решения на ЭВМ [У358.0]; Частное решение уравнения [416.0]; Это было только временным решением проблемы [Э116.0]

**решительно:** Решительно отказываться от [P745.0]

**рис** (См. также «**рисунок**»): На рис.... сравниваются ... и [Н138.0]; Полученные результаты приведены в виде графика на рис. ... [П1197.0]; Пользуясь рис. ... для случая [П1224.0]

**риски:** Не подвергая риску [Н973.0]; Невозможно в связи с риском [Н1171.0]; Подвергать риску [П657.0]; Риск еще больше уменьшается [P746.0]; Риск невелик [P747.0]; С минимальным риском [С88.0]; С риском усложнить [С89.0]; Связан с риском [С361.0]

**риска:** Наносить риски на [Н446.0]; Совмещение с рисков [С869.0]; Цифры и риски нанести масляной краской черного цвета [Ц54.0]

**рискованно:** Рискованно считать [P748.0]

**рискованный:** Делать сравнение несколько рискованным [Д226.0]

**рисковать:** Рисковать в меньшей степени [P750.0]; Рискует ошибиться [P751.0]; Рискуя [P752.0]

**рисунок** (См. также «**рис**»): Графический рисунок [Г128.0]; На рисунке показан [Н137.0]; Перпендикулярно плоскости рисунка [П247.0]; Подпись под рисунком [П782.0]; Прилагаемый рисунок [П2352.0]

**ровно:** Ровно настолько, чтобы [P753.0]

**ровный:** Просто для ровного счета [П2921.0]

**родственный:** [P754.0]

**розничный:** Розничная цена [P755.0]

**роль:** Важная роль [В792.0]; Возросшая роль [В1368.0]; Выявлять роль [В2086.0]; Выяснить роль [В2091.0]; Играть важную роль в [И85.0]; Играть ведущую роль в [И88.0]; Играть второстепенную роль [И89.0]; Играть главную роль [И90.0]; Играть довольно важную роль в [И86.0]; Играть незначительную роль [И91.0]; Играть некоторую роль [И92.0]; Играть особенно важную роль в [И87.0]; Играющий роль [И93.0]; Меняться ролями [М121.0]; Начинать играть роль [Н716.0]; Не играть роли [Н866.0]; Основной претендент на роль [0970.0]; Подчеркивать роль [П880.0]; Роль в [P757.0]

**россыпью:** Поставляться россыпью [П1458.0]

**рост:** Вызывать рост количества исследований [В1821.0]; Главный фактор сдерживания роста [Г46.0]; Дальнейший рост невозможен [Д105.0]; Непрекращающийся рост [Н1517.0]; Период роста [П234.0]; Рост выпуска [P759.0]; Рост спроса на [P760.0]; С ростом необходимости в [С91.0]; Скорость роста [С547.0]; Споспособствовать росту [С 1234.0]; Экономия, обусловленная ростом масштаба [Э27.0]

**рубеж:** Как в нашей стране, так и за рубежом [К121.0]; На переднем рубеже техники [Н140.0]; На рубеже двух столетий [Н139.0]

**рука:** Быть под рукой [Б324.0]; Вычерченный от руки [В2051.0]; Давать вам в руки [Д8.0]; Затягивание гайки от руки [3517.0]; Затягивать гайку от руки [3511.0]; Затянуть от руки [3512.0]; Иметь под рукой [И420.0]; Не дотрагивайтесь голыми руками [Н851.0]; Передавать в руки [П94.0]; Под рукой [П616.0]; Трогать руками [Т470.0]; Хранить под рукой [Х123.0]

**руководитель:** Руководитель проекта [P763.0];

Руководитель темы [P764.0]

**руководить:** Руководить выполнением работ [P766.0]; Руководить разработкой [P767.0];

Руководить сменой [P768.0]

**руководство:** Высшее звено руководства [В2006.0]; Общее руководство по ремонту [0338.0]; Под непосредственным руководством [П615.0]; Руководство министерства [P770.0]; Руководство по техническому обслуживанию [P771.0]; Руководство по эксплуатации [P772.0]; Руководство, полезное при составлении программы [P773.0]

**руководствоваться:** В случаях расхождения ... следует руководствоваться... [В559.0]; Должен руководствоваться [Д585.0]; При ... можно руководствоваться таким приближенным критерием как [П2091.0]; Приоритеты, которыми следует руководствоваться [П2494.0]; Руководствоваться соображениями [P775.0]

**руководящий:** Рекомендации по разработке руководящих указаний [P672.0]; Руководящий персонал [P776.0]; Руководящий принцип [P777.0]

**рукопись:** Наборный экземпляр рукописи, напечатанный на машинке через ... интервала [H232.0]; Первоначальный вариант рукописи [P137.0]; Пересылать рукопись [P182.0]; Подготавливать рукопись к публикации [P695.0], Представлять рукопись к [P1856.0]; Рецензирование рукописи [P714.0]

**рукоятка:** Повернуть рукоятку регулятора по часовой стрелке [P548.0]; Положение рукоятки соответствует ручному режиму работы [P1100.0]; Установить рукоятку..., чтобы получить нулевое показание на дисплее [У485.0]

**ручной:** Положение рукоятки соответствует ручному режиму работы [P1100.0]; Ручная наладка и регулировка [P779.0]; Ручные операции [P780.0]

**рынок:** Главный конкурент на рынке [Г44.0]; Освоение рынка [0924.0]

**рыночный:** Рыночный спрос на ... невелик [P781.0]

**ряд:** В один ряд [B483.0]; В рядах [B484.0]; В ряде практических случаев [B575.0]; В ряде случаев [B574.0]; Возник ряд трудностей,

связанных с [B1349.0]; Возникает ряд вопросов [В 1345.0]; Выяснился ряд других проблем [B2097.0]; Для ряда последовательных моментов времени, охватывающих всю продолжительность [Д353.0]; Иметь ряд общих [И418.0]; Иметь ряд преимуществ по сравнению с [И437.0]; На примере ряда [Н118.0]; По ... штук в ряду [P516.0]; Подвергаться ряду воздействий [P658.0]; Претерпевать ряд изменений [P2050.0]; Приводить к ряду интересных [P2240.0]; Принимать ряд форм [P2440.0]; Разбивать на ряд [P160.0]; Разделять на ряд [P208.0]; Разлагать в ряд в окрестности [P214.0]; Разлагать в ряд, сохранив [P213.0]; Разлагать по членам степенного ряда [P216.0]; Разложение в степенной ряд по [P246.0]; Разложение в ряд по [P245.0]; Расположение в ряд по достоинствам [P409.0]; Решение в виде степенного ряда по [P735.0]; Ряд мест нуждается в доработке [P783.0]; Ряд общих мест [P784.0]; Ряд общих указаний [P785.0]; Ряд различий в деталях [P786.0]; Ряд установок различного назначения [P787.0]; Целый ряд [Ц 14.0]

**рядом:** Один рядом с другим [0495.0]; Работать рядом с [P74.0]; Рядом друг с другом [P790.0]

## С

**сидиться:** Сидеть на место [С 195.0]

**самодельный:** [С206.0]

**самописец:** В масштабе самописца [B178.0]

**самопроизвольный:** [С208.0]

**самостоятельный:** [С209.0]; Имеющая самостоятельное значение задача [И520.0]

**самостоятельно:** Приобретать авиабилеты самостоятельно [P2470.0]; Самостоятельно или совместно [С211.0]

**самотеком:** [С212.0]; Стекать самотеком [С1443.0]

**самоходный:** [С213.0]

**самоцель:** [С214.0]

**самый:** Аннулировать в самый последний момент [A145.0]; Бесспорно самый большой [B103.0]; В самое разное время [B65.0]; В самой своей основе [B277.0]; В самом ближайшем будущем [B13.0]; В самом верхнем положении [B354.0]; В самом деле [B95.0]; В самом начале [B246.0]; В самом общем случае [B552.0]; В самом широком смысле [B583.0]; В самых разных случаях [B576.0]; В тот самый момент, когда [B223.0]; Воплощать в себе самые последние достижения в

[B1384.0]; Далеко не самый последний из них [Д102.0]; Доказывая тем самым, что [Д545.0]; Если бы на самом деле [E105.0]; Затрудняя тем самым [3500.0]; И в самом деле [И9.0]; И последнее, но не самое маловажное [И48.0]; И так оно и есть на самом деле [И58.0]; Или, что то же самое [И348.0]; На самой ранней стадии [Н155.0]; На самом деле этого не происходит [Н47.0]; На самом деле этого нет [B93.0]; На самых благоприятных условиях [Н 179.0]; Обеспечивая тем самым [054.0]; Общепринятый, хотя может быть и не самый лучший метод [0307.0]; Означать то же самое, что и [0618.0]; Описывать в самых общих чертах [0777.0]; Отличаться самое большое на [01397.0]; По самым грубым оценкам [P433.0]; Подтверждать тем самым, что [P859.0]; Представители самых разных специальностей [P1831.0]; Примерно в то же самое время [P2386.0]; Самое важное событие [С227.0]; Самое интересное то, что [С230.0]; Самое лучшее, что может быть сделано [С231.0]; Самые первые работы в

этой области [С234.0]; Самые передовые промышленные методы [С235.0]; Самые последние результаты [С236.0]; Самые разнообразные [С237.0]; Самые разные системы [С240.0]; Самый лучший [С218.0]; Самый прямой путь [С220.0]; Сейчас самое время [С414.0]; Сталкиваться с самыми разными трудностями [С1375.0]; Так оно и есть на самом деле [Т21.0]; Тем самым оказалось возможным [Т137.0]; То же самое относится к [Т358.0]; То же самое справедливо для [Т359.0]; Тот же самый [Т342.0]

**санитарно-гигиенический:** Санитарно-гигиенические нормы [С242.0]

**санитарный:** Конструкция, удовлетворяющая требованиям санитарных норм [К345.0]; Санитарные нормы [С241.0]

**санкционирование:** Предусматривать санкционирование [П 1920.0]

**санкционировать:** [С243.0]

**сапоги:** Сравнить сапоги с пирогами [С 1282.0]

**сближаться:** Сближаться и расходиться [С245.0]

**сближение:** Сближение кривых [С246.0]

**сбой:** Сбои проходят незамеченными [С248.0]

**сбоку:** Сбоку от [С250.0]

**сбор:** Длина в сборе [Д293.0]; На этапе сбора предложений [Н194.0]; Расчет по методу ... начинается со сбора информации по [Р550.0]; Сбор данных [С251.0]

**сборка:** Выполнить сборку в обратном порядке [В1909.0]; Для облегчения сборки [Д373.0]; Заказ на сборку [З220.0]; Надёжная сборка [Н273.0]; Облегчать монтаж при повторной сборке [О108.0]; Обработать в сборке [О182.0]; Окончательная сборка [О714.0]; Определить по месту в сборке с дет. [О838.0]; Перед окончательной сборкой [П88.0]; По соображениям сборки [П477.0]; Последующая сборка [П1417.0]; Правильная сборка [П1629.0]; Процедура сборки [П3020.0]; Сборка в правильной последовательности [С253.0]; Сборка выполняется в порядке, обратном разборке [С254.0]; Сборка и монтаж оборудования [С255.0]; Сборка и монтаж узла [С256.0]; Стенд для сборки [С1446.0]; Указывать порядок сборки [У212.0]

**сборочный:** Входящая сборочная единица [В1682.0]; Каталог деталей и сборочных единиц [К194.0]; Номера деталей соответствуют спецификации сборочного чертежа [Н1845.0]; Сборочные единицы и детали изделия [С259.0]; Сборочный лист [С258.0]; Совмещать сборочные метки [С867.0]; Спецификация сборочной единицы [С1179.0]; Список сборочных материалов [С 1189.0]

**сбрасывать:** Не сбрасывать со счетов [Н1060.0]; Сбрасывать в атмосферу [С262.0]; Сбрасывать давление [С263.0]

**сброс:** Набор и сброс нагрузки [Н228.0]

**сбыт:** Лицензия на право сбыта и продажи [Л58.0]

**сварка:** Места сварки зачистить [М150.0]; Окончательно обработать после сварки [О705.0]; Поверхность с указанной чистой обработать после сварки - [П536.0]; Шлифовать после сварки для обеспечения гладких внешних поверхностей [Ш36.0]

**сварной:** Заводские сварные швы [З124.0]

**сведения:** Доводить до сведения (Д491.0); Должны быть доведены до сведения [Д590.0]; Имеются сведения о том, что [И505.0]; Конфиденциальные сведения [К368.0]; Новейшие сведения [Н1825.0]; Общие сведения [О343.0]; По сведениям [П466.0]; Сведения баланса [С264.0]; Сведение на нет [С265.0]; Сведения о ... можно получить из [С268.0]; Сведения о консервации и упаковке [С267.0]; Сведения о результатах проверки инспектирующими и проверяющими лицами [С269.0]

**сверить:** Сверить счета-фактуры на... с [С270.0]

**сверлить:** Отверстие сверлить в случае необходимости [О1219.0]; Отверстия под цилиндрический штифт сверлить и развернуть [О1223.0]; Сверлить под деталь [С271.0]; Сверлить совместно с деталью [С272.0]; Сверлить совместно с отверстием в корпусе [С273.0]

**сверх:** [С274.0]

**сверхкритический:** [С275.0]

**сверхминиатюрный:** [С276.0]

**сверхнизкий:** [С277.0]

**сверхтонкий:** [С278.0]

**сверху:** Вид сверху на [В1078.0]; Если смотреть на ... сверху [Е89.0]; Если смотреть сверху [Е90.0]; По два винта сверху и снизу [П363.0]; Сверху вниз [С280.0]; Сверху слева вниз направо [С281.0]; Установившееся состояние достигается сверху [У498.0]

**свести:** Если не устранить полностью, то хотя бы свести к минимуму [Е152.0]

**свет:** Анализировать результаты в свете [А121.0]; В свете всего сказанного [В486.0]; В свете вышесказанного [В487.0]; В свете имеющегося опыта [В488.0]; В свете работы [В489.0]; В свете современной теории [В490.0]; В свете современных представлений о [В491.0]; В свете того обстоятельства [В492.0]; В свете этих требований [В493.0]; Означать в свете [О615.0]; Определять на свет [П2910.0]; Освещать лучом света [О916.0]; Показывать в наихудшем свете [П975.0]; Показывать в невыгодном свете [П976.0]; Проливать дополнительный свет на [П2838.0]; Проливать некоторый свет на [П2839.0]; Размеры в свету [Р257.0]

**светлый:** Светлого цвета [С282.0]; Светлые значки [С283.0]

**светозащитный:** [С284.0]

**светонепроницаемый:** [C285.0]

**свидетель:** Возможно, мы являемся свидетелями [B 1299.0]

**свидетельство:** Более убедительное свидетельство [B188.0]; Впечатляющее свидетельство [B1462.0]; Выдача свидетельства о полномочиях [B1774.0]; Еще одно свидетельство того, что [E226.0]; Имеется все больше свидетельств того, что [I488.0]; Иметь действующие свидетельства о [I372.0]; Имеются свидетельства [I506.0]; Не следует рассматривать как свидетельство того, что [H1073.0]; Свидетельство, которым подтверждается выполнение всех требований по [C289.0]; Свидетельство о приемке [C288.0]; Свидетельство об окончании курса [C287.0]; Служить свидетельством [C699.0]; Что это - свидетельство некоторого [4172.0]

**свидетельствовать:** В общем эти данные свидетельствуют о [B264.0]; Возможно, свидетельствует о [B 1305.0]; Количество расхождений все же достаточно велико, свидетельствуя [K262.0]; Молчаливо свидетельствовать об этом факте [M240.0]; О чем свидетельствует, например [O15.0]; О чем свидетельствует тот факт, что [O16.0]; Опыт свидетельствует о том, что (0888.0); Свидетельствовать о возможностях [C293.0]; Свидетельствовать о важности [C292.0]; Свидетельствовать о возможности существования [C294.0]; Свидетельствовать о некотором сходстве [C295.0]; Свидетельствовать о неполадках в [C296.0]; Свидетельствовать об отсутствии влияния [C298.0]; Свидетельствовать об отсутствии [C297.0]; Свидетельствуя тем самым о [C300.0]; Убедительно свидетельствовать о (У 19.0); Что само по себе должно было бы свидетельствовать о том, что [4161.0]

**свидетельствующий:** Множество фактов, свидетельствующих об обратном [M230.0]; Результаты, свидетельствующие о противном [P658.0]

**свобода:** Давать свободу в [D63.0]; Ограничивать свободу выбора [O460.0]; Оказываться лишенным свободы [O668.0]; Полная свобода действий в области использования [П1082.0]; Свобода выбора [C301.0]; Свобода действия [C302.0]

**свободно:** Вращаться свободно [B1505.0]; Может свободно расширяться [M303.0]; Свободно входить в [C308.0]; Свободно перемещаться [C309.0]; Свободно сидеть на [C310.0]

**свободный:** Не полностью свободны от [H1013.0]; Свободен в выборе [C306.0]; Свободный проход между [C304.0]; Свободный размер [C305.0]; Убедиться в свободном [У32.0]

**сводить:** Сводить баланс с точностью [C311.0];

Сводить в одну кривую (C312.0); Сводить в

таблицу [C313.0]; Сводить воедино [C314.0];

Сводить до незначительного уровня [C315.0];

Сводить к минимуму [C316.0]; Сводить к нулю [C317.0]; Сводить на конус [C318.0];

Сводить на нет и даже ухудшать [C320.0];

Сводить на нет саму идею [C321.0]; Следует проявлять осторожность, сводя к минимуму [C623.0]

**сводиться:** Задача упрощается и сводится к [3175.0]; Задача сводится к [3172.0]; И многие преимущества сводятся на нет [I39.0]; Промышленное применение сводится к (П2855.0); Сводиться в основном к [C323.0]; Это преимущество сводится на нет [Э182.0]

**сводка:** [C324.0]

**сводный:** Сводная ведомость [C325.0]; Сводная таблица по замене материалов [C326.0];

Сводный график [C327.0]

**своевременно:** Своевременно выполнить заказ [C332.0]

**своевременность:** [C328.0]

**своевременный:** Своевременное окончание [C329.0]; Своевременное решение [C330.0]

**свой:** Брать свое начало в работе [B275.0];

Быть первыми в своем роде [B320.0]; В

самой своей основе [B277.0]; В свое время

казалось не столь важным [B67.0]; В своей

основе [B276.0]; В своем ответе [B291.0]; В

свою очередь [B325.0, B326.0]; Вести свое

происхождение от [B940.0]; Включать в

свою программу [B1109.0]; Выделяться среди ... своим [B 1786.0]; Выполнять свое

назначение [B1884.0]; Высказать свое мнение

по вопросу [B1974.0]; Давать свое согласие [D64.0]; Делиться секретами своей профес-

сии [Д243.0]; Докладывать о своей работе [D551.0]; Достигать предела своих возмож-

ностей [D711.0]; Единственный в своем

роде [E16.0]; Если мы хотим сохранить

свою репутацию [E135.0]; Еще ждут своего

объяснения [E205.0]; За свой счёт [361.0];

Заботиться о своей репутации [373.0]; Известен

своими исследованиями [I173.0];

Иметь в своем штате [I367.0]; Иметь своей

ближайшей аналогией [I421.0]; Иметь свои

достоинства [I381.0]; Иметь свой собствен-

ный [I447.0]; Каждый имеет свои преимущ-

ества и недостатки [K38.0]; Как и в своих

прежних работах [K72.0]; Лучше остано-

вить свой выбор на [Л107.0]; Находиться на

пределе своих возможностей [H674.0]; Об-

ращать свой взор на [O219.0]; Ограничен в

своих действиях [O476.0]; Один из наиболее

выдающихся... своего времени [O513.0];

Оставаться на своих местах [O1094.0]; О-

становить свой выбор на первом [O1157.0];

Отвечать своему предназначению [O1243.0];

Отживать свой век [O1296.0]; Отличаться

по своей работе [O1394.0]; Отработавший



свой ресурс [01499.0]; По самой своей природе [П469.0]; По своей специальности [П470.0]; По своему существу [П493.0]; По своему [П468.0]; По своим свойствам [П471.0]; Получить свое название за то, что [П 1150.0]; Попробовать свои силы в [П1304.0]; Прав в своем предположении относительно [П 1602.0]; Правильный в своей основе [П1627.0]; Привлекать своей простотой [П2206.0]; Признавать свою ошибку, допущенную в [П2313.0]; Приносить свои извинения за [П2454.0]; Приступить к строительству своего завода [П2532.0]; Проводить исследования своими силами [П2678.0]; Проявлять свое действие [П3047.0]; Работать на пределе своих возможностей по [P59.0]; Резко отличаться от... своим [P633.0];

С своей стороны [С114.0]; Своего рода [С334.0, С335.0]; Своим ходом [С336.0]; Своими силами [С337.0]; Сделать своей политикой [С400.0]; Ставить на свое место [С1358.0]; Ставить своей целью не что иное как [С1364.0]; Терять большую часть своей [Т198.0]; Требовать времени для своей разработки [Т435.0]; Удовлетворять свои собственные потребности в [У170.0]; Являющийся в своей основе химическим [Я38.0]

**свойственно:** Свойственно исключительно [С342.0]

**свойственный:** [С341.0]

**свойство:** Воспользоваться благоприятными свойствами [В1416.0]; Изменение свойств от ... к [И248.0]; Обладать наименьшими свойствами [085.0]; Обладать особыми или уникальными свойствами [086.0]; Обладать свойствами, требуемыми [087.0]; Обладать хорошими свойствами [088.0]; Общее свойство [0339.0]; Особенно привлекательное свойство для [01045.0]; Отличаться по свойствам от [01395.0]; По своим свойствам [П471.0]; Приписывать свойства [П2503.0]; Проявлять свойство [П3048.0]; Различия в свойствах между [P236.0]; Свойства в целом [С338.0]; Свойства материала по данным поставщика [С339.0]; Свойства при атмосферных условиях [С340.0]

**сворачивать:** Сворачивать деятельность [С344.0]

**свыше:** [С345.0]; Отработать свыше часов [01498.0];

**связан:** Как то связан с [К127.0]; Методика связана с большими алгебраическими преобразованиями [М166.0]; Напрямую связана с [Н494.0]; Не связано никакими условиями [Н1062.0]; Непосредственно связана с [Н1482.0]; Неразрывно связан с [Н1562.0]; Однозначно связан с [0589.0]; Проблема связана с [П2605.0]; Прямо или косвенно все ... связаны с вопросом [П3065.0]; Связан в виде химического соединения [С356.0];

Связан в основном с [С358.0]; Связан напрямую с [С359.0]; Связан простым соотношением с [С360.0]; Связан с риском [С361.0]; Связан с тем, что [С362.0]; Связано, возможно, с [С363.0]; Связано каким-то [С364.0]; Связано с некоторой опасностью [С365.0]; Связано с тем обстоятельством, что [С366.0]; Связаны сложным образом [С367.0]; Связаны соотношением [С368.0]; Совершенно не связан с [С834.0]; Тесно связан с [Т207.0]; физика явления связана с [Ф20.0]; Это связано с тем, что [Э187.0]

**связанный:** Возник ряд трудностей, связанных с [В1349.0]; Вопрос, связанный с [В1408.0];

Выгоды, связанные с [В 1758.0]; Документы, связанные с согласованием [Д557.0]; Косвенные последствия, связанные с [К401.0]; Непосредственно связанный с [Н1483.0];

Одна из проблем, связанных с..., заключается в том, что [0533.0]; Опасение, связанное с [0736.0]; Основная проблема, связанная с [0979.0]; Очевидные трудности, связанные с [01651.0]; Ошибки, связанные с другими измерениями [01694.0]; По-видимому, не оправдывают дополнительных затрат, связанных с [П340.0]; Помеха, связанная с [П1236.0]; Практические осложнения, связанные с [П1678.0]; Преимущества, связанные с..., реализуются не полностью [П1982.0]; Преодолевать трудности, связанные с [П2023.0]; Преследовали неудачи, связанные с [П2038.0]; Связанные с ним эффекты [С353.0]; Связанные с этим проблемы [С354.0]; Связанные тесным образом с [С355.0]; Связанный в основном с [С351.0]; Связанный с ним [С352.0]; Слабо связанный [С567.0]; Устранять все осложнения, связанные с [У524.0]; Устранять недостатки, связанные с [У529.0]

**связывание:** [С369.0]

**связывать:** [С346.0]; Все надежды на ... необходимо связывать с [В1008.0]; Туго связывать [Т499.0]

**связываться:** Связываться по телефону [С347.0]; Связываться соотношением [С348.0]

**связывающий:** [С349.0]

**связь:** Без какой-либо видимой связи с [Б27.0];

Больше в связи с ... ,чем с ... [Б202.0]; В связи с ... было решено [В495.0]; В связи с Вашей просьбой сообщаем, что [В496.0]; В связи с возникновением потребности в [В497.0]; В связи с вышеизложенным [В498.0]; В связи с ограничениями по времени [В499.0]; В связи с опасностью [В500.0]; В связи с отсутствием [В501.0]; В связи с тем, что [В502.0]; В связи с этим жаль, что [В504.0]; В связи с этим обстоятельством [В505.0]; В связи с этим представляется, что [В506.0]; В связи с этим следует отметить,

что [B507.0]; В связи с этим... сразу же возникает вопрос, насколько [B508.0]; Деловые связи [D253.0]; Если рассматривать ... в связи с [E84.0]; Завязывать прямые связи [3136.0]; Обеспечивать связь с [050.0]; Остаётся еще найти связь между... и [01119.0]; Отсутствие связи между элементами [01555.0]; Причинно-следственная связь [П2590.0]; Прямая связь [П3058.0]; Работа возникла в связи с [P12.0]; Рассматривать в связи с вопросом о [P455.0]; Связь между... и (C372.0); Связь науки с производством [C373.0]; Существует тесная связь между... и [C1581.0]; Указывать на прямую связь между [У210.0]; Устанавливать связь [У463.0]

**сдавать:** Сдавать вступительные экзамены и поступать в [C375.0]; Сдавать экзамен [C374.0]

**сдаточный:** Результаты сдаточных испытаний [P659.0]

**сдача:** Досрочная сдача в эксплуатацию [Д676.0]; Завершение и сдача проектных работ [384.0]; Основание для сдачи в ремонт [0963.0]

**сдвиг:** Сдвиг вправо вызывает увеличение [C377.0]; Сдвиг по времени [C378.0]; Фазовый сдвиг [Ф2.0]; Явный сдвиг в область [Я54.0]

**сдвигать:** Плавно сдвинуть до самого [П278.0];

Сдвигать в ту или другую сторону [C379.0]; Сдвигать равновесие [C380.0]; Сдвинута с места [C384.0]; Сдвинуть назад [C382.0]; Сдвинуть щелчком в верхнее положение [C383.0]

**сдвигаться:** Сдвигаться с места [C381.0]

**сдвинутый:** Сдвинутый по фазе на ... градусов [C385.0]

**сдвоенный:** [C386.0]

**сделан:** Аналогично тому, как это было сделано [A125.01]; В предыдущих исследованиях была сделана попытка [B135.0]; В статье сделана попытка [B643.0]; Выбор был сделан, исходя из [B1708.0]; Вывод о том, что ...

... был сделан на основании [B 1727.0]; Должно быть сделано так, чтобы [Д589.0]; И даже то малое, что было сделано [И23.0]; На этом основании был сделан вывод [H89.0]; Несмотря на некоторые ..., выводы могут быть сделаны [H1618.0]; Ни того, ни другого сделано не было [H1709.0]; Основной упор в работе сделан на [0972.0]; При выводе ... сделаны [П2063.0]; При обработке данных была сделана попытка [П2101.0]; Самое лучшее, что может быть сделано [C231.0]; Сделаны большие успехи в [C404.0]; Что и будет сделано позже [4138.0]; Это было сделано вместо [Э129.0]; Это сделано умышленно [Э130.0]

**сделанный:** Выводы, сделанные на основании полученных результатов [B1734.0]; Выводы,

сделанные на основании [B 1733.0]; Выводы, сделанные относительно [B1735.0]; Допущения, сделанные относительно [Д672.0] **сделать:** А следовательно, можно сделать вывод, что (A40.0); Анализ ... позволяет сделать несколько интересных выводов [A109.0];

Анализ данных в настоящее время продолжается, но некоторые выводы можно сделать уже сейчас [A113.0]; В состоянии сделать больше [B612.0]; Для этого необходимо сделать следующее [Д430.0]; Если вы этого не сделаете [E44.0]; Если этого не сделать [E177.0]; Если этого сделать не удастся [E178.0]; И последнее, что можно сделать, это [И49.0]; Из этого можно сделать вывод, что [И 142.0]; Исходя из этих данных можно сделать следующие выводы [И825.0]; Как это сделать, объясняется [K144.0]; Который мог бы это сделать [K417.0]; Легче всего это можно сделать путем [Л29.0]; Лучше всего, чтобы это сделал [Л106.0]; Многие еще нужно сделать, чтобы [M205.0]; Многие еще предстоит сделать по части [M206.0]; Многие сделать для развития науки и техники в области [M212.0]; Многие сделать для того, чтобы [M211.0]; Можно сделать следующие выводы [M369.0]; Мы вынуждены сделать вывод [M407.0]; На основании результатов нашего исследования можно сделать следующие основные выводы [H85.0]; Не позволяли сделать каких-либо определенных выводов [H997.0]; Не позволяя сделать даже самых общих замечаний [H1000.0]; Не помешало сделать [H1016.0]; Необходимо сделать все возможное для того, чтобы (H 1384.0); Необходимо сделать гораздо больше [H 1385.0]; Необходимо сделать несколько замечаний [H 1386.0]; Но пока причины чисто практического характера не позволяют этого сделать [H1808.0]; Однако здесь необходимо сделать оговорку [0562.0]; Отсюда можно сделать вывод [01572.0]; Первое допущение, которое нужно сделать, относится к [П57.0]; Первое, что хочется сделать, это [П61.0]; Перед тем, как сделать окончательный выбор [П91.0]; По-видимому, вполне допустимо сделать вывод [П330.0]; По-видимому, мало что можно сделать [П333.0];

Постараться сделать все, чтобы [П1461.0];

Прежде чем перейти к ... уместно сделать следующие замечания [П1956.0]; Проще всего это сделать, установив [П2927.0]; Сделав ... можно [C401.0]; Сделав несколько [C402.0]; Сделало бы невозможным [C403.0]; Сделать как можно меньше [C395.0]; Сделать всё возможное, чтобы [C388.0]; Сделать все, что только было можно для [C389.0]; Сделать черне [H234.0]; Сделать выбор из большого числа возможных [C390.0]; Сле-

лать выбор из нескольких вариантов [С391.0]; Сделать задачу более трудной [С394.0]; Сделать непригодным для дальнейшего использования [С397.0]; Сделать несколько замечаний, касающихся [С398.0]; Сделать переход на ... по возможности безболезненным [С399.0]; Сделать предварительный вывод [С393.0]; Сделать своей политикой [С400.0]; Следует сделать два замечания [С629.0]; Теперь все, что нужно сделать, это [Т 167.0]; Уместно сделать [У289.0]; Что как раз и позволяет сделать [4142.0]; Что сделало возможным [4162.0]; Чтобы сделать это, запишем [4212.0]; Это можно сделать несколькими способами [Э131.0]

**делка:** Заключать торговые сделки [3240.0]

**сдержанно:** Высказываться сдержанно в отношении [В1979.0]

**сдерживание:** Главный фактор сдерживания роста [Г46.0]

**сдерживать:** [С405.0]

**сдерживающий:** Сдерживающий фактор [С406.0]

**себе:** Воплощать в себе самые последние достижения в [В1384.0]; Если вначале представить себе [Е40.0]; Если мы позволим себе [Е132.0]; Если представить себе, что существует [Е77.0]; Интересен сам по себе [И610.0]; Исчезают сами по себе [И840.0]; Можно представить себе в виде [М358.0]; Можно представить себе [М357.0]; Мысленно представлять себе [М442.0]; Насколько мы себе это представляем [Н546.0]; Не иметь себе равных по [Н884.0]; Не может никто себе представить [Н917.0]; Необходимо отдавать себе отчет в том, что [Н1369.0]; Нетрудно представить себе [Н1664.0]; Ни один из них сам по себе не [Н1704.0]; Объединять в себе лучшие черты [О354.0]; Отдавать себе отчет в том, что [О1275.0]; Полезно само по себе [П 1013.0]; Предоставлен самому себе [П1763.0]; Представим себе, что [П1873.0]; Приобретать репутацию ..., не имеющей себе равных по [П2491.0]; Сам по себе не гарантирует [С198.0]; Сам по себе представляет серьезную проблему [С199.0]; Само по себе является [С203.0]; Следует отдавать себе отчет в том, что [С609.0]; Требовать внимательного к себе отношения [Т434.0]; Требовать к себе первостепенного внимания [Т437.0]; Трудно себе представить [Т483.0]; Хотя и можно представить себе некий [Х95.0]; Ценен сам по себе [Ц40.0]; Что само по себе должно было бы свидетельствовать о том, что [4161.0]; Ясно представлять себе [Я66.0]

**себестоимость:** Заводская себестоимость [3117.0]

**себя:** Брать на себя всю нагрузку [Б269.0];

Брать на себя заботу о... [Б270.0]; Брать на себя обязательства по... [Б271.0]; В соответствии с хорошо зарекомендовавшей себя практикой [Б600.0]; Вести себя иначе [В941.0]; Вести себя как [В943.0]; Вести себя несколько иначе [В942.0]; Вести себя несколько странно [В944.0]; Вести себя нормально во всех отношениях [В945.0]; Вести себя подобно [В946.0]; Вести себя подобным [В947.0]; Вести себя противоположным образом [В948.0]; Вести себя хорошо [В949.0]; Взять на себя обязанности председателя [В1068.0]; Взять на себя обязательства по [В 1069.0]; Взять на себя ответственность [Б272.0]; Взять на себя управление [В1070.0]; Включать в себя [В1111.0]; Во многом ведут себя так же, как [В 199.0];

Возлагать на себя всю ответственность за [В1290.0]; Говорят сами за себя [Г 77.0];

Зарекомендовать себя как [3433.0]; Избавлять себя от необходимости [И151.0]; Навлекать на себя неприятности [Н240.0]; Не все ведут себя таким образом [Н777.0];

Обращает на себя внимание [О212.0]; Оставать после себя [О1136.0]; Повернуть в сторону от себя [П546.0]; Показывать себя [П987.0]; Почувствовать себя увереннее при работе с [П1570.0]; Принимать на себя [Б268.0]; Результаты говорят сами за себя [Р646.0]; Снимать с себя всякую ответственность за [С788.0]; Хорошо зарекомендовавший себя способ [Х49.0]; Чтобы защитить себя от [4182.0]

**север:** К северу от [К14.0]; С юга на север [С 188.0]

**севернее:** [С407.0]

**сегодня:** В соответствии с имеющимся на сегодня проектом [В593.0]; Имеющиеся на сегодня [И530.0]; Лучший из имеющихся на сегодня [Л102.0]; Почти все имеющиеся на сегодня данные [П1548.0]; Результаты, полученные на сегодня [Р653.0]

**сегодняшний:** Исходя из сегодняшнего уровня знаний [И820.0]; Исходя из сегодняшних представлений [И822.0]; Сегодняшнее понимание [С408.0]; Успехи, достигнутые на сегодняшний день [У430.0]

**сезон:** Отопительный сезон [О1481.0]

**сейсмичность:** Изготовлен с учетом сейсмичности [И205.0]

**сейчас:** Анализ данных в настоящее время продолжается, но некоторые выводы можно сделать уже сейчас [А113.0]; Вполне доступен уже сейчас [В1478.0]; Как это представляется сейчас [К143.0]; Работа находится сейчас в таком состоянии, когда [Р26.0]; Сейчас в центре внимания находятся две проблемы [С410.0]; Сейчас как никогда прежде важны для [С412.0]; Сейчас

пришло время [С413.0]; Сейчас самое время [С414.0]; Сейчас ситуация такова, что [С415.0]; Сейчас стало понятно, что [С416.0];  
 Сейчас, когда как никогда возросла [С411.0]  
**секрет:** Делиться секретами своей профессии [Д243.0]; Секрет заключается в [С417.0]; Секрет фирмы [С418.0]  
**секретный:** Секретные данные [С420.0]; Совершенно секретная информация [С843.0]  
**секунда:** Всего несколько секунд [В1571.0]; Доля секунды [Д606.0]; Не более чем через ... секунд [Н747.0]; Примерно за секунду [П2387.0]  
**секундомер:** Отсчитывать по секундомеру [О1568.0]; Регистрировать секундомером [Р603.0]  
**секционный:** Секционное заседание [С422.0]  
**секция:** [С421.0]; Выполнять в виде двух секций [В1876.0]  
**семикратный:** В диапазоне..., соответствующем более, чем семикратному изменению [В99.0]  
**семинар:** [С423.0]  
**семь:** Выдерживать семь изданий [В 1898.0]  
**сентябрь:** Датированный сентябрем [Д144.0]  
**сердечник:** По всему сердечнику [П352.0]  
**серебро:** Припаивать серебром [П2499.0]  
**середина:** [С424.0]; В середине ... годов [В511.0]; Еще в середине [Е201.0]; С середины до конца... годов [С94.0];  
**серийный:** Серийное производство [С431.0]; Удобно для серийного производства [У151.0]  
**серия:** В течение всей серии опытов [В692.0]; Данные по двум сериям экспериментов [Д114.0]; Каталогная серия [К195.0]; Одно место, одна серия [О501.0]; При заказе необходимо указывать номер серии [П2072.0]; Серия из последовательных [С426.0]; Серия из трех кривых [С427.0]; Серия опытов [С428.0]; Серия статей [С429.0]  
**сертификат:** Выдавать сертификат о происхождении товара [В1770.0]; Сертификат качества [С432.0]; Сертификат о происхождении товара [С433.0]; Сертификат соответствия [С434.0]  
**сертификация:** [С435.0]  
**сертифицировать:** [С436.0]  
**серьезен:** Не так серьезен, как это кажется [Н1105.0]  
**серьезно:** Заставлять серьезно задуматься [С469.0]; Никто серьезно не задумывался над [Н1766.0]; Seriously нарушать [С443.0]; Seriously не рассматривался [С444.0]; Seriously опасаться [С445.0]; Seriously устареть [С446.0]; Seriously ухудшаться [С447.0]  
**серьезный:** Без каких-либо серьезных последствий [В24.0]; Без опасения внести серьезную ошибку [В39.0]; Вести к серьезному ухудшению [В937.0]; Вносить серьезную

ошибку [В 1225.0]; Грозить серьезной опасностью [Г130.0]; За исключением одного серьезного отличия [З17.0]; Заслуживать серьезного внимания [З446.0]; Наиболее серьезная авария, которая только может произойти [Н331.0]; Не ведет к серьезному ухудшению [Н768.0]; Не представлять серьезной проблемы [Н1020.0]; Нуждаться в очень серьезном ремонте [Н1894.0]; Осложняться серьезными различиями [О938.0]; Представлять собой серьезную техническую задачу [П 1879.0]; Представлять собой серьезную угрозу для [П1880.0]; Предъявлять серьезные требования к [П 1940.0]; Пришлось обратить серьезное внимание на [П2567.0]; Сам по себе представляет серьезную проблему [С199.0]; Serious оценка [С439.0]; Serious отношение со стороны [С440.0]; Serious препятствие нашему делу [С441.0]; Serious последствия [С442.0]; Serious недостаток [С438.0]; Стоять перед серьезной проблемой [С1478.0]; Существует serious расхождение [С1580.0]; Уделять serious внимание [У117.0]; Эксплуатироваться с serious нарушением правил [Э62.0]; Являться предметом serious заботы [Я25.0]  
**сетевой:** Сетевая вода [С448.0]; Сетевое напряжение не поступает на электрошкаф [С449.0]  
**сетка:** Наносить сетку на [Н447.0]; Сетка с крупными ячейками [С450.0]; Шаг расчетной сетки [Ш6.0]  
**сеть:** Допускать колебания напряжения в сети [Д658.0]; Напряжение сети подводится к [Н492.0]; Не оставляйте включенным в сеть [Н965.0]; Не подключен к сети [Н981.0]; Объединение в сеть всей [О348.0]; Объединять в одну сеть [О352.0]; Отключать от сети [О1346.0]; Питание от сети переменного тока [П266.0]; Подключать к сети [П276.0]; Работать в сети [Р47.0]  
**сечение:** В ... сечениях по длине [В513.0]; Загромождение живого сечения [З143.0]; Квадратное поперечное сечение со стороны [К209.0]; Площадь поперечного сечения [П320.0]; Площадь проходного сечения [П321.0]; По всему поперечному сечению [П351.0]; По поперечному сечению [П439.0]; Поперечное сечение [П1294.0]  
**сжатие:** Работать на сжатие [Р60.0]  
**сжатый:** В сжатой форме выражает сущность [В734.0]; Высушивать сжатым воздухом [В2004.0]; Излагать существо в сжатой форме [И232.0]; Продувать трубопроводы сжатым воздухом [П2759.0]; Укладываться в сжатые сроки [У225.0]  
**сжигание:** Во время сжигания [В39.0]; При сжигании [П2124.0]  
**сжиматься:** Сжиматься и расширяться [С451.0]

**сзади:** Если смотреть на ... сзади [E88.0];  
Находиться сзади [H683.0], Сзади и спереди [C453.0]

**сигнал:** В отсутствие входного сигнала [B321.0];

Воспринимать выходной сигнал [B1429.0];  
Измеряемый сигнал содержал шумы [I307.0];  
Нарушение работы вызывает появление сигнала тревоги (H529.0);  
Операции сканирования, стробирования и обработки сигналов [0753.0];  
Передавать сигналы по [П102.0];  
Подать сигнал [П635.0];  
Сигналы датчиков записывались [C455.0];  
Управляющий сигнал [У336.0];  
Шумы в измеряемом сигнале отсутствовали [Ш45.0]

**сигнализация:** Включается аварийная сигнализация [B1113.0];  
Функция защиты контроля последовательности операций сигнализации и управления [Ф63.0]

**сигнализировать:** Перегрев двигателя, о чем сигнализирует лампа на пульте управления - [П79.0];  
Сигнализировать о [C456.0]

**сигнальный:** Загорается сигнальная лампочка [3142.0];  
Не горит зеленая сигнальная лампочка ГОТОВНОСТЬ К РАБОТЕ [H808.0];  
Сигнальное устройство [C457.0]

**сидеть:** Свободно сидеть на [C310.0]

**сила:** В силу большой занятости [B515.0];  
В силу того, что... носит характер [B516.0];

Ведомость дефектов, подлежащих устранению силами поставщика [B868.0];  
Вступать в силу [B 1645.0];  
Гипотеза теряет силу [Г39.0];  
Движущая сила [Д159.0];  
Иметь юридическую силу [И476.0];  
Лишать законной силы [Л170.0];  
Обращать силы природы на благо человечества [0220.0];  
Обслуживание местными силами [0253.0];  
Оставаться в силе [01087.0];  
Оценка потребности в рабочей силе и средствах энергообеспечения [01643.0];  
Попробовать свои силы в [П1304.0];  
Предоставление рабочей силы [П 1756.0];  
Придавать силу аргументам [П2293.0];  
Прикладывать все силы [П2332.0];

Проводить исследования своими силами [П2678.0];  
Результирующая сила [P661.0];  
Силы, действующие на [C458.0];  
Сохранять силу [C1139.0];  
Терять силу [Т199.0]

**сильно:** Более сильно выражено [B181.0];  
Вли-

яние ... не очень сильно выражено [B1136.0];

Все сильнее занижать [B965.0];  
Выраженный менее сильно [B1956.0];  
И вряд ли сильно повлияют на [И18.0];  
Как бы сильно ни [K55.0];  
Оказываться сильно преувеличенным [0684.0];  
Очень сильно зависеть от [01672.0];  
Сильнее сказываться на [C482.0];  
Сильно влиять на [C465.0];  
Сильно занижен [C468.0];  
Сильно запаздывать [C469.0];  
Силь-

но изменять [C470.0];  
Сильно изменяться в зависимости от [C472.0];  
Сильно изношенный [C473.0];  
Сильно напоминающий [C474.0];  
Сильно отличаться от [C476.0];

Сильно повлиять на выбор [C477.0];  
Сильно превышать [C478.0];  
Сильно продвигаться [C479.0];  
Сильно разбросанные экспериментальные точки [C480.0];  
Сильно упрощать [C481.0];  
Становиться более сильно выраженным [C1377.0];  
Это, конечно, сильно задержало бы всю работу [Э 139.0]

**сильный:** В условиях сильной запыленности [B717.0];  
Мало вероятно, что ... оказывали сильное влияние на [M43.0];  
Может быть настолько сильным, что приведет к [M312.0];

Обнаруживать несколько более сильную зависимость от [0131.0];  
Обнаруживать сильное сходство с [0134.0];  
Оказывать сильное влияние на [0635.0];  
Различия оказываются еще более сильным [P231.0];  
Сильная зависимость от [C460.0];  
Сильное влияние [C461.0];  
Сильные и слабые стороны [C462.0]

**симметричен:** Симметричен относительно [C483.0]

**симметрично:** Симметрично относительно осевой линии, за исключением указанного [C485.0];  
Симметрично относительно оси [C484.0]

**симметрия:** Благодаря симметрии можно ограничиться исследованием только [Б 112.0];

Вследствие симметрии рассматривается только половина [B1599.0];  
Ось симметрии [01186.0];  
По соображениям симметрии [П478.0]

**симпозиум:** [C486.0]

**симптом:** Вызывать симптомы [B1822.0];  
Первые симптомы появились в [П64.0];  
Служить симптомом [C700.0];  
Явные симптомы [Я61.0]

**синергический:** Синергический эффект [C488.0]

**синоним:** Являться синонимом [Я31.0]

**синонимичный:** Быть синонимичным [B335.0]

**система:** Автоматическая система регулирования и защиты [A71.0];  
Безотказная система [B74.0];  
Британская система единиц [B281.0];  
В системе координат x, y, z [B165.0];  
Все системы работают [B1016.0];  
Выбирать в качестве решения системы уравнений [B1690.0];  
Выпускать воздух из системы [B1926.0];  
Готовность системы [Г109.0];  
Дублирующая система [Д764.0];  
Заземление системы [3204.0];  
Использовать одинаковую систему обозначений [И703.0];  
Находиться в системе материально-технического обеспечения [H647.0];  
Объединение в одну систему с [0349.0];  
Работать в системе [P47.0];  
Рассматривать в системе координат [P456.0];  
Самые разные системы [C240.0];

Система двух уравнений относительно [C496.0];  
Система отсчета [C491.0];  
Система очистки [C492.0];  
Система пожарооповещения [C493.0];  
Система пожаротушения

[С494.0]; Система уравнений [С495.0]; Стандартная программа для решения системы уравнений [С1421.0]; Существенно важные системы и узлы [С1561.0]; Управлять системой [У332.0]

**систематизированный:** Целое и систематизированное представление о [Ц28.0]

**систематически:** Заниматься систематически [З355.0]

**систематический:** В систематическом порядке [В374.0]; Изменять в систематическом порядке [И258.0]; Систематические и случайные ошибки [С501.0]; Систематический и выборочный контроль [С498.0]; Систематическое изучение [С499.0]; Устранять систематическую ошибку [У539.0]

**ситуация:** Аналогичная ситуация [А128.0]; Вполне обычные ситуации, в которых [В1485.0]; Доложить ситуацию [Д602.0]; Осложнить ситуацию [О936.0]; Противоположная ситуация [П2964.0]; Сейчас ситуация такова, что [С415.0]; Ситуация изменилась [С502.0]; Ситуация может в корне измениться [С503.0]; Совершенно иная ситуация [С823.0]; Такая ситуация маловероятна [Т68.0]; Чтобы как-то облегчить ситуацию [4188.0]

**сказанное:** В свете всего сказанного [В486.0]; Из сказанного становится ясным, что [И149.0]; Многое из сказанного справедливо и для [М208.0]; Поясним сказанное несколькими примерами [П1598.0]; Сказанное дополнительно иллюстрируется [С505.0]; Сказанное не распространяется на [С506.0]; Сказанное особенно верно, если [С508.0]; Сказанное особенно справедливо для [С511.0]; Сказанное справедливо только в случае, если [С510.0]; Суммируя сказанное [С1549.0]; Чтобы проиллюстрировать сказанное [4208.0]

**сказать:** Без ... было бы трудно сказать с уверенностью, какой [В12.0]; Возвращаясь к тому, что было сказано выше о [В1277.0]; Достаточно сказать, что [Д692.0]; И, конечно, не будет большим преувеличением сказать [И35.0]; Легче сказать, чем выполнить [Л30.0]; Может быть следует сказать несколько слов об этом [М314.0]; Можно сказать, что [М370.0, М371.0, М372.0, М373.0]; Мы не очень ошибемся, если скажем, что [М418.0]; Мы совсем не хотим этим сказать, что [М436.0]; Наконец, уместно сказать о [Н375.0]; Не будет большим преувеличением сказать, что [Н753.0]; Не углубляясь в существо вопроса, можно сказать [Н1129.0]; Нельзя сказать ничего определенного [Н 1333.0]; Несколько слов следует еще сказать о [Н1601.0]; О ... никогда нельзя сказать, что [О10.0]; Обращаясь к прошлому, можно сказать, что [О234.0]; По-

видимому, можно сказать [П335.0]; Подытоживая, можно сказать, что [П897.0]; Пока же достаточно сказать, что [П1958.0]; Прежде чем можно будет сказать, что [П1954.0]; Резюмируя, можно сказать, что [Р664.0]; Скорее можно сказать, что [С537.0]; Следует сказать несколько слов о [С630.0]; Судя по ..., можно сказать [С1532.0]; Теперь уже можно сказать, что [О435.0]; То же самое можно, по-видимому, сказать и о [Т356.0]; Чего нельзя сказать о [439.0]; Четко сказать [486.0]; Этим мы не хотим сказать [Э203.0]; Этого нельзя сказать о [Э206.0]; Я не хочу сказать [Я1.0]

**сказываться:** Влияние ... так или иначе всегда сказывается [В1144.0]; Мало сказываться на [М36.0]; Не сказываться на [Н1063.0]; Сильнее сказываться на [С482.0]; Сказывается влияние [С512.0]; Сказываться благоприятно на [С515.0]; Сказываться на результатах и выводах статьи [С514.0]; Благоприятно сказываться на [Н1160.0, С516.0]; Отрицательно сказываться на [О1515.0]

**сканирование:** Операции сканирования, стробирования и обработки сигналов [О753.0]

**скачок:** Количественный скачок [К252.0]

**скашивать:** [С517.0]

**скептически:** Все еще скептически относятся к [В975.0]; Относиться скептически к [О1452.0]

**скидка:** Счет-фактура подлежит оплате без скидки [С 1608.0]

**склад:** Изготовитель гарантирует работу изделия в течение ... лет, считая срок пребывания в пути и хранения на складах со дня выпуска с предприятия [И207.0]; Распоряжение о выдаче товара со склада [Р413.0]

**складской:** Восполнение складских запасов [В1412.0]; Складское помещение [С518.0]

**складывать:** [С519.0]

**складываться:** Складывается впечатление, как будто бы [С522.0]; Складывается впечатление, что [С523.0]; Складывается с [С521.0]; У читателя не должно складываться впечатление, что [У13.0]

**склонность:** Иметь склонность к [И448.0]; Склонность к [С525.0, С526.0]

**склонный:** Быть склонным к [Б336.0]; Склонный к неустойчивой работе [С528.0]; Склонный к [С527.0]

**склоняться:** Склоняться к [С529.0]

**скобка:** Выражение в квадратных скобках [В1959.0]; Выражение в фигурных скобках [В 1960.0]; Заметим в скобках [З308.0]; Знак перед скобкой [З576.0]; Квадратные скобки [К210.0]; Круглые скобки [К506.0]; Раскрывающая скобки, объединяя подобные члены и решая относительно [Р357.0]; Скобка под знаком экспоненты [С530.0]; Фигурные скобки [Ф19.0]; Числа в квадратных скобках

обозначают номера в списке работ, приведенном в конце статьи [4104.0]

**скол:** Путем скола [П3099.0]

**сколько:** Вопрос не столько в том ..., сколько в том [В1399.0]; Зависеть не столько от ..., сколько от [З394.0]; Не столько ..., сколько [Н1095.0]; Не столько по соображениям ..., сколько из-за [Н1096.0]; Не столько с ..., сколько с [Н1097.0]; Не столько чтобы ..., сколько чтобы [Н1098.0]; Приобретать не столько практический, сколько академический интерес [П2481.0]; Сколько нужно ..., для того чтобы [С532.0]; Сколько времени требуется для [С531.0]

**сколько-нибудь:** Хотя сколько-нибудь [Х83.0]

**скомпенсировать:** [С533.0]

**скорее:** Представлять собой скорее [П1881.0], Различие скорее количественное, чем качественное [Р232.0]; Скорее всего это объясняется [С541.0]; Скорее кажущийся, чем реальный [С535.0]; Скорее как качественный, а не количественный показатель [С536.0]; Скорее можно сказать, что [С537.0], Скорее правило, чем исключение [С538.0]

**скоропортящийся:** Скоропортящиеся товары [С542.0]

**скорость:** Для протекания реакции с большой скоростью необходимо [Д384.0], Малая скорость [М17.0]; Охлаждение до ... со скоростью [О1621.0]; При меньшей, чем этого хотелось, скорости [П2087.0]; С большей скоростью [С96.0]; С непрерывно возрастающей скоростью [С97.0]; С постоянной скоростью [С99.0]; Скорость роста [С547.0]; Со все меньшей скоростью [С98.0]; Со скоростью, равной [С100.0]; Характеризоваться постоянной скоростью [Х1 1.0]; Чувствительность к изменению скорости [4225.0]

**скорректировать:** Скорректировать с учетом [С549.0]

**скорый:** В скором времени [В68.0]; Сравнительно скоро [О1436.0]

**скошенный:** Скошенный под ... градусов [С550.0]

**скрепление:** [С552.0]

**скрепленный:** [С553.0]

**скреплять:** Скреплять друг с другом [С554.0]

**скруглять:** Острые углы скруглить радиусом ... мм [О1169.0]; Скруглять по радиусу [С555.0]

**скрывать:** Скрывать влияние [С557.0]; Скрывать подробности от [С558.0]

**скрытый:** Оказываться скрытым [О686.0]; Предупреждать о скрытой опасности [П1911.0]; Скрытые повреждения [С560.0]

**скудный:** [С561.0]; Довольно скудны и не совсем точны [Д513.0];

**слабо:** Натянут слабо (Н591.0); Слабо влиять на [С565.0]; Слабо зависеть от [С566.0]; Слабо связанный [С567.0]

**слабый:** Давать лишь слабое представление о [Д39.0]; Сильные и слабые стороны [С462.0]; Слабая зависимость от [С562.0]; Слабое место [С563.0]; Слабые следы [С564.0]; Устранять слабые стороны [У540.0]

**слава:** Навлекать дурную славу [Н241.0]; Пользоваться дурной славой [П1216.0]

**слева:** Сверху слева вниз направо [С281.0]; Слева направо [С569.0]; Слева от [С570.0, С571.0]

**слегка:** Слегка окрашенный в ... цвет [С573.0]; Слегка отличаться [С574.0]; Слегка постукивать по [С575.0]; Слегка превышающий [С576.0]; Слегка притянуть винтами [С577.0]

**след:** Не допускаются литейные дефекты и следы обработки [Н844.0]; Слабые следы [С564.0]; Следы обработки [С579.0]

**следить:** Внимательно следить за [В1208.0]; Необходимо следить за тем, чтобы ... не повредил [Н1389.0]; Следите за соосностью штифта и его отверстия [С583.0]; Следите за тем, чтобы [С584.0]; Следить за выполнением правил техники безопасности [С581.0]; Следить очень внимательно за [С582.0]; Следует следить за тем, чтобы [С631.0]; Следя за тем, чтобы [С585.0]

**следование:** Поменять порядок следования пунктов формулы изобретения [П1232.0]

**следовательно:** [С586.0]; А следовательно [А38.0]; А следовательно, возникает вопрос [А39.0]; А следовательно, можно сделать вывод, что [А40.0]; И следовательно [И55.0]

**следовать** (См. также «следует»): Как и следовало ожидать [К79.0]; Нужно следовать некоторым правилам [Н1909.0]; Ожидать не следовало [О603.0]; Отсюда следовало, что [О1579.0]; Поэтому ожидать и не следовало [П1582.0]; Следовало бы ожидать [С635.0]; Следовать за ..., а не опережать [С588.0]; Следовать из [С589.0]; Следовать международной практике [С590.0]; Следовать общей схеме [С591.0]; Следовать по пути [С592.0]; Следовать примеру [С593.0]; Следовать существующей практике [С594.0]; Следуя методике вычисления [С596.0]; Следуя работе [С597.0]; Этого следовало ожидать [Э208.0]; Этого также следовало ожидать [Э209.0]

**следствие:** [С636.0]; Было высказано предположение, что ... является следствием [Б369.0]; И как следствие этого [И33.0]; Как следствие этого [К114.0]; Непосредственное следствие из этого вывода состоит в том, что [Н1489.0]; Одно из следствий этого состоит в том, что [О537.0]; Причина и следствие [П2578.0]; Прямое следствие [П3062.0]

**следует** (См. также «следовать»): В связи с этим следует отметить, что [В507.0]; В случае ... следует [В525.0]; В случаях расхождения ... следует руководствоваться [В559.0];

Встает вопрос, следует ли ... или следует [B1612.0]; Дайте поверхности как следует высохнуть [Д72.0]; Ждем ваших замечаний, которые следует направлять по адресу [Ж1.0]; За ... следует период [352.0]; За которым следует [353.0]; За ней следует [354.0]; Из опыта следует, что [И128.0]; Из граничного условия следует [И138.0]; Из этого не следует, что [И144.0]; Из этого следует, что не исключено существование [И143.0]; Как следует из данных [К116.0]; Как следует из названия [К117.0]; Конечно, не следует строить догадки [К3 18.0]; Который следует использовать при [К419.0]; Которых следует избегать [К429.0]; Может быть, следует сказать несколько слов об этом [М314.0]; Не следует делать поспешных выводов [Н1066.0]; Не следует забывать о возможности [Н1067.0]; Не следует забывать, что [Н1068.0]; Не следует использовать для [Н1069.0]; Не следует придавать большого значения [Н1070.0]; Не следует придавать слишком большого значения этому сравнению [Н1071.0]; Не следует путать с [Н1072.0]; Не следует рассматривать как свидетельство того, что [Н1073.0]; Не следует спешить с [Н1074.0]; Несколько слов следует еще сказать о [Н1601.0]; Ни в коем случае не следует допускать [Н1695.0]; Но применять ... следует с осторожностью [Н1813.0]; Нужно как следует подумать о том, как [Н1901.0]; Особую признательность следует выразить [01072.0]; Относительно того, как следует рассматривать [01437.0]; Отсюда следует, что [01578.0]; Показывать, по какому пути следует идти [П1982.0]; При ... следует проявлять осторожность [П2125.0]; Приоритеты, которыми следует руководствоваться [П2494.0]; Продолжение следует [П2752.0]; Путь, по которому следует идти, если мы хотим разработать [П3096.0]; Раньше, чем следует (P351.0); Следует внести ясность [С599.0]; Следует еще раз подчеркнуть, что [С600.0]; Следует избегать работы с [С602.0]; Следует иметь в виду [С603.0]; Следует использовать в максимальной степени [С604.0]; Следует ли их действительно рассматривать как [С605.0]; Следует обращаться с осторожностью [С606.0]; Следует ожидать [С607.0]; Следует остерегаться [С608.0]; Следует отдавать себе отчет в том, что [С609.0]; Следует отличать от [С610.0]; Следует отметить два момента [С612.0]; Следует отметить еще два момента [С613.0]; Следует относиться очень критически [С614.0]; Следует подчеркнуть, что хотя [С616.0]; Следует помнить, что [С619.0]; Следует проектировать на [С620.0]; Следует проявлять большую осмотрительность [С621.0]; Следует

проявлять большую осторожность [С624.0]; Следует проявлять должную осторожность, принимая [С626.0]; Следует проявлять осторожность, сводя к минимуму [С623.0]; Следует рассматривать лишь как предварительные [С627.0]; Следует рассмотреть вопрос о [С628.0]; Следует с самого начала подчеркнуть, что [С617.0]; Следует сделать два замечания [С629.0]; Следует сказать несколько слов о [С630.0]; Следует следить за тем, чтобы [С631.0]; Следует соблюдать особую осторожность [С632.0]; Следует считать удовлетворительным [С633.0]; Следует также подчеркнуть, что [С618.0]; Следует учитывать [С634.0]; Чем это следует из работы [462.0]; Читателю следует помнить [4113.0]; Что следует иметь в виду при [4163.0]

**следующий:** Будьте осторожны, выполняя следующие операции [Б358.0]; В соответствии со следующим графиком [B596.0]; В течение следующих двух-трех лет [B711.0]; Возникать по следующей причине [B 1343.0]; Выполнить проверку... в следующем порядке [B1907.0]; Для этого необходимо сделать следующее [Д430.0]; Исходя из этих данных можно сделать следующие выводы [И825.0]; Который будет описан в следующем [К408.0]; Методика заключается в следующем [M164.0]; Можно описать следующим образом [M343.0]; Можно представить себе следующим образом [M360.0]; Можно рассуждать следующим образом [M365.0]; Можно сделать следующие выводы [M369.0]; На основании результатов нашего исследования можно сделать следующие основные выводы [Н85.0]; Не забывать о следующем [Н853.0]; Обозначения здесь следующие [0153.0]; Обратите внимание на следующие особенности [0214.0]; Объяснять следующим образом [0378.0]; Определяться следующим образом [0846.0]; Остается ответить на следующий вопрос [01122.0]; Остановившись на следующих параметрах [01155.0]; Осуществляться следующим образом [01181.0]; По следующему адресу [П472.0]; Под этим подразумевается следующее [П623.0]; Подытожить следующим образом [П896.0]; Понимать под этим следующее [П1270.0]; Последний вопрос заключается в следующем [П 1385.0]; Прежде чем перейти к ..., уместно сделать следующие замечания [П 1956.0]; При выводе приняты следующие допущения [П2063.0]; Приуси следующие преимущества [П2545.0]; Приходим к следующему уравнению [П2554.0]; Приходить к следующим выводам [П2553.0]; Причина этого состоит в следующем [П2586.0]; Различить их можно с помощью следующих [P223.0]; Следую-



щее место по ... занимают [С638.0]; Следующие три [С639.0]; Следующий за [С637.0]; Следующим образом [С640.0]; Справедливо следующее неравенство [С1249.0]; Справедливо следующее соотношение [С 1250.0]; Таким образом самым логичным объяснением представляется следующее [Т100.0], Только на следующий [Т313.0], Уменьшающиеся в следующем порядке [У269.0], Уравнения можно объединить и получить следующее выражение [У359.0]; Это достигается следующим образом [Э133.0], Эту неудачу можно объяснить одной из следующих причин (Э 167.0)

**слепой:** Слепой опыт [С641.0]

**сливать:** [С642.0]; Слить жидкость [С647.0]

**сливаться:** Сливаться в одну кривую [С644.0];

Сливаться с кривыми [С645.0]; Сливаться с образованием [С646.0]

**слишком:** Если не слишком [Е 144.0]; Не вызывать слишком больших затруднений [Н795.0]; Не прибегая к слишком большим усложнениям, можно [Н1023.0]; Не следует придавать слишком большого значения этому сравнению [Н1071.0]; Придавать слишком большое значение [П2291.0]; Слишком ..., чтобы им можно было воспользоваться для [С657.0]; Слишком большой [С649.0]; Слишком мало [С651.0]; Слишком малый [С650.0]; Слишком многочисленны, чтобы их можно было здесь перечислить [С652.0]; Слишком необычный для практического использования [С653.0]; Слишком низкая температура [С654.0]; Слишком рано делать окончательные выводы о [С655.0]; Слишком усложнять [С656.0]

**слово:** В заключение несколько слов о [В122.0];

В полном смысле этого слова [В582.0];

Другими словами [Д762.0]; Иными словами [И569.0]; Может быть, следует сказать несколько слов об этом [М314.0]; Несколько слов следует еще сказать о [Н1601.0]; Следует сказать несколько слов о [С630.0]

**сложение:** Сложение допусков (С659.0); Сложение отдельных [С660.0]

**сложиться:** Сложилось благоприятные условия для [С524.0]; У нас сложилось впечатление [У6.0]; У него сложилось достаточно полное представление о [У7.0]; Чисто исторически сложилось так, что [4106.0]

**сложность:** В общей сложности [В259.0]; Незнакомый со сложностями [Н 1256.0]; Непреодолимые пока математические сложности [Н 1521.0]; Представлять собой сложность [П1877.0]; Различаться по степени сложности [Р225.0]; Степень сложности конструкции [С1452.0]; Так что в общей сложности было использовано [Т42.0]; Устранять сложности [У541.0]; Являться автором в общей сложности ... публикаций [Я7.0]

**сложный:** Довольно сложный [Д514.0]; Зависеть сложным образом от [З102.0]; Значительно сложнее [З633.0]; И притом весьма сложным образом [И53.0]; Иметь довольно сложный характер [И467.0]; Иметь сложный характер [И471.0]; Обобщение на случай более сложного [О144.0]; Остаются сложными вопросами, нерешенными до сих пор [О1127.0]; Связаны сложным образом [С367.0]; Сложнее в смысле [С663.0]; Сложный вопрос [С662.0]; Такой же сложный [Т83.0]

**слой:** Нанести кистью слой [Н451.0]; Наносить небольшой слой консистентной смазки [Н442.0]; Наносить тонкий слой на [Н440.0]; Наносить тонким слоем на [Н441.0]; Насыпать тонким слоем [Н581.0]; Покрывать слоем толщиной [П1001.0]; Покрывать толстым слоем [П 1002.0]; Слои общества [С664.0]; Широкие слои [Ш18.0]

**слом:** Забраковать либо пустить на слом [З75.0]

**сломаться:** [С665.0]

**служачий:** Служачий неотъемлемой частью [С666.0]

**служба:** В течение срока службы [В712.0];

Гарантийный срок службы еще не истек [Г9.0]; За срок службы [З356.0]; Не достигать расчетного срока службы [Н850.0]; Работать часть срока службы [Р79.0]; Рассчитанный на срок службы агрегата [Р513.0], Расчетный срок службы [Р557.0]; Служба эксплуатации [С667.0]; Срок службы [С1334.0]; Ставить на службу [С1357.0]

**служить:** Доказательством чего служит [Д534.0]; Может служить объяснением [М305.0]; Не всегда служит показателем неполадок в работе [Н783.0]; Приводом служит [П2263.0]; Примером которого служит [П2381.0]; Примером может служить [П2382.0]; Примером последнего может служить [П2383.0]; Служить для ориентировки [С672.0]; Служить дополнением [С676.0]; Служить заменой [С677.0]; Служить защитой от [С678.0]; Служить примером [С696.0]; Служить решением [С698.0]; Служить свидетельством [С699.0]; Служить утешением [С704.0]; Служить целям [С705.0]; Служить в качестве [С669.0]; Служить для иллюстрации [С671.0]; Служить доказательством [С673.0]; Служить дополнительным подтверждением [С691.0]; Служить достаточным доказательством этого [С674.0]; Служить корпусом [С679.0]; Служить мерой [С680.0]; Служить на пользу [С681.0]; Служить не более чем [С682.0]; Служить образцом для сравнения [С684.0]; Служить оправданием [С685.0]; Служить ориентиром для [С686.0]; Служить основанием для [С687.0]; Служить основой для [С689.0]; Служить подтверждением правильности [С692.0]; Служить пока-

зателем степени [С694.0]; Служить полезным дополнением [Я23.0]; Служить симптомом [С700.0]; Служить сокращением для [С701.0]; Служить стимулом для повышения [С703.0]; Служить типичным примером [С697.0]; Служить убедительным доказательством того, что [С675.0]; Служить хорошим показателем [С695.0]; Типичным примером которого служит [Т270.0]; Хорошим примером которых служит [Х39.0]; Частичным объяснением может служить [412.0]

**слух:** На слух [Н 141.0]; Наблюдались визуально и на слух [Н224.0]; Хорошо различим на слух [Х73.0]

**случай:** В большинстве случаев [В562.0]; В данном случае [В527.0]; В других случаях [В567.0]; В другом предельном случае [В528.0];

В идеальном случае [В529.0]; В каждом случае [В532.0]; В каждом таком случае [В533.0]; В крайнем случае [В534.0]; В лучшем случае спорный, в худшем [В537.0]; В любом случае [В538.0]; В нашем случае дело

обстоит иначе [В540.0]; В нашем случае удобнее [В541.0]; В некоторых случаях проектирования [В571.0]; В некоторых, хотя и не во всех случаях [В543.0]; В общем случае [В544.0]; В одном случае было обнаружено, что [В545.0]; В первом случае,... в последнем

случае [В546.0]; В предельном случае [В547.0,

В548.0]; В противном случае вы не сможете [В550.0]; В равной степени относятся к случаю [В668.0]; В ряде практических случа-

ев [В575.0]; В ряде случаев [В574.0], В самом

общем случае [В552.0]; В таком случае [В553.0]; В тех редких случаях, когда [В578.0];

В тех случаях, когда это возможно [В577.0]; Выход в таком случае состоит в [В2028.0];

Гипотетический случай [Г41.0]; Даже в этом

случае [Д82.0]; Для большинства случаев [Д390.0]; Для наихудшего случая [Д393.0]; За

исключением особо указанных случаев [326.0]; За исключением случаев, оговоренных особо [324.0]; Иначе обстоит дело в случае [И540.0]; Как обычно бывает в таких случаях [К98.0]; На случай поломки [Н149.0];

Например, имелись случаи, когда [Н488.0];

Нас интересует исключительно случай [Н404.0]; Ни в коем случае не следует допускать [Н1695.0]; Обобщение на случай [0143.0]; Опасен только в том случае, если [0741.0]; Отдельно для каждого случая [01289.0]; Пользуясь случаем [П1221.0];

Пред-

ставляют интерес два случая, а именно [П1850.0]; Противоположная картина наблюдалась в случае [П2963.0]; Рассмотрим случай, когда [Р481.0]; Сказанное справедливо

только в случае, если [С510.0]; Тот редкий случай, когда [Т350.0]; Удобный случай [У149.0]; Уместно по этому случаю [У287.0];

Это особенно справедливо для случая

**случайно:** Можно только случайно [М381.0]; Проверьте, не работает ли случайно [П2664.0]; Случайно выпавшая точка [С718.0]; Совершенно случайно [С844.0]

**случайный:** Защищать от случайных повреждений (3547.0, П 1783.0); Носить случайный характер [Н 1875.0]; Предотвращать случайное включение [П1776.0]; Представляется несколько случайным [П1893.0]; Систематические и случайные ошибки [С501.0]; Случайные отклонения [С715.0]; Случайные условия, возникающие при [С716.0]; Уменьшать опасность случайного включения [У257.0]

**случаться:** Может ли случиться так, что (М277.0); Однако может случиться что [0565.0]; С тех пор как ..., этого больше не случилось [С68.0]; Так и случилось на самом деле [Т30.0]

**слушание:** Назначать слушание дела [Н294.0]

**слушать:** Слушать доклад [С719.0]

**слышимый:** Издавать слышимый щелчок [И212.0]

**смазка:** Для облегчения смазки [Д374.0]; Затянуть без смазки с моментом затяжки [3513.0]; Зашприцевать смазку [3529.0]; Карта смазки [К180.0]; Количество точек смазки (К265.0); Место смазки [М149.0]; Момент затяжки без смазки [М244.0]; Момент затяжки со смазкой [М245.0]; Наносить небольшой слой консистентной смазки [Н442.0]; Периодичность проверки и замены смазки [П244.0]; Покрытия, смазка и консервация [П1004.0]; Таблица смазки изделия [Т4.0]

**смазочный:** Способ нанесения смазочных материалов [С 1205.0]

**смазывать:** [С720.0]

**смахивать:** Смахивать щеткой [С721.0]

**смачивать:** [С722.0]

**смена:** В смену [В579.0]; На смену приходит [Н151.0]; Руководить сменой [Р768.0]

**сменный:** [С723.0]

**сменяться:** [С724.0]

**смерть:** Публикация, появившаяся после смерти автора [П3071.0]

**смета:** Смета расходов [С725.0]

**смешивать:** Не смешивать [Н1075.0]; Смешивать с [С726.0]

**смешиваться:** Смешиваться с [С727.0]

**смещать:** Смещать на расстояние [С729.0]

**смещаться:** Смещаться влево [С730.0]; Смещаться вниз на расстояние [С731.0]; Смещаться вправо [С732.0]; Смещены вниз на [С735.0]; Смещены по вертикали [С736.0]

**смещенный:** Смещенный на большую величину [С733.0]; Смещенный относительно центра [С734.0]

**смоделировать:** Смоделировать по образцу [С738.0]; Смоделировать реальный ... с какой-либо точностью [С739.0]

**смола:** Пропитанной эпоксидной смолой [П2877.0]

**смонтировать:** Смонтировать новый ... и усовершенствоваться, что ... находится в том же положении, что и на старом [С742.0]

**смотреть:** Для вскрытия упаковки смотри оборотную сторону [Д330.0]; Если смотреть на ... сверху (Е89.0); Если смотреть на ... сзади [Е88.0]; Если смотреть на ... спереди [Е87.0]; Если смотреть сверху [Е90.0]; Подробности смотри в тексте [П808.0]; Правильно смотреть на вещи [П1622.0]; Смотри выше [С743.0]; Смотри на обороте [С744.0]

**смоченный:** Поддерживать смоченным [П721.0]; Смоченный в растворителе [С747.0]

**смочь:** В противном случае вы не сможете [В550.0]; В то время мы просто не смогли найти объяснения [В75.0]; Вряд ли смогут [В1558.0]; Ни один ... не сможет заменить [Н1705.0]; Сможем тогда [С740.0]; Сможет заменить [С741.0]

**смущать:** Нас смущает [Н406.0]; Несколько смущает то, что [Н1603.0]; Несколько смущал вопрос [Н1604.0]

**смыть:** Смыть с [С748.0]

**смысл:** В абсолютном смысле [В580.0]; В некотором смысле [В581.0]; В полном смысле этого слова [В582.0]; В самом широком смысле [В583.0]; В строгом смысле [В584.0]; В том смысле, в котором он определен [В585.0]; В том смысле, что [В586.0]; В этом смысле [В587.0]; Выбор ... не имеет большого смысла [В 1714.0]; Здравый смысл подсказывает, что [3569.0]; Имеет смысл говорить о [И450.0]; Иметь смысл только при [И451.0]; Инженерный здравый смысл [И557.0]; Наиболее близкий по смыслу [Н307.0]; Не иметь большого смысла [Н879.0]; Не иметь смысла [Н885.0]; Не так уж плох в том смысле, что [НИ 10.0]; Необычный в том смысле [Н1427.0]; Нет большого смысла в [Н1649.0]; Нет никакого смысла в [Н1651.0]; Нужно понимать в том смысле, что [Н1906.0]; Понимание смысла [П1265.0]; Придавать какой-либо физический смысл [П2294.0]; Сложнее в смысле [С663.0]; Смысл пока неясен [С752.0]; Смысл которого может быть передан как [С750.0]; Смысл которых будет объяснен [С751.0]; Сохранять физический смысл [С1141.0]; Становится понятен смысл [С1400.0]; Терять смысл [Т200.0]; Тот же смысл [Т345.0]; Физический смысл легче понять, если [Ф22.0]; Физический смысл остается неясным [Ф23.0]

**смягчение:** Смягчение технических условий [С753.0]

**снабжать:** Снабжать бирками [С755.0]; Снабжать множеством [С756.0]

**снабжение:** Материально-техническое снабжение [М73.0]; Отдел снабжения [01282.0]

**снабженный:** Снабженный многочисленными приборами [С758.0]

**снаружи:** [С759.0]

**начала:** Сначала ..., а затем [С761.0]; Сначала..., затем ... и наконец [С762.0]; Сначала мы ответим на более простые вопросы [С763.0]; Сначала рассмотрим [С764.0]

**снижать:** Снижать до уровня, не улавливаемого даже с помощью точного химического анализа (С766.0); Снижать качество [С767.0]; Снижать номинальную мощность [С768.0]; Снижать уверенность в [С769.0]; Снижать ценность [С770.0]; Снижать эффективность [С771.0]; Требования к ... могут быть снижены [Т419.0]

**снижаться:** [С772.0]

**снижение:** При последовательном снижении [П2112.0]; Снижение деловой активности [С774.0]; Снижение затрат труда [С775.0]; Снижение издержек производства [С776.0]; Снижение номинальной мощности [С778.0]; Снижение расходов на проектирование и изготовление [С779.0]; Снижение уровня [С780.0]

**снизу:** [С781.0]; Направление снизу вверх [Н473.0]; По два винта сверху и снизу [П363.0];

**снимать:** Снимать по шкале [С786.0]; Снимать возражения эксперта [С783.0]; Снимать ограничение [С784.0]; Снимать ответственность с [С785.0]; Снимать с себя всякую ответственность за [С788.0]; Снимать с целью осмотра [С789.0]; Снимать характеристику [С790.0]; Снять ... а затем установить на место [С792.0]; Снять с поддона [С795.0]; Снять ремень со шкива [С794.0]; Снять фаски [С796.0]; Это не снимает вопроса [Э150.0]

**снова:** И снова (И56.0); Снова входит в [С800.0]; Снова и снова [С801.0]; Снова установите [С802.0]

**снятие:** Дата снятия с хранения [Д140.0]; Развертывать с целью снятия заусенцев [Р178.0]; Снятие граничного условия [С798.0]; Снятие ограничения [С797.0]

**снятый:** При снятой панели [П2128.0]

**собирать:** Разобрать и вновь собрать [Р165.0]; Собирать воедино [С804.0]; Собирать и хранить [С805.0]; Собирать с [С806.0]

**собираться:** Мы не собираемся здесь [М422.0, М423.0]; Собирается работать на [С810.0]; Собираются в заводских условиях [С808.0]; Собираются опубликовать [С809.0]

**соблюдать:** Не освобождает от необходимости соблюдать [Н962.0]; Не соблюдать условия [Н 1076.0]; Необходимо соблюдать осторожность при [Н1383.0]; Следует соблюдать особую осторожность [С632.0]; Соблюдать меры предосторожности [С812.0]; Соблюдать правила [С813.0]; Соблюдать требова-

ния безопасности [С814.0]; Строго соблюдать правила [С1505.0]; Точно соблюдать [Т400.0]

**соблюдаться:** Если это условие не соблюдается [Е175.0]

**соблюдение:** Налагать ответственность на ... за соблюдение [Н382.0]; Пересчитывать с соблюдением критериев подобия [П 178.0]; При условии соблюдения такого же [П2153.0]; Соблюдение требований норм [С816.0]; Строгое соблюдение требований [С1496.0]; Точность соблюдения графика поставки [Т378.0]

**собой:** Влечь за собой [В1129.0]; Делить между собой [Д239.0]; Заменять собой [З285.0]; Знаменовать собой конец [З585.0]; Используемый ... представлял собой [И713.0]; Малая разность близких между собой больших величин [М16.0]; Не должно, по-видимому, повлечь за собой [Н836.0]; Обычно это считается само собой разумеющимся [О416.0]; Олицетворять собой [О733.0]; По определению представляет собой [П428.0]; Повлечь за собой замену на [П539.0]; Представлять собой сложность [П1877.0]; Представлять собой не что иное, как [П1875.0]; Представлять собой новшество [П1876.0]; Представлять собой опасный участок [П1884.0]; Представлять собой самые последние технические достижения в области [П1878.0]; Представлять собой серьезную техническую задачу [П1879.0]; Представлять собой серьезную угрозу для [П1880.0]; Представлять собой скорее [П1881.0]; Представлять собой среднее значение [П1882.0]; Представлять собой только академический интерес [П 1848.0]; Представляют собой ответственность фирмы или засекреченные материалы [П1883.0]; Само собой разумеется [С204.0]; Сохранять за собой право [С1129.0]; Считать само собой разумеющимся [С1615.0]; Уносить с собой [У302.0]; Уравнение представляет собой [У356.0]; Это влечет за собой [Э 121.0]

**собранный:** В собранном виде [В23.0]; Дефектация изделия в собранном виде [Д274.0]; Поставлять в полностью собранном виде [П1453.0]

**собственно:** [С818.0]; Это собственно то ради чего [Э 188.0]

**собственность:** Права на интеллектуальную собственность [П1600.0]; Представляют собой собственность фирмы или засекреченные материалы [П1883.0]; Составлять собственность [С1094.0]

**собственный:** Затраты мощности на собственные нужды [З488.0]; Иметь свой собственный [И447.0]; По собственному желанию [П371.0]; Под действием собственного веса [П607.0]; Под собственным весом [П618.0];

Убедиться на собственном опыте в преимуществах [У36.0]; Удовлетворять свои собственные потребности в [У170.0]

**событие:** Быть в курсе надвигающихся событий [Б299.0]; Описывать последовательность событий [О783.0]; Самое важное событие [С227.0]; Цепь событий [Ц51.0]

**совершенство:** [С819.0]

**совершенно:** Выглядеть совершенно похожим на [В 1753.0]; Выглядеть совершенно так же, как и [В1754.0]; Два совершенно различных явления [Д 148.0]; Два совершенно разных типа [Д 149.0]; Дело обстоит совершенно иначе [Д248.0]; И это совершенно правильно [И78.0]; Оказываться совершенно непригодным [О685.0]; Опасения оказались совершенно необоснованными [О738.0]; По совершенно независимым от нас причинам оказалось невозможным [П1444.0]; Положение совершенно иное [П1103.0]; Принцип совершенно иной [П2466.0]; Работать совершенно одинаково [Р77.0]; Совершенно бесполезные результаты [С821.0]; Совершенно запутать картину [С822.0]; Совершенно иная ситуация [С823.0]; Совершенно иной по сравнению [С824.0]; Совершенно не нужен [С828.0]; Совершенно не связан с [С834.0]; Совершенно не учитывается [С836.0]; Совершенно независимо друг от друга [С827.0]; Совершенно необходимый для [С829.0]; Совершенно неправильно [С830.0]; Совершенно непригоден [С831.0]; Совершенно неприемлемо [С832.0]; Совершенно нереален для [С833.0]; Совершенно несоизмеримы [С835.0]; Совершенно неясно [С837.0]; Совершенно одинаковый [С838.0]; Совершенно отсутствуют [С839.0]; Совершенно очевидно, что [С840.0]; Совершенно произвольный [С841.0]; Совершенно противоположным образом по сравнению [С842.0]; Совершенно секретная информация [С843.0]; Совершенно случайно [С844.0]; Совершенно целый [С845.0]; Совершенно ясно, что такой ... нереален [С847.0]; Такая методика совершенно неприемлема [Т66.0]; Что совершенно неудивительно [4164.0]

**совершенный:** [С848.0]; Намного более совершенный [Н414.0]; Технология более совершенна [Т249.0]

**совершенство:** Техническое совершенство [Т237.0]

**совершенствование:** Непрерывное совершенствование [П1480.0]; Поиск путей совершенствования [П945.0]

**совершенствовать:** [С849.0]

**совершенствоваться:** [С850.0]; Непрерывно совершенствоваться [Н1527.0]

**совет:** Входить в совет директоров [В1674.0]; Обращаться за советом [О227.0]; Практи-

ческий совет [П1668.0]; Советы бурильщи-  
ку [С851.0]

**советско-американской:** В рамках совмест-  
ной советско-американской программы  
[В461.0]

**совещание:** Закрывать совещание [3266.0];  
Объявлять совещание открытым [0371.0];  
Совещание, посвященное [С853.0]; Сове-  
щание прошло в дружественной обстанов-  
ке [С854.0]

**совместим:** Не совместимы с [Н 1077.0]; Со-  
вместим с [С868.0]

**совместно:** Действовать совместно с [Д187.0];  
Использовать совместно с [И709.0]; Исполь-  
зоваться совместно [И729.0]; Обработать  
совместно [0181.0]; Приводить совместно  
[П2245.0]; Произвести расточку под под-  
шипник совместно с крышкой детали  
[П2793.0]; Разрабатывать совместно  
[Р300.0]; Решать совместно с [Р724.0]; Самостоятель-  
но или совместно [С211.0]; Сверлить совме-  
стно с деталью [С272.0]; Сверлить совме-  
стно с отверстием в корпусе [С273.0]; совме-  
стно или независимо друг от друга [С859.0];  
Совместно решаемые уравнения [С860.0];  
Факторы действуют совместно [Ф15.0]

**совместный:** Благодаря совместным усилиям  
[Б113.0]; В рамках совместной советско-  
американской программы [В461.0]; В ре-  
зультате совместной работы [В478.0]; Пло-  
дотворная совместная работа [П297.0]; Со-  
вместная работа с [С856.0]; Совместное  
влияние [С857.0]; Совместное изменение  
[С858.0]; Совместное решение уравнений  
[С861.0]

**совмещать:** Совмещать в одной плоскости  
[С864.0]; Совмещать отверстия [С865.0];  
Совмещать с [С866.0]; Совмещать сбороч-  
ные метки [С867.0]

**совмещение:** Совмещение с риской [С869.0]

**совокупность:** Некая совокупность [Н1287.0]

**совпадать:** Направление совпадает с направ-  
лением стрелок [Н472.0]; Ни один из ... не  
совпадает с другим [Н1703.0]; Полностью  
совпадают [П1064.0]; Почему... не совпада-  
ет с [П1541.0]; Практически совпадают с  
[П1657.0]; Распределения совпадают  
[Р422.0]; Совпадать довольно точно [С871.0]; Совпа-  
дать не совсем [С872.0]; Совпадать по фазе  
с [С873.0]; Совпадать с точностью ... с  
[С874.0]; Совпадать с указанным в заказе  
[С875.0]; Точно совпадать с расчетными  
значениями [Т401.0]; Частично совпадать  
[47.0]; Этот результат совпадает с ожидае-  
мым [3107.0]

**совпадающий:** Совпадающий с [С876.0]

**совпадение:** [С877.0]; Проверить совпадение  
номера ... с [П2661.0]; Частичное совпаде-  
ние диапазонов для [411.0]; Являться про-  
стым совпадением [Я28.0]

**современный:** Более современный [Б182.0];  
В  
свете современной теории [В490.0]; В свете  
современных представлений о [В491.0];  
Вно-  
сить существенный вклад в современные  
достижения в области [В1215.0]; Вполне  
отвечать современному уровню техники  
[В1487.0]; Не выходить за пределы совре-  
менного уровня техники [Н800.0]; По со-  
временным стандартам [П473.0]; При со-  
временном уровне знаний [П2146.0]; Со-  
временная проверенная техника [С882.0];  
Современные методы [С883.0]; Современ-  
ный уровень техники в области ... основан  
на [С881.0]; Современный уровень техники  
в области [С880.0]; Соответствовать совре-  
менному уровню техники [С1019.0]; Спро-  
ектированные в соответствии с современ-  
ной практикой [С 1262.0]; Учитывая совре-  
менное состояние [У618.0]

**совсем:** А совсем не... [А32.0]; Влияние ... не  
совсем ясно [В1138.0]; Довольно скудные и  
не совсем точны [Д513.0]; Еще не совсем  
понятен [Е217.0]; Мало влиять или совсем  
не влиять на [М21.0]; Мы совсем не хотим  
этим сказать, что [М436.0]; Не совсем нео-  
жиданный [Н1079.0]; Не совсем понятно  
[Н1080.0]; Не совсем понятным образом  
[Н1081.0]; Не совсем правильно [Н1082.0];  
Не совсем пригоден для [Н1028.0]; Не со-  
всем точны [Н 1083.0]; Не совсем  
успешный  
[Н1084.0]; Не совсем ясна [Н1085.0]; Не  
совсем ясно, каким образом [Н1086.0]; Но  
это совсем не означает, что [Н1823.0];  
Обычно совсем необязательно [0413.0]; Од-  
нако это совсем не означает, что [0578.0];  
Одно, а ... - совсем другое [0498.0]; Отли-  
чаться совсем ненамного [01398.0]; Почти  
..., но не совсем [П1557.0]; Причина не  
совсем ясна [П2582.0]; Совпадать не совсем  
[С872.0]; Совсем другое дело [С885.0]; Со-  
всем иначе, чем [С887.0]; Совсем не  
очевид-  
но [С893.0]; Совсем не так прост [С895.0];  
Совсем не так [С894.0]; Совсем не такой  
[С896.0, С897.0]; Совсем недавно [С888.0];  
Совсем излишне [С889.0]; Совсем неясно  
[С898.0]; Совсем перестать работать  
[С890.0];  
Совсем прекращаться [С891.0]; Содержат  
очень мало или совсем не содержат  
[С948.0];  
Что совсем неплохо, если учесть [4165.0]

**согласен:** В значительной степени согласен  
[В656.0]; Все согласны, что [В1018.0]; Мы  
не  
согласны с тем, что [М424.0]; Мы не  
соглас-  
ны с этим [М425.0]; Мы полностью  
соглас-  
ны с тем, что [М431.0]; Полностью  
согласен  
с [П1065.0]

**согласие:** В полном согласии с [В589.0];  
Всеоб-  
щее согласие относительно [В1580.0]; Да-  
вать свое согласие [Д64.0]; Испрашивать  
согласие [И746.0]; Находиться в согласии  
с  
[Н648.0]; Не давать согласия [Н823.0];  
Нуж-

но получить согласие [Н1905.0]; Подтверждать согласие на [П856.0]; Получать согласие [П1179.0]; При взаимном согласии сторон [П2058.0]; При сравнении было получено хорошее согласие [П2135.0]; Работать в полном согласии [Р46.0]; С письменного согласия [С50.0]; Согласие на [С902.0], Согласие между [С900.0]; Согласие результатов [С903.0]; Согласие с ... удивительно хорошее [С904.0]; Существует качественное согласие [С1570.0]; Хорошее согласие [Х37.0]

**согласно:** Выполненный согласно [В1915.0], Выполнить регулировку... согласно [В1908.0], Изделие подвергнуто консервации на ... согласно требованиям, предусмотренным инструкцией по эксплуатации [И215.0]; Изделие упаковано на ... согласно требованиям, предусмотренным инструкцией по эксплуатации [И218.0]; Испытан согласно принятой методике [И772.0]; Количество изделий согласно спецификации [К257.0]; Пригоден для использования согласно условиям [П2281.0]; Провода укладываются и заделываются согласно техническим требованиям [П2669.0]; Согласно Вашей просьбе [С906.0]; Согласно инструкции изготовителя [С908.0]; Согласно инструкции [С907.0]; Согласно опубликованным данным [С909.0]; Согласно прилагаемой спецификации [С910.0]; Согласно эмпирической формуле [С912.0]

**согласован:** Если это не согласовано иначе [Е167.0]; Рассмотрен и согласован [Р493.0]; Согласовано [С917.0]

**согласование:** Без согласования с [Б54.0]; Документы, связанные с согласованием [Д557.0], По согласованию с [П474.0]

**согласованно:** Работать в высшей степени согласованно [Р43.0]

**согласованный:** [С918.0]

**согласовывать:** Согласовывать в письменной форме [С914.0]; Согласовывать противоречивые требования [С915.0]; Согласовывать с [С916.0]

**согласовываться:** В целом согласуется [В262.0]; Довольно хорошо согласуются с [Д518.0]; Лучше согласовываться [Л109.0]; Не согласовываться с [Н1087.0]; Очень хорошо согласовываться с [О1678.0]; Плохо согласовываться с [П315.0]; По-видимому, согласуется с [П337.0]; Полностью согласовываться с [П1066.0]; Почти идеально согласуется [П1550.0]; Расчет согласуется с экспериментом [Р555.0]; Согласовываться как качественно, так и количественно [С925.0]; Согласовываться по ... с [С919.0]; Согласовываться с приемлемой точностью [С924.0]; Согласовываться с теорией [С921.0]; Согласовываться с точностью до десятичного

знака [С923.0]; Согласуются с представлениями о том, что [С926.0]; Согласуются хуже [С927.0]; Удовлетворительно согласовываться с [У161.0]; Хорошо согласовываться с [Х76.0]; Хорошо согласуются с ожидаемыми [Х77.0]; Что согласуется с [4166.0]; Экспериментальные результаты хорошо согласуются с теорией [Э43.0]; Это объяснение согласовывалось с [Э168.0]

**соглашаться:** Безоговорочно соглашаться с [Б71.0]; Вынуждать согласиться [В1858.0]; Не соглашаться с [Н1088.0]; Основание не соглашаться [0964.0]; Прежде чем согласиться с этим [П1961.0]; Согласились, в частности, что [С932.0]; Соглашаться заниматься [С929.0]; Соглашаться на некоторые ... в обмен на возможность [С930.0]; Соглашаться со многим из того, что [С931.0]; Трудно согласиться с [Т484.0]

**соглашение:** Заключать лицензионное соглашение о [3241.0]; Приходить к соглашению с [П2555.0]

**содействие:** [С933.0]; Оказывать техническое содействие [0653.0]; При содействии [П2129.0]

**содействовать:** Во многом содействовать [В206.0]

**содержание:** Анализировать на содержание [А120.0]; Иметь содержание [И452.0]; Иметь высокое содержание [И371.0]; Имеющий содержание [И515.0]; Краткое изложение содержания [К454.0]; При меньшем содержании [П2088.0]; Процентное содержание [П3023.0]; Прояснять содержание [П3056.0]; Содержание ... в топливе [С935.0]; Содержание проведенных работ [С936.0]; Толкование содержания [Т297.0]

**содержательный:** [Б150.0]

**содержать:** Измеряемый сигнал содержал шумы [И307.0]; Не содержать [Н1089.0]; Нормы должны содержать больше рекомендаций по [Н1864.0]; Содержат очень мало или совсем не содержат [С948.0]; Содержать в хорошо состоянии [С940.0]; Содержать информацию [С942.0]; Содержать большую погрешность [С939.0]; Содержать в чистоте [С941.0]; Содержать количество продукта, достаточное для работы в течение [С944.0]; Содержать много полезной технической информации [С943.0]; Содержать ошибку, равную [С945.0]; Содержать счета в порядке [С946.0]

**содержаться:** Вся информация содержится в [В959.0]; Информация содержится в [И633.0]; Рекомендации по ... содержатся в [Р674.0]; Содержаться в незначительном количестве [С950.0]; Содержится много [С951.0]

**содержащий:** Содержащий ... и более [С954.0]

**содержащийся:** Количество содержащееся в [К263.0]; Относящиеся к делу рекоменда-

ции, содержащиеся в [01459.0]; Содержащиеся в нем предложения [С956.0]; Содержащийся в [С955.0]

**содержимое:** [С937.0]

**соединение:** Плохой контакт или неправильное соединение кабелей [П311.0]; Последовательное соединение [П1409.0]; Резьбовое соединение ставить на сурике [Р662.0]; Связан в виде химического соединения [С356.0]; Соединён с массой [С967.0]; Соединение на корпус [С958.0]

**соединенный:** Соединенный болтами с [С969.0]; Соединенный параллельно [С970.0]; Соединенный последовательно с [С972.0]

**соединять:** Кривые плавно соединяют точки [К482.0]; Минусовая клемма соединена с массой [М 182.0]; Соединять болтами [С960.0]; Соединять перемычками [С961.0]; Соединять с [С962.0]; Соединяя точки, получаем [С963.0]

**соединяться:** Соединяться непосредственно с [С965.0]; Соединяться с корпусом [С966.0]

**сожаление:** К нашему сожалению (К17.0); К сожалению, малочисленны [К16.0]; Но к сожалению, четкость этого объяснения нарушается тем, что [Н1796.0]; Приходится с сожалением констатировать, что [П2559.0]; Это вызывает сожаление [Э125.0]; Это обстоятельство вызывает сожаление [Э 157.0]; Этот факт вызывает сожаление [Э108.0]

**сожалеть:** Об этом можно только сожалеть, поскольку [020.0]

**создаваемый:** [С981.0]; Опасность, создаваемая [0748.0]

**создавать:** Иногда создают трудности [И565.0]; Наибольшие помехи в работе аппаратуры создавал [Н351.0]; Создавать воздействие [С974.0]; Создавать неудобства [С975.0]; Создавать основу для [С976.0]; Создавать прецедент [С977.0]; Создавать трудности [С978.0]; Создавать у ... впечатление, что [С979.0]; Создавать условия для [С980.0]

**создавшийся:** При создавшемся положении [П2130.0]

**создание:** Важный шаг на пути создания [В782.0]; Затрачиваться на создание [3492.0]; Предпосылки к созданию изобретения [П1805.0]; Результатом было создание [Р643.0]

**сознательно:** Выбирать сознательно [В1701.0]

**соизмеримый:** Быть соизмеримым с [Б337.0]

**сокращать:** Сокращать административный персонал [С983.0]; Сокращать до минимума [С984.0]

**сокращаться:** Резко сокращаться [Р634.0]

**сокращение:** В виде сокращения [В19.0]; Постепенное сокращение [П1467.0]; Служить сокращением для [С701.0]; Сокращение для [С985.0]

**сокращенно:** Сокращенно от [С987.0]

**сокращенный:** Сокращенный вариант [С986.0]

**солнечный:** Хранить вдали от источников тепла и предохранять от огня и прямого воздействия солнечных лучей [Х121.0]

**сомневаться:** Мало кто сомневается в том, что [М28.0]; Основание сомневаться в [0965.0]; Сомневаться в том, что [С989.0]

**сомнение:** Без сомнения [Б55.0]; Больше не вызывает сомнения [Б213.0]; Вне всякого сомнения [В 1173.0]; Возникли сомнения от-носительно [В1350.0]; Вызывать сомнение [В1823.0]; Вызывать сомнения в справедливости теории [В 1824.0]; Вызывать сомнения относительно того, что [В1826.0]; Есть не вызывающие сомнений доказательства в пользу [Е 188.0]; Можно подвергнуть сомнению [М345.0]; Не оставляет у нас никакого сомнения в том, что если [Н964.0]; Некоторое сомнение относительно того, будет ли [Н1297.0]; Нет сомнения в том, что [Н1652.0]; Нет почти никакого сомнения в том, что [Н1653.0]; Подвергаться сомнению [П667.0]; Поставить под сомнение [П1444.0]; Почти не было никакого сомнения относительно [П1564.0]; Почти не оставлять сомнения [П1567.0]; Сомнения, высказанные [С990.0]; Ставить под сомнение справедливость [С1362.0]

**сомнительно:** [С993.0]

**сомнительный:** [С991.0]; Обоснованность та-кого представления данных весьма сомнительна [0167.0]; Представляется сомнительным [П1897.0]; Считать сомнительным [С1616.0]; Целесообразность его сомнительна [Ц6.0]

**соображение:** Аналогичные соображения дол-жны быть справедливы и в отношении [А133.0]; Было бы интересно получить ваши соображения по этому вопросу [Б378.0]; В зависимости от соображений экономического характера [В115.0]; В соответствии с соображениями [В597.0]; Вышеприведенные соображения [В2075.0]; Если на время оставить в стороне другие соображения [Е57.0]; Из соображений [И131.0, И132.0]; Исходя из соображений [И821.0]; Конструктивные соображения [К339.0]; Не столько по соображениям ..., сколько из-за [Н1096.0]; Не только по соображениям .... но и [Н1120.0]; Немаловажное соображение в пользу ... - это [Н1335.0]; Основное соображение в пользу [0997.0]; По конструктивным соображениям [П383.0, П479.0]; По соображениям безопасности [П476.0]; По соображениям сборки [П477.0]; По соображениям симметрии [П478.0]; По стоимостным соображениям [П480.0]; По экономическим соображениям [П481.0]; Поделить некоторые соображения (П723.0); Практические соображения [П1680.0]; Приведенные



соображения справедливы лишь [П2255.0]; Руководствоваться соображениями [Р775.0]

**сообща:** Работать сообща с [Р78.0]; Сообща способствуют [С994.0]

**сообщать:** В связи с Вашей просьбой сообщаем, что [В496.0]; Как сообщают [К118.0]; Незамедлительно сообщать о [Н1248.0]; О любых повреждениях немедленно сообщите [09.0]; Сообщать в другой статье [С996.0]; Сообщать дату [С997.0]; Сообщать о [С998.0]; Сообщать результаты [С999.0]; Сообщите, пожалуйста, об этом [С1001.0]; Сообщите, что Вы думаете по этому поводу [С 1002.0]

**сообщаться:** Во всех работах сообщается о [В434.0]; Об изменениях не сообщается [018.0]; Сообщается, что [С1007.0]; Сообщаться с атмосферой [С1005.0]; Цена сообщается по получении заявки [Ц32.0]

**сообщающийся:** Сообщающийся с атмосферой [С 1006.0]

**сообщение:** [С 1008.0]; В литературе отсутствуют сообщения о [В 172.0]; Вспомогательные материалы для сообщения [В1605.0]; Из ... поступают сообщения [И130.0]; По сообщениям [П482.0]; Противоречивые сообщения [П2980.0]; Согласно опубликованным сообщениям [С909.0]

**соосно:** Устанавливается соосно [У472.0]; Установить соосно [У486.0]

**соосность:** Отклонение от соосности поверхностей А, В, С не более 0,02 мм [01333.0]; Отклонение от соосности поверхностей относительно отверстия Ж20 мм не более указанного [01334.0]; Следите за соосностью штифта и его отверстия [С583.0]

**соосный:** Соосный с [С1009.0]

**соответственно:** Были равны соответственно [Б334.0]; Соответственно на [С1030.0]; Характеризовать соответственно [Х8.0]

**соответствие:** Аттестован в соответствии с требованиями ... для Класа [А170.0]; В полном соответствии с [В603.0]; В соответствии с другим вариантом [В592.0]; В соответствии с имеющимся на сегодня проектом [В593.0]; В соответствии с которым [В594.0]; В соответствии с рекомендациями изготовителя [В595.0]; В соответствии с соображениями [В597.0]; В соответствии с техническими условиями [В598.0]; В соответствии с установившейся практикой [В599.0]; В соответствии с хорошо зарекомендовавшей себя практикой [В600.0]; В соответствии с этим методом [В602.0]; В соответствии со следующим графиком [В596.0]; Выполнять строго в соответствии с (В1896.0); Изготовлен в соответствии с ТУ, проверен и признан годным к эксплуатации [И204.0]; Изготовленный в соответствии с [И200.0]; Модель, в соответствии с которой [М236.0]; Монтаж, отладку и опро-

бование производить в строгом соответствии с рекомендациями, изложенными в инструкции по эксплуатации [М249.0]; Находиться в соответствии с [Н649.0]; Оборудованный в соответствии с требованиями заказчика [0161.0]; Однозначное соответствие [0587.0]; Определяемый в соответствии с [0850.0]; Основан на теории, в соответствии с которой [01026.0]; Отрегулировать в соответствии с ТУ [01510.0]; Отсутствующие размеры определять в соответствии с размерами сопрягаемых деталей [01563.0]; Полное соответствие между [П1088.0]; При условии выполнения пункта ... и в соответствии с ним (П2148.0); Приводить в соответствии с [П2216.0]; Проверить соответствие плавких предохранителей номинальным значением [П2662.0]; Проверять на соответствие [П2640.0]; Программа выполняется в соответствии с графиком [П2704.0]; Сертификат соответствия [С434.0]; Соответствие между ... и [С1010.0]; Соответствие настоящему стандарту не исключает [С1011.0]; Спроектированные в соответствии с современной практикой [С1262.0]; Строго в соответствии с [С1499.0]; Требование, в соответствии с которым [Т418.0]; Упорядоченная картина, в соответствии с которой [У327.0]; Устанавливать нагрузку в соответствии с потребностью [У454.0]

**соответствовать:** В общем соответствуют [В263.0]; Номера деталей соответствуют спецификации сборочного чертежа [Н1845.0]; Положение рукоятки соответствует ручному режиму работы [П1100.0]; Соответствовать действительности [С1013.0]; Соответствовать нескольким [С1014.0]; Соответствовать по качеству [С1015.0]; Соответствовать по типу и размерам [С1016.0]; Соответствовать положениям пункта [С1017.0]; Соответствовать пунктам... или в зависимости от того, какой из них подходит [С1018.0]; Соответствовать современному уровню техники [С1019.0]; Соответствовать техническим условиям [С1020.0]; Соответствовать тому, что [С1021.0]; Соответствовать требованиям [С1022.0]; Соответствовать установившейся практике [С 1023.0]; Точно соответствовать [Т402.0]; Условия хранения должны соответствовать требованиям, изложенным в описании и инструкции по эксплуатации изделия [У403.0]; Что вполне соответствует действительности [4130.0]

**соответствующий:** Брать значение, соответствующее ... [Б266.0]; В диапазоне..., соответствующем более, чем семикратному изменению [В99.0]; Включение соответствующих пунктов [В1120.0]; Если не принять

соответствующих мер по борьбе с [E143.0]; Подробный обзор соответствующей литературы [П813.0]; При соответствующем уведомлении [П2132.0]; При соответствующих мерах предосторожности [П2133.0]; Принимать соответствующие меры предосторожности [П2420.0], Принимаются соответствующие меры [П2423.0]; Соответствующий этому условно [C1025.0]; Соответствующим образом измененный с тем, чтобы учесть [C1027.0]; Соответствующим образом определенный (C1028.0); Учитывать введением соответствующей поправки в величину [У610.0]

**соотнесенный:** Соотнесенный с [C1031.0]

**соотношение:** В любом соотношении [B604.0];

Вероятностные соотношения [B912.0]; Вывод эмпирических соотношений [B1730.0]; Выводить соотношение [B 1746.0]; Детерминистские соотношения [Д271.0]; Исходя из геометрических соотношений для [И817.0]; По одному из соотношений для [П422.0]; Подчиняться соотношению [П891.0]; Полуэмпирическое соотношение [П1211.0]; Связан простым соотношением с [C360.0]; Связаны соотношением [C368.0]; Связываться соотношением [C348.0]; Соотношение между ... записывается обычно в виде [C1034.0]; Справедливо следующее соотношение [C 1250.0]

**сопоставим:** Сопоставимо по важности с [C1038.0]; Эти значения сопоставимы с [Э212.0]

**сопоставление:** [C1035.0]; В сопоставлении с [B605.0]; Непосредственное сопоставление [Н1491.0]; Обеспечивать сопоставление результатов [051.0]; Подлежащий сопоставлению с [П744.0]; С целью сопоставления результатов [C 178.0]

**сопоставлять:** [C 1036.0]; Может быть сопоставлено с [М315.0]

**сопредседатель:** Сопредседатели [C1039.0]

**соприкасаться:** Соприкоснуться с [C 1040.0];

Соприкоснуться со средой [C1041.0]

**соприкасающийся:** Соприкасающийся с продуктом детали изготовлены из [C1042.0]

**соприкосновение:** Вступать в соприкосновение [B1646.0]; Приводить в соприкосновение с [П2217.0]; Приходить в соприкосновение с [П2547.0]

**сопроводительный:** Входящий номер сопроводительного документа и дата [B 1683.0];

Сопроводительная документация [C 1043.0]

**сопровождаться:** Сопровождается трудностями [C1057.0]; Сопровождаться потерями [C1045.0]

**сопротивление:** Оказывать сопротивление движению [0652.0]; Подсоединять к сопротивлению [П824.0]; Сопротивление между [C1048.0]; Сопротивление, оказываемое

[C 1049.0]; Сопротивления, обозначенные Р, переменные для регулировки на месте [C1050.0]

**сопротивляемость:** В порядке убывающей сопротивляемости износу [B369.0]

**сопротивляться:** Плохо сопротивляться [П316.0]; Сопротивляться воздействию [C1052.0]; Сопротивляться износу [C1053.0];

**сопрягаемый:** Отсутствующие размеры определять в соответствии с размерами сопрягаемых деталей [01563.0]; Сопрягаемый с [C1055.0]

**сопрягаться:** Сопрягаться с [C1054.0]

**сопряжение:** [C1056.0]

**сопряженный:** Остальные размеры по сопряженной детали [01146.0]

**сопряжено:** Поскольку точное определение было сопряжено с некоторыми трудностями [П1352.0]; Решение было сопряжено с основными трудностями [P734.0]; Сопряжено с меньшими трудностями [C1058.0]

**сопутствовать:** [C1059.0]

**сопутствующий:** [C1060.0]; С сопутствующим [C101.0];

**сорванный:** Сорванная резьба [C1061.0]

**сорт:** Название сорта [H290.0]; Сорт материала [C1062.0]

**сортамент:** [C1063.0]

**соседний:** [C1064.0]

**соседство:** По соседству с [П483.0]

**сосредотачивать:** В настоящем исследовании внимание сосредоточено на [B134.0]; Внимание будет сосредоточено на [B 1203.0]; Основное внимание при измерениях было сосредоточено на [0984.0]; Сосредотачивать внимание на [C 1065.0]; Сосредотачивают все внимание на [C1066.0]; Усилия будут сосредоточены на [У378.0]

**сосредотачиваться:** Сосредотачиваться в [C1067.0]; Сосредотачиваться на [C1068.0]

**сосредоточенный:** Сосредоточенный вблизи [C 1069.0]

**состав:** Входить в состав [B1675.0]; Состав не регламентирован [C1071.0]; Точный состав [Т381.0]; Химический состав [Х22.0]

**составление:** Руководство полезное при составлении программы [P773.0]; Составление баланса для [C1072.0]

**составленный:** Правильно составленные документы [П1623.0]

**составлять:** Длительность которого составляла [Д312.0]; Для ... не составит большого труда [Д361.0]; Исключение составляли пожалуй [И672.0]; Исключение составляют [И671.0]; Минимальный ... должен составлять [М176.0]; Можно ожидать, что к ... это число составит [М342.0]; Проектная производительность цеха составляет [Н1851.0]; Проигрыш в величине ... составляет [П2780.0]; Разброс экспериментальных то-

чек относительно среднего значения составляет [P 17 4.0]; Расхождения составляют максимум [P543.0]; Составлен в письменной форме и подписан [C1101.0]; Составляется по оценке [C1100.0]; Составлять ... % от [C1093.0]; Составлять большинство [C1074.0];

Составлять в среднем [C1075.0]; Составлять всего несколько [C1076.0]; Составлять единое целое с [C1083.0]; Составлять заметную долю [C1078.0]; Составлять значительную долю [C1079.0]; Составлять из [C1099.0]; Составлять конкуренцию [C 1084.0]; Составлять максимум [C1085.0]; Составлять небольшую долю [C1080.0]; Составлять от ... до [C 1086.0]; Составлять ответы на запросы [C1087.0]; Составлять план [C1088.0]; Составлять по новому формулу изобретения [C1090.0]; Составлять половину [C1089.0]; Составлять предмет настоящей статьи [C1091.0]; Составлять представление о [C1092.0]; Составлять собственность (C1094.0); Составлять схему [C1095.0]; Составлять только небольшую долю [C 1082.0];

Составлять только некоторую часть от [C1098.0]; Составлять угол с [C1096.0]; Составлять часть [C1097.0]; Срок хранения агрегата в упаковке поставщика составляет ... лет [C1335.0]; То есть уменьшение составило [T294.0]; Численность работающих на заводе составляет ... человек [491.0]

**составляющий:** Разлагать на составляющие [P215.0]; Разложение на составляющие дает [P249.0]; Раскладывать на составляющие [P353.0]; Составляющий единое целое (C 1102.0); Существенная составляющая суммарных [C1556.0]

**составной:** Дата и время отказа изделия или его составной части [Д123.0]; Иметь составную конструкцию [И405.0]; Перечень изделий или их составных частей для периодической проверки органами надзора [П209.0]; Ремонт деталей и неразъемных составных частей [P693.0]; Составная часть [C1105.0]

**состояние:** Быть в состоянии [B301.0]; Быть не в состоянии [B312.0]; В грузе в состоянии [B616.0]; В исправном состоянии [B617.0]; В исходном состоянии [B618.0]; В первосортном состоянии (B619.0); В порожнем состоянии [B620.0]; В состоянии готовности [B607.0]; В состоянии обеспечить потребности [B608.0]; В состоянии покоя [B609.0]; В состоянии после прокатки [B610.0]; В состоянии поставки [B611.0]; В состоянии сделать больше [B612.0]; В состоянии удовлетворить всем техническим условиям [B615.0]; В состоянии, требующем ремонта [B613.0]; В удовлетворительном состоянии, не требующем ремонта [B621.0]; В хорошем рабочем состоянии [B622.0]; Вернуться к исходному состоянию [B902.0];

Весить в сухом состоянии [B927.0]; Для достижения этого состояния [Д340.0]; Доводить до состояния [Д492.0]; Должен быть в состоянии [Д572.0]; Достигать установившегося состояния [Д716.0]; Достижение равновесного состояния [Д730.0]; Замечания о техническом состоянии [3304.0]; Засвидетельствованное состояние [3438.0]; Исправное состояние [И745.0]; Как важно быть в состоянии [K57.0]; Который бы выразил желание и был в состоянии [K409.0]; Находиться в очень хорошем состоянии [H653.0]; Находиться в рабочем состоянии [H651.0];

Находиться в состоянии упадка [H650.0]; Находящийся в нерабочем состоянии [H654.0]; Не в состоянии объяснить [H790.0]; Неудовлетворительное состояние промышленности [H 1673.0]; Общее состояние дел в области [0340.0]; Оказывать в состоянии [0659.0]; Основные проверки технического состояния изделия [01009.0]; Перечень основных проверок технического состояния изделия [П218.0]; Поддерживать в отличном состоянии [П709.0]; Поддерживать в хорошем состоянии [П710.0]; Полировать до зеркального состояния [П1027.0]; Приводить в рабочее состояние [П2219.0]; Приходить в нерабочее состояние (П2549.0); Приходить в состояние устойчивого равновесия [П2548.0]; Проверка технического состояния [П2629.0]; Проверять состояние [П2652.0]; Работа находится сейчас в таком состоянии, когда [P26.0]; Равновесное состояние [P111.0]; Содержать ... в хорошо смазанном состоянии [C940.0]; Состояние дел на каждом этапе [C1108.0]; Состояние дел, относящихся к [C1109.0]; Состояние износа [C1110.0]; Состояние покоя [C1111.0]; Состояние равновесия [СИ 12.0]; Текущее состояние [Т130.0]; Теперь мы в состоянии [Т175.0]; Техническое состояние [Т238.0, Т239.0]; Удовлетворительное состояние [У 164.0]; Установившееся состояние достигается сверху [У498.0]; Установление равновесного состояния [У507.0]; Устойчивое равновесное состояние [У514.0]; Учитывая современное состояние [У618.0]; Хорошее рабочее состояние [Х36.0]

**состоять:** Важность этих результатов состоит в [В777.0]; Влияние ... состоит в [В1142.0];

Выход в таком случае состоит в [В2028.0]; Другой возможный путь состоит в [Д752.0]; Единственная проблема состояла в [Е17.0]; Единственное различие состоит в том, что [Е19.0]; Задача состоит в обеспечении возможности [3173.0]; Заслуга автора состоит в [3440.0]; Идея состояла в том, чтобы [И104.0]; Каждый из них состоит в основном из [K37.0]; Назначение состоит в [H298.0]; Непосредственное следствие из

этого вывода состоит в том, что [Н1489.0]; Но главное состоит в том, что [Н1784.0]; Один из способов показать это состоит в том, чтобы [0522.0]; Одна из возможных причин состоит в том, что [0528.0]; Одно из следствий этого состоит в том, что [0537.0]; Основное допущение состояло в том, что [0990.0]; Первый этап состоит в [П153.0]; Подход состоит в проведении [П873.0]; Преимущество использования состоит в том, что [П1975.0]; Причина этого состоит в следующем [П2586.0]; Различие между ... и ... состоит в [P230.0]; Различие состоит не только в [P233.0]; Различие состояло в [P234.0]; Состоять из основных частей [СИ 16.0]; Состоять из нескольких этапов [СИ 15.0]; Состоять по объему на ... из [СИ 17.0]; Статья состоит из ... разделов [С 1438.0]; Существо метода состоит в [С1553.0]; Тенденция состоит в том, что [Т152.0]; Третий возможный путь состоит в [Т464.0]; Трудность состоит в том, что нужно [Т493.0]; Цель настоящей статьи состоит в том, чтобы [Ц21.0]; Цель поэтому состоит в обеспечении [Ц24.0]; Цель состояла не в том, чтобы ..., а [Ц23.0]

**состояться:** Состоялась пресс-конференция [С1120.0]

**состоящий:** Дополнительное преимущество, состоящее в том, что [Д639.0]; Обладать достоинством, состоящим в том, что [076.0]; Состоящий из частей [С1119.0]

**сотрудник:** С сотрудниками [С 102.0); Сотрудник администрации [С1121.0]

**сотрудничать:** Тесно сотрудничать с [Т209.0]

**сотрудничество:** Без вашей поддержки и сотрудничества наш успех невозможен [Б13.0]; Более тесное сотрудничество [Б183.0]; В сотрудничестве с [В623.0]; В тесном сотрудничестве [В624.0]; Сотрудничество между [С1122.0]; Тесное сотрудничество [Т208.0]

**сохранен:** Не обязательно должны быть сохранены [Н948.0]

**сохранение:** Закон сохранения [3252.0]; При условии сохранения [П2154.0]; Сохранение актуальности [С1124.0]; Сохранение энергии [С1125.0]

**сохранив:** Разлагать в ряд, сохранив [P213.0]

**сохранность:** Длительная сохранность при хранении [Д301.0]

**сохранять:** Если мы хотим сохранить свою репутацию [Е135.0]; Сохранять еще много лет [С1128.0]; Сохранять без изменений [С1127.0]; Сохранять за собой право [С1129.0]; Сохранять значение [С 1130.0); Сохранять лидерство [С1131.0); Сохранять настройку [С1132.0); Сохранять неизменный характер [С1133.0); Сохранять подобие [С1134.0); Сохранять преимущества [С 1135.0); Сохранять работоспособность [С1136.0); Сохранять рав-

новесие между [С1138.0); Сохранять равновесие [С1137.0); Сохранять силу [С1139.0); Сохранять файл [С1140.0); Сохранять физический смысл [С1141.0)

**сохраняться:** А пока существующее положение сохраняется [А35.0]; Все еще сохраняется [В976.0]; Если неисправность сохраняется [Е59.0]; Картина в общих чертах сохраняется [К186.0]; Сохраняться в течение только [С1143.0); Сохраняться длительное время [С1144.0); Сохраняться до конца [С1145.0); Сохраняться до наших дней [С1146.0); Сохраняться на протяжении всего [С1147.0); Сохраняться на уровне [С 1148.0); Ценность которых сохраняется и поныне [Ц43.0]

**сочетание:** В сочетании с [В625.0); Сочетание ... и [С1149.0); Число возможных сочетаний бесконечно [498.0); Число сочетаний из ... по [4102.0]

**сочетаться:** Хорошо сочетаться [Х78.0]

**сочленение:** Альбом основных сочленений и ремонтных допусков изделия [А105.0]

**спад:** Спад деловой активности [С1150.0]

**спаренный:** [С386.0]

**спасать:** Спасать положение [С1151.0]

**спектр:** Оказываться полезным не только как простой анализатор спектра [0681.0]

**спереди:** [С1152.0); Вид спереди [В1079.0); Если смотреть на ... спереди [Е87.0); Сзади и спереди [С453.0);

**специализация:** Пооперационная специализация ремонта [П1279.0); Поузловая специализация ремонта [П1534.0)

**специализированный:** Специализированная компания [С1155.0); Специализированное применение [С 1156.0)

**специализироваться:** Специализироваться в разработке [С 1153.0)

**специализирующий:** Специализирующийся в [С1157.0)

**специалист:** Большинство специалистов считает, что [Б223.0); Компетентный специалист [К282.0); Предмет спора между специалистами в области [П1747.0); Признанный специалист [П2319.0); Специалист в данной области техники [С 1159.0); Специалисты в области [С1160.0); Специалисты по [С1161.0); Специалисты, работающие в этой области [С 1162.0); Специалисты, разбирающиеся [С1163.0)

**специально:** Изготовленный специально для [И203.0); Предназначаться специально для использования при [П1750.0); Применяемый специально для [П2376.0); Разрабатывать специально для [P301.0); Специально отведенные места [С 1169.0); Специально спроектированный [С1170.0); Специально уведомляются о том, что [С 1171.0); Специально установленный в [С1172.0)

**специальность:** Оканчивать по специальности [0693.0]; По своей специальности [П1470.0]; Представители других специальностей [П1830.0]; Представители самых разных специальностей [П 1831.0]

**специальный:** Для ... разработали специальный метод [Д388.0]; Доклад по специальному приглашению [Д548.0]; Подвергаться специальной обработке [П663.0]; Поставляться по специальному заказу [П1456.0]; Принимать специальные меры [П2421.0]; Проходить специальный инструктаж [П3011.0]; Специальная подготовка в области [С 1165.0]; Специальное обучение [С 1166.0]; Специальные меры по защите от [С1167.0]; Спроектированный по специальному заказу [С1261.0]; Техническое освидетельствование изделия специальными контрольными органами [Т232.0]; Только в случае, когда предпринимались специальные меры по [Т305.0]; Требовать специальных знаний [Т445.0]

**специфика:** Специфика их в [С1173.0]

**спецификация:** Количество изделий согласно спецификации [К257.0]; Комплектовочная спецификация [К299.0]; Номера деталей соответствуют спецификации сборочного чертежа [Н1845.0]; Отгрузочная спецификация [01270.0]; Согласно прилагаемой спецификации [С910.0]; Спецификация деталей и узлов [С1176.0]; Спецификация деталей [С 1175.0]; Спецификация на материалы [С1177.0]; Спецификация оборудования [С1178.0]; Спецификация сборочной единицы [179.0]

**специфический:** Специфическая структура [С1183.0]; Специфический для каждого [С1182.0]; Специфическим для данной ... образом [С 1181.0]

**спешить:** Не следует спешить с [Н1074.0]

**спешка:** В спешке [В626.0]

**списание:** [С1185.0]

**список:** Вносить в окончательный список [В1212.0]; Занимать одно из последних мест в списке [3334.0]; Занимать последнее место в списке [3336.0]; Пример списка литературы [П2380.0]; Список литературы [С 1187.0]; Список новейшей литературы [С 1188.0]; Список сборочных материалов [С1189.0]; Числа в квадратных скобках обозначают номера в списке работ, приведенном в конце статьи [4104.0]

**списываться:** [С1190.0]

**спланированный:** Спланированный эксперимент [С 1191.0]

**сплошной:** При сплошном тексте [П2134.0];

Сплошная кривая [С 1193.0]

**спонсор:** Выступать спонсором [В2002.0]

**спор:** Идут большие споры [И115.0]; Непрерывающиеся споры о [Н1519.0]; Предмет

спора между специалистами в области [П1747.0]; Предмет спора [П1746.0]; Разрешать спор [Р316.0]; Спор о ... продолжается и поныне [С1195.0]; Споры на эту тему [С1196.0]; Споры относительно ... все еще продолжаются [С1197.0]

**спорить:** [С1202.0]; Много спорить [М199.0];

**спорный:** В лучшем случае спорный, в худшем [В537.0]; Остается спорным [01125.0]; Самый спорный [С222.0]; Спорное дело [С1201.0]; Спорный вопрос [С1199.0]; Спорный термин [С 1200.0]; Являться спорным [Я32.0]

**способ:** Вышеописанным способом [В2070.0]; Единственно возможный способ [Е22.0]; Значительно более эффективный способ [3616.0]; Лишь один из способов [Л85.0]; Надежный способ [Н268.0]; Наилучший способ надежного обеспечения [Н354.0]; Находить способ [Н609.0]; Неисправность, причина неисправности, способ устранения [Н1280.0]; Новое применение известного способа [Н1833.0]; Обычный способ заключается в [0390.0]; Обычный способ [0389.0]; Обычным способом [0392.0]; Один из возможных способов [0507.0]; Один из способов показать это состоит в том, чтобы [0522.0]; Один из способов, с помощью которого можно было бы [0523.0]; Пока еще неизвестным способом [П955.0]; Полученный этим способом [П1194.0]; При таком способе представления результатов [П2137.0]; Способ внесения изменений [С1204.0]; Способ, имеющий очень большие преимущества по сравнению с [С1209.0]; Способ нанесения смазочных материалов [С1205.0]; Способ оценки [С1206.0]; Способ, позволяющий предупредить появление [С1210.0]; Способ устранения неисправности [С 1208.0]; Оптимальный способ [0865.0]; Таким же способом можно [Т106.0]; Таким способом [Т105.0]; Удобный способ [У150.0]; Хорошо зарекомендовавший себя способ [Х49.0]; Это можно сделать несколькими способами [Э 131.0]; Эффективность способа монтажа [Э230.0]; Эффективный способ [Э232.0]

**способен:** Вполне способен [В 1494.0]; Должен быть способен выдерживать [Д572.0]

**способность:** За пределами разрешающей способности [346.0]; Имеющий шкалу с разрешающей способностью [И519.0]; Несущая способность конструкции [Н1645.0]; Обладать способностью [089.0]; От перегородок требуется способность [01199.0]; Позволяет использовать способность [П912.0]; Потеря способности [П11513.0]; Приобретать способность [П2492.0]; Пропускная способность [П2890.0]; Разрешающая способность [Р329.0]; С разрешающей способностью

[С85.0]; Способность к [С1212.0, С1213.0]; Способность направлять [С 1214.0]; Способность понижать [С1215.0]; Способность работать в неблагоприятных условиях [С1216.0]; Терять способность различать [Т201.0]; Уникальная способность [У299.0]

**способный:** Способный выдерживать [С1219.0];

Способный работать с [С1220.0]; Способный удовлетворить это требование [С1221.0]

**способствовать:** Сообща способствуют [С994.0]; Способствовать работе [С1232.0]; Способствовать в двух направлениях [С1223.0]; Способствовать в некоторой степени [С 1224.0]; Способствовать достижению этих целей [С 1226.0]; Способствовать наибольшему [С 1227.0]; Способствовать обеспечению [С1228.0]; Способствовать образованию [С1229.0]; Способствовать повышению интереса к ним [С1230.0]; Способствовать получению [С1231.0]; Способствовать разрушению [С 1233.0]; Способствовать росту [С 1234.0]; Способствовать увеличению [С1235.0]; Способствовать уменьшению [С1236.0]

**способствующий:** Основной фактор, способствующий [0974.0]; Фактор способствующий [Ф14.0]

**справа:** [С1238.0]; Как показано справа [К104.0];

**справедлив:** Аналогичное доказательство справедливо для [А130.0]; Аналогичные соображения должны быть справедливы и в отношении [А133.0]; Аналогия справедлива при условии, что... [А140.0]; В равной степени справедлив для [В673.0]; Если гипотеза о том, что ..., справедлива [Е45.0]; И это только справедливо, что [И81.0]; Многое из сказанного справедливо и для [М208.0]; Обратное утверждение справедливо, когда [0206.0]; Особенно справедливо для [01046.0]; Приведенные соображения справедливы лишь [П2255.0]; Примерно то же самое справедливо для [П2394.0]; Сказанное особенно справедливо для [С511.0]; Сказанное справедливо только в случае, если [С510.0]; Справедливо большинство замечаний, относящихся к [С1247.0]; Справедливо в некоторой степени и для [С 1248.0]; Справедливо следующее неравенство [С1249.0]; Справедливо следующее соотношение [С1250.0]; Справедливо только для [С1251.0]; Строго говоря, справедливы только [С 1503.0]; Такие же доводы справедливы и для [Т87.0]; То же самое справедливо для [Т359.0]; Уравнения справедливы для [У360.0]; Что справедливо для большинства [4167.0]; Это допущение вероятно справедливо [Э189.0]; Это не всегда справедливо для (Э194.0); Это особенно справедливо для случая [Э195.0]; Это положение справедливо [Э196.0]; Это справедливо для всех

[Э190.0]; Это справедливо, если [Э191.0]; Это справедливо и для [Э192.0]

**справедливость:** Вызывать сомнения в справедливости теории [В 1824.0]; Доказывать справедливость [Д541.0]; Подтверждать справедливость [П857.0]; Признавать справедливость [П2315.0]; Проверять справедливость [П2653.0]; Справедливости ради в отношении отметим, что [С1244.0]; Справедливость допущения о [С1240.0]; Справедливость метода [С1241.0]; Справедливость прогнозов [С1242.0]; Справедливость этого доказана [С 1243.0]; Ставить под сомнение справедливость [С 1362.0]

**справедливый:** Оказываться справедливым для [0661.0]; Переставать быть справедливым [П167.0]; Чтобы это приближение было справедливым [4219.0]

**справиться:** Можно справиться [М375.0]; Что-бы успешно справиться с расчетом [4217.0]

**справка:** Давать для справки [Д14.0]; Для справки укажем, что [Д397.0]; Для справок приводится чертеж [Д398.0]

**справляться:** с [С1252.0]; Легче справляться [Л31.0]; Не справляться с [Н1090.0]; Плохо справляться с [П317.0]; Успешно справляться [У437.0]

**справочник:** Значение, взятое из справочника [3596.0]; Справочник по эксплуатации [С 1254.0]

**справочный:** Исходные справочные данные [И835.0]

**спрашиваться:** Если ..., то спрашивается [Е159.0]; Спрашивается, а нельзя ли [С1255.0]

**спроектированный:** Специально спроектированный [С 1170.0]; Спроектированные в соответствии с современной практикой [С1262.0]; Спроектированный по специальному заказу [С1261.0]

**спроектировать:** Плохо спроектирован [П318.0]; Спроектированы в разных конструкторских бюро [С1263.0]; Спроектировать и изготовить [С1257.0]; Спроектировать, изготовить и испытать в [С1258.0]; Спроектировать на (С1259.0); Спроектировать таким образом, чтобы [С1260.0]

**спрос** Если существует спрос [Е93.0]; Находить все больший спрос [Н620.0]; Период максимального спроса [П230.0]; Пользующийся наибольшим спросом [П 1229.0]; Рост спроса на [Р760.0]; Рыночный спрос на ... невелик [Р781.0]; Спрос на... внутри страны [С1265.0];

**спускать:** [С1267.0]

**спустя:** Спустя ... после начала [С1271.0]; Спустя некоторое время [С 1269.0]; Спустя несколько минут [С 1270.0]

**спутать:** Спутать друг с другом [С1272.0]

**срабатывание:** Неправильное срабатывание

[Н1506.0]; Преждевременное срабатывание  
предохранительного клапана [П 1970.0]

**срабатывать:** Срабатывать при [C1274.0]; Сра-ботал выключатель [C1275.0]; Сработала тепловая защита от перегрузки [C1276.0]

**сравнение:** В качестве основы для сравнения [B146.0]; В сравнении с [B627.0]; Важный фактор при сравнении [B781.0]; Выигрывать при сравнении с [B1840.0]; Выше на ... по сравнению с тем, что можно было бы получить [B2067.0]; Давать множество преимуществ по сравнению с [D46.0]; Делать сравнение несколько рискованным [D226.0]; Для обеспечения полной картины при сравнении [D369.0]; Для сравнения укажем, что [D400.0]; Добыча в ... году по сравнению с ... годом упала на [D486.0]; Другой по сравнению с [D755.0]; Занижен по сравнению с истинным значением [Z321.0]; Измененный по сравнению с [I297.0]; Изменяться по сравнению с [I287.0]; Иметь преимущество по сравнению с [I434.0]; Иметь ряд преимуществ по сравнению с [I437.0]; Количество мало по сравнению с [K258.0]; Мало по сравнению [M35.0]; Менее выраженный по сравнению с [M96.0]; Не идти ни в какое сравнение с [H867.0]; Не изменился более, чем на ... по сравнению с [H870.0]; Не изменяться по сравнению с предыдущим [H872.0]; Не меняться по сравнению с [H909.0]; Не следует придавать слишком большого значения этому сравнению [H1071.0]; Незначителен по сравнению с [H1263.0]; Непосредственное сравнение невозможно [H1490.0]; Новизна по сравнению с существующим уровнем техники [H1826.0]; Обладать некоторыми преимуществами по сравнению [O82.0]; Обладать явными преимуществами по сравнению с [O84.0]; Обнаруживать лишь незначительные преимущества по сравнению с [O130.0]; Основа для сравнения [O955.0]; По сравнению с другими [P485.0]; По сравнению с тем, чего можно было бы ожидать [P486.0]; Подвергаться изменениям по сравнению с [P659.0]; Предпочтение, отдаваемое одному ... по сравнению с другим [P1811.0]; Пренебрегать величиной, которая мала по сравнению с [P2002.0]; Пренебрежимо мал по сравнению с [P2006.0]; При сравнении было получено хорошее согласие [P2135.0]; Проверять путем сравнения с [P2649.0]; Проводить сравнение [P2696.0]; Проигрывать при сравнении с [P2778.0]; С целью сравнения [C179.0]; Служить образцом для сравнения [C684.0]; Совершенно иной по сравнению [C824.0]; Совершенно противоположным образом по сравнению [C842.0]; Способ, имеющий очень большие преимущества по сравнению с [C1209.0]; Сравнение облегчается [C1278.0]; Сравнение результатов в целом [C1279.0]; Стабильное по

сравнению с [C1352.0]; Становиться пренебрежимо малым по сравнению с [C1401.0]; Считать второстепенным по сравнению с [C1611.0]; Улучшать по сравнению с [Y242.0]; Уменьшаться по сравнению с [Y267.0]; Уменьшение на ... по сравнению [Y278.0]; Усовершенствования по сравнению с [Y417.0]; Шаг вперед по сравнению с [Ш3.0]; Экономически более выгодный вариант по сравнению [Э17.0]; Эталон для сравнения [Э91.0]; Являться второстепенным по сравнению с [Я14.0]; Являться шагом вперед по сравнению с [Я36.0]

**сравниваемый:** Для сравниваемых [D401.0]

**сравнивать:** Иметь возможность сравнить [I370.0]; Позволяет сравнить [P929.0]; Попытки сравнить [P1316.0]; С которыми можно было бы сравнить [C27.0]; Сравнить при одинаковых условиях [C1281.0]; Сравнить с [C 1280.0]; Сравнить сапоги с пирогами [C 1282.0]; Сравняя, можно заметить, что [C1284.0]

**сравниваться:** На рис. ... сравниваются ... и [H138.0]; Просто не может сравниться [P2923.0]; Сравниваются типичные кривые [C1283.0]; Сравниться по квалификации [C1291.0]; Сравниться с ... по [C1290.0]

**сравнимый:** При сравнимых в остальном условиях [P2160.0]; Сравнимы по абсолютной величине [C 1287.0]

**сравнительно:** Появиться сравнительно недавно [P1596.0]; Сравнительно простое дело [C1289.0]; Сравнительно скоро [O1436.0]

**сразу:** В связи с этим... сразу же возникает вопрос, насколько [B508.0]; Которые можно было сразу же использовать в [K424.0]; Не сразу приходит в голову (H1091.0); Позволяет сразу увидеть [P933.0]; Сразу же бросается в глаза [C 1293.0]; Сразу же за [C1294.0, C1295.0]; Сразу же по уведомлению о появлении окошка в графике [C1297.0]; Сразу же после окончания [C1299.0]; Сразу же после того как [C1300.0]; Сразу же становится ясно, что [C1301.0]

**среда:** [C 1302.0]; В кислой среде [B629.0]; В особо неблагоприятной окружающей среде [B630.0]; Влияние на окружающую среду [B1135.0]; Воздействие на окружающую среду [B1283.0]; Вредная окружающая среда [B1510.0]; Загрязнение окружающей среды [3148.0]; Ограничения по загрязнению окружающей среды [O446.0]; Окружающая среда [O729.0]; Оценка воздействия на окружающую среду [O1640.0]; Потери в окружающей среде [P11515.0]; Равно таковому для окружающей среды [P 140.0]; Соприкоснуться со средой [C1041.0]; Температура окружающей среды [T143.0]; Эксплуатировать ... во взрывоопасной среде [Э60.0]



**среди:** Выделяться среди ... своим [В1786.0]; Отсутствие единого мнения среди ... относительно [01548.0]; Среди которых можно указать такие ..., как [С1304.0]; Среди различных применяемых в настоящее время [С 1305.0]

**средневзвешенный:** [С1306.0]

**среднеквадратичное:** Среднеквадратичное отклонение [С 1308.0]

**среднемесячный:** [С1309.0]

**средний:** Брать средним за период [В276.0]; В средней плоскости [В343.0]; В среднем [В631.0]; Давать в среднем [Д6.0]; Давать среднюю [Д65.0]; Длиться в среднем [Д318.0]; На это уходит в среднем около [Н205.0]; Общие технические условия на капитальный и средний ремонт [0344.0]; Отличаться в среднем на [01380.0]; Отличаться от среднего значения не более, чем на [01389.0]; Представлять собой среднее значение [П1882.0]; Равен в среднем [Р138.0]; Разброс экспериментальных точек относительно среднего значения составляет [Р174.0]; Составлять в среднем [С1075.0]; Среднее арифметическое [С 1318.0]; Среднее геометрическое [С1319.0]; Среднее значение по площади [С1322.0]; Среднее значение для двух опытов [С1321.0]; Средний за время от ... до [С1311.0]; Средний из [С1312.0]; Средний между [С1313.0]; Средняя наработка между отказами [С1315.0]; Средняя часть [С1317.0]; Статистическое среднее [С1434.0]; Технология, обычная для среднего уровня техники [Т251.0]

**средство:** Если позволят средства [Е70.0]; Затраты времени и средств [3486.0]; Измерительные средства [И309.0]; Как последнее средство [К109.0]; Мощное средство [М397.0]; Отсрочивать расходование средств [01526.0]; Отыскание средств [01599.0]; Оценка потребности в рабочей силе и средствах энергообеспечения [01643.0]; Приводить к потерям времени и средств [П2236.0]; Расширительные средства [Р564.0]; Средство для достижения этой цели [С1324.0]; Сэкономить время и средства [С1633.0]; Только в качестве последнего средства [Т302.0]; Целебное средство для [Ц1.0]; Целесообразно с точки зрения экономии времени и средств [Ц4.0]; Широкое освещение средствами массовой информации [Ш16.0]

**срезать:** Срезать контрольную проволоку [С1325.0]

**средство:** Иметь средство [И453.0]

**срок:** В заданные сроки [В633.0]; В кратчайшие сроки [В634.0]; В обозримые сроки [В635.0]; В очень короткие сроки [В636.0]; В связи с ограничениями по срокам [В499.0]; В течение срока службы [В712.0]; В... срок

[В632.0]; Гарантийный срок службы еще не истек [Г9.0]; Дата истечения срока более ранних по приоритету патентов [Д125.0]; Дата истечения срока действия патента [Д 126.0]; Дата начала срока действия патента [Д129.0]; За срок службы [356.0]; Изготовитель гарантирует работу изделия в течение ... лет, считая срок пребывания в пути и хранения на складах со дня выпуска с предприятия [И207.0]; Испытательный срок [И767.0]; Исследование срока действия патента [И776.0]; Контроль сроков исполнения [К361.0]; Крайний срок [К448.0]; На год раньше срока [Н38.0]; На срок, который заканчивается в [Н 152.0]; Намеченный срок [Н412.0]; Не достигать расчетного срока службы [Н850.0]; Несоблюдение срока [Н1624.0]; Ограничения по срокам [0447.0]; Отставание по срокам [01530.0]; Перенести дату на более поздний срок [П146.0]; Плавающий срок [П268.0]; Позволяет уменьшить сроки и стоимость разработки [П935.0]; После истечения гарантийного срока [П1357.0]; Поставка в кратчайшие сроки [П1447.0]; Предельный срок представления [П 1721.0]; Произвести поставку в требуемый срок [П2792.0]; Работать часть срока службы [Р79.0]; Рассчитанный на срок службы агрегата [Р513.0]; Расчетный срок службы [Р557.0]; Срок внедрения [С 1327.0]; Срок годности при хранении [С 1328.0]; Срок действия ... лет [С1329.0]; Срок действия патента [С1330.0]; Срок должен исчисляться со дня получения [С1331.0]; Срок разработки был достаточно большим [С1333.0]; Срок хранения агрегата в упаковке поставщика составляет ... лет [С1335.0]; ; Строительство было закончено в срок [С1509.0]; Строительство закончилось на... дней раньше планового срока [С1510.0]; Укладываться в сжатые сроки [У225.0]

**срочный:** Срочная работа [С1339.0]; Срочный заказ [С1337.0]; Срочный ремонт [С1338.0]

**срыв:** Срыв графика проекта [С1340.0]

**срывать:** Срывать резьбу [С1341.0]

**ссуда:** Погашать банковскую ссуду [П596.0]

**ссылаться:** Впоследствии мы будем ссылаться [В1498.0]; Можно сослаться, например, на [М374.0]; На который мы сослались ранее [Н66.0]; Ссылаться на рекомендацию фирмы [С1343.0]

**ссылка:** Делать ссылки на [Д227.0]; С ссылками на прилагаемые чертежи [С118.0]; Ссылка на признаки, ранее не введенные в пункт формулы изобретения [С1345.0]; Ссылки на ... можно встретить во многих работах [С 1346.0]

**ссылочный:** Ведомость ссылочных документов [В879.0]; Ссылочные материалы [С1347.0]

**стабильно:** Стабильно падает [С 1353.0]

**стабильность:** Придавать стабильность [P2295.0]; Стабильность рабочих характеристик [C1349.0]

**стабильный:** Оставаться стабильным [O1114.0];

Стабильное значение [C1351.0]; Стабильное по сравнению с [C 1352.0]

**ставить:** Не ставится цель [H1092.0]; Резьбовое соединение ставить на сурике [P662.0];

Ставить в затруднительное положение [C1354.0]; Ставить в невыгодные условия [C 1355.0]; Ставить задачу перед [C 1356.0]; Ставить на свое место [C 1358.0]; Ставить на службу [C1357.0]; Ставить опыт [C1359.0]; Ставить под напряжение [C1360.0]; Ставить под сомнение справедливость [C1362.0]; Ста-

вить под угрозу [C1363.0]; Ставить своей целью не что иное, как [C1364.0]

**ставший:** Ставший теперь традиционным [C1365.0]

**стадия:** [C1366.0]; В начальной стадии развития [B639.0]; В начальной стадии [B638.0];

В... стадии [B637.0]; Выходить из стадии лабораторных разработок [B2045.0]; Доводить до стадии [D493.0]; На ранней стадии [H154.0]; На самой ранней стадии [H155.0]; На стадии научно-исследовательской разработки [H153.0]; Находиться в начальной стадии [H655.0]; Находиться в экспериментальной стадии [H657.0]; Находиться все еще на стадии планирования [H659.0]; Находиться еще на стадии разработки [H658.0];

Находиться на начальной стадии [H656.0]; Не выходить из стадии лабораторных разработок [H804.0]; Отбраковывать на ранней стадии изготовления [O1211.0]; Предэскизная и эскизная стадии проектирования [P1946.0];

**стажер:** [C1367.0]

**сталкиваться:** В случае ... приходится сталки-

ваться с множеством проблем [B524.0]; Одна из главных трудностей, с которыми приходится сталкиваться [O529.0]; Придется сталкиваться только при [P2566.0]; Приходится сталкиваться при [P2561.0]; С которыми сталкиваются при [C28.0]; С теми же самыми проблемами приходится сталкиваться при использовании [C119.0]; Сталкиваться с необходимостью принять правильное решение о [C 1370.0]; Сталкиваться с перспективой превращения ... в [C1371.0]; Сталкиваться с проблемой [C1372.0]; Сталкиваться с самыми разными трудностями [C 1375.0]; Сталкиваться с такими проблемами как [C1373.0]; Чаще всего приходится сталкиваться с [435.0]

**стандарт:** [C1417.0]; В тексте стандарта [B684.0];

Государственный стандарт России [Г99.0]; Общепринятые международные стандарты [O310.0]; Общепринятые стандарты на проектирование [O311.0]; Отвечать стандартам

[O1244.0]; По современным стандартам [P473.0]; Придерживаться стандартов [P2301.0]; Соответствие настоящему стандарту не исключает [C1011.0]

**стандартизированный:**

Стандартизированные изделия [C1418.0]

**стандартный:** Выпускаться в стандартном кор-

пусе [B1929.0]; Не входит в комплект стандартного оборудования [H792.0]; Стандартная программа вычисления [C1420.0]; Стандартная программа для решения системы уравнений [C1421.0]; Стандартное отклонение [C1422.0]; Стандартный в настоящее время [C1419.0]

**становиться:** Влияние ... становится преобладающим [B1143.0]; Из сказанного становится ясным, что [И149.0]; Необходимость в таком ... становится очевидной, если [H1405.0]; По дальнейшему размышлению становится ясно, что [P360.0]; По размышлению становится ясно, что [P461.0]; Положение становится все более недопустимым [P1104.0]; Получение которого становится возможным благодаря [P1209.0]; После рассмотрения ... становится ясно, что [P1369.0];

Решение становится неопределенным [P743.0]; Со временем становятся только лучше [C190.0]; Сразу же становится ясно, что [C1301.0]; Становится настолько ..., что перестает быть [C1387.0]; Становится понятен смысл [C1400.0]; Становится важным [C1378.0]; Становится надежным [C1386.0];

Становиться очевидным [C1395.0, C1396.0]; Становиться более понятным [C1399.0]; Ста-

новиться более сильно выраженным [C1377.0]; Становиться видимым [C1379.0]; Становиться возможным [C 1380.0]; Становиться все более заметным [C1383.0]; Становиться все более непригодным [C1392.0]; Становиться делом первостепенной важности [C 1381.0]; Становиться заметным [C1382.0]; Становиться заурядным [C1384.0];

Становиться менее убедительным из-за [C1385.0]; Становиться невозможным [C 1388.0]; Становиться недействительным [C 1389.0]; Становиться необходимым [C 1390.0]; Становиться непригодным [C1391.0]; Становиться определяющим [C1394.0]; Становиться параллельным оси абсцисс [C1397.0]; Становиться понятным [C1398.0]; Становиться пренебрежимо малым по сравнению с [C1401.0]; Становиться преобладающим [C1402.0]; Теперь, когда известны.... становится возможным [T171.0];

Тотчас же становится ясной [T368.0]; Это становится очевидным при [Э197.0]

**старательно:** [C1429.0]

**стараться:** Все время стараясь [B1550.0]; Всячески старайтесь [B1566.0]; Как бы ни старались [K52.0]; Припасть, стараясь не

[П2500.0]; Старайтесь не касаться [С1426.0]; Старайтесь не повредить [С1427.0]; Старайтесь не потерять [С1428.0]; Стараться добиться равновесия между [С1424.0]

**старение:** [С1430.0]; Явление, известное под названием старения [Я5.0]

**старый:** Смонтировать новый ... и удостовериться, что ... находится в том же положении, что и на старом [С742.0]; Старые и новые результаты [С 1432.0]

**статистический:** Статистическая величина [С 1433.0]; Статистическое среднее [С 1434.0]

**статический:** Полоса статической ошибки верхнего предела измерений [П1122.0]

**стать:** Благодаря этой работе станут более понятными механизмы [Б115.0]; В последнее время стали обращать внимание и на [В63.0]; Вероятность стать [В909.0]; Может стать хорошей заменой [М304.0]; Необходимость в ... стала особенно настоятельной [Н1403.0]; Но не стал заниматься [Н1803.0]; Обещает стать еще лучше [062.0]; Оказались возможными после того, как стало ясно, что [0663.0]; По причинам, которые вскоре станут понятными [П452.0]; После того как... стал ниже [П1376.0]; Принимать предложение стать акционером [П2427.0]; С ... внимание стало уделяться [С3.0]; С некоторых пор стали понимать, что [С65.0]; Сейчас стало понятно, что [С416.0]; Стал обычным [С1412.0]; Стали выпускаться промышленностью [С1416.0]; Стало повсеместным [С1413.0]; Стало ясно, что для ... нужен [С1415.0]; Стать менее строгим [С1403.0]; Стать модным [С1404.0]; Стать общепринятым [С1405.0]; Стать первоочередной задачей [С1406.0]; Стать платежеспособным [С1407.0]; Стать правилом [С1408.0]; Стать предметом дальнейших исследований [С 1409.0]; Стать предметом интенсивного и тщательного изучения [С1410.0]; Стать точно таким, каким [С 1411.0]; Теперь стало ясно, что [Т178.0]; Что станет с [4168.0]; Чтобы стало возможным [4213.0]; Чуть было не стал [4227.0]; Это стало возможным благодаря [Э198.0]

**статья:** В заключение статьи показывается ... и описывается [В124.0]; В настоящей статье рассматриваются ... и не рассматриваются [В644.0]; В одной из последующих статей [В645.0]; В одном из нижеследующих разделов статьи [В454.0]; В остальной части статьи рассматриваются [В757.0]; В статье кратко рассмотрены некоторые вопросы [В641.0]; В статье рассматривается вопрос [В642.0]; В статье сделана попытка [В643.0]; На эту тему написано много статей [Н 168.0]; Обзорная статья по этому вопросу [069.0]; Одновременно публикуемая статья [0581.0]; Определение, принятое в настоящей статье

[0810.0]; Основная часть статьи [0981.0]; Оставшаяся часть статьи [01129.0]; Поскольку в короткой статье невозможно было бы [П1348.0]; Редакционная статья [Р622.0]; Серия статей [С429.0]; Сказываться на результатах и выводах статьи [С514.0]; Сообщать в другой статье [С996.0]; Составлять предмет настоящей статьи [С1091.0]; Статьи, написанные научными работниками [С1439.0]; Статьи, написанные работниками промышленности [С1440.0]; Статьи относящиеся к [С1441.0]; Статья, подобная этой [С1436.0]; Статья посвящена [С1437.0];

Статья состоит из ... разделов [С1438.0]; Тема настоящей статьи [Т 139.0]; Уведомлять о принятии статьи [У46.0]; Цель настоящей статьи состоит в том, чтобы [Ц21.0]; Числа в квадратных скобках обозначают номера в списке работ, приведенном в конце статьи [4104.0]

**отекаль:** Стекаль самотеком [С1443.0]

**стекло:** [С1444.0]

**стеллаж:** Хранить на стеллажах [Х122.0]

**стенд:** Демонстрироваться на стенде [Д258.0]; Стенд для сборки [С 1446.0]; Экспериментальный стенд [И768.0]; Экспозиционный стенд [Э64.0]

**стендовый:** Стендовые заседания [С 1448.0]; Стендовые материалы [С1449.0]; Стендовый доклад [С 1447.0]

**стенка:** Допускается разностенность отливки в пределах ... от толщины стенки [Д664.0]; Заподлицо со стенкой [3396.0]; На верхней стенке [Н156.0]; На нижней стенке [Н157.0]; Уплотнять в месте прохода через стенку [У309.0]

**степенной:** Разлагать по членам степенного ряда [Р216.0]; Разложение в степенной ряд по [Р246.0]; Решение в виде степенного ряда по [Р735.0]; Степенная зависимость между [С 1454.0]

**степень:** Быть в высшей степени требовательным к [Б296.0]; В большей степени, чем [В650.0]; В большой степени зависеть от [В649.0]; В высшей степени маловероятен [В652.0]; В высшей степени преждевременно [В653.0]; В значительно меньшей степени [В661.0]; В значительной степени или полностью [В655.0]; В значительной степени согласен [В656.0]; В значительной степени [В654.0]; В какой степени (В657.0); В какой-то степени [В658.0]; В максимально возможной степени [В659.0]; В меньшей степени [В660.0]; В наименьшей степени подвержен влиянию [В663.0]; В некоторой степени [В664.0]; В немалой степени [В665.0]; В ограниченной степени [В666.0]; В равной или даже большей степени [В672.0]; В равной степени относятся к случаю [В668.0]; В равной степени правдоподобны [В669.0];

В равной степени применим [B670.0]; В равной степени прочный [B671.0]; В равной степени справедлив для [B673.0]; В разной степени [B674.0]; В такой же степени [B675.0]; В четвертой степени [B676.0]; Возведенный в некоторую степень [B1258.0]; Возводить в степень [B1256.0]; Возрастает как ... в степени [B 1365.0]; Все в большей и большей степени [B651.0]; Все же до некоторой степени [B980.0]; Выбираться в некоторой степени произвольно [B1698.0]; До некоторой степени похожий [Д469.0]; До некоторой степени устареть [Д470.0]; До такой степени, что [Д471.0]; Дробный отрицательный показатель степени [Д746.0]; Зависеть в наименьшей степени от [390.0]; Зависеть в равной степени от... и от [392.0]; Избавляться от дробных степеней [И153.0]; Иметь степень [И454.0]; Использоваться в умеренной степени [И719.0]; Корень степени [K384.0]; Корень четвертой степени из [K383.0]; Может в какой-то степени измениться [M276.0]; Ни в коей степени не является [Н1692.0]; Но не в такой степени, как это, по-видимому, происходило [Н 1801.0]; Обнаруживать в той или иной степени [0129.0]; Обусловлен в равной степени как ..., так и [0272.0]; Отличаться в меньшей степени от [01377.0]; Показатель степени [П1970.0]; Положительный показатель степени, величина которого больше единицы [П 1111.0]; Прежде чем эта проблема будет в значительной степени решена [П1964.0]; Прямому в некоторой степени препятствуют [П2362.0]; Проявляться в наибольшей степени [П3053.0]; Работать в высшей степени согласованно [P43.0]; Различаться по степени сложности [P225.0]; Разработать до такой степени, что [P302.0]; Рисковать в меньшей степени [P750.0]; С показателями степени (С57.0); С какой-либо степенью надежности [С26.0]; Следует использовать в максимальной степени [С604.0]; Служить показателем степени [С694.0]; Способствовать в некоторой степени [С1224.0]; Справедливо в некоторой степени и для [С 1248.0]; Степень ограничений, налагаемых на [С1451.0]; Степень сложности конструкции [С 1452.0]; Считаться в достаточной степени [С 1620.0]; Увеличиться до такой степени, что [У67.0]; Урезать до такой степени, что [У365.0]; Усовершенствовать в такой степени, что [У420.0]; Ухудшаться до такой степени, что [У589.0]; Хотя и в меньшей степени, если [Х91.0]; Чтобы определить, в какой степени [4201.0]; Являться в некоторой степени обнадеживающим [Я11.0]

**стимул:** Мощный стимул для [M404.0]; Послужат стимулом [П 1428.0]; Служить стимулом для повышения [С703.0]

**стимулирование:** Правильное стимулирование [П1633.0]

**стимулировать:** Направлять и стимулировать [Н478.0]; Стимулировать более глубокое изучение [С 1457.0]; Стимулировать выполнение [С 1458.0]; Стимулировать развитие [С1459.0]

**стирать:** Стирать влияние [С 1461.0]

**стоимостной:** По стоимостным соображениям [П480.0]

**стоимость:** В неограниченном количестве и при очень умеренной стоимости [B156.0];

Как по стоимости, так и по эффективности [K123.0]; Надбавка к стоимости [Н255.0]; По стоимости ниже первоначально планируемой [П487.0]; Позволяет уменьшить сроки и стоимость разработки [П935.0]; Превышение стоимости [П1702.0]; Приравнивать стоимость ... к стоимости [П2518.0]; Стоимость в [С1463.0]; Экономия в стоимости материала с лихвой перекрывает затраты на [Э25.0]

**стоить:** Это может дорого стоить [Э142.0]

**стойкость:** [С 1462.0]

**столбец:** [С 1467.0]

**столетие:** В ... годах этого столетия [B85.0]; В начале этого столетия [B244.0]; Конец столетия [K309.0]; На рубеже двух столетий [Н139.0]

**столкновение:** В условиях столкновения [B718.0]

**столь:** В не столь отдаленном будущем [B14.0];

В свое время казалось не столь важным [B67.0]; Не столь хороший, как в других случаях [Н1094.0]; Определяться не столь просто [0842.0]; Отличаться не столь коренным образом, как это может показаться [01386.0]

**столько:** Вопрос не столько в том ..., сколько в

том [B1399.0]; Зависеть не столько от .... сколько от [394.0]; Не столько ..., сколько [Н1095.0]; Не столько по соображениям ..., сколько из-за [Н1096.0]; Не столько с ..., сколько с [Н1097.0]; Не столько чтобы ..., сколько чтобы [Н1098.0]; Приобретать не столько практический, сколько академический интерес [П2481.0]; Столько же [С1468.0]

**стоп:** Установить выключатель в положение СТОП [У478.0]

**стопроцентный:** Стопроцентное доказательство [С 1469.0]

**сторона:** 3 отверстия с каждой стороны [01226.0]; Без подписи второй стороны не действителен [Б43.0]; В меньшую сторону [B680.0]; В стороне от линии [B678.0]; В ту или другую сторону [B681.0]; Вне зависимости от того, на какой стороне [B1176.0]; Вся работа подлежит контролю и приемке со стороны продавца [B961.0]; Вызывающий возражения со стороны других [B1833.0];

Выступать одинаково с обеих сторон

[В1999.0]; Для вскрытия упаковки смотри оборотную сторону [Д330.0]; Если говорить о практической стороне дела, то [Е120.0]; Если на время оставить в стороне другие соображения [Е57.0]; Заинтересованность со стороны [3212.0]; Заинтересованные стороны [3215.0]; Заполнять обратную сторону бланка [3399.0]; Заслуживать ... отношения со стороны [3454.0]; Изменяться в обе стороны от заданного значения [И274.0]; Испытывать давление со всех сторон [И761.0]; Качественная сторона задачи [К204.0]; Квадрат со стороной [К206.0]; Квадратное поперечное сечение со стороной [К209.0]; Конкуренция со стороны [К326.0]; Кратковременное воздействие со стороны [К462.0]; Критика со стороны [К489.0]; Куб со стороной [К515.0]; На внешней стороне [Н160.0]; На внутренней стороне [Н161.0]; На другой стороне [Н162.0]; На противоположных сторонах [Н 163.0]; На стороне, противоположной [Н159.0]; На той же стороне, что и [Н164.0]; Надзор со стороны продавца за [Н278.0]; Направленный в сторону от [Н481.0]; Направлять в сторону от [Н477.0]; Наружная сторона [Н509.0]; Находящийся на стороне [Н693.0]; Не действителен без подписи второй стороны [Н825.0]; Не уходя в сторону [Н1140.0]; Нижняя сторона [Н1728.0]; Обратная сторона [0159.0]; Обработать по указанной длине с обеих сторон [0186.0]; Обращен в сторону от [0239.0]; Одинаково с обеих сторон [0551.0]; Округление в нижнюю сторону [0721.0]; Округлять в нижнюю сторону до [0724.0]; Откладывать в сторону [01318.0]; Отклоняться в сторону низких значений [01339.0]; Охватывать все стороны [01615.0]; По обе стороны от [П415.0]; Повернуть в сторону от себя [П546.0]; Подлежит рассмотрению и утверждению со стороны заказчика [П738.0]; Преимущества находятся на стороне [П1980.0]; При взаимном согласии сторон [П2058.0]; При финансовой поддержке со стороны [П2163.0]; Припуск ... мм на каждую сторону для шлифовки и полировки [П2511.0]; Разбивать по треугольнику со стороной [Р161.0]; Расходиться во все стороны [Р532.0]; Решение арбитража окончательно и обязательно для обеих сторон [Р733.0]; С внешней стороны [С104.0]; С внутренней стороны [С 105.0]; С другой стороны вполне возможно, что [С107.0]; С наружной стороны [С 108.0]; С нижней стороны [С 109.0]; С одной стороны .... с другой стороны [С112.0]; С одной стороны говорится, что [СИ 1.0]; С передней стороны [С 113.0]; С своей стороны [С 114.0]; Сдвигать в ту или другую сторону [С379.0];

Серьезное отношение со стороны [С440.0]; Сильные и слабые стороны [С462.0]; Со всех сторон [С115.0]; Со стороной квадрата [С117.0]; Сторона проблемы [С1471.0]; Требования со стороны [Т428.0]; Уводить в сторону [У76.0]; Укладывать только этой стороной вверх [У230.0]; Урегулирование вопроса с Вашей стороны [У363.0]; Устранять слабые стороны [У540.0]; Уходить в сторону в результате [У580.0]; Центровка с двух сторон [Ц49.0]

**сторонний:** Сторонняя организация [С1473.0]  
**сторонник:** [С1472.0]; Не принадлежать к числу сторонников [Н1033.0];

**стоять:** Время не стояло на месте [В1532.0]; Не

стойте под стрелами [Н1093.0]; Особенно остро стоять [01042.0]; Перед ... все время стоит задача [П86.0]; Перед ... стоит задача [П87.0]; Проблема стоит перед конструкторами уже много лет [П2606.0]; Стоит заняться [С1464.0]; Стоит подумать об этом [С1465.0]; Стоит потратить время и [С1466.0];

Стоять на втором месте после [С 1475.0];

Стоять перед дилеммой [С1476.0]; Стоять перед опасностью [С1477.0]; Стоять перед серьезной проблемой [С1478.0]; Теперь стоит упомянуть и о [Т179.0]; Этого не стоит делать [Э 132.0]

**стоящий:** Задача, стоящая перед [3174.0]; Отбрасывать цифры, стоящие после [01215.0]

**страдать:** Страдать от такого недостатка как [С1479.0]

**страна:** В масштабах всей страны [В 182.0]; В стране в целом [В683.0]; Во всех странах мира [В197.0]; Грузополучатель, адрес, страна [Г138.0]; Как в нашей стране, так и за рубежом [К121.0]; Разные страны [Р290.0]; Спрос на ... внутри страны [С1265.0]; Страна конвенционного приоритета [С 1480.0]; Страна-потребитель изделия [С1481.0]; Страна происхождения [С1482.0]; Экспортная упаковка и перевозка в пределах страны [Э66.0]

**страница:** Журналу было выделено 450 страниц [Ж18.0]; Пронумеровано ... страниц [П2867.0]; Эта страница преднамеренно оставлена пустой [Э110.0]

**странно:** Вести себя несколько странно [В944.0]; И все же странно, что [И21.0]

**странный:** Для неспециалистов кажется странным [Д364.0]

**страховой:** Страховой полис [С1483.0]

**страшен:** Не так страшен, как считалось ранее [Н1106.0]

**стрела:** Не стойте под стрелами [Н1093.0]

**стрелка:** Двигаясь по часовой стрелке [Д156.0];

Направление совпадает с направлением стрелок [Н472.0]; По часовой стрелке [П510.0]; Повернуть рукоятку регулятора по часовой стрелке [П548.0]; Поворот про-

тив часовой стрелки и по часовой стрелке [П552.0]; Против часовой стрелки [П2953.0];  
Стрелка должна отклониться на [С1484.0];  
Стрелка манометра должна вернуться на нуль [С 1485.0)  
**стремиться:** Асимптотически стремиться к [А160.0]; Стремиться к бесконечности при ..., стремящемся к нулю [С1487.0]; Стремиться к единице [С1488.0]  
**стремление:** Непрестанное стремление к [Н1534.0]; Стремление к [С1489.0]  
**стремящийся:** Стремиться к бесконечности при ..., стремящемся к нулю [С1487.0]  
**стрибование:** Операции сканирования, стробирования и обработки сигналов [0753.0]  
**строгий:** В строгом смысле [В584.0];  
Монтаж, отладку и опробование производить в строгом соответствии с рекомендациями, изложенными в инструкции по эксплуатации [М249.0]; Работаящий по строгому графику [Р91.0], Стать менее строгим [С1403.0]; Строгие проектные требования [С 1498.0]; Строгие технические условия [Ж 11.0]; Строгий допуск [С1491.0]; Строгий контроль [С1492.0]; Строгий метод [С1493.0]; Строгое выполнение программы [С1494.0]; Строгое соблюдение требований [С 1496.0]  
**строго:** Выводить более строго [В1737.0];  
Выполнять строго в соответствии с [В1896.0];  
Использовать информацию строго конфиденциально [И702.0]; Необходимо контролировать более строго [Н1371.0]; Относиться, строго говоря, к [01453.0]; Поднимать строго по вертикали [П757.0]; Строго в соответствии с [С1499.0]; Строго говоря, не применим для [С1501.0]; Строго говоря, не применим к [С1502.0]; Строго говоря, справедливы только [С1503.0]; Строго придерживаться [С1504.0]; Строго соблюдать правила [С1505.0]  
**строгость:** Чрезмерная строгость требований [4122.0]  
строительный: Ведомость объема строительных и монтажных работ [В874.0];  
Выбирать строительную площадку [В 1702.0];  
Очистка строительной площадки [01687.0]; Строительная конструкция [С1506.0]; Строительная площадка [С1507.0]; Строительные нормы и правила [С 1508.0]; Транспортировать на строительную площадку [Т412.0];  
Транспортировка к строительной площадке [Т413.0]; Управление всеми строительными работами [У328.0]  
**строительство:** Завершение строительства начато на [385.0]; Задерживать начало строительства [3186.0]; Метод строительства [М160.0]; Нормы по строительству [Н1866.0];  
Окончание строительства планируется в [0703.0]; Повторное использование при

строительстве [П583.0]; Поэтапное строитель-

ство [П1574.0]; Приступить к строительству своего завода [П2532.0]; Продолжать строительство [П2743.0]; Проект организации строительства [П2764.0]; Строительство было

закончено в срок [С1509.0]; Строительство закончилось на ... дней раньше планового срока [С1510.0]; Участок, отводимый под строительство [У601.0]

**строить:** Конечно, не следует строить догадки

[К318.0]; Строить в зависимости от [С1512.0];

Строить график [С1513.0]; Строить по чертежам [С1514.0]; Строить с помощью [С1515.0]

**строй:** В случае выхода из строя в процессе работы [В518.0]; Вводить в строй [В843.0];

Вступать в строй [В1647.0]; Выводить из строя [В1741.0]; Выход из строя менее чем за [В2026.0]; Выходить из строя в первую очередь [В2047.0]; На случай, если выйдет из строя [Н145.0]; Преждевременный выход из строя [П1968.0]

**строка:** Указывать в строке таблицы [У202.0]

**стропить:** Стропить здесь [С1518.0]

**строчка:** Строчка таблицы [С1519.0]

**строящийся:** Строящийся в настоящее время [С1516.0]; Строящийся объект [С1517.0]

**структура:** Построение структуры [П1483.0], Специфическая структура [С 1183.0];

Структура описания изобретения [С1520.0]

**струи:** Направьте струю прямо на [Н480.0]

**ступенчатый:** [С 1523.0]

**ступень:** Изменять небольшими ступенями [И263.0]; Подниматься на новую ступень технического развития [П760.0]; Ступенями по [С1522.0]; Увеличивать равными ступенями [У64.0]

**стык:** Находиться на стыке со многими науками [Н675.0]

**субподрядчик:** Поручать субподрядчику [П1331.0]; Привлекать в качестве субподрядчика [П2203.0]

**субъективность:** Вносить некоторый элемент субъективности, выразившийся в том, что [В1223.0]

**субъективный:** На субъективной основе [Н98.0]; Носить более субъективный характер, чем [Н 1871.0]; Субъективный характер оценки [С1525.0]; Такой ... не может не быть субъективным [Т56.0]; Этот вывод имеет субъективный, сугубо предварительный характер [Э104.0]

**сугубо:** Этот вывод имеет субъективный, сугубо предварительный характер [Э104.0]

**суд:** Обращаться в суд [0223.0]; Представление документов в суд [П 1834.0]

**судебный:** Судебный запрет [С1526.0]

**судить:** Если судить по [Е91.0]; Как можно было ожидать, судя по [К83.0]; Насколько можно судить по (Н545.0); Насколько я могу судить [Н550.0]; Не позволяя с уверен-

ностью судить о том, произошел ли действительно [Н 1001.0]; О чем можно судить по [012.0]; Судить о ... на основе [С1528.0]; Судить о ... по [С1527.0]; Судить по ним о [С1530.0]; Судя по ..., можно сказать [С1532.0]; Судя по внешнему виду [С1531.0]; Судя по накопленному к настоящему времени опыту [С 1533.0]; Судя по предыдущим результатам [С1535.0]; Трудно судить о [Т485.0]; Чем можно было бы ожидать, судя по [453.0]

**сужать:** Сужать выбор до единственно возможного [С 1536.0]

**сужение:** [С1538.0]

**суженный:** [С 1537.0]

**сумма:** Давать в сумме [Д7.0]; Обходиться в сумму [0287.0]; Сумма равна нулю [С1541.0]; Сумма весов [С1540.0]

**суммарный:** Доводить суммарное количество до [Д495.0]; Суммарное влияние [С1545.0]; Суммарное количество [С1546.0]; Суммарный оборот [С1543.0]; Существенная составляющая суммарных [С 1556.0]

**суммирование:** Суммирование проводится [С1547.0]

**суммировать:** [С1548.0]; Суммируя сказанное [С1549.0]

**сурик:** Резьбовое соединение ставить на сурике [Р662.0]

**сутки:** Время суток [В1538.0]; Двадцать четыре часа в сутки [Д151.0]

**суть:** По сути [П488.0]; Суть, лежащая в основе [С 1550.0]

**сухой:** Весить в сухом состоянии [В927.0]; Хранить в сухом месте [Х1 18.0]

**существенно:** Давать существенно меньшие значения, чем экспериментальные [Д17.0]; Не изменяться существенно [Н873.0]; Существенно важные системы и узлы [С1561.0]; Существенно дополнять имеющиеся данные [С1562.0]; Существенно отличаться (С1563.0); Существенно раньше [С1564.0]; Это позволяет существенно упростить [Э177.0]; Это существенно ниже [Э199.0]

**существенный:** Вносить существенный вклад в современные достижения в области [В 1215.0]; Завышать на небольшую, но имеющую существенное значение величину [3132.0]; Иметь несколько существенных отличий [И422.0]; Не обнаруживать существенных различий [Н939.0]; Не оказывать существенного влияния на [Н957.0]; Не упомянуты существенные элементы [Н1135.0]; Нельзя получить существенной информации [Н1330.0]; Оказывать существенную помощь при [0650.0]; Показывать существенные различия [П988.0]; Приобретать существенный опыт в [П2486.0]; Существенная особенность [С1555.0]; Су-

щественная составляющая суммарных [С 1556.0]; Существенное противоречие [С1557.0]; Существенные различия (С1558.0); Существенные технические усовершенствования [С 1559.0]

**существо:** Без отступления от существа и объема изобретения [Б42.0]; Излагать существо в сжатой форме [И232.0]; Не углубляясь в существо вопроса, можно сказать [Н1129.0]; Отход от существа изображения [01581.0]; По своему существу [П493.0]; По существу не зависеть от [П490.0, П1649.0]; По существу правильный [П491.0]; По существу равны [П492.0]; Существо изобретения [С1552.0]; Существо метода состоит в [С1553.0]

**существовавший:** Взамен существовавшей практики [В 1059.0]; Существовавшие в то время [С1588.0]

**существование:** Вероятность существования [В910.0]; Возможность существования (В1322.0); Всегда возможно существование [В1564.0]; Действительно доказывают существование [Д172.0]; Доказывать существование [Д542.0]; Из этого следует, что не исключено существование [И143.0]; Наводить на мысль о возможности существования [Н243.0]; Область существования [094.0, 0103.0]; Продлевать существование [П2734.0]; Само существование [С205.0]; Свидетельствовать о возможности существования [С294.0]; Указывать на возможность существования [У207.0]; Что позволя-

ет предположить существование [4158.0]

**существовать:** А их существует несколько [А19.0]; В том виде, в каком она существовала [В27.0]; В том виде, в котором она существует [В26.0]; В условиях, которые существовали в то время [В714.0]; Возможно, что существует некоторая зависимость от [В1311.0]; Всегда существует опасность [В1565.0]; Действительно существует [Д175.0]; Если и существует, то [Е127.0]; Если представить себе, что существует [Е77.0]; Если существует реальная опасность того, что [Е92.0]; Если существует спрос [Е93.0]; Если таковое и существует, то [Е95.0]; Если ..., то существуют такие ..., что [Е 160.0]; Конечно, существуют и различия [К319.0]; Обязательно должен существовать [0427.0]; Существовать в виде [С1566.0]; Существовать недолго (С1567.0); Существует большая вероятность того, что [С1568.0]; Существует в ... вариантах на официальных языках [С1569.0]; Существует качественное согласие [С1570.0]; Существует множество самых разных определений [С1571.0]; Существует некое верхнее критическое значение, выше которого [С1572.0]; Существует опасение, что [С1573.0]; Существует опасность [С1574.0];



Существует острая необходимость в [С 1576.0]; Существует, по-видимому, некий порог, выше которого [С1577.0]; Существует подозрение, что [С1578.0]; Существует практика [С1579.0]; Существует реальная опасность того, что [С1575.0]; Существует серьезное расхождение [С 1580.0]; Существует тесная связь между ... и [С1581.0]; Существует три основных типа [С1582.0]; Существуют и другие [С1583.0]; Таких ... существует немало [Т78.0]; Хотя по исследованиям ... существует обширная литература [Х106.0]

**существующий:** А пока существующее положение сохраняется [А35.0]; Все существующие и предвидимые [В1019.0]; Заказ в рамках существующего контракта [3216.0]; Изменение существующего положения дел [И249.0]; Не выходить за пределы размеров существующего [Н801.0]; Новизна по сравнению с существующим уровнем техники [Н1826.0]; Ограничения, налагаемые существующей конструкцией [0444.0]; Положить начало существующей практике [П1120.0]; При существующем уровне техники [П2136.0]; Реально существующий [Р595.0]; Следовать существующей практике [С594.0]; Существующее представление о [С 1586.0]; Существующее пространство вмещает [С1587.0]; Существующий в [С1585.0]; Условия, существующие в большей части [У401.0]; Устанавливать при реконструкции существующего [У460.0]

**сущность:** В сжатой форме выражает сущность [В734.0]; Физическая сущность [Ф25.0]

**сфера:** Находиться в сфере полномочий [Н660.0]; Сфера действия [С1590.0]; Сфера деятельности [С1591.0]

**сформулированный:** Сформулированная в таком виде задача [С 1593.0]

**сформулировать:** Полностью сформулировать [П11067.0]; Правильно сформулировать [П11624.0]; Сформулировать задачу [С1592.0]

**схема:** Вариант схемы [В815.0]; Иметь схему [И455.0]; Монтаж схемы внутри пульта управления [М250.0]; На схеме опущены [Н165.0]; Работать по последовательной схеме включения [Р68.0]; Следовать общей схеме [С591.0]; Составлять схему (С1095.0); Схема прилагается [С1596.0]; Схема расположения [С1597.0]; Схема цепей [С1598.0]; Схема электропроводки [С1599.0]; Тепловая схема [Т184.0]; Технологическая схема [Т260.0]; Упрощенная схема [У344.0]; Электрическая схема [Э73.0]

**схематически:** Изображать схематически [И315.0]; Схематически изображать [С1601.0]

**схематический:** Схематический чертеж [С1600.0]

**сходен:** сходны [В205.0]

**сходимость:** Вплоть до обеспечения сходимости (В 1471.0); Обеспечивать сходимость решения [052.0]; Проверка сходимости решения [П2628.0]; Удовлетворять критерию сходимости [У167.0]; Ускорять сходимость [У386.0]

**сходить:** Сходить на нет [С1602.0]

**сходиться:** Баланс сходился с точностью 1% [Б3.0]; Однако все сходятся на том, что [0561.0]; Сходиться в одну точку [С 1603.0]; Сходиться во мнении о [С1604.0]; Сходиться с приемлемой точностью [С1605.0]

**сходство:** Большое сходство между [Б252.0]; Внешнее сходство [В1197.0]; Иметь сходство с [И453.0]; Как сходство, так и расхождения [К 125.0]; Обнаруживать сильное сходство с [0134.0]; Общее сходство [0341.0]; Свидетельствовать о некотором сходстве [С295.0]; Сходство весьма заметно [С1607.0]

**счастье:** К счастью [К18.0]; Но к счастью [Н1797.0]

**счесть:** Можете счесть необходимым [М322.0]

**счет:** Без отнесения затрат на счет [Б41.0]; В конечном счете [В158.0]; Делать проводку по счету [Д223.0]; За свой счёт [361.0]; За счет некоторого проигрыша в [359.0]; За счет поставщика [360.0]; За счет ухудшения [362.0]; Исключительно за счет [И674.0]; Не сбрасывать со счетов [Н1060.0]; Относить целиком на счет [01442.0]; Переводить на счёт [П73.0]; Просто для ровного счета [П2921.0]; Содержать счета в порядке [С946.0]; Хотя и за счет ухудшения [Х92.0]; Частично ... должно быть отнесено на счет [48.0]

**счет-фактура:** Сверить счета-фактуры на ... с [С270.0]; Счет-фактура подлежит оплате без скидки [С1608.0]

**считать:** Большинство специалистов считает, что [Б223.0]; В течение месяцев, считая от даты [В705.0]; Вполне законно можно считать [В1490.0]; Если не считать небольшого [Е147.0]; Если не считать этого обстоятельства [Е148.0]; Есть основания считать, что [Е190.0]; И ... и ... одинаково считают, что [И3.0]; И можно считать, что [И40.0]; Изготовитель гарантирует работу изделия в течение ... лет, считая срок пребывания в пути и хранения на складах со дня выпуска с предприятия [И207.0]; Многие считают [М191.0]; Можно с полной уверенностью считать, что [М378.0]; Можно считать просто удачей, что [М376.0]; Не считая [Н1099.0]; Обычно считают, что [0414.0]; Опрометчиво считать, что [0864.0]; Предлагать считать, что [П1730.0]; Рискованно считать [Р748.0]; Следует считать удовлетворительным [С633.0]; Считать второстепенным по сравнению с [С1611.0]; Считать допустимым [С1612.0]; Считать логичным [С1613.0];

Считать необедительным [С1614.0]; Считать само собой разумеющимся [С1615.0]; Считать сомнительным [С1616.0]; Считать удобным [С1617.0]; Считая от даты [С1618.0]; То что ..., можно считать просто удачей [Т279.0]; Хотя мы считаем [Х103.0] **считаться:** Было бы недалновидным не считаться с возможностями [В382.0]; В противном случае гарантия будет считаться недействительной [В551.0]; В прошлом обычно считалось [В425.0]; Да это и не считалось необходимым [Д2.0]; Не так страшен, как считалось ранее [Н1106.0]; Никогда не считался оправданным по причине [Н1757.0];

Обычно это считается само собой разумеющимся [0416.0]; Приложения к контракту считаются его неотъемлемой частью [П2359.0]; Считается равным [С 1625.0]; Считаться в достаточной степени [С 1620.0]; Считаться важным [С1621.0]; Считаться окончательным [С1622.0]; Считаться оправ-

данием для [С1623.0]; Считаться удовлетворительным [С1624.0]; Что считается вполне обычным для [4169.0]

**считающийся:** Обычно считающийся [0415.0];

Считающийся достижимым для [С 1626.0]; Считающийся подходящим [С 1627.0]

**считывать:** Считывать на глаз с точностью [С1629.0]; Считывать непосредственно с [С1630.0]

**сшивка:** Сшивку не нарушать [С1631.0]

**съёмка:** Для съёмки последовательных эпизодов [Д402.0]

**съёмный:** [С1632.0]

**сырость:** Боятся сырости [Б152.0]

**экономить:** Позволит сэкономить время [П931.0]; Позволяет сэкономить [П930.0];

Экономить время и средства [С1633.0]; Экономить количество, эквивалентное [С1634.0]; Экономить много времени и усилий [С1635.0]; Экономить на [С1636.0]

**сюда:** Сюда не входят [С 1637.0]

## Т

табель: Табель успеваемости [Т 1.0]

**таблица:** Из таблицы [И134.0]; Определять по таблице [0828.0]; Перечислять в таблице [П223.0]; Приведенный в таблице [П2253.0];

Приводит в таблице [П2249.0]; Сводит в таблицу [С313.0]; Сводная таблица по замене материалов [С326.0]; Строчка таблицы [С1519.0]; Таблица для выбора [Т3.0]; Таблица смазки изделия [Т4.0]; Указывать в строке таблицы [У202.0]

**табличка:** Заводская табличка [3118.0]; Паспортная табличка [П29.0]; Табличка с основными данными [Т6.0]; Установка предупредительных табличек [У504.0]

**табличный:** В табличной форме [В735.0]; Таб-

личное значение [Т7.0]

**тайный:** Окружать некоторой тайной [0728.0]

**также:** А также [А41.0]; В этом случае также [В557.0]; Верно также и то, что [В896.0];

Возможно также, что [В1313.0]; Выяснилось также, что [В2096.0]; Здесь также [3566.0];

И это также подтверждается [И79.0]; Или нужно учитывать также [И344.0]; Мало вероятно также, что [М46.0]; На это обращал внимание также [Н203.0]; Не было также необходимости [Н761.0]; Не исключена также возможность [Н891.0]; Обще-принято также [0313.0]; Означает также [0620.0]; Определенную ценность представляет также [0849.0]; От ... также многое зависит [01196.0]; Отметим также и то, что

[01421.0]; Отметим также, что [01422.0];

По этой причине, а также из-за [П449.0];

Подтверждается также, что [П861.0]; Показан также [П994.0]; Приводятся также [П2250.0]; Следует также подчеркнуть, что [С618.0]; Также не [Т53.0]; Также заслуживает признания [Т52.0]; Это также могло оказывать некоторое влияние [Э147.0]; Этого также следовало ожидать [Э209.0]

**таков:** Сейчас ситуация такова, что [С415.0]; Таков, что [Т61.0]; Только такова, какова [Т319.0]

**таковой:** В качестве такового [В 152.0];

Вдвое больше такового [В855.0]; Если таковое и существует, то [Е95.0]; И как таковой [И34.0];

Как таковой [К126.0]; Отличаться от таковых для [01390.0]; Процедура аналогична таковой для [П3019.0]; Равно таковому для окружающей среды [Р 140.0]

**такой:** Более или менее такой же (Б160.0); Был

таким, что (Б364.0); В основном такой же, как [В284.0]; В такого рода исследовании трудно ожидать большой точности [В 136.0];

В такой же степени [В675.0]; В таком случае [В553.0]; Во многом такой же, как у [В209.0];

Вряд ли можно ожидать, что такой [В1556.0];

Выбирать таким, чтобы [В1703.0]; До такой степени что [Д471.0]; Именно такое [И357.0];

Как обычно бывает в таких случаях [К98.0]; Не такой, какой хотелось бы иметь [Н1113.0];

Нельзя объяснить таким образом [Н1319.0];

Ничего такого ... вроде и не требуется [Н1774.0]; Один такой ... изображен на [0496.0]; От такого ... зависит будущность [01197.0]; Почти такой же как [П1562.0]; С таким расчетом, чтобы [С87.0]; Совсем не такой [С896.0, С897.0]; Такая возможность изучается [Т65.0]; Такие же доводы справедливы и для [Т87.0]; Такие преимущества как [Т77.0]; Таким образом достигался [Т94.0]; Такого рода [Т63.0]; Такого типа [Т64.0]; Такой же или лучше, чем [Т80.0]; Такой же как и [Т81.0]; Такой же прочный [Т82.0]; Такой например как [Т92.0]; Такой, чтобы [Т62.0]; Точно такой же, как и для [Т407.0]; Что такое ..., если не [4170.0]

**так-то:** Не так-то просто [Н1107.0]

**тангенс:** Тангенс угла наклона кривой [Т116.0]

**тара:** Вес тары [В926.0]; Прикреплять упаковочную тару к обрешетке [П2341.0]; Тара и упаковка [Т117.0]; Экспортная тара [Э65.0]

**тарирование:** Методика тарирования [М167.0]

**тарировать:** Тарировать по образцовому [Т119.0]; Тарировать по эталонному прибору [Т120.0]; Эталон, по которому тарируют [Э92.0]

**твердый:** Отжиг на твердый раствор [01297.0];  
Твердое правило [Т121.0]; Твердое тело [Т122.0]; Цены твердые, при условии [Ц33.0]

**творческий:** [Т123.0]; Открывать широкие просторы для творческой работы [01365.0];

**текст:** В тексте стандарта [В684.0]; Подробности смотри в тексте [П808.0]; При сплошном тексте [П2134.0]; Упомянутый в тексте [У322.0]

**текущий:** Текущего месяца [Т129.0];  
Текущее состояние [Т130.0]; Текущие расходы на обслуживание [Т131.0]; Текущий осмотр [Т125.0]; Текущий отчет о [Т126.0]; Текущий ремонт и обслуживание [Т128.0]; Текущий ремонт [Т127.0]

**телефон:** Информацию о порядке заказа можно получить по телефону [И635.0]; Обращаться за информацией по телефону или факсу [0224.0]; Обращаться по телефону [0231.0]; Связываться по телефону [С347.0]

**тело:** Твердое тело [Т122.0]

**тема:** Близок по теме [Б136.0]; Другие работы на эту тему [Д759.0]; На актуальную тему [Н167.0]; На тему о [Н166.0]; На эту тему написано много статей [Н168.0]; На эту тему написаны целые книги [Н169.0]; Нам не удалось обнаружить ни одной опубликованной работы по теме нашего исследования [Н399.0]; Относящийся к этой теме [01461.0]; Poleмика на эту тему [П1025.0]; Публикация на эту тему [П3070.0]; Руководитель темы [Р764.0]; Споры на эту тему [С1196.0]; Тема исследования [Т138.0];  
Тема настоящей статьи [Т139.0]; Это всего лишь некоторые из работ на указанную тему

[Э124.0]; Являться темой многих исследований [Я33.0]

**тематический:** Тематический указатель [Т140.0]

**темный:** Темные значки [Т141.0]

**темп:** Развитие идет быстрыми темпами [Р187.0]; Темпы внедрения [Т142.0]

**температура:** Зависимость от температуры [3110.0]; Охлаждение на воздухе до комнатной температуры [01622.0]; Повышение температуры [П593.0]; Повышенная температура [П595.0]; Поддерживать при постоянной температуре [П719.0]; При температуре до минус ... °С [П2138.0]; При температуре до плюс ... °С [П2139.0]; Прогреться до комнатной температуры [П2713.0]; Работать при температуре на ... °С выше [Р73.0]; Разность между максимальной и минимальной температурами не должна превышать [Р285.0]; Распределение температуры [Р421.0]; Слишком низкая температура [С654.0]; Температура ниже окружающей [Т144.0]; Температура окружающей среды [Т143.0]

**тенденция:** Имеется тенденция к [И497.0];

Иметь тенденцию к [И456.0]; Иметь явную тенденцию к [И457.0]; Наблюдается тенденция к [Н220.0]; Наблюдается тенденция отхода от [Н221.0]; Наблюдалась противоположная тенденция [Н222.0]; Незначительная тенденция к [Н1259.0]; Обнаруживать тенденцию к [0135.0]; Особенно учитывая всеобщую тенденцию к [01050.0]; Появилась заметная тенденция к использованию [П1594.0]; Предотвратить тенденцию к [П1777.0]; Противоположная тенденция наблюдается для [П2966.0]; Проявлять тенденцию к [П3049.0]; Тенденция к прилипанию [Т149.0]; Тенденция к ... обнаруживается [Т146.0]; Тенденция к образованию отложений [Т147.0]; Тенденция к понижению [Т148.0]; Тенденция, наблюдаемая для [Т150.0]; Тенденция отхода от [Т151.0]; Тенденция состоит в том, что [Т152.0]; У ... имеется тенденция к [У2.0]; Устойчивая тенденция [У513.0]

**тендерный:** В ходе тендерных торгов [В740.0]

**теоретик:** [Т153.0]

**теоретически:** Пока мало исследован теоретически [П959.0]; Показывать теоретически и на примерах [П989.0]; Теоретически мы допускаем что [Т164.0]; Теоретически показывать [Т165.0]

**теоретический:** В теоретическом плане [В341.0]; Еще нуждаются в теоретическом объяснении [Е218.0]; Капитальное теоретическое исследование [К177.0]; На чисто теоретической основе [Н99.0]; Подкреплять теоретические расчеты [П733.0]; Разрабатывать на чисто теоретической основе

[P297.0]; Рассчитывать исходя из теоретических положений [P508.0]; С теоретической точки зрения [C129.0]; Теоретические основы изложены в [T160.0]; Теоретические положения [T161.0]; Теоретические расчеты [T162.0]; Теоретический вывод [T157.0]; Теоретический подход [T158.0]; Теоретическое исследование [T159.0]

**теория:** В свете современной теории [B490.0]; Вносить уточнения в теорию [B 1235.0]; Вызывать сомнения в справедливости теории [B 1824.0]; Основан на теории, в соответствии с которой [01026.0]; Ошибочность теории [01702.0]; Понимание теории процесса [П1266.0]; Предлагать теорию [П1731.0]; Разрыв между теорией и практикой [P335.0]; Согласовываться с теорией [C921.0]; Теория достаточно хорошо разработана [T156.0]; Теория дает [T155.0]; Экспериментальные результаты хорошо согласуются с теорией [Э43.0]

**теперь:** Воспользуемся теперь [B1425.0]; Исследуем теперь [И801.0]; Нетрудно догадаться теперь, что [H1662.0]; Нужно теперь решить [H1910.0]; Обратимся теперь к [0232.0]; Обращаясь теперь к ..., видим [0235.0]; Опишем теперь [0787.0]; Ответственность за ... возлагается теперь на пользователя [01235.0]; Перейдем теперь к рассмотрению [П202.0]; Посмотрим теперь, что происходит в [П 1431.0]; Приведем теперь выражения для расчета [П2251.0]; Рассмотрев ... обратимся теперь к [P478.0]; Рассмотрим теперь доказательства [P483.0]; Рассмотрим теперь кратко [P484.0]; Ставший теперь традиционным [C1365.0]; Теперь все, что нужно сделать, это [T167.0]; Теперь из уравнения имеем [T168.0]; Теперь, когда известны ..., становится возможным [T171.0]; Теперь, когда можно [T172.0]; Теперь, когда достигнуто довольно хорошее понимание [T170.0]; Теперь, когда позади осталась половина [T173.0]; Теперь кратко опишем [T174.0]; Теперь мы в состоянии [T175.0]; Теперь остается [T176.0]; Теперь отпала необходимость [T177.0]; Теперь стало ясно, что [T178.0]; Теперь стоит упомянуть и о [T179.0]; Теперь точно установлено, что [T180.0]; Теперь уже можно сказать, что [0435.0]; Теперь это не так [T181.0]

**тепло:** Бойтесь тепла [B 151.0]; Извлекать тепло из [И182.0]; Отводить тепло от [01263.0]; Отдавать тепло [01280.0]; Подвод тепла к [П680.0]; Путем утилизации тепла [П3100.0]; Утилизировать тепло [У566.0]; Хранить вдали от источников тепла и предохранять от огня и прямого воздействия солнечных лучей [X121.0]

**тепловой:** Зона теплового влияния [3638.0]; Разница в тепловом расширении у ... и [P277.0]; Сработала тепловая защита от

перегрузки [C 1276.0]; Тепловая инерция [T183.0]; Тепловая схема [T184.0]; Тепловое расширение [T185.0]

**теплоизолировать:** [T186.0]

**теплообмен:** [T187.0]

**теплый:** Теплый на ощупь [T 182.0]

**тереться:** Тереться о [T 188.0]

**термин:** Пользоваться термином [П1218.0]; Спорный термин [C1200.0]; Термин означает здесь [T190.0]; Термин относится к [T191.0]; Термин, введенный [T189.0]; Чтобы внести ясность в использовании термина [4176.0]

**терминологический:** Терминологический выпуск [T192.0]

**термодинамика:** С точки зрения термодинамики [C 125.0]

**термообработка:** Заводская термообработка [3119.0]; Подвергаться термообработке [П664.0]

**термопара:** Кривая термопары [K478.0]

**терпеть:** Менее терпим к [M104.0]; Терпеть неудачу в попытке [T193.0]; Терпеть убытки [T194.0]

**территория:** Территория обслуживаемая [T196.0]

**терять:** Гипотеза теряет силу [T39.0]; Терять большую часть своей [T198.0]; Терять смысл [T200.0]; Терять способность различать [T201.0]

**теряться:** Если и теряется, то очень немного [E128.0]; Полностью теряется из-за [П1068.0]; Преимущество теряется [П1978.0]; Теряться в атмосферу [T203.0]; Теряться вместе с [T204.0]; Часть преимуществ теряется [432.0]

**тесный:** Более тесное сотрудничество [B 183.0]; В тесном сотрудничестве [B624.0]; Работать в тесном контакте с [P48.0]; Связанные тесным образом с [C355.0]; Существует тесная связь между ... и [C1581.0]; Тесная связь [T205.0]; Тесное взаимодействие [T206.0]; Тесное сотрудничество [T208.0]

**тесно:** Тесно связан с [T207.0]; Тесно сотрудничать с [T209.0]

**техник:** Инженеры и техники [И556.0];

**техника:** Бурное развитие техники [B287.0]; Воспользоваться достижениями передовой техники [B 1419.0]; Вполне отвечать современному уровню техники [B 1487.0]; Делать много для развития науки и техники в области [Д202.0]; Достижения в области техники [Д732.0]; Исследование уровня техники [И783.0]; Меры предосторожности по технике безопасности [M126.0]; Многие следать для развития науки и техники в области [M212.0]; На переднем рубеже техники [H140.0]; Наземная техника [H292.0]; Начальный инструктаж по технике безопасности [H709.0]; Не выходить за пределы современного уровня техники [H800.0]; Но-

визна по сравнению с существующим уровнем техники [Н 1826.0]; Обзор известного уровня техники [063.0]; Область науки и техники [097.0]; Относящийся к новой технике [01460.0]; Правила техники безопасности [П 1615.0]; Прежде чем применить в технике [П1957.0]; При существующем уровне техники [П2136.0]; Следить за выполнением правил техники безопасности [С581.0]; Современная проверенная техника [С882.0]; Современный уровень техники в области ... основан на [С881.0]; Современный уровень техники в области (С880.0); Соотвествовать современному уровню техники [С1019.0]; Специалист в данной области техники [С 1159.0]; Техника безопасности [Т211.0]; Технология, обычная для среднего уровня техники [Т251.0]; Указание области техники [У197.0]; Уровень развития техники [У374.0]

**технико-экономический:** Невыгодно с техни-

ко-экономической точки зрения [Н1179.0];

Технико-экономическая часть [Т214.0]; Технико-экономические результаты применения изобретения [Т217.0]; Технико-экономический анализ [Т212.0]; Технико-экономическое исследование [Т215.0]; Технико-экономическое обоснование [Т216.0]

**технически:** Технически обоснованные нормы [Т247.0]

**технический:** Акт технического испытания [А93.0]; Акт технического осмотра [А94.0];

В задаваемых техническими условиями пределах [В396.0]; В поисках технической помощи и инвестиций [В346.0]; В соответствии с техническими условиями [В598.0];

В состоянии удовлетворить всем техническим условиям [В615.0]; Вид технического обслуживания [В 1087.0]; Виды и периодичность технического обслуживания [В1088.0];

Временные технические условия [В1519.0]; Выдавать окончательные технические требования [В1767.0]; Выполнять операции по техническому обслуживанию [В1891.0]; Вы-

полнять технические условия [В 1899.0]; Вы-

сылать техническое задание [В2005.0]; Единый регламент технического обслуживания [Е26.0]; Если это не требуется какими-либо техническими условиями [Е169.0]; Замечания о техническом состоянии [З304.0]; Ин-

струкция по техническому обслуживанию [И577.0]; Интервал между техническими обслуживаниями [И600.0]; Карта учета технических осмотров и регламентных работ [К182.0]; Комплект технической документации [К293.0]; Наиболее трудная техническая задача [Н333.0]; Научный потенциал и техническая мощь [Н596.0]; Не приносить каких-либо неожиданностей технического характера [Н1038.0]; Номенклатура и пери-

одичность работ по техническому обслуживанию [Н 1838.0]; Облегчение требований

технических условий [0113.0]; Обращаться

за технической помощью к [0225.0]; Общие технические условия на капитальный

и средний ремонт [0344.0]; Одобрение

технического проекта [0594.0]; Оказывать

техническое содействие [0653.0]; Окончатель-

ные технические условия на [0718.0];

Описывать в технической инструкции [0778.0]; Основные проверки технического

состояния изделия [01009.0]; Основные

технические данные и характеристики [01011.0]; Отвечать техническим условиям [01245.0]; Отдел технического контроля [01283.0]; Перечень основных проверок

технического состояния изделия [П218.0];

Перечень работ для различных видов

технического обслуживания [П220.0]; Периодичность

технического обслуживания [П245.0]; Подниматься на новую ступень

технического развития [П760.0]; Полный

технический ресурс [П1078.0]; Последние

технические достижения [П1394.0]; Пред-

ставление технической документации на

рассмотрение [П1837.0]; Представлять

собой самые последние технические

достижения в области [П1878.0]; Представлять

собой серьезную техническую задачу [П1879.0]; Претензии по

техническому обслуживанию [П2043.0]; Проверка

технического состояния [П2629.0]; Провода

укладываются и заделываются согласно

техническим требованиям [П2669.0]; Работа за

пределами, предусмотренными

техническими условиями [Р18.0]; Регламент

технического обслуживания [Р606.0]; Руководство

по техническому обслуживанию [Р771.0];

Смягче-

ние технических условий [С753.0]; Со-

держать много полезной технической

информации [С943.0]; Соответствовать

техническим условиям [С1020.0]; Строгие

технические условия [Ж 11.0]; Существенные

технические усовершенствования [С 1559.0];

Тех-

ническая документация находится в

месте № [Т223.0]; Техническая компетентность [Т224.0];

Техническая литература [Т225.0];

Техническая оценка [Т226.0]; Техническая

помощь [Т227.0]; Технические изменения [Т240.0];

Технические неполадки [Т241.0];

Технические последствия [Т242.0];

Технические требования на дефектацию и

ремонт [Т243.0]; Технические трудности [Т244.0];

Технические условия [Т245.0];

Тех-

нические характеристики [Т246.0];

Технический отдел [Т218.0];

Технический персонал [Т219.0];

Технический прогресс в

облас-

ти [Т221.0];

Технический проект [Т222.0];

Техническое достижение [Т228.0];

Техническое задание [Т229.0];

Техническое об-

служивание [Т230.0]; Техническое описание [Т231.0]; Техническое освидетельствование изделия специальными контрольными органами [Т232.0]; Техническое предложение [Т233.0]; Техническое расследование [Т234.0]; Техническое рассмотрение [Т235.0];

Техническое решение было найдено с появлением [Т236.0]; Техническое совершенство [Т237.0]; Техническое состояние [Т238.0,

Т239.0]; Требования технических условий [Т429.0]; Требуемый техническим заданием [Т459.0]; Удовлетворяющий техническим условиям [01252.0]; Указывать в техническом задании [У203.0]; Фамилия и подпись лица, ответственного за проведение технического обслуживания [Ф17.0]; Являться неотъемлемой частью настоящих технических условий [Я19.0]

**технологический:** Карта технологического процесса [К181.0]; Маршрутная технологическая карта [М53.0]; Ограничения технологического характера [0449.0]; Технологическая карта выполнения регламентных работ [Т257.0]; Технологическая операция [Т258.0]; Технологическая оснастка [Т259.0];

Технологическая схема [Т260.0]; Технологический метод [Т255.0]

**технологичность:** Технологичность изготовления [Т253.0]

**технология:** Недоразвитость технологии производства [Н1628.0]; Освоение технологии в промышленных масштабах [0925.0]; Технология более совершенна [Т249.0]; Технология изготовления [Т250.0]; Технология, обычная для среднего уровня техники [Т251.0]; Тонкая технология [Т327.0]; Улучшать технологию [У243.0]

**техноэкономический:** Техноэкономическая оценка [Т213.0]

**техобслуживание (= техническое обслуживание):** Запрещается производить техобслуживание, не выставив предупредительный знак [3411.0]

**техусловия (= технические условия):** Пригоден для использования согласно техусловиям [П2281.0]

**течение:** В направлении вверх по течению [В231.0]; В течение ... месяцев, считая от даты [В705.0]; В течение более чем [В686.0];

В течение большей части времени [В702.0]; В течение всего времени [В688.0]; В течение всего исследования [В690.0]; В течение всего опыта [В689.0, В691.0]; В течение всей серии опытов [В692.0]; В течение всех этих лет [В693.0]; В течение года без перерыва [В694.0]; В течение длительного времени [В695.0]; В течение длительного периода времени [В703.0]; В течение заданного периода времени [В704.0]; В течение интервала времени [В696.0]; В течение короткого

времени [В697.0]; В течение которых [В698.0]; В течение многих лет [В699.0]; В течение некоторого времени [В700.0]; В течение нескольких дней или недель [В701.0]; В течение последних ... лет или около того [В710.0]; В течение продолжительного периода времени [В707.0]; В течение продолжительного периода эксплуатации [В708.0]; В течение следующих двух-трех лет [В711.0]; В течение срока службы [В712.0]; Время, в течение которого [В1539.0];

Выше...по течению [В2068.0]; Гарантировать исправную работу в течение одного года со дня [Г16.0]; Изготовитель гарантирует работу изделия в течение ...лет, считая срок пребывания в пути и хранения на складах со дня выпуска с предприятия [И207.0]; Непрерывно в течение многих лет [Н1524.0]; Ниже по течению [Н1720.0]; Обес-

печивать резервное батарейное питание в течение [049.0]; Опыт, накопленный в течение многих лет [0878.0]; Оставаться в работе в течение [01085.0]; После работы в течение некоторого времени [П1366.0]; Пред-

ставлять в течение этого года [П1843.0];

Продолжительность времени, в течение которого он [П2755.0]; Размеры выбраны из расчета удовлетворения максимальной потребности в течение [Р256.0]; С течением времени [С122.0]; Содержать количество продукта, достаточное для работы в течение [С944.0]; Сохраняться в течение только [С1143.0]; Удовлетворительно работать в течение [У 160.0]; Устанавливаются в течение нескольких минут [У473.0]

**тильда** [Т261.0]

**тип:** Все разнообразие типов [В984.0]; Вышеупомянутого типа [В2078.0]; Два совершенно разных типа [Д149.0]; Заменять на ... того же типа, размера и номинала [3284.0]; Подразделяются по типу на [П786.0]; Происходить по типу [П2829.0]; Разных типов [Р291.0]; Соответствовать по типу и размерам [С1016.0]; Существует три основных типа [С1582.0]; Такого типа [Т64.0]; Тип, марка по ГОСТу или обозначение по чертежу [Т263.0]; Этих типов [Э219.0]; Эффект типа [Э221.0]

**типичный:** Быть типичным для [Б338.0]; Быть

типичным представителем [Б339.0]; Достаточно типичный для [Д694.0]; Последовательность этапов в типичном эксперименте [П1406.0]; Служить типичным примером [С697.0]; Сравниваются типичные кривые [С1283.0]; Типичен для [Т272.0]; Типичные результаты показаны на [Т271.0]; Типичный для конкретного [Т267.0]; Типичный образец [Т268.0]; Типичный пример [Т269.0]; Типичным примером которого служит [Т270.0]

**типовой:** Типовой образец [Т273.0]  
**тиски:** Зажимать в тисках [3198.0]  
**товар:** Выдавать сертификат о происхождении товара (В1770.0); Показатели качества товара [П1972.0]; Распоряжение о выдаче товара со склада (Р413.0); Сертификат о происхождении товара [С433.0]; Скоропортящиеся товары [С542.0]  
**товарный:** Зарегистрированный товарный знак [3430.0]; Заявка на регистрацию товарного знака [3556.0]; Изделие с товарным знаком [И217.0]; Нарушать товарный знак [Н520.0]; Реестр товарных знаков [Р625.0]; Товарный знак [Т282.0]  
**товаросопроводительный:**  
 Товаросопроводительный документ [Т283.0]  
**тогда:** Еще тогда, когда [Е230.0]; Особенно тогда, когда [01047.0]; Пусть тогда [П3089.0]; Сможем тогда [С740.0]; Тогда можно записать как [Т289.0]; Тогда равен [Т290.0]; Тогда было решено [Т284.0]; Тогда еще [Т285.0]; Тогда и только тогда [Т286.0]; Тогда как в действительности [Т292.0]; Тогда, когда [Т287.0]; Тогда можно было бы надеяться, что [Т288.0]  
 того: А кроме того [А20.0]; А не из-за того [А26.0]; Более того [Б184.0]; Быть равным ...  
 или около того [Б333.0]; В зависимости от того, что более подходит [В 117.0]; В отношении того, какой [В301.0]; В течение последних ... лет или около того [В710.0]; Ввиду того что [В833.0]; Вместо того, чтобы [В1162.0]; Вне зависимости от того, хорошие они или плохие [В1177.0]; Вплоть до того момента, когда ... больше не применимо [В1474.0]; Время, необходимое для того, чтобы [В1545.0]; Вскоре после того, как [В1590.0]; Еще до того как [Е204.0]; Еще одно свидетельство того, что [Е226.0]; За исключением того, что [329.0]; Задолго до того как [3191.0]; И без того [И5.0, И6.0, И7.0]; И не более того [И43.0]; И того меньше [И63.0]; И это после того как [И77.0]; Или около того [И345.0]; Кроме того [К501.0]; Начнем с того, что [Н735.0]; Независимо оттого, какой [Н1230.0]; Нельзя не принимать во внимание того, что [Н1316.0]; Немало доказательств того, что [Н1336.0]; Ни того, ни другого не происходит [Н1708.0]; Около того [0700.0]; По мере того как [П395.0]; Понимание того, насколько [П1267.0]; После того как ... стал ниже [П1376.0]; Признание того, что [П2317.0]; Проистекать из того, что [П2817.0]; Происходить в результате того, что [П2822.0]; Рассматривать как доказательство того, что (Р461.0); С учетом того что [С163.0]; Служить убедительным доказательством того, что [С675.0]; Соглашаться со многим из того, что [С931.0]; Сразу же после того как

[С1300.0]; Существует реальная опасность того что [С1575.0]; Того времени [Т351.0]; Того или иного рода [Т354.0]; Уменьшение и без того низкого [У275.0]  
**тоже:** [Т295.0]  
**токоподводящий:** Отсоединять токоподводящие провода [01523.0]  
**толкование:** Толкование положений [Т296.0]; Толкование содержания [Т297.0]  
**толстостенный:** [Т298.0]  
**толстый:** Покрывать толстым слоем [П1002.0]  
**толчок:** Давать толчок [Д66.0]; Послужить толчком для исследований [П1426.0]  
**толщина:** Для устранения зазора определить толщину прокладки по месту [Д416.0]; Допускается разностенность отливки в пределах ... от толщины стенки [Д664.0]; По толщине [П494.0]; Покрывать слоем толщиной [П1001.0]; Толщиной [Т299.0]  
**только:** Анализ ограничивается только [А108.0];  
 Впоследствии рассматриваются только [В1500.0]; Годится только для [Г81.0]; Должен быть знаком не только с [Д573.0]; Если только [Е161.0]; И это только к лучшему [И80.0]; И это только справедливо, что [И81.0]; И это только хорошо [И82.0]; Исходя из одних только [И819.0]; Как только [К128.0]; Касаться только [К191.0]; Можно только догадываться о [М380.0]; Не один только [Н952.0]; Не только ..., но и многое другое [НИ 19.0]; Ничего иного не остается как только [Н1767.0]; Но дело не только в [Н1787.0]; Одного только ... недостаточно [0504.0]; Остается только догадываться [01126.0]; Появление ... можно только приветствовать [П1586.0]; Рассматривать только как ... а не как [Р476.0]; Сказанное справедливо только в случае, если [С510.0]; Составлять только некоторую часть от [С1098.0]; Справедливо только для [С1251.0];  
 Тогда и только тогда [Т286.0]; Только в последнее время [Т303.0]; Только выиграют  
 в результате [Т307.0]; Только за последние года [Т304.0]; Только и имеет значение [Т308.0]; Только как первый шаг [Т310.0]; Только настолько, насколько это требуется [Т314.0]; Только начинается [Т315.0]; Только однажды [Т317.0]; Только после того как [Т318.0]; Только такова, какова [Т319.0]; Только те, которые [Т320.0]; Трудно объяснить одним только [Т479.0]; Что можно только приветствовать [4149.0]  
**только что:** Отличия от только что описанного [01410.0]  
**тон:** Задавать тон [3156.0]  
**тонина:** Измельчить до тонины [И237.0]  
**тонкий:** Наносить тонкий слой на [Н440.0]; Наносить тонким слоем на [Н441.0]; Насыпать тонким слоем [Н581.0]; Тонкая настройка [Т326.0]; Тонкая технология [Т327.0];

**тонкоизмельченный:** [Т328.0]  
**тонкостенный:** Тонкостенный образец [Т329.0]  
**тонкость:** Быть знакомым со всеми тонкостями [Б307.0]; Тонкости [Т330.0]  
**топка:** Встречаемый в реальных топках [В1635.0]  
**топливо:** Переход с одного топлива на другое [П192.0]; Потребление топлива [П1523.0]; Работа на топливе [Р22.0]; Содержание водорода в топливе [С935.0]  
**торг:** В ходе тендерных торгов [В740.0]; Победа в конкурсных торгах [П518.0]  
**торговля:** В интересах торговли [В 133.0]  
**торговый:** Закрывать торговые сделки [3240.0]; Торговое наименование [Т331.0]; Торговые издержки [Т332.0]  
**торгующий:** Торгующая фирма [Т333.0]  
**торец:** Вид с торца [В1080.0], Поставить на торец [П1441.0]; Расстояние между торцами [Р501.0]  
**тормозить:** Резко тормозить до полной остановки [Р635.0]; Тормозить внедрение [Т335.0]; Тормозить развитие [Т336.0]  
**тормозиться:** Тормозиться из-за отсутствия [Т337.0]  
**торопиться:** Торопиться с выводом [Т339.0]  
**торцевой:** Торцевая поверхность [Т340.0]  
**тотчас:** Тотчас же за [Т367.0], Тотчас же становится ясной [Т368.0]  
**точка:** Все точки которых [В1021.0]; Выпадающая точка [В1864.0], За точкой [363.0]; Зачеканить в четырех точках [3526.0]; Изменять точку зрения в пользу [И268.0]; Интересен не только с точки зрения [И609.0]; Количество точек смазки [К265.0]; Кривые плавно соединяют точки [К482.0]; Мертвая точка [М 136.0]; Наносить точки на график [Н448.0]; Невыгодно с технико-экономической точки зрения [Н1179.0]; Обосновывать точку зрения [Д543.0]; Отправная точка [01494.0]; Отправной точкой для послужил [01495.0]; Перспективны с точки зрения [П258.0]; Плавная кривая, проведенная через точки [П271.0]; Подбирать кривую для экспериментальных точек [П644.0]; Подгонять к экспериментальным точкам [П689.0]; Подкреплять точку зрения [П734.0]; Подтверждать точку зрения о том, что [П858.0]; Подтверждение этой точки зрения [П867.0]; Показывать с качественной точки зрения [П986.0]; Полезный с информационной точки зрения [П1019.0]; Превращаться в точку [П 1692.0]; Предпочтителен с точки зрения [П1817.0]; Придерживаться точки зрения [П2299.0]; Приемлемый с экономической точки зрения [П2307.0]; Проведение аппроксимирующей кривой через экспериментальные точки [П2614.0]; Проводить кривую через точки [П2682.0]; Проводить плавную кривую че-

рез точки [П2684.0]; Проводить прямую через точки [П2693.0]; Проводить регрессионную кривую через точки [П2685.0]; Прямая, проведенная через экспериментальные точки [П3057.0]; Работать далеко от точки [Р51.0]; Разброс экспериментальных точек относительно среднего значения составляет [Р174.0]; Разделять точку зрения [Р210.0]; Расчетная точка [Р558.0]; С инженерной точки зрения [С 126.0]; С качественной точки зрения [С127.0]; С практической точки зрения [С128.0]; С теоретической точки зрения [С129.0]; С точки зрения термодинамики [С125.0]; С физической точки зрения [С 130.0]; С экономической точки зрения невыгодно [С 131.0]; С экспериментальной точки зрения [С132.0]; С юридической точки зрения [С133.0]; Сильно разбросанные экспериментальные точки [С480.0]; Случайно выпавшая точка [С718.0]; Соединяя точки, получаем [С963.0]; Сходиться в одну точку [С 1603.0]; Точка зрения на [Т370.0]; Точка перегиба кривой [Т371.0]; Точка пересечения [Т372.0]; Точкой обозначается дифференцирование по [Т373.0]; Упрощенческая точка зрения [У346.0]; Целесообразно с точки зрения экономии времени и средств [Ц4.0]; Целесообразный с практической точки зрения [Ц9.0]; Чтобы избежать наложения экспериментальных точек и вызываемой этим путаницы (4183.0); Чтобы не загромождать график, точки не показаны [4192.0]; Экспериментальная точка [Э37.0]  
**точно:** Возможно точнее [В 1306.0]; Говоря точнее [Г76.0]; Достаточно точно [Д695.0]; Или более точно [И335.0]; Наиболее точно аппроксимирующая кривая [И332.0]; Не всё идет точно по плану [Н786.0]; Не может быть достаточно точно описан с помощью [Н912.0]; Не позволяет точно описать [Н993.0]; Определять достаточно точно [0819.0]; Осуществляться точно по графику [01182.0]; По возможности точно [П347.0]; Размещаться точно по центру [Р269.0]; Совпадать довольно точно [С871.0]; Стать точно таким, каким [С1411.0]; Теперь точно установлено, что [Т180.0]; Точно в том месте, где [Т386.0]; Точно вверх [Т387.0]; Точно воспроизводимый [Т389.0]; Точно воспроизводить [Т388.0]; Точно выдерживая [Т390.0]; Точно не установлен [Т410.0]; Точно определять [Т391.0]; Точно отражать [Т392.0]; Точно по размерам [Т393.0]; Точно по расписанию [Т394.0]; Точно по центру [Т395.0]; Точно подгонять [Т396.0]; Точно поддерживать (Т397.0); Точно подходить под [Т398.0]; Точно пригнанный [Т399.0]; Точно соблюдать [Т400.0]; Точно совпадать с расчетными значениями [Т401.0]; Точно



соответствовать [Т402.0]; Точно так же, как и [Т404.0]; Точно так же, как это было описано в [Т405.0]; Точно такой же, как и для [Т407.0]; Точно указывать [Т408.0]; Точно установлены [Т409.0]

**точность:** Баланс сошелся с точностью 1% [Б3.0]; Без большой потери точности [Б10.0];

В пределах точности измерений [В395.0]; В такого рода исследовании трудно ожидать большой точности [В 136.0]; Взвешивать с точностью [В 1061.0]; Выдерживать даже с большей точностью [В1791.0]; Выраженный с точностью до ближайшей [В1957.0]; Высокая точность [В1984.0]; Измерять с точностью [И301.0]; Иметь точность около [И458.0];

Имеющий точность [И516.0]; Находиться в пределах точности расчета [Н638.0]; Нельзя получить с какой-либо точностью [Н1329.0];

Обработать по классу точности [0185.0];

Оказываться в точности равным [0660.0];

Параллельность осей отверстий Ж 12 и Ж20 по 3-му классу точности [П21.0]; Перечень приборов и аппаратуры для периодической проверки точности показаний [П219.0]; Повторять в точности [П573.0]; Превосходить по точности [П1686.0]; Проверка точности [П2630.0]; Расчетные методы, отличающиеся высокой точностью [Р560.0]; Регулировать с точностью [Р613.0]; С достаточной точностью может быть записан в виде [С139.0]; С приемлемой точностью согласовываться с, [У161.0]; С точностью до ближайшего целого числа [С 135.0]; С точностью до двух последних значащих цифр [С136.0]; С точностью до пяти значащих цифр после запятой [С137.0]; С точностью, не выходящей за пределы погрешности измерений [С138.0]; Сводить баланс с точностью [С311.0]; Смоделировать реальный ... с какой-либо точностью [С739.0]; Совпадать с точностью 2% с [С874.0]; Согласовываться с приемлемой точностью [С924.0]; Согласовываться с точностью до десятичного знака [С923.0]; Сходиться с приемлемой точностью [С1605.0]; Считывать на глаз с точностью [С1629.0]; Точность измерений была неопределенной [Т375.0]; Точность отсчета [Т376.0]; Точность расчетов повышается благодаря тому, что [Т377.0]; Точность соблюдения графика поставки [Т378.0]; Точность установки [Т379.0]

**точный:** Более точная оценка [Б185.0];

Выдерживать точные допуски на [В1797.0]; Довольно скудные и не совсем точны [Д513.0]; Достаточно точный [Д696.0]; За отсутствием более точных данных [З32.0]; Не совсем точны [Н1083.0]; Необходимость в точном знании [Н1406.0]; Особенно точный [01048.0]; Поскольку точное определение было сопряжено с некоторыми трудностями

[П1352.0]; С целью получения общих зависимостей, а не точных численных результатов [С175.0]; Снижать до уровня, не улавливаемого даже с помощью точного химического анализа [С766.0]; Такой же точный (Т84.0); Точная копия [Т382.0]; Точное значение [Т383.0]; Точные данные по ... отсутствуют [Т384.0]; Точный состав [Т381.0];

Трудно дать точное определение [Т477.0];

Формулировать в виде краткого и точного вопроса [Ф48.0]

**траверсирование:** [Т411.0]

**травма:** Несоблюдение указанных требований может привести к поломке машины или травме - [Н1626.0]; Предохранять от травмы [П1784.0]

**травматизм:** Меры по предупреждению материальных потерь и травматизма [М131.0]

**традиционный:** Ставший теперь традиционным [С 1365.0]

**традиция:** Давняя традиция [Д77.0]; По давней традиции [П497.0]

**траектория:** Отклоняться от прямолинейной траектории [01344.0]

**трамплин:** Послужить трамплином для [П1427.0]

**транспортирование:** Маркировка, упаковка, транспортирование и хранение [М52.0]

**транспортировать:** Транспортировать на строительную площадку [Т412.0]

**транспортировка:** Неприсланные и потерянные при транспортировке [Н1549.0]; Признаки грубого обращения с грузом при транспортировке [П2321.0]; Транспортировка к строительной площадке [Т413.0]; Транспортировка на большое расстояние [Т414.0]; Транспортировка, хранение и перемещение грузов [Т415.0]; Хранение и транспортировка [Х111.0]

**транспортный:** Организация транспортных перевозок [0903.0]; Транспортный документ [Т416.0]

**трата:** Вести к большим тратам впустую [В934.0]

**требование:** Аттестован в соответствии с требованиями ... для Класа [А170.0]; Без предъявления чрезмерных требований к [Б47.0]; В свете этих требований [В493.0]; Временные требования [В1520.0]; Выдавать окончательные технические требования [В1767.0]; Выдвигать еще одно требование [В1780.0]; Из требования равенства нулю [И136.0]; Изделие подвергнуто консервации на... согласно требованиям, предусмотренным инструкцией по эксплуатации [И215.0]; Изделие упаковано на ... согласно требованиям, предусмотренным инструкцией по эксплуатации (И218.0); Изменяющиеся требования (И295.0); Компромисс между противоречивыми требованиями [К306.0]; Конструкция, удовлетворяющая

требованиям санитарных норм [К345.0]; Лучше удовлетворять требованиям [Л110.0]; Нарушать требования [Н521.0]; Нарушение этого требования [Н531.0]; Не подчиняться требованиям [Н986.0]; Не удовлетворять требованиям [Н1131.0]; Необходимое требование [Н1419.0]; Несоблюдение требований [Н1625.0]; Несоблюдение указанных требований может привести к поломке машины или травме [Н1626.0]; Несоблюдающий требованиям [Н1637.0]; Облегчать выполнение требований [0105.0]; Облегчение требований технических условий [0113.0]; Оборудованный в соответствии с требованиями заказчика [0161.0]; Ограничение выражающееся в требовании постоянства [0442.0]; Основные требования к монтажу и эксплуатации [01012.0]; Отвечать требованиям во всех отношениях [01247.0]; Отвечающий требованиям [01253.0]; Очень важные требования, которые должны быть выполнены [01659.0]; По первому требованию [П435.0]; Полностью удовлетворять требованиям [П1069.0]; Понижать требования к [П1261.0]; Предъявлять более высокие требования к [П1936.0]; Предъявлять втрое более высокие требования, чем [П1937.0]; Предъявлять новые требования к [П1938.0]; Предъявлять повышенные требования к [П1939.0]; Предъявлять серьезные требования к [П1940.0]; Предъявлять финансовые требования к [П1941.0]; Предъявляющий высокие требования [П1942.0]; Провода укладываются и заделываются согласно техническим требованиям [П2669.0]; Противоречивые проектные требования [П2979.0]; Свидетельство, которым подтверждается выполнение всех требований по [С289.0]; Соблюдать требования безопасности [С814.0]; Соблюдение требований норм [С816.0]; Согласовывать противоречивые требования [С915.0]; Соответствовать требованиям [С1022.0]; Способный удовлетворить это требование [С1221.0]; Строгие проектные требования [С1498.0]; Строгое соблюдение требований (С1496.0); Такой подход был продиктован требованием [Т57.0]; Технические требования на дефектацию и ремонт [Т243.0]; Требование было необоснованным [Т417.0]; Требование, в соответствии с которым [Т418.0]; Требования не распространяются на [Т422.0]; Требования к ... могут быть снижены [Т419.0]; Требования к работе [Т420.0]; Требования, касающиеся [Т421.0]; Требования осложняются тем, что [Т423.0]; Требования по ... необходимо увязывать с требованиями по [Т426.0]; Требования по ..., предъявляемые к [Т425.0]; Требования по взрывобезопасности [Т424.0]; Требова-

ния со стороны [Т428.0]; Требования технических условий [Т429.0]; Трудновыполнимое требование [Т487.0]; Удовлетворение требований норм [У156.0]; Удовлетворение экологических требований [У157.0]; Удовлетворять всем этим требованиям [У173.0]; Удовлетворять формальным требованиям [У174.0]; Условия хранения должны соответствовать требованиям, изложенным в описании и инструкции по эксплуатации изделия [У403.0]; Устанавливать требования [У464.0]; Чрезмерная строгость требований [4122.0]

**требовательный:** Быть в высшей степени требовательным к [Б296.0]

**требовать:** Вопрос ... требует дополнительного рассмотрения [В1409.0]; Не требовать для [Н1122.0]; Не требовать пояснения [Н1123.0];

Не требовать разъяснений [НИ 24.0]; Требовать больших усилий и внимания [Т431.0]; Требовать большого ремонта [Т432.0]; Требовать большой осторожности [Т433.0]; Требовать внимательного к себе отношения [Т434.0]; Требовать времени для своей разработки [Т435.0]; Требовать использования [Т436.0]; Требовать меньше, чем [Т438.0]; Требовать много времени [Т439.0]; Требовать особого обращения [Т440.0]; Требовать от ... более высоких [Т441.0]; Требовать от нескольких часов до нескольких дней ^ [Т442.0]; Требовать очень малого в отношении [Т443.0]; Требовать пересмотра [Т444.0]; Требовать специальных знаний [Т445.0]; Требовать только знания [Т446.0]; Требовать экспериментальной проверки [Т447.0]

**требоваться:** А это и были как раз те ..., которые требовались [А46.0]; В зависимости от того, который из них требовался [ВПб.0]; В некоторых ... требуется, чтобы [В251.0]; Все еще требуется немалая доля изобретательности [В977.0]; Все, что в этом случае требуется для... это [В989.0]; Делать именно то, что требуется [Д200.0]; Единственное, что требуется [Е20.0]; Если это не требуется какими-либо техническими условиями [Е169.0]; Если это требуется [Е170.0];

Именно когда требовалось [И356.0]; Когда от системы требуется [К234.0]; Которые требуются, например, для [К427.0]; Не требуются [Н1125.0]; Никаких не требуется [Н1744.0]; Никакого дополнительного объяснения не требуется [Н1749.0]; Никакой поправки на не требуется [Н1750.0]; Ничего такого вроде и не требуется [Н1774.0];

Обычно на практике требуется [0408.0]; Особенное внимание требуется при [01056.0]; От ... требуется [01198.0]; От вас требуется [01188.0]; От перегородок требуется способность [01199.0]; По условиям на ... требуется [П501.0]; Поэтому для того,

чтобы ..., требовалось использовать [П1579.0]; Сколько времени требуется для [С531.0]; Только настолько, насколько это требуется [Т314.0]; Требовались новые [Т454.0]; Требовалось некоторое везение [Т453.0]; Требуется более длительное время [Т449.0]; Требуется задать [Т450.0]; Требуется учитывать оба [Т451.0]; Требуется дополнительные [Т452.0]

**требуемый:** В требуемом отношении [В306.0];  
На требуемом уровне [Н176.0]; Обладать свойствами, требуемыми [087.0]; Отставать от требуемого [01535.0]; Произвести поставку в требуемый срок [П2792.0]; Требуемая трудоемкость обслуживания [Т460.0]; Требуемые качества [Т461.0]; Требуемый в случае [Т456.0]; Требуемый от [Т457.0]; Требуемый техническим заданием [Т459.0];  
Удерживать в требуемом положении [У123.0]

**требующий:** В состоянии, требующем ремонта [В613.0]; В удовлетворительном состоянии, не требующем ремонта [В621.0]; Не требующий большого обслуживания [Н1126.0]; Требующий больших затрат времени [Т462.0]; Требующий много времени [Т463.0]

**тревога:** Вызывать тревогу из-за [В 1827.0];  
Нарушение работы вызывает появление сигнала тревоги [Н529.0]

**третий:** Во-первых,... во-вторых,... и наконец, в третьих. [В328.0]; Третий возможный путь состоит в [Т464.0]

**треугольник:** Разбивать по треугольнику со стороны [Р 161.0]; С разбивкой по треугольнику и шагом [С80.0]

**трехсменный:** Работать по трехсменному графику [Р71.0]

**трехсторонний:** Трехстороннее влияние [Т465.0]

**трижды:** [Т469.0]

**трогать:** Не трогайте [Н1127.0]; Открепить, не трогая [01355.0]; Трогать руками [Т470.0]

**тропический:** Иметь полностью тропическое исполнение [И402.0]; Особенности эксплуатации в тропических условиях [01054.0]; Тропическое исполнение [Т471.0]

**труба:** Внутри труб [В1242.0]

**трубопровод:** Поступать по трубопроводу к [П1504.0]; Продувать трубопроводы сжатым воздухом [П2759.0]

**трубопроводный:** Трубопроводная и кабельная обвязка [Т472.0]

**труд:** Без большого труда [Б57.0]; Большие затраты труда и электроэнергии [Б255.0];  
Для ... не составит большого труда [Д361.0]; Не представлять труда [Н1021.0]; Повышать производительность труда [П1589.0]; Позволяет без труда заменять [П905.0]; Производительность труда [П2784.0]; Рабочий труд [Р778.0]; Разделение труда [Р199.0]; С трудом [С141.0]; Снижение затрат труда

[С775.0]; Труды [Т496.0]; Уменьшение затрат труда [У274.0]

**трудиться:** Интенсивно трудиться [И590.0];  
Упорно трудиться над проблемой [У326.0]

**труднее:** Еще труднее [Е231.0]; Значительно труднее [З634.0]

**трудно:** Без ... было бы трудно сказать с уверенностью, какой [Б 12.0]; В такого рода исследовании трудно ожидать большой точности [В136.0]; Решение трудно получить [Р744.0]; Трудно воспроизвести [Т476.0]; Трудно дать точное определение [Т477.0]; Трудно, если не [Т478.0]; Трудно объяснить одним только [Т479.0]; Трудно осуществить [Т480.0]; Трудно переоценить важность [Т481.0]; Трудно понять [Т482.0]; Трудно себе представить [Т483.0]; Трудно согласиться с [Т484.0]; Трудно судить о [Т485.0]

**трудновыполнимый:** Трудновыполнимое требование [Т487.0]

**труднодостижимый:** Труднодостижимая задача [Т488.0]

**труднодоступный:** Труднодоступное место [Т489.0]

**труднообрабатываемый:** [Т490.0]

**трудносжигаемый:** [Т491.0]

**трудность:** Большие трудности [Б257.0]; В основном устранил эту трудность [В285.0];  
Возник ряд трудностей, связанных с [В 1349.0];  
Возникают трудности [В1347.0]; Возникли непредвиденные трудности [В 1348.0];  
Встречаться с трудностями (В 1631.0); Вызывать трудности [В1804.0]; Действительная трудность [Д169.0]; Дополнительная трудность [Д631.0]; Задача первостепенной трудности [З170.0]; Избегать трудностей [И159.0]; Иногда создают трудности [И565.0]; Испытывать огромные трудности [И764.0]; Испытывать те же трудности [И765.0]; Мы не видим каких-либо непреодолимых трудностей [М414.0]; Наталкиваться на трудности [Н583.0]; Не должен вызывать трудностей [Н829.0]; Неизбежные трудности [Н 1272.0]; Некоторые из трудностей, которые могут возникнуть при использовании [Н1300.0]; Непреодолимые трудности [Н1522.0]; Обходить трудности [0284.0]; Общепризнанные трудности [0304.0]; Одна из главных трудностей, с которыми приходится сталкиваться [0529.0];  
Особые трудности возникают при [01075.0]; Очевидные трудности, связанные с [01651.0];  
Понимая при этом всю трудность [П 1272.0];  
Поскольку точное определение было сопряжено с некоторыми трудностями [П1352.0]; Прекращать издание из-за финансовых трудностей [П1987.0]; Преодолевать почти любые трудности [П2024.0]; Преодолевать трудности, связанные с [П2023.0]; Преодоление трудностей [П2025.0]; Решение было сопряжено с основными трудностями [Р734.0]; С

учетом этих очевидных трудностей [С 166.0]; Создавать трудности [С978.0]; Сопровождается трудностями [С1057.0]; Сопряжено с меньшими трудностями [С 1058.0]; Сталкиваться с самыми разными трудностями [С1375.0]; Такое расхождение неудивительно, если учесть трудности, которые исследователи встречают при [Т74.0]; Технические трудности [Т244.0]; Трудности огромны (Т494.0); Трудности усугубляются при [Т474.0]; Трудность состоит в том, что нужно [Т493.0]; Усугублять эту трудность [У551.0]; Эту трудность можно обойти [Э111.0]; Эту трудность можно преодолеть [Э112.0]

**трудноудаляемый:** [Т492.0]

**трудный:** Делать очень трудным, если вообще не невозможным [Д229.0]; Делая более трудным, чем в случае [Д230.0]; Довольно трудная задача [Д515.0]; Исследование оказалось более трудным [И779.0]; Наиболее трудная техническая задача [Н333.0]; Одна из наиболее трудных проблем [0531.0]; Оказываться довольно трудным делом [0664.0]; Сделать задачу более трудной [С394.0]; Это может оказаться трудной задачей [Э 143.0]

**трудоваой:** Трудовая дисциплина [Т495.0]

**трудоёмкость:** Требуемая трудоёмкость обслуживания [Т460.0]

**трудоизм:** [Т497.0]

**туго:** Натянут туго [Н592.0]; Туго натягивать [Т498.0]; Туго связывать [Т499.0]

**туда:** Туда, где это необходимо [Т500.0]; Туда и обратно [Т501.0]

**тупик:** Заводить в тупик [3125.0]

**тщательно:** Более тщательно контролировать [Б187.0]; Необходимо тщательно взвешивать [Н 1391.0]; Отливку тщательно очистить от грязи и формовочной земли [01371.0]; Тщательно исследовать все возможные [Т510.0]; Тщательно осмотреть [Т512.0]; Тщательно отбирать [Т513.0]; Тщательно очищать от [Т514.0]; Тщательно промывать [Т515.0]; Тщательно разделять результаты расчетов, основанных на ... и на [Т516.0]; Тщательно рассматривать [Т517.0];

Тщательно регистрировать [Т518.0]

**тщательность:** Выполнять с тщательностью [В1895.0]

**тщательный:** Нуждаться в тщательном дополнительном исследовании [Н1882.0]; Проходить тщательную проверку [П3009.0]; Стать предметом интенсивного и тщательного изучения [С1410.0]; Тщательное изучение вопроса [Т507.0]; Тщательное исследование [Т508.0]; Тщательный анализ показал [Т504.0]; Тщательный инженерный анализ каждого случая [Т505.0]

**тяжелый:** Положение с поставками очень тяжелое [П1102.0]; Работа в тяжелом режиме [Р8.0]; Работа в тяжелых условиях [Р9.0]; Работать в значительно более тяжелых условиях [Р50.0]; Тяжелые условия работы [Т519.0]

**тяжесть:** Оценка тяжести условий работы [01644.0]

**тянуть:** Тянуть за [Т520.0]

## У

**убедителен:** Настолько убедителен, что [Н565.0]; Не так убедителен (Н1108.0)

**убедительно:** Показывать более убедительно [П974.0]; Полученные данные убедительно доказывают преимущества [П1195.0]; Просто, но убедительно [П2924.0]; Убедительно говорить в пользу [У15.0]; Убедительно доказывать возможность (У16.0); Убедительно подтверждается [У17.0]; Убедительно показывать [У18.0]; Убедительно свидетельствовать о [У19.0]

**убедительный:** Более убедительное свидетельство [Б188.0]; Еще одно убедительное подтверждение (Е227.0); Служить убедительным доказательством того, что [С675.0]; Становиться менее убедительным из-за [С 1385.0]; Убедительное доказательство того, что [У22.0]; Убедительные выводы [У24.0]; Убедительные доказательства в пользу

[У23.0]; Убедительные эксперименты (У25.0); Этот вывод далеко не убедительный [Э103.0]

**убеждаться:** В этом можно легко убедиться, посмотрев на [В769.0]; В этом нетрудно убедиться, если [В772.0]; Все больше убеждаться в [В964.0]; Мы убедились на опыте [М438.0]; Мы убедились, что [М439.0]; Не позволяют убедиться в [Н998.0]; Нужно еще убедиться, могут ли [Н1900.0]; Приятно убедиться [П2595.0]; Убедитесь, что [У38.0]; Убедиться в отсутствии повреждений [У28.0]; Убедиться в плотности [У29.0];

Убедиться в правильной работе (У30.0);

Убедиться в правильности работы [У3 1.0]; Убедиться в свободном [У32.0]; Убедиться в том, что [У34.0]; Убедиться воочию [У35.0];

Убедиться на практике [У27.0]; Убедиться на собственном опыте в преимуществах (У36.0); Убедиться путем осмотра в отсут-

ствии [У37.0]; Чтобы убедиться в том, что [4214.0]

**убирать:** Убирать из [У39.0]; Убрать с целью [У40.0]

**убывание:** [У41.0]

**убывающий:** В порядке убывающей величины [В367.0]; В порядке убывающей важности [В368.0]; В порядке убывающей сопротивляемости износу [В369.0]

**убыток:** Возмещать убытки [В 1294.0]; Гаран- тировать возмещение убытков [Г15.0]; Иск о возмещении убытков [И640.0]; Терпеть убытки [Т194.0]; Убытки в начальный пери- од работы [У42.0]

**уважение:** Пользоваться уважением [П1219.0]

**уведомление:** Конструкция может быть изме- нена без уведомления заказчика [К343.0]; При соответствующем уведомлении [П2132.0]; Сразу же по уведомлению о появлении окошка в графике [С1297.0]; Уведомление о принятии [У43.0]

**уведомлять:** Официально уведомить [01606.0]; Уведомлять о принятии реферата [У45.0]; Уведомлять о принятии статьи [У46.0]; Уве- домлять о решении, принятом в отношении [У47.0]

уведомляться^ Специально уведомляются о том, что [С 1171.0]

**увекочивание:** [У48.0]

**увеличение:** Видимый при 30-кратном увели- чении [В 1096.0]; Возрастать с увеличением ... и уменьшением ... [В1363.0]; Кратное увеличение [К467.0]; Насколько важным может оказаться даже небольшое увеличе- ние [Н541.0]; Незначительное увеличение [Н1261.0]; Нуждаться в значительном уве- личении [Н1885.0]; При большем увеличе- нии [П2142.0]; При малом увеличении [П2143.0]; При увеличении в... раз [П2141.0]; При умеренном увеличении [П2144.0]; Про- порциональное увеличение размеров [П2885.0]; Простое увеличение размеров [П2933.0]; С кратным увеличением [С143.0]; Сдвиг вправо вызывает увеличение (С377.0); Способствовать увеличению [С1235.0]; Уве- личение ... ведет к увеличению [У51.0]; Увеличение вдвое [У50.0]; Увеличение годо- вой производительности [У52.0]; Увеличе- ние количества [У53.0]; Увеличение на ... процентов [У54.0]

**увеличенный:** Увеличенный вариант [У71.0]; Часть ... в увеличенном виде [430.0]

**увеличивать:** Воспользоваться удобным слу- чаем и увеличить [В 1422.0]; Дополнительно увеличивать [Д619.0]; Максимально увели- чивать [М8.0]; Насколько увеличить [Н552.0]; Увеличивать вдвое [У56.0]; Увеличивать вчет- веро [У57.0]; Увеличивать до величины, несколько превышающей [У58.0]; Увеличи- вать до значений, превышающих [У59.0];

Увеличивать интервалы [У60.0]; Увеличи- вать на ... процентов [У61.0]; Увеличивать объём памяти на [У62.0]; Увеличивать про- изводительность [У63.0]; Увеличивать рав- ными ступенями [У64.0]

**увеличиваться:** Дополнительно увеличивать- ся [Д620.0]; Заметно увеличиваться [3298.0]; Увеличиваться в ... раза [У66.0]; Увеличи- ваться линейно с [У68.0]; Увеличиваться пропорционально [У69.0]; Увеличиться до такой степени, что [У67.0]

**увенчиваться:** Не увенчиваться успехом [Н1128.0]

**уверенно:** Позволяет уверенно рассчитать [П1927.0]; Почувствовать себя увереннее при с [П1570.0]

**уверенность:** Без ... было бы трудно сказать с уверенностью, какой [Б12.0]; Большой уве- ренности в том, что... нет [Б230.0]; Вселять уверенность в том, что в будущем для ... будет использоваться [В1576.0]; Вселять уве- ренность в том, что [В1575.0]; Вселять уве- ренность в [В 1574.0]; Добиваться уверенно- сти в [Д484.0]; Дополнительная уверенность в [Д632.0]; Если мы хотим использовать его с уверенностью (Е133.0); Лишиться уверен- ности [Л74.0]; Можно с полной уверенно- стью считать, что [М378.0]; Не позволяя с уверенностью судить о том, произошел ли действительно [Н 1001.0]; Нет уверенности в том, что [Н1654.0]; Повышать уверенность в [П1590.0]; Применять с полной уверенно- стью [П2371.0]; Приобретать большую уве- ренность в [П2471.0]; С определенной уве- ренностью [С146.0]; С уверенностью утвер- ждать [С145.0]; Снижать уверенность в [С769.0]; Уверенности меньше [У74.0]; Уве- ренность в результатах [У73.0]; Хотя пол- ной уверенности в этом и нет [Х107.0]

**уверенный:** Можно ... и быть при этом уве- ренным в том, что [М330.0]; Уверены в том что [У75.0]

**увидеть:** Как мы впоследствии увидим [К90.0]; Как мы увидим несколько позже [К89.0]; Позволяет сразу увидеть [П933.0]

**уводить:** Уводить в сторону [У76.0]

**увязывать:** Требования по ... необходимо увя- зывать с требованиями по [Т426.0]; Увязы- вать с [У77.0]

**угловой:** Угловая координата [У79.0]; Угловой шаг [У78.0]

**углубляться:** Не углубляясь в существо воп- роса, можно сказать [Н1129.0]; Прежде чем углубиться в подробности [П 1963.0]; Преж- де чем углубиться в [П1962.0]

**угол:** Встречать под углом [В1618.0]; Горизон- тально и под прямым углом к [Г97.0]; Допускать колебания угла [Д657.0]; Идти вертикально или горизонтально под пря- мым углом к [И112.0]; Наклонять под углом

[Н370.0], Не допускаются острые углы [Н845.0]; Острые углы скруглить радиусом ... мм [01169.0]; Острые углы допускаются [01170.0]; Отклонение величины угла по отношению к поверхности А не более 0,003 мм [01325.0]; Повернуть на небольшой угол в том или другом направлении [П549.0]; Поворачивать на угол [П544.0]; Поворот на угол [П551.0]; Под прямым углом друг к другу [П621.0]; Под прямым углом к [П620.0]; Под углом к [П619.0]; Расположенные под углом друг к другу [Р405.0]; Составлять угол с [С1096.0]; Тангенс угла наклона кривой [Т116.0]; Угол между ... и [У80.0]; Угол наклона [У81.0]; Угол пересечения [У82.0]; Устанавливать под углом [У457.0]

**угрожать:** [У83.0, У84.0]

**угроза:** Под угрозой поломки [П622.0]; Представлять серьезную угрозу [П1857.0]; Представлять собой серьезную угрозу для [П1880.0]; Ставить под угрозу [С1363.0]; Угроза отсутствует [У85.0]

**удаждать:** Авторам удалось [А74.0]; Если это-го сделать не удастся [Е178.0]; Зависит от того, насколько удастся преодолеть [З100.0]; Какого-либо ... обнаружить не удалось [К165.0]; Надежно измерить не удавалось [Н262.0]; Найти не удалось [Н625.0]; Нам не удалось обнаружить ни одной опубликованной работы по теме нашего исследования [Н399.0]; Не всегда удавалось [Н780.0]; Опыт не удалось закончить [0880.0]; Получить не удавалось [П1183.0]; Практически не удалось уменьшить [П1651.0]; Удалось уменьшить [У87.0]

**удаление:** На удалении от [Н170.0]; Предпринимать меры по быстрому и надежному удалению [П1821.0]; Удаление остатков [У89.0]

**удаленный:** В области, удаленной от [В256.0]; Наиболее удаленный [Н334.0]; Работа в удаленных районах [Р10.0]; Удалён от ... по оси [У95.0]; Удалены друг от друга [У96.0]; Удалённый от [У97.0]

**удалять:** Удалить лишнюю [У93.0]; Удалять воздух из [У91.0]; Удалять с [У92.0]

**удаляться:** Удаляться от [У94.0]

**удар:** Вероятность удара [В911.0]; Удар о [У99.0, У100.0]

**ударять:** Ударять о [У101.0]

**удача:** Можно считать просто удачей, что [М376.0]; То, что ..., можно считать просто удачей [Т279.0]

**удваивать:** [У102.0]

**удвоение:** [У104.0]

**удвоенный:** [У103.0]; Равный удвоенной ширине [Р129.0]; С удвоенной основной частотой [С186.0];

**удельный:** Удельная мощность [У106.0]; Удельный расход на [У107.0]

**уделять:** Заставило больше уделять внимания не .... а [3473.0]; Заставляет уделять больше внимания (3471.0); На начальном этапе работы внимание будет уделено [Н 199.0]; Основное внимание будет уделено [0986.0]; Основное внимание должно быть уделено [0987.0]; Основное внимание уделено [0985.0]; Особое внимание было уделено [01066.0]; Уделять большее внимание надежности эксперимента [У110.0]; Уделять большое внимание [У 109.0]; Уделять главное внимание [У111.0]; Уделять мало внимания [У112.0]; Уделять много внимания [У 113.0]; Уделять много времени [У114.0]; Уделять основное внимание [У115.0]; Уделять особое внимание [У116.0]; Уделять серьезное внимание [У117.0]

**уделяться:** Большое внимание уделялось [Б239.0]; В прошлом уделялось мало внимания [В426.0]; Еще одна область, которой уделяется очень мало внимания [Е222.0]; И именно этому последнему вопросу уделяется наибольшее внимание [И32.0]; Не уделяется особого внимания [Н1130.0]; Основное внимание по-прежнему уделяется [0988.0]; Основное внимание уделялось [0989.0]; Особое внимание уделяется [01067.0]; Проблема ... уделяется большое внимание [П2607.0]; С ... внимание стало уделяться [С3.0]; Уделяется гораздо меньше внимания [У 118.0]; Уделяется очень большое внимание [У 119.0]; Уделялось в прошлом большое внимание [У120.0]

**удерживаемый:** Удерживаемый вручную [У138.0]

**удерживание:** Удерживание в нажатом положении [У121.0]

**удерживать:** Удерживать в покое [У134.0]; Удерживать в требуемом положении [У123.0]; Удерживать вместе [У124.0]; Удерживать господствующее положение [У125.0]; Удерживать кнопку нажатой [У126.0]; Удерживать на весу [У127.0]; Удерживать на месте [У128.0]; Удерживать от [У129.0]; Установить и удерживать переключатель в положении [У480.0]

**удерживаться:** Удерживаться в вертикальном положении [У132.0]; Удерживаться в заданном положении [У133.0]; Удерживаться вместе [У135.0]; Удерживаться внутри [У131.0]; Удерживаться на месте [У136.0]; Удерживаться на расстоянии ... от [У137.0]

**удерживающий:** Удерживающее устройство [У139.0]

**удешевление:** Возможность удешевления [В 1323.0]

**удивительно:** [У140.0]; Не так уж и удивительно, если учесть [Н1109.0]; Согласие с ... удивительно хорошее [С904.0];

**удивительный:** Было бы весьма удивительным, если бы... [Б377.0]; В этом нет ничего

удивительного [B771.0]; Вряд ли удивителен [B1559.0]; Даже более удивительный [D79.0];  
 Едва ли удивителен [E6.0]  
**удивление:** Вызывать удивление [B1828.0]; К удивлению [K20.0]; Не вызывать удивления [H798.0]; Оказываться на удивление успешным [0669.0]; Это не должно вызывать удивление [Э148.0]  
**удивлять:** Не должен удивлять [H835.0]; Немного удивляет [H1347.0]; Это несколько удивляет [Э 153.0]  
**удк:** [У 141.0]  
**удлиняться:** [У142.0]  
**удобно:** Когда вам будет удобно [K229.0]; Когда это удобно [K243.0]; На ... удобно разместить [H 171.0]; Наиболее удобно выразить через [H335.0]; Удобно воспользоваться [У144.0]; Удобно выбрать [У145.0]; Удобно для серийного производства [У151.0]; Удобно записать полученные уравнения в форме [У146.0]; Часто бывает удобно [419.0]  
**удобный:** В наше^ случае удобнее [B541.0]; Воспользоваться удобным случаем и увеличить [B 1422.0]; Защищать при каждом удобном случае [3548.0]; Особенно удобен для [01049.0]; Очень удобный в практическом отношении [01673.0]; При первом удобном случае [П2127.0]; Считать удобным [С1617.0]; Удобный для [У148.0]; Удобный случай [У149.0]; Удобный способ [У150.0]; Являться более производительным, дешевым и удобным [Я9.0]  
**удобочитаемый:** [У152.0]  
**удобство:** Для удобства вычислений [Д409.0]; Для удобства построения [Д410.0]; Для удобства проведения эксперимента [Д411.0]; Для удобства работы в ... ввели [Д413.0]; Для удобства читателей [Д412.0]; Ради удобства [Р143.0]; Удобство пользования [У153.0]  
**удовлетворение:** Встречать с большим удовлетворением [B1619.0]; Размеры выбраны из расчета удовлетворения максимальной потребности в течение [P256.0]; Удовлетворение потребности в [У 155.0]; Удовлетворение требований норм [У156.0]; Удовлетворение экологических требований [У157.0]  
**удовлетворительно:** Невозможно удовлетворительно объяснить [H1173.0]; Несмотря на некоторую упрощенность, это описание вполне удовлетворительно [H1617.0]; Пока работает удовлетворительно [П964.0]; Удовлетворительно объяснять [У159.0]; Удовлетворительно работать в течение [У 160.0]  
**удовлетворительный:** В удовлетворительном состоянии, не требующем ремонта [B621.0]; В целом удовлетворительный [B744.0]; Вполне удовлетворительный [B1495.0]; Давать более удовлетворительные результаты [Д52.0]; Давать удовлетворительный ответ [Д30.0]; Еще не получил удовлетворитель-

ного объяснения [E216.0]; Многолетний опыт удовлетворительной эксплуатации [M222.0]; Мы не видим какого-либо удовлетворительного объяснения [M415.0]; Намного удовлетворительнее других [H434.0]; Следует считать удовлетворительным [С633.0]; Считаться удовлетворительным [С1624.0]; Удовлетворительное решение проблемы [У163.0]; Удовлетворительное состояние [У164.0]  
**удовлетворять:** В состоянии удовлетворить всем техническим условиям [B615.0]; Лучше удовлетворять требованиям [Л1110.0]; Наилучшим образом удовлетворять потребностям [H358.0]; Не удовлетворять требованиям [H1131.0]; Позволяет удовлетворить [П934.0]; Полностью удовлетворять требованиям [П 1069.0]; Способный удовлетворить это требование [С 1221.0]; Удовлетворять всем этим требованиям [У173.0]; Удовлетворять критерию сходимости [У167.0]; Удовлетворять нормам [У 168.0]; Удовлетворять нужды [У169.0]; Удовлетворять свои собственные потребности в [У170.0]; Удовлетворять требованиям [У 171.0]; Удовлетворять уравнению [У 175.0]; Удовлетворять условно [У176.0]; Удовлетворять формальным требованиям [У174.0]  
**удовлетворяется:** Условие удовлетворяется, если [У394.0]  
**удовлетворяющий:** Конструкция, удовлетворяющая требованиям санитарных норм [K345.0]; Удовлетворяющий техническим условиям [01252.0]  
**удорожание:** Приводить к удорожанию [П2242.0]  
**удостоверение:** Получать удостоверение [П1180.0]; Удостоверение личности [У177.0]; Удостоверение о качестве изготовления [У178.0]  
**удостоверять:** [У180.0]  
**удостоверяться:** Осмотреть колонны и удостовериться в отсутствии [0945.0]; Смонтировать новый ... и удостовериться, что ... находится в том же положении, что и на старом (С742.0); Удостовериться в том, что [У179.0]; Чтобы удостовериться в том, что [4215.0]  
**удостоверяющий:** Документ, удостоверяющий проведение работ [Д554.0]  
**удостоенный:** Быть удостоенным почестей [Б340.0]  
**ужесточать:** [У188.0]  
**узел:** [У189.0, У190.0]; В виде единого узла [B18.0]; Вспомогательные узлы [B1603.0]; Выполненный в виде отдельного узла [B1911.0]; Количество деталей на узел [K255.0]; Общее описание основных узлов конструкции [0335.0]; Объединять в один узел [0351.0]; Основной узел [0971.0]; Промыть детали узла [П2849.0]; Реальный узел

- конструкции [P591.0]; Сборка и монтаж узла [C256.0]; Спецификация деталей и узлов [C1176.0]; Существенно важные системы и узлы [C1561.0]
- узкий:** В узких пределах [B399.0]; Наиболее узкое место [H336.0]; Ограничиваться узкими пределами [0470.0]; Предназначаться для узкого круга [П1749.0]; Узкие пределы, определяемые [U191.0]; Узкое место [U192.0]
- узкоспециализированный:** Узкоспециализированная область [U193.0]
- узнавать:** [U194.0]; Было бы интересно узнать мнение авторов по этому вопросу [B379.0]; Можно узнать о [M384.0]; Можно узнать по [M383.0]; Узнается безошибочно [U195.0]
- указание:** Все провода марки ..., если нет других указаний [B1015.0]; Выполнять указания [B 1897.0]; Замечания и указания [3303.0]; Общие указания [0345.0]; Ознакомиться с указаниями [0610.0]; Отметки о проведенном ремонте и доработках по указаниям и бюллетеням [01415.0]; Получать указание о [П1181.0]; Придерживаться указаний [П2302.0]; Рекомендации по разработке руководящих указаний [P672.0]; Ряд общих указаний [P785.0]; С указанием [C147.0]; Указание области техники [U197.0]; Указания мер безопасности [U198.0]; Указания по [U199.0]; Ярлык с указанием необходимого ремонта [Я64.0]
- указанный:** В последовательности, указанной на [B381.0]; В указанном хронологическом порядке [B376.0]; Вообще не указаны [B1376.0]; За исключением особо указанных случаев [326.0]; За исключением случаев, указанных на чертежах [325.0]; Значения, указанные в нормах [3604.0]; Несоблюдение указанных требований может привести к поломке машины или травме [H 1626.0]; Обработать по указанной длине с обеих сторон [0186.0]; Отклонение от соосности поверхностей относительно отверстия Ж20 мм не более указанного [01334.0]; Поверхность с указанной чистотой обработать после сварки [П536.0]; Рабочие характеристики указаны для [P 106.0]; Радиусы ..., за исключением указанных [P145.0]; Симметрично относительно осевой линии, за исключением указанного [C485.0]; Совпадать с указанным в заказе (C875.0); Указанный в нормативных документах [U218.0]; Указанный выше [U219.0]; Указанный на [U220.0]; Это всего лишь некоторые из работ на указанную тему [Э124.0]
- указатель:** [U200.0]; Подробный указатель [П814.0]; Тематический указатель [Т140.0]
- указывать:** В заказе необходимо указывать [B119.0]; В качестве интересного побочного результата укажем, что [B142.0]; Для справки укажем, что [Д397.0]; Для сравнения укажем, что [Д400.0]; Если не указано иначе [E150.0]; Если не указано, что [E151.0]; Как указано в предыдущем разделе [K136.0]; Как уже указывалось [K135.0]; На ... указывает (H172.0); На что указывает [H188.0]; На это указывает присутствие [H204.0]; Необходимо обязательно указывать, какой [H1376.0]; Неоднократно указывать [H 1443.0]; Обусловливая ..., обычно указывают [0270.0]; При заказе необходимо указывать номер серии [П2072.0]; При заказе этой детали обязательно укажите [П2073.0]; Прямо указывает на то, что [П3069.0]; Среди которых можно указать такие ... как [C1304.0]; Точно указывать [T408.0]; Укажите, пожалуйста [U216.0]; Указывалось, что [П884.0]; Указывать в строке таблицы [U202.0]; Указывать в техническом задании [U203.0]; Указывать лишь на [U215.0]; Указывать место работы и должность [U204.0]; Указывать на возможность существования [U207.0]; Указывать на необходимость [U208.0]; Указывать на опасность [U209.0]; Указывать на прямую связь между [U210.0]; Указывать направление [U211.0]; Указывать порядок сборки [U212.0]; Указывать при заказе [U213.0]; Указывать со всей определенностью [U214.0]
- укладочный:** Обозначение укладочного или упаковочного места [0155.0]
- укладывать:** Укладывать только этой стороной вверх [U230.0]
- укладываться:** Не укладываться в заданный допуск [H1132.0]; Провода укладываются и заделываются согласно техническим требованиям [П2669.0]; Укладываться в график [U222.0]; Укладываться в рамки [U223.0]; Укладываться в сжатые сроки [U225.0]; Укладываться в сроки [U224.0]; Укладываться на кривую [U227.0]; Укладываться на одну кривую [U228.0]; Укладываться на прямую [U229.0]
- уклон:** Исследования с металлографическим уклоном [И787.0]; Уклон между отметками [U232.0]; Экспериментальный уклон [Э34.0]
- уклоняться:** Уклоняться от прямого ответа [U233.0]
- укомплектованный:** [U235.0]
- укомплектовывать:** [U234.0]
- укорачиваться:** [U236.0]
- укореняться:** [U238.0]
- укорочение:** [U237.0]
- улавливать:** Улавливать различия между [U240.0]
- уловимый:** Едва уловимые [E10.0]
- уложенный:** Плотно уложенные [П307.0]
- улучшать:** Можно улучшить [M385.0]; Не улучшать дела [H1133.0]; Улучшать по сравнению с [U242.0]; Улучшать технологию [U243.0]
- улучшаться:** Непрерывно улучшаться [H1527.0]; Резко улучшаться [P636.0]



**улучшение:** Заметное улучшение [3292.0]; Ис-пользование ... не приводит к значительно-му улучшению [И687.0]; Коренное улучше-ние [К378.0]; Не позволяя добиться большо-го улучшения [Н999.0]; Не приводить к значительному улучшению [Н1025.0]; Поис-ки путей улучшения [П946.0]; Продолжать обсуждать пути улучшения [П2740.0]; Улуч-шение в отношении [У246.0]; Улучшение качества [У245.0]; Явное улучшение [Я57.0]

**улучшенный:** [У247.0]

**умаление:** Вести к умалению прав [В938.0]

**умалчивать:** Умалчивать о [У248.0]

**умалять:** Умалять значение [У249.0]; Это не умаляет [Э 152.0]

**умелый:** При умелом [П2145.0]

**умение:** [У250.0]; Возросло наше умение [В1367.0]; Помимо умения [П1252.0];

**уменьшать:** Ещё более уменьшает [Е 196.0]; Количество... заметно уменьшилось [К256.0];

Наполовину уменьшить [Н461.0]; Оказы-вать благоприятное влияние, уменьшая [0625.0]; Позволяет уменьшить сроки и стоимость разработки [П935.0]; Практичес-ки не удалось уменьшить [П1651.0]; Про-порционально уменьшать размеры [П2883.0];

Удалось уменьшить [У87.0]; Уменьшать в ... раз [У260.0]; Уменьшать вдвое [У252.0];

Уменьшать до [У253.0]; Уменьшать на це-лых ... процентов [У255.0]; Уменьшать напо-ловину [У256.0]; Уменьшать опасность слу-чайного включения [У257.0]; Уменьшать штат на [У258.0]; Чтобы уменьшить количество необходимых вычислений [4216.0]

**уменьшаться:** Все... уменьшаются до [В1022.0];

Несколько уменьшается [Н1605.0]; Разли-чие уменьшается [Р235.0]; Риск еще больше уменьшается [Р746.0]; Уменьшаться до 75% максимального значения [У261.0]; Умень-шаться до нуля [У262.0]; Уменьшаться еще больше [У263.0]; Уменьшаться на все [У265.0]; Уменьшаться по абсолютной вели-чине [У266.0]; Уменьшаться по сравнению с

[У267.0]; Уменьшаться по экспоненциально-му закону [3506.0]; Уменьшаться с умень-шением [У268.0]

**уменьшающийся:** Уменьшающиеся в слеую-щем порядке [У269.0]

**уменьшение:** Возрастать с увеличением ... и уменьшением ... [В1363.0]; Опасность рез-кого уменьшения [0747.0]; Относительное уменьшение [01427.0]; Приводить к умень-шению [П2243.0]; С одновременным умень-шением [С 149.0]; Способствовать уменьше-нию [С1236.0]; То есть уменьшение соста-вило [Т294.0]; Уменьшаться с уменьшением [У268.0]; Уменьшение в ... раз [У272.0]; Уменьшение во времени [У271.0]; Уменьше-

ние до приемлемого уровня [У273.0];

Уменьшение затрат труда [У274.0]; Умень-

шение и без того низкого [У275.0]; Уменьшение количества [У276.0]; Уменьшение на ... по сравнению [У278.0]; Уменьшение пористости [У279.0]; Уменьшение потерь [У280.0]; Уменьшение ресурса [У281.0]

**уменьшенный:** В уменьшенном масштабе [В 181.0]; Изготовленный в уменьшенном масштабе [И199.0]

**умеренный:** [У282.0]; В неограниченном количестве и при очень умеренной стоимости [В156.0]; Использоваться в умеренной степени [И719.0]; При умеренном увеличении [П2144.0];

**уместно:** Здесь уместно напомнить [3567.0]; Наконец, уместно сказать о (Н375.0); Поскольку это уместно [Н553.0]; По-видимому, вполне уместно [П331.0]; Прежде чем перейти к ..., уместно сделать следующие замечания [П1956.0]; Уместно выяснить [У284.0]; Уместно закончить этот биографический очерк о [У285.0]; Уместно отметить, что [У286.0]; Уместно по этому случаю [У287.0]; Уместно распространить исследования и на другие [У288.0]; Уместно сделать [У289.0]

**уместный:** Очень уместный [01674.0]

**уметь:** Важно уметь [В803.0]

**умещаться:** Умещаться в пространстве, занимаемом [У291.0]; Умещаться на экране [У292.0]

**умножение:** Умножение на [У293.0]; Умножение на масштабный коэффициент [У294.0]

**умноженный:** Умноженный на [У295.0]

**умолчание:** Означать по умолчанию [0617.0]; Установка по умолчанию [У503.0]

**умышленно:** Выбирать умышленно [В1701.0]; Это сделано умышленно [Э130.0]

**универсальность:** [У296.0]

**универсальный:** [У297.0]

**уникальный:** Обладать особыми или уникальными свойствами [086.0]; Уникальная способность [У299.0]

**унификация:** [У300.0]

**унифицированный:** [У301.0]

**уничтожать:** Эффективно уничтожать влияние [Э228.0]

**уничтожаться:** Взаимно уничтожаться [В1049.0]

**уносить:** Уносить с собой [У302.0]

**упадок:** Находиться в состоянии упадка [Н650.0]

**упакованный:** Инструкция, упакованная вместе с [И580.0]; Плотно упакованный [П308.0]

**упаковано:** Изделие упаковано на ... согласно требованиям, предусмотренным инструкцией по эксплуатации [И218.0]

**упаковка:** Без упаковки [Б58.0]; Вес с упаковкой [В924.0]; Грузить без упаковки [Г136.0];

Дата упаковки [Д142.0]; Для вскрытия упаковки смотри обратную сторону [Д330.0];

Итого цена, фоб завод, США, без экспортной упаковки [И849.0]; Итого цена, фоб североамериканский порт, экспортная упаковка, океанский фрахт [И850.0]; Маркировка, упаковка, транспортирование и хранение [М52.0]; Сведения о консервации и упаковке [С267.0]; Срок хранения агрегата в упаковке поставщика составляет ... лет [С1335.0]; Тара и упаковка [Т117.0]; Экспортная упаковка и перевозка в пределах страны [Э66.0]

**упаковочный:** Без предъявления упаковочного листа претензии не принимаются [Б46.0]; Обозначение укладочного или упаковочного места [О155.0]; При отсутствии упаковочного листа претензии приниматься не будут [П2106.0]; Прикреплять упаковочную тару к обрешетке [П2341.0]; Упаковочный участок [У304.0]

**упаковщик:** [У305.0]

**упасть:** Добыча в ... году по сравнению с ... годом упала на [Д486.0]; Интерес к ... упал [И603.0]; Резко упасть [Р637.0]; Упасть до этого значения при [У306.0]; Упасть ниже допустимого значения [У307.0]

**уплотненный:** Уплотненный по концам [У312.0]

**уплотнять:** Уплотнять в месте прохода через стенку [У309.0]; Уплотнять по диаметру [У310.0]; Уплотнять по краю [У311.0]

**уподоблять:** [У313.0]

**уполномочен:** [У315.0]

**уполномоченный:** [У3 16.0]

**уполномочивать:** Уполномочивать на [У3 14.0]

**упоминаемый:** [У321.0]

**упоминание:** Вопрос, заслуживающий упоминания [В1396.0]; Двукратное упоминание признака изобретения [Д162.0]; Заслуживать краткого упоминания [З461.0]; Заслуживающий упоминания [З465.0]; Особого упоминания заслуживает то обстоятельство, что [О1057.0]; Особого упоминания заслуживает [О1069.0]; Упоминание несущественных признаков [У317.0]

**упоминать:** Достаточно лишь упомянуть, что [Д687.0]; Можно упомянуть о [М386.0]; Теперь стоит упомянуть и о [Т179.0]; Упомянуть вскользь [У319.0]; Упомянуть при описании [У320.0]

**упоминаться:** Как упоминалось в одном из предыдущих разделов [К137.0]; Как упоминалось выше [К138.0]; Который уже упоминался в [К421.0]; Не упоминается [Н1134.0]; Нигде не упоминается [Н1711.0]

**упоминающийся:** Упомянутый в тексте [У322.0]

**упомянутый:** Во всех упомянутых до сих пор случаях [В566.0]; За исключением особо упомянутых случаев [З27.0]; Не упомянуты существенные элементы [Н1135.0]; Последний из упомянутых [П1386.0]; Упомянутый выше [У323.0]; Упомянутый ранее [У324.0]

**упор:** Делать упор на [Д231.0]; До упора в [Д474.0]; Основной упор в работе сделан на [О972.0]

**упорно:** Упорно противиться использованию [У325.0]; Упорно трудиться над проблемой [У326.0]

**упорядоченный:** В упорядоченном виде [В28.0]; Довольно упорядоченный [Д516.0]; Упорядоченная картина, в соответствии с которой [У327.0]; Хорошо упорядоченный процесс [Х79.0]

**употребительный:** Наиболее употребительный [Н337.0]

**употребление:** Входить в употребление [В1676.0]; Выходить из употребления [В2048.0]; Перед употреблением [П85.0]; После употребления [П 1378.0]

**управление:** Взять на себя управление [В1070.0]; Монтаж схемы внутри пульта управления [М250.0]; Обрыв кабеля цепи управления [О249.0]; Перегрев двигателя, о чем сигнализирует лампа на пульте управления [П179.0]; Передавать управление [П 103.0]; Управление всеми строительными работами [У328.0]; Функция защиты контроля последовательности операций сигнализации и управления [Ф63.0]

**управляемый:** Управляемый дистанционно [У334.0]; Управляемый ЭВМ [У335.0]

**управлять:** Управлять из [У330.0]; Управлять по графику [У331.0]; Управлять системой [У332.0]

**управляться:** Управляться с помощью меню [У333.0]

**управляющий:** Управляющий сигнал [У336.0]

**упразднить:** [У338.0]

**упрощать:** Последнее выражение можно упростить до вида [П1389.0]; Сильно упрощать [С481.0]; Упрощать обслуживание [У340.0]; Упрощать процесс [У341.0]; Это позволяет существенно упростить [Э 177.0]

**упрощаться:** Задача упрощается и сводится к [З175.0]; Упрощаться к виду [У342.0]

**упрощение:** Без этого упрощения пришлось бы [Б64.0]; Для упрощения принимаем, что [Д414.0]; Но можно добиться значительного упрощения, если [Н 1799.0]; Упрощение, принятое в анализе [У343.0]; Чрезмерное упрощение [4124.0]

**упрощенность:** Несмотря на некоторую упрощенность, это описание вполне удовлетворительно [Н1617.0]

**упрощенный:** Показывать в упрощенном виде, что происходит с [П978.0]; Упрощенная схема [У344.0]; Упрощенный взгляд на [У345.0]

**упрощенческий:** Упрощенческая точка зрения [У346.0]; Упрощенческий вывод [У347.0]

**упускаемый:** Часто упускаемый из виду [428.0]

**упускать:** Важно не упускать из виду

[В798.0];

Нельзя упускать из виду [Н1334.0]; Упускать из виду то, что [У349.0]

**упущение:** Упущение или наоборот достижение [У350.0]

**уравнение:** Аппроксимироваться уравнением полинома третьего порядка [А152.0]; В правой части уравнения [В758.0]; Входить в обе части уравнения [В1670.0]; Входить в уравнение косвенно в виде [В1676.0]; Выбирать в качестве решения системы уравнений [В1690.0]; Вывод уравнений в общей форме [В1729.0]; Вывод уравнения [В1728.0]; Выра-

жая ... через ... с помощью уравнения [В1947.0]; Зависимость в форме уравнения [3105.0]; Записывать уравнение в полном виде [3386.0]; Из уравнения хорошо видно, что [И 120.0]; Интегрирование уравнения в пределах от ... до [И586.0]; Исключение из уравнения [И669.0]; Исследование корней уравнения [И777.0]; Левая часть уравнения [Л10.0]; Описываться уравнениями [0794.0];

Определяемый по уравнению [0852.0]; Определяющие уравнения [0858.0]; Перенести в левую часть уравнения [П145.0]; Переписывать уравнение в виде [П154.0]; По уравнению [П499.0]; Подставляя из уравнения [П831.0]; Подставляя уравнение ... в уравнение [П833.0]; Подставляя уравнения и перегруппировывая члены, получим [П834.0];

Подстановка уравнения ... в уравнение ... дает [П840.0]; Подчиняться уравнению [П891.0]; Получающиеся уравнения [П1204.0];

После приведения уравнения к безразмерному виду путем деления обеих его частей на [П1364.0]; Правая часть уравнения [П1601.0]; Приравнивать правые части уравнений [П2517.0]; Приходим к следующему уравнению [П2554.0]; Простое уравнение для расчета по [П2934.0]; Расчет по уравнению [Р552.0]; Решая уравнение относительно ..., получаем [Р725.0]; Система двух уравнений относительно [С496.0]; Совместно решаемые уравнения [С860.0]; Совместное решение уравнений [С861.0]; Стандартная про-

грамма для решения системы уравнений [С 1421.0]; Теперь из уравнения ... имеем [Т168.0]; Удобно записать полученные уравнения в форме [У146.0]; Удовлетворять урав-

нению [У175.0]; Уравнение в частных производных [У352.0]; Уравнение, записанное..., имеет вид [У353.0]; Уравнение описывает [У354.0]; Уравнение подобия [У355.0]; Урав-

нение представляет собой [У356.0]; Уравнение с независимыми переменными [У357.0]; Уравнения можно объединить и получить следующее выражение [У359.0]; Уравнения были запрограммированы для решения на ЭВМ [У358.0]; Уравнения справедливы для [У360.0]; Хорошо описываться уравнением [Х59.0]; Частное решение уравнения [416.0]

**уравновешивать:** Уравновешивать друг друга [У362.0]

**урегулирование:** Урегулирование вопроса с Вашей стороны [У363.0]

**урегулировать:** Урегулировать вопрос [У364.0]

**урезать:** Урезать до такой степени, что [У365.0];

Урезать программу [У366.0]

**уровень:** Абсолютная отметка над уровнем моря [А52.0]; Восстанавливать качество до первоначального уровня [В1437.0]; Вполне отвечать современному уровню техники [В1487.0]; До уровня [Д475.0]; Доводить до уровня опытного образца [Д494.0]; Допустимый уровень [Д668.0]; Достигать уровня развития [Д717.0]; Достигать наивысшего уровня [Д718.0]; Достигать наинизшего уровня [Д719.0]; Заданный уровень [3164.0];

Исследование уровня техники [И783.0]; Исходя из сегодняшнего уровня знаний [И820.0]; На высоте ... над уровнем моря [Н32.0]; На одном уровне с [Н175.0]; На требуемом уровне [Н 176.0]; На уровне земли [Н173.0]; На уровне моря [Н174.0]; Находиться на уровне с [Н676.0]; Не выходить за пределы современного уровня техники [Н800.0]; Новизна по сравнению с существующим уровнем техники [Н1826.0]; Обзор известного уровня техники [063.0];

Поддерживать на заданном уровне [П712.0]; Поддерживать на заранее выбранном уровне [П713.0]; Подниматься на более высокий энергетический уровень [П759.0]; Превышать нормальный уровень [П1698.0]; При современном уровне знаний [П2146.0]; При существующем уровне техники [П2136.0];

Приемлемый уровень [П2308.0]; Сводить до незначительного уровня [С315.0]; Снижать до уровня, не улавливаемого даже с помощью точного химического анализа [С766.0];

Снижение уровня [С780.0]; Современный уровень техники в области ... основан на [С881.0]; Соответствовать современному уровню техники (С1019.0); Сохраняться на уровне [С1148.0]; Технология, обычная для среднего уровня техники [Т251.0]; Уменьшение до приемлемого уровня [У273.0];

Уровень вибраций [У368.0]; Уровень, допустимый для [У369.0]; Уровень знаний в области ... все еще невелик [У370.0]; Уровень мастерства [У371.0]; Уровень подготовки персонала [У372.0]; Уровень производства [У373.0]; Уровень развития техники [У374.0];

Устанавливать по уровню [У456.0]; Установить уровень подводимой мощности, равный (У487.0); Устойчивый уровень [У512.0]

**урок:** Много ценных уроков извлечено из [М201.0]

**урон:** Наносить урон [Н453.0, Н454.0]

**усиление:** С усилением внимания к [С54.0]

**усиливать:** Усиливать друг друга [У376.0]

**усилие:** Благодаря совместным усилиям [Б113.0]; В настоящее время усилия инже-

неров направлены на [B59.0]; Все усилия по ... должны быть направлены на [B1023.0]; Главное усилие должно быть направлено на [Г55.0]; Значительные усилия будут направлены на [3612.0]; Значительные усилия, направленные на [3613.0]; Много усилий было потрачено на [M200.0]; Направлять усилия на [H479.0]; Нужно приложить все усилия, для того чтобы [H1907.0]; Предпринимать усилия по [П 1824.0]; Прилагать большие усилия [П2346.0]; Прилагать все усилия [П2347.0]; Прилагать немало усилий [П2348.0]; Прилагать немалые усилия [П2349.0]; Распылять усилия [P447.0]; Сэкономить много времени и усилий [C1635.0]; Требовать больших усилий и внимания [T431.0]; Усилия будут сосредоточены на [У378.0]; Усилия, затраченные на [У379.0]; Усилия, направленные на получение [У380.0]; Усилия не требуется [У381.0]

**ускоренный:** Ускоренное рассмотрение [У387.0]

**ускорять:** Ускорять наступление [У383.0]; Ускорять оформление заявок [У385.0]; Ускорять реакцию [У384.0]; Ускорять сходимость [У386.0]

**условие:** Благоприятные условия для (B 120.0); В аварийных условиях [B720.0]; В расчете на наихудшие условия [B465.0]; В соответствии с техническими условиями [B598.0]; В условиях невесомости [B716.0]; В условиях эксплуатации [B719.0]; Временные технические условия [B1519.0]; Главное условие [Г56.0]; Достаточное, но не необходимое условие [Д703.0]; Если это условие не соблюдается [E175.0]; И прочих равных условий [И54.0]; Из граничного условия следует [И138.0]; Исходя из условия, что [И824.0]; Налгать условие [H367.0]; Находиться в условиях [H661.0]; Начальные и граничные условия [H712.0]; Не связано никакими условиями [H 1062.0]; Не соблюдать условия [H1076.0]; Небольшие колебания условий проведения опыта [H1164.0]; Ненормальные условия работы [H1354.0]; Отвечать техническим условиям [01245.0]; Отклонение от условий [01335.0]; По условиям договора [П502.0]; Попадать в одинаковые условия [П 1286.0]; Поставить условием [П 1445.0]; При прочих равных условиях [П2158.0]; При условии надлежащего ухода [П2149.0]; Работа в тяжелых условиях (P9.0); Ремонт в заводских условиях [P691.0]; Свойства при атмосферных условиях [C340.0]; Снятие граничного условия [C798.0]; Создавать условия для [C980.0]; Соответствовать техническим условиям [C1020.0]; Способность работать в неблагоприятных условиях [C1216.0]; Сравнить при одинаковых условиях [C 1281.0]; Ставить в невыгод-

ные условия [C1355.0]; Требования технических условий [T429.0]; Удовлетворять условию [У176.0]; Условие постоянства [У392.0]; Хранить в защищенном от неблагоприятных погодных условий месте [X1 17.0]

**условно:** Соответствующий этому условно [C1025.0]; Условно обозначать [У407.0]; Ус-

ловно повернуто [У408.0]; Условно принимается, что [У409.0]

**условность:** Придерживаться условности [П2303.0]; Этой условности мы будем придерживаться на протяжении всего последующего анализа [Э113.0]

**условный:** Условное изображение [У410.0]

**усложнение:** Без большого усложнения [B11.0];

Вести к значительному усложнению [B935.0];

Не прибегая к слишком большому усложнению, можно [H1023.0]; С усложнением [C 150.0]; Ценой лишь небольшого усложнения (Ц35.0)

**усложнять:** Дополнительно усложняют картину [Д621.0]; Значительно усложнять [3635.0];

Слишком усложнять [C656.0]

**усложняться:** Усложняться из-за необходимости в [У413.0]

**услуга:** Взаимная услуга [B1041.0];

Воспользоваться услугами [B 1423.0]; Оказание услуг [0621.0]; Оказывать услуги по [0654.0];

Потребность в услугах [П1528.0]

**усмотрение:** Выбор производится по усмотрению [B1716.0]; На усмотрение [H180.0];

Оставлять на наше усмотрение [01133.0];

По своему усмотрению [П505.0]; По усмотрению программиста [П504.0]

**усовершенствование:** Иметь несколько усовершенствований [И459.0]; Наряду с некоторыми другими усовершенствованиями [H535.0]; Существенные технические усовершенствования [C 1559.0]; Усовершенствование

конструкции [У415.0]; Усовершенствования, введенные в [У416.0]; Усовершенствования по сравнению с [У417.0]; Усовершенствования, показавшие хорошие результаты при лабораторных испытаниях, в практических условиях часто оказывались непригодными [У418.0]

**усовершенствованный:** [У422.0]

**усовершенствовать:** Усовершенствовать в такой степени, что [У420.0]; Усовершенствовать таким образом, чтобы можно было [У421.0]

**усомниться:** В правомерности двух последних допущений можно усомниться. [B386.0];

Есть основание усомниться в [E189.0]

**успеваемость:** Табель успеваемости [Т1.0]

**успевать:** Не успевать за [H1137.0]; Успевать за [У424.0]

**успех:** Без ваших поддержки и сотрудничества наш успех невозможен [B13.0]; Высокий процент успеха [B 1982.0]; Выяснить

шансы на успех [B2093.0]; Делать успехи [D232.0]; Достигать значительных успехов в [D721.0]; Достигать некоторого успеха (D722.0); Достигать успехов в [D720.0]; Залог успеха [3271.0]; Заметные успехи в достижении [3293.0]; Иметь наибольшие шансы на успех [I374.0]; Ключ к успеху [K225.0]; Конечный успех [K313.0]; Наибольший успех выпал на долю [H348.0]; Не увенчиваться успехом [H1128.0]; Несмотря на достигнутые успехи [H1616.0]; Обеспечение успеха [O33.0]; Первые успехи [P65.0]; Последние успехи в области [P1397.0]; Приводить к частичному успеху [P2244.0]; С большим успехом [C 152.0]; С некоторым успехом [C 153.0]; С осязаемым успехом [C154.0]; С переменным успехом [C155.0]; С равным успехом [C 156.0]; Сделаны большие успехи в [C404.0]; Успех зависит от [Y426.0]; Успехи в области [Y428.0]; Успехи, достигнутые к настоящему времени [Y429.0]; Успехи, достигнутые на сегодняшний день [Y430.0]; Успехи обучаемого контролируются [Y431.0]; Хотя и без особого успеха (X90.0); Частичный успех в этом направлении [410.0]; Экономические успехи [Э14.0]

**успешно:** Весьма успешно [B 1033.0]; Выполнять успешно [B 1900.0]; Успешно преодолеть этапы [Y432.0]; Успешно применять на практике [Y434.0]; Успешно применяться [Y433.0]; Успешно прошел испытания [Y435.0]; Успешно решить задачу [Y436.0]; Успешно справиться [Y437.0]; Чтобы успешно справиться с расчетом [4217.0]

**успешный:** Может оказаться более успешным [M283.0]; Не совсем успешный [H1084.0]; Оказываться на удивление успешным [O669.0]; Оказываться не таким успешным [O687.0]; Опубликованные результаты успешного применения [O870.0]; Основа успешной работы [O956.0]; Успешное завершение работы [Y438.0]; Успешное применение в [Y440.0]

**успокаиваться:** [Y441.0]; Давать успокоиться [D67.0]; Дайте успокоиться [D74.0]

**усредненный:** Усредненный по времени [Y444.0]

**усреднять:** [Y442.0]

**уставка:** [Y445.0]

**установка:** [Y446.0]; Неправильная установка регулятора [H1500.0]; Проверить установки регуляторов [P2663.0];

**усталость:** Чувствительность к усталости [4224.0]

**устанавливаемый:** Допустимый предел, устанавливаемый [D667.0]

**устанавливать:** Было установлено, что причиной... явился [B375.0]; Можно установить, что началом ... послужил [M387.0]; По причинам, которые пока не установлены

[P450.0]; Позволяет установить [P936.0]; Постукивая молотком установить на место [P1494.0]; Проще всего это сделать, установив [P2927.0]; Снова установите [C802.0]; Снять ..., а затем установить на место [C792.0]; Теперь точно установлено, что [T180.0]; Точно не установлен (T410.0); Точно установлены [T409.0]; Условия еще не установлены [Y397.0]; Устанавливать в положение ВКЛ [Y448.0]; Устанавливать вдоль оси [Y449.0]; Устанавливать взаимодействие [Y450.0]; Устанавливать между [Y451.0]; Устанавливать на видном месте [Y452.0]; Устанавливать на максимальную мощность (Y466.0); Устанавливать на нуль [Y467.0]; Устанавливать на общей [Y453.0]; Устанавливать на прокладке [Y468.0]; Устанавливать нагрузку в соответствии с потребностью [Y454.0]; Устанавливать неисправность [Y455.0]; Устанавливать по уровню [Y456.0]; Устанавливать под углом [Y457.0]; Устанавливать последовательность работы [Y458.0]; Устанавливать предел [Y459.0]; Устанавливать при реконструкции существующего [Y460.0]; Устанавливать природу [Y461.0]; Устанавливать равным [Y462.0]; Устанавливать связь (Y463.0); Устанавливать требования [Y464.0]; Установить в положение [Y476.0]; Установить ... и проверить его работу [Y479.0]; Установить выключатель в положение ВЫКЛ [Y477.0]; Установить выключатель в положение СТОП [Y478.0]; Установить и удерживать переключатель в положении [Y480.0]; Установить на его место [Y484.0]; Установить на кронштейн [Y481.0]; Установить на место [Y482.0]; Установить пробку на место [Y483.0]; Установить рукоятку, чтобы получить нулевое показание на дисплее [Y485.0]; Установить соосно [Y486.0]; Установить уровень подводимой мощности, равный [Y487.0]; Установлен как принадлежащий [Y492.0]; Установлено, что различие между ... отсутствует [Y488.0]; Хотя исследованиями еще не установлено [X 100.0]

**устанавливаться:** В промышленности устанавливалась практика [B411.0]; Устанавливается равновесие (Y471.0); Устанавливается соосно [Y472.0]; Устанавливаются в течение нескольких минут [Y473.0]; Установилась практика [Y474.0]

**установившийся:** В соответствии с установившейся практикой [B599.0]; Достигать установившегося состояния [D716.0]; Отклонение от установившейся практики [O1336.0]; По установившейся практике [P1506.0]; Соответствовать установившейся практике [C1023.0]; Установившаяся в ... практика [Y495.0]; Установившаяся во всем мире промышленная практика [Y496.0]; Ус-

тановившееся значение [У497.0]; Установившееся состояние достигается сверху [У498.0], Установившийся режим [У494.0]

**установка:** Дата установки на хранение [Д143.0]; Комплексная установка [К288.0]; Обработать за одну установку [0183.0]; Порядок установки [П1338.0], Проверить правильность установки, при которой обеспечиваются [П2660.0]; Ряд установок различного назначения [Р787.0]; Точность установки [Т379.0]; Установка ... не дает каких-либо значительных преимуществ [У500.0], Установка по производству кислорода [У502.0], Установка по умолчанию [У503.0], Установка предупредительных табличек [У504.0]; Установка с несколькими двигателями [У505.0], Экспериментальная установка [0893.0, Э38.0]

**установление:** Установление деловой переписки [У506.0]; Установление равновесного состояния [У507.0]

**установленный:** В установленном порядке [В377.0]; Вне установленного порядка [В1179.0]; Заранее установленный [3426.0]; Раз и навсегда установленный [Р151.0]; Рекордная цифра в ... установленная [Р690.0]; Специально установленный в [С1172.0]; Установленный законом [У489.0]; Установленный заподлицо [У490.0]; Установленный на место [У491.0]

**устаревать:** [У508.0]; До некоторой степени устареть [Д470.0]; Довольно устарел [Д517.0]; Серьёзно устареть [С446.0]

**устаревший:** [У509.0]

**устный:** Владение устной речью [В1126.0]

**устойчивость:** Граница устойчивости [Г113.0]; За границей устойчивости [313.0]; Предел устойчивости [П1716.0]

**устойчивый:** Носить устойчивый характер [Н1876.0]; Предположительно устойчивый режим [П1804.0]; Приходить в состояние устойчивого равновесия [П2548.0]; Устойчив по отношению к [У515.0]; Устойчивая тенденция [У513.0]; Устойчивое равновесное состояние [У514.0]; Устойчивый к [У511.0]; Устойчивый уровень [У512.0]

**устраивать:** Такое положение устраивает [Т73.0]

**устранение:** Ведомость дефектов, подлежащих устранению силами поставщика [В868.0]; Выявление и устранение неполадок [В2081.0]; Для устранения зазора определить толщину прокладки по месту [Д416.0]; Для устранения этой проблемы прибегают к [Д417.0]; Запись об устранении неисправностей [3389.0]; Метод устранения неисправности [М161.0]; Неисправность, причина неисправности, способ устранения [Н1280.0]; Необходимые меры по устранению [Н1422.0]; Отметки об устранении

неисправностей [01418.0]; После устранения неисправности [П1379.0]; Принимать меры по устранению [П2415.0]; Способ устранения неисправности [С1208.0]; Устранение ... в самом зародыше [У517.0]; Устранение всякой опасности [У518.0]; Устранение препятствий [У519.0]; Устранение расхождений [У520.0]

**устранимый:** [Л25.0]

**устранять:** В основном устранил эту трудность [В285.0]; Выявлять и устранять неполадки [В2084.0]; Выявлять и устранять причину [В2085.0]; Если не устранить полностью, то хотя бы свести к минимуму [Е152.0];

Определять и устранять неисправность [0821.0]; Полностью устранять [П1070.0];

Устранять вероятность [У522.0]; Устранять влияние на [У523.0]; Устранять все осложнения, связанные с [У524.0]; Устранять всякую необходимость [У532.0]; Устранять какие бы то ни было [У525.0]; Устранять люфт [У526.0]; Устранять недостатки известного прототипа [У528.0]; Устранять недостатки, связанные с [У529.0]; Устранять неисправность [У530.0]; Устранять необходимость в [У531.0]; Устранять неопределенность [У533.0]; Устранять неполадки [У534.0];

Устранять неразбериху [У535.0]; Устранять ограничение [У536.0]; Устранять опасность [У537.0]; Устранять повреждение [У538.0]; Устранять систематическую ошибку [У539.0]; Устранять слабые стороны [У540.0];

Устранять сложности [У541.0]

**устройство:** Выключающее устройство [В1848.0]; Защитное устройство [3538.0];

Сигнальное устройство [С457.0]; Удерживающее устройство [У139.0]; Устройство для [У543.0]

**уступать:** Не уступает как [Н1139.0]; Ничем не уступает [Н1777.0]; Уступать в отношении [У544.0]; Уступать место [У545.0]; Уступать только [У546.0]; Уступая по ... лишь [У547.0]

**уступка:** [У548.0]

**усугублять:** Усугублять проблему [У550.0]; Усугублять эту трудность [У551.0]

**усугубляться:** Проблема усугубляется тем, что [П2602.0]; Трудности усугубляются при [Т474.0]; Усугубляться тем обстоятельством что [У552.0]

**утапливать:** Утапливать в [У553.0]

**утвердительно:** Отвечать утвердительно [01248.0]

**утверждать:** Исходя из ... можно утверждать, что [И818.0]; Можно утверждать, что [М388.0]; С уверенностью утверждать [С 145.0]; Утверждать категорически [У556.0]

**утверждение:** Вопреки утверждению [В 1390.0];

Ложное утверждение в описании изобретения [Л97.0]; Обратное утверждение справедливо, когда [0206.0]; Подлежит рассмотрению



рению и утверждению со стороны заказчика [П738.0]; Представлять для рассмотрения и утверждения [П1844.0]; Противоположное утверждение [П2967.0]; Противоречить утверждениям [П2976.0]; Такой ход рассуждений приводит нас к утверждению [Т59.0]; Утверждение о том, что ... ложно [У560.0]; Утверждение основано на том, что [У561.0]; Утверждения о [У558.0]; Утверждения общего характера [У559.0]; Являться голословным утверждением [Я 15.0]

**утечка:** Утечка через [У562.0]

**утешение:** Служить утешением [С704.0]

**утешительно:** Утешительно, что [У563.0]

**утилизация:** [У564.0]; Путем утилизации тепла [П3100.0];

**утилизировать:** Утилизировать потери [У565.0]; Утилизировать тепло [У566.0]

**утомительный:** Утомительная процедура [У567.0]

**утоплен:** Утоплен полностью [У554.0]

**уточнение:** Вносить изменения и уточнения в инструкцию (В1219.0); Вносить уточнения в теорию [В 1235.0]; Дополнения и уточнения [Д610.0]; Уточнение модели [У569.0]; Уточнения по нерешенным вопросам [У570.0]

**уточненный:** Уточненная оценка [У571.0]

**уточнить:** Значение можно дополнительно уточнить путем [3597.0]; Уточнять результаты исследования с помощью более новых данных [У573.0]; Уточнить по месту [У574.0]

**уточняться:** [У575.0]

**утраивать:** [У576.0]

**утроенный:** Равный утроенному [Р130.0]

**уход:** Инструкция по уходу и ремонту [И578.0]; При условии надлежащего ухода [П2149.0]; Профилактический уход [П2995.0]; Уход за [У577.0, У578.0]

**уходить:** На эти уходило три дня [Н206.0]; На это уйдет немало времени [Н207.0]; На это уходит в среднем около [Н205.0]; Не уходя в сторону [Н1140.0]; Получать разрешение уйти [П1175.0]; Уходить в прошлое [У579.0]; Уходить в сторону в результате [У580.0]; Уходить на нуль [У581.0]; Уходить на то, чтобы [У582.0]

**ухудшать:** Сводить на нет и даже ухудшать [С320.0]; Ухудшать дело [У584.0]; Ухудшать качество [У585.0]; Ухудшать работу [У586.0]

**ухудшаться:** Возможность распознавания ... ухудшается [В1321.0]; Положение может еще более ухудшиться [П1096.0]; Seriously ухудшаться [С447.0]; Ухудшаться в результате [У588.0]; Ухудшаться до такой степени, что [У589.0]

**ухудшение:** Без ухудшения [Б59.0]; Вести к серьезному ухудшению [В937.0]; За счет ухудшения [362.0]; Не ведет к серьезному ухудшению [Н768.0]; Ухудшение работы [У592.0]; Хотя и за счет ухудшения [Х92.0]

**уцелеть:** Уцелеть в неблагоприятных условиях работы [У594.0]

**участвовать:** Участвовать в проекте [У597.0]

**участующий:** Организации, участвующие в испытаниях [0904.0]

**участие:** Предполагаемое участие [П1801.0]; При участии [П2162.0]; Принимать участие в конкурсе [П2436.0]; Принимать участие в работе [П2437.0]

**участник:** [У598.0]; Взнос участника выставки [В1065.0]; Зарегистрированный участник [3431.0]; Обслуживание участников конференции (0254.0); Просим участников выставки [П2902.0];

**участок:** Близлежащий участок [Б 144.0]; Верхний участок [В922.0]; Длина участка между осями [Д294.0]; Земельный участок [3571.0]; Измерительный участок [И308.0]; Нижний левый участок [Н1725.0]; Охваченный огнем участок [01619.0]; Представлять собой опасный участок [П1884.0]; Рабочий участок [Р96.0]; Упаковочный участок [У304.0]; Участок диаграммы [У600.0]; Участок, отводимый под строительство [У601.0]; Участок подъема [У602.0]; Хранить в вентилируемом помещении на затемненном участке [Х1 16.0]

**учебник:** Учебник по курсу [У603.0]

**учебный:** Имеющий учебный характер [И517.0]; С учебной целью [С182.0]; Учебное пособие [У604.0]

**ученый:** Выдающийся ученый [В 1776.0]

**учесть** (См. также «**учитывать**»): А если еще учесть, что... [А9.0]; Давать возможность учесть [Д11.0]; Если учесть, что [Е97.0]; Их нужно было бы учесть [И856.0]; Не так уж и удивительно, если учесть [Н1109.0]; Особо, если учесть, что [01037.0]; Особенно, если учесть [01036.0]; Полезно учесть влияние ..., используя [П1014.0]; Соответствующим образом измененный с тем, чтобы учесть [С1027.0]; Такое расхождение неудивительно, если учесть трудности, которые исследователи встречают при [Т74.0]; Что совсем неплохо, если учесть (4165.0); Чтобы учесть это обстоятельство [4218.0]; Это и понятно, если учесть [Э181.0]

**учет:** Без учета всей картины [Б61.0]; Вести учет [В950.0]; Для учета [Д418.0]; Изготовлен с учетом сейсмичности [И205.0]; Измененный с учетом особенностей [И296.0]; Иногда они нуждаются в некотором изменении с учетом [И563.0]; Итоговый учет работы по (И852.0); Карта учета технических осмотров и регламентных работ [К182.0]; Коммерческий учет [К276.0]; Но даже с учетом этого [Н1786.0]; Размеры даны с учетом гальванопокрытия [Р258.0]; Рассматривать предложение с учетом [Р474.0]; С должным учетом [С 167.0]; С учетом всего

вышесказанного было решено, что [С158.0]; С учетом всего этого [С159.0]; С учетом всех возможных отказов [С160.0]; С учетом вышеизложенного [С161.0]; С учетом конкретных положений контракта [С162.0]; С учетом того, что [С163.0]; С учетом этих обстоятельств [С165.0]; С учетом этих очевидных трудностей [С166.0]; Скорректировать с учетом [С549.0]; Учет неисправностей при эксплуатации [У606.0]; Учет этого обстоятельства [У607.0]

**учитывать** (См. также «учесть»): Временно не

учитываем (В 1524.0); Еще один фактор, который необходимо учитывать, это [Е220.0];

Или нужно учитывать также [И344.0]; Которые необходимо учитывать при проектировании [К425.0]; Может показаться..., если не учитывать [М295.0]; Не учитывать ни ..., ни [НИ 42.0]; Необходимо учитывать, что [Н1393.0]; Ни... ни... не учитывает [Н1700.0];

Обычно не учитывают при [0410.0];

Особен-

но учитывающая всеобщую тенденцию к [01050.0]; Очень хорошо учитывает [01679.0];

Полностью учитывать (П1071.0, П1089.0);

Следует учитывать [С634.0]; Требуется учитывать оба [Т451.0]; Учитывать в [У609.0];

Учитывать введением соответствующей поправки в величину [УБЮ.0]; Учитывать кри-  
тику [У611.0]; Учитывать не полностью (У612.0); Учитывать при расчете [У613.0]; Учитывать такие факторы как [У614.0]; Учи-  
тывать то обстоятельство, что [У615.0]; Учи-  
тывая ..., маловероятно что [У617.0]; Учиты-  
вая современное состояние [У618.0]; Учиты-  
вая, что [У619.0]; Учитывая эти результаты, мы решили [У620.0]; Это обстоятельство важно учитывать при [Э 156.0]

**учитываться**: В случаях, когда учитывается [В561.0]; Влияние ... учитывается (В1145.0);

Влияние не учитывается [В1141.0]; Если бы должным образом учитывался (Е 102.0); Если

и учитывается, то редко [Е 129.0]; И поэтому

не учитываются в [И52.0]; Может не учиты-

ваться [М321.0]; Совершенно не учитывает-

ся [С836.0]; Что здесь, по-видимому, не учитывается, так это [4137.0]

**учить**: Опыт учит [0889.0]

**учреждение**: [У621.0]

**учтенный**: Не учтенные этой цифрой [Н1143.0]

**ущерб**: Без ущерба для [Б62.0]

**уязвимость**: [У622.0]

**уяснить**: Уяснить назначение [У623.0]

## Ф

**фабрика**: [Ф1.0]

**фаза**: Колебаться с опережением по фазе [К250.0]; Нулевая фаза [Н1913.0]; Оперезжать по фазе на [0758.0]; Сдвинутый по фазе на ... градусов [С385.0]; Совпадать по фазе с [С873.0]

**фазовый**: Фазовое превращение [Ф3.0]; Фазо-  
вый сдвиг [Ф2.0]

**файл**: Передача файлов по модему [П 106.0]; Переименование файла [П114.0]; Сохранять файл [С1140.0]

**факс**: Обращаться за информацией по телефону или факсу [0224.0]; Отправлять по факсу [01491.0]

**факт**: Большое количество фактов [Б244.0]; В свете того факта, что [В492.0]; Второстепенный факт [В1661.0]; Множество фактов, свидетельствующих об обратном [М230.0]; Молчаливо свидетельствовать об этом факте (М240.0); Не опровергают факта [Н960.0];

Нельзя отрицать и тот факт, что [Н 1324.0];

Но факт остается фактом (Н1817.0); О чем свидетельствует тот факт, что [016.0]; Один

из фактов, которым можно объяснить [0524.0]; Однако важно отметить тот факт,

что [0560.0]; Основные факты, относящие-

ся к [01014.0]; Факт остается фактом [Ф5.0];

Этот факт вызывает сожаление [Э 108.0]

**фактически**: А фактически и [А44.0]; Вопрос

..., фактически не решен [В1404.0]; Оказалось, что фактически [0692.0]; Фактически даже [Ф10.0]; Фактически же [Ф9.0]; Фактически этого никогда не бывает [Ф11.0]

**фактический**: Фактические доказательства [Ф7.0]

**фактор**: Больше не является доминирующим фактором [Б217.0]; Важный фактор при сравнении [В781.0]; Влияющий фактор [В1149.0]; Второстепенный фактор [В1662.0];

Главные факторы, определяющие (Г58.0);

Главный фактор сдерживания роста (Г46.0);

Доминирующий фактор [Д608.0]; Еще один

фактор, который необходимо учитывать, это [Е220.0]; Или оба фактора [И338.0];

Исключать такой фактор как [И664.0]; Кон-

курирующий фактор [К329.0]; Менее важ-

ные факторы, влияющие на [М94.0]; Один

из главных факторов [0508.0]; Определя-

ющий фактор [0857.0]; Основной фактор,

способствующий [0974.0]; Основоплагаю-

щий фактор [01018.0]; При равенстве всех

прочих факторов [П2118.0]; Причинный

фактор [П2592.0]; Противодействующие факторы [П2956.0]; Разделять влияние этих факторов [P201.0]; Решающий фактор [P728.0]; Сдерживающий фактор [C406.0]; Учитывать такие факторы как [У614.0]; Фактор, который необходимо иметь в виду [Ф13.0]; Фактор, способствующий [Ф14.0]; Факторы действуют совместно [Ф15.0]

**факультативный:** [Ф16.0]

**факультет:** Медицинский факультет [M78.0]

**фамилия:** Должность, фамилия и подпись лица, ответственного за хранение [Д595.0]; Имя и фамилия полностью [И537.0]; Фамилия и подпись лица, ответственного за проведение технического обслуживания [Ф17.0]

**фаска:** Снять фаски [С796.0]

**фигура:** Видная фигура в мире [В1098.0]; Ключевые фигуры в нефтяной промышленности [K226.0]

**фигурировать:** [Ф18.0]

**фигурный:** Выражение в фигурных скобках [В1960.0]; Фигурные скобки [Ф19.0]

**физика:** Физика явления связана с [Ф20.0]

**физический:** Без какого-либо физического обоснования [Б26.0]; Ожидаемая физическая картина [0599.0]; Основные физические законы [01015.0]; Придавать какой-либо физический смысл [П2294.0]; С физической точки зрения [С130.0]; Сохранять физический смысл [С1141.0]; Физическая нагрузка [Ф24.0]; Физическая сущность [Ф25.0]; Физические основы [Ф29.0]; Физический смысл легче понять, если [Ф22.0]; Физический смысл остается неясным [Ф23.0]; Физическое либо [Ф26.0]; Физическое обоснование [Ф27.0]; Физическое явление [Ф28.0]; Чтобы дать некоторое физическое представление о [4179.0]

**фиксировать:** Документально фиксировать [Д560.0]

**фиксироваться:** [Ф30.0]

**фиктивный:** [Ф31.0]

**филиал:** [Ф32.0]

**финансирование:** Финансирование работы осуществлялось [Ф33.0]

**финансировать:** Финансировать исследование [Ф34.0]

**финансироваться:** [Ф35.0]

**финансовый:** Надежная финансовая основа [Н274.0]; Получать финансовую помощь от государства [П1162.0]; Предъявлять финансовые требования к [П1941.0]; Прекращать издание из-за финансовых трудностей [П1987.0]; При финансовой поддержке со стороны [П2163.0]; Репутация и финансовое положение фирмы (P710.0); Финансовое положение [Ф36.0]; Финансовый показатель [Ф37.0]

**фирма:** [Ф38.0]; Ведущая фирма [В883.0]; Газо- : вое отделение фирмы [Г4.0]; Для экономии

времени все заказы на запчасти направляйте в ближайшее отделение или представительстве фирмы [Д422.0]; Другие фирмы [Д760.0]; Из фирмы [И139.0]; Название фирмы [Н291.0]; ; Представляют собой собственность фирмы или засекреченные материалы [П1883.0]; Принадлежать фирме [П2403.0]; Репутация и финансовое положение фирмы [P710.0]; Секрет фирмы [С418.0]; Ссылаться на рекомендацию фирмы [С1343.0]; Торговая фирма [Т333.0]

**фирма-подрядчик:** [П820.0]

**фирма-изготовитель:** По данным фирмы-изготовителя [П362.0]

**фоб:** Итого цена, фоб завод, США, без экспортной упаковки [И849.0]; Итого цена, фоб североамериканский порт, экспортная упаковка, океанский фрахт [И850.0]

**фокусировать:** фокусировать на [Ф40.0]

**форма:** Более пригодная форма [Б178.0]; В обобщенной форме [В732.0]; В письменной форме [В733.0]; В сжатой форме выражает сущность [В734.0]; В табличной форме [В735.0]; В той или иной форме [В736.0]; В форме произведения [В731.0]; Вывод уравнений в общей форме [В1729.0]; Выразить в численной форме [В 1942.0]; Выраженный в форме [В1955.0]; Вырезать по заданной форме [В1963.0]; График в безразмерной форме [Г120.0]; Зависимость в форме уравнения [3105.0]; Изготавливать в форме [И190.0]; Излагать существо в сжатой форме [И232.0]; Иметь четко выраженную форму [И461.0]; Конечноразностная форма [K316.0]; Направлять в письменной форме [Н476.0]; Неправильная форма [Н 1501.0]; Отклонение от круглой формы [01327.0]; Отличаться по форме от [01396.0]; Отступления от формы [01545.0]; Переписывать в дифференциальной форме [П 153.0]; Повторять форму [П579.0]; Похож по форме на [П1540.0]; Представление в безразмерной форме [П1833.0]; Представлять в графической форме [П1840.0]; Представлять в письменной форме для рассмотрения [П1841.0]; Преобразовываться в цифровую форму [П2020.0]; Придавать форму [П2296.0]; Принимать различные формы [П2439.0]; Принимать ряд форм [П2440.0]; Приобретать форму [П2493.0]; Согласовывать в письменной форме [С914.0]; Составлен в письменной форме и подписан [С1101.0]; Удобно записать полученные уравнения в форме [У146.0]; Характерная форма [Х19.0]

**формально:** [Ф42.0]

**формальный:** Удовлетворять формальным требованиям [У174.0]

**форматировать:** Форматировать вывод [Ф43.0]

**формовочный:** Отливку тщательно очистить от грязи и формовочной земли [01371.0]

**формула:** Альтернативный пункт формулы изобретения [А106.0]; Вычислять по формуле [В2060.0]; Европейская формула изобретения [Е1.0]; Изменять нумерацию пунктов формулы изобретения [И264.0]; Кривая, построенная по формуле [К477.0]; Множественность формулы изобретения [И166.0]; Общий пункт формулы изобретения [0323.0]; Ограничительная часть формулы изобретения [0479.0]; Отказ от пункта формулы [01305.0]; Отличительная часть формулы изобретения [01405.0]; Пересчитывать в ... по формуле [П174.0]; Поменять порядок следования пунктов формулы изобретения [П1232.0]; Приводить вывод формулы [П2220.0]; Расчетная формула [Р559.0]; Согласно эмпирической формуле [С912.0]; Составлять по-новому формулу изобретения [С 1090.0]; Ссылка на признаки, ранее не введенные в пункт формулы изобретения [С 1345.0]; Формула для расчета конструкции [Ф45.0]; Формулы с ... по [Ф46.0]; Эмпирическая формула [Э80.0]

**формулировать:** Формулировать в виде краткого и точного вопроса [Ф48.0]

**формулировка:** Формулировка обратной задачи [Ф50.0]

**формуляр:** Вести формуляр [В951.0]; Инструкция по заполнению формуляра и контролю за его ведением [И573.0]; Опись приложений к формуляру [0795.0]; Отметки о проверке правильности ведения формуляра [01416.0]; Порядок заполнения и ведения формуляра [П1334.0]

**форсировать:** [Ф52.0]

**фотографирование:** [Ф53.0]; Регистрировать путем фотографирования [Р602.0]

**фотографировать:** [Ф54.0]

**фотоснимок:** Делать фотоснимок [Д233.0]

**фотоэлемент:** Перекос оси фотоэлемента [П124.0]

**фрактографический:** Фрактографическое исследование [Ф55.0]

**фракционный:** Фракционный анализ [Ф56.0]

**фрагт:** Итого цена, фоб североамериканский порт, экспортная упаковка, океанский фрагт [И850.0]

**фрезеровать:** Фрезеровать под полукруглую шпонку [Ф57.0]

**фронт:** Ширина по фронту [Ш11.0]

**фундамент:** Закладывать фундамент для будущего [3234.0]

**функциональный:** Функциональная зависимость [Ф59.0]; Функциональный макет [Ф58.0]

**функционирование:** [Ф60.0]; Проверка функционирования [П2631.0];

**функция:** В функции [В737.0]; Выполнять важную функцию [В1902.0]; Выполнять две функции [В1903.0]; Выполнять двойную функцию [В1904.0]; Известная комбинация, не обладающая новой функцией и не дающая нового результата [И170.0]; Изменяться в функции от [И273.0]; Линейная функция [Л52.0]; Нормировать функцию [Н1860.0]; Принимаем, что функция выражается в виде [П2442.0]; Функция заключается в [Ф62.0]; Функция, выполняемая [Ф61.0]; Функция защиты контроля последовательности операций сигнализации и управления [Ф63.0]; Являться функцией [Я35.0]

## Х

**халатность:** Из-за халатности [И230.0]

**характер:** В зависимости от соображений экономического характера (В 115.0); В силу того что... носит характер [В516.0]; Выводы имеют путанный характер [В 1731.0]; Выяснять характер проблем [В2092.0]; Зависимость имеет неопределенный характер [3106.0]; Изменять характер [И269.0]; Иметь весьма дискуссионный характер [И463.0]; Иметь довольно сложный характер [И467.0]; Иметь несколько дискуссионный характер [И464.0]; Иметь обратимый характер [И468.0]; Иметь общий характер [И465.0]; Иметь относительный характер [И469.0]; Иметь предварительный характер [И470.0]; Иметь сложный характер [И471.0]; Иметь экспериментальный характер [И472.0]; Име-

ющий учебный характер [И517.0]; Не приносить каких-либо неожиданностей технического характера [Н1038.0]; Но пока причины чисто практического характера не позволяют этого сделать [Н1808.0]; Носить более субъективный характер, чем [Н1871.0]; Носить иллюстративный характер и не иметь целью ограничить настоящее изобретение [Н1872.0]; Носить поисковый характер [Н1873.0]; Носить предварительный характер (Н1874.0); Носить случайный характер [Н1875.0]; Носить устойчивый характер [Н1876.0]; Носить экспериментальный характер [Н1877.0]; Ограничения практического характера [0448.0]; Ограничения технологического характера [0449.0]; Определять характер [0835.0]; Паллиативный ха-

рактер [П11.0]; Переходный характер [П206.0]; Поисковый характер [П948.0]; Предложенная методика имеет, по-видимому, общий характер [П1737.0]; Препятствия производственного характера [П2029.0]; Пример противоположного характера [П2378.0]; Принимать характер [П2441.0]; Проблема процедурного характера [П2604.0]; Противоположный характер зависимости (П2960.0); Работа имеет поверхностный характер [P20.0]; Различия качественного характера [P237.0]; Сохранять неизменный характер [С 1133.0]; Субъективный характер оценки [С 1525.0]; Утверждения общего характера [У559.0]; Характер зависимости изменения [Х2.0]; Характер изменения [Х3.0]; Характер использования [Х4.0]; Экспериментальный характер [Э34.0]; Этот вывод имеет субъективный, сугубо предварительный характер [Э 104.0]

**характеризовать:** Правильно характеризуют [П1625.0]; Характеризовать соответственно [Х8.0]

**характеризоваться:** Характеризоваться молекулярным весом [Х10.0]; Характеризоваться постоянной скоростью [Х1 1.0]

**характеризующийся:** Характеризующийся тем, что [Х12.0]

**характеристика:** Весогабаритные характеристики [В929.0]; Гидравлические характеристики [Г36.0]; Качественная характеристика [К205.0]; Необычная характеристика [Н1430.0]; Обеспечить или даже превзойти заданные характеристики [056.0]; Обладать характеристиками [090.0]; Определение характеристик [0812.0]; Основные технические данные и характеристики [01011.0]; Периодический контроль основных эксплуатационно-технических характеристик [П236.0]; Превосходить по рабочим характеристикам [П1685.0]; Придавать новые качественные характеристики [П2292.0]; Рабочие характеристики указаны для [P106.0]; Снимать характеристику (С790.0); Стабильность рабочих характеристик [С1349.0]; Технические характеристики [Т246.0]; Ухудшать характеристики [У586.0]; Характеристики хорошо известны [Х7.0];

**характерно:** Для ... характерно использование [Д420.0]

**характерный:** Характерная особенность (Х18.0); Характерная форма (Х19.0); Характерные размеры [Х14.0]; Характерные условия [Х20.0]; Характерный не только для [Х16.0]; Характерный только для [Х17.0]

**хватать:** Не хватать сил, необходимых для [Н1145.0]; Немножко не хватает [Н1348.0]; Промышленности будет возможно не хватать [П2859.0]

**химически:** Химически чистый [Х25.0]

**химический:** Валовой химический анализ [В807.0]; Протекание химических реакций [П2947.0]; Связан в виде химического соединения (С356.0); Снизить до уровня, не улавливаемого даже с помощью точного химического анализа [С766.0]; Химическая реакция между [Х23.0]; Химический анализ показал присутствие [Х21.0]; Химический состав [Х22.0]; Химическое вещество [Х24.0]; Являющийся в своей основе химическим [Я38.0]

**ход:** В ходе работы [В739.0]; В ходе тендерных торгов [В740.0]; График хода работ [Г127.0]; Длительная работа на холостом ходу [Д300.0]; Доклад о ходе работы [Д547.0]; На ходу не переключать [Н182.0]; На холостом ходу [Н34.0]; Подрегулировка в ходе процесса [П792.0]; Работа на холостом ходу [P23.0]; Работать на холостом ходу [P61.0]; Своим ходом [С336.0]; Такой ход рассуждений приводит нас к утверждению (Т59.0); Ход выполнения заказа [Х27.0]; Ход кривой аналогичен [Х28.0]; Ход реакции [Х30.0]

**хождение:** Именуемый широкое хождение [И518.0]

**хозяйственный:** [Х32.0]; Находиться в хозяйственном владении [Н662.0]

**хозяйство:** [Х31.0]

**холод:** Бойтся холода [Б 151.0]

**холодный:** Держать в холодном месте [Д265.0]; Условия холодного климата [У402.0]

**холостой:** Длительная работа на холостом ходу [Д300.0]; На холостом ходу [Н34.0]; Работа на холостом ходу [P23.0]; Работать на холостом ходу [P61.0]

**хомут:** Ослабить хомуты [0934.0]

**хороший:** В хорошем рабочем состоянии [В622.0]; Вне зависимости оттого, хорошие они или плохие [В1177.0]; Давать неизменно хорошие результаты [Д58.0]; Закладывать хорошую основу [3233.0]; Исключительно хороший [И676.0]; Может стать хорошей заменой [М304.0]; Находиться в очень хорошем состоянии [Н653.0]; Находиться в хорошем состоянии [Н652.0]; Не столь хороший, как в других случаях [Н1094.0]; Неприемлем, если мы хотим обеспечить хорошую работу [Н 1546.0]; Обладать хорошими свойствами [088.0]; Оказываться таким хорошим [0688.0]; Поддерживать в хорошем состоянии [П710.0]; При сравнении было получено хорошее согласие [П2135.0]; Причина такого хорошего [П2585.0]; Служить хорошим показателем [С695.0]; Согласие с удивительно хорошее [С904.0]; Такой же хороший [Т85.0]; Теперь, когда достигнуто довольно хорошее понижение [Т 170.0]; Усовершенствования, показавшие хорошие результаты при лабора-

торных испытаниях, в практических условиях часто оказывались непригодными [У418.0]; Хорош тем, что [Х40.0]; Хорошая возможность [Х34.0], Хорошее представление о том, что происходит в [Х35.0]; Хорошее рабочее состояние (Х36.0); Хорошее согласие [Х37.0], Хорошие возможности для достижения [Х38.0]; Хорошим примером которых служит [Х39.0] **хорошо**: Было бы хорошо найти объяснение [В385.0]; В соответствии с хорошо зарекомендовавшей себя практикой [В600.0]; Вести себя хорошо [В949.0]; Довольно хорошо согласуются с [Д518.0], Достаточно хорошо известен и поэтому не нуждается в дополнительном рассмотрении [Д698.0]; И это очень даже хорошо [И82.0]; И это только хорошо [И82.0]; Из опыта хорошо известно, что [И127.0]; Из уравнения хорошо видно, что [И120.0]; Настолько хорошо известно, что вряд ли нуждаются в повторении [Н566.0]; Не очень хорошо [Н971.0]; Недостаточно хорошо известен [Н1211.0], Недостаточно хорошо определен [Н1212.0]; Необходимо хорошо знать [Н1393.0], Одинаково хорошо работающий [О553.0]; Очень хорошо использовать для этого [О1675.0];

Очень хорошо подходит для [О1676.0]; Очень

хорошо работает (О1677.0); Очень хорошо согласовывается с [О1678.0]; Очень хорошо учитывает [О1679.0]; Позволяет хорошо понять [П921.0]; Содержать в хорошо состоянии [С940.0]; Теория достаточно хорошо разработана [Т156.0]; То, что хорошо для одного .... может оказаться непригодным для другого [Т281.0]; Характеристики хорошо известны [Х7.0]; Хорошо было бы [Х44.0];

Хорошо виден невооруженным глазом [Х45.0]; Хорошо видно, что [Х46.0]; Хорошо видны различия в [Х47.0]; Хорошо всем известны [Х55.0]; Хорошо зарекомендовавший себя способ [Х49.0]; Хорошо знать [Х50.0]; Хорошо известен [Х53.0]; Хорошо известно, что (Х54.0); Хорошо известный из экспериментов [Х51.0]; Хорошо обоснованные допущения о [Х57.0]; Хорошо обоснованные экспериментальные данные [Х56.0]; Хорошо описываться приближенным выражением [Х58.0]; Хорошо описываться уравнением [Х59.0]; Хорошо описывают работу [Х60.0]; Хорошо освоен (Х61.0);

Хорошо оснащенный приборами [Х62.0];

Хорошо отражают [Х63.0]; Хорошо перемешанный [Х65.0]; Хорошо перемешивать [Х64.0]; Хорошо подходит для [Х66.0]; Хорошо понимать значение [Х68.0]; Хорошо прилагать [Х69.0]; Хорошо приспособлен [Х70.0]; Хорошо работать [Х71.0]; Хорошо работающий [Х72.0]; Хорошо различим на слух [Х73.0]; Хорошо растворимый в [Х74.0];

Хорошо согласовываться с [Х76.0]; Хорошо согласуются с ожидаемыми [Х77.0]; Хорошо сочетаться [Х78.0]; Хорошо упорядоченный процесс [Х79.0]; Экспериментальные результаты хорошо согласуются с теорией [Э43.0]; Это хорошо видно [Э200.0]; Это хорошо. Плохо то, что [Э201.0]

**хотеть**: Если ... не хочет [Е153.0]; Если мы не хотим, чтобы [Е139.0]; Если мы хотим использовать его с уверенностью [Е133.0];

Если мы хотим продвинуться в нашем понимании [Е134.0]; Если мы хотим сохранить свою репутацию [Е135.0]; Если мы хотим, чтобы производство было экономически выгодным [Е138.0]; Если мы хотим, чтобы работа такого рода была выполнена [Е137.0]; Меньше, чем этого хотелось бы [М111.0]; Мы совсем не хотим этим сказать, что [М436.0]; Не так, как этого хотелось бы [Н1102.0]; Не такой, какой хотелось бы иметь [НИ 13.0]; Не хочет этим сказать [Н1146.0]; Неприемлем, если мы хотим обеспечить хорошую работу [Н1546.0]; Первое, что хочется сделать, это [П161.0]; При меньшей, чем этого хотелось скорости [П2087.0];

Путь, по которому следует идти, если мы хотим разработать [П3096.0]; Хотелось бы видеть больше работ по [Х80.0]; Хотелось бы надеяться [Х81.0]; Хочется надеяться, что [Х82.0]; Этим мы не хотим сказать [Э203.0]; Этим мы хотим подчеркнуть, что [Э202.0]; Я не хочу сказать [Я 1.0]

**хотя**: В некоторых, хотя и не во всех случаях [В543.0]; Делается попытка ответить, хотя и в общем виде, на вопрос [Д217.0]; Если не устранить полностью, то хотя бы свести к минимуму [Е 152.0]; И хотя может показать-

ся, что [И69.0]; И хотя можно было бы говорить о [И70.0]; И хотя он и имеет недостатки [И71.0]; Интересно, что хотя [И617.0]; Некоторые, хотя и не все, наиболее известные [Н1302.0]; Общепринятый, хотя может быть и не самый лучший метод [О307.0]; Однако хотя и известно, что [О573.0]; Следует подчеркнуть, что хотя [С616.0]; Так оно и есть, хотя [Т22.0]; Хотя сколько-нибудь [Х83.0]; Хотя бы в качестве [Х86.0]; Хотя бы потому, что [Х87.0]; Хотя бы приближающиеся к таким высоким значениям [Х88.0]; Хотя действительный... может быть и несколько больше [Х85.0];

Хотя и без особого успеха [Х90.0]; Хотя и-в меньшей степени, если [Х91.0]; Хотя и за счет ухудшения [Х92.0]; Хотя и известно, что [Х93.0]; Хотя и менее широко известный [Х94.0]; Хотя и можно представить себе некий [Х95.0]; Хотя и не исключено, что [Х97.0]; Хотя и не так [Х98.0]; Хотя и с некоторой потерей [Х99.0]; Хотя исследованиями еще не установлено [Х100.0]; Хотя

может быть это и не входило в первоначальные намерения [X1 01.0]; Хотя мы считаем [X103.0]; Хотя нет недостатка в [X104.0].

Хотя окончательные рекомендации пока давать рано [X105.0]; Хотя очень может быть, что это происходит из-за [X102.0];

Хотя по исследованиям ... существует обширная литература [X1 06.0]; Хотя полной уверенности в этом и нет [X107.0]; Хотя речь до сих пор шла о [X108.0]; Хотя такое различие может показаться несущественным [X109.0]; Хотя этот вывод возможно и преждевременен [X1 10.0]

**хранение:** Дата снятия с хранения [Д140.0];

Дата установки на хранение [Д143.0]; Длительная сохранность при хранении [Д301.0]; Для хранения [Д421.0]; Должность, фамилия и подпись лица, ответственного за хранение [Д595.0]; Запрещается хранение [3413.0]; Изготовитель гарантирует работу изделия в течение ... лет, считая срок пребывания в пути и хранения на складах со дня выпуска с предприятия [И207.0];

Карта длительного хранения [К179.0]; Консервация и хранение оборудования [К332.0]; Маркировка, упаковка, транспортирование и хранение [М52.0]; Подлежащий хранению [П1745.0]; Поставить на хранение [П1442.0]; Правила хранения [П1616.0]; Срок

годности при хранении [С1328.0]; Срок хранения агрегата в упаковке поставщика составляет... лет [С 1335.0]; Транспортировка, хранение и перемещение грузов [Т415.0]; Условия хранения должны соответствовать требованиям, изложенным в описании и инструкции по эксплуатации изделия

[У403.0]; Хранение электродов и обращение с ними [X1 13.0]; Хранение в помещении на открытом воздухе [X112.0]; Хранение и транспортировка [X1 11.0]

**хранить:** В периоды между использованиями хранить в закрытых контейнерах [В334.0]; Сбирать и хранить [С805.0]; Хранить в архиве [X1 15.0]; Хранить в вентилируемом помещении на затемненном участке [X1 16.0]; Хранить в защищенном от неблагоприятных погодных условий месте [X117.0]; Хранить в сухом месте [X118.0]; Хранить в штабелях [X1 19.0]; Хранить вдали от источников тепла и предохранять от огня и прямого воздействия солнечных лучей [X121.0]; Хранить вдали от [X120.0]; Хранить на стеллажах [X122.0]; Хранить под рукой [X123.0]

**храниться:** Храниться вместе с [X124.0]

**хронологический:** В указанном хронологическом порядке [В376.0]

**хронометраж:** [X125.0]

**хрупкий:** Не класть плашмя - хрупкий груз [Н898.0]; Хрупкий груз [X126.0]

**худший:** В лучшем случае спорный, в худшем [В537.0]; В худшем случае [В554.0]; Еще более худшего качества [Е 197.0]

**хуже:** Быть хуже [В341.0]; Все хуже описывает

[В987.0]; Выглядеть ничуть не хуже (В1752.0); Заметно хуже [3299.0]; Значительно хуже [3636.0]; И что хуже всего [И75.0]; Несколько хуже обстоит дело с [Н1606.0]; Несколько хуже ожидаемого [Н1607.0]; Несомненно хуже [Б104.0]; Ничуть от этого не хуже [Н1779.0]; Соглашаются хуже [С927.0]; Хуже

в отношении [X129.0]; Хуже, чем у [X130.0]

## Ц

**цвет:** Окрашивать в цвет [0719.0]; Оттенки цвета [01580.0]; Светлого цвета [С282.0];

Слегка окрашенный в желтый цвет [С573.0]; Цифры и риски нанести масляной краской черного цвета [Ц54.0]

**цветной:** Иметь цветную маркировку [И408.0]

**целебный:** Целебное средство для [Ц1.0]

**целевой:** Целевая группа [Ц2.0]

**целесообразно:** Будущим ... целесообразно [В286.0]; Весьма целесообразно [В1034.0];

Возможно, целесообразнее было бы [В1307.0]; Гораздо целесообразнее [Г95.0];

Там, где это целесообразно [Г115.0]; Целесообразно с точки зрения экономии времени и средств [Ц4.0]

**целесообразность:** Практическая целесообразность [П1673.0]; Приводить к мысли о

целесообразности [П2227.0]; Целесообразность его сомнительна [Ц6.0]; Целесообразность применения в [Ц7.0]; Экономическая целесообразность [Э11.0]

**целесообразный:** Практически целесообразный [П1663.0]; Представляется целесообразным (П1896.0); Целесообразный с практической точки зрения [Ц9.0]; Экономически целесообразный [Э19.0]

**целиком:** Выполненный целиком из чугуна [В1916.0]; Обязанности по такой ... возлагаются целиком на [0422.0]; Целиком внутри [Ц11.0]

**цельный:** В общем и целом [В261.0]; В стране в целом [В683.0]; В целом неудовлетворительное положение [В742.0]; В целом отдавалось предпочтение [В743.0]; В целом согласуется

[B262.0]; В целом удовлетворительный [B744.0]; Выполненный как одно целое с [B1913.0]; Для ... в целом [Д331.0]; Единое целое [E27.0]; На целых [H183.0]; На эту тему написаны целые книги [H169.0]; Не пришли к выводам относительно проблемы в целом [H 1040.0]; Округлять до ближайшего целого [0725.0]; Охватывать целую гамму [01618.0]; Оценивать в целом [01628.0];

С точностью до ближайшего целого числа [C135.0]; Свойства в целом [C338.0]; Совершенно целый [C845.0]; Составлять единое целое с [C1083.0]; Составляющий единое целое [C1102.0]; Сравнение результатов в целом [C1279.0]; Уменьшать на целых ... процентов (У255.0); Целый ряд [Ц14.0] **целостность:** Без нарушения целостности [B33.0]; Конструкционная целостность [K341.0]; Механическая целостность [M171.0] **целостный:** Целостное представление [Ц12.0] **цель:** Быть пригодным для поставленной цели [B329.0]; В наши цели не входило [B248.0]; В целях иллюстрации [B746.0]; В целях обеспечения безопасности [B747.0]; В целях экономии места [B748.0]; Вводить с целью [B849.0]; Все еще очень далеки от цели [B973.0]; Главная цель [Г49.0]; Для практических целей [Д394.0]; Достигать цели [Д723.0]; Иметь общую цель [И414.0]; Иметь целью лишь [И474.0]; Иметь целью обеспечение [И475.0]; Использовать для многих целей [И700.0]; Использовать для разных целей [И701.0]; Конечная цель [K314.0];

Наше исследование преследовало две цели [H738.0]; Не достигать поставленной цели (H849.0); Не иметь целью [H887.0]; Не ставится цель [H1092.0]; Носить иллюстративный характер и не иметь целью ограничить настоящее изобретение [H1872.0]; Обследование с целью обнаружения [0251.0]; Одной из целей исследования было получение [0534.0]; Основная цель [0980.0]; Отвечать целям [01249.0]; Первоочередная цель [П44.0]; По большей части преследует цель [П327.0]; Приведен с целью иллюстрации и не является исчерпывающим [П2258.0]; Прилагаемый для этой цели [П2350.0]; Развертывать с целью снятия заусенцев [P178.0]; С единственной целью (C181.0); С учебной целью [C182.0]; С целью выяснения возможности [C169.0]; С целью достижения [C 170.0]; С целью иллюстрации этого обстоятельства [C172.0]; С целью контроля [C 173.0]; С целью лучшего понимания [C176.0]; С целью обеспечения [C174.0]; С целью получения общих зависимостей, а не точных численных результатов [C175.0]; С целью предотвращения [C 177.0]; С целью сопоставления результатов [C178.0]; С целью сравнения [C 179.0]; С целью экономии

места [C180.0]; С этой целью [C183.0]; Служить целям [C705.0]; Снимать с целью осмотра [C789.0]; Способствовать достижению этих целей [C1226.0]; Средство для достижения этой цели [C 1324.0]; Ставить своей целью не что иное, как [C1364.0]; Убрать с целью [У40.0]; Цели достигнуты [Ц27.0]; Цель не в том, чтобы ... а в том, чтобы [Ц22.0]; Цель достигается путем [Ц16.0]; Цель заключается не в ..., а в [Ц17.0]; Цель изобретения [Ц19.0]; Цель исследования [Ц20.0]; Цель настоящей статьи состоит в том, чтобы [Ц21.0]; Цель поэтому состоит в обеспечении [Ц24.0]; Цель работы состояла в [Ц25.0]; Цель состояла не в том, чтобы ..., а [Ц23.0]; Целью было [Ц26.0]; Эксперимент, поставленный с целью [Э31.0]

**цельнокерамический:** [Ц29.0]

**цельный:** Цельное и систематизированное представление о [Ц28.0]

**цена:** В пересчете на нынешние цены [B331.0];

Градуировать с ценой деления [Г110.0]; Итого цена, фоб завод, США, без экспортной упаковки [И849.0]; Итого цена, фоб североамериканский порт, экспортная упаковка, океанский фрахт [И850.0]; Обходиться дорогой ценой [0288.0]; По приемлемой цене [П508.0]; По цене ... за [П507.0]; При нынешних ценах на [П2100.0]; Продаваться по цене выше номинальной [П2722.0];

Продажная цена [П2725.0]; Розничная цена [P755.0]; Цена деления шкалы [Ц30.0]; Цена,

которую приходится платить за эти [Ц31.0]; Цена сообщается по получению заявки [Ц32.0]; Ценой лишь небольшого усложнения [Ц35.0]; Цены твердые при условии [Ц33.0]; Шкала с ценой деления [Ш30.0]

**ценить:** Высоко ценить [B1986.0]; Особенно ценны [01051.0]; Ценен сам по себе [Ц40.0];

Ценен тем, что позволяет [Ц41.0]

**цениться:** Ценится ниже, чем [Ц36.0]

**ценность:** Большая ценность... заключается в [B235.0]; Коммерческая ценность [K275.0];

Материальные ценности [M72.0]; Не представлять большой ценности [H1019.0]; Определенную ценность представляет также [0849.0]; Переоценка ценностей [П150.0];

Представлять для ... большую ценность [П 1859.0]; Представлять ограниченную цен-

ность [П1860.0]; Представляющий ценность для [П1870.0]; Снижать ценность [C770.0];

Ценность его результатов несколько ограничивается тем, что [Ц42.0]; Ценность которых сохраняется и поныне [Ц43.0]; Ценность работы в том, что [Ц44.0]

**ценный:** Много ценных уроков извлечено из [M201.0]; Наиболее ценная информация [H338.0]; Насколько ценным является (H549.0); Поблагодарить за ценные замечания и полезные обсуждения [П521.0]; Цен-



ная информация о [Ц38.0]; Ценное качество [Ц39.0]

**центр:** В центре задней части [В750.0]; Находиться в центре внимания [Н663.0]; Ось обрабатывать в центрах [01185.0]; По центру [П509.0]; Размещаться точно по центру [Р269.0]; Располагаться в центре [Р380.0, Р381.0]; Расположенный по центру [Р401.0]; С центром в [С184.0]; Сейчас в центре внимания находятся две проблемы [С410.0]; Смещенный относительно центра [С734.0]; Точно по центру [Т395.0]

**централизованно:** [Ц46.0]

**централизованный:** Централизованные бригады [Ц45.0]

**центральный:** Возвращать в центральное положение [В1268.0]; Занимать центральное положение [3349.0]; Центральное положение в ... занимает [Ц48.0]

**центровка:** Центровка с двух сторон [Ц49.0]

**цепляться:** Цепляться за [Ц50.0]

**цепь:** Важные звенья в цепи [В794.0]; Замыкать электрическую цепь [3314.0, 3315.0]; Напряжение переменного тока подводится к цепи через [Н491.0]; Обрыв кабеля цепи управления [0249.0]; Обрывы и короткие замыкания цепи [0248.0]; Перегрузка цепи [П82.0]; Размыкать цепь [Р274.0]; Разрыв в цепи [Р334.0]; Схема цепей [С1598.0]; Цепь событий [Ц51.0]

**цех:** Проектная производительность цеха составляет [Н1851.0]; Производственный цех [П2798.0]

**цеховой:** В цеховых условиях [В728.0]

**цикл:** Возвращаться в цикл [В1273.0]; Длительность производственного цикла [Д314.0]; Для обеспечения заданного цикла [Д366.0]; Количество часов, циклов, километров [К266.0]; Принцип действия и рабочий цикл [П2460.0]; Рабочий цикл [Р97.0]

**циклический:** Подвергаться циклическому [П668.0]; Пригодность конструкции для циклического режима работы [П2271.0]

**цилиндрический:** Отверстия под цилиндрический штифт сверлить и развернуть [01223.0]

**циркулировать:** Циркулировать по [Ц52.0]

**циркуль:** С помощью масштабной линейки и делительного циркуля [С61.0]

**цитата:** [Ц53.0]

**цифра:** Комбинация буквы и цифры [К268.0]; Контрольная цифра для [К364.0]; Не включенные в эту цифру [Н773.0]; Не учтенные этой цифрой [Н1143.0]; Округлять до трех значащих цифр после запятой [0727.0]; Отбрасывать цифры, стоящие после [01215.0]; Отсчет с ... значащими цифрами [01566.0]; Рекордная цифра в ..., установленная [Р690.0]; С точностью до двух последних значащих цифр [С 136.0]; С точностью до пяти значащих цифр после запятой [С137.0]; Цифрами и прописью [Ц55.0]; Цифры и риски нанести масляной краской черного цвета [Ц54.0]

**цифровой:** Преобразовываться в цифровую форму [П2020.0]

## Ч

**час:** Двадцать четыре часа в сутки [Д151.0]; За час до (311.0); Количество часов, циклов, километров [К266.0]; Количество отработанных часов [К261.0]; Нарботать ... часов [Н497.0]; Необходимо смазывать через каждые 50 часов работы [Н1390.0]; Отработать свыше ... часов [01498.0]; Прекращать через несколько часов [П1993.0]; Примерно один раз в час [П2391.0]; Профилактические работы, выполняемые после ... часов наработки [П2996.0]; Требовать от нескольких часов до нескольких дней [Т442.0]; Часов в день [41.0]; Через каждые ... часа [466.0]; Через каждые ... часов эксплуатации [467.0]; Число часов работы в год [4103.0]; Штук в час [Ш44.0]; Это может потребовать нескольких часов [Э 144.0]

**часами:** Ограничивать работу несколькими часами [0459.0]

**часовой:** Двигаясь по часовой стрелке [Д156.0]; По часовой стрелке [П510.0]; Повернуть рукоятку регулятора по часовой стрелке [П548.0]; Поворот против часовой стрелки и по часовой стрелке [П552.0]; Против часовой стрелки [П2953.0]

**частица:** Посторонние частицы [П1471.0]

**частично:** Выключать частично [В1847.0]; Объясняется это частично [0386.0]; Отгрузить в частично разобранным виде [01267.0]; Полностью или частично [П1042.0]; Только частично объясняется [Т321.0]; Частично ... должно быть отнесено на счет [48.0]; Частично из-за [43.0]; Частично или полностью [44.0]; Частично подтверждать [45.0]; Частично причина этой проблемы в том, что [46.0]; 4астично совпадать [47.0]

**частичный:** Преподавание с частичной нагрузкой [П2026.0]; Приводить к частичному

успеху [П2244.0]; Работа на частичной нагрузке [Р24.0]; Частичное совпадение диапазонов для (411.0); Частичный успех в этом направлении [410.0]; Частичным объяснением может служить [412.0]

**частность:** В частности [В759.0]; В частности, осталось невыясненным [В760.0]; Настоящее изобретение относится к ... и в частности к [Н574.0]; Согласились, в частности, что [С932.0]

**частный:** Брать частную производную от... по... (Б277.0); Если перейти к еще более частному случаю [Е66.0]; Применять общий анализ к частному случаю [П2370.0]; Уравнение в частных производных [У352.0]; Частная производная от ... по [414.0]; Частное отделения на [415.0]; Частное решение уравнения [416.0]; Частный случай [413.0]

**часто** (См. также «чаще»): Встречаться более часто [В 1626.0]; Встречаться не так уж часто

[В1624.0]; Довольно часто происходит [Д519.0];

Как это часто бывает при [К146.0]; Наиболее

часто встречаемые [Н339.0]; Наиболее часто встречающийся [Н340.0]; Наиболее часто используются [Н341.0]; Наиболее часто применяемый для [Н342.0]; О котором часто пишут как о [06.0]; Обнаруживаться не так часто, как [0137.0]; Перечень наиболее часто встречающихся неисправностей [П211.0]; Преимущество, которое часто недооценивают [П 1976.0]; Работает неэффективно и часто вообще бесполезен [Р65.0]; Усовершенствования, показавшие хорошие результаты при лабораторных испытаниях, в практических условиях часто оказывались непригодными [У418.0]; Часто бывает так, что [418.0];

Часто бывает удобно [419.0]; Часто встречаться в инженерной практике [420.0]; Часто встречающийся случай [422.0]; Часто называют [423.0]; Часто не понимают [424.0];

Часто однако бывает наоборот [425.0]; Часто оказывается достаточным определить [426.0];

Часто противоречивые критерии [427.0]; Часто упускаемый из виду [428.0]

**частота:** Повторять с частотой [П577.0]; С удвоенной основной частотой [С186.0]

**часть:** Большая часть затрат приходится на [Б237.0]; Большой частью [Б238.0]; В большей части диапазона к.п.д [В753.0]; В концентрации I весовая часть ... на ... частей... [В162.0]; В левой части [В754.0]; В остальной части обсуждения [В756.0]; В остальной

части статьи рассматриваются [В757.0]; В правой части уравнения [В758.0]; В течение

большой части времени [В702.0]; В центре задней части [В750.0]; Ведомость запасных частей, инструмента и принадлежностей [В872.0]; Внешняя часть (В1196.0); Входить

в обе части уравнения [В1670.0]; Групповой комплект запасных частей [Г146.0]; Дата и время отказа изделия или его составной

части [Д123.0]; Дополнительные части [Д645.0]; Занимать часть длины [З350.0];

Запасные части, инструмент, принадлежности, материалы [З379.0]; Знатоки по части [З589.0]; Значительная часть [Б236.0, 3608.0]; Изготовить из частей (И 197.0); Интегрирование по частям [И588.0]; Комплект запасных частей (К291.0); Левая часть уравнения [Л10.0]; Многое еще предстоит сделать по части [М206.0]; На большей части диапазона [Н 185.0]; На большей части длины [Н186.0]; На остальной части поверхности [Н187.0]; Неотъемлемая часть [Н1457.0];

Нести часть ответственности за то, что [Н1643.0]; Нижняя часть [Н1729.0]; Нормы расхода запасных частей [Н1868.0]; Ограничительная часть формулы изобретения [0479.0]; Основная часть статьи [0981.0];

Оставшаяся часть статьи [01129.0]; Остальная часть [01141.0]; Отбираться из верхней части [01264.0]; Отличительная часть формулы изобретения [01405.0]; Переносить в ... часть уравнения [П145.0]; Перечень изделий или их составных частей для периодической проверки органами надзора [П209.0];

По большей части преследует цель [П327.0];

По части [П511.0]; По частям [П512.0];

После приведения уравнения к безразмерному виду путем деления обеих его частей на [П1364.0]; Правая часть уравнения [П1601.0]; Приложения к контракту считаются его неотъемлемой частью [П2359.0];

Приравнять правые части уравнений [П2517.0]; Работать часть срока службы [Р79.0]; Работать большую часть времени при [Р80.0]; Разделение действительной и мнимой частей [Р198.0]; Разделять на две части [Р207.0]; Разлетаться на части [Р219.0]; Распадаться на части [Р365.0]; Рассматривать настоящую работу как часть более широкого исследования [Р466.0]; Рассматривать отдельно от остальной части [Р469.0];

Рассыпаться на части [Р517.0]; Ремонт деталей и неразъемных составных частей [Р693.0]; Служащий неотъемлемой частью [С666.0];

Составлять только некоторую часть от [С1098.0]; Составная часть [С1105.0]; Состоять из основных частей [СИ 16.0]; Состоящий из частей [С 1119.0]; Средняя часть [С1317.0]; Терять большую часть своей [Т198.0]; Техничко-экономическая часть [Т214.0]; Условия, существующие в большей части [У401.0]; Часть в увеличенном виде [430.0]; Часть имеющихся результатов [431.0]; Часть преимуществ теряется [432.0]; Являться важной частью [Я 12.0]; Являться неотъемлемой частью настоящих технических условий [Я 19.0]; Являющийся частью [Я39.0]

**чаще** (См. также «часто»): А еще чаще [А12.0];

Все чаще и чаще [В988.0]; Встречаться чаще

(В1625.0); Иногда ..., но чаще [И561.0]; Каждые ... или чаще [К40.0]; Обычно встречается чаще [0403.0]; Чаще всего приходится сталкиваться с [435.0]; Чаще всего (434.0); Чаще, чем в прошлом [436.0]; Чаще, чем обычно думают [437.0]

**чего:** В результате чего [В479.0]; Доказательством чего служит (Д534.0); По сравнению с тем, чего можно было бы ожидать [П486.0]; После чего [П1380.0]; Посредством чего [П1437.0]; Чего не бывает при [438.0]; Чего нельзя сказать о (439.0); Чего нет в случае [440.0]; Что можно и чего нельзя делать [4147.0]; Это собственно то, ради чего [Э188.0]

**чего-либо:** Не показывать чего-либо нового [Н1010.0]

**человек:** [441.0]; Без вмешательства человека [Б 16.0]; Численность работающих на заводе составляет ... человек [491.0]; Штат насчитывал ... человек [Ш38.0]

**человеко-час:** Человеко-часы [442.0]

**человечество:** Обращать силы природы на благо человечества [0220.0]

**чем-нибудь:** Обусловлено ли .... или чем-нибудь иным, например [0275.0]

**через:** 3 отверстия через  $120^\circ$  [01227.0]; Восстановление через некоторое время [В1441.0]; Выводить через [В1747.0]; Выражать через [В1945.0]; Выражая ... через ... с помощью уравнения [В1947.0]; Выражая ... через .... получаем [В1946.0]; Выталкивать через отверстия [В2008.0]; Завершиться через [382.0]; Замыкаться на землю через [3317.0]; Измерять через равные промежутки времени [И302.0]; Лет ... через [Л42.0]; Наборный экземпляр рукописи, напечатанный на машинке через ... интервала [Н232.0]; Наиболее удобно выразить через [Н335.0]; Напечатанный через ... интервала [Н457.0]; Напряжение переменного тока подводится к цепи через [Н491.0]; Напрямую через [Н495.0]; Не более, чем через ... секунд [Н747.0]; Не позднее, чем через ... после [Н1006.0]; Необходимо через каждые ... часов работы [Н1390.0]; Обозначим через [0150.0]; Передавать нагрузку на... через [П98.0]; Питаться от... через [П264.0]; Плавная кривая, проведенная через точки [П271.0]; Подаваться через [П637.0]; Подводить напряжение через ... к [П683.0]; Поставка через ... после получения подтвержденного заказа [П1448.0]; Прекращать через несколько часов [П1993.0]; Проведение аппроксимирующей кривой через экспериментальные точки [П2614.0]; Проводить кривую через точки [П2682.0]; Проводить плавную кривую через точки [П2684.0]; Проводить прямую через точки [П2693.0]; Проводить регрессионную кривую через точки [П2685.0]; Проникать через [П2864.0]; Пропускание воды через

[П2887.0]; Пропускать через [П2889.0]; Проталкивать через [П2945.0]; Протянуть через отверстие [П2991.0]; Проход через [П2997.0];

Проходить красной нитью через [П3003.0]; Проходить насквозь через [П3005.0]; Проходить через максимум [П3013.0]; Проходить через минимум (П3014.0); Проходить через множество этапов [П3015.0]; Проведение через [П3018.0]; Прямая, проведенная через экспериментальные точки [П3057.0]; Уплотнять в месте прохода через стенку [У309.0]; Утечка через [У562.0]; 4-рез ... дней после истечения [465.0]; Через день после [464.0]; Через каждые ... часа [466.0]; Через каждые ... часов эксплуатации [467.0]; Через некоторое время (468.0); Через очень короткие интервалы времени [469.0]; Через посредство [470.0]; Через равные промежутки времени [471.0]

**черновой:** Литейный припуск для черновой обработки [Л55.0]; Подвергаться черновой обработке с припуском [П665.0]; Черновой вариант [472.0]

**черный:** Цифры и риски нанести масляной краской черного цвета [Ц54.0]

**черта:** В общих чертах (В265.0); Картина в общих чертах сохраняется [К186.0]; Косая черта [К398.0, К406.0]; Обладать чертами [091.0]; Обрисовывать в общих чертах [0247.0]; Общая черта двух методов [0329.0];

Объединять в себе лучшие черты [0354.0]; Описывать в самых общих чертах [0777.0]; Отличительная черта [01406.0]; Рассматриваться в общих чертах [Р486.0]; Характерная черта [Х18.0]

**чертеж:** Для справок приводится чертеж [Д398.0]; За исключением случаев, указанных на чертежах [325.0]; Изготавливать по чертежам [И194.0]; Иметь право вносить изменения в рабочие чертежи [И432.0];

Компоновочный чертеж [К303.0]; Копия чертежа [К374.0]; Краткое описание чертежей [К456.0]; Надписи на чертежах [Н283.0];

Неправильно оформленный чертеж [Н1494.0];

Номера деталей соответствуют спецификации сборочного чертежа [Н 1845.0]; Обозначение или № чертежа [0152.0]; Опись чертежей [0796.0]; Отступления от рабочих чертежей [01544.0]; Прилагаемый чертеж [П2352.0]; С ссылками на прилагаемые чертежи [С118.0]; Строить по чертежам [С1514.0]; Схематический чертеж [С1600.0]; Тип, марка по ГОСТу или обозначение по чертежу [Т263.0]; Чертеж в натуральную величину [474.0]

**чертить:** Чертил [475.0]

**черточка;** [476.0]

**четвертый:** В четвертой степени [В676.0]; Ко-рень четвертой степени из [К383.0]; Три четвертых места [Т468.0]

**четверть:** Вывернуть на четверть оборота [В1750.0]; Повернуть на четверть оборота [П1547.0]; Три четверти [Т467.0]; Четверть этого значения [478.0]

**четкий:** Картина была очень четкой [К185.0]; Не обнаруживать четкой закономерности [Н940.0]; Четкая граница [479.0]; Четкая зависимость между [480.0]

**четко:** Иметь четко выраженную форму [И461.0]; Четко выраженный [481.0]; Четко обозначенный [482.0]; Четко определяемый [483.0]; Четко разграничивать [484.0]; Четко различать [485.0]; Четко сказать [486.0]

**четкость:** Но, к сожалению, четкость этого объяснения нарушается тем, что [Н1796.0]

**четный:** Четное и нечетное числа [487.0]; Четный по [488.0]

**четыре:** В четырех экземплярах [В 168.0]; Двадцать четыре часа в сутки [Д151.0]; Зачеканить в четырех точках [3526.0]; Можно выделить четыре этапа [М329.0]

**четырёхкратный:** [489.0]

**численно:** Намного превосходить численно [Н430.0]; Определять численно [0836.0]

**численность:** Численность обслуживающего персонала, необходимого для [490.0]; Численность обслуживающего персонала [Ш39.0]; Численность работающих на заводе составляет... человек [491.0]

**численный:** Выразить в численной форме [В1942.0]; Попытка подробно обсудить численные результаты [П1311.0]; С целью получения общих зависимостей, а не точных численных результатов [С175.0]; Численные значения ошибочны [495.0]; Численный коэффициент [492.0]; Численный пример [493.0]; Численный эксперимент [494.0]

**числитель:** Числитель - порядковый номер места [496.0]

**число:** В их число входят [В764.0]; В небольшом числе случаев, имеющих, однако, немаловажное значение [В542.0]; В том числе [В765.0]; В число других ... входили [В761.0]; В число измеряемых величин входили [В762.0]; В число подходящих для... входят [В763.0]; Входить в число [В1678.0]; Выбирать ... из числа многих возможных [В1694.0]; Исключать из числа возможных [И657.0]; Исключать из числа их возможных источников [И658.0]; Исключать из числа рассматриваемых вариантов [И659.0]; К числу других преимуществ относятся [К21.0]; К числу примеров такого ... относятся [К22.0]; Квадратный корень из комплексного числа [К208.0]; Критика задним числом [К486.0]; Можно ожидать, что к ... это число составит [М342.0]; На известное число [Н61.0]; Находиться в числе [Н664.0]; Не принадлежать к числу сторонников [Н1033.0]; Небольшое число опытов [Н1167.0]; Превосходить чис-

лом [П 1687.0]; Принадлежать к числу [01449.0, П2401.0]; С точностью до ближайшего целого числа [С 135.0]; Сделать выбор из большого числа возможных [С390.0]; Четное и нечетное числа [487.0]; Числа в квадратных скобках обозначают номера в списке работ, приведенном в конце статьи [4104.0]; Число лопаток на ступень [499.0]; Число невелико [4100.0]; Число возможных сочетаний бесконечно [498.0]; Число цо-К. ставщиков [4101.0]; Число сочетаний из ... по [4102.0]; Число часов работы в год [4103.0]

**чистейший:** [4111.0]

**чисто:** На чисто теоретической основе [Н99.0]; Но пока причины чисто практического характера не позволяют этого сделать [Н1808.0];

Разрабатывать на чисто теоретической основе (Р297.0); Чисто интуитивно [4105.0]; Чисто исторически сложилось так, что [4106.0]; Чисто экономические причины [4107.0]

**чистовой:** Литейный припуск для чистовой обработки [Л55.0]

**чистота:** Исследование патентной чистоты изделия [И780.0]; Менее высокая чистота об? работки [М97.0]; Поверхность с указанной чистотой обработать после сварки [П536Д]; Потребный класс чистоты обработки [П1529.0]; Содержать в чистоте [С941.0]; Чистота обработки поверхности [4109.0]

**чистый:** В чистом виде [В29.0]; Состояние чистой [СИ 13.0]; Химически чистый [Х25.0];

Чистый выигрыш в [4110.0]

**читатель:** Для удобства читателей [Д412.0];

Познакомить читателей [П942.0]; Предлагать читателям [П1732.0]; Расширять круг наших читателей [Р570.0]; У читателя не должно складываться впечатление, что [У13.0]; Читателю можно порекомендовать [4112.0]; Читателю следует помнить [4113.0]

**читать:** Читая курс лекций [4114.0]; Читая лекции [4115.0]; Читая с выражением [4116.0]

**член:** [4117.0]; Определяющим является член [0859.0]; Отбрасывание малых членов [01212.0]; Подставляя уравнения и перегруппировывая члены, получим [П834.0]; Разлагать по членам степенного ряда [Р216.0]; Раскрывая скобки, объединяя подобные члены и решая относительно [Р357.0]

**чрезмерно:** Чрезмерно большой запас на [4118.0]; Чрезмерно оптимистические выводы [4119.0]

**чрезмерный:** Без предъявления чрезмерных требований к [Б47.0]; Заставляет воздерживаться от чрезмерного оптимизма [3470.0]; Предотвращать повреждение от чрезмерного [П1774.0]; Чрезмерная затяжка [4121.0]; Чрезмерная строгость требований [4122.0]; Чрезмерное количество воды [4123.0]; Чрезмерное упрощение [4124.0]

**чтобы:** Вместо того чтобы [В1162.0]; Делать все, чтобы [Д195.0]; Для того чтобы это произошло [Д408.0]; Желательно чтобы [Ж7.0]; Многие еще нужно сделать, чтобы (М205.0); Многие сделать для того чтобы (М211.0); Мы должны быть готовы к тому, чтобы [М408.0]; Не менее важно, чтобы [Н906.0]; Не настолько велик, чтобы представить опасность [Н927.0]; Необходимо, чтобы [Н1395.0]; Нужно приложить все усилия для того, чтобы [Н1907.0]; Позаботиться о том, чтобы [П900.0]; Постараться сделать все, чтобы [П1461.0]; С таким расчетом, чтобы [С87.0]; С тем, чтобы можно было [С121.0]; Следя затем, чтобы [С585.0]; Так как чтобы ..., пришлось бы [Т36.0]; Так, чтобы можно было [Т45.0]; Усовершенствовать таким образом, чтобы можно было [У421.0]; Уходить на то, чтобы [У582.0]; Цель настоящей статьи состоит в том, чтобы [Ц21.0], Чтобы добиться этого [4180.0]; Чтобы как-то облегчить ситуацию [4188.0]; Чтобы наилучшим образом [4190.0]; Чтобы не загромождать график, точки не показаны [4192.0]; Чтобы проиллюстрировать ска-

занное [4208.0]; Чтобы удостовериться в том, что [4215.0]  
**что-нибудь:** Выглядеть что-нибудь вроде [В1755.0]  
**что-либо:** Делать что-либо для того, чтобы [Д234.0]; Если что-либо значит [Е98.0]; Иметь что-либо общее с [И419.0]; Что-либо вроде этого [4220.0]  
**что-то:** Решаться на что-то [Р727.0]; 4то-то около [4221.0]  
**чувствителен:** Не настолько чувствителен, чтобы различить ... и [Н929.0]; Не чувствителен к изменению [Н1147.0]; Чувствителен к изменениям [4222.0]  
**чувствительность:** Порог чувствительности [П1323.0]; Чувствительность к изменению скорости [4225.0]; Чувствительность к усталости [4224.0]  
**чувствовать:** Интуитивно чувствовать [И625.0]; Чувствовать запах [4226.0]  
**чувствоваться:** Интуитивно чувствовалось [И626.0]  
**чугун:** Выполненный целиком из чугуна [В1916.0]  
**чуть:** Чуть было не стал [4227.0]; Чуть выше [4228.0]; Чуть не [4229.0]

## Ш

**шаблон:** Отверстия по шаблону № [01221.0]  
**шаг:** Важный шаг на пути создания [В782.0]; Делать первые шаги (Д213.0); Еще один шаг в направлении [Е221.0]; Несомненно являются значительным шагом вперед (Н1633.0); Ограничения, налагаемые шагом лопаток [0445.0]; Первый шаг к пониманию [П151.0]; Предпринимать шаги [П1825.0]; Решающий шаг [Р729.0]; С разбивкой по треугольнику и шагом [С80.0]; С шагом (С187.0); Только как первый шаг [Т310.0]; Только первый шаг исследования [Т311.0]; Угловой шаг [У78.0]; Шаг ... градусов по окружности [Ш4.0]; Шаг в этом направлении [Ш2.0]; Шаг вперед по сравнению с [Ш3.0]; Шаг по окружности [Ш5.0]; Шаг расчетной сетки [Ш6.0]; Шаги в правильном направлении [Ш7.0]; Шаги, принятые для [Ш8.0]; Являться большим шагом вперед [Я10.0]; Являться шагом вперед по сравнению с [Я36.0]  
**шанс:** Выяснить шансы на успех [В2093.0]; Иметь наибольшие шансы на успех [И374.0]  
**шахматный:** В шахматном порядке [В378.0]; Расположенные в шахматном порядке [Р403.0]; Шахматный порядок [Ш9.0]

**швы:** Заводские сварные швы [3124.0]  
**шероховатость:** Шероховатость поверхности [Ш10.0]; Шлифовать до получения номинальной шероховатости [Ш32.0]  
**ширина:** Длинной, шириной, высотой [Д297.0]; По окружности один паз шириной ... мм - [П427.0]; Равный удвоенной ширине [Р129.0]; Ширина по фронту [Ш11.0]; Шириной [Ш12.0]  
**ширяться:** Ширятся возможности применения [Ш29.0]  
**широкий:** Без широкой огласки [Б63.0]; Более широкое понятие [Б199.0]; В настоящее время имеются широкие возможности [В48.0]; В настоящее время получила широкое распространение практика [В56.0]; В самом широком смысле [В583.0]; В широком диапазоне условий (В 105.0); Весьма широкий диапазон [В1035.0]; Внедрение в широких масштабах [В1184.0]; Завоевывать все более широкое признание [3128.0]; Изменяться в широких пределах [И277.0]; Имеющий широкое хождение [И518.0]; Находить более широкое применение [Н616.0]; Находить все более широкое применение в [Н618.0]; Особенно широкое исследование [01052.0]; Открывать широкие перспективы

[01364.0]; Открывать широкие просторы для творческой работы [01365.0]; Пока не находит широкого распространения [П1963.0]; Получать широкое признание и доверие [П1172.0]; Получать широкое распространение [П1177.0]; Пользоваться широкой известностью как [П1220.0]; Препятствовать широкому применению [П2033.0]; Рассматривать настоящую работу как часть более широкого исследования [Р466.0]; Широкие слои [Ш18.0]; Широкий ассортимент [Ш14.0]; Широкое внедрение [Ш15.0]; Широкое освещение средствами массовой информации [Ш16.0]; Широкое распространение [Ш17.0]

**широко:** Довольно широко использоваться [Д520.0]; Наиболее широко используемый (Н343.0); Наиболее широко применяются в [Н344.0]; Не так широко известно [Н112.0];

Хотя и менее широко известный [Х94.0]; Широко встречается в (Ш19.0); Широко известно, что [Ш20.0]; Широко используется с тех пор [Ш22.0]; Широко применяется в промышленности [Ш23.0]; Широко распространенное мнение [Ш25.0]; Широко распространенное опасение [Ш27.0]

**широкоупотребительный:** [Ш28.0]

**широта:** Отличаться широтой и глубиной [01400.0]

**шкала:** Вверх по шкале [В831.0]; Имеющий шкалу с разрешающей способностью [И519.0]; На последнем делении шкалы [Н110.0]; Отсчет по шкале [01565.0]; По шкале Шора [П1515.0]; Снимать по шкале [С786.0]; Цена деления шкалы [Ц30.0]; Шкала

с ценой деления [Ш30.0]

**шкаф:** Шкаф защищенного исполнения [Ш31.0]

**шкив:** Снять ремень со шкива [С794.0]

**школа:** Аттестат об окончании школы [А166.0]

**шкурка:** Шлифовать поверхность шкуркой [Ш35.0]

**шлифовать:** Шлифовать до получения номинальной шероховатости [Ш32.0]; Шлифовать и притирать [Ш33.0]; Шлифовать лис-

ку на глубину резьбы [Ш34.0]; Шлифовать поверхность шкуркой [Ш35.0]; Шлифовать после сварки для обеспечения гладких внешних поверхностей [Ш36.0]

**шлифовка:** Припуск... мм на каждую сторону для шлифовки и полировки [П2511.0]

**шов:** Шов зачистить заподлицо [Ш37.0]

**шпилька:** Посадить на шпильки [П1339.0];

Развернуть отверстия под шпильки [Р179.0]

**шпонка:** Вырез под шпонку [В1966.0];

Фрезировать под полукруглую шпонку [Ф57.0]

**шрифт:** Для обозначения полужирного шрифта [Д375.0]

**штабель:** Хранить в штабелях [Х1 19.0]

**штат:** Иметь в своем штате [И367.0]; Уменьшать штат на [У258.0]; Штат насчитывал... человек [Ш38.0]

**штифт:** Отверстия под цилиндрический штифт сверлить и развернуть [01223.0]; Следите за соосностью штифта и его отверстия [С583.0]

**штраф:** Налагать штраф за [Н383.0]

**штрих:** [Ш40.0]; Кривая в виде коротких штрихов [К475.0]

**штриховой:** Штриховая кривая [Ш41.0]

**штрихпунктирный:** Штрихпунктирная кривая [Ш42.0]

**штука:** По ... штук в ряду [П1516.0]; По ... штуки на [П1517.0]; Штук в час [Ш44.0]

**шунтировать:** [Ш46.0]

## Щ

**щелчок:** Издавать слышимый щелчок [И212.0];

Сдвинуть щелчком в верхнее положение [С383.0]

**щетка:** Смахивать щеткой [С721.0]

## Э

**эвм:** Программное обеспечение ЭВМ [П2712.0];

Управляемый ЭВМ [У335.0]; Уравнения были запрограммированы для решения на ЭВМ - [У358.0]

**эквивалент:** [Э1.0]

**эквивалентно:** Эквивалентно в отношении [Э3.0]

**эквивалентный:** Сэкономить количество топлива, эквивалентное [С 1634.0]

**экзамен:** Возвращение платы за экзамен [В1278.0]; Сдавать вступительные экзамены и поступать в [С375.0]

**экзаменационный:** После раздачи экзаменационных материалов [П1367.0]; Экзаменационный лист [Э4.0]

**экземпляр:** В ... экземплярах [В91.0, В168.0]; Наборный экземпляр рукописи, напечатанный на машинке через... интервала [Н232.0]

**экологический:** Пагубный в экологическом отношении [В1507.0]; Удовлетворение экологических требований [У157.0]; Экологические последствия [Э6.0]; Экологическое воздействие [Э5.0]

экономика: "??". 0]

**экономить:** [Э8.0]

**экономичен:** Более экономичен [Б200.0]

**экономически:** Если мы хотим, чтобы производство было экономически выгодным [Е138.0]; Экономически более выгодный вариант по сравнению [Э17.0]; Экономически выгодное производство [Э18.0]; Экономически нецелесообразный [Э20.0]; Экономически оправдан [Э21.0]; Экономически целесообразный [Э19.0]

**экономический:** В зависимости от соображений экономического характера [В115.0]; Воспользоваться экономическими преимуществами [В 1424.0]; По экономическим соображениям [П481.0]; Приемлемый с экономической точки зрения [П2307.0]; С экономической точки зрения невыгодно [С131.0]; Чисто экономические причины [4107.0]; Экономическая обстановка [Э10.0]; Экономическая целесообразность [Э11.0]; Экономические и рабочие показатели [Э13.0]; Экономические перспективы [Э12.0]; Экономические успехи [Э14.0]; Экономический эффект [Э9.0]

**экономия:** В целях экономии места [В748.0]; Давать меньшую экономию [Д69.0]; Давать экономию [Д68.0]; Для экономии времени все заказы на запчасти направляйте в ближайшее отделение или представительство фирмы [Д422.0]; Для экономии места [Д423.0]; Достигать экономии по [Д724.0]; Значительная экономия материалов [3610.0];

Подробности, относящиеся к ... опущены для экономии места [П805.0]; Позволяет получить значительную экономию [П919.0]; С целью экономии места [С180.0]; Целесообразно с точки зрения экономии времени и средств [Ц4.0]; Что дало бы некоторую экономию [4132.0]; Экономия благодаря применению [Э23.0]; Экономия в стоимости материала с лихвой перекрывает затраты на [Э25.0]; Экономия, достигаемая при [Э26.0]; Экономия, обусловленная ростом масштаба [Э27.0]; Экономия потерь [Э28.0]

**экран:** Умещаться на экране [У292.0]

**эксперимент:** Данные по двум сериям экспериментов [Д114.0]; Для удобства проведения эксперимента [Д411.0]; Измеренный в эксперименте [И305.0]; Методика эксперимента [М168.0]; Недостатки методики экспериментов [Н1203.0]; Планируется проведение экспериментов [П288.0]; Последовательность этапов в типичном эксперименте [П1406.0]; Проведение эксперимента

[П2618.0]; Проводить эксперименты [П2697.0]; Расчет согласуется с экспериментом [Р555.0]; Спланированный эксперимент [С1191.0]; Убедительные эксперименты [У25.0]; Уделять большее внимание надежности эксперимента [У110.0]; Хорошо известный из экспериментов [Х51.0]; Численный эксперимент [494.0]; Эксперимент, поставленный с целью [Э31.0]

**экспериментально-теоретический:** Экспериментально-теоретическое исследование [Э39.0]

**экспериментальный:** Большое количество экспериментальных данных [Б245.0]; В экспериментальном порядке [В379.0]; Воспроизводимость экспериментальных данных [В1433.0]; Давать существенно большие значения, чем экспериментальные [Д17.0]; Достоверные экспериментальные данные [Д736.0]; Иметь экспериментальный характер [И472.0]; Имеющиеся экспериментальные данные [И533.0]; Машинные распечатки экспериментальных данных [М74.0]; Наилучшая аппроксимация экспериментальных данных [Н352.0]; Находиться в экспериментальной стадии [Н657.0]; Носить экспериментальный характер [Н1877.0]; Нуждаться в дополнительном экспериментальном подтверждении [Н1883.0]; Нуждаться в экспериментальной проверке [Н1891.0]; Обработка экспериментальных данных по методу наименьших квадратов [0191.0]; Объем экспериментальной работы [0370.0]; Описывать экспериментальные данные выражением [0785.0]; Подбирать кривую для экспериментальных точек [П644.0]; Подгонять к экспериментальным точкам [П689.0]; После проведения большого объема экспериментальных работ [П1365.0]; Проведение аппроксимирующей кривой через экспериментальные точки [П2614.0]; Проверять с помощью экспериментальных данных [П2651.0]; Прямая, проведенная через экспериментальные точки [П3057.0]; Разброс экспериментальных точек относительно среднего значения составляет [Р174.0]; Разброс экспериментальных точек [Р173.0]; С экспериментальной точки зрения [С132.0]; Сильно разбросанные экспериментальные точки [С480.0]; Требовать экспериментальной проверки [Т447.0]; Хорошо обоснованные экспериментальные данные [Х56.0]; Чтобы избежать наложения экспериментальных точек и вызываемой этим путаницы [4183.0]; Экспериментальная проверка [Э35.0]; Экспериментальная работа проводилась в меньшем объеме [Э36.0]; Экспериментальная точка [Э37.0]; Экспериментальная установка [0893.0, Э38.0]; Экспериментальные данные по [Э41.0]; Эксперимен-

тальные данные показывают что [Э42.0]; Экспериментальные результаты хорошо согласуются с теорией [Э43.0]; Экспериментальный результат [Э33.0]; Экспериментальный стенд [И768.0]; Экспериментальный уклон [Э34.0]

**экспериментатор:** [Э44.0]

**экспериментирование:** [Э45.0]

**экспериментировать:** Не бойтесь экспериментировать [Н752.0]

**эксперт:** Снимать возражения эксперта [С783.0]; Эксперт по [Э46.0]

**экспертиза:** Акт экспертизы [А95.0]; Заканчивать экспертизу [3225.0]; Запрос на проведение экспертизы [3416.0]; Материалы, использованные при экспертизе заявки [М69.0]

**эксплуатационно-технический:**

Периодический контроль основных эксплуатационно-технических характеристик [П236.0]; Эксплуатационно-технический отдел [Э56.0]

**эксплуатационный:** Большое количество эксплуатационных данных [Б246.0]; В условиях, максимально приближенных к эксплуатационным [В715.0]; Ведомость эксплуатационных документов [В880.0]; Входить в компетенцию эксплуатационного персонала [В1669.0]; Данные, полученные ранее в эксплуатационных испытаниях [Д117.0];

Демонстрация работы в эксплуатационных условиях [Д255.0]; Заводская и эксплуатационная [3116.0]; Обзор эксплуатационных данных по [067.0]; Отсутствие у эксплуатационного персонала опыта по [01557.0];

Превышать допускаемые эксплуатационными нормами пределы [П1697.0]; Эксплуатационная готовность [Э51.0]; Эксплуатационная доводка (Э52.0); Эксплуатационная надежность [Э53.0]; Эксплуатационные испытания [Э54.0]; Эксплуатационные условия [Э55.0]; Эксплуатационный и ремонтный персонал [Э50.0]; Эксплуатационный опыт [Э48.0]

**эксплуатация:** Авария в процессе эксплуатации [А61.0]; Безаварийная эксплуатация [Б67.0]; В течение продолжительного периода эксплуатации [В708.0]; В условиях эксплуатации [В719.0]; Ввод ... в эксплуатацию планируется на [В837.0]; Вводить в эксплуатацию [В844.0]; Внедрение в эксплуатацию [В1185.0]; Во время эксплуатации [В40.0]; Возвращать в эксплуатацию [В1269.0]; Временно изымать из эксплуатации [В1522.0]; Вступать в эксплуатацию [В1647.0]; Входить

в эксплуатацию (В1679.0); Выводить из эксплуатации (В1742.0); Дата пуска в эксплуатацию [Д141.0]; Движение изделия в эксплуатации [Д158.0]; Длительная эксплуатация без обслуживания [Д303.0]; До ввода в эксплуатацию [Д437.0]; Досрочная сдача в эксплуатацию [Д676.0]; И все еще находит-

ся в эксплуатации [И19.0]; Изготовлен в соответствии с ТУ, проверен и признан годным к эксплуатации [И204.0]; Изделие

подвергнуто консервации на ... согласно требованиям, предусмотренным инструкцией по эксплуатации [И215.0]; Изделие упаковано на... согласно требованиям, предусмотренным инструкцией по эксплуатации [И218.0]; Изымать из эксплуатации и передавать [И332.0]; Изымать из эксплуатации [И331.0]; Инструкция по эксплуатации [И579.0]; Итого с начала эксплуатации [И851.0]; Лицензия на эксплуатацию [Л59.0];

Многолетний опыт удовлетворительной эксплуатации [М222.0]; Монтаж, отладку и опробование производить в строгом соответствии с рекомендациями, изложенными в инструкции по эксплуатации [М249.0];

Находиться в нормальной эксплуатации [Н666.0]; Находящийся в эксплуатации [Н689.0]; Не выходить за рамки имеющегося опыта эксплуатации [Н803.0]; Неправильная эксплуатация [Н1502.0]; Непригодный для эксплуатации [Н1540.0]; Ожидаемые условия эксплуатации [0601.0]; Опыт нескольких лет промышленной эксплуатации [0892.0]; Основные требования к монтажу и эксплуатации [01012.0]; Особенности эксплуатации в тропических условиях [01054.0]; Особые замечания по эксплуатации изделия и аварийным случаям [01073.0];

Оставаться в эксплуатации [01088.0]; Отдел эксплуатации электростанции [01284.0];

Отчет по эксплуатации и обслуживанию [01594.0]; Первый опыт эксплуатации показал [П49.0]; Плановая дата ввода в эксплуатацию [П291.0]; После ввода в эксплуатацию [П1354.0]; Поступать в эксплуатацию [П1500.0]; Правила эксплуатации [П1617.0];

Правильная эксплуатация [П1630.0]; Практика эксплуатации [П1642.0]; При эксплуатации в [П2164.0]; Пригодность к эксплуатации [П2270.0]; Пригодный для эксплуатации [П2280.0]; Принимать в эксплуатацию [П2410.0]; Приступить к эксплуатации [П2533.0]; Проверять в условиях эксплуатации [П2634.0]; Проще в эксплуатации [П2925.0]; Пуск в эксплуатацию [П3078.0]; Пускать в эксплуатацию [П3082.0]; Руководство по эксплуатации [Р772.0]; Служба эксплуатации [С667.0]; Справочник по эксплуатации [С1254.0]; Условия промышленной эксплуатации [У405.0]; Условия хранения должны соответствовать требованиям, изложенным в описании и инструкции по эксплуатации изделия [У403.0]; Условия эк-

сплуатации [У404.0]; Учет неисправностей при эксплуатации [У606.0]; Через каждые... часов эксплуатации [467.0]; Эксплуатация с нарушением правил [Э58.0]



- эксплуатировать:** Эксплуатировать во взрывоопасной среде [Э60.0]
- эксплуатироваться:** Эксплуатироваться с серьезным нарушением правил [Э62.0]
- эксплуатируемый:** Лучший из ..., эксплуатируемые в настоящее время [Л1103.0]; Эксплуатируемый в настоящее время [Э63.0]
- экспозиционный:** Экспозиционный стенд [Э64.0]
- экспонат:** Описание экспонатов [0774.0]
- экспонента:** Скобка под знаком экспоненты [С530.0]
- экспоненциальный:** Уменьшаться по экспоненциальному закону [3506.0]
- экспортный:** Итого цена, фоб завод, США, без экспортной упаковки [И849.0]; Итого цена, фоб североамериканский порт, экспортная упаковка, океанский фрахт [И850.0]; Экспортная тара [Э65.0]; Экспортная упаковка и перевозка в пределах страны [Э66.0]
- экстраполированный:** Экстраполированное значение [Э70.0]
- экстраполировать:** Экстраполировать на [Э68.0], Экстраполировать от до [Э69.0]
- экстраполяция:** Результат экстраполяции [Р642.0]; Экстраполяция на [Э71.0]; Экстраполяция с ... на [Э72.0]
- электрический:** Замыкать электрическую цепь [3314.0, 3315.0]; Электрическая схема [Э73.0]
- электронный:** Отправлять по электронной почте [01492.0]
- электрооборудование:** Запрещается начинать или продолжать работы при обнаружении неисправности электрооборудования [3410.0]
- электропитание:** Включение электропитания [В1121.0]; Не прикасайтесь к проводам электропитания [Н1031.0]; При включенном электропитании [П2165.0]; При подключенном электропитании [П2166.0]; Проверка при включенном электропитании [П2625.0]; Проверка при отключенном электропитании [П2626.0]
- электроприбор:** Памятка по обращению с электроприборами [П12.0]
- электропривод:** С электроприводом [С77.0]
- электропровод:** Зачистка электропроводов [3527.0]
- электропроводка:** [Э74.0]; Схема электропроводки [С 1599.0];
- электросеть:** Отключить оборудование от электросети [01347.0]
- электроснабжение:** Водоснабжение, электроснабжение и вентиляция [В1252.0]; Перебой в электроснабжении [П70.0]
- электростанция:** Отдел эксплуатации электростанции [01284.0]
- электротехнический:** Электротехническая деятельность [Э75.0]
- электрошкаф:** Сетевое напряжение не поступает на электрошкаф [С449.0]
- электроэнергия:** Большие затраты труда и электроэнергии [Б255.0]; Питаться электроэнергией [П263.0]
- элемент:** Вносить некоторый элемент субъективности, выразившийся в том, что [В1223.0]; Надежный при отказе отдельных элементов [Н267.0]; Не упомянуты существенные элементы [Н1135.0]; Основной элемент [0975.0]; Отсутствие связи между элементами [01555.0]
- элементарнейший:** [Э79.0]
- элементарный:** Некоторое элементарное представление о [Н 1295.0]; Элементарное представление о [Э77.0]; Элементарные знания [Э78.0]; Элементарный анализ [Э76.0]
- эллипс:** Большая [малая] полуось эллипса [Б232.0]
- эмпирический:** Вывод эмпирических соотношений [В1730.0]; Согласно эмпирической формуле [С912.0]; Эмпирическая формула [Э80.0]; Эмпирическое правило [Э81.0]
- энергетический:** Подниматься на более высокий энергетический уровень [П759.0]
- энергично:** Энергично реагировать с [Э83.0]
- энергичный:** Принимать энергичные меры по [П2422.0]; Энергичные меры по [Э82.0]
- энергия:** Выделять энергию [В1785.0]; Вырабатывать энергию [В1932.0]; Выход энергии [В2029.0]; Затрачивать энергию на [3491.0]; Передавать энергию [П104.0]; Потребление энергии [П 1524.0]; Прекращать подвод энергии [П1990.0]; Преобразовывать энергию [П2018.0]; Расход энергии [Р528.0]; Сохранение энергии [С 1125.0]
- энергообеспечение:** Оценка потребности в рабочей силе и средствах энергообеспечения [01643.0]
- эпизод:** Для съемки последовательных эпизодов [Д402.0]
- эпизодически:** [Э84.0]
- эпоксидная:** Пропитанный эпоксидной смолой [П2877.0]
- эпоха:** [Э85.0]
- эрудиция:** [Э86.0]
- эскиз:** [Э87.0]
- эскизный:** Предэскизная и эскизная стадии проектирования [П1946.0]; Эскизное проектирование [Э89.0]; Эскизный проект [Э88.0]; Этап эскизного проектирования [Э96.0]
- эталон:** Проверять по эталону [П2647.0]; Эталон для сравнения [Э91.0]; Эталон, по которому тарифицируют [Э92.0]
- эталонный:** [Э93.0]; Тарифицировать по эталонному прибору [Т120.0]
- этап:** В начале этапа [В245.0]; В несколько этапов [В252.0]; Выполнять в два этапа [В1874.0]; Выполняться в два этапа [В1905.0]; До окончания этапа [Д452.0]; Заключительный этап [3247.0]; Знать, что

делать на каждом этапе [3593.0]; Можно выделить четыре этапа [M329.0]; На всех этапах изготовления [H 196.0]; На данном этапе [H197.0]; На начальном этапе работы внимание будет уделено [H199.0]; На различных этапах [H200.0]; На ранних этапах [H201.0]; На этапах проектирования и изготовления [H 191.0]; На этапе предварительного проектирования [H 192.0]; На этапе предэскизного проектирования [H193.0]; На этапе сбора предложений [H 194.0]; На этом этапе [H202.0]; Намечать очередность этапов программы [H411.0]; Находиться на таком этапе разработки, когда [H677.0]; Первый этап работы [P52.0]; Первый этап состоит в [P153.0]; Подготовительный этап [P697.0]; Последовательность этапов в типичном эксперименте [П 1406.0]; Последовательные этапы [П11412.0]; Промежуточный этап программы [P2845.0]; Протекает в два этапа [P2950.0]; Проходить через множество этапов [P3015.0]; Ранний этап [P342.0]; Состояние дел на каждом этапе [C1108.0]; Состоять из нескольких этапов [C 1115.0]; Успешно преодолевать этапы [Y432.0]; Этап испытаний [Э95.0]; Этап эскизного проектирования [Э96.0]

**этот:** Благодаря этому [B116.0]; В довершение всего этого [B108.0]; В дополнение ко всему этому [B110.0]; В противоположность этому [B417.0]; В результате этого [B480.0]; В связи с этим жаль, что [B504.0]; В этом не было никакой необходимости [B770.0]; В этом нет ничего удивительного [B771.0]; В этом нетрудно убедиться, если [B772.0]; Вместо этого [B1163.0]; Вскоре после этого [B1591.0];

Для этого использовался [D426.0]; Для этого может потребоваться много времени [D427.0]; Для этого необходимо вначале [D428.0]; Если бы этого не делалось [E109.0]; И как следствие этого [I33.0]; Из этого вытекает, что [I141.0]; Из этого можно сделать вывод, что [I142.0]; Из этого не следует, что [I144.0]; Как следствие этого [K114.0]; На самом деле этого не происходит [H47.0]; На самом деле этого нет [B93.0]; На этом заканчивается [H209.0]; На этом не кончается [H210.0]; На этот раз [H213.0]; Наблюдая при этом за [H225.0]; Находить, что в этом нет необходимости [H606.0]; Не будь этого [H755.0]; Не должен на этом останавливаться [H830.0]; Не зная, что этого делать нельзя [H864.0]; Не так, как этого хотелось бы [H1102.0]; Невыполнение этого может привести к [H1180.0];

Нечто в роде этого и можно было ожи-

дать [H1685.0]; Ничуть от этого не хуже [H1779.0]; Но даже с учетом этого [H1786.0]; Но для этого необходимо как минимум [H1789.0]; Но прежде чем заняться этим необходимо [H1811.0]; Но этого не было [H1820.0]; Об этом важно помнить при [019.0]; Об этом можно только сожалеть, поскольку [020.0]; Однако при этом возникло две проблемы [0571.0]; Одним из последствий этого является [0525.0]; Одновременно с этим [0583.0]; Отдавать должное тому, кто этого заслуживает [01273.0]; Параллельно с этим [0584.0, P20.0]; Под этим подразумевается следующее [P623.0];

Понимая при этом всю трудность [P1272.0]; Прежде чем согласиться с этим [P1961.0]; При этом было замечено, что [P2168.0]; Результатом этого является [P644.0]; С учетом всего этого [C159.0]; Сообщите пожалуйста об этом [C1001.0]; Фактически этого никогда не бывает [F11.0]; Хотя полной уверенности в этом и нет [X107.0]; Чтобы добиться этого [4180.0]; Чтобы достичь этого [4181.0]; Этим мы не хотим сказать [Э203.0]; Этим мы хотим подчеркнуть, что [Э202.0]; Этому можно добиться относительно легко [Э204.0]; Этому не происходит [Э207.0]; Этому не стоит делать [Э132.0]; Этому нельзя делать [Э205.0]; Этому нельзя сказать о [Э206.0]; Этому следовало ожидать [Э208.0]

**эффект:** Возможно, что этот эффект вызывается [B1312.0]; Не давать эффекта [H824.0];

Побочный положительный эффект [P526.0]; Противоположный эффект наблюдается [P2961.0]; Связанные с ним эффекты [C353.0]; Синергический эффект [C488.0]; Экономический эффект [Э9.0]; Эффект проявляется в [Э225.0]; Эффект типа [Э221.0]; Эффект, обусловленный методом измерения [Э222.0]; Эффект практически отсутствует [Э223.0]; Эффект, противоположный ожидаемому [Э224.0]

**эффективен:** Эффективен при [Э233.0]

**эффективно:** Наиболее эффективно [H345.0]; Эффективно лишь отчасти [Э226.0]; Эффективно предотвращать [Э227.0]; Эффективно уничтожать влияние [Э228.0]

**эффективность:** Как по стоимости, так и по эффективности [K123.0]; При предельной эффективности [P2114.0]; Производительность и эффективность [P2785.0]; Снижать эффективность [C771.0]; Эффективность метода [Э230.0]

**эффективный:** Значительно более эффективный способ [3616.0]; Эффективный способ [Э232.0]

## Ю

**юбилей:** Праздновать юбилей [П1638.0]  
**южнее:** [С407.0]

**юридический:** Иметь юридическую силу [И476.0]; С юридической точки зрения [С133.0]; Юридическое лицо [Ф26.0]

## Я

**явиться:** Было установлено, что причиной... явился [Б375.0]

**явление:** Беспрецедентное явление [Б98.0]; Будем называть это явление [Б343.0]; Вполне обычное явление (В1484.0); Два совершенно различных явления [Д148.0]; Необычное явление [Н1431.0]; Непредвиденное явление [Н1513.0]; Обычное явление [0396.0]; Основные явления, происходящие в [01016.0]; Физика явления связана с [Ф20.0]; Физическое явление [Ф28.0]; Это нормальное явление [Э155.0]; Явление, известное под названием старения [Я5.0]

**являться:** А это является нарушением основного допущения [А48.0]; Больше не является доминирующим фактором [Б217.0]; Было высказано предположение, что ... является следствием [Б369.0]; Во многом является делом [В210.0]; Возможно, мы являемся свидетелями [В1299.0]; Возможно, что некоторым исключением являются [В1310.0]; Возможно, это является показателем [В1316.0]; Вообще не является периодическим [В1377.0]; Достоинством ... является простота применения [Д740.0]; Если ... не является [Е154.0]; Насколько ценным является [Н549.0]; Не является необычным [Н1153.0]; Не является единственной причиной [Н1149.0]; Не является исключением в этом отношении [Н 1150.0]; Не является неизбежным злом [Н1151.0]; Не является неожиданным [Н1152.0]; Не являются для ... необычными [Н1154.0]; Несомненно являются значительным шагом вперед [Н1633.0];

Ни в коей степени не является [Н1692.0];

Новым в предлагаемом нами методе является [Н1835.0]; Общим для всех является [0320.0]; Одним из последствий этого является [0525.0]; Определяющим является член [0859.0]; Основным из них является [01017.0]; Остается определить, является ли [01121.0]; Перечень тем не является исчерпывающим [П213.0]; Подлинным испытанием для ... является [П748.0]; Помимо

того что они являются [П1251.0]; Председателем комитета является [П1828.0]; Приведен с целью иллюстрации и не является исчерпывающим [П2258.0]; Реакция ... является обратной по отношению к реакции [Р585.0]; Результатом этого является [Р644.0]; Само по себе является [С203.0]; Самым главным является [С224.0]; Является для ... тем же, чем для [Я37.0]; Являться автором в общей сложности ... публикаций [Я7.0]; Являться более общим случаем [Я8.0]; Являться более производительным, дешевым и удобным [Я9.0]; Являться в некоторой степени обнадеживающим [Я 11.0]; Являться важной частью [Я12.0]; Являться вовремя [Я13.0]; Являться второстепенным по сравнению с [Я14.0]; Являться голословным утверждением [Я15.0]; Являться заслугой [Я16.0]; Являться исключением [Я17.0]; Являться мерой [Я18.0]; Являться неотъемлемой частью настоящих технических условий [Я 19.0]; Являться основным в [Я20.0]; Являться первостепенным [Я21.0]; Являться перспективным [Я22.0]; Являться правилом [Я24.0]; Являться предметом серьезной заботы [Я25.0]; Являться причиной [Я26.0]; Являться продуктом [Я27.0]; Являться простым совпадением [Я28.0]; Являться результатом [Я29.0]; Являться самым главным в [Я30.0]; Являться синонимом [Я31.0]; Являться спорным [Я32.0]; Являться темой многих исследований [Я33.0]; Являться темой многочисленных исследований [Я34.0]; Являться функцией [Я35.0]; Являться шагом вперед по сравнению с [Я36.0]

**являющийся:** Являющийся в своей основе химическим [Я38.0]; Являющийся частью [Я39.0]

**явно:** Что явно меньше [4173.0]; Явно выраженная закономерность [Я43.0]; Явно выраженный переход [Я42.0]; Явно или неявно [Я44.0]; Явно нарушаться [Я45.0]; Явно непригодный [Я46.0]; Явно отличались от [Я47.0]; Явно превосходить [Я48.0]; Явно предпочтительнее в качестве [Я49.0]; Явно предпочтительнее других [Я50.0]

## **ЯВНЫЙ**

**явный:** Входить в явном виде [В1680.0],  
Иметь

явную тенденцию к [И457.0]; Не такие явные недостатки [НИ 14.0]; Обладать явными преимуществами по сравнению с [084.0]; Отдавать явное предпочтение [01279.0]; Подчеркивать явную несостоятельность [П883.0]; Присутствовать в явном виде [П2539.0]; Случай явного [С710.0]; Явная канцелярская описка [Я52.0]; Явная ошибка [Я53.0]; Явное предпочтение отдается [Я55.0]; Явное противоречие [Я56.0]; Явное улучшение [Я57.0]; Явные возможности [Я58.0]; Явные отклонения от проекта [Я59.0]; Явные преимущества [Я60.0]; Явные симптомы [Я61.0]; Явный сдвиг в область [Я54.0]

**язык:** В языке [В773.0]; Существует в ... вариантах на официальных языках [С 1569.0]

**якобы:** [Я62.0]

**январь:** Дата публикации полного описания изобретения 6 января 1980 г. [Д139.0]

**яркий:** Ярким проявлением такой концепции было [Я63.0]

**ярлык:** Ярлык с указанием необходимого ремонта [Я64.0]

**ясно:** Влияние ... не совсем ясно [В1138.0]; Из вышеизложенного ясно [И148.0]; Из этих кривых ясно [И140.0]; Как уже должно

быть ясно [К133.0]; Не совсем ясно, каким образом [Н1086.0]; О чем это говорит, не ясно [017.0]; Оказались возможными после того как стало ясно, что [0663.0]; По дальнейшему размышлению становится ясно, что [П360.0]; По размышлении становится ясно, что [П461.0]; После рассмотрения становится ясно, что [П1369.0]; Совершенно ясно, что такой нереален [С847.0]; Сразу же становится ясно, что [С 1301.0]; Стало ясно, что для ... нужен [С1415.0]; Так как было ясно, что [Т35.0]; Теперь стало ясно, что [Т178.0]; Ясно одно (Я65.0); Ясно представлять себе [Я66.0]

**ясность:** Для обеспечения ясности и краткости изложения [Д370.0]; Для ясности [Д432.0];

Но в этом вопросе полной ясности еще нет [Н1783.0]; Следует внести ясность [С599.0];

Чтобы внести ясность в использовании термина [4176.0]

**ясный:** Из сказанного становится ясным, что [И149.0]; Не совсем ясна [Н1085.0];

Необходимость была ясна [Н1398.0]; Причина не совсем ясна [П2582.0]; Тотчас же становится ясной [Т368.0]

**ячейка:** Сетка с крупными ячейками [С450.0]

**ящик:** Ящик для запчастей и принадлежностей [Я68.0]

**УКАЗАТЕЛЬ  
АНГЛИЙСКИХ  
ТЕРМИНОВ  
ENGLISH  
TERM INDEX**

Aa	Nn
Bb	Oo
Cc	Pp
Dd	Qq
Ee	Rr
Ff	Ss
Gg	Tt
Hh	Uu
Ii	Vv
Jj	Ww
Kk	Xx
Ll	Yy
Mm	Zz

## A

**abandoned:** abandoned [01308.4]; had to be abandoned [01193.1]; it would be abandoned [01190.1]; that ... was soon abandoned [01189.1]

**abatement** [C780.1, Y270.7]

**abate:** [0929.1]

**abbreviate:** in abbreviated form [B19.1]

**abets:** abets the ... growth [C 1234.1]

**abide:** abide by ... standards [Π2301.1]; abide by the rules [C813.2]

**ability:** [B1318.0]; gives the ability [Д9.1]; has the

ability of [089.1]; loss of ability [Π1513.1]; makes use of... ability to [Π1912.1]; multi-fuel ability [C 1217.1]; places limitations on ... ability to [0454.1]; there has been a ... improvement in our ability [B 1367.1]; to give the ability [Д9.0]

**able:** as well as being able to predict [Π 1252.1]; be able to [B301.1]; are able to [0659.1]; importance of being able to [K57.1]; in return for being able to [J182.1]; is ...able [M269.0]; is able to [B606.1]; it is desirable to be able to predict [B803.1 ] ; or you won't be able [B550.1 ];

target is to be able to [3173.1]; that seem willing and able [K409.1]; to be able [B606.0]; we are now at the point of being able to [T175.1]; were able [Y86.1]; were willing to suffer some inconvenience in return for being able to [C930.1]

**abnormal:** abnormal operating conditions [H1354.1]; were not abnormal in any way [B945.1]

**abolish:** [Y338.1]

**abort:** tests had to be aborted [0890.1]

**about:** about... about [Π1287.3]; about 3 days a year [0699.1]; about this time [Π1288.1];

about [0698.1, 01430.5, Π2384.1]; amounted to about [Д712.1]; are about 50 percent lower [3319.1]; are uneasy about [B92.1]; assumptions that are made about [Д672.1]; at about the same time [Π2386.1]; between now and about [M81.1]; brings about a ... decrease in [Π2243.1]; brought about [B1836.0, B1836.1]; came out... lukewarm about [B1979.1]; causes doubt about [B1825.2]; centered about [C184.2,

C1069.1]; cluster about [Г145.1]; come about as a result of [Π2821.2]; comes about from [Π2821.1]; don't worry about messing up [H751.1]; extended the testing over about [P525.1]; few more words should be said about [H1 601.1]; great deal has been said and published about [M195.1]; had been brought about by [Я29.6]; increasingly concerned about [B963.1]; is accurate to about [И458.1]; it takes

an average of about [H205.1 ] ; little will be said here about [M412.1J; much can be learned about [M384.1]; not to worry about it [H942.1]; nothing is said ... about [H1769.2]; notified ... about the decision regarding [Y47.1]; one should,... be cautious about [C622.4]; present authors are uneasy about the accuracy of [H406.1]; provided strong testimony about [Y19.1]; questions about (B1405.1); remain about constant [01112.1]; reveal the desired information about [Д21.1]; series of concerns developed about [B 1349.1]; since much has been said about [Π1349.1]; some generalizations ... about [H1 301.1]; strong testimony about [Y21.1]; there was little ambiguity about [Π1564.1]; this has come about through [Э198.2]; this is less ... by about a factor of two [Π2385.1]; through this work more can be learned about mechanisms [Б115.1]; to bring about [Д365.0]; to move about [Д153.0]; to tackle just about any ... problems [Π2024.1]; uncertainty about [H1450.1]; unusual thing about these [H1428.1]; was ... rotating ... about ... axis [B1504.1]; was varied by about a factor of 4 [И281.1]; we expand ... in ... series about [P214.1]; were worried about the same topic [B1972.1J; with no ... concern about [M24.1]; with reference to what has been noted above about [B1277.1J; within about a second [Π2387.1]; word should be said about [C630.1]

**abouts:** or thereabouts [И345.2]

**above** (B2065.1, B2069.1, B2072.1, B2074.1, H251.1J;

above all [Π1948.5]; above are but two examples of [Э122.1]; above Codes [B2076.1]; above

procedure was repeated for different [B2071.1]; are arranged one above the other [P376.1]; are preferred above [Π1818.4]; arranged one above the other [P399.1]; as is evident from the above [И148.2]; assemble by reversing above procedure [B1909.0]; at or above [H931.1]; because of

the above [B498.1]; by reversing the above procedure [B373.1]; cited above [Y323.2]; exceeds ... increases above [Π1694.4]; from above

[C279.1]; height ... be ... above the floor [B1998.1]; higher by ... above what could be obtained [B2067.1]; higher critical ... exists above which ... a lower critical... exists below which [C1572.1]; in the above manner [B2070.1J;

is elevated above [Π2507.1]; is over and above [Д477.2]; just above [H1474.1, 4228.1]; over and above [B107.1, B109.0, B109.2, B860.1]; over and above this [K501.0J; protruded above the... surface [B1997.1J; quoted above [Y219.1];

somewhere below [above] [Г31.1]; steady state



- is approached from above [Y498.1]; suspended above [Π677.1]; viewed from above [E90.1]; was
- ... above the limit on [Π1699.1]; was above normal [Π1698.1]; well above [H416.3]; with reference to what has been noted above about [B1277.1]
- above-mentioned:** above-mentioned [B2077.0]; of the above-mentioned kind [B2078.1]
- above-stated:** [B2069.0]
- abreast:** abreast of each other [Π417.1]; keep abreast of [H106.2, H970.2]; keeps you abreast of [Д263.1], to keep smb. abreast [Д262.0]
- abroad:** both here and abroad [K121.1]
- abrupt:** abrupt demarcation [479.1]; braked to an abrupt halt [P635.1]
- abscissas:** plotted as the abscissas [01321.1]
- absence:** absence of [01546.2]; been hindered by the absence of [T337.1]; been hindered by the absence [M174.1]; in the absence ... at the time [H226.1]; in the absence of better information [332.1]; in the absence of [B320.0, B320.1, 331.0]; not by themselves assure an absence [C202.1]; signals the absence of [C297.2]; with absence of [B320.0]; with the absence of [B320.2]
- absent:** is absent [01558.1]; was completely absent [Π1054.1]
- absolute:** [A51.0]; absolute height [A52.1]; absolute values of [A53.2]; in the absolute sense [B580.1]
- absolutely:** absolutely safe against [A54.1]; be absolutely defined [T409.1]
- absolve:** absolve ... from [0922.3]; absolve ... of... responsibility to [0922.1]
- absorb:** absorb ... output [Π1525.1]; absorb excess power [Π1597.1]; is absorbed by [B1427.3]; power absorbed by the pump [M401.1]; to absorb [B1427.0]
- abstract:** [A141.1]; abstract of the Disclosure [A142.0]; are abstracted from [3210.1]; definitive content of the abstract [0710.1]; notified of abstract acceptance [Y45.1]; review abstracts [P711.1]; to abstract [3207.0];
- abundance:** exist in abundance [Π2540.1]; following ... in abundance [Y547.1]; in abundance [Π463.1]
- abundant:** most abundant [H329.2]
- abundantly:** was abundantly available to [H481.1]
- abuse:** [Э58.1]; are subject to considerable abuse [Э62.2]; take a great amount of abuse [Э62.1]
- abusive:** abusive to [H516.1]
- abysmal:** [K439.1]
- academe:** papers coming from academe [C1439.1]
- academic:** becomes more academic than of real interest [Π2481.1]; held academic qualifications [H454.1]; is ... of academic interest only [Π1848.1]; is largely an academic matter [Π1847.1]
- accelerated:** accelerated processing of... application [Y387.1]
- accentuate:** are accentuated [Π877.3]
- accept:** [B1067.0, B1165.1, Π936.1, Π1497.2]; accept the challenge [B278.1]; accept with proper understanding [01451.1]; accept without qualification [B71.1]; accepts [Π2521.1, Y447.4]; accepted an equity position [Π2427.1]; accepted the invitation [Π2428.1]; are accepted [Π2448.1]; article upon ... has been accepted by [H216.1]; became accepted for general use [C1405.1]; cannot accept any responsibility for [C788.1]; claims will not be accepted if the package list is not enclosed [Π2106.1]; currently accepted [Π2447.1]; has accepted the responsibility of chairing [B1068.1]; housing accepts [B166.1]; is hard to accept [T484.1J]; it is generally accepted that [0314.1]; it is preferable to accept [Π1807.1]; to accept [B1165.0]; today it is well accepted that [B53.1]; universally accepted [0306.1]; was accepted by [C929.1]; was accepted [B1981.1]; were generally accepted [Π1167.1]
- acceptability:** justification for, or the acceptability of [Π1636.1]; proof of acceptability [Д533.1]
- acceptable:** [Д652.0, Π2306.1]; acceptable levels [Π2308.1]; acceptable reliability level [Д668.0]; be an acceptable alternative to [H726.1]; commercially acceptable [Π2278.1]; converged to an acceptable level of accuracy [C1605.1J]; is not acceptable for good engine performance [H1546.1]; is within acceptable limits [H802.1]; most acceptable explanation... is that [H328.1]; reducing ... to an acceptable level [Y273.1]; to an acceptable level [Д475.1]
- acceptance:** acceptance of the equipment [Π2305.1]; acceptance sampling [B1719.0]; acceptance statement [A90.0]; acceptance test [Π2310.1]; all work shall be subject to inspection and acceptance by owner [B961.0]; checking and acceptance [H755.0]; date of acceptance after repair [Д122.0]; date of acceptance for repair [Д136.0]; delivery and acceptance test statement [A91.0]; gained ... wide acceptance in [H615.2]; gained wide acceptance [3127.1]; gained wide-spread acceptance [Π1171.1]; gaining wider and wider acceptance [3128.1]; has failed the acceptance test [H1041.1]; index at acceptance [H546.0]; inspection and acceptance [0941.1]; load acceptance and shedding [H228.1]; notification of acceptance [Y43.1]; notified of abstract acceptance [Y45.1]; notified of acceptance of ... papers [Y46.1]; to gain acceptance [3126.0]; to receive wide and confident acceptance [Π1172.1]; uncritical acceptance of [H1303.1]; won ... acceptance [Π1166.1]
- accepting:** before accepting this [Π1961.1]; one should exercise due care before accepting [C626.1]
- access:** easy to access [J12.2]; gain access to [Π1138.1]; giving access to [040.2]; is access-

ed by [Д742.1]; permit access to [040.3]; prevents access to [П1771.1]; provide ... access to [040.1]; unrestricted access to (H1435.1); visual access [B 1103.1]

**accessibility:** direct accessibility to [H1486.1]; easy accessibility [П12.1]

**accessible:** accessible location [Д743.1]

**accessories:** [B1603.1, B1606.1, K301.0]; tools and accessories [B872.0, 3379.0, И581.0]

**accident:** [A60.0]; consequences of an accident [П 1414.1]; most serious accidents that could occur [H331.1]

**accidental:** [A55.0]; effects of an accidental release [П1415.1]; of accidental events [A59.1]; prevents accidental... operation [П1776.1]; to protect... against accidental damage [3547.1, П1783.1]

**accidentally:** reduces possibility of ... being accidentally switched on [Y257.1]; test to see if... maybe accidentally operating [П2664.1]

**accommodate:** accommodate ... failure [HI 48.1]; accommodate [P263.1, Y608.7]; existing space ... accommodate [C1587.1]; is accommodated by [055.1]; space can... accommodate [P265.1]; to accommodate ... needs in [047.1]; to accommodate [B1 165.0, Д321.0, Д321.4, Д418.0, Д418.1, K278.0, 037.7, П604.3, P586.2, 4175.1]

**accommodation:** reserve accommodation in ... hotels [B282.1]

**accompany:** accompanies [C 1059.1]; documentation that accompanies [Д564.1]; is accompanied by [C 1044.1]

**accompanying:** accompanying drawings [П2352.1]; packing slip accompanying [01271.1]; with reference to the accompanying drawings [C1 18.1]

**accomplish:** [Д704.1, Д704.2, 01173.1, P586.1]; accomplished by [Д713.1, Д727.1]; accomplished in a timely manner [B 1878.1]; accomplished in two ways [Д714.1]; accomplished successfully [B1900.1]; challenge was ... accomplished [B1880.2J]; even though great strides have been accomplished [H1616.1]; only ... combined with... can accomplish this [Д725.1]; should be accomplished for [C634.1]; this accomplishes nothing (Э154.1); this object is accomplished in that... is mounted [Ц16.1]; to accomplish [B1873.0, Д704.0]; to accomplish this [Д424.0]

**accomplishment:** [Д729.0]; accomplishment of these objectives was furthered by [C1226.1]; accomplishments in applying [Д731.1]; technical accomplishments [Д732.2]

**accord:** are in accord with (C920.2); in accord with [B588.0]; in accord with the speculation [B597.1]; is in accord with [H649.1]; is in complete accord with [П 1066.1]; accords with [C920.1]

**accordance:** adjust and test the units in strict accordance with recommendations outlined in

the service manual [M249.0]; calculated in accordance with the methodology [B2058.1]; fully in accordance with [B603.2]; in accordance with [B590.0, B590.1]; in accordance with theory is [C921.1]; in complete accordance with [B603.3]; is made properly in accordance [B1896.1]; results ... in accordance with expectations [P639.1]; strictly in accordance with [C1499.1]; tested in accordance with approved procedure (И772.0); wires to be run and terminated in accordance with Spec. No [П2669.1]

**according:** according to the circumstances [B114.1]; according to the manufacturer [П362.1]; according to the specifications [B598.1]; according to today's knowledge of thermodynamics [И822.1]; according to [B112.0, B590.7, И816.0]; are ordered, ... according to decreasing [P374.1]; by grouping the data according to [Г142.1]; nothing goes entirely according to plan [H786.1]; output is set according to demand [Y454.1]; quantity according to specification No. [K257.0]; was adjusted according to [C549.1]

**accordingly:** [B601.2, C1029.1, T93.2]

**account:** [0769.3]; account for [0375.1]; account must be taken of [H1392.2]; accounted for [0383.5]; accounts for [H54.1, П3.2, П2568.1, C1073.2]; accounts of [C1008.2]; accounts of the life [Ж13.1]; allowance was made for ... take account of [Y608.1]; and would likely account for (И15.1); are taken ... into account [П2408.1]; been posted to ... account [Д223.1];

brief account [K455.1J]; can account for as much as [H54.2]; does not account entirely for [Y612.1]; effect of... is taken into account by [B1 145.1]; either ... nor ... take account of [H1700.1]; fact which may account for [0524.1];

full account has been taken of [П1071.2]; is not accounted for (HI 141.1); is rarely, if ever, accounted [E129.1]; it does not take account of either... or [HI 142.1]; keep ... accounts ... in order [C946.1]; may account for [M305.2, M337.0]; need to be taken into account (H1392.1J); no account was taken of [H1035.1]; no account was taken of [HI 141.2]; on account of [B514.0, B832.0, B1597.0, B1597.4, И219.0, И219.2]; on that account [B834.1, П448.3]; takes full account of [П 1071.1, П 1089.1]; taking into account [Y616.1]; taking this factor into account [Y607.1]; this ... accounts for [H55.1]; to account for this fact [4218.1]; to account for [Д418.0]; to account for [Д418.2]; to take ... into account [Д418.4, П2408.2, Y608.3]; to take account of [Д418.0, Д418.3]; to take into account [Д418.0]; transferred ... to ... account [П73.1]; was accounted for by appropriately adjusting the value of [Y610.1]; were the origin of... accounted for [B330.1, Я26.1]

**accountability:** vendor accountability [01238.1]  
**accountable:** [П1772.1]; be accountable to ... for [01596.2]; is accountable [Б323.1]  
**accounting:** accounting department [Б288.0]; does a remarkably good job of accounting for [01679.1]  
**accreditation:** [030.2]  
**accrue:** accrued ... accumulated [H364.1]  
**accumulate:** accrued ... accumulated [H364.1]; accumulated operating hours [K261.0, K266.0]; accumulated running time [B 1933.1, H496.1]; accumulated years of operation [И852.0]; has accumulated over... hours of service [01498.1]; hours of operation have been accumulated [H497.1]  
**accumulation:** [H376.1]; progressive accumulation [П1466.1]  
**accuracy:** accuracy better than 1 percent of (П601.1); accuracy of ... reading [T376.1]; accuracy of the predictions is enhanced by [T377.1]; be measured to an accuracy of [И30 1.1]; can, with sufficient accuracy, be written as [C139.1]; check on the ... accuracy [П2630.1]; converged to an acceptable level of accuracy [C1605.1]; dubious accuracy [C992.1]; high accuracy [B1984.1]; if accuracy ... is sacrificed [E74.1]; measurements ... were of uncertain accuracy [T375.1]; outperform ... for accuracy [П 1686.1]; present authors are uneasy about the accuracy of [H406.1]; to an accuracy of [C134.1]; with any accuracy [H1329.1]; within measurement accuracies [B395.1]; without a significant penalty in accuracy [B10.1]  
**accurate:** [T380.1]; accurate enough [Д696.0]; accurate to [И516.1]; as accurate [T84.1]; do a reasonably accurate job of determining [0819.1]; is accurate to about [И458.1]; particularly accurate [01048.1]; reduces ... to below the limits of accurate chemical analysis [C766.1]; we will be fairly accurate in saying that [M418.1]; were accurate within a factor of [01384.1]  
**accurately:** because some difficulty was encountered in accurately determining [П 1352.1]; data ... is not accurately available [T384.1]; need to know ... accurately [H1406.1]; where service conditions are reproduced as accurately as possible [B715.1]  
**acetone-soaked:** [H435.1, П2875.1]  
**achievable:** as ... as is achievable [T55.1]  
**achieve:** [П1125.2]; achieve a balance between [Д706.1]; achieved international recognition [П1168.1]; confidence is achieved [Д483.1]; difficult to achieve [T488.1]; for this to be achieved [4181.1]; in this way... was achieved [T94.1]; is achieved with the aid of [01180.1]; notable impact on ... be achieved [C464.2]; progress achieved ... in recent years [П2716.1]; significant progress has been achieved in [Д728.1]; some measure of success... achieved

[Д722.1]; that had ever been achieved [И122.1]; this can be achieved with modest effort [Э204.1]; to achieve (Д480.0, Д704.0); to achieve a compact presentation [C 180.1]; to achieve an understanding of [Д481.1]; to achieve this [Д424.0, C183.4]; to achieve vast savings on [Д724.1]  
**achievement:** [Д729.0]; major challenge to the achievement of higher [0992.1], truly remarkable achievement [П750.1]; achievements of engineering [Д732.1]  
**achieving:** are extremely effective at achieving this goal [01675.1]; important step for achieving [B782.1]; is helpful in achieving [C1225.1]; means of achieving this objective [C1324.1]; provides a strong impetus toward achieving a better understanding of [C1457.1]; substantial progress toward achieving [3293.1]  
**acid:** in acid media [B629.1]  
**acknowledge:** [ B 1943.1]; acknowledge this letter [И851.1]; acknowledges ... for [B1944.3] ; is acknowledged for [B 1944.4]; please acknowledge [П2903.1]  
**acknowledgement:** Order Acknowledgement [И864.1]; special acknowledgement is due to [01072.1]  
**acknowledging:** sign acknowledging receipt [P367.1]  
**acquaint:** [3578.0]; acquainted with (3581.0); should be acquainted not only with [Д573.1]; to become acquainted [3580.0]  
**acquire:** acquire ... equipment [П2482.1]; acquire a clear understanding of [Я66.1]; acquired [П1189.4]; acquired considerable experience in [П2486.1]; acquired from different sources [П1196.1]; data..... were acquired [П1133.3]; date acquired [Д133.0] to acquire a better understanding of [П108.1]  
**acquisition:** data acquisition [C251.1]; data acquisition and processing [П1207.1]  
**acronym:** [A49.1]  
**across:** [B359.1, 463.3]; across all industries [B315.1]; across more of [H185.2]; across the ... cross section [П439.1]; connecting ... across... resistor [П824.1]; is placed across the [П825.1]; load was carried across ... against [П98.2]; maintains a ... differential pressure ... across [П716.1]; pressure drop across [П9.1]; resistance across [C1048.1]; stumbled across [H582.1]; voltage drop across [П10.1]  
**act:** act ... in a definite sequence [Д178.1]; act independently of one another [Д183.1]; act like [Д186.1]; act to [П2222.4]; acts as [B943.1, И84.1, P44.2]; acts as a short [3256.1]; acts in an outward direction [Д182.1]; acts like [B946.2]; is acted upon [Д180.1]; recommendations ... been acted upon [B 1893.2]; to act [B932.0, Д176.0]; to act as [И84.0]  
**acting:** acting in concert with [Д187.1]; acting in the role of [И93.1]; forces acting on [C458.1]

**action:** [B1281.0, Д166.0, Д166.1, И639.0]; action

for damages [И640.0]; action of... on [B1282.1]; action was taken [П1820.1]; action was taken ... to [n2414.2]; actions were taken [П2413.2]; after corrective maintenance action is completed [П1379.1]; appropriate action taken [П2419.2, П2423.1]; be out of action [01353.1]; by ... action [П606.2]; by taking corrective action at the appropriate time [B1249.1]; corrective action to be taken [HI 422.1]; creates ... action [C974.1]; direct ... action [П3061.1]; energetic remedial action [Э82.1]; exhibit some action [0639.1]; force ... action on [0637.1]; free action [C302.1]; has a marked ... action [0642.1]; hierarchy of actions [П 1404.1]; immediate action [Б77.1]; improper... action [HI499.1]; prompt action may be taken for [M336.1]; radius of action [P144.1]; subjected to the action of [П670.1]; take necessary corrective action [П2419.1]; to bring an action against [B1253.0]; to lay an action against [B1253.0]; to put out of action [B1741.0]; to take action against [B1253.0]; under the action of [П606.1]

**activate:** activates at [C 1274.1]; alarm is activated [B1 113.1]; are activated [П2211.1]; activating [B1118.0, B1119.1]; is automatically activated should ... fail [Bill 4.1]; to be activated [B1 107.0, B1 110.0]; was activated [B1 110.2]

**activation:** [H706.1]

**active** [A96.0, P81.1]

**actively:** actively [И589.0]; is actively involved with the ... markets [A98.1]

**activity:** [Д166.0, Д278.0, 0900.3, Y621.1]; activi-

ty of... is that [Д167.1]; as a consequence of all this activity [B475.1]; commissioning activities [П3086.3]; day-to-day activities [K26.1]; disband the ... activity [C344.1]; disband the ... standard activity [П 1986.1]; embark on an activity [3353.1]; exert their activity (П3041.1);

inventive activity [И318.1]; preclude the activities [И653.1]; research activities... became so widespread that [И792.1]; slowdown in business activity [C774.1, C 1150.1]; spectrum of activity [Д284.1]; strongest area of activity [096.1]; supports ... activity [П1254.1]; to engage in ... activity [3353.2]; verification activities [M132.1]; vigorous activity developed [A97.1]

**actual:** [Д168.0, 0707.2, P595.1, Ф6.1]; encountered in actual furnace practice (B1635.1); has been used ... in actual design [И696.1]; in actual practice [HI 11.1]; in an actual application [B468.1]; though the actual ... could be somewhat greater [X85.1]

**actuality:** actualities [П747.1]; however, in actuality [0567.1]; ideally ... but in actuality (B126.1); in actuality [B1373.1]

**actually:** [Д78.0, Д78.1, Д170.0, H46.1, Ф9.1]; actually demonstrate [Д540.1]; actually, it was

found that [0692.1]; actually, such is never the case [Ф11.1]; is actually better [Ф10.1]; prohibit a good indication of whether... actually happened [H1001.1]; than it actually is [454.1]; to actually demonstrate [H44.1]; to see what is actually happening [П1429.1]; what was actually taking place during [4136.1]

**actuate:** do not actuate [H771.1]; to actuate [B1 110.0]; actuated by [П2260.1]; actuating [B1110.1]

**actuator.** [И681.1]

**adapt:** adapted ... from [П111.1]; are adapted to [П2526.4]

**adaptable:** is ... adaptable to [П2526.3]

**adapting:** feasibility of adapting ... to ... is ... being evaluated [И326.1]

**adaptive:** be adaptive to [П2526.1]

**add:** [Д622.0, П724.1, C520.1]; add ... as necessary (П2097.1); add complexity to the discussion [Y412.1]; add considerable complexity [B935.1, 3635.1]; add oil as necessary to maintain the level at the bottom of the fill plug hole [Д600.0]; add spaces [Д222.1]; add support to [Д617.1]; add the stipulation [П1445.1]; add to this the fact that [Д479.1]; add together (C519.1); added advantage in that [Д639.1]; added benefit [Д637.1]; added confidence in [Д632.1]; added difficulty [Д631.1]; added protection to the barrel afforded by [Д628.1]; added to its list of production [P571.1]; adding [П2520.1]; adding further emphasis to the importance (Д618.1); adds ... to [П584.1, Y55.2]; adds a new dimension to this difficulty [Y551.1]; adds further confirmation of [C691.1];

adds further credence to [Л78.1]; adds itself to [Д477.1]; adds to the problem [Y550.1]; emphasis added [0218.1]; has little to add [M41.1]; is added to (C521.1); it gives added force to ... arguments [П2293.1]; it is the intention to add [П1793.1]; it should be added that [Д478.1]; it suffices to be added that [Д684.1]; more ... was ... added [Д476.1]; takes on added significance [П2476.1]; to add [Д597.0, Д646.0]

**addenda:** addenda to [Д609.1]; amendments and addenda [Д610.0, И252.0]

**addition:** addition of the individual [C660.1]; in addition [Д611.0, K501.3]; in addition to [B109.1, Д613.1, K500.2, П1246.1]; in addition

to ... also [K119.2]; in addition to being [П1251.1]; provides a welcome addition to [Я23.1]; was in addition to [Д477.3]

**additional:** (Д622.0, Д750.0, E219.0); additional benefit in going to [Д623.1]; additional benefit of [Д638.1]; additional constraint of mixing [Д635.1]; additional factor to be considered is [E220.1]; additional information regarding [Д629.1]; additional points [Д643.1]; additional properties, ... are ... a requirement [T452.1];

additional remarks [Д644.0]; additional tests

[Д624.1]; additional value... obtained [П1137.1]; additional work is in progress [B58.2], additional works on the subject [Д759.1]; along with some additional development [H535.1]; possesses the additional virtues [081.1]; to shed additional light on [П2838.1]; we would all welcome additional contributions concerning [X80.1]

**additionally:** [K501.4]

**address:** [Г138.0, Д546.0, 0228.2]; addressed in the preceding sections [P492.1]; addresses the question of [И799.1]; at the following address: [П1472.1]; concerns ... addressed [3352.1]; is... addressed [P485.1]; is addressed to [П 1342.1]; receiving address (A86.1); present paper addresses ... leaving ... to others [B644.1]; program ... addressing these problems [П2709.1]; remainder of this paper addresses (B757.2); specifically address this issue [П 1343.1]; successfully address automation [Y436.1]; systematically addressed [3355.1]; this section addresses the question of how [B456.1]; to address [3351.0, И794.0]; to address any questions [Г107.1]; to address specific ... considerations [P464.1]; to address this question [4211.1]; to be addressed [П1743.1]; to the ... address [П324.1]; was addressed (3351.1, 0228.1); your comments are invited ... should be addressed [Ж1.1]

**adduce:** adduced in support of [П2212.1]

**adept:** adept at (Э46.1); adept at using [3589.1]

**adequacy:** adequacy of... in [П2267.1]; adequacy of the design for cyclic duty [П2271.1]; be reviewed ... for adequacy [П2640.1]

**adequate:** [Д696.0, Д696.1, Д699.0, Д699.1, 01253.1]; adequate for [П2273.2]; adequate for engineering calculations [Д701.1]; adequate precautions [Д596.1]; adequate quality [Д683.1]; adequate to [Д700.1]; are ... beyond adequate description by [H912.1]; fewer ... would probably be adequate [B904.1]; is not adequate [H1027.3]; more than adequate for [B194.4]; more than adequate to [B194.5]; not at all adequate [C831.2]; to be adequate [Г79.0]

**adequately:** (Д690.1, Д695.1); adequately explain

[Y159.1]; adequately represent [П1620.1]; are sized to more than adequately [P509.1]; nor has ... been adequately explained [HI 015.1]; would not represent... adequately [H958.1]

**adhere:** adhere to the directives [П2302.1]; adhered to [П2297.1]; assembly procedure was... strictly adhered to [C1504.1]; this convention ... be adhered to [П2303.1]; until ... do not adhere [Д464.1]

**adherence:** adherence to [C 1495.1]; adherence to equation [C817.1]

**adhesive:** residual adhesive [01161.1]

**adjacent:** [B143.0, C1064.1]; adjacent ... areas [B144.1]; adjacent to [B819.8, П483.2, П2355.1,

P789.2]; are located adjacent to [P382.1]; immediately adjacent to [B820.3]

**adjourn:** meeting, ... was adjourned [3266.1]  
**adjunct:** as an adjunct to [B109.4]; relevant adjunct to [B793.1]; useful adjunct to [П1020.1]

**adjust:** adjust... as necessary [П2099.1]; adjust... for [01511.1]; adjust... per [01509.1]; adjust... readings to ... level [П177.1]; adjust and test the units in strict accordance with recommendations outlined in the service manual [M249.0];

adjusted to [01511.2]; have ... adjusted [0907.1]; incorrectly adjusted [H1493.1]; is adjusted for a constant (P617.1); need not be adjusted further [H932.1]; scales were adjusted [П645.1]; to adjust [K391.0, Y470.3]; was adjusted according to [C549.1]; were adjusted [Y447.8]; with everything properly adjusted [П 1372.1]

**adjustable:** is adjustable for [P616.1]

**adjusting:** adjusting for ... differences [B825.1]; separately adjusting [И551.1]; was accounted for by appropriately adjusting the value of [Y610.1]

**adjustment:** [П791.1], adjustment for [П1299.1];

process adjustments [П792.1]; manual setup and adjustment [P779.1]; out of adjustment (P311.1); perform... adjustment per (B 1908.1); to stay in adjustment [C1132.1]; were in need of some adjustment [H1885.1]

**administer:** [B838.0, П2698.1]

**administration:** [B822.0]; administration building [A82.1]

**administrative:** administrative regulations [A83.0]

**admission:** admission that [П2317.1]

**admit:** it must be admitted though that [HI 364.1]

**admittedly:** [K317.3, H282.1, H282.2, П1603.1, П1603.2]

**admonish:** admonish us [H466.1]

**adopt:** adopted directly [3208.1]; decision adopted by [P741.1]; definition of... adopted in this paper [0810.1]; finally adopted [0706.1]; tentatively adopted (B 1525.1); was adopted in preference to [П1809.1]; is adopting a particularly hard line on [П2692.1]; it is appropriate to adopt [Y145.1]; to adopt [B1689.0, 3207.0]

**advance:** [H1640.3, П2714.1, П2726.1, П2727.1, C848.1, Y422.1]; advance... suggest [П1725.4]; advance of [П2728.1]; advance the probe [П133.1]; advanced ... approaches [П2717.1]; advanced development [P309.2]; advanced materials [HI 830.1]; advanced research [П256.1]; advances from [Y417.1]; advances in [Y427.1]; advances in ... design [Y415.1]; advances in technology of [Y428.1]; are ever advancing [H1527.2]; are definitely a significant advance [H1633.1]; arguments advanced in favor of [A157.1, Д498.1]; by far the most advanced [H414.1], considerable advances were made in [Д721.1], development is advancing rapidly [P187.1]; future of advanced ... is

dependent upon this [01197.1]; have made a considerable advance on [H426.2]; in advance [3424.0]; in advance of [Д435.2]; knows in advance [3591.1]; makes it easier to advance [0109.1]; no indisputable reasons can be advanced [H1331.1]; provided a major advance in understanding [Π907.2]; quantum advance [K252.2]; reasons ... are advanced [B1971.1]; recent major advance in [0535.1]; recent advances in [Π1393.1, Π1397.1]; «recent technical advances» [Π1394.1]; technology... been advanced [Y243.1]; technological advances [T220.1]; technology is further advanced [T249.1]; to advance [B1975.0]; to capitalize on more advanced technology [B1419.1]; was advanced to [Π131.1]; was several years in advance [0757.1]; was well advanced [Д717.1]; well in advance of [3190.3, H426.1]; were well advanced [X61.1]

**advancement:** [Д729.0]; has contributed significantly to the advancement of the-state-of-the-art in [B1215.1]; incorporates the latest advancement in [B1384.1]; are advancements of [Я36.1]; rapid advancements in technology [B287.1]

**advantage:** [B1756.0, Д737.0]; added advantage in that [Д639.1]; advantage easily overlooked [Π1976.1]; advantage gained using [Π1977.1]; advantage in [Π1973.1]; advantage is... offset [Э182.1]; advantage of ... is lost [Π1978.1]; advantage that [Π1974.1]; and much of the advantage ... is neutralized [И39.1]; for full advantage of [4204.1]; has a great advantage over [И434.1]; is of no advantage [H820.1]; little advantage is gained [B 1843.1]; obtain the full advantage of [Π1160.1]; possibility of using ... to advantage [B1319.1]; show little advantage over [0130.1]; shows ... to least [best] advantage [Π976.1]; small advantage is held ... for [И436.1]; take full advantage of [B1418.1]; takes full advantage of [Π1044.1]; there is little advantage to be gained by [Д44.1]; to confer an advantage [Д43.0]; to have an advantage (И379.0); to maximum advantage [H355.1]; to offer an advantage [Д43.0]; to take advantage of [B1415.3]; to take full advantage of [Π 1036.1]; to use to advantage (B1415.0); took advantage of the fact that [B1421.1]; used to advantage [B1415.5, И708.1]. (См. также **advantages**)

**advantageous:** [B117.0, B1760.1]; advantageous to [B119.2]; it is advantageous [B1762.0, Ц3.3]

**advantageously:** [B1762.0]

**advantages:** advantages and disadvantages [Д741.0]; advantages lie with [Π1980.1]; advantages of... lie in [Π1979.1]; chief advantages [Г53.1]; claimed advantages are secured [Г21.1]; confer substantial advantages [Д45.1]; data shows clear advantages for [Π1195.1]; detract from these advantages [060.1]; dis-

tinct advantages [Я60.1]; each ... has its advantages and disadvantages [K38.1]; enumerated the advantages [Π224.1]; experience ... the advantages of [Y36.1]; has both advantages and disadvantages [И381.1]; inherent advantages ... are as follows [Π2545.1]; inherent advantages of... system [Π 1981.1]; many other advantages [M197.1]; offer ... distinct advantages over [084.1]; offer advantages to [B1761.1]; offer many advantages over [Д46.1]; offer some advantages [Д47.1]; offers distinct advantages [083.1]; offers the advantages of [079.1]; other advantages of ... more than outweigh the [Д758.1]; possibility of ... cost advantages [B 1323.1]; primary advantages [01006.1]; with clear advantages over [Я48.1]

**advent:** advent of [Π1584.2]; with the advent of [C72.1]

**adverse:** [B1506.0]; adverse effect of [H1158.1]; adverse effects of [HI 159.1]; adverse operating conditions [T519.1]; capability of ... to survive under... adverse... conditions [C1216.1]; have an adverse effect on [01515.2]; play an adverse role [0626.1]; to survive under ... adverse operating conditions [Y594.1]; without any adverse consequence [B23.1]

**adversely:** adversely affect [HI 160.3]; affect ... adversely [0631.1, Π313.1]; are adversely affected by [01515.1]

**advice:** approached for advice [0227.1]; literature contains very limited advice [B 171.1]; medical advice should be obtained [H1375.1J]

**advisable:** it appears advisable to [Π1896.1]; it is advisable [P677.1, Ц3.1]; it is advisable ... it is really necessary [P682.1]

**advise:** advise me the date [C997.1J]; are expressly advised that [Cl 171.1]; caution is advised in applying [P681.1]; operator is advised of [0751.1]

**adviser:** adviser ... consultant [K346.1]

**advisor:** thesis advisor [P764.1]

**advisory:** [K347.1]

**advocate:** [B1977.1, B1993.1]; to advocate [B1975.0, B1992.0, 3539.0, P676.2]; advocated ... at every opportunity [3548.1]

**aerodynamic:** aerodynamic degradation [Y591.1]

**aesthetics:** for reasons of aesthetics [И133.1]

**affair:** [Д244.0]; involvement in the ... internal affairs [B1164.1]; state of affairs [Π1093.1, C 1107.1]; state of affairs will change in the near future [B42.1]

**affect:** [B1 146.4, 0631.2, Y583.1]; adversely affect [H1160.3J]; affect... adversely [0631.1, Π313.1]; affect the results and conclusions of the paper [C514.1]; affected area [01619.1]; affected areas [И561.1]; affected by [388.8]; and may not affect... at all [И16.1]; and yet not affect [И11.1]; are adversely affected by [01515.1]; be strongly affected by [C467.2]; be the least affected by [390.1]; did not noticeably affect

[H955.1 ]; is affected by [I759.2]; is affected to  
 such a point that [Y589.1], mechanical properties ... strongly affected by (C465.1); to affect [B1146.0, 3179.0]; to be affected [I270.0]; to be affected by [388.0]; was not noticeably affected by [H871.1]; were... affected [I270.3]  
**affecting:** affecting [3180.1]; without affecting [B31.0, H774.2]; without affecting the integrity of [E33.1]  
**affinities:** had affinities to [I453.1]  
**affirm:** affirms this deduction [I1846.1]  
**affirmation:** another clear affirmation [E227.1]  
**affirmative:** answered in the affirmative [01248.1]  
**affixed:** is affixed to [II2339.1]  
**afflict:** [II1318.1]  
**afford:** [034.5, I918.1]; added protection to the barrel afforded by [I628.1]; affords many benefits compared with [I437.1]; be afforded the right [II 1765.1]  
 afield: take... afield [Y76.1]  
**aforementioned:** [B2077.1]  
**aforsaid:** [B2077.0]  
**afraid:** don't be afraid to experiment [H752.1]  
**afresh:** [3362.1]  
**after:** [II323.1, II370.1, II370.2]; after ... days subsequent to the expiration of [465.1]; after ... is over [II373.1]; after a moment [C1269.2]; after a time [C1269.1, 468.1]; after all [B158.4]; after as early as [Y187.1]; after completion of a successful [II 1355.1]; after considerable effort [C 141.2]; after considerable experimentation [II 1365.1 ]; after corrective maintenance action is completed [II 1379.1]; after making equations ... dimensionless by dividing both sides by [II1364.1]; after only [B1572.1]; after operating for a while [II2895.1]; after rearrangement [II1361.1]; after running for a time [II1366.1]; after some deliberation [II1368.1]; after some extended period of time? [II377.1]; after some minutes [C1270.1]; after test materials have been distributed [II1367.1]; after the completion of [II423.1]; after the expiry of a period of [II378.1]; after the passage of [II374.1]; after two days at rest it was restarted [II3083.1]; after what may be a considerable time [II1362.1]; after which [II1380.1]; before ... after the date of [B705.1]; before and after [I445.1]; date of acceptance after repair [I122.0]; day after day [I261.1]; delivery: ... after receipt of firm order [II1448.1]; even after [I85.1]; immediately after... is over [C1299.1]; immediately after [C1298.1]; just after [C 1300.1]; named after [H 1878.1]; not later than one year after [H1006.1]; one day after [464.1]; only after [T318.1]; patterned after [I193.1]; right after [C1300.2]; service after the sale [II1421.1]; short time after [B1590.2]; shortly after [B1590.1]; this, after [I77.1]; time after time [PI 49.1]; until after... has been paid [II962.1]

**after-tax:** after-tax profit [II2196.1]  
**afterward:** shortly afterward [B1591.2]  
**afterwards:** will afterwards be subject [II669.1]  
**again:** [B557.1, B1209.0, I13.3, I13.4, I56.1, K501.7, 0897.1, C799.1, T51.3, T295.1]; again emphasizes [E229.1]; and again [H373.2]; began again [B1352.3]; but once again [0570.1]; but, again [H1791.1]; due again to [0898.1]; have to start all over again [II2564.1]; here again [B557.2, 3566.1, I13.1, I30.1]; now and again [B1533.0]; once again [E228.1, I13.2, I46.1, C799.2]; to begin again [B1352.0]; to take on again [B1211.0]  
**against:** [B1.0, B112.0, B112.3, B737.0, B737.5, I474.3]; absolutely safe against [A54. Ij]; against ... compared [C1280.1]; against ... is ... resistant [Y515.1]; against the background of [B339.0, B339.1]; against which [C60.1]; are plotted against [II 1485.1]; argued against [B2000.1]; be balanced against [Y77.1]; be charged against [01441.3]; be guarded against [01162.1]; bears against [0762.2]; bias towards or against [II2529.1]; calibrated against [K 171.1]; cautioned against the hasty conclusion [II1768.1]; cautions against attempting to [II1767.1]; check... against [II2646.1, C1280.4]; checked against the reference master [II2647.1]; compressed against [II2311.2]; counterclockwise against [II2953.3]; counts ... against [I72.1]; defense against [3532.0, 3532.1]; design against ... failure [P547.1]; discriminates against [0452.1]; filed suit against [II1932.1]; filing a complaint against ... with [II626.1]; further defense against [I627.1]; impacting against [Y 101.1]; is ... weighed against [C1036.1]; is correct against your order [C875.1]; is plotted against [II1842.1]; load was carried across ... against [II98.2]; major argument against [0967.1]; mitigates against ... use [I73.1, II2241.1]; must be guarded against [C608.1]; odds are against [0261.1]; order ... placed against an already established contract [3216.1]; penalty of... against [I626.2]; plotted against (H450.1, C1512.1); precaution against [M127.1]; pressed ... against [II2311.1]; protection ... against [3532.2]; protects against [3541.1]; provide little protection against [C678.1]; referenced against [C1031.1]; relationship ... for ... against [3107.2]; requirements of... must be balanced against requirements [T426.1]; rub against [T188.1]; seat ... against [II2311.3]; secure against tempering [H261.1]; serve as a standard against which... can be compared [C684.1]; sighted against the question [P455.1]; standard against which to compare [E91.1]; tested against the data [II2651.1]; to appeal against [II625.1]; to argue against [B1992.0]; to be set against [II744.1]; to bring an action against [B1253.0]; to ensure against (3474.0); to guard against [027.1]

Π1770.5, 4182.1]; to lay an action against [B1253.0J; to mitigate against [Γ66-O]; to protect ... against accidental damage [3547.1, Π1783.1]; to take action against [B1253.0], to take precautions against [Π2416.1]; warn ... against [Π1766.1]; was calibrated against [T118.1]; was empirically correlated against [Π1140.1]; was tested against [Π2649.1]

**age:** improve with age [C190.1]; nationality, age, sex, and society membership [H699.1]

agencies:[012.1]; record of checking measuring instruments by inspection agencies. [Δ113.0]

**agenda:** test agenda [Π2706.1]

**agent:** to save time send all orders for parts to the  
nearest branch office or agent [Δ422.0];  
agents  
... are ... compounded [Φ15.1]

**aggravate:** is aggravated by the fact that [Y552.1];  
situation may be further aggravated [Π 1096.1 ]

**aggregate:** [0316.4]

**aggressive:** maintains an aggressive ... policy [Π2691.1]

**aging:** what is known as aging [Я5.1]

**agitating:** [Π130.2]

**ago:** as compared to ... years ago [451.1]; as long ago as [E 199.1]; few years ago it was believed [H1 582.1]; not long ago [B424.0]; years ago [J141.1]

**agree:** agree closely with [X76.1]; agree on [C1604.1]; agree on what we mean by [Δ527.1]; agree quite well with [Δ518.1]; agree with much of what [C931.1]; agree within [C922.1]; agreed in writing [C914.2]; agreed to within the ... decimal place [C923.1]; been agreed upon by [C916.1]; do not agree with [H1087.1J]; everyone would agree that [B 1018.1]; however, it is generally agreed that [0561.1]; if mutually agreed by the parties [Π2058.1]; it is definitely agreed that [M431.1J]; it is generally agreed that [0314.2]; it was agreed [Π2444.1]; reason ... agrees so well [Π2585.1]; reviewed and agreed upon [P493.1]; two successive readings'... agreed within [Δ147.1]; unless otherwise agreed [E167.1]; we do not agree that [M424.1]; where agreed contractually [K241.2]

**agreeable:** mutually agreeable solution [B1048.1]

agreereml:[Δ523.0]; agreement between [C901.1J];  
agreement ends when [P281.1]; agreement shall be obtained from [H1905.1]; agreement was in the ... range [P541.1]; agreement with... is remarkable [C904.1J]; amendment to the Agreement... dated [Π1298.1]; are in substantial agreement [B656.1]; are not in as close agreement [C927.1]; as part of this agreement [C932.1]; be in reasonable agreement [C924.1];  
entered into a licensing agreement ... for [3241.1]; give better agreement [J1 109.1]; in agreement with [B588.0, B590.0]; in agreement with [B590.2J; is in... agreement with [C920.3J;  
is in general agreement with [B262.1]; is in

near-perfect agreement [Π1550.1]; seems to be in agreement with [Π337.1]; show good agreement with [X76.2]; there is qualitative agreement [C 1570.1]; was in fair [poor, good, reasonable] agreement with [Y161.1]; without agreement of [B54.1]

**ahead:** ahead of [B1456.1, Π83.2]; ahead of schedule [Δ677.2]; ahead of time [Δ677.1, 3424.1]; construction ended ... days ahead of the schedule [C1510.1]; final go ahead for [0715.1]; immediately ahead of [H1476.1]; in months ahead [B384.1]; just ahead of [H1476.2];

much work remains ahead of us [B1457.1]; runs ... ahead of [0754.1]; stay ahead of competition [B302.1]; well ahead of the allocated drilling days [H427.1J; year ahead of schedule [H38.1]

**aid:** aid in [Π1253.1]; aid in lubrication [Δ374.1]; aid or oppose each other [Δ177.1]; aid positioning on reassembly [0108.1]; aids in preventing [Π1255.1]; aid significantly in [0650.1]; are an invaluable aid in [0648.1]; as an aid to the reader [B358.1]; be used as an aid in [0679.2]; is a tremendous listening aid [0649.1]; is achieved with the aid of [01180.1]; to aid [0104.1]; to aid in [Δ371.0]; to aid the visualization [Δ354.1]; training techniques, aids or media [M162.1]; visual aids [H246.1]; was an aid in [Π1253.5]; was carried out with the aid of

[B 1894.1]; were substantially aided by insights gained from [H1337.1]; with the aid of [C59.2]

**aim:** [Π15.2]; aimed at [H483.1]; aimed at a common goal [H414.1]; aims at nothing less than [C1364.1]; aims in the right direction [Δ179.1]; are aimed at [H473.1]; as one of the aims of the investigation was to provide [0534.1]; considerable effort aimed at [3613.1]; effort... has been aimed at [H479.1]; has been aimed at [H473.2]; is aimed at [Π2037.1]; to be aimed at [H473.0]; with this aim in view [Δ424.0]; work in process is aimed at [Π2700.1]

**air:** air cooled to room temperature [01622.1]; air dried [B2003.1]; air is expelled [B2018.1]; air pollution control [B261.0]; air purification [01685.1]; be aired [0263.1]; bleed the air [B1925.2]; blow ... dry with compressed air [B2004.1]; exhaust the air [B1925.3]; flush out  
... pipe lines with compressed air [Π2759.1];  
in  
air [B30.1, H17.1]; in open air [H18.1]; is ... 1/3 air by volume [C1 117.1]; surrounding air [0731.1]; vent the air [B1925.1]

**air-driven:** [Π2261.1]

**air-tight:** [ B 1286.1]

**air-vented:** be air-vented [Y91.1]

**airborne:** airborne contaminates [3151.1]

**airtight:** [Γ35.1, Π299.1]

**akin:** akin to [B131.4, P754.2]; makes ... akin to [Δ218.1]; more akin to ... than [B207.1]

**alarm:** [Π3074.1, C457.1]; alarm is activated [B1 113.1]; alarm is initiated if a malfunction



develops [H529.1]; alarms protection, sequencing, alarms and... control functions [Ф63.1]; to cause alarm [B1814.0]

**albeit:** [X89.2]; albeit with some sacrifice in [X99.1], attempts to answer, albeit broadly, the ... question [Д217.1]

**album:** album of main joints and repair tolerances [A105.0]

**alert:** [П1908.3]; alert ... of [П1908.1]; alert ... to [П1908.2]

**algebra:** [A104.1]

**algebraic:** not inconsiderable algebraic transformations (Д502.1)

**algebraically:** procedure is algebraically cumbersome [M 166.0]

**align:** [C864.1, Y472.1, Y486.1]; align ... with [C866.1]; align the assembly marks [C867.1]; align the hole ... with the holes [C865.1]; align with [C 1009.1]; aligned parallel to [P400.1J]; aligned with (C876.1); are aligned with ... planes [H633.1J]; is aligned at an angle [Y457.1], to align [B1936.0], were aligned with [B1938.1]

**aligning:** aligning the axis of... with the ... axis [B 1937.1]

**alignment:** alignment ... with an index mark [C869.1]; alignment of [C877.1]

**alike:** [B667.1, 0548.1]; and ... alike [K120.1]; it is universally conceded by ... and ... alike that [И3.1]

**all:** [B953.0, B997.0, B1009.2, B1563.0, B1563.3, И732.1]; above all [П1948.5]; across all industries [B315.1J]; after all [B158.0, B158.4]; all... except for [B1004.2]; all along [B862.1, B1548.0]; all around ЕП437.1]; all but one [B1006.1]; all but [E7.1, П1542.1, 4229.1]; all day long [B954.1]; all diminish to [B1022.1]; all else [B1011.1]; all existing and anticipated [B1019.1]; all experienced [П2823.1]; all in attendance [A171.1, B1014.1]; all kinds of [B1560.0]; all of a sudden [B1 191.0]; all of the ... occurs in [B985.1]; all of them [B1009.1]; all of these [B1009.3]; all of this taken together [B991.1]; all of whose points [B1021.1]; all other ... except [B1004.1]; all other conditions unchanged [П2155.1]; all other factors being equal [П2158.2]; all over the world [B195.0]; all possible precautions [B1562.1]; all possible [B1560.0]; all right [A8.1]; all sources report [B434.1]; all such ... are not due to [H789.1]; all systems go [B1016.0]; all that is necessary here to ... is [B989.1]; all that is necessary [E20.1]; all that is needed [E20.2]; all the ... which is necessary [B957.1]; all the more [T132.1]; all the time [B1548.0, B1548.2]; all the way in [Д447.1]; all the way round [П356.1]; all the way through the production process [H196.1]; all the way to [H121.1, П1037.1]; all the [B953.0]; all told [B259.3, B1566.0]; all almost all the results available to date [П1548.1]; and ... are all larger [И4.1];

and all the better for it [И80.1]; and may not affect... at all [И16.1]; and worst of all [И75.1]; any and all [B999.1]; applies to all ... except those that [P443.1]; are all a thing of the past [B993.1]; are all important factors [B990.1]; assume all responsibility for [B271.1]; at all of the others [П2060.1]; at all times [B217.1, B1548.0, B1548.1, B1563.0, B1563.2, H195.1J]; at all [B1371.0, B1371.1, X83.1]; blunt all sharp edges [3504.0]; certification that all the ... requirements of ... have been carried out [C289.1]; common to all cases [O318.1]; common to all the [O317.2]; common to all three [O319.1]; dropping all the small terms [O1212.1]; embodies all the points of concern [O1614.1]; encompass all aspects of [O1615.1]; first of all [П1948.2]; for all but [Д329.1]; for all of the [H1613.1]; for all other factors being equal [П2118.1]; for all practical purposes [П1644.4]; for all sequences [Д402.1]; for all these reasons [И827.1]; for some ... but not all [Д362.1]; from ... all the way to [H732.6]; general to all the [O317.3]; have to start all over again [П2564.1]; however ... was all [O557.1]; hydraulic all the way [И732.0]; if at all [E41.1]; in ... all instances [B563.1]; in all but... cases [B564.1]; in all cases cited so far [B566.1]; in all likelihood [П353.1]; in all of its particulars [B309.0, B309.4]; in all probability [П353.2]; in all proportions [B604.1]; in all respects [B309.0, B309.1]; in all [B259.2, B1566.1, B1566.2]; in nearly all instances [П1547.1]; in some cases though not all [B543.1]; information is all contained in [B959.1]; is all significant [T308.1]; is capable of covering all... specifications [B615.1]; is on duty at all times [H671.1J]; is pushed all the way in [Y554.1]; it is not at all clear [C898.1]; it is then not at all inconsistent [П 1578.1]; know ... at all times (3590.1); make ... all but impossible [Д206.1]; meets all of these requirements [Y 173.1]; meets the requirements of ... in all respects [O1247.1]; must all be [B994.1]; no ... is needed at all [H1401.1J]; none at all [B1379.1J]; not ... all bad in that [H1 110.1]; not all ... are recent discoveries [H788.1]; not at all adequate [C831.2]; on all counts [П357.1]; on all sides [C115.1]; once and for all [P150.1, T317.1]; out of all proportion [H1 563.1]; over all but the extremes of the... range [B 101.1]; so that, in all, ... were used [T42.1]; some, but not all, of the more prominent [H 1302.1]; some, if not all [H1299.1]; taken together, this all indicates that [B992.1]; that is all for [H209.2]; then all we have to do is [T 167.1]; there has been no indication at all [B1376.1]; these ... as are all other [Э215.1]; they were not all equal ... in their influence [И855.1]; this is all speculation. [B996.0]; this is not at all surprising.

[B771.0]; this is not true in all cases for (Э194.1); this is so for all [Э190.1], this was the case in all of [T33.1]; to all intents and purposes [П489.1, Ф8.4]; to cover all contingencies [C160.1]; to finalize all arrangements (0704.1); to scrutinize all possible [T510.1]; to top it all off [B108.1], was not all that much different [01398.1]; we would all welcome additional contributions concerning [X80.1]; were not at all dependent on [B1374.1]; what all this has to do with [K 151.1]; what is successful for one ... may not work well, if at all, for another [T281.1]; with all the safeguards [H1611.1]

**all-ceramic:** [Ц29.1]

**all-embracing:** [B1581.1]

**all-inclusive:** all-inclusive listing [И847.1]; all-inclusive [И845.0]

**all-iron:** [B1916.1]

**alleviate:** [Y251.7]; alleviate the problems [0110.1j];

to alleviate this [Ч 188.1]

**allied:** allied to [Б131.1, P754.1]

**allocate:** allocated for [01260.1]; allocated to [П1751.4]; are allocated to [П2501.5]; well ahead of the allocated drilling days [H427.1]

**allocating:** allocating work [P429.1]

**allocation:** [B 1706.1]

**allot:** allotted material [P630.1]; allotted to [01259.1j]; journal was allotted 450 pages [Ж18.1]

**allow** [Д3.4]; allow for [Д656.1]; allow little latitude in (0460.1); allow some variations on [Д661.1]; allow the appeal [П2315.1]; allow the surface to dry thoroughly [Д72.1]; allow time [Д70.1]; allow time for ... to settle [Д74.1]; allowed for [Д9.2, П902.3]; allowed the opportunity of [Д9.3]; allowed them credits [П1761.2];

allowed to settle [Д67.1]; allows... to [П902.2];

allows ... to be solved analytically [П928.1];

allows compliance with [П934.1]; allows for [034.2]; allows replacement ... without difficulty [П905.1]; allows the use of [П911.2]; are not allowed [H843.2, HI 192.2]; as allowed by [4142.1]; design of... must allow for [B409.1];

does not allow the assumption that [H992.1]; is the yield ... suitably perturbed to allow for creep [C1027.1]; it is recommended that ... should be allowed [P680.1]; low enough temperature to allow transition [Д688.1]; may allow an increase [ B 1301.1]; never allow [H846.1]; no credit was allowed for [H1735.1];

no exception can be allowed [H1743.1]; no oil stains are allowed [M57.0]; not to be allowed [3407.0]; pull out... as far as the leads allow [B2021.1]; this allows... to be isolated [Э175.1];

this can allow ... to enter [Э145.1]; time allowed for [01257.1]; to allow (B932.0, Д3.0, И368.0); to allow (for) [Д656.0]; to allow ... to be [П902.1]; to allow comparison between [И370.1]; to allow for [Д9.0, Д418.0]; to allow

room for [0920.1j]; to allow the opportunity of [Д9.0]; was allowed [П1914.4]

**allowable:** [Д652.0]; allowable casting wall thick-

ness difference is not to exceed 10 percent of the wall thickness [Д664.0]; allowable error:

5% [Д662.0]; allowable limit set [Д667.1];

allowable size deviation of finished surfaces  $\pm$  0.013 mm [Д654.0]; maximum allowable

[M5.1];

upper maximum allowable [B921.1]

**allowance:** [Д648.0, 3369.0, П1297.1]; allowance

... be made for [Y608.2]; allowance for [Д653.1,

П2509.1]; allowance is made for [B847.1, B1231.1, B2064.2]; allowance must be made for

the fact that [HI 393.1]; allowance was made

for ... take account of [Y608.1]; casting allow-

ance for finishing [roughing] [J55.0]; corro-

sion allowance [П2510.1]; grinding allowance

[Д651.1]; makes no allowance for [H1141.4j];

material allowance list [HI 869.1]; no allow-

ance for ... need be made [H1750.1]; overcau-

tious ... allowance [4118.1]; spare parts allow-

ance list [H1868.1]; tentative allowance list of

SPTA for major repair [B1518.0]; to make

allowance for [B847.0, B1227.0]

**allowing:** allowing ... more latitude in (Д63.1);

allowing easier [0104.3]

**all-purpose:** [Y297.3]

**allude:** alluded to earlier [H66.1]

**allusion:** to which allusion was already made in

[K421.1]

**almost:** almost a factor of two [П1545.1]; almost

all the results available to date [П1548.1];

almost but not quite [П1557.1]; almost certain

[П1555.1]; almost certainly [П1556.1]; almost

certainly because [П1553.1]; almost certainly

due to [П1552.1]; almost concurrently, ...

[П1559.1]; almost exclusively [П1551.1]; al-

most identical [П1558.1]; almost perfectly

periodic [П 1549.1]; almost without exception

[П1543.1]; has become almost universal

[П2490.1]

**alone:** [0497.1, T300.3]; alone are not appropri-

ate [0504.1]; alone cannot be relied on

[HI 328.1]; are alone sometimes sufficient to

[И559.1]; based on ... alone [И819.1]; in ...

alone [B269.1]; in the last three years alone

[T304.1]; is controlled by ... alone [0843.1]; is

difficult to explain in terms of ... alone

[T479.1]; is not responsible alone for [HI 149.1

j];

let alone [H806.1]; this alone [0502.1]

**along:** [B861.0, B861.1]; all along [B862.1,

B1548.0];

along the ... length [П365.3]; along the entire

length of [П354.1]; along the length of

[П365.2];

along the lines of [C1024.8]; along with

[A41.5, BI 154.2]; along with some additional

development [H535.1]; at ... sections along

[B513.1]; at two locations along the length

(B191.1); distribution of ... along the length

[P419.1]; efforts along these lines [P4.1j];

efforts along this line [P4.2]; equally spaced

along [PI 20.1]; fall along a straight line [JI95.2]; further ... studies might continue along two paths [DI107.1]; have developed ... along two lines [P306.1]; lie along the line ... [JI36.1], limited success along these lines [410.1]; program is moving along the schedule [II2704.1]; research ... followed along many lines [II774.1]; split along [P352.1]; stretched ... along [H587.1]; studies along similar lines ... been pursued (II2677.1); to fall along [JI94.0]; view along arrowAA [B1077.0]; was placed along the axis [Y449.1]; were prorated uniformly along [P430.1]; will serve as a starting point for future studies along such lines [II1425.1]; work along similar lines [P3.1]

**alongside:** [0698.7, P789.3]

**alphabetical:** upsets the ... alphabetical order [H512.1]

**alphabetically:** [B371.1]

**already:** [II5.1, Y181.3]; already complex [II7.2];

already complicated (II7.1); already high ... levels [II6.1]; and something was already known of [II36.1]; as already discussed [K64.4];

has already started [Y 183.1]; one could already suspect that [H1662.1]; order ... placed against an already established contract [3216.1];

reduction in the already low (Y275.1); to which allusion was already made in [K421.1]; was already available [Y182.1]

**also:** [B1 156.0, K19.0, K19.1]; also borne out is the fact that [II861.1]; also included [II2250.1]; also meant [0620.1]; also to ... specification of the boundary conditions on [H391.1]; also to be noted is that [01421.1]; are also shown [II994.1]; as also have [T26.5]; but it was also learned that [H1795.1]; for not only... but also for [HI 116.2]; in addition to ... also (K119.2J); is

also an important factor [01196.1]; is also of some value [0849.1]; it appeared also that [B2096.1J]; it is also common practice [0313.1]; it is also possible that (B1313.1J); it is also true, that [B896.1]; it should also be stressed that [C618.1]; it was also apparent that [B2096.2]; not only ... but also [H1118.1]; not only ... but it also [HI 118.2]; not only directly ... but also indirectly [HI 117.1]; not only for ... but also for [HI 116.1]; not only for ... considerations, but also [HI 120.1]; notice also [01420.1]; opportunity was also taken [II698.1]; or must one also be concerned with [II344.1]; this also was anticipated [II209.1]; this is also true for [II 171.1]; this may also be a contributory factor [II 147.1]; this point was also made by [H203.1]; was also run [II2990.1]; would also be an interesting consideration [II614.1]

**alter:** [II256.1]; alter... picture [II259.1]; altered the nature [II269.1]; altering ... from [II244.2]; altering the pressure [II241.1]; be systematically altered [II258.2]; do not alter the fact

that... was halted [H960.1]; does not appreciably alter [H1024.1]; is altered appreciably [3295.1]; may be somewhat altered [M276.1]; permanently altered [HI 525.1]; to alter [II256.0]; will in no way alter [H1759.1]

**alteration:** alteration (of, in) [II238.0]; alteration of order [II242.0]; authorization for alteration work [P326.1]; cause significant alterations to [C470.1J]; list of alterations [B878.0]; to introduce alterations [B1216.0]; to introduce alterations and improvements into the instruction [B 1219.1]; to make alterations [B1216.0]

**alternate:** [B810.0, D755.2]; alternate ... designs [B812.1]; alternates [B810.2]

**alternately:** [II1280.1, II1292.1, T276.1]; alternately ... and then [II 1293.1]

**alternative:** [B810.0, B1329.1, D750.1]; alternative

claim [A106.0]; alternative designs for [II2771.1]; alternative for ... would be to [D756.1]; alternative perspective on [H1578.1]; alternative scheme [B815.1]; alternative to [B1058.1, B1 157.0, 3277.0]; alternatives ... be rejected [01214.1]; any of the alternatives [II 9.1]; are an attractive alternative to [C677.1]; as an alternative to [B1058.0, B1157.5];

as an alternative to this approach [B 141.1]; be an acceptable alternative to [II726.1]; choice of alternative courses was available of either... or [M325.1]; defined in an alternative way [3384.1]; economic alternative to [II17.1];

entire range of alternatives [B 1561.1]; extremely attractive alternative to [C1209.1]; has several alternatives [II366.1]; irreconcilable alternatives [H1630.1]; is a potentially attractive alternative to [M304.1]; make a preference among the alternatives [C391.1]; no alternative but [HI 646.1]; no alternative to ... yields [H1739.1]; obvious alternatives are to... or [01649.1]; offers an alternative to [3279.3, II915.1]; one alternative for [0521.1]; possible alternative is to [K59.1]; possible alternative to ... are [B1159.1]; practical alternative for obtaining [D757.1]; promises to provide new alternatives to [C741.1J]; reasonable alternative to [II2309.1]; to be (offer) an alternative (to) [3279.0]

**alternatively:** [B592.0, B1332.1, II41.0, K58.1]; alternatively, it is possible even probable that [C107.1]; or alternatively [II340.2]

**although:** [II68.0, X84.2]; although ... are involved [H1610.4]; although ... may appear [II69.1]; although a case might be made for [II70.1]; although a fully certain recommendation cannot be made at this time [X105.1J]; although at the sacrifice of [X92.1]; although it is known that [X93.1]; although it is recognized that [X97.1]; although it should be emphasized that [C616.1]; although less so if [X91.1]; although less widely known [X94.1];

although not certain [X107.1]; although one

may conceive of a [X95.1]; although studies have not yet established [XI 00.1]; although the discussion has centered around [X 108.1]; although this conclusion is possibly premature (XI 10.1); although this may not appear as a significant difference [XI 09.1]; although this may well be due to [X102.1]; although with little success [X90.1]; common method, although perhaps not the best [0307.1]; however, although ... is known to [0573.1]

**altitude:** at ... altitude [H32.1]; at an altitude of [H31.2]

**altogether:** [B259.0, B741.0, B1371.0]; altogether satisfactory [B744.1]; altogether, ... were [B259.1]; are another matter altogether [C885.1]; ceases altogether [B 1381.1, П 1057.1, C891.1]; is altogether different from ... [П1053.1]

**aluminum-rich:** [0148.1]

**always:** always be [B1563.1]; always pressing need for [H577.1]; always use [П1225.1]; always [B1563.0]; as is always the case [K74.1]; effect is always present in one way or another [B1 144.1]; existence ... is always a possibility [B1564.1]; is not always the case [H784.1]; it is always good practice [P677.4]; it is not always easy [H779.1]; it was not always possible [H780.1]; it was not always so [T10.1]; may not always be true [H778.1]; standby policy has always been to [П1028.1]; there is always [B565.1]; there is always the danger that [B1565.1]; this is always the case [T8.1]; this is not always conducive towards [Э 119.1]; this is not always the case [T9.1]

**ambient:** [0729.3]; ambient of [T143.1]; is ... ambient [P140.1]; loss to the ambient [П1515.2]

**ambiguity:** ambiguity over [H1438.1]; removed ambiguity [Y533.1]; there was little ambiguity about [П1564.1]; to avoid ambiguity [4184.1]

**ameliorating:** [K378.1]

**amenable:** amenable to calculation [П707.1]; are made in order to make the problem more amenable [4199.1]; is ... amenable to ... treatment [П706.1]; is not amenable to [H974.1]; qualitatively amenable to verification [П704.1]

**amend:** to amend a patent specification [B 1230.1]; to amend the document [B 1229.1]; to amend [B1227.0]

**amendment:** [И238.0, И737.0]; amendment record [Л54.0]; amendment to the Agreement... dated [П1298.1]; amendments and addenda [Д610.0, И252.0]; is entitled to introduce amendments into the working drawings [И432.1]

**ammonia:** household ammonia [X32.1]

**among:** [Д321.2, M80.1]; among other things [П1247.1]; among others, has suggested [B315.1]; among others, is a suitable method to solve [0518.1]; among the [Д401.1]; among the first to [П62.1]; among these are [K11.1]; are remarkable among... for their [B1786.1]; as among the first to [B321.1]; be among [B1678.1,

H664.1, 01449.1]; belongs among [П2401.1]; closer cooperation among [Б 183.1]; collaboration among [C1122.1]; disagreement... among ... concerning (01548.1); interdependence among [B 1057.0]; is equally divided among [P428.1]; make a preference among the alternatives [C391.1]; prevalence among ... seams [P437.1]; redistribution ... among [П158.1]; subject of ... debate among people in the ... field [П1747.1]; such as ... among others [C1304.1]; to be among [B1678.0]; to choose from among the large number of possible [C390.1]; to select from among the various ... surfaces [B 1692.1]; variations in properties among [P236.1]; who were among the earliest concerned with creep [0539.1]

**amount:** [B888.1, K253.2]; amount of error [B892.1]; amount of test work [0370.1]; amount of water present [K254.1]; amount [B888.0, K253.0]; amounted to [Д704.4]; amounted to about [Д712.1]; amounted to between 10 and 15 percent [Д705.1]; amounts to [C322.1]; amounts to the same thing [P 112.1]; and smaller amounts of [И8.1]; are present in minute amounts [C950.1]; be indicative of the amount of [C694.1]; considerable amount of [B240.0]; considerable amount of information [3637.1]; considerable amount of work [B243.1]; decrease in the amount of [Y276.1]; displaced ... by a large amount [C733.1]; greater than ... a constant amount [B208.1]; in an amount [B153.0, B153.1]; in the minimum amount of time [П2090.1]; limits ... to a predetermined amount [0457.1]; met with a surprising amount of success [0669.1]; minimum amount of ... information [M 177.1]; never amounts to more than [H1 755.1]; or, what amounts to the same thing [И347.1]; protrude an equal amount on either side [B 1999.1]; put cap on the amount of [B846.1]; rotate ... a small amount one way or the other [П549.1]; set amount [H11.1]; significant amount of [B240.0]; significant amount of ... data [B241.1]; small amount [H1344.3]; take a great amount of abuse [Э62.1]; to amount [Д704.0]; to shift... a given amount [И261.1]; trace amounts [H1260.1, C578.1]; vast amount of information [0295.1]; vast amounts of literature [0296.3]; what was the amount of (K149.1); with a certain amount of caution [C44.2]; with a certain amount of confidence [C146.1]; work is going on in significant amounts [П 1.1]

**amperage:** amperage draw on [П 1522.1]

**ample:** ample evidence that [H1 336.1]; provide ample evidence of this [C674.1]; there is ample reason to expect [И503.1]; with ample justification [C42.1]

**amplifications:** at higher amplifications [П2142.1]

**amplify:** further amplified [Д619.1]; to amplify [Д646.2]

- amplitude**; peak-to-peak amplitude [P251.1]
- amply**: has been amply verified [П862.1]
- analogous**: [A127.0]; analogous ... is appropriate for [A134.1], analogous use [A131.0]; in (an) analogous fashion [A136.0]
- analogue**: [A123.0], finds its nearest analogue [И421.1]; analogues of [A123.1]
- analogy**: analogy ... be taken further [П2737.1]; analogy is valid provided [A140.1]; analogy was drawn [П2672.2]; analogy will be invoked (0229.1); analogy would suggest [П325.1]; application of the analogy [П2613.1]; by analogy to [П326.2]; by analogy with [П326.1]; exact analogy [П1079.1]; following the analogy of [П326.4]; if we now carry our analogy ... a step further [E83.1], making an analogy [П2672.1]
- analyses**: analyses were conducted [П2671.1]; preliminary analyses indicated (П 1709.1)
- analysis**: [A107.0, A107.1, И773.0, P545.2]; analysis ... handled [B1874.1]; analysis ... was two-fold [A 112.1]; analysis of these data is continuing [A113.0]; analysis predicts the opposite [A111.1]; analysis validation [П866.1]; analysis apply ... general analysis to the special case [П2370.1], chemical analysis of... showed that ... were present [X21.1]; crude ... analysis [П2181.1]; detailed analysis would not be necessary [П801.1]; dimensional analysis [A118.1], error analysis [A116.1]; feasibility analysis [T212.1]; for the rest of this analysis [B2.1], from the remainder of the analysis [П2056.1]; gross chemical analysis [B807.1]; in doing the analysis [П2115.1]; in the last analysis ... on [B158.6]; in the last analysis [B 158.0]; particle size analysis [Ф56.1]; reduces ... to below the limits of accurate chemical analysis [C766.1]; simplification incorporated in the analysis [Y343.1]; subjects itself easily to ... analysis [И21.2]; thorough case-by-case engineering analysis [T505.1]; with which to compare the results of this analysis [C27.1]; working the analysis backwards [B 1872.1]
- analytically**: allows ... to be solved analytically [П928.1]
- analyze**: analyzed for [A120.1, A120.2]; analyzed with respect [A121.1], one half... is analyzed due to symmetry [B1599.1]; to analyze [A119.0]
- analyzing**: [P545.3]
- anchor**: anchor point [M136.1]; to anchor [3259.0]; anchored to [П2342.1]; was anchored to [3260.1]
- anchoring**: anchoring (of) [3257.0]; anchoring of ... to [3258.1]; anchoring [K469.0]
- ancillary**: ancillary equipment [B1602.1]
- angle**: angle between ... and [Y80.1]; at an angle of [B1618.1]; at an angle of... to [П619.1]; at right angles to [П246.2]; at right angles to each other [П621.2]; made in various angles [И196.1]; planes at right angles to each other [B1046.1]; crossing angle [Y82.1]; extended at a ... angle [И111.1]; is aligned at an angle [Y457.1]; is rotated ... through an angle [П544.2]; is specified via the angle of [3157.1]; is turned through an angle of [И544.1]; makes an angle of 20 deg with the vertical [C 1096.1]; rotating ... to ... angle [П551.1]; rotation through an angle [П551.2]; tolerate variations in ... angle [Д657.1]; was angled [И111.2]; was inclined at an angle of [H370.1]
- angular** angular co-ordinate [Y779.1]; angular spacing of [Y78.1]
- anneal**: annealed at 954 C [01298.1]; solution annealed [01297.1]
- annotation**: it is appropriate to preface ... with the following annotation [П1956.1]
- annoyance**: been an annoyance [C975.1]
- annual**: [E29.1]; annual... output [Г83.1]; annual inventory count [E30.1]; increasing annual production capacity [Y52.1]; is subject to annual review [П736.1]; with an annual input ОЦП2068.1]
- annualize**: [B329.1]
- annually**: [E31.1]; grow by ... annually [B1362.1]
- annul**: are annulled [01411.2]
- annum**: hr running per annum [4103.1]
- anomaly**: apparent anomaly [K44.1]
- another**: [Д750.0, E219.0]; act independently of one another [Д183.1]; Another... A further,... Still another, ... Yet farther object [0532.1]; another approach would be to [Д752.1]; another area which has received too little attention [E222.1]; another clear affirmation [E227.1]; another contribution from [E223.1]; another criticism [E224.1]; another manifestation [E225.1]; another point worthy of mention [B1396.1]; another possibility is [Д751.1]; another practical matter [Д753.1]; another solution would be to [Д761.1]; are another matter altogether [C885.1]; at one time or another [B71.1, B1533.3]; but there is yet another important message to be gained [H1800.1]; close to one another [B138.1]; completely independent from one another [П 1046.1]; different from one laminate to another [P289.1]; effect is always present in one way or another [B1 144.1]; exchanging for another (П1231.1); expressed another way [Г74.2]; favoring one... over another (П 1811.1); for one reason or another [П447.1]; for one thing ... for another [B327.2]; from one ... to another [01204.1]; have another characterization [01612.1]; have cross-fertilized **one** another [B 1044.1]; in one way or another [T31.4]; is another example of [C696.1]; is one thing, ... another [0498.1]; of one size or another [T353.1]; of one sort or another [T354.1]; one another [B1042.0]; over one another [Д748.1]; provides another indication of [C699.1]; put another way [Г74.3]; reach one another [П 1317.1]; relative position

of... to one another [Π 1099.1]; rescheduled for another date [Π141.1]; still another [E219.2]; this is another reason why [Э161.1]; vary from one ... to another [И285.3]; what is successful for one ... may not work well, if at all, for another [Т281.1]; yet another [E219.1]

**answer:** [P638.1]; answer sheet [Э4.1]; answer to the ... question is still problematical [01230.3]; answer to this question [01232.1]; answered in the affirmative [01248.1]; answers to questions [01229.1]; attempts to answer, albeit broadly, the ... question [Д217.1]; delivers satisfying answers [Д30. 1]; have the answers to [Π1155.1]; must be answered [HI 322.1]; one of the first important questions to be answered [0514.1]; presents the best answer for [H357.1, C698.1]; question is easier to answer if we [01231.1]; satisfactory answer [Y162.1]; there is ... no simple answer to [01234.1]; to answer the easy questions first: (C763.1); to deliver an answer to [Д27.0]; to give an answer to [A27.0]; to give the trends but not precise numerical answers [C175.1]; to provide an answer to [Д27.0]; to supply an answer to [Д27.0]; unhappy answer to [H1668.1]

**answering:** direct answering of ... question [Π3059.1]

**antagonistic:** be antagonistic to [B1992.0]; was antagonistic to [B2000.2]

**anticipate:** [Π1711.1]; all existing and anticipated [B 1019.1]; as might be anticipated [K82.1]; as was anticipated this did not prove to be the case. [K76.0]; due to anticipated [И125.0, И125.1]; is anticipated to be [B346.0]; it was anticipated that [0607.1, Π1796.1]; this also was anticipated [Э209.1]; to anticipate (B387.0); to anticipate the need for [B388.1]

**anticipation:** [И167.0]; in anticipation [B387.0]; in anticipation that [B389.1, Π1273.1]

**antidote:** [Π2981.1]

**antithesis:** antithesis of [Π 1081.1]

**anxiety:** to cause anxiety [B1814.0]

**anyone:** [K28.0, И117.0]; anyone desiring to do so [B1007.1]; is easily understood by anyone [01671.1]

**anything:** anything but [01472.3]; be anything up to ... in length [И407.1]; had anything to do with [И419.1]; if... mean anything [E98.1]; if anything [E95.1]; rather than anything in [A27.1]; to be anything [И406.0]

**anyway:** [B526.3, T31.3]

**anywhere:** [B885.1, B 1648.1, Г25.0]; anywhere from ... to [B188.1, Г30.2]; did not exist anywhere [H1710.1]; lies anywhere [Г24.1]

**apart:** (H128.1); apart from [319.1, 329.3]; are spaced ... apart [P407.1]; be ... apart [01540.1]; be taken apart [P164.2]; compact ... spread apart [C245.1]; distance ... apart [01542.2]; far apart from each other [Д 103.1]; ought not to be taken apart [H982.1]; several days apart

[C20.1]; spaced ... apart [H692.1]; ten months apart [C19.1]; to come apart [P365.1, P517.1]

**apologize:** I apologize to [Π2453.1]

**apology:** offer our apologies for [Π2454.1]

**apparatus:** experimental apparatus (Э38.1); to demonstrate the potential of the apparatus [Π980.1]

**apparent:** [B1091.0, B1095.0, K41.0]; against this background of apparent intractability [C166.1]; apparent anomaly [K44.1]; apparent clerical mistakes [Я52.1]; apparent contradiction [K45.1, Я56.1]; are apparent [X44.3]; becomes more apparent [C 1399.1]; for reasons not apparent from [Π453.1]; for reasons which will become apparent shortly [Π452.1]; is immediately apparent [T368.1J; is not apparent [H769.1]; is not readily apparent [HI 085.1]; is readily apparent [X45.3]; it became apparent that [C1414.1J; it has become more and more apparent [C1396.1]; it is apparent [01645.2J; it is apparent that [X46.2J; it is quite apparent that [C846.1]; it is thus apparent that [T98.1]; it rapidly became apparent that [B290.1]; it was also apparent that [B2096.2]; it was soon apparent that [B 1589.1]; more apparent than real [B205.1, C535.1]; no definite trend with ... is apparent [ K 162.1]; peaks ... are apparent [B1092.1]; reason for ... is not immediately apparent [Π2582.1]; reason for... is not readily apparent [Π2582.2]; several points of interest are apparent from [A109.1]; significance of... is immediately apparent [C 1400.1]; significance of ... is not immediately apparent [C752.1]; than would be apparent [459.1]; this is apparent when [Э197.1]; to be apparent [B2094.0]; trend toward ... is apparent [H220.1]; upon reflection it becomes apparent that [Π1369.1]; wear ... was usually apparent [0402.1]; with no apparent correlation to [B27.1]

**apparently:** [01645.1, Π328.7]; apparently more simple [K43.1]; apparently no one has heretofore [H1765.1]; but not to the degree that apparently occurred [H1801.1]; very few apparently know [01667.1]; was apparently the first to [B322.1]

**appeal:** allow the appeal [Π2315.1]; appeal is referred to [Π1506.1]; grounds of appeal [0959.1]; to appeal against [Π625.1]

**appealing:** is appealing in that [Π2207.1]; most appealing (H327.1)

**appear:** [M326.4, Π1587.1]; although ... may appear [И69.1]; although this may not appear as a significant difference [XI 09.1]; appear... to the naked eye [K47.1, Π 1892.1]; appear at first sight [Π996.1]; appear explicitly [Π2539.1]; as a result of ... it appeared that (B476.1); at first blush appear [Π996.2]; because ... appeared [Π1351.1]; but it would appear that (H1782.1); did not appear to be worth the

extra cost of [Π339.1]; difference ... is not as fundamental, as it would appear [01386.1]; do not appear to [Π338.3]; does not appear to [Π338.1]; does not appear to be well documented in the literature [HI 209.1], explanation for this would appear to be that [0385.1]; four stages appear definable [M329.1]; it appeared [0655.3]; it appeared also that [B2096.1]; it does not appear out of place [Π331.1]; it does not appear that ... should [H770.1]; it does not appear to us [M416.1]; it would appear at first sight that [HI 5.1]; it would appear to be reasonable to conclude [Π330.1]; it would appear unlikely [Π334.1]; might appear to be [M293.0]; might at first glance appear to be [M298.1]; no ... appear to be available [K 166.1]; than it would at first appear [460.1]; to appear [B1339.0, B2030.0, B2094.0, Д766.0]; to appear (to) [K46.0]; to appear in [B1663.0]; to appear shortly in [K412.1]; would appear [Π328.4]; would appear to offer no benefit [Π341.1]; appears... on both sides of the equation [B 1670.1]; appears ... to the human eye [K47.2]; appears explicitly [B 1680.1]; appears feasible [Π 1888.1]; appears in [B1664.1]; appears in its entirety [Π2209.1]; appears to [C523.1, Π328.5]; appears to be satisfactory [M379.1]; appears to contradict [K49.1]; appears, on the surface at least [Π1895.1]; as it now appears it did [K143.1]; contrast appears even stronger [P231.1]; first appears [B 1453.1]; from an interpretation of the test data, it appears that [All 4.1]; further work in this area appears warranted [Д344.0]; if ... appears [E63.2]; it appears advisable to [Π 1896.1]; it appears as if [C522.1]; it appears doubtful [Π1897.1]; it appears reasonable to think in terms of [И450.2]; it appears that [H395.1, 0689.1, C523.2]; it appears unlikely [Π 1887.1]; no satisfactory explanation appears evident for [M415.1]; proposed methodology appears to be general [Π1737.1]; somewhat less appears in the literature concerning [HI 584.1]; there appeared to be an exception with [И672.1]; there appears little that one can do [n333.1]

**appearance:** [ B 1194.1, B2022.0]; differs ... in appearance from [01393.1]; first appearance [Π59.1]; is similar in appearance to [B1192.1J]; make their first appearance [Π1589.2]; to be similar in appearance [B 1192.0]; visual appearances [Bl 194.2]; with the appearance of [C72.2]

**appendix:** [Π2358.1]

**apple:** compare apples with oranges [C1282.1]

**appliance:** [Π2193.1]; tools and appliances [И582.0]

**applicability:** applicability... to [Π2365.1]; applicability of ... is restricted to the region [Π2364.1]; are of limited applicability [И440.1];

limit of applicability of [Π1715.1]; lower limit

of applicability [H1726.1]; range of applicability... extended [P569.1]; range of applicability of [A288.1]

**applicable:** [Д188.0, Π2373.1, C 1024.5]; applicable ... for [Π2374.1]; applicable guidelines in [01459.1]; applicable specifically to [Π2376.1]; are specified to be applicable for [Π 1750.1]; comply with 1-4.1, 1-4.2, or 1-4.3, as applicable [C1018.1]; directly applicable [Π2275.1]; for... is not applicable [H1032.1]; immediately applicable [K428.1]; is equally applicable [B670.2]; to be applicable [Г79.0]; to the point that... is no longer applicable [B1474.1]; where applicable [T109.2]

**application:** [B1181.0, 3550.0, И682.0, Π2361.1];

accelerated processing of... application [Y387.1];

application... is presented [Π984.1]; application areas [095.1]; application for a license [3560.1];

application made in [3558.0]; application of... has been hindered somewhat by [Π2362.1];

application of the analogy [Π2613.1]; application potential [B1328.1]; but application ... should be done with care [H1813.1]; design application [3555.0]; desirability for application

to [Ц7.1]; execution of the application [C819.1];

find... application to [H611.1]; First Application No [H1842.1]; fora specific application [Д392.1];

for application with [Д381.1]; found wide application [H614.1]; gauging application severity [01644.1]; general application of a single ... curve [И689.1]; glue application [H436.1]; has important practical application [И390.1]; has potential application [M279.0J]; has potential application as (M280.1); has the potential of application [M279.0]; have broad application in [H615.1]; have found increased application as [H619.1]; immediate practical application [H578.1]; in an actual application [B468.1]; intended application [H297.3]; is more general in its application [И438.1]; is... a deterrent to... application [T335.1]; limited application potential [0475.1]; necessitates the application [B1812.1]; pending application [3557.0]; potential of application in [M279.1]; prior to an engineering application [Π1957.1]; prosecution of a patent application [B864.0]; resist the growth in application of [Π2033.1]; restricts its range of application to values of [0456.1]; see increasing application in [H618.1]; specialized application [C1 156.1]; specific application of... is a patented feature of [3380.1]; successful application in [Y440.1]; successful application of [Y439.1]; successful application to ... use [Y440.2]; trade mark application [3556.0]; validates the application [Π1853.1]; withdraw the application [370.1, 01301.1]; without a specific application [B319.1]

**applications:** [Y499.5]; concise treatment with applications [K453.1]; expedite applications [Y385.1]; find... industrial applications [H621.1];

for industrial applications [Д382.1]; for practical applications [Д394.1]; have ... had significant applications [П 1173.1]; in a multitude of practical applications [B569.2]; in a variety of applications [B575.1]; in applications [B572.1]; in applications [HI 11.2]; industrial applications have centered on [П2855.1]; performance in rugged applications (P9.1); practical applications ... [П1675.1]; range of applications (Д287.1, P787.1); were ... limited to narrow applications [П 1749.1]

**apply:** applied ... in a thin layer on (H44 Un-applied loading [П2360.1]; applied to [П2367.1]; applied with complete confidence [П2371.1]; apply ... general analysis to the special case [П2370.1]; apply... principles [И707.1], apply a... coat of [H439.1]; apply a... light coat of... to [H440.1], apply an ... pull on [T520.1]; apply equally well when [B668.1]; apply pressure [H252.1]; apply to [01443.3]; be successfully applied in practice [Y434.1]; been applied successfully [Y433.1]; coating applied to [П1003.1]; correction was applied to the readings from ... gauge [B1228.1]; current ... is applied to [П2331.1]; do not strictly apply to [C1502.1]; failure ... to apply [H1667.1]; freshly applied [T322.1]; grease ... applied, sparingly [H442.1]; has ... been applied [P589.1]; has hitherto not been applied (П 1951.1); has the merit of being simple to apply [Д740.1]; if... apply [E47.1]; preceding arguments apply only [П2255.1]; similar considerations must surely apply to [A133.1]; some rules apply [HI 909.1]; this Warranty does not apply to [H572.1]; to apply [И693.0, П2366.1]; to apply a bias to reflect [B1227.0]; to apply a correction to [B1227.0]; undertaking shall not apply to [0430.1]; applies equally [B670.1]; applies equally well [B670.3]; applies only when [П2372.1]; applies to all ... except those that [P443.1]; much of it applies for [M208.1]; related argument applies to [A130.1]; same applies to [T358.1]; same question applies to [Э102.1]; same warning applies to [Э172.1]; this applies particularly to [Э 169.1]; this applies to [C509.1]; treatment is applied [П2369.1];

were ... biases applied to reflect [B 1231.2]

**applying:** accomplishments in applying [Д731.1];

applying ... coating of ... over [H437.1]; applying to ... for consent to [И746.1]; caution is advised in applying [P681.1]

**appoint:** appointed official forwarder [01604.1]

**apportion:** apportioned material [P630.1]; to apportion between [P424.1]

**appraisal:** [01639.5, 01639.6]; certificate of appraisal [A95.0]

**appraise:** appraised under these circumstances [C165.1]

**appreciable:** [3289.0]; appreciable ... noticeable [3289.1]; have appreciable effects on [0629.1];

no appreciable deviation from the normal trend was detected [3290.1]

**appreciably:** [3294.0]; do not change appreciably [M25.2]; does not appreciably alter [H1024.1];

is altered appreciably [3295.1]

**appreciate:** appreciate any comments or suggestions [C2.1]; to appreciate [B1943.0]; can better be appreciated [M353.1]; is appreciated [B1986.1]; is not often appreciated [H782.1]; it

should be appreciated [C603.3]; reluctance ... can thus be appreciated [M354.1]; than had previously been appreciated [456.1]; which need to be appreciated [08.1]

**appreciation:** appreciation for... [П1632.2]; basic appreciation of [Э77.1]; better appreciation of [B177.1]; enhanced appreciation of [B185.1]; express their appreciation for [B 1944.2]; fair appreciation of [П1632.3]; have gained some appreciation of [П 1130.1]; there ... been no appreciation (HI 764.1); to express appreciation [B1943.0]; to give a physical appreciation of [4179.1]

**apprehension:** with some degree of apprehension [C38.1]

**approach:** [B1640.1, M155.0, 0221.1]; advanced ... approaches [П2717.1]; another approach would be to [Д752.1]; approach first suggested by [M157.1]; approach infinity as ... tends to zero [C 1487.1]; approach is to conduct [П873.1];

approach to the problem [П872.1]; approach unity [C 1488.2]; approached for advice [0227.1]; approaches [П2174.1]; approaches ... to reduce [C1207.1]; approaches one [C1488.1];

as ... is approached [П392.1, C74.1]; as a first approach [Д357.1]; as an alternative to this approach [B141.1]; as the date of... approaches [П391.1]; asymptotically approaches [A159.1]; comprehensive approach [B1584.1]; danger in this approach is that [0749.1];

feature in common to the two approaches [0329.1]; had taken a slightly different approach [B1420.1]; in the approach to [П392.2]; initial approach for [П38.1]; integrated approach [K287.1]; is one approach to solving the problem [0520.1]; lengthy approach ... to [Д306.1]; mechanistic approach [M170.1]; most

direct approach [C220.1]; only possible approach to [E22.1]; optimum approach for [0865.1]; rigorous... approach [C1493.1]; steady

state is approached from above [Y498.1];

technique ... approaches [M155.1]; theoretical approaches [T158.1]; third approach would be to [T464.1]; this approach is deliberate [Э130.1];

this approach was dictated by the requirement [T57.1]; to approach [B1639.0]; unified approach [Y301.1]; validity of the ... approach [C1241.1]; valuable as this approach is [H1794.1]

**approaching:** approaching in magnitude [П2176.1]; values approaching unity [3599.1]



**appropriate:** [C 1024.1]; alone are not appropriate

[0504.1]; analogous... is appropriate for [A134.1]; appropriate ... for [K419.1]; appropriate ... might be written as [П 1634.1]; appropriate action taken [П2419.2, П2423.1]; appropriate care should be used [C625.1]; appropriate conditions [П876.1]; appropriate to [C1024.2]; as appropriate [B117.1, C1029.4, T110.2]; at the appropriate time [B1248.0]; by taking corrective

action at the appropriate lime [B1249.1J; extensive review of the appropriate literature [П813.1]; for... appropriate [П2273.1]; for the appropriate length of time [H25.1]; in so far as it is appropriate [H553.1]; is appropriate [Г79.1, Y283.1, Y289.1]; is available at the appropriate time [П1498.1]; is more appropriate for [B171.1];

it is appropriate to adopt [Y 145.1]; it is appropriate to preface ... with the following annotation [П 1956.11]; it is appropriate to provide some

comment concerning [C630.2]; it is not appropriate (H1492.1); it would be appropriate to [B384.1]; more appropriate ... than [B172.1]; more appropriate format [B 178.1]; most appropriate [H325.1]; most appropriate references for the current investigation [P35.1]; neither ... nor ... are appropriate [H1699.1]; taking appropriate precautions [П2420.1]; to be appropriate [Г79.0];

when used in the appropriate way [П2151.1]; where appropriate [T110.3J; where it is appropriate [Til 1.1); with appropriate precautions [П2133.1]

**appropriately:** was accounted for by appropriately adjusting the value of [Y610.1]

**appropriateness** [T374.1]

**approval:** [B1101.1]; approval documents [J557.1];

shall be subject to review and approval by the client [П738.1]; submit ... for ... review and approval [П 1844.1]

**approve:** [B1102.1, Y555.1]; approved ... in writing [C914.3J; is not permitted unless approved by [J665.1]; provides for ... to be approved [П1920.1]; tested in accordance with approved procedure [И772.0]; witnessed and approved by [B408.1]

**approximate:** approximate at best [B536.1]; approximate solution [П2184.1]; at the approximate height [П2390.1]; for ... the ... criterion may be used as an approximate guide [П2091.1]; known approximate location [П2388.1]; to approximate [J322.1]; to be approximated by [A149.0]; were ... approximated by the relation... [A150.1]; were well approximated by the relation [X58.1]; without an approximate knowledge of [H863.1J]

**approximately:** [0698.2, П2187.1]; approximately every 2 min [П2389.1]; approximately proportional to [П2191.1]; same ... to be approximately true of [П2394.1]

**approximation:** as a first approximation [B 147.1, B402.1]; be neglected in a first approximation

[П2001.1]; for the approximation to hold [4219.1]; to a first approximation [B402.2]; under the ... approximation [B401.1]; will yield a closer approximation [J48.1]; approximations to [П2177.1]

**arbitrarily:** arbitrarily specified [3155.1]; somewhat arbitrarily [H 1596.1]; was arbitrarily set at [П2811.1]; was chosen arbitrarily [B1697.1]

**arbitrary:** [B1697.3]; arbitrary assumption [П2810.1]; entirely arbitrary [C841.1]; on an arbitrary basis [H94.1]; ordinate scale is arbitrary [M63.0]

**arbitration:** submitted to arbitration [П93.1]

**arc:** describes an arc [0779.1]; fall in an arc [П6.1]

**arduous:** [T486.1]

**area:** [M140.0]; affected area [01619.1]; another area which has received too little attention [E222.1]; area of concern [B 1802.1]; area of great current interest [0100.1]; area ratio [01468.1]; be stored in ... weather-protected area [X117.1]; covers a larger area [3342.1]; do not run ... in an enclosed area unless it is well ventilated [H772.1]; expertise in this area ... is held with [B227.2]; expertise in this area resides at [B227.1]; final area of investigation was [П 1398.1]; first area given attention was [П166.1]; floor area [П2799.1]; How area [П321.1];

fruitful area of research (099.1); further work in this area appears warranted. [J344.0]; gray area [098.1, П2846.1]; hazardous area requirements [T424.1]; in the area [B255.0]; is an area ... not excel [C563.1]; kiting area [M143.0]; major efforts in this area [01010.1]; mean value ... over the area [C1322.1]; most early work in this area [C234.1]; non-hazardous area [B 1066.1]; occupy a floor area [3341.1]; open area of research [H1284.1]; operator's area [P101.2]; packaging area [Y304.1]; service area

of [T196.1]; store in a ventilated,... shady area [X116.1]; strongest area of activity [096.1]; surface area [П319.1]; to cover an area [3341.0];

to occupy a floor area [3341.0]

**areas:** [Y599.3]; adjacent... areas [B144.1]; affect-

ed areas [П561.1]; application areas [095.1]; cross-sectional areas [П320.1]; designated ... areas [C1169.1]; developments are needed in a number of areas [P783.1]; one in each of the areas [П421.1]; operation in remote areas [PIO.lj; other areas which may benefit from this work are [P2.1]; problem areas (Y 192.1); problem areas... have been identified [0824.1]; subject areas [K502.1]; suspect areas [П770.1]

**argon:** in an inert argon atmosphere [B4.1]

**argue** argue for [P575.1]; argue for the existence [J542.1]; to argue [J535.0]; to argue against [B1992.0J; to argue for [B1992.0, J535.0]; argued against [B2000.1]; argued for (B1993.2); it can be argued qualitatively [П986.1]; it can be argued that [M388.1]; it is argued [П2221.1]; it

- is argued that [Д544.1]; it may be argued from [C1532.1]; it might be argued that [H396.2]
- argument:** [Д530.0, CI 194.2]; argument has been put forward [Π1727.1]; argument presented here [Π2254.1]; arguments advanced in favor of [A157.1]; central argument for [Г43.1]; drawn... into the argument regarding [B1247.1]; from symmetry arguments [Π478.1]; in rebuttal to these arguments [B143.1J; in view of the previous argument [H84.1]; it gives added force to ... arguments [Π2293.1]; major argument against [0967.1]; matter for argument [Π1746.1]; on the argument that [H88.2]; preceding arguments apply only [Π2255.1]; related argument applies to [A130.1]; substantial arguments for [Y23.1]
- arise:** arise ... in [C513.1]; arise from [Π1590.1]; arise from... through [Π1588.1]; arise from two sources [Π2827.1]; arise through [B1340.3]; arisen [B1339.1J; arises ... from [B1829.2]; arises because of [B1829.3, 0271.2, 0383.3]; arises because of the following [B1343.1J; arises from the fact that [B 1341.1]; arose from [B1340.2]; as the need arises [Π389.2]; difference in the ... from the ... arises from [P230.1]; doubts arose as to [B1350.1]; however, two problems arose [0571.1]; questions arise as to [B1610.1]; question arises [B1344.1]; question arises as to whether [B 1612.1]; question arises whether this [B 1611.1]; should the need for such ... arise at a later time [E71.1]; some of the difficulties which can arise with [H1300.1J; to arise [B1339.0]; to arise from (because of) [B1829.0]; to arise interest [B1806.0]
- arising:** assume all ... liability arising from [B1290.1]; benefits arising from [B1757.1]; to assume the liability arising from [B 1289.0]
- arithmetic:** arithmetic average of [C 1318.1]
- arm:** armed with ... knowledge [B1382.1]
- around:** [B1.1, B819.5, B861.2, Π2384.2]; all around [Π437.1]; although the discussion has centered around [X108.1J; around the circumference [Π425.1]; around the clock [K505.1]; around the perimeter [Π436.1]; around the race [Π426.1]; around the world [B195.1, P290.1]; balances around [B2.1]; centers around [H663.1]; deg intervals around... circumference [Π4.1]; developing a heat balance around [C1072.1]; fit tightly around the circumference [Π306.1]; get around the patent [0282.1]; has been around for a long time [И171.1]; hover around the ... mark [H667.1]; location around the circumference of [P411.1]; or even the other way around [И337.1]; position around the circumference [Π 1097.1]; spacing ... around the circumference [Π5.1]; to work around this situation [CI 151.2]; were centered around a constant value of [Г144.1]
- around-the-clock:** around-the-clock work [K504.1]; hands-off around-the-clock operation [A70.1]
- arrange:** are arranged in the order of decreasing [P373.2]; are arranged one above the other [P376.1]; arrange... easily supervised [Y452.1]; arrange for [Π2414.1]; arranged in series [C971.2]; arranged on ... triangular pitch (P161.1); arranged one above the other [P399.1]; evenly arranged [P118.1]; flights ... arranged individually (Π2470.1); to arrange [0906.1]; were arranged in line [P371.1]
- arrangement:** [K302.1, Y542.1]; arrangement draw-ings [K303.3]; physical arrangement, as shown in [K336.1]; provide arrangements [044.1]; to finalize all arrangements [0704.1]
- arranging:** arranging transport [0903.1]
- array:** [P782.2, P782.3]; array of [H1287.1]; in a triangular array [P389.1]; positioned in staggered arrays [P403.1]
- arrears:** are ... in arrears [3368.1]
- arrest:** arrest... progression [Π2496.1]; is arrested [Π1994.1]
- arrive:** material must arrive in the ... office [M68.1J; one arrives at the following ... equation ... [Π2554.1]
- arriving:** arriving [B2052.0]; arriving at [B2052.1]; arriving at... value of [Π1206.1]
- arrow:** arrow A view [B 1077.0]; view along arrow A-A [B1077.0]; direction ... is as per the direction arrows [H472.1]
- art:** art of record [M70.1J; criticism of the prior art [K488.0]; current state of the art in ... based on [C881.1]; done much to promote the art and science [Д202.1]; has done much to promote the art and science [M212.1]; is pretty much state of the art [B 1487.1]; obviates the problems encountered in the prior art [Y528.1]; state of the art [C878.3J; state of the art search [И783.0]; those skilled in the art [CI 159.1]
- article:** [И213.0]; article ... has been packed at [И218.1]; article ... has been subjected to preservation at [И215.1]; article upon ... has been accepted by [И216.1]; brought-in articles [K301.0]; completing articles [K301.0J; condition inspection of assembled article [Д274.0]; date and time of failure of the article or its components [Д123.0]; enclosed articles [B1 150.0]; in articles by [B640.1]; in the article [B640.0]; list of articles to be procured [B876.0]; manufacturer guarantees trouble-free operation of the article for ... years since the day of shipment from the plant [И207.0]; patented article [И214.0]; review article on this topic [069.1]; survey articles [068.1]
- articulate:** [Ф47.2]
- artifact:** [A158.1]; measurement artifacts [Э222.1]
- artificially:** artificially high [H1218.1]; artificially isolate [И680.1]; were artificially induced [B1809.1]
- as-received:** as-received condition [B611.1]
- as-rolled:** in the as-rolled condition [B610.1]

- ascending:** in descending [ascending] order of [B367.0]; in order of descending [ascending] [B367.0]
- ascertain:** ascertain ... effects of scale [B2089.1]; to ascertain [B2088.0]
- ascertained:** cannot be ascertained before testing [H1325.1]
- ascertaining:** ascertaining ... in the first place [B2090.1]
- ascribe:** ascribed ... to [01441.2]; is commonly ascribed to [0382.1]; properties have been ascribed to [Π2503.1]
- aside:** [B679.0, B1661.1]; as an aside [3310.1]; as an interesting aside [B142.1]; aside from [E145.3, K500.0, K500.1, Π1246.2]; leaving other considerations aside for the moment [E57.1J]; put aside [01318.1]; set aside for [01261.1]
- ask:** it is natural to ask [E1 80.1]
- aspect:** (A162.1, B1391.0, 01053.3, C1470.1, Φ12.2, X5.4); aspects of [0458.1]; and it is to this last aspect that most... attention is being directed [И32.1]; aspect needs further investigation [B1400.1]; aspect of the problem [C1471.1]; this aspect will be considered further [Э99.1]; unconventional aspect [H1429.1]; discussion is restricted to ... encompass all aspects of [01615.1]; essential aspects [C1555.1]; negative aspects ... to be left behind [Y540.1]; qualitative aspects of the problem (K204.1); this paper has summarized some aspects [B641.1]; we will limit this discussion to aspects of [0466.1]
- assemblage:** assemblage ... in the correct sequence [C253.1]
- assemble:** assemble by reversing above procedure [B1909.0]ж condition inspection of assembled article [Д274.0]; is ... assembled [C806.1]; is factory assembled [C808.1]; is supplied completely assembled ... [Π1453.1]
- assembler:** units per assembler [C1 175.2]
- assembling:** assembling procedure [Π3020.1]
- assembly:** [B146.0, B23.1, Y189.2]; align the assembly marks [C867.1]; as an assembly [B18.1]; assembly and installation of the ... equipment [C255.1J]; assembly order [3220.1]; assembly procedure was ... strictly adhered to [C1504.1]; final... assembly [0714.1]; for ease of assembly [Д373.1]; for purposes of assembly [Π477.1]; prior to the final assembly [Π88.1]; proper assembly [Π1629.1]; Reassembly and installation ... assembly [C256.1]; rinse the assembly parts [Π2849.1]; secure assembly [H273.1]; serve as a guide to the order of assembly [Y212.1]; unfasten the assembly [01355.1]
- assert:** as asserted [K62.0]; as was asserted at the outset [K66.1]; this reasoning leads us to assert [T59.1]
- assess:** assess potential .... effects [01630.1]; assess these matters [01636.1]; consequences ... have been assessed [01634.1]; critically assessed [K497.2]; in an attempt to assess [B361.1J]; necessary to more fully assess [H1413.1]; objectively assess [0360.1]; to assess ... in an overall fashion [01628.1]; to assess the structural significance of [01629.1]
- assessing:** [01639.2]
- assessment:** [01639.1]; environmental impact assessment [01640.1]; impartial assessment [B99.1]; economic and technical assessments [T213.1]
- asset:** asset to [И39.1]; material assets [M72.1]
- assign:** assign ... a class of [01440.1]; assign to ... functions for [B1151.1]; assigned ... less importance [Π2290.1]; assigned material [P630.1]; assigned priorities for program initiation [H411.1]; assigned to [Π2504.1]; is assigned a position [01258.1]; is assigned the duty [B 1151.2]; is assigned the responsibility to [B1289.3]; is assigned to [Π2501.4]; to assign... the responsibility to [B1289.0]; to assign to ... functions for [B1 151.0]
- assignable:** was assignable to [Π2568.2]
- assignment:** design assignment [3161.0]
- assist:** [0643.1]; assist in [Π 1253.4]
- assistance:** considerable assistance was derived from [Π1161.1]; for technical assistance and project capital [B346.1]; outside assistance [Π1469.1]; without assistance from [B44.0, B44.1]
- associate:** [C352.1, C 1024.3]; been closely associated with [T207.8J]; impracticality associated with [Π1678.1]; is intimately associated with [HI 562.1]; is largely associated with [C358.1]; its associated effects [C353.1]; may have been associated with [C363.1]; under that condition the associated [C 1025.1]
- assume:** assume ... position [Π2425.1]; assume ... shape [Π2438.3]; assume a ... nature [Π2441.1]; assume all ... liability arising from [B1290.1]; assume all responsibility for [B271.1]; assume for the moment [Д660.1]; assume some measure of obsolescence [Д470.1]; assume that [Π2450.2]; it is a rash presumption to assume that [0864.1]; it is reasonable to assume that [C41.1]; it is safe to assume [M378.1]; on theoretical grounds we assume [T164.1]; speculative to assume [P748.1]; then we can, in general, assume that [3481.1]; to assume [B263.0, Д656.0]; to assume the liability arising from [B1289.0]; to start, we assume that [Д360.1]
- assumed:** and not, as usually assumed [A29.1]; assumed major importance [Π2473.1]; assumed value for preliminary calculation [3600.0]; can be assumed to (M355.0, M355.2); for simplicity, ... is assumed to [Д414.1]; here it is assumed that [Π2172.1]; if one assumes that [E81.1]; if spherical particles are assumed [E76.1]; implicitly assumes [HI 688.1]; is as-

sumed to [Π1795.1]; is assumed to be [Π2449.1]; it is assumed that [M355.0, Π2450.3]; it is implicitly assumed [Π787.2]; it is usually assumed that [0414.1]; many have assumed [M191.1]; rather than...was assumed [B1 161.1]; responsibility has been assumed by [0418.1]; topic assumed new importance [B1407.1J; with ... assumed to be known, as before [Π2445.1]

**assuming:** [Π2067.1]; are assuming [B268.1]; assuming for the moment [Π2446.1]; this is equivalent to assuming [Э186.1]

**assumption:** [Π 1802.1]; a priori assumption [A156.1]; arbitrary assumption [Π2810.1]; basic assumption was that [0990.1]; does not allow the assumption that [H992.1]; fist assumption to be made regards [Π57.1]; implicit ... is the assumption that [Π789.1]; key assumption underlying [Γ57.1]; little error is introduced by this assumption [01692.1]; on the assumption that [Π2066.2]; rests on the assumption that [И815.1]; this assumption is probably justified [Э193.1]; to proceed from the assumption that [И815.0]; to rest on the assumption that [И815.0]; to start from the assumption of [И815.0]; to take the assumption of [Π2411.1]; under the assumption of [Π2066.1]; validity of the assumption of [C1240.1]; violation of... assumption [H527.2]; violation of the basic assumption of [A48.1]; were based on the assumption [01023.1]; assumptions that are made about [Д672.1]; assumptions underlying [Д671.1]; last two assumptions are open to question [B386.1J; violation ... of the assumptions [H527.1]; well-founded assumptions as to [X57.1]

**assurance:** high assurance of [H269.1]; impede assurance of [3497.1]; is not ... known with assurance [Д734.2]; production quality assurance [Γ19.1]; quality assurance [030.1]

**assure:** [034.6]; in a manner which assures [T49.1]; not by themselves assure an absence [C202.1]; to assure [Γ14.0, 379.0]; to assure reliable contacts [4178.1]; will not automatically assure [E210.2J; it must be assured that... be avoided [H1374.1]; was assured since [Γ18.1]

**assuredly:** most assuredly [B102.1, B1173.1]

**assuring:** assuring the success [033.1]; best means of assuring positive [H354.1]

**asterisk:** [3561.1]; are marked by a single asterisk  
[a double asterisk] [Π1237.1];

**asymptote:** asymptote at [A160.1]; to asymptote at [A160.0]

**asymptotic:** [A161.1J; become asymptotic to [A159.2]

**asymptotically:** asymptotically approaches [A159.1]

**atmosphere:** discharge is into the atmosphere [B1923.1]; in an inert argon atmosphere [B4.1]; is lost to the atmosphere [T203.1]; is open to

the atmosphere [C1005.1]; long period of exposure to the atmosphere [Д305.1]; open to atmosphere [C 1006.1]; operate your meter in flammable or explosive atmospheres [Э60.1]; relaxed atmosphere [H1548.1]; under ... an oxygen atmosphere [B5.1]; vented into the atmosphere [C262.1]; vented to the atmosphere [C1006.2]; were vented to the atmosphere [B1723.1]

**atmospheric:** hazard of atmospheric pollution [0744.1]; properties ... at atmospheric conditions [C340.1]

**atomization:** poorer atomization quality [H 1731.1]

**atop:** [Π534.2, Π534.3]

**attach:** [3259.3, Π2521.3]; are firmly attached to [Π3031.1]; attach the ground wire [Π2524.1]; attach ... to [Π2522.1]; attach a physical interpretation to [Π2294.1]; attached is a schematic [C1596.1]; been attached to [Π2501.2]; documents attached [Д556.0]; great significance was attached to [Π2288.3]; is ... attached to [Π2339.3]; is attached... to [C964.3J; is attached... with sufficient strength [Π2338.1]; stigma ... has attached [J137.1]; to attach [3259.0]; what importance, if any, should be attached to [H540.1]

**attachment:** [K469.0]; prevented the attachment of [H996.1]

**attack:** [B1281.0, B1281.1]; are ... immune to ... attack [H975.1]; corrosion attack [K397.1]; exhibited ... resistance to ... corrosion attack [C1052.1]; is exposed to the attack of [Π650.3]; surface attack of [Π559.1]

**attain:** attain full speed [Д710.1]; attained a key position [3346.1]; attains its maximum value [Д707.1]; equilibrium ... is attained [Д715.2]; is  
... not attained in practice [H114.1J; is attained more rapidly as [Д726.1]; now that a rather good understanding ... has been attained [T170.1]; steady state conditions ... attained [Д716.3]; solutions are difficult to attain [P744.1]; to attain [Д338.0, Д480.0, Д704.0]; to  
attain this state [Д340.1]

**attainable:** are not attainable [Π 1184.1]; maximum ... attainable (M6.2)

**attainment:** [Д729.0]; attainment of equilibrium [Д730.1]

**attempt:** attempt has been made to [Д214.1]; despite a careful attempt to [H1 612.1]; detailed attempt to quantify a discussion of the results [Π1311.1]; do not attempt to [H1045.1J; every attempt should be made ... to [Π1461.1]; in an attempt at [B360.0]; in an attempt to [B360.0J; in an attempt to assess [B361.1]; in reducing the data an attempt was made to [Π2101.1]; in the attempt at reducing [B362.1J; no attempt was made to measure [M420.1]; previous research has attempted to [B 135.1]; some ... were not attempted [M421.1]; will attempt to [Π 1822. 1]. (См. также **attempts**).

**attempting:** attempting to [Д214.2]; cautions against attempting to [П1767.1]

**attempts:** attempts ... are currently in progress [B57.1]; attempts a compromise [Д216.1]; attempts at comparing [П1316.1]; attempts have been made in the past [P349.1]; attempts to ... did not prove fruitful [П1313.1]; attempts to answer, albeit broadly, the... question [Д217.1]; attempts to calculate [П1315.1]; for the most part are attempts to [П327.1]; paper attempts [B643.1]; through attempts [E73.1]

**attend:** failure to attend to this may result in [H1180.1]; attended the presentation [C719.1]

**attendance:** [0252.1]; all in attendance [A171.0]; all in attendance [A171.1, B1014.1]; Conference Attendance: [0254.1]; manufacturer's representative attendance [П2536.1]

**attendant:** (C1060.1); to avoid overlap and attendant confusion (4183.1)

**attending:** attending to ... problems [P742.1]

**attention:** (B 1201.0); and it is to this last aspect that most... attention is being directed [И32.1];

another area which has received too little attention [E222.1]; are receiving more research attention [П2201.1]; attention ... be turned to [0208.4]; attention is now turned to [0232.3]; attention may now be focused on [0232.1]; attention to detail [B1204.1J]; attention was drawn to [П2200.2]; attention will be focused on [0228.5]; attention will initially be focused on [C764.1]; attention will next be turned to [P482.4]; attention will now be turned to [0232.2]; bring the matter to the attention of [Д602.1]; bringing to ... attention the similarities [0211.1]; brings to the attention of [П1726.1]; brought to the attention [Д491.2]; by attention to detail in [Б111.1]; careful attention ... be given to [0216.3]; come to the ... attention [П2200.1]; confined their attention to cases [0467.2]; conflict ... be brought to the attention of [0210.1]; considerable attention was paid to (B239.1); considerably less attention has been given to [Y118.1]; deserves close attention [3446.1]; drew attention to [0208.3]; first area given attention was [П66.1]; has generated wide attention ... to issues [П2202.1]; have received considerable past attention [Y120.1]; having considered ... let us now turn our attention to [P478.1]; I shall confine my attention to [Я2.1]; I take this opportunity to call your attention to [П1222.1]; if attention is turned to [E60.1]; is causing greater attention to be paid to [3471.1]; it has come to our attention that [M427.1]; major attention has to be paid to [0987.2]; merits attention [3445.3]; merits separate attention [3459.1]; much attention was placed on [Y113.1]; needs ... special attention [H1888.1]; operate with... no attention [P39.1]; particular attention has been paid to [01066.1]; probably

would not receive much attention [B1557.1]; problem ... has received considerable attention [П2607.1]; prompted greater attention toward ... rather than [3473.1]; restricting, for the moment, our attention to [0471.1]; shall be brought to the attention [Д590.1]; special attention ... be paid for [Y116.1]; special attention is required for [01056.1]; that need to be drawn to the attention of [H67.1]; to bring promptly to the attention of the company any [H1248.1]; to call the ... attention to (0208.1); to deserve attention (3445.0); to direct the ... attention to [0208.2]; to merit attention [3445.0]; to warrant attention [3445.0]; upkeep and attention [P694.1]; warrants attention [3445.4]; were forced to pay considerable attention to [П2567.1]; with... attention turned to [C3.1]; with ... determined, attention may be turned to [0837.1]; with particular attention to [Y116.3]; with virtually no attention other (П1645.1); without attention [B14.0]; without operator attention [B15.1]

**attentively:** [B1205.0]

**attenuate:** are ... attenuated [0929.2]

**attenuation:** attenuation of the effect [0928.1]

**attest:** attests to [C291.3]

**attitude:** attitude taken ... toward [П941.1]; this attitude does network [T71.1]

**attract:** attract criticism [B1810.1]; to attract [B1801.0]; to attract interest [B1806.0]; attract-  
ed much interest [B1807.1]; attracted the title [П1149.2]; have attracted the most interest [B1808.1]

**attraction:** [Д737.0]; attraction in [01045.1];

attraction lies in [Д738.1]

**attractive:** are an attractive alternative to [C677.1];

attractive for the use of [3272.1]; economically ... attractive [Э15.2]; economically more attractive [Э16.1]; extremely attractive alternative to [C1209.1]; is a potentially attractive alternative to [M304.1]; is an attractive simplification [П2206.1]; is attractive since (X40.1); it is ... attractive to consider [3273.1]

**attributable:** are invariably attributable to [M262.1]

**attribute:**

**attribute:** [X1 8.1]; are attributed to unknown sources [И441.1, П2828.1]; attributed entirely to [01442.1]; attributed to [0375.2, П2501.1]; attributes of [П2320.2]; be attributed to [01441.1]; has no significance attributed to [H1070.1]; is ... mistakenly attributed to [01697.1]; is attributed to [0383.2J]; may be attributed to [M337.0, M337.1]; portion of the reduction ... must be attributed to [48.1]; this has been attributed partially to [01585.1]; was attributed to the effects of [П2502.1]

**audible:** is clearly audible to a human observer [X73.1]; makes an audible click [И212.1];

there was visual and audible evidence of [H224.1]

**audience:** [A171.0]  
**audit:** [P596.1J; to conduct audits [Π2695.1]  
**augmentation:** [H595.0, Y49.3]; heat transfer augmentation [H596.1]  
**augment:** [Y70.1]  
**auspices:** under the auspices of [Π2129.1]  
**author:** [A73.0]; author is not aware of [A76.1], could the author give some guidance on [H918.1J; first author [Π47.2], he authored a total of ... publications [Я7.1]; perhaps the author would like to comment [M307.1], prevented the author from reaching firm conclusions [H988.1J; principal author [Π47.1]; authors are grateful to ... for [A75.1], authors were successful in [A74.1]; comments of the authors on this [K273.1]; in the opinion of the authors [Π406.1]; it would be interesting to have the comments of the authors on this (B379.0); leave no doubt in the minds of the present authors that, if [H964.1], perhaps the authors could clarify this point [M308.0]; present authors are uneasy about the accuracy of [H406.1]; within the knowledge of the authors [H543.2]; would the authors care to comment on [H919.1]  
**author's:** author's contribution lies in [3440.1]; to the author's knowledge [H543.1]  
**authority:** [A79.1, X31.1]; authority for the disposition [Π1030.1]; authority in the field [A78.1]; authority on [A78.2]; conveying authority to ... to ship [Y314.1]; inspection authority [H571.1]; of internationally recognized authorities [A77.1]; person in authority [Π1031.1]; recognized authorities [Π2318.1]; regulatory authorities [P607.1]  
**authorization:** authorization based on [P327.1]; authorization for alteration work [P326.1]; issuance of ... certificates of authorization [B1774.1]; written authorization [Π260.1]  
**authorize:** [P320.1]; only... are authorized for use in [P318.1], signed by authorized representatives [Π779.1]; was authorized [C243.1]  
**authorizing:** authorizing document [Д554.0]; entry No. of authorizing document and date [B1683.1]  
**automate:** [A62.1]; fully automated [Π1033.1]  
**automatic:** [A69.0]; automatic control and protection system [A71.1]; automatic trip-out [A56.2]; full automatic [Π1034.1]; in the automatic mode [B470.1]; is ... on automatic control [P615.1]; shift... to automatic [Π119.1]  
**automatically:** [A63.0]; automatically excluded [A66.1]; automatically initiate [A64.1]; is automatically activated should ... fail [Bill 4.1]; shut down automatically on [A68.1J; will not automatically assure [E210.2]  
**automation:** successfully address automation (Y436.1)  
**auxiliary:** auxiliary equipment [B 1602.2]; auxiliary power requirements [3488.1]

**avail:** is of no avail [B93.1]; to avail oneself of [B1415.0]; to avail yourself of [B1415.2]; to be of no avail [B93.0]; were to no avail [H824.1]  
**availability:** [K431.1]; are limited only by the availability of [0468.1]; availability of [H386.1]; for immediate availability [Д368.1]; it was selected for its availability, not its design [B1715.1]; loss of availability [B2025.1, Π2929.1]; off the shelf availability [Π 1447.1]; precludes the availability of sufficient [H991.1]; ready availability [P438.1]; system availability [Г109.1]; ultimate in availability [MIO.1]  
**available:** [H521.0, P369.1, C1584.1]; almost all the results available to date [Π1548.1]; are available at the site by rail (Д680.1); are available commercially [И 189.1]; are available from stock [H480.2]; are available on request from the ... office [B 1772.1]; are available through [M351.1]; are commercially available in copper [Π2720.1]; are made available to [Π1764.1]; are not ... available [01558.3]; are not known to be available in the literature [H398.2]; are not presently available [B55.1]; are not readily available [Π1185.1]; are not yet available [Π957.1]; are now available to the designer [B463.1]; as... as is available at the present time [C229.1]; as ... become available [Π390.1]; as ... becomes available [C72.3J; as available [K231.1J; available at the time [H534.1]; available experimental data [H533.1]; available for [P391.1]; available from [Д733.1, H482.1]; available information [H529.1]; available to open [P392.1J; available to [H526.1]; because of the limited time available for [H222.1]; best ... available today [J102.1]; choice of alternative courses was available of either ... or [M325.1]; copies ... are available [H489.1]; currently available commercially (H525.1); currently available from [H523.1]; data ... is not accurately available [T384.1]; depending on the material available [B113.1]; encroached on the available ... space [3520.1]; generally available [0298.1]; if available [E103.2]; information ... available from [H630.1]; is available at the appropriate time [Π1498.1]; is available for [M316.1]; is available from the ... calculations [Π1144.1]; is available on special order [Π1456.1]; is immediately available (M352.1); made available to [H522.1]; most commercially available [B220.1]; most of the available data (B221.1); nothing else has been available which has proven to be better [H1768.1]; option is available to [H487.1]; ordering information for ... is available by calling ... at [H635.1]; portion of the available results (431.1); significantly increase the available data [C1562.1]; siting ... in the available space [P272.1]; training levels of available manpower (Y372.1); was abundantly available to (H481.1); was already available (Y182.1); when more information on ... is available

[K228.1]; where available [E53.3]; widely avail-  
able to [0298.2]  
**avenue:** [Π3093.3]; avenue worth exploring [B1395.1]; only avenue open [E21.1]  
**average:** (P138.1, C1075.1, C1310.1); are the average of [Π1882.1]; arithmetic average of [C1318.1]; average ... from ... to [C1311.1]; average monthly [C1309.1]; average of [C1320.1]; average of 4 readings [C 1312.1]; average of duplicate triplicate tests [C 1321.1]; averaged over [01078.1, Y443.1]; deviated on the average by [01380.1]; is averaged over ... period [E276.1]; it takes an average of about [H205.1J]; on the average [B631.1]; represent the average density [D65.1]; statistical average frequency [C1434.1]; to take the average of (Y442.1); took an average [D318.1]; weighted average of [C1306.1]; yielded the average of [D6.1]; relative to the respective averages, the data scatter by [P174.1]  
**avert:** [Y531.4]  
**avoid:** avoid ... wherever possible [H160.1]; avoid running ... in [C602.1]; avoid running the system in an ... condition [H161.1]; care ... to avoid fire hazards [Π2957.1]; fill... order... and avoid unnecessary delays [C332.1]; have been omitted ... to avoid confusion (H1012.1); in order to avoid these difficulties [4186.1]; to avoid [H154.1]; to avoid ambiguity [4184.1J]; to avoid confusion [4185.1]; to avoid damage [B 128.1]; to avoid overlap and attendant confusion [4183.1]; to avoid unwanted clutter [4195.1]  
**avoidable:** is entirely avoidable by [M334.1]  
**avoid:** [Π908.1]; avoids the complexities [Y541.1]; is to be avoided [C601.1]; it must be assured that... be avoided [H1374.1J]; many potential hazards will be avoided [M192.1]; should be avoided [C601.2]; which should be avoided [K429.1]  
**avoiding:** avoiding ... failures [Π1778.1]; by avoiding needless waste [H156.1]  
**await:** eagerly await further developments in [0604.1]; long awaited [D76.1]; must await further investigation [H1881.1]

**back:** [B1209.0]; as far back as [E199.0]; back ... off [01300.2]; back ... one-quarter of a turn [B1750.2]; back and forth [B1040.1, B1458.1, T501.1]; back in [E199.2]; back in the early '90s [E200.1]; back off 1/4 turn [B1750.1]; back order [H1 181.1]; back substitution [0204.1]; back to the limit of its travel [D466.1]; back view [B1077.0]; go back ... to the time of [B1442.1]; history of... goes back more than ...

**award:** [3245.0]; boiler contract award [3246.1]; had been awarded ... order ... for [Π1141.1]; prize ... awarded [Π2534.2]; was awarded the contract to deliver [Π1147.1]  
**aware:** are becoming increasingly aware of (B964.1); author is not aware of [A76.1]; not aware of [H1771.1]; was well aware [X67.1]; we are not aware of any [H397.1]  
**awareness:** awareness ... that [01076.1]  
**away:** away from [B851.1, H129.2, H170.1]; be ... away from [01536.1]; break away from [01533.3]; carry heat away from [01263.1]; die away [3505.1]; died away [0927.2]; facing away from [0239.1]; far away from [Y97.1]; goes away (H838.4); in the direction away from the center [B233.1]; is spaced away ... from [01538.1]; keep ... away from [X120.1J]; little too far away from [H1345.1]; move ... away from [01479.1]; moves away from [Y94.1]; pare away [C982.1]; partly broken away view [B1077.0]; pulling away [01294.1]; rotate ... away from you [Π546.1]; safely away from [H132.1]; some distance away [H135.2]; store away from heat, open flame and direct sunlight [XI 21.1]; suggest straight away that [Π3069.1]; to die away [3505.0]; to go away [H838.0]; to steer... away from [H477.1]; trend away from [T151.1]; trend is away from [H221.1]  
**awesome:** awesome difficulties have plagued [H764.1]  
**awhile:** [H1293.2]  
**axes:** axes of symmetry [01186.1]  
**axial:** side or axial play [0926.1]  
**axially:** [B236.1]  
**axis:** aligning the axis of ... with the ... axis [B1937.1]; clears ... on the -axis [Y95.1]; is measured on the ... axis [01321.2]; semi-major [semi-minor] axis of... ellipse [B232.1]; semi-minor [semi-major] diameter ... axis [M15.1]; share a common axis [H413.2]; share the same axis [H413.1]; was ... rotating ... about... axis [B 1504.1]; was placed along the axis [Y449.1]

## B

years [H810.1]; is backed up by (Π860.3); is backed up by... years of... experience [0764.1]; is put back on line [B1269.1]; keep coming back for more [Π1473.1]; passes ... back to [B1274.5]; push... back through holes [B2008.1]; pushing ... back into [3178.1]; raises ... back to normal [B1210.1]; substituted back [Π829.1]; there is no turning back [B1262.1]; to back off [B1748.0]; to go back to [B1263.0]; to look back

- on [0434.1]; to pass back to [B1263.0]; to play back [B1434.0]; to put back [B1263.0J]; traces back the origin of... all the way to [I12908.1]; went back to [B 1274.3]
- back-calculated:** were back-calculated [I1153.1]
- back-ordered:** back-ordered and missing items from shipment [H1549.1]
- backbone:** [0953.2]; backbone that underlies [C1550.1]
- background:** against a background of [B485.0, B485.2]; against the background of [B339.0, B339.1]; against this background of apparent intractability [C166.1]; background [0953.3]; in the background [HI 03.1]; indistinguishable from the background [HI 455.1]; is the background to the idea of [I12227.1]; it is against such a background that [C 159.1]; it is against this background that [C 159.2]; theoretical background [T161.1]; With the foregoing as background [C161.1]
- backlash:** takes the backlash out of [B 1696.1]; to  
take up backlash [B 1695.1]
- backlog** [376.1]
- backup:** [I1765.1, 3378.2, P629.1]; as a backup [I1378.1]; as a backup to (B109.0, B109.5); backup system [I1764.1]; provide battery backup ... for [049.1]
- backward:** in a forward [backward] direction [B232.0]; move... backward... rearward [C382.1]
- backwards:** [3192.1]; working the analysis backwards [B1872.1]
- bad:** good or bad [B1 177.1]; is as bad as [T12.1]; is  
not as bad as it looks [HI 103.1]; not... all bad in that [HI 110.1]; the bad is that [I201.1]; which is not bad considering [4165.1]
- badly:** [K435.0]; badly needed [K442.1]; badly worn [C473.1]
- balance:** [B751.0, P107.1, C1112.1, V361.1]; achieve  
a balance between [I1706.1]; are in balance [Y361.2]; balance ... was closed to within [C311.1]; balance between [PI 09.1]; balance each other [Y362.1]; balance is maintained [C1137.1J]; balance of [01141.2]; balanced for [K278.2]; be balanced against [Y77.1]; be balanced by [Y77.2]; in some balanced manner [H90.1]; closing ... mass balance [C264.1]; come into balance [I12546.2]; developing a heat balance around [C1072.1]; force balance [PHO.lj]; fine balance [H1680.1]; from a balance of [I1137.1]; get out of balance [0683.1]; in the balance of this discussion [B383.1, B756.1]; is balanced by [Y361.3]; is obtained by direct heat balance [I1152.1]; on balance [B1062.1]; on balance, it was decided that [C158.1]; positive ... balance [I11107.1]; requirements of ... must be balanced against requirements [T426.1]; strike a balance between [I1482.1]; strive for a balance between [C1424.1]; to (counter)balance for [K278.0]; to restore the ... balance [B 1438.1]; upsets the  
balance [H517.1]; was weighed with... balance [B1060.1J]; balances around [B2.1]; balances closed to within one percent [B3.1]
- balancing:** production and field balancing [3116.1]
- balm:** balm for [I1.1]
- band:** scatter bands [I1121.1]
- bank:** data bank [B4.1]; to repay bank loans [I1596.1]
- banned:** be banned [3407.1]; to be banned [3407.0]
- ban** [I1283.0, 476.1]; bared by cutouts [0122.1]; error bars [I1285.1]
- bare:** do not touch ... with your bare hands [H852.1]
- barely:** (E2.0, M20.0); barely discernible [E9.2]; barely in excess of [E8.1 ]; barely reach the end of [H1346.1]; barely visible [E3.2]; has barely changed over the past [M26.1]
- barest:** when stripped down to its barest fundamentals [E1 13.1]
- bargaining:** [C 1194.3]
- barrel:** added protection to the barrel afforded by [I1628.1]
- barrier:** barrier to [I12028.2]; technology barriers [T244.1]
- barring:** barring unforeseen circumstances [E55.1 ]
- base:** [B531.1, I1832.1, H1914.1, H1915.1]; are based on the rationale that [01029.1]; authorization based on [P327.1]; base case [I1831.1]; based on [I1816.0, I1818.1, I1842.2, P514.1]; based on ... alone [I1819.1]; based on 100 percent [E80.1]; based on lessons learned from [0765.1]; based on the latest design practice [01032.1]; based on these data [I1825.0]; based on this [0766.1]; based on today's knowledge [I1820.1]; based solely on [I1828.1]; broader data base [B164.1]; carefully distinguished between calculations based on ... and [T516.1]; centrally based maintenance parties [I145.1]; current state of the art in ... based on [C881.1J]; data base [0968.1]; decisions for ... must... be based on [P739.1]; depress into the base [H286.1]; ground based technology [H292.1]; have been based on the philosophy that [01026.1]; is based exclusively on [01021.1]; is based on [B1745.1]; is based on recent developments concerning [01025.1]; is based upon the premise that [01022.1]; is developed based on this model [H91.1]; most firmly based [H321.1]; on a case-by-case base [01289.1]; primarily based on [01030.1]; simple theory for... based on [I12934.1]; to satisfy some of the deficiencies in the data base, regarding [I11135.1]; were based on [0844.5];  
were based on the assumption [01023.1]
- baseline:** [K365.1]; [I1829.1, I1836.1, I93.1]; base-  
line ... tests relative to the baseline for [01432.1]
- baseplate:** are mounted on a combine baseplate [Y453.1]



**basic:** [И829.0]; are basic to [Я20.1]; basic ... box [И830.1]; basic ... physics [Ф29.1]; basic appreciation of [Э77.1]; basic assumption was that [0990.1]; basic concept of... is [0976.1]; basic information of [0337.1]; basic operating principles [01008.1]; basic tenets [01007.3]; basic treatment [Э76.1]; basic trends in ... behavior [01002.1]; basic understanding (H1295.1); herein lies the basic shortcoming [B768.1]; is basic to [B318.1]; most basic [Э79.1]; there are four basic ... from which to choose [И493.1]; to provide the basic framework (of) [3231.0]; violation of the basic assumption of [A48.1]

**basically:** [B277.2, B278.1]; basically sound [B283.1, П1627.1]; principle ... is basically different [П2466.1]; they each consists, basically, of [K37.1]

**basis:** [0953.1]; are on ... basis [01024.1]; are used as a basis of design [П1116.1]; as the basis [B1075.1]; basis for selection ... rested on [B1707.1]; basis of ... success [3271.1]; compared on an equal basis [C 1281.1]; constitute a basis for [C687.1]; constructed on a modular basis [И184.1]; explained ... on the basis that [0379.1]; form the basis of a hypothesis for [П903.1]; forms the basis of [J139.3]; has been defined previously on the basis of [0839.1]; has some basis in the behavior [0276.1]; is controlled on the basis of [P611.1]; is judged... on the basis of [C1528.1J]; is the basis of [C688.1]; may not be feasible on a routine basis [B725.1]; on... semi-annual basis (P147.1J); on a ... basis [B363.0, B713.0]; on a 24 hour basis [K505.2]; on a common basis [H95.1]; on a day to day basis [H97.1]; on a gradual and limited basis [П1465.1]; on a periodic basis [H96.1]; on a project by project basis [01290.1]; on a purely intuitive basis (4105.1); on a purely theoretical basis [H99.1]; on a quantitative basis [H93.1]; on a rental basis [H92.1]; on a routine basis [P619.3]; on a test basis [B379.1J]; on a turnkey basis [П609.2]; on a weekly basis [B 1879.1]; on a worldwide basis [B197.1]; on an arbitrary basis [H94.1]; on the basis of how [И823.1]; on the basis of [B17.3, И816.0, 0851.1]; on the basis of [H83.1J]; on the basis that [H88.3]; on this basis [И826.1]; on this basis it was concluded [H89.1]; provide a significant basis for ... decisions [045.1]; regulatory basis [H1855.1]; should be evaluated on an individual basis [01638.1]; sound basis for [П3036.1]; theoretical basis ... is set forth [T160.1]; to be at the basis of [J139.0]; to form the basis for [J139.0]; to form the basis of [J139.0]; to serve as the basis for [C689.1]; using ... as a basis [И695.1]

**batchwise:** [П27.1]

**battery:** [B146.0]; battery ... operated [P90.1]; battery energized [C51.1]; operating on bat-

tery power [P66.1]; provide battery backup ... for [049.1]

**battery-powered:** [C51.2]

**beam:** illuminated by a beam of light [0916.1]

**bean** bear ... in mind [Y608.9]; bear a one-to-one relationship [П 1064.1]; bear a remarkable resemblance to [П1321.2]; bear current certifications of [И372.1]; bear down on [H254.2]; bear on [И423.3]; bear part of the responsibility for the fact that [HI 643.1]; bear responsibility for [H1642.3]; bear some similarity to [H1587.1]; bear strong influence on [0635.1]; bears a clear relationship to [И426.1]; bears a resemblance to [H462.2]; bears a striking resemblance to [П 1321.1]; bears against [0762.2]; bears little resemblance to [M31.1]; bears some discussion [И464.1]; bears some relation to [И425.1, K127.2]; it is important to bear in mind that [B797.1]; one must bear in mind [H1368.2]; to bear a relation to [И423.0]; to bear a relationship to [И423.0]; to bear on [И423.0]

**bearing:** [3595.0]; are load bearing [H1641.1]; bearing a marked resemblance to [C474.1]; bearing in mind [И361.1, П2409.1]; crucial bearing on [P731.1J]; factor that needs bearing in mind [Ф13.1]; has no bearing on [C834.1]; have ... bearing on [B 1146.5]; have a bearing on the subject [И424.1]; have an important bearing on [И389.1]; takes a long bearing [0763.1]; to have a bearing on [И423.0]; to have bearing on [BI 146.0]; without disturbing the bearings [B32.1]

became: became a problem [3501.2]; became accepted for general use [C 1405.1]; became due [И588.1]; became of extreme importance [П2475.1]; became prominent [C1382.2]; became recognized throughout the world [П1169.1]; became sidetracked by [Y580.1]; became the first casualty [B2047.1]; it became apparent that [C1414.1]; it rapidly became apparent that [B290.1]; need to ... became particularly urgent [H1403.1]; research activities ... became so widespread that [И792.1]

**because:** [T34.4]; almost certainly because [П1553.1]; arises because of [B1829.3, 0271.2, 0383.3]; arises because of the following [B 1343.1]; because ... appeared [П 1351.1]; because ... it was evident that [T35.1]; because of... considerations [П475.1]; because of... it has been decided [B495.1 ]; because of [B 110.1, B474.3, B494.0, B514.0, B1597.2, И219.1, П442.2]; because of concern [И125.0]; because of concern that [И125.3]; because of its inherent [И227.1]; because of one or more of its beneficial characteristics [B 114.1]; because of the above [B498.1]; because of the large length-to-diameter ratio [П1350.1]; because of the limited time available for [И222.1]; because of the risk of [B500.1]; because of this

[Б116.1, П448.2, П1575.6]; because some diffi-  
culty was encountered in accurately determin-  
ing [П 1352.1]; cease publication because of  
financial problems [П 1987.1]; for this reason  
and because of [П449.1]; gets its name be-  
cause [П1150.1]; if only because of [X87.1]; it  
is precisely because [И354.1]; not because of  
... but due to [H868.1]; possibly because  
[B1302.1]; presumably because of [П332.1];  
rather than because [A26.1]; rejected because  
[01310.1]; this is because of [Э159.1]; this is  
because [Д251.6, Э163.1, Э184.1, Э187.1]; this  
is not so, however, because [0577.1]; this is so  
because [Э184.2]; this ordering was chosen  
because [T58.1]; this project originated be-  
cause of [P12.1]; use of a ... expression is  
justified because [И686.1]; which is under-  
standable because of [4139.1]  
**become:** as ... become available [П390.1,  
C72.3];  
as ... becomes large [C90.1]; become a techno-  
logical leader [3335.1]; become asymptotic to  
[A159.2]; become effective [B1645.1]; become  
established [Y470.1]; become familiar with  
[0609.1]; become familiar with the ... direc-  
tions [0610.1]; become financially solvent  
[C1407.1]; become general [C1405.2]; become  
important [П2472.1]; become inoperative  
[B2046.3, П2549.1]; become magnified  
[0684.1];  
become meaningless [T200.1]; become more  
obvious [C 1395.1]; become more precise  
[Y575.1]; become more pronounced [C1377.1];  
becomes ... loose [0927.3]; becomes compli-  
cated [0937.1]; becomes essential [C1390.1J];  
becomes even a less reliable [C1386.1]; be-  
comes important [H716.1]; becomes inade-  
quate for [C 1391.1]; becomes increasingly  
evident [C 1383.1]; becomes more academic  
than of real interest [П2481.1]; becomes more  
apparent (C1399.1); becomes more clear  
[C1399.2]; becomes of interest (П2480.1); be-  
comes so ... as to be non [C1387.1]; can  
certainly become an exasperating nuisance  
[H914.1]; for ... become mandatory [B1645.2];  
for reasons which will become apparent short-  
ly [П452.1]; from the previous discussion ...  
becomes obvious [И 149.1]; has become ...  
universal [C 1413.1]; has become almost uni-  
versal [П2490.1]; has become completely in-  
operative [C890.1]; has become increasingly  
important [П2474.1]; has become popular  
[П2487.1]; has become the undisputed leader  
in [3343.2]; has now become commonplace  
[C 1412.1]; have become commercially avail-  
able [C 1416.1]; have become more favored  
[П1176.1]; have now become recognized as of  
[C416.1]; in order for a contact to become  
open [Д404.1]; it ... becomes a matter of  
extreme importance [C1381.1]; it becomes  
necessary to [П1593.1]; it has become fash-  
ionable [C 1404.1]; it has become more and more

apparent [C1396.1J; shall become null and  
void  
[T199.1]; should it become necessary to  
[E78.1];  
situation becomes increasingly intolerable  
[П1104.1]; so they will not become lost  
[4200.1];  
solution becomes indeterminate [P743.1]; this  
becomes an important consideration in  
[Э156.1];  
to become acquainted [3580.0]; to become  
certified (П 1180.1); to become confident of  
[П529.1]; to become effective [B 1645.0]; to  
become familiar [3580.0]; to become  
mandatory  
[B1645.0]; upon reflection it becomes apparent  
that [П1369.1](См. также **became**).  
**becoming:** are ... becoming commonplace  
[C1384.1]; are becoming increasingly aware of  
[B964.1]; are becoming negligible compared  
to [C1395.1]; came close to becoming  
[4227.1];  
faces the prospect of becoming [C 1371.1];  
likelihood of becoming [B909.1]  
**bed:** [C1445.2]; conditions in the majority of the  
bed [Y401.1]  
**beefing-up:** beefing-up ... is undertaken as a fix  
for the problem [Д417.1]  
**before:** [Д435.0, Д472.1, 3191.2]; 10 days before  
[36.1]; are more important concerns than ever  
before for [C412.1]; as before [K77.1, K77.2,  
П1302.1]; as mentioned before [K138.1]; be-  
fore ... after the date of [B705.1]; before ... can  
be considered for purchase [П 1960.1]; before  
... ever [E204.1]; before a significant impact on  
the problem is made [П1964.1]; before accept-  
ing this [П 1961.1]; before and after [Д445.1];  
before delving further into [П1962.1]; before  
entering into ... considerations [П1958.2];  
before going into the ... details [П1963.1];  
before it should [P351.1J; before leaving  
[П1953.1]; before long [B1588.2]; before mak-  
ing a final selection [П91.1]; before one can  
say that [П1954.1]; before others [P350.1];  
before proceeding (П 1959.1); before proceed-  
ing to [П 1955.1, П 1958.1]; before proceeding  
to the examples [П90.1]; but before this is  
dealt with it is necessary to [H1811.1]; by 10  
days before [36.2]; cannot be ascertained  
before testing [H1325.1]; has been seen before  
[H223.1]; hour before [311.1]; immediately  
before [H1240.3, H1475.1]; in the same man-  
ner as before [K77.3]; it took a considerable  
number of years before [П3017.1]; it was to be  
but a short time before [H1810.1]; long before  
[3190.0, 3190.1, 3191.3]; no less than ... before  
the ... date [H1008.1]; not less than ... before  
[H1005.1]; on 90 days ... before the end of  
[H1007.1]; one should exercise due care  
before accepting [C626.1]; remain as before  
[01113.1]; remains the same as before  
[01113.2]; same ... as before [T365.1]; shortly  
before [H1240.2, H1240.4, П89.1]; than ever  
before [K96.1,450.1]; to come before  
[П739.1];  
well before [3190.2]; with ... assumed to be  
known, as before [П2445.1]

**beforehand:** been guessed beforehand [Д522.1]  
**beg:** begs the issue [У76.2, Я15.1, Я32.1]; begs the question [Г86.1]  
**begin:** as soon as... begins [К130.1]; begin to lose their validity [П1167.1]; began again [В1352.3]; began at ... the onset of [H722.1]; instant at which ... began (M246.1); is why ... to begin with [Э 188.1]; presentation of results will begin with ... [0773.1]; scheduled to begin in the near future [H704.1]; timing ... began [H718.1]; to begin [Д357.0]; to begin again [В 1352.0]; to begin with, let us consider [В1 170.1]; to begin, it is relevant to consider [Д359.1]  
**beginning:** at the beginning of [В240.0, В 1166.0]; at the beginning of... century [В243.1]; at the beginning of... step [В245.1]; been recognized from the beginning [П 1271.1]; beginning with ... and ending with [H732.2]; beginning with ... and ranging to [H732.4]; have been conscious of ... from the beginning [П1271.2]; in the beginning [В1 166.5, С760.2]; marked the beginning of [П1118.2]; this investigation is just a beginning [Э138.1]; total since beginning of operation [И851.0]  
**behave:** behave ... as [В943.2]; behave in much the same way ... as [В199.1]; behave like a [В946.1]; behave somewhat differently [В942.1]; behave this way [В947.1 ]; behave well [В949.1 ]; behaves in a ... manner [В943.3]; behaves in a somewhat peculiar manner [В944.1]; behaves in the opposite way [В948.1]; not all... behave in this way [H777.1]; to behave [В932.0]; was well behaved [К185.1]; well behaved [X72.2]  
**behavior:** [3104.0, К184.0, К474.2, X2.1]; basic trends in ... behavior [01002.1]; behavior of... versus [3107.1]; combustion behavior [X6.3]; for behavior [Д385.0]; for proper ... behavior [Д386.1]; general behavior [0326.1]; has some basis in the behavior [0276.1]; opposite behavior [П2960.1]; unusual wetting behavior [H1430.1]  
**behind:** [31.0, П901.1, С452.2]; behind ... is 8 years of... technology [В273.1]; from behind [И219.0]; has ... lagged a few years behind [01532.1]; idea behind [И103.1]; is behind us [01109.1]; is the driving force behind [С1458.1]; just behind [H1478.1]; leaving behind [01136.1]; negative aspects ... to be left behind [У540.1]; philosophy behind the design [П2464.1]; philosophy behind the use of [П2463.2]; powerful force behind [M404.1]; principle behind the use of [П2463.1]; reasons behind [П2576.1]  
**behoove:** it behooves [H280.1]  
**being:** all other factors being equal [П2158.2]; and it is to this last aspect that most ... attention is being directed [И32.1]; are being forwarded [01489.1]; are being initiated [H713.2]; are being introduced for use on

selected [В 1189.1]; are being reported under separate title [С996.1]; are being upgraded continually [H1527.4]; as ... is being loaded [В35.1]; as evidenced by ... being illuminated [014.1]; as well as being able to predict [П1252.1]; being ... only of interest to the initiated [П1864.1]; being ... update [0140.1]; being considered [P489.9]; being fixed at [В332.1]; being of current interest [П 1865.1]; being of permanent interest [П1868.1]; being prepared for production [П693.1]; being present in person [Л66.1]; being tested (И769.1); being the most popular [П 1228.1]; capable of being read to [С85.1]; capable of being read [И519.1]; close to being finalized [В 133.1]; come into being [В1339.2]; differ ... in being [01399.1]; due to ... being very busy [В515.1]; explanation ... is still being sought [E205.1]; feasibility of adapting ... to ... is ... being evaluated [И326.1]; for all other factors being equal [П2118.1]; for the time being [В45.0, В45.3]; has the merit of being simple to apply [Д740.1]; importance of being able to [К57.1]; in addition to being (П 1251.1); in return for being able to [Л82.1]; is being sought at this time [В47.1]; is in the process of being produced [H642.1]; is taking a chance of being in error [P751.1]; main difference being in [0996.1]; material being cut [В1964.1]; merits being described as [3462.1]; other things being equal [И54.1, П2158.1]; reduces possibility of... being accidentally switched on [У257.1]; show potential for being [П258.1]; shows promise of being [061.1]; solutions are being pursued [П947.1]; some being greater than others [У8.1]; these hopes show little promise of being fulfilled [M45.0]; this being the case [A36.4]; to come into being [В1339.0]; virtues of being [Т77.1]; we are now at the point of being able to [Т175.1]; were willing to suffer some inconvenience in return for being able to [С930.1]  
**belief:** contrary to popular belief [В 1389.1]; mistaken belief [01700.1]  
**believe:** believed to be [П328.8]; are believed [H281.1]; as previously believed [H1106.1]; few years ago it was believed [H1582.1]; if one can believe that (E68.1); it is believed that [M348.1, П1008.1]; many believe [M191.2]; there is every reason to believe that [Е1 92.1]; there is good reason to believe [И502.1]; to believe [Д766.0]  
**belong:** belong to [01443.2]; belong to ... groups [П2400.1]; belongs among [П2401.1]  
**below:** [M92.0, H4.1, H1712.1, П604.1]; are displaced below ... by [С735.1]; at a cost below the original projections [П487.1]; below ... minutes [M101.1]; below is [H1721.1]; below which (С1572.1); counterst... below [У553.1]; critical value below which [К493.1]; far below

[3627.1]; from below [C781.1]; has been solved in a manner to be described below [P726.1]; indicator light is on when ... is below normal [И552.1]; just below [H1477.2]; much below [H423.1]; only few ... below [B1569.1]; pursuant to the schedule below [B596.1]; reduces ... to below the limits of accurate chemical analysis [C766.1]; somewhat below expectation [H1607.1]; somewhere below [above] (Г31.1)

**belt:** disengage the ... belt from the pulley [C794.1]

**bench:** [Л11.0]

**bend:** taking care not to bend ... at any time [B1550.1]

**bending:** in bending [P87.1]

**beneath:** beneath [H1712.2]; do not stand beneath the booms [H1093.1]; from beneath [И324.1, C781.2]; just beneath [H1477.1]

**beneficial:** [B117.0, B1760.2]; because of one or more of its beneficial characteristics [Б 114.1]; beneficial effect of [B118.2]; beneficial in [П1017.1, П1017.2]; had the beneficial effects of reducing [0625.1]; has a beneficial effect on [C515.1]; has no beneficial effect [H819.1J]; have beneficial effects in [B122.3]; it is beneficial [B 1762.0]; it is beneficial to design for [B1765.1J]; it would generally be beneficial to [0401.1]; produces all the beneficial effects [075.1]; that ... which is most beneficial [T349.1]; to have beneficial effect in [B122.0]

**benefit:** [B1756.0, П1021.1, П2455.2]; added benefit [Д637.1]; additional benefit in going to [Д623.1]; additional benefit of [Д638.1]; affords many benefits compared with [И437.1]; as a benefit of [B110.0, B110.3]; benefit from [И180.1]; benefit of [B1758.1]; benefited from [B1839.1J]; benefits ... be retained [CH35.1]; benefits arising from [B1757.1]; confer... extra benefit [Д13.1]; conferred substantial benefit [П2456.1]; derived benefit of [0536.1]; directly benefit from [П 1131.1]; full benefit of... is not realized (П 1982.1); harness the powers of nature for the benefit of mankind [0220.1]; has benefited from ... criticism [Y611.1]; inure to the benefit of (C681.1J); net weight benefit [4110.1]; offer no benefit (H813.1); offers substantial benefits [080.1]; other areas which may benefit from this work are [P2.1]; other benefits include [K21.1]; perceived benefit [01703.1]; provide every benefit of [П1760.1]; side benefit [П526.1]; some of the benefit... is lost [432.1]; stand to benefit... from [H237.1]; there are no significant benefits to install [Y500.1]; there is hardly any benefit from [E5.1]; to maximize the benefit of [И181.2]; will be of no benefit [H812.1]; will benefit from [T307.1]; without benefit of [B44.2]; without the benefit of [B20.1]; would appear to offer no benefit [П341.1]

**benign:** most benign conditions [H306.1]

**bent:** bent 90 degrees [И320.1]; bent round ... radius [3137.1]

**besides:** [K500.0]; besides having [A21.1]

**best:** [C218.1]; approximate at best [B536.1]; are best forwarded to [Л11 2.1]; are best operated at [Л114.1]; at best [B535.1, B535.2]; at best,... debatable, at worst, mistaken [B537.1]; be the best way to evaluate [01631.1]; best ... available today [Л102.1]; best... candidate [H353.1]; best choice [H353.2]; best fills your needs [H358.1]; best fit [K474.0, H332.1J]; best fit to the data [H352.1]; best illustrate [Л11 1.1]; best knowledge [HI 825.1]; best means of assuring positive [H354.1]; best trade practices [C235.1]; best which can be done [C231.1]; combines ... the best features [0354.1]; common method, although perhaps not the best [0307.1]; despite the best of intentions [K52.1]; drawing a best line through the data [И2614.1]; for the best results [4190.1]; gave the best results [Д57.1]; have the best chance of success [И374.1]; it is best to have this done by [Л106.1]; it is in the best interest of both the... and the [B132.1]; presents the best answer for [H357.1, C698.1]; provided the best tolerance to misalignment [Д659.1]; shows ... to least [best] advantage [П976.1]; this is best illustrated by an example [Л113.0]; to best compromise [H604.1]; to the best of... now operating [Л103.1]; to the best of our knowledge [H544.2]; use its best efforts to [П2417.1]; works best [Д57.2]

**bestow:** honors were bestowed upon [B340.1];

prizes ... be bestowed [П2534.1]

**better:** [B201.0, Л104.0, Y247.1]; accuracy better than 1 percent of [П601.1]; and all the better for it [И80.1]; are little, if any, better than [E126.1]; better appreciation of [B177.1]; better on [Л105.1]; better still [E206.1]; better suited to ... than to [B210.1]; can better be appreciated [M353.1]; factor two better [P152.1]; for lack of a better term [333.1]; give better agreement [Л109.1]; have a much better understanding of [3622.1]; have better economy [B200.1]; if progress is to be made toward a better understanding of [E134.1]; in the absence of better information [332.1]; is ... a better choice [Л107.1]; is a better means by which to [П913.1]; is actually better [Ф10.1]; nothing else has been available which has proven to be better [H1768.1]; one of the better summaries [0512.1]; or better yet [И339.1]; promises to get better [062.1]; provides a better match to the load requirements [Л110.1]; provides a strong impetus toward achieving a better understanding of [C1457.1]; same as or better than [T80.1]; should lead to better results [Д587.1]; substantially better [3621.2]; systems can do it better

[C63.1], there's no better opportunity than [Д 431.1]; to acquire a better understanding of [Л108.1]; was better [Б310.1]; within a factor of two or better [H745.1]  
**between:** [Д321.0, Д321.1, M80.0]; achieve a balance between (Д706.1); agreement between [C901.1], amounted to between 10 and 15 percent [Д705.1]; and constitutes the major difference between [B767.1]; angle between ... and [Y80.1]; are not ... sensitive enough to distinguish between ... and [H929.1]; at the interface between [H105.2]; be interposed between [Y451.1]; be midway between [3348.4]; be varied between... and [И282.3]; between 30 percent and 70 percent [01202.1]; between now and about [M81.1]; bridges the gap between [П117.1]; but there is little common ground between [H1798.1]; by a factor of between 3 and 7 [B437.2]; by-pass between [0289.1]; carefully distinguished between calculations based on ... and [T516.1]; chemical reaction between [X23.1]; clear pattern between [480.1]; clear spacing between [C304.1]; clearance between [3206.1]; clearly distinguish between [484.1]; close collaboration between [T208.1]; close relationship between [T205.2]; compromise between conflicting requirements [K306.1]; conflict between [П2972.1]; connect voltmeter between terminals [П729.1]; difference between [P284.1]; differential expansion between ... and [P277.1]; differentiate between [P193.1]; differentiation between ... and [P192.2]; discrepancy between [P540.3]; discriminability between ... is decreased [B1321.1]; discriminate between [P221.2, Y240.1]; distinction between ... and [P192.1]; distinguish between [01373.1, P221.1];  
 divergence between [P540.2]; eliminating ... between ... and ... yields [П838.1]; favorable comparisons were shown between [П2135.1]; fill the gap between [Л49.1]; following ... can differentiate between them: [P223.1]; gap between theory and observation [P335.1]; gap between (P540.4); grade ... between ... elevations (Y232.1); halfway between [П1434.2]; in a cooperative effort between [B478.1]; in between [3348.5, M80.0]; indicates a direct link between [Y210.1]; integration of ... between ... and [И585.2]; interaction between [B1050.1]; interconnection between [B1057.0]; intermediate between the extreme values [П2843.1]; interplay between [B1057.0]; interposed between [П1242.2]; intimate relationship between [T205.1]; is no choice between using [B79.1]; length between the centerlines of [Д294.1]; located between [P396.1]; major difference between ... was in [0994.1]; many similarities between [B252.1, M1 96.1]; marked similarity between [B251.1]; Mean Time Between Failures [C1315.1]; midway between

[П1434.1]; no difference was established between [Y488.1]; no distinction is made between [H827.1]; one-to-one correspondence between [П1088.1]; oscillated between ... and [K249.1]; overlap between [411.1]; power function relation between [C1454.1]; redistributing ... between [П158.2]; relation between... is commonly expressed as (C1034.1); relationship between [C1033.1]; residual between [P284.2]; responsibility is ... split between [P426.1]; sandwiched between [3197.1, П1242.1, П396.2]; seek an optimum path between [И643.1]; shared ... between [P202.1]; shared equally between [P431.1]; similarity between [C1606.2]; small difference between [M16.1]; somewhere between [Г30.1]; spacing between pulses [И599.1]; span ... between ... and [01616.2]; spread between [P276.1]; strike a balance between [Д482.1]; strive for a balance between [C1424.1]; switch between formats [П122.1]; there is a close relation between ... and [C1581.1]; there is little common ground between ... and [И491.1]; there is no choice between [B78.0]; there is very little difference between ... and [P229.1]; there shall not be a greater difference than ... between the highest and the lowest temperature [P285.1]; through an extensive interplay between [Б 113.1]; time between overhauls [B1529.1]; time between repairs [M85.0]; to allow comparison between [И370.1]; to apportion between [P424.1]; to decide between [Д197.1]; to distinguish between a fault in ... or in [4210.1]; toggles between ... and ... mode [П120.1]; trade-off between [K305.1]; transitions between [П187.1]; trapped between [H690.1]; varied ... between [И284.2]; walk a fine line between [C1 138.1]; was clamped ... between (3199.1); was intermediate between [3348.1]; was strung ... between [H588.1]; wire colors vary between manufacturers [Y10.1]

**beveled:** [C517.1]

**beyond:** [B1 172.2, B2065.2, 31.1, 343.0, 347.1, K500.4, П1246.5]; are ... beyond adequate description by [H912.1]; beyond ... described [П1248.1]; beyond a doubt [B55.0]; beyond dispute [B102.0]; Beyond dispute [B1 173.4]; beyond reason [348.1]; beyond reasonable doubt [C191.1]; beyond the ... capabilities [B2036.1]; Beyond the consideration of [E142.1]; Beyond the fact that [329.4]; beyond the resolving power [346.1]; beyond those given... [П1249.1]; beyond those needed for [П1250.1]; beyond which [345.1]; capabilities beyond [B 1324.1]; causes completely beyond our control have made it impossible [П444.1]; drop ... digits beyond [01215.1]; due to circumstances beyond our control [П411.1]; effect of... does not radiate beyond [B1137.1]; for reasons beyond the control of [П443.1]; goes well

- beyond [H431.1]; have yet been developed beyond the laboratory stage [B2045.1]; improved beyond [Y242.1], increased to values beyond [Y59.1]; is ... beyond the capabilities of [B2033.1]; is far beyond the scope of [B2039.2];  
is well beyond the scope [B2039.1]; none ... have ... been developed beyond the laboratory stage [H804.1]; operate much beyond the ... point [P51.1]; over and beyond [B109.3]; over and beyond this [K501.8]; passed beyond the control [B2043.2]; protruded beyond the confines of [B 1995.1], reach far beyond our expectations [H429.1]; step beyond [II3.1]; there seems to be a threshold beyond which [C1577.1]; was ... beyond serviceable limits [II1697.1]; was beyond the scope [B2038.1]
- bias:** bias and variability [C501.1], bias towards or  
against [II2529.1]; biases applied to reflect [B1231.2]; experimental bias [Э34.1]; is biased  
toward optimism [Д59.1]; to apply a bias to reflect [B1227.0];
- bibliography:** recent bibliography [C1 188.1]  
bid:bidson[K277.1]
- bidding:** in a competitive bidding process [B740.1]
- big:** caught on big with [H622.1]  
**bigger:** must be no bigger than [H832.2]  
**biggest:** biggest handicap in the hardware was [H351.1]
- bill:** [B865.0]; bill of quantities [B873.0]; bill of quantities for building and erection works [B874.0]; Bills of Quantities (C1 177.1); master  
bill of materials [C1179.1]; order bill of materials [B877.1]; railway bill [Ж9.0]
- binding:** [3194.1, II2520.3], is binding upon [H378.1]
- biographical:** it is fitting to close this biographical sketch of [Y285.1]
- biology:** branch of biology [093.1]  
**birthday:** celebrates its sixth birthday [II 1637.1]
- bit:** is a bit surprising [H1347.1]; looks every bit as good as [B1752.1]; move... a bit [II678.1]; to  
consider in a bit more detail [P472.1]  
bite: real bite [H1418.1]  
**bitter** learn ... by bitter experience [II1468.1]
- blade:** blade spacing constraints [0445.1]; number of blades per stage [499.1]
- blade-to-blade:** blade-to-blade distance [P499.1]
- blanche:** carte blanche [K 183.1]; carte blanche to  
use[ni082.1]
- blank:** blank incomplete spaces [II3087.1]; blank run [C641.1J]; blanked off [3138.1]; to blank off  
[3138.0]
- blatant:** blatant errors [Я53.1]
- bleed:** bleed the air [B1925.2]; to bleed [B1924.0]
- blend:** blend in smoothly with [II200.1]; blends... with[C726.1]
- blending:** blending [C265.1]; chance blending [C714.1]
- blind:** to blind [3138.0]  
**blinded:** [3138.2]
- blister:** tendency for ... to blister [0395.1]
- block:** [B146.0]; block diagram [B147.2]; stumbling block [K172.1, K172.2]; greatest stumbling blocks in furthering our business [C441.1]
- blockage:** cross sectional blockage [3143.1]
- blow:** blow ... dry with compressed air [B2004.1];  
light... blows [JI13.1]; to blow off [C1273.2]
- blue: pale blue [Б 125.1]
- blue-print** [K374.0]
- blunt:** blunt all sharp edges [3504.0]; blunt to a radius of 1.5 mm [3503.0]; to blunt [3502.0]
- blush:** at first blush [H13.3]; at first blush appear [II996.2]
- board:** is on the Board of Directors [B1674.1]
- body:** body of the paper [0981.1]; considerable body of [3611.1]; exist extensive bodies of literature [0296.4]; extensive body of [B240.0]; extensive body of experimental data [B245.1]; great body of [B240.0]; growing body of evidence (P522.1); in the body of the standard [B684.1]; large body of [B240.0]; large body of ... literature [0296.2]; rather diffuse body of evidence [B244.1]; regulatory bodies [P607.2J]; while there is an extensive body of research literature devoted to [X106.1]
- boiler:** boiler contract award [3246.1]; prototype boiler [0896.1]
- boil:** boils down to [C322.4]
- boldface:** to designate boldface type [Д375.1]
- bolster:** has been bolstered [II708.3]
- bolt:** are ... bolted together [C960.1J]; bolt ... to [II2337.1]; bolt holes [01222.1]; bolted to [II2343.1, C969.1]; retighten bolts [II869.1]; retighten bolts on [II870.1]; to loosen the ... bolts [0930.1]
- bond: bonded to [II2333.1]
- books:** entire books have been written on this subject [H169.1]; reference books [C1253.1]
- boom:** do not stand beneath the booms [H1093.1]
- border, to border [Г116.0]
- borderline:** borderline [Г111.0]; borderline of stability [Г113.1]
- bore:** [B1236.1, Д280.2]; bore = ID [Д280.0];  
bored [II2899.2]; nominal bore [NB] [Д280.0]
- borne:** also borne out is the fact that [II861.1]; are  
... borne out [II860.6]; be borne in mind [II2408.7]; gas borne [H1635.1]; it should ... be  
borne in mind [C603.1]; it should be borne in mind that [C619.1]
- borrow:** borrow extensively from [M209.1]
- both:** (И67.1, 021.1, 022.1); after making equations ... dimensionless by dividing both sides by [II1364.1]; appears ... on both sides of the equation [B1670.1]; both... and [И2.1, K119.1]; both here and abroad (K 121.1); both higher than, and lower than [K122.1]; both required to be considered [T451.1]; both similarities and differences [K 125.1]; combination of both [K269.1]; either of the both [JI120.3]; has both advantages and disadvantages [И381.1]; have

- both qualities [077.1]; in both costs and ... efficiency [K123.1]; in either or both [B130.1]; in terms of both ... and [B299.1]; it is in the best interest of both the ... and the [B132.1]; it is in the interests of both the ... and [B132.2]; on both sides [П141.1]; on both sides of [П145.1]; or both [И60.1, И338.1, Л46.1]; significant expenditure of both manpower and energy [B255.1]; yield a saving in both development time and cost [П935.1]
- bothersome:** one bothersome point is that [H1603.1]
- bottleneck:** major bottleneck [H336.1]
- bottom:** [H1723.1, C195.1]; add oil as necessary to maintain the level at the bottom of the fill plug hole [Д600.0]; at ... bottom [C781.4J]; at bottom [B276.1, П488.1]; at the bottom end [H64.1]; bottom of [H1729.1]; bottom view [B1077.0]; bottomed out [Д719.1]; bottoms out [C195.2], from top left to bottom right [C281.1J]; on the bottom [HI 57.1]; ranked at or near the bottom of the list [3334.1]; sinks to the ... bottom [0874.1]; top to bottom [C280.1]; two screws each at top and bottom [П363.1]; until it bottoms on [Д474.1]
- bottom-most:** bottom-most position [C228.1]
- bound:** [Г111.0, C350.1]; are bounded by ... and [0478.1]; bounded within ... narrow limits [0470.1]; cable No. bound to [H1841.1]; is ... within the error bounds of [H638.1]; lower bound on [H1727.1J]; this is bound to be [0427.1]; upper bound on [B920.1]; upper bound to [B923.1]; were bound tightly together [T499.1]
- boundary:** [Г111.0]; also to ... specification of the boundary conditions on [H391.1]; at the grain boundaries [П359.1]; boundary condition [Г 118.1]; boundary value problem [K434.1]; initial and boundary conditions [H712.1]; on the boundary [H41.1]; over... stability boundary [313.1]; relaxation of... boundary condition [C798.1]; to satisfy the boundary condition ... it is required [И138.1]; within the boundaries [B390.0]
- box:** [P340.1]; basic ... box [И830.1]
- brace:** [Ф19.1]; expression inside of the braces [B1960.1]
- bracket:** bracketed expression [B1959.1]; brackets [K210.1]; exponential bracket [C530.1]; mount ... onto the bracket [Y481.1]; sign on the bracket [3576.1 j]
- brainpower:** [H600.1]
- brake:** braked to an abrupt halt [P635.1]
- branch:** branch of biology [093.1]; branch offices [Ф32.1]; branch to [П194.3]; branches of industry [01507.2]; diverge in branches [P449.1]; in a branch of industry [B314.0]; to save time send all orders for parts to the nearest branch office or agent [Д422.0];
- brand:** [K220.0]
- brassboard:** [Э32.1]
- braze:** brazed into [B 1449.1]
- breadboard:** breadboard [Л11.0, M1.1, M2.1, Ф58.1]; breadboard version [Л12.1]
- break:** [C665.1]; be broken into [C520.3]; break away from [01533.3]; break loose [B2043.3]; break off [01516.1]; breaks in two [P218.1]; broke ground for its ... plant [П2532.1]; broke up into discrete droplets [PI 62.1]; broken down into a number of [PI 60.1, P208.1]; broken into the ... categories [P159.1]; broken line [И41.1]; broken new ground [C977.2]; has just broken [T325.1]; is broken down to [P363.1]; is broken off [01370.1]; just prior to break [HI 481.1]; makes or breaks contact [3316.1]; partly broken away view [B1077.0]; should... break [H149.1]
- break-down:** [A60.0]
- break-even:** [B80.1]
- break-in:** break-in period [П232.1]
- breakage:** [P333.3]; run the risk of ... breakage [П666.1]
- breakdown:** [П2119.1, P358.2]; breakdown... into [P247.1]; breakdown of... at [P163.1]; breakdown of... hypothesis [H526.1]; on the verge of breakdown [H40.1, П622.1]; parts breakdown [C 1175.2]
- breaker:** reset breaker [B900.0]
- breaking:** breaking new ground [П2834.1]
- breakthrough:** [Д729.0]; breakthrough came with the introduction of [T236.1]; design breakthroughs [Y415.2]; technical breakthrough [T228.1]; technological breakthroughs [T228.2]
- breathing:** breathing space [П113.1]
- brevity:** for the sake of brevity [B748.1, Д351.1]
- bridge:** bridges the gap between [П 117.1]
- brief:** [K386.0, K449.0]; as brief as [B1566.0]; as brief as a few seconds [B1571.1J]; brief ... period [K387.1]; brief account [K455.1]; drawing and brief description of its views [K456.0]; following is a brief discussion of [H1715.1, H1715.2]; following is a brief summary [H1722.1]; merits brief mention [3461.1]
- briefly:** [Bl 123.1, El 15.1]; briefly recount [K459.1]; here will focus briefly [P484.1]; is described briefly as follows [M343.1]; to briefly summarize [K458.1]; ventured briefly into the field [П728.1]; will now be briefly described [T174.1]
- bring:** bring ... into coincidence with [C866.2]; bring ... into specification [01510.1]; bring ... on stream (П3082.6); bring ... to a dead end [3125.1]; bring ... to a stop immediately [01156.1]; bring in its train [B1129.4]; bring the matter to the attention of [Д602.1]; bring up the ... point [П753.2]; in order to bring the magnitude ... into perspective [4203.1]; bringing to ... attention the similarities [0211.1]; brings about a ... decrease in [П2243.1]; brings to the attention of [П 1726.1]; brings together [C804.1]; brings within sight [П932.1]; in

bringing together the results [0355.1]; to bring [B 1129.0]; to bring ... into disrepute [H241.1]; to bring ... to a head [Д490.1]; to bring ... to a state of [Д492.1, П2218.1]; to bring about [Л365.0]; to bring an action against [B1253.0]; to bring forward [B1777.0]; to bring in its train [B 1129.0]; to bring into operation [B1 110.0]; to bring into view [B1777.0]; to bring out [B1736.0]; to bring promptly to the attention of the company any [H1248.1]; to bring the total to [Д495.1]; to bring to [Д489.0]; to bring up to [Д 489.0]; will bring down the time consumption [П932.1]. (См. также **brought**).

**brink**: were poised on the brink of [H678.1]  
**broad**: are in broad correspondence with [B263.1];

broad line [III14.1]; broad picture remains the same [0328.1]; broader concept of [B199.1]; broader data base [B 164.1]; comes in a broad selection of grades [B1928.1]; describe in broad outline [0776.1]; give a broad indication of [Д42.1]; have broad application in [H615.1]; highlight, in broad terms [0247.1]; in broad terms [B265.2, B1372.3]; in the broadest sense [B583.1]; sketch the broad outlines [0777.1]

**broaden**: to broaden the range of [P568.1]

**broadly**: attempts to answer, albeit broadly, the ... question [Д217.1]; be broadly classed as [01439.1]; broadly speaking [B1372.2]; fall broadly into three groups [P432.1]

**broken-line**: broken-line curve [III41.2]

**brought**: are brought into contact with [П2217.1];

are brought out to [B 1743.1]; are brought together [П2245.1]; are brought together in [0353.1]; be brought to equilibrium [П2214.1]; brought a new dimension of [П2292.1]; brought about [B 1836.1]; brought closer [C244.1]; brought into focus the importance [П878.4]; brought into view a further requirement [B1780.1]; brought out by [B2087.3]; brought to a sharper focus [P470.1]; brought to [Д489.1];

brought to the attention [Д491.2]; brought to the notice of [Д491.1]; brought up to [Д489.2];

conflict ... be brought to the attention of [0210.1]; fire was brought under control [Л100.1]; had been brought about by [Я29.6];

has brought ... into sharper focus [3472.1];

shall be brought to the attention [Д590.1]; was brought to a head [0175.1]; were brought on line [П3082.4]

**brought-in**: brought-in articles [K301.0]

**brown**: exhibited a brown coloration [П2484.1]

**brush**: [C721.1]; be brushed on [H452.1]; brush on one coat of [H451.1]

**bubble**: collapse velocity of... bubble [C548.1]

**budget**: power budget [B893.1]

**bug**: technical bugs [T241.1]

**build**: [B810.0, K334.0]; build up ... pressure [П1755.1]; build up of work [H500.1]; it can

build up no further [Д105.1]; there is no great interest on the part of ... to build [Y9.1]; to build [И183.0]; to build into [B1614.0, 3228.0]; to build up [B1361.0]. (См. также **built**).

**build-up (buildup)**: [B1360.1, H376.2, P175.1, Y49.2]; carbon buildup [H499.1]

**builder**: builders' work [C1506.1]

**building**: administration building [A82.1]; bill of quantities for building and erection works [B874.0]; building of ... structures [П1483.1]; inside of buildings [B1239.1]

**built**: [B1910.0, П1484.1]; are castles built on sand [П1492.1]; built from drawings [C1514.1]; built into [B1614.1, B1616.1]; built to [B1915.1, И200.1]; dependability is built into (3230.1); designed, built and tested at [C1258.1]; margin of safety built into [3375.1]; was built... to the design of [П1490.1]

**bulk**: [C1310.6]; bulk of [B236.1, 3609.4, 0977.1];

bulk of published information [0978.1]; in bulk [B58.1]; to load in bulk [Г136.0]; to ship in bulk [Г136.0]

**burden**: is an unnecessary burden [HI 151.1]

**bum**: designed to burn [C 1259.1]; hard to bum [T491.1]

**burrs**: reamed clean of burrs [P 178.1]

**burst**: burst into four parts [P219.1]; in short bursts [469.1]

**bushing**: in fairness to the bushing seal [C 1244.1]

**business**: business links [Д253.1]; greatest stumbling blocks in furthering our business [C441.1]; setting up business correspondence [Y506.1]; should state his business connection the title of his position [Y204.1]; slowdown in business activity [C774.1, C1150.1]; won ... sensor business ... with [П1142.1]

**busy**: due to ... being very busy [B515.1]

**but**: [A1.0, B1566.0, 316.0, 316.5, K500.0, K500.5,

Л80.0, Л80.1, T300.1]; above are but two examples of [Э122.1]; all but [E7.1, П1542.1, 4229.1]; all but one [B 1006.1]; almost but not quite [П1557.1]; and finally, but not least [И48.1]; anything but [01472.3]; are but a few of [Э123.1]; are dependent not only on ... but even more so on [394.1]; are welcome but not required (Ж6.1); but at least [HI 802.1]; but for [E110.0, E110.1, E145.0]; but for different reasons [H 1807.1]; but for the fact that [E 112.1 j ;

but fortunately [H1797.1J; but if ... [E121.1];

but instead to [A6.1]; but more importantly [H1818.1]; but never less than [H1806.1]; but not [A24.0, X96.1J; but not (the) least [И48.0]; but not by a wide margin [H 1815.1]; but not so

... that [H1781.1]; but not to the degree that apparently occurred [H1801.1]; but not why it fails [A31.1]; but notwithstanding this [H1804.1J;

but once again (0570.1J; but one [B1567.1];

but otherwise [A4.1J; but rather [A23.1]; but the fact remains that [H1817.1]; but the main point is that (H1784.1J; but the significance of



this is not known [017.1]; but, again [H1791.1];  
 but, as will subsequently be shown [H1793.1];  
 chief difference is not... but [0995.1]; consider not... but one [P467.1]; enough ... but at the same time, not so [B306.1]; for all but [D329.1];  
 for not only... but also for [HI 116.2]; for some ... but not all [D362.1]; has little recourse but to [H1767.1]; but without success [H1823.1]; ideally ... but in actuality [B 126.1]; in a small but significant number of cases [B542.1]; in all but ... cases [B564.1]; in any but [H124.1]; in the near vicinity of, but greater than [01653.1];  
 interdependent, but ... not the same thing [B1056.1], is not in the ... but in that [H762.1]; is up to, but not greater than [D709.1]; it was to be but a short time before [H1810.1]; large but rather diffuse body of evidence [B244.1]; lies not ... but in [3244.2]; lies not in ... but instead in [3244.1]; make ... all but impossible [D206.1]; nearly, but not exactly [H1557.2]; necessary, but not sufficient [H1415.1]; no alternative but [H1646.1]; not ... but instead [H741.1]; not because of ... but due to [H868.1]; not only ... but also [H1118.1]; not only directly ... but also indirectly [H1117.1]; not only for... but also for [HI 116.1]; not only

for ... considerations, but also [HI 120.1]; not so much ... but [HI 095.3]; not to ... but rather to [H1098.1]; numerically equal, but of opposite sign [PI 32.1]; over all but the extremes of the ... range [B101.1]; overestimate ... by a small, but significant margin [3132.1]; purpose is not to extend ... but to [H17.1]; purpose of... is not to ... but rather to [H22.1]; serve to illustrate but are not intended to limit the present invention [H1872.1]; similar to ... but with somewhat different [A135.1]; some, but not all, of the more prominent [H1302.1]; sufficient but not a necessary requirement [D703.1]; there is no question but that [HI 652.2]; to give the trends but not precise numerical answers [C175.1]; to name but a few [H38.0]; yielded some, but not total success [H2244.1]

**button:** button ... released [01496.1]; hold ... button down [Y126.1]; press... button [H285.1]; press the ... button [H285.2]; with the ... button pressed [H2092.1]

**buttoness:** [H730.1]

**buy:** to buy ... from [3268.1]

**by-pass:** by-pass between [0289.1]

**byproduct:** [H1524.1]

## C

**cable:** cable No. bound to [H1841.1J]; remove the ... cable [01525.1]; termination of ... cable [3184.1]

**calculate:** [B2061.1, P507.1]; attempts to calculate [H1315.1]; calculated by means of Formula [B2060.1]; calculated directly from [B2056.1];

calculated from [B2055.1, H842.1]; calculated from a knowledge of [B2057.1]; calculated from Formula (B2060.2); calculated in accordance with the methodology [B2058.1]; can be calculated from a knowledge of [M366.1]; test calculated [P515.1]; time required to calculate [B1543.1]; to calculate [B2053.0]; was calculated by the measurements [B2059.1]

**calculating:** difficulties in calculating [3494.1]; for ease in calculating [D372.1]

**calculation:** [B2052.0]; adequate for engineering calculations [D701.1]; amenable to calculation [H707.1]; assumed value for preliminary calculation [3600.0]; calculation ... preliminary [H2328.1]; carefully distinguished between calculations based on ... and [T516.1]; following the calculation procedure [C596.1]; higher ... than would be predicted by ... calculations [B156.1]; in order to limit the calculations required [4216.1]; is available from the ...

calculations [H1144.1]; permits the calculation of [H904.1]; predictions... calculations [P545.1];

required calculations ... be much less than that [0364.1]; sample calculations [H2379.1]; will permit calculation of ... as a function of [H926.1]

**calibrate:** calibrated against [K 171.1]; calibrated ... against a ... reference [T120.1]; calibrated against the ... master [T119.1]; was calibrated against [Til 8.1]

**calibrating:** by calibrating [E82.1]

**calibration:** be out of calibration [H524.1]; calibration procedure [M167.1]; impedes ... calibration [3498.1]; invalidate the calibration setting [H519.1]

**call:** are ... called upon to [B303.2]; are called into

play [B839.1]; call for specialist knowledge [T445.1]; call for supporting data [H 1530.1]; called into question [H 1444.1]; can be called into question [M345.1]; certain ... call for [B251.1]; henceforth called [H1717.1]; henceforth to be called [K411.1]; I take this opportunity to call your attention to [H 1222.1]; if we can call it that [E49.1]; if we choose to call it such [E140.1]; is called [H300.6]; is called upon [01198.1]; loosely called [H301.1J]; meet-

ing was called to order [0371.1]; regardless of what it is called [B1 175.1]; specification calls for [I1501.1]; specification of ... is called for [T450.1]; to be called upon [B303.O]; to call into question [C1361.1]; to call the... attention to [0208.1]; was called for [T448.1]; what is now called [T278.1]; without having to call on [B49.1]

**calling:** calling for [II 1751.2]; ordering information for... is available by calling ... at [И635.1]

**came:** breakthrough came with the introduction of [T236.1]; came close to becoming [4227.1]; came from [Я29.4]; came in rather handy [II2570.1]; came out ... lukewarm about [B1979.1]; came out favorably inclined toward [B1976.1]; came to light [II1587.2]; first indication of ... came from [II64.1]; problem came into even sharper focus [II2600.1]. (См. также **come**, comes).

**campaign:** [K173.0]

**cancel:** cancel ... order [01413.1]; cancel each other out [B 1049.1]; canceled at the last minute [A145.1]; canceled from [C982.3]; to cancel [A144.0]; was canceled at the last minute [01412.1]

**candidate:** [И804.3, П875.2, P489.4]; best ... candidate [H353.1]; candidate materials for [B763.1]

**cannibalize:** [P336.1]

**cannot:** [B 1555.0]; alone cannot be relied on [H1328.1]; although a fully certain recommendation cannot be made at this time [X 105.1]; cannot accept any responsibility for [C788.1]; cannot be ascertained before testing [HI 325.1]; cannot be convincingly explained [HI 173.1]; cannot be defined as easily [T14.1]; cannot be explained in this fashion [HI 319.1]; cannot be obtained physically [II1662.1]; cannot be overemphasized [H1172.2, H1326.1]; cannot be varied independently of [HI 313.1]; cannot possibly match [II2923.1]; cannot readily be estimated [01637.1]; cannot replace [H915.1]

**cap:** [3265.1]; put cap on the amount of [B846.1]; to cap [3264.0]

**capability:** [B 1318.0]; be within the capability of ... operating and maintenance personnel [B 1669.1]; beyond the ... capabilities [B2033.1, B2036.1J]; capabilities beyond [B1324.1]; capability for directing [C 1214.1]; capability of [B253.1]; capability of ... to survive under ... adverse... conditions [C1216.1]; capability was provided for [037.2]; extend its capability [P565.2]; has the capability to meet [B614.1J]; have the capability of measuring [И369.1]; incorporate the capabilities of [II1915.1]; match the service capability [C1291.1]; measurement capabilities to [И309.1]; productive capability [II2804.1]; provide ... with this capability [Д12.1]; provides a capability for [037.1]; reached the limit of their capability [Д711.1];

readout capability [P329.2]; required capabilities [T461.1]; scientific capabilities and technical strengths [H596.1]; to demonstrate the capabilities [4207.1]; to have the capability of [И368.0]; unique capability of [Y299.1]; within the capabilities of [B391.1]

**capable:** capable of ... performance [C1220.1]; capable of being read to [C85.1]; capable of being read [И519.1]; capable of discriminating [C85.2]; is capable of [B606.2, C1218.1]; is capable of covering all... specifications [B615.1]; is well capable of [B 1494.1]; might be capable of predicting [C62.1]; must be capable of withstanding [Д572.1]; to be capable of [B606.0]; will be capable of supplying the demand [B608.1]

**capacity:** [M9.3, M398.0, M398.1]; capacities for [C1212.2]; capacity of the enterprise [M402.0]; fabrication capacity [II2805.2]; filled to capacity [3401.1]; in their capacity as [P45.1]; increasing annual production capacity [Y52.1]; inhibiting capacity [C1213.1J]; load carrying capacity of a structure [H1645.1J]; of 230 1 or less capacity [E36.1]; production capacities [II2805.1]; restoration of working capacity [B1440.1]; shop capacity is rated at [H1851.1]; throughflow capacity [II2890.1]

**capital:** [K 175.0]; for technical assistance and project capital [B346.1]

**capitalize:** to capitalize [B1415.0J]; to capitalize on more advanced technology [B 1419.1]; to capitalize on the opportunity [B1417.1]

**capsule:** capturing ... essence in capsule form [И232.1]

**caption:** captions for figures [II782.1]

**capture:** captured [3518.1]; captured with [0784.1]; succinctly captures the essences of [B734.1J]; to capture [3518.0]

**capturing:** capturing ... essence in capsule form [И232.1]

**carbon:** carbon buildup [H499.1]

**care:** [M122.0, Y577.1]; appropriate care should be used [C625.1]; but application ... should be done with care [H1813.1]; can be taken care of [M375.1]; care ... be exercised [II3046.1]; care ... to avoid fire hazards [II2957.1]; care has been taken to measure ... at [041.1]; care must be exercised [C622.3]; care must be exercised ... that ... not damage [H1389.1]; care must be exercised when [H1383.1]; care must be taken to [H1381.1]; care must be taken to state which [H1376.1]; care should be exercised in [II2125.1]; care should be taken that [C631.1]; does not care [B78.0]; does not care the difference (B78.2); exercise care to [II900.2, C584.7]; exercise extreme care [B360.1]; extreme care [II1722.1]; given proper care [II2149.1]; great care must be taken [H1382.1J]; great care should ... be taken [C624.1]; great care should be given to the thought of how [H1901.1]; it demands

care [T434.1]; it was necessary to use considerable care [H1897.1]; one should exercise due care before accepting [C626.1]; required much care and effort [T431.1]; solder... to ... taking care not to [Π2500.1], special care ... to protect ... from (C1167.1J; special care should be observed [C632.1]; take care [C584.2]; take care not to touch (C 1426.1); take care to prevent cross-threading [H972.1]; takes care of [0256.2]; taking care not to bend... at any time [B1550.1]; this will be taken care of promptly [3356.1]; use care in [B359.1]; were executed with painstaking care [B1895.1]; with great care [C43.1]; with more care [B186.1]; with the utmost care [C45.1]; would the authors care to comment on [H919.1]

**career:** [Д278.0, Д278.1]

**careful:** be careful [C584.1]; be careful not to [H1388.1]; be careful not to damage [C1427.2]; be careful not to lose (C1428.1); be careful to [Π900.1]; be careful while performing the following procedures. [B358.0]; careful... study [T508.1]; careful attention ... be given to [0216.3]; careful record was... kept of [T518.1]; careful study of [T506.1]; despite a careful attempt to [HI 612.1]; needs further careful study [H1882.1]; receive careful consideration [T517.2]; with careful reference to [T390.1]

**carefully:** [B 1205.0]; be examined carefully [T512.1]; carefully distinguished between calculations based on ... and (T516.1); considered carefully [T517.1]; handle the ... carefully [01164.1]; inspect... carefully [B1207.1]; need to be weighed carefully [HI 391.1]

**carelessness:** through carelessness [H230.1]

**carpet:** carpet plot [H1852.2]

**carrier:** claim ... be initiated with the carrier [Π1934.1]

**carry:** carries over into [P442.3J; carry ... loads [H1641.2]; carry heat away from [01263.1]; carry on [Π2736.3]; carry out... responsibilities under [B1886.1]; carry out the exchange of [Π2790.1]; carry over to [Π105.4]; if we now carry our analogy ... a step further [E83.1]; personnel relied upon to carry out... emergency procedures [Π249.1]; to carry out [B932.0, B1873.0]; to carry the load in compression [P60.1]; to carry to [Д489.0]; are carried out [01179.3]; carried in stock [H480.1]; earned to a point of [Д493.1]; carried to an extreme [B547.2]; certification that all the ... requirements of ... have been carried out [C289.1]; load carried by the tube to tube welds [H250.1]; load was carried across ... against [Π98.2]; not have carried as much weight [H886.1]; tests were carried out [Π2689.2]; was carried out with the aid of [B 1894.1]

**carrying:** carrying with it [Y302.1]; load carrying capacity of a structure [H1645.1]; superintend the carrying out of the work [K351.1]; to

superintend the carrying out of the works [P766.1]

**carte:** carte blanche [K183.1]; carte blanche to use [Π1082.1]

**cascade:** cascaded with [B 1117.2]

**case:** [Д244.0, K184.0, Π2377.4]; actually, such is

never the case [Φ11.1]; although a case might be made for [H70.1]; apply... general analysis to the special case [Π2370.1]; as a case in point [4144.1]; as is always the case [K74.1]; as is often the case with [K146.1]; as is usually the case [K98.1]; as was anticipated this did not prove to be the case. [K76.0]; as was the case for (K73.2); as was true in the case of [K139.1]; as would be the case if [4126.1]; base case [H831.1]; case history [A117.1, Π2377.5, T269.1]; []; case studies [H330.1, Π2591.1]; classical vertical plate case [K219.1];

clear case of [C710.1]; consider the case where [P481.1]; do not provide a convincing case for [H998.1]; especially true in the case of [01046.1]; for the case of [B517.2]; for the worst case [B554.1]; for this case [Д395.1]; if such is the case [E 173.1]; if this is not the case, then [B549.5]; if this is the case [A10.1, A10.2, E174.1]; in any case [B526.1, T31.1, T135.4]; in

each case [B532.1]; in no case shall [H1694.1]; in the case involving [B522.1]; in the case of [B517.1]; in the case under study [B530.1]; in the former case, ... in the latter case [B546.1]; in the most general case [B552.1]; in this case [H13.0]; indeed the case [H46.2]; is more usually the case [0403.1]; is not always the case [H784.1]; is the worst case for wear [C 1227.1]; making ... more of a problem than might be the case with [Д230.1]; neither is the case [HI 708.1]; nor is it even possible to do so in the case of [A5.1]; no-step case [C708.1]; not as ... as in the case of [HI 101.1]; particular case of [413.1]; restrict ourselves to the case of [0467.1]; sample case [H805.0]; special case under [413.2]; strong case for [B930.1]; such is the case [T18.1]; such may well have been the case [B1317.1]; such was not the case for [H541.1]; suggests that this is indeed the case [Π924.1]; than otherwise would be the case (446.1); than would be the case otherwise [447.1]; that was exactly the case [H355.1];

there is a clear case for [E188.1]; there is a strong case for [H500.1]; this being the case [A36.4]; this is always the case [T8.1]; this is clearly not the case [Д248.1]; this is especially so in the case of [Э195.1]; this is especially the case for [C511.2]; this is normally the case when [Tll.1]; this is not always the case [T9.1]; this is not likely to be the case [T68.1]; this is not the case [H540.1, H45.1, Э151.1]; this is, in fact, the case [T21.1]; this may not be

the case [K188.1, Э183.1]; this, indeed, has been the case [T20.1J; to be the case [H409.0];

to establish which is the case [P168.1]; unchanged from the... ase [01115.1]; which is not the case for [440.1]; which is often the case [K145.2]; which is typically the case for [4155.1]; worst case [J393.1]

**case-by-case:** on a case-by-case base [01289.1]; thorough case-by-case engineering analysis [T505.1]

**eases:** common to all cases [0318.1]; confined their attention to cases [0467.2]; except in cases where [322.1]; for example, cases occurred where [H488.1]; for most cases of practical interest [J391.1]; in... of the... cases [B558.1]; in ... percent of cases [B573.2]; in a number of cases [B574.1]; in a small but significant number of cases [B542.1]; in all but

... cases [B564.1]; in all cases cited so far [B566.1]; in most cases [B562.1]; in some cases

though not all [B543.1]; in the majority of cases [B562.2]; is not as impressive as for the other test cases [H1094.1]; limiting cases for [I1719.2]; limiting cases of [I1719.1]; particularly in the ... cases (01034.1); this is not true in all cases for [E194.1]; two cases are relevant, namely [I1850.1]

cash: hard cash facts of life [4107.1]

cast: cast ... doubt on the validity of the theory [B1824.1]; cast as [3383.2]; cast doubt on [B1825.1];

cast integral with [01372.1]; cast light on [I2837.1]; casts doubts on what [B1826.1]; this fact casts some doubt that there are [I143.1]; to cast [3382.0]; to cast doubt [B1823.0]

**casting:** allowable casting wall thickness difference is not to exceed 10 percent of the wall thickness [J664.0]; casting allowance for finishing [roughing] [J155.0]; casting radii 5 mm; unless otherwise specified [H1676.1]

**castle:** aie castles built on sand [I1492.1]

**casualty:** became the first casualty [B2047.1]

**catalog (catalogue):** catalog series designs [K195.1]; catalogue of parts and units [K194.0]

**catastrophic:** catastrophic [01657.1]; is more cosmetic than catastrophic [H1105.1]

**catch:** been slow to catch on [I963.1]; catch on

... obstructions [35.-3.1]; caught ... fancy [I1319.1]; caught in ... quandary [I1438.1]; caught on big with [H622.1]; caught up with [J529.1]; to catch fire [3141.1]

**categorically:** categorically [K196.0]; state categorically [y556.1]

**category:** [K216.2]; categorized as [K217.1]; further categorized as [J616.1]; to be categorized [K216.0]

**category:** [I139.0]; come in the category of [B1665.1, B1665.2]; come under this category [B1666.1]; are classified in... categories [P427.1];

broken into the ... categories [P159.1]; classified in two categories [P206.1]; fall into ... categories [I1785.2]; to divide ... into ... size categories [P205.1]

**causal:** causal relation"[n2590.3]; causal/effect relationships [I2590.1]

**causative:** causative factors [I2592.1]

**cause:** can be so severe as to cause [M312.2J]; can cause [M272.1]; can cause ... to [M301.0, M302.1]; cause ... symptoms (B1822.1); cause ... to not operate properly [3468.1]; cause ... was ... identified [0831.3]; cause ... wear [B 1805.1]; cause and effect [I2578.1]; cause fires [B1816.1]; cause is shown to question [E1 89.1]; cause significant alterations to [C470.1]; cause trouble in ways not yet foreseen [I2230.1]; caused by [B1831.1]; caused

some surprise [B1828.1]; causes ... trouble [B1813.1]; causes completely beyond our control have made it impossible [I444.1]; causes contributing to [I2589.1]; causes doubt about [B1825.2]; from ... or any other cause [I346.1];

giving cause of major concern [B 1834.1]; have

been caused by [B1837.1]; is a cause for concern [H916.1J]; most probable cause (H315.I); pursue the cause [I645.1]; real cause [I809.1]; root cause of [K376.1]; this effect could be caused by (B1312.1); this may be caused by [B1314.1]; to be caused by [B1829.0] to cause [B1801.0, B1856.0, 3466.0];

to cause alarm [B1814.0]; to cause anxiety [B1814.0]; to cause concern [B1814.0]; to cause doubt [B1823.0]; to cause this to happen [4180.1]; to try and identify the cause [I1309.1];

trace and remedy the cause of [B2085.1J];

whatever the cause [K156.1, H1227.1]

**cause-effect:** cause-effect relationship [I2590.2]

**causing:** causing concern [B 1814.1]; is causing [B1856.1]; is causing greater attention to be paid to (3471.1)

**caution:** [B1201.0, B1202.0 C622.1]; CAUTION!

[B1202.2]; caution is advised in applying [P681.1J]; caution must be used in [H1383.2]; caution should be exercised [C622.2J]; caution should be used [C622.1]; cautioned against the hasty conclusion (I1768.1) ж I&signing on the side of caution [I2768.1]; слерс^ extreme caution while you are working on [B361.1]; never perform maintenance if the caution is not put up [3411.0]; one word of caution in closing [B123.0]; requires considerable caution [T433.1]; should be treated with caution [C606.1]; use caution as not to damage [C 1427.1]; with a certain amount of caution [C44.2]; with some caution IC44.1J; cautions ... to consider [I1910.1]; cautions against attempting to [I1767.1]

**cautious:** leads ... to a cautious optimism [3470.1];

one should ... be cautious about [C622.4]

**caveat:** as a caveat it must be remembered [B149.1]

**cease:** cease 'mbiication becau.-' of financial problems [I1987.1]; ceases altogether [B 1301.1,

I1057.1, C891.1]; ceases to [I165.1]

- celebrate:** celebrate the ... jubilee of [И1638.1]; celebrates its sixth birthday [И1637.1]
- cement:** cemented into [B1106.1]; cemented to [И2333.2]
- cent:** by ... per cent [H7.1]
- center** although the discussion has centered around [X108.1], are situated at their centers [P380.1]; be centered in slot [P381.1]; centered about [C184.2, C1069.1]; centered at [C184.1]; centered within [P401.1]; centers around [H663.1]; industrial applications have centered on [И2855.1]; discussion will center on [C1065.1]; in the center of [B748.1]; in the direction away from the center [B233.1]; in the exact center [T395.1], in the rear center of [B750.1]; is centered directly over [P269.1]; much debate centered on [Д291.1]; on ... centers [C187.5], return ... to center ... position [B899.1]; spaced ... center to center [C187.1], spacing ... on center [C187.4]; symmetrically to the center line [C484.1]; to be centered [Г143.0]; were centered around a constant value of [Г144.1], with a ... spacing on ... centers [C187.3]
- centerline:** [O1183.1]; length between the centerlines of [Д294.1]
- central:** [Г42.0]; are central to [Я30.1]; central argument for [Г43.1]; central to [C215.1]; central to ... is [И48.1]; is central to [B304.1]; is of central importance [3349.2]; occupies a central position [3349.1]; outside of the central region [B1178.1]
- centrally:** [И509.1, И46.1]; centrally based main-tenance parties [И45.1]
- century:** as early as the mid-nineteenth century [E201.1]; at the beginning of ... century [B243.1]; at the turn of the century [B244.1, HI39.1]; over the last half century [342.1]; turn of the century [K309.1]
- certain:** [H1290.1, O848.2]; almost certain [И1555.1]; although a fully certain recommendation cannot be made at this time [X105.1]; although not certain [XI07.1]; certain ... call for [B251.1]; did separate to a certain extent [B980.1]; for a certain time [HI293.1]; in certain process industries [B316.1]; is true, to a certain extent in the case of [C1248.1]; make certain [H1387.2, C584.4, Y38.3]; make certain check that [Y179.2]; mount the replacement... on ... making certain that ... is at the same location ... as it was on [C742.1]; to make certain [4214.1]; was moved a certain distance [И109.1]; when ordering this part be certain to specify [И2073.1]; with a certain amount of caution [C44.2]; with a certain amount of confidence [C146.1]
- certainly:** [E179.0]; almost certainly [И1556.1]; almost certainly because [И1553.1]; almost certainly due to [И1552.1]; can certainly become an exasperating nuisance [H914.1]; it certainly could be expected that [E183.1]
- certainty:** are denied the certainty [J174.1]; is not known with certainty [Д734.1]; less certainty [Y74.1]; without... it would be difficult to say with certainty [B12.1]
- certificate:** [A88.0, A165.0]; certificate of appraisal [A95.0]; Certificate of Completion for the course [C287.1]; certificate of conformity [C434.1]; his school leaving certificate [A166.1]; to issue the certificate of origin for goods [B1770.0]; issuance of... certificates of authorization [B1774.1]
- certification:** [A168.0, A168.3, C435.1]; certification of [3438.1]; certification that all the ... requirements of ... have been carried out [C289.1]; bear current certifications of [И372.1]
- certify:** [Y1820.1]; are ... certified for Class [A170.1]; are certified [C436.1]; certified with Honors [И1136.1]; certified [379.2, 380.0]; to become certified [И1180.1]; to certify [379.0, 3437.0]
- certifying:** certifying ... for [P322.1]
- cessation:** [И1996.1]; cessation of impact [И1997.1]
- chain:** chain of events [И51.1]; important links in the chain of [B794.1]; sets off a chain reaction of [B1820.1]
- chain-dotted:** [И42.1]
- chair:** held the chair of (B1280.1); committee will be chaired by [И1828.1]
- chairing:** has accepted the responsibility of chairing [B1068.1]
- chairmanship:** to relinquish the Chairmanship [O1137.1]
- challenge:** [3168.0, K327.2, T473.2]; accept the challenge [B278.1]; challenge is to [T493.1]; challenge to [3174.1]; challenge to ... was issued [C1356.1]; challenge was ... accomplished [B1880.2]; challenges are formidable [T494.1]; face a serious challenge [C1478.1]; major challenge to the achievement of higher [O992.1]; major technical development challenge [H333.1]; meet the challenges posed by the [P721.1]; offer ... challenge to (C1356.2); offers a great intellectual challenge [O1365.1]; pose a real technical challenge [И1879.1]; real challenge [Д169.1]; to challenge [K327.0]; be challenged [И653.1, П667.1]; designers are challenged [И87.1]; to meet the challenge of integrating [P722.1]
- challenging:** is... the most challenging (И1877.1); one of the more challenging problems in [O531.1]
- chamfer:** chamfered to 45 deg [C550.1]
- chance:** by chance [C717.1, C844.1]; chance blending [C714.1]; conditions ... chance from [C716.1]; eliminates the chance of [Y522.1]; have the best chance of success [И374.1]; is taking a chance of being in error [P751.1]; sound out... chances of success [B2093.1]
- change:** [C376.1]; are subject to change without notice [O18.1]; change (of, in) [И238.0]; change

from [И244.1]; change from ... to [П190.1]; change from one ... to the next [И285.2]; change from the present position [И249.1]; change in the design... was initiated [B1218.1]; change much [C471.1]; change to [П 193.2]; change to Design B was made [П 198.1]; design is subject to change without notice of obligation [K343.0]; do not change appreciably [M25.2]; does not change materially [H873.1J]; dramatic change [P631.1]; has undergone radical change [П2047.1]; how much change [H538.1]; how much results change [H548.1]; may change somewhat [M278.1]; necessitated a change of... from... to [П539.1]; obtained from the change in [0827.1]; other than this observation, no change [H1741.1]; performing a change of variable [П2789.1]; short term change in [K463.1]; shows little change [M25.1]; state of affairs will change in the near future [B42.1]; to change [И256.0]; to change fuels (П 197.1); to make a change in (И256.0); changed from [И287.1, И297.1]; changed incrementally ... in small increments [И263.1]; changed over [П 1230.1]; circumstances have changed [0260.1]; has... changed significantly [П2046.1]; has barely changed over the past [M26.1]; what has changed is [И292.1]; would only be changed slightly [И293.1]. (См. также changes).

**changeover** changeover from ... to [П190.3, П191.1]

**changes:** changes in ... use [И251.1]; changes to [И239.1, П1691.2]; changes to a ... color [0719.5]; coupled changes [C858.1]; had undergone only minor changes [П2048.1]; hardly changes [П1566.1]; has been through many... changes [П2049.1]; have been retained ... with no changes [C 1127.1]; individual changes in [И250.1]; involved a number of interesting design changes [П2240.1]; makes fundamental changes in [И260.1]; respond ... to changes [P580.1]; sensitive to changes in [4222.1]; to incorporate changes [B1216.0]; to incorporate changes in [B1217.1]; to initiate changes [B1216.0]; to make changes [B1216.0]; trend of

... with changes in [И247.2]; went through several changes [П2050.1]; with no changes other than [B22.1]

**changing:** [И238.0]; is continually changing [B1549.1]; is flexible to changing needs [J126.1]; while systematically changing [П2079.1]

**channel:** channeled into [H475.3J]

**chapter** self-contained chapters [C209.1]

**character** [X1.lj]; are of a universal character [И465.1]; to be of a character [И462.0]

**characteristic:** [3104.0]; characteristic dimensions [X14.1]; characteristic of [X15.1]; characteristic pattern [X19.1]; record the ... characteristic [C790.1]; because of one or more of its beneficial characteristics [B 114.1]; combustion

characteristics [X6.1]; contains the required characteristics [090.1]

**characterization:** [0812.1, X5.1J]; have another characterization [01612.1]

**characterize:** to characterize fully [П1055.1]; are characterized by [Д419.1]; are not well characterized at the present time [Д691.1]; characterized in that [X12.1] is characterized by [Д419.0];

was characterized by [01376.2, X9.1]

**charge:** be charged against [01441.3]; charge to ... was [П1329.1]; charged into [3144.2]; charged

with [3397.3]; free of charge [B90.1]; in charge

of [B319.1]; is obtainable free of charge [П1126.1]; name and signature of person in charge of storage [Д595.0]; person in charge of

(Л63.1); takes charge of [B270.1]; there will be

a charge for the repair [P692.1]; to charge with

[3397.0]; without charge to [B41.1]; unauthorized charges [H1 570.1]

**chart:** [Г119.0, K178.0, T2.2]; construct a ... chart

(П1487.2); flow chart [B147.1]; lubrication chart [K180.0]; process chart [K181.0]; progress

chart [Г127.0]; read ... from ... chart [0826.1]

**cheaper** does the job faster, cheaper, and more conveniently [Я9.1]

**check:** [K354.0]; check ... against [П2646.1, C1280.4]; check ... as follows [B1907.1]; check

... for [П2656.1]; check ... for open connection [П2658.1]; check... for possible shorts [П2657.1];

check invoices for... versus [C270.1]; check list [K362.0]; check on [K355.2]; check on the ...

accuracy [П2630.1]; check system for any damage [Y28.1]; check that ... is correctly

positioned for [П2660.1]; check that ... is properly grounded [П2659.1]; check that the ...

number compares with [П2661.1]; check the delivery for completeness [П2637.1]; check

these ... features [0214.1]; check to see ... by eyes [П2639.1]; check to see that [Y38.1]; check

values [P647.1J]; check verified [П2624.1]; check

well [X75.1]; check with [C870.8]; checks ...

against [П2622.1]; checked against the reference master [П2647.1]; checked and passed as

in perfect order [И204.0]; checked by [B895.0];

checked for [П2638.1]; convergence checks [П2628.1]; dimensional checks [П2627.1];

goes through numerous... checks [П661.1]; install... and check operation [Y479.1]; is kept in check

[B1790.1]; make certain check that [Y179.2]; to

check [K350.0]; to check ... regularly [P620.1]; to check that [Y34.1]; visually check ... for

[Y37.1]; visually check crates [0946.1]

**checking:** checking and acceptance [И755.0]; record of checking measuring instruments by

inspection agencies. [Д113.0]

**checkout:** initial operational checkout phase [П3085.1]; passed all the checkout criteria [П3008.1]

**chemical:** [X24.1]; chemical analysis of... showed

that... were present [X21.1]; chemical  
reaction

between [X23.1]; gross chemical analysis [B807.1]; in chemical and metallurgical industries [B317.1J; reduces... to below the limits of accurate chemical analysis [C766.1]; was ... tied up ... in chemical forms [C356.1]

**chemically-based:** are ... chemically-based [Я38.1]

**chemicals:** chemicals are contaminated. [3149.0]

**chemistry:** [Π2947.1, X22.1]

**chief:** [Γ42.0]; chief advantages [Γ53.1]; chief difference is not... but [0995.1]

**chiefly:** [B278.0, B278.5, Γ59.0]

**choice:** [B810.0, B1706.0]; are subject to degree of choice [B1698.1]; best choice [H353.2]; by training and ... by choice [Π416.1]; choice ... as [B 1709.1]; choice is up to [B 1716.1]; choice

of ... in preference to [T280.1]; choice of alternative courses was available of either... or [M325.1]; final choice was made in favor [01151.1], former choice was made [01157.1]; freedom of choice [C301.1]; is ... a better choice [J1107.1]; is an obvious choice for [Я49.1]; is no choice between using [Б79.1]; is the ... of choice for [Д334.1]; latitude in the choice [C301.2]; logical choice [B1712.1]; matter of choice and style [Д247.1]; perfect choice in [И99.1]; proper... choice [Π1628.1]; rational choice [P337.1]; remaining choice is to [И49.1 ]; ruled out... as a choice of [И659.1 ];

selection ... narrowed down to a single choice [C 1536.1]; settled on the following choice of... parameters [01155.1]; smaller choice [B1710.1];

there is no choice between [Б78.0]; there seemed to be little choice concerning this matter [B308.1]; unlimited number of choices [Б 106.1, H 1436.1]; view the choices [Π2911.1 ];

weigh heavily in making a ... choice [Π72.1, C477.1]

**choose:** and thus was chosen [Π 1583.1]; deliberately chosen [B1701.1]; for ... chosen at random [Д335.1]; how does one choose a suitable [K61.1]; if we choose to call it such [E140.1]; is free to choose [C306.1]; it is up to ... to choose [Π2560.1]; might have, for instance, chosen [M256.1]; should... choose not to [E153.1]; there are four basic ... from which to choose [И493.1]; this ordering was chosen because [T58.1]; to choose [B1067.0, B1689.0];

to choose from [H30.1]; to choose from among the large number of possible [C390.1]; was chosen arbitrarily [B 1697.1]; was chosen such that [B 1705.1]; we have chosen to retain [M434.1]

**choosing:** [B1706.0]; matter of choosing [B1394.1];

there is little point in choosing [B1714.1]

**chromium:** percent chromium [Π3022.1]

**chronological:** in chronological order [B375.1];

in the stated chronological order [B376.1]

**circle:** uniformly spaced in a circle [PI 21.1]

**circuit:** circuit diagram [Э73.1]; completed an electric circuit [3314.1]; open the circuit

[P274.1]; overload on ... circuit [Π82.1]; to complete the circuit to the ... motor [3315.1];

V a. c. is fed to the circuit from [H491.1]

**circuitry:** open connection ... in the ... circuitry [P334.1]

**circulate:** is circulated throughout [И52.1]

**circumference:** around the circumference [Π425.1];

deg intervals around ... circumference [Ш4.1];

fit tightly around the circumference [Π306.1];

location around the circumference of [P411.1];

over the circumference [Π425.2]; position around

the circumference [Π1097.1]; spacing... around the circumference [Ш5.1]

**circumferential:** circumferential ... variations [И246.1]; circumferential variation in (И246.2); uneven circumferential [HI 561.1]

**circumferentially:** [B235.1]; spaced circumferentially by [01543.1]

**circumstance:** according to the circumstances [B 114.1]; appraised under these circumstances [C 165.1]; barring unforeseen circumstances (E55.1); circumstances have changed [0260.1]; due to circumstances beyond our control [Π411.1]; due to various circumstances [B1598.1J; for most circumstances [Д390.1]; in circumstances where [B560.2]; under circumstances [B713.0]; ]; under no circumstances [HI 693.1, HI 706.1]; under some circumstances [B570.3]; under no circumstances should ... be permitted to get [HI 695.1]; under these circumstances [B729.1, Π2159.1]; unforeseen circumstance (H1510.1);

**circumstantial:** more circumstantial evidence for [Б 188.1]

**circumvent:** circumvent... limitation [0284.1]

**cite:** one may cite ... as an example [M374.1]; are ... cited [Y318.2]; be cited [Y318.1]; cited above [Y323.2]; in all cases cited so far [B566.1]; list of references cited [B879.0];

References Cited [M69.0]

**claim:** (Π3076.2, P665.1); alternative claim [A106.0]; claim ... be initiated with the carrier [Π1934.1]; claim report [A92.0]; claim that... is false [Y560.1]; claimed advantages are secured [Γ21.1]; claims of [Y558.1]; claims will not be accepted if the package list is not enclosed [Π2106.1]; claims will not be considered if the packing list is not enclosed. [Б46.0]; continental type of claims [E1.0j; contradicts claims [Π2976.1]; file claim [Π634.1]; honor... claims [B1889.1]; it... be premature to claim [Π1966.1];

it can be claimed that [M388.2]; multiplicity of claims [И166.0]; renumber the claims [И264.0]

**clamp:** clamp ... in the vise [3198.1]; clamp here' [3519.0]; firmly clamped [K468.11; loose clamps

[0934.1 ] ; was clamped ... between [3199.1];

was clamped ... together [C554.1]

**clamping:** [K469.0]; clamping down (of) [3257.0]

**clarification:** request clarification of [Π2901.1];

some clarification is urgently required [K445.1]



**clarify:** but... much more to be clarified [П960.1];

clarified several matters [П925.1]; clarifies [П3056.1]; clarify this point [П3055.1]; few examples should clarify [П1598.1]; perhaps the authors could clarify this point [M308.0J]; should be clarified [C599.1]; whose implication will be clarified [C751.1]

**clarity:** for clarity [Д432.1]; for the sake of clarity

[Д432.2]; for the sake of clarity and conciseness [Д370.1]; individual points have been omitted for clarity [4192.1]; is not shown... for clarity [4193.2]; omitted to preserve clarity [0875.1]; to maintain clarity [4193.1]; to preserve clarity [4195.2]

**class:** are ... certified for Class [A170.1]; assign ...

a class of [01440.1]; be broadly classed as [01439.1]; classed not lower than... [И511.0]; classes are held [3366.1]; first class [П35.1]; fit into ... classes [П773.1]; within a given class of [B392.1]

**classical:** classical vertical plate case [K219.1]

**classified:** are classified [K216.1J]; are classified as

to type as [П786.1]; are classified in ... categories [P427.1]; are either proprietary or classified [П1883.1]; be classified into [P159.2J]; classified as [K217.3]; classified in two categories [P206.1J]; to be classified [K216.0]

**classifying:** [K215.1]

**classing:** classing experts [K212.1]

**clause:** [П3076.1]

**clean:** clean off the welds [M150.0J]; cleaned ... rinsed, dried, and wiped [01690.1]; thoroughly cleaned of [T514.1]; flushed clean [T515.1]; keep ... clean [C941.1]; reamed clean of burrs (P178.1); vacuum clean [П2891.1]; wipe clean (B2016.1J); wiped clean [П2984.1]

**clean-up:** clean-up sheet [B868.0]; clean-up system [C492.1]

**cleans:** cleanses the surface of [01689.1]

**clear:** [H897.1, 01537.1, C884.1]; acquire a clear understanding of [Я66.1]; another clear affirmation (E227.1); are clear of [B2040.1]; as should be clear [K 133.1]; be located to clear [P386.1]; bears a clear relationship to [И426.1];

becomes more clear [C1399.2]; clear case of [C710.1]; clear evidence that [Y22.1]; clear implication [01648.2]; clear inside dimensions (P257.1); clear of (B677.0, B677.3, H132.2, П1041.1); clear opportunities [Я58.1]; clear pattern between [480.1]; clear spacing between [C304.1]; clear up this point [П3055.2]; convey a clear message, namely, that [C192.1J];

data shows clear advantages for [П1195.1]; clears ... on the -axis [Y95.1]; for purposes of clear communication and meaningful use [4176.1]; in order to keep ... clear [4191.1]; is clear of [B2042.1]; is in clear evidence [Э200.2];

is made clear [0375.6]; is not wholly clear [H1080.1]; it is clear from the curves [И140.1];

it is clear from the foregoing discussion that

[И148.3]; it is clear that [Я67.1]; it is not at all clear [C898.1]; it is not clear how [H1086.1]; it is not clear that ... are possible [H1689.1];

made clear [486.1]; made it clear [Y572.1]; reason for ... is not clear [П2581.2]; there is a clear case for [E188.1]; to be clear [B2030.0J]; to clear up [B2088.0]; to clear [И155.1]; to have a clear idea of [И433.1]; until these issues are clear [Д467.1]; were cleared [Y581.1]; with clear advantages over [Я48.1]

**clearance:** clearance between [3206.1]; clearance gauge [Ж8.0]; to fall within clearance limits [B1464.0]; to fit clearance gauge [B1464.1]; to

lie within clearance limits (B1464.0)

**clearing:** clearing ... of [01686.1]

**clearly:** [B81.0, C846.2]; are clearly discernible [X44.4]; are clearly violated [Я45.1]; be clearly distinguished from [485.1]; clearly demonstrated ... that are possible [Y16.1]; clearly distinguish between [484.1]; clearly shown [482.1]; is clearly audible to a human observer [X73.1]; is clearly evident [X45.2]; is clearly in evidence [X46.1]; is clearly seen [X45.1J]; is clearly significant [B82.1]; such ... are clearly unrealistic [C847.1]; this can be clearly seen [Э200.1]; this is clearly not the case [Д248.1]; was clearly evident to the eye [X45.1]

**clerical:** apparent clerical mistakes [Я52.1]

**click:** makes an audible click [И212.1]

**client:** [3222.0, 3222.1]; shall be subject to review and approval by the client [П738.1]

**climate:** in ... climate [B713.0]; in today's climate [B724.1]

**climb:** climb to [B1361.3]; increase ... climb [B1361.1]; to climb [B1361.0]

**clinic:** [C486.3]

**clinically:** instituted when clinically indicated [H295.1]

**clock:** around the clock [K505.1]

**clockwise:** in a clockwise direction [П1510.1]; starting clockwise [Д 156.1]; turn CONTRAST control clockwise [П1548.1]; turning... counter-clockwise ... turning it clockwise [И1552.1]

**clog:** to clog [365.0]

**clogging:** [369.1]

**close:** [B139.0, B1582.0]; are not in as close agreement [C927.1J]; as close as possible [П346.1]; as close as practical to [П346.2]; as close to ... as possible [K81.1]; balance ... was closed to within [C311.1]; balances closed to within one percent [B3.1]; by the close of [K6.0, K6.2]; came close to becoming [4227.1]; close collaboration between [T208.1]; close co-operation [T206.1]; close examination of [T506.2]; close examination [C1492.1]; close fitting [П305.3]; close links with [T205.4]; close relationship between [T205.2J]; close to [B131.3, B132.3, B819.7, 0698.4]; close to being finalized [B133.1]; close to one another [B138.1]; close together [B140.1]; close view

- [B1077.0]; contact is closed [K348.1]; deserves close attention (3446.1); in close cooperation [B624.1]; in close liaison with [B16.1], in close proximity of each other [B253.1]; in close proximity to [B819.0, B819.2J]; is spring loaded closed [H680.1]; it is fitting to close this biographical sketch of [Y285.1]; keeps close watch on new developments in this direction [Π2528.1]; keep containers closed when not in use [B334.0]; maintaining close tolerances on [B1797.1]; on close inspection it was seen [T504.1]; or close thereto [Б 134.1]; show a very close resemblance to ... are ... very similar to [01665.2]; strikingly close to [Π1320.1]; there is a close relation between ... and [C1581.1]; to close [3264.0, 3507.0]; to measure ... was closed [4187.1]; very close closures resulted [B889.1]; was sited close to [P370.1]; within close limits [B399.1]
- close-fitting:** [T399.1]
- close-up:** close-up view of a portion [430.1]
- closely:** [Б139.0]; agree closely with [X76.1J]; are closely related [T207.3]; as closely as possible [B1306.1J]; be ... closely connected to [T207.5]; be closely linked to [T207.1J]; be closely mirrored [T392.2]; been closely associated with [T207.8]; can be explained quite closely [M338.1]; closely related to [C355.1]; closely represents [T388.2]; closely spaced [Б 142.1]; has been following ... very closely [C582.1]; is ... closely related to [T207.2]; is closely followed [T400.1]; is closely integrated with [C1083.1]; is closely similar to [Б141.1]; is closely tied to [T207.4]; matched ... quite closely (C871.1); monitored closely [T511.1]; most closely [H308.1]; work closely with [P48.1, T209.1]
- closely-fitting:** [Π305.2]
- closely-packed:** [Π308.1]
- closer:** brought closer [C244.1]; closer cooperation among [Б183.1]; exercises a closer control over [B187.1]; gets closer to [Π2174.3]; held to even closer tolerances [B1791.1]; look closer at [0209.1]; merit a closer examination [3457.1]; on a closer examination of [Π2122.1]; under closer inspection [Π2121.1]; will yield a closer approximation [Д48.1]
- closest:** closest (to) [Б 126.0]; closest in meaning to [H307.1]
- closing:** [Б1 118.0]; closing ... mass balance [C264.1J]; closing of the gap [C246.1J]; in closing [Б 120.2]; one word of caution in closing [Б 123.0]
- closure:** very close closures resulted [B889.1]
- clue:** [K221.0]; clue as to [K223.1]; clue as to why [K222.1]; clues concerning... can... be gleaned from [C268.1]; offers no clue as to [H818.1J]; provide a clue [Π821.1]; provides a clue to [Д28.1]; provides no clue to [HI 734.1]; to provide a clue to [Д27.0]
- cluster** cluster about [Г145.1]; to cluster [Г143.0];  
to cluster together [Л194.0, Л196.1]
- clutter** to avoid unwanted clutter [4195.1]
- co-chairpersons:** [C 1039.1 ]
- co-operation:** close co-operation [T206.1]
- co-ordinate:** angular co-ordinate [Y779.1]
- co-planar:** co-planar with [B342.2]
- coal:** may be coal specific [M275.1]
- coalesce:** merge together ... coalesce [C642.1]
- coarse:** coarse [fine] mesh ... screens [C450.1]
- coarser** finish ... coarser [M97.1]
- coast:** coast to a stop [Б 1685.1]; to coast [Б 1684.0]
- coat:** apply a ... coat of (H439.1); apply a ... light coat of ... to [H440.1]; brush on one coat of [H451.1]; coat ... with [Π1999.1]; coated ... covered [Π1005.1]; fiberglass coated (C58.1J); were coated all over, ... were selectively coated [Π1000.1]
- coating:** applying ... coating of... over [H437.1]; coating applied to [Π1003.1]; protective coating [3537.0]; were given a ... coating [H445.1]
- code:** are color coded [И408.1]; code compliance [C816.1J]; code noncompliance [H1625.1]; holds... responsible for code compliance [H382.1 ] ; above codes [B2076.1]; design codes [H1867.2]; more guidance in... is needed from... codes [H1864.1]
- code-prescribed** [Π 1785.1 ]
- coefficient:** [K430.0]; coefficient of interest [И678.1]; suggested... coefficient by [Π1736.1]; elevation in ... coefficients [Π592.1]; heat transfer coefficients were... correlated [H603.1]
- cognizance:** take cognizance of [0208.5]
- coherent:** coherent and organic view of [Π28.1]
- coin:** to coin [B838.0, B1671.1]; term coined [T189.1]
- coincide:** coincide with [C870.5]; may not coincide [M320.1]
- coincidence:** bring ... into coincidence with [C866.2]
- coincident:** are coincident [C870.3]; coincident with [0582.1]; distributions for ... are coincident [P422.1]; is ... coincident with [C870.6]
- coincidental:** is coincidental [H1875.1]; is purely coincidental [Я28.1]
- cold:** is cold comfort (C704.2); keep in a cold place [Д265.0]; protect from cold [Б151.0]
- collaboration:** close collaboration between [T208.1]; collaboration among [C1 122.1]; in collaboration with [B623.1]
- collapse:** collapse to one curve [C644.1]; collapse velocity of... bubble [C548.1]; as ... collapses [B214.1]
- collapsing:** [K393.0]; parameter ... in collapsing the data [K394.1]
- colleague:** colleagues within [K267.1]
- collect:** [H364.2]; is ... collected and stored [C805.1]; this data was collected [Π1133.2]; was... collected [C807.1]
- collecting:** expanding and collecting terms [P357.1]

**collectively:** are known collectively as [И176.1], individually... and collectively [И430.3]

**color** are color coded [И408.1]; changes to a ... color [0719.5]; is painted with... color [0719.1]; light colored [C282.1]; turns ... to ... color [0719.2]; wire colors vary between manufacturers [Y10.1]

**coloration:** exhibited a ... coloration [0719.3]; exhibited a brown coloration [И2484.1]

**column:** [C1467.1]; inspect columns for [0945.1]

**combat:** combated by the use of [Б259.1]; to combat [Б258.0, Б258.2]; to combat wear [Д324.1]

**combating:** in combating [B10.1]

**combination:** [И2520.2, C957.1J; combination of ... and [C1 149.1]; combination of a letter and a number [K268.1]; combination of both [K269.1]; combination units [K271.1]; either separately or in combination [И431.3, И1324.1]; either singly or in combination [И431.1]; in combination and separately [B1153.1]; in combination with [B625.0, C862.4]; it is the combination ... that [И357.1]; old combination [И 170.0]; possible combinations ... are endless [498.1]; singly and in combination [И430.1]; total number of combinations of K... in a total of N [4102.1]

**combine:** are mounted on a combine baseplate [Y453.1]; combines ... in a single component [0351.1]; combines... the best features [0354.1]; combines with [C964.4]; combined effects (C857.1); combined with [B625.2J; combined with the fact that [C163.1J; only ... combined with ... can accomplish this [Д725.1]; to combine ... with [И709.1]

**combustion:** combustion behavior [X6.3]; combustion characteristics [X6.1J; combustion properties of [X6.2]

**come:** come about as a result of [И2821.2]; come in contact with [И2547.1]; come in contact [B1646.1]; come in the category of [B1665.1]; come into balance [И2546.2]; come into being [B1339.2J; come into the category of [B1665.2]; come into use [B 1676.1]; come loose from [01483.1]; come off-the-line [01351.1]; come out on the market [И 1499.1]; come out with [B2031.1]; come to an end [3226.1]; come to equilibrium [И2546.1]; come to fruition on schedule [01182.1]; come to the ... attention [И2200.1]; come together [C870.2]; come under this category [B 1666.1]; come up to specification [C1020.1]; continue ... for many years to come [C1 128.1]; have come a long way in our understanding of [H433.1]; have come under intensive scrutiny [C1410.1]; in the years to come [BII.1]; it has come to our attention that [M427.1]; light... will come on when [J16.1]; several questions come to mind (B 1345.1); this has come about through [Э198.2]; to come [B1924.0]; to come apart

[P365.1, P517.1]; to come before [И739.1]; to come from [B1829.0]; to come into [B1663.0]; to come into being [B1339.0]; to come into effect [B1645.0]; to come into force [B1645.0]; to come into operation [B1638.0]; to come into play [B1638.0]; to come into service [B1647.0]; to come on stream [B 1647.0]; to come out [B2030.0]; to come out favorably [B1975.0]; to come to terms with [И2398.1, И2555.1]. (CM. также **came**).

**comes:** comes about from [И2821.1]; comes complete with [И1452.1]; comes from [И1501.1]; comes from the fact that [И2817.2]; comes from the need to [B1830.1]; comes in a broad selection of grades [B1928.1]; comes in favor of [Г67.3]; comes into focus [C1398.2]; comes into play [ B 1638.1, H714.1]; comes loose [01533.1]; comes to a complete standstill [И1052.1]; comes to a stop (01150.1); comes to rest [01150.3]; comes with a standard ... housing [B1929.1]; from... comes word [И130.1]; is not one which readily comes to mind [H1091.1]; until the engine comes to a complete standstill [Д455.1]

**comfort:** is cold comfort [C704.2]; is small comfort [C704.1]

**comfortable:** feel comfortable with operating [И1570.1]

**comforting:** it is comforting to note [Y563.1]; it is comforting to see [И2595.1]

**coming:** are coming into use [H719.1]; during the coming months [B8.1]; in the coming decades [B6.1]; keep coming back for more [И1473.1]; papers coming from academe [C1439.1]

**command:** on command [И382.1]; commands a respected position [И1219.1]; sequence of commands [И 1403.1]

**commence:** commences with [H727.2]

**commencing:** commencing ... and terminating [H721.1]

**commend:** [И1519.1]; they are to be particularly commended for their [01058.1]

**commensurate:** be commensurate with [Б337.1]; commensurate with [C1024.10]; is commensurate with [C1012.4]

**comment:** [3300.0]; in response to ... comment [B289.1]; it is appropriate to provide some comment concerning [C630.2]; perhaps the author would like to comment [M307.1J; requires little comment [HI 124.1]; to comment [B1975.0, K274.0J; to comment on the need for (B 1978.1); would the authors care to comment on [H919.1]; appreciate any comments or suggestions [C2.1]; comments of the authors on this [K273.1J; comments on the topic of [3301.1]; comments to be returned ... by [3305.1]; constructive comments [K337.3]; disallowing any general comments [HI 000.1]; favorable comments [И 111 0.1]; it would be interesting to have the comments of the

authors on this. [B379.0]; most of the comments regarding ... are relevant [C1247.1]; other comments [Д641.1]; some comments ... be made regarding [C398.1]; to thank ... for ... valuable comments and helpful discussions [П521.1]; two comments should be made [C629.1], your comments are invited [Ж1.1]

**commercial:** commercial enterprises [П2854.2], commercial grade [П2857.1]; commercial practice [B411.2]; commercial snags [П2029.1], commercial utilization of [П2852.1], commercial worth [K275.1]; demonstrated in commercial operation [П2634.2]; entered commercial operation [B844.5]; have wide commercial use [П23.1]; on a commercial scale [B185.0], several years of commercial experience [0892.1]; to enter commercial operation [B844.0]

**commercialization:** [B1 183.1, П2853.1]

**commercializing:** [П2807.1, П2856.1]

**commercially:** are available commercially [И 189.1]; are commercially available in copper [П2720.1]; be proven commercially [П2633.1]; commercially acceptable [П2278.1]; commercially available [B 1930.2, И524.1]; currently available commercially [И525.1]; have become commercially available [C 1416.1]; most commercially available [B220.1]

**commission:** be ... out of commission [H930.2]; been commissioned [П3082.3]; commissioned ... to make a ... study of [П1330.1]; in a dramatic display of this concept, ... commissioned [Я63.1]; is out of commission [H632.1]; out of commission [H1046.7]; to commission [B844.0, B1 110.4]

**commissioning:** [B836.1, П3078.1, П3086.1, П3086.2]; commissioning activities [П3086.3]; commissioning date [Д 141.0]; commissioning fee [K272.1]; unscheduled commissioning [Д676.0]

**commit:** are committed and dedicated to [Д195.2]; committed to [П2530.3]; does commit to providing [0432.1]; has ... committed to [B1069.1]; to commit resources [P412.1]

**commitment:** [П2197.1]; commitment does not end with [0431.1]; commitment to the ... program [C1494.1]; guarantee commitments [Г13.0]

**committee:** committee will be chaired by [П1828.1]

**commodity:** trade mark commodity [И217.0]

**common:** [E25.0, 0317.1, 0333.1, 0388.3, P445.1, П24.1]; aimed at a common goal [И414.1]; but there is little common ground between [H1798.1]; common method, although perhaps not the best [0307.1]; common misconception [0332.1]; common occurrences [0396.1]; common practical requirement is [0408.1]; common practice of [0308.1]; common problem of [0322.1]; common sense [3568.0]; common sense suggests that [3569.1]; common short-

coming of [0321.1]; common to all cases [0318.1]; common to all of ... is [0320.1]; common to all the [0317.2]; common to all three [0319.1]; common usage [0308.2]; connects to common [C967.1]; feature in common to the two approaches [0329.1]; had many common features [И416.1]; have found common use [H614.2]; in common with [K73.3, П766.1, T26.6]; is ... more common [Я8.1]; is common practice in ... design [0312.1]; it is... common practice [П566.1]; it is a common observation that [0302.2]; it is also common practice [0313.1]; it is common to find [0409.1];

more common occurrence (B 1626.1); most common [H329.1, H340.1]; most common problem is [435.1]; on a common basis [H95.1];

quite a few things in common [Д505.1]; quite common [B 1484.1]; share a common [И412.1];

share a common axis [И413.2]; share a single common [И417.1]; shares some common features [091.1]; there is little common ground between ... and [И491.1]; to share a common [И412.0]; was in common use [П564.1]

**commonality:** commonality [0339.1, 0346.3]; very high degree of commonality [01664.1]

**commonest:** [C221.1]

**commonly:** commonly encountered [0387.1]; commonly encountered in engineering practice [420.1]; commonly known as [0405.1]; commonly occurring [421.1]; commonly used [0406.1]; is commonly ascribed to [0382.1]; is commonly referred to as [H302.2]; it is commonly recognized that [0302.3, 0305.2]; most commonly used for [H342.1]; relation between ... is commonly expressed as [C 1034.1]

**commonplace:** are ... becoming commonplace [C 1384.1]; as is commonplace [K 141.1]; commonplace in [0393.1]; commonplace occurrence [0396.2]; has now become commonplace [C1412.1]

**communicate:** as communicated by the manufacturer [П362.2]

**communication:** for purposes of clear communication and meaningful use [4176.1]; in communication with [C1004.1]; in previous communications [B435.1]

**community:** cryogenic community [C1160.1]; heat transfer community [C 1161.1]; research community [H593.2]; scientific community [H593.1]; scientific and engineering communities [H598.1]; sections of the community [C664.1]

**compact:** compact ... spread apart [C245.1]; to achieve a compact presentation [C180.1]

согласно: [Д750.2, П25.1]; companion paper [0581.1]

**company:** are company owned [П2403.1]; company ... be consulted [П2835.1]; diversified company [M223.1]; leading ... company [B883.1]; specialist ... companies [C1 155.1];

the gas side of ... company [Г4.1]; to bring promptly to the attention of the company any [H1248.1]; within the company [H116.1]

**comparable:** [C1286.1]; comparable with [B131.2];

for otherwise comparable conditions [П2160.1]; is comparable [C1037.1]; magnitudes of... are comparable [C1287.1]

**comparative:** [K399.1]

**compare:** check that the ... number compares with [П2661.1]; compare ... to [C1280.2];

compare a tenfold increase [01378.3]; compare apples with oranges [C 1282.1]; compare very well with [01678.1]; compare well with expectations [X77.1]; compare within two percent of [C874.1]; compares favorably with [B1764.1, B1840.1]; compares unfavorably with

[H1178.1]; compares with [M315.1]; Fig. compares ... with [H138.1]; do not compare in any way with [H867.1]; observations compare well with theory [Э43.1]; standard against which to compare [Э91.1]; these values compare with [Э212.1]; with which to compare the results of this analysis [C27.1]

**compared:** affords many benefits compared with [И437.1]; against ... compared [C1280.1]; are becoming negligible compared to [C 1395.1]; as compared to ... years ago [451.1]; as compared to [B605.2, B627.1, П484.6]; compared on an equal basis [C 1281.1]; compared poorly [П315.1]; compared previously [A122.1];

compared to [B294.10, B605.1, B627.0, П432.4,

П484.5]; compared very favorably with [01678.2]; compared with [T291.3]; consistent ... compared with [C1352.1]; economically feasible compared to (P707.1); have not compared favorably with [П2778.2]; hotter ... as compared to ... the [444.1]; ignoring ... which is small compared to [П2002.1]; is not significant compared to [H1263.1]; number of... is low compared to [K258.1]; serve as a standard against which ... can be compared [C684.1];

small compared to [M35.2]; this is quite a reduction compared to [Э199.1]; when compared to [П484.7]; when compared with [B627.2]

**comparing:** attempts at comparing [П 1316.1]

**comparison:** by way of comparison [Д400.2];

comparisons ... are eased [C1278.1]; comparisons are made [П2696.1]; direct comparison is not feasible [H1490.1]; favorable comparison [X37.1]; favorable comparisons were shown between [П2135.1]; for comparison [Д399.0, C179.2]; for comparison purposes [C178.1]; for

purposes of comparison [C179.1]; for the sake of comparison [Д399.2]; general comparison of ... results [C 1279.1]; in comparison [Д400.1]; in

comparison to [B627.0, П484.1]; in comparison

with [B627.0, П484.4]; makes comparisons ... somewhat risky [Д226.1]; negligible in comparison with [П2006.1]; significant factor in the comparisons of [B781.1]; straightforward

comparison [H1491.1]; to allow comparison between [И370.1]; too much should not be read into these comparisons [H1071.1]; typical comparison of the ... traces [C 1283.1]; were

poorly defined in comparison to [M96.1];

yielded... comparisons [051.1]

**compatible:** be compatible with [C920.6]; compatible with [C868.1]

**compendium:** compendium of [K451.1]

**compensate:** compensates for [K278.1];

compen-

sates for the loss [B1293.1]; more than compensates for [C13.1] savings in material costs more than compensate for [Э25.1]; to be compensated by [K280.0]; to compensate for [B1291.0, B1413.0, K278.0]; to compensate for

the tendency... to [П1777.1]; was ... compensated by [K280.1]

**compensation:** [B1337.0]

**compete:** compete with ... for [K328.1]; to compete [K327.0]

**competence:** [K281.1]; technical competence [T224.1]

**competency:** [K283.1]

**competing:** competing factors [K329.1, П2956.2];

competing reaction [K330.1]

**competition:** [K331.1]; competition from [K326.1];

had contributed to, ... a prize competition

[П2436.1]; outperform competition [П1684.1];

presented ... competition to [C 1084.1]; stay ahead of competition [B302.1]

**competitive:** [K327.1]; are not competitive with [H922.1]; competitive disadvantage [H1177.1];

competitive on [K324.1]; in a competitive bidding process (B740.1); not competitive [H1289.1]; to be competitive [K327.0]; was competitive in ... with [K328.2]

**competitor:** [K323.1]; major competitors in ... markets [Г44.1]; potential competitor [П1510.1]

**compilation:** is a compilation [C314.1]

**compile:** specification has been compiled with (B1899.1)

**complaint:** filing a complaint against ... with [П626.1]

**complement:** [K290.1]; complement ... in that [Д647.1]; complete complement [П1076.1]; to complement [Д646.0]; to extend and complement [P573.1]

**complementary:** [B 1043.1]

**complete:** [B953.3]; after corrective maintenance action is completed [П1379.1]; applied with complete confidence [П2371.1]; by no means complete [Д97.1, H1691.1]; comes complete with [П1452.1]; comes to a complete standstill [П1052.1]; complete complement [П1076.1];

complete containment [П 1080.1]; complete

delivery [K295.0]; complete evaluation

[B1585.1]; complete line of [П1075.1]; complete

melting [П 1087.1]; complete papers

[3227.1]; complete redesign ... was decided

upon [П2433.1]; complete reverse side of this

form [3399.1]; Complete Specification filed 15 July 1970 [Д132.0]; Complete Specification published Jan. 6 [Д139.0]; complete with [B157.1, Y235.1]; completed ... master of science and doctor of philosophy degrees [3540.1]; completed an electric circuit [3314.1]; in complete accordance with [B603.3]; is ... one-third complete [383.1]; is far from complete [Д95.1]; is in complete accord with [П 1066.1]; is not yet completed [E211.1]; is referred to ... for the complete details [C56.1]; is supplied complete with [П1452.2]; job ... completed [B1892.2]; networking of a complete ... system [0348.1]; no discussion on ... can be complete without [0265.1]; not a complete remedy [H1059.1]; one-third complete [B1917.1]; range of complete supplies [K296.0]; to be complete [381.0, 3223.0]; to complete [B 1873.0, 3397.0, 3539.0]; to complete the circuit to the ... motor [3315.1]; to complete the form [3398.1]; to gain a more complete picture [П 1146.1]; undergo a complete modernization [П662.1]; until step ... is completed [Д452.1]; until the engine comes to a complete standstill [Д455.1]; was complete [3223.4]; was ... complete in [382.1]; when forging is completed [K238.1]

**completely:** are not completely independent of [H 013.1]; but it is still not completely understood [H1783.1]; causes completely beyond our control have made it impossible [П444. In-completely define [П1051.1]; completely different situation [C823.1]; completely identical [C838.1]; completely inadequate [C831.1]; completely independent from one another [П 1046.1]; completely worthless results [C821.1J]; fails completely to reproduce [C825.1]; has become completely inoperative [C890.1]; if... is completely neglected [E72.1]; in a ... not completely understood way (H1081.1J); is completely dominated by [0845.1]; is completely internal [П11.1]; is completely unacknowledged by [C836.1]; is not completely unexpected [H1079.2]; is supplied completely assembled ... [П1453.1]; largely or completely [B655.1J]; minimize, if not completely eliminate [E152.1]; misses completely [B 1375.1]; such a procedure is completely inapplicable [T66.1J]; this concern proved completely unfounded [0738.1]; to formulate ... completely [П11067.1]; was completely absent [П 1054.1]

**completeness:** check the delivery for completeness [П2637.1]; completeness of sets [K296.0]; for completeness [Д379.1, Д380.1]

**completing:** completing articles [K301.0]; completing items [K301.0]

**completion:** [K307.0]; after completion of a successful [П1355.1]; after the completion of [П423.1]; at the completion of [П423.2]; Cer-

tificate of Completion for the course [C287.1]; completion and delivery of the ... project report [384.1]; completion date was met [C1509.1]; construction is scheduled for completion in [385.1, 0703.1]; is near completion [B130.2]; is nearing completion [B130.1, П2175.1]; on completion of [П423.3]; successful completion of ... project [Y438.1]; test could not be run to completion [0880.1]; this process can require from ... to ... for completion [H58.1]; time is short for completion of the effort [B1547.0]; timely completion [C329.1];

to completion [K307.3]; upon completion of [П423.4]; work ... is scheduled for completion in [0702.1]

**complex:** [K284.0J; already complex [И7.2]; and that in a profoundly complex way [И53.1]; as ... programs get more complex [C150.1]; complex issue [C662.1]; complex order [K285.0J; complex square root [K208.1]; complex test [K289.0]; depended in a complex manner on [3102.1]; equally complex [T83.1]; extensions to more complex loadings [0144.1]; however complex [K 154.1]

**complexity:** add complexity to the discussion [Y412.1]; add considerable complexity [B935.1,

3635.1]; at the risk of ... complexity [C89.1]; avoids the complexities [Y541.1]; constitute a further degree of complexity [Д621.1]; differ in the degree of complexity [P225.1]; remarkable complexity of [H 425.1]; without greatly increasing model complexity [B11.1]

**compliance:** [Y57.1]; allows compliance with [П934.1]; article ... has been packed at ... in compliance with [И218.1]; article ... has been subjected to preservation at... in compliance with [И215.1]; Code compliance [C816.1]; compliance with ... regulations [Y156.1]; compliance with this standard does not eliminate [C1011.1]; holds ... responsible for code compliance [H382.1]; in compliance with [B590.12]; in compliance with ... equation [C911.1]

**compliant:** [П640.1]

**complicate:** already complicated [И7.1]; are quite complicated [И467.1]; at the cost only of a slightly more complicated [П35.1]; becomes complicated [0937.1]; complicated the situation [0936.1]; further complicated by the fact that [Д615.1]; further complicates [E1 94.1]; is ... complicated by the fact that [0939.1]; is... complicated by the need for [Y413.1]; is complicated [И471.1]; is complicated by the fundamental differences [0938.1]; requirement is somewhat complicated as [T423.1]; task is further complicated by the fact that [3169.1]; to further complicate matters [П2603.1]; unduly complicate [C656.1]

**complicating:** eliminates ... as a complicating factor [Y524.1]

- complication:** create ... complications [B1815.1]; introduce ... complication [0935.1]; is more free from complications [C 1058.1]; remain unresolved complications [01127.1]; without too much complication, it is possible to [H1023.1]
- comply:** comply with ... regulations [Y168.2]; comply with [C1012.3]; comply with 1-4.1, 1-4.2, or 1-4.3, as applicable [C 1018.1]; comply with the... standard [01244.2]; fails to comply with the specifications [H986.1]; to comply with (B 1873.0)
- component:** [Д269.2, Y189.3]; combines ... in a single component [0351.1]; critical ... components [H314.1]; date and time of failure of the article or its components (Д123.0); essential systems and components [C1561.1]; has three main components [C1116.1]; isolating the malfunction to a... component [0127.1]; is resolved into ... components [P215.1]; oversize components [K510.1]; pressure-retaining components [Д270.1]; primary components [01000.1]; real structural components [P591.1]; resolution ... into components [P248.1]; resolved into ... components [P353.1]; size components [0833.1]; velocity components [C1104.1]
- compose:** composed of [C 1099.1]; is composed of [C520.2]; was composed of [C1114.4]
- composite:** [C 1542.1]; are composite in structure (H405.1)
- composition:** [B1038.0, C1070.1]; as if their composition was entirely methane [B330.1]; composition ... is not specified [C1071.1]; enter into the composition of [B 1675.2]; exact composition [T381.1]; nominal compositions [H1848.1]
- compound:** [B1038.3]; agents ... are ... compounded [Ф15.1]; further compounds this problem [Д614.1]; is compounded [0937.2]; to compound the problem (Д250.1, П2602.1); were compounded with [C521.2]
- comprehend:** to comprehend [П 1269.1]
- comprehension:** when essential to the comprehension of [K242.1]
- comprehensive:** [B1582.0, H845.0, K284.0, П810.1]; comprehensive approach [B1584.1]; comprehensive disposal plant [K288.0]; comprehensive list of references [0293.1]; comprehensive review [B 1583.1]; comprehensive view of [П 1085.1]; examined in a more comprehensive manner [H796.1]; particularly comprehensive study [01052.1]
- comprehensively:** have been comprehensively reviewed [B 1587.1]
- compress:** blow ... dry with compressed air [B2004.1]; compressed against [П2311.2]; compressed project schedule [П300.1]; flush out... pipe lines with compressed air (П2759.1 )
- compression:** to carry the load in compression [P60.1]
- compressor:** extra ... compressor per [0486.1]
- comprise:** [B1111.5, 0197.6, C1114.1]; is comprised of [C1 114.3]; to comprise [Bill 1.0]
- compromise:** [K304.0, C 1363.2]; attempts a compromise [Д216.1]; compromise between conflicting requirements [K306.1]; compromises must be made [H1366.1]; requirements ... compromised [H521.1]; strike a compromise [H109.1]; to best compromise [H604.1]; without compromise to [B59.1]
- computation:** [B2052.0, P545.5]; computation trials [П2608.1]
- computational:** computational tools [B2062.1]; for the sake of computational convenience [Д 409.1]
- compute:** [B2053.1, P556.3]; to compute [B2053.0]
- computer:** computer printouts of the data [M74.1]; computer software [П2712.1]; fundamental computer skills [0957.1]
- computer-controlled:** [Y335.1]
- conceal:** concealed ... damage [C560.1]
- concede:** it is universally conceded by ... and ... alike that [H3. 1]
- conceivable:** and it is quite conceivable that (H17.1); it is conceivable [B1296.0]; it is conceivable ... that [M355.4]; it is conceivable that [B1308.3, B1476.1, M355.0, П1278.1]
- conceivably:** [B403.0, B403.2]
- conceive:** although one may conceive of a (X95.1); it is ... difficult to conceive of [T483.1]; to conceive [3193.0]
- concentrate:** concentrate on [C1068.1]; concentrate on this region [01447.1]; I propose to concentrate on [Я3.1]; initial phase of the work will concentrate on [HI 99.1]; this paper concentrates on [B642.1]; will concentrate on [B 1203.1]
- concentrating:** are concentrating on [C 1066.1]
- concentration:** [K369.1, C934.2]; concentration will be placed on [Y378.1]; to a concentration of 1 part ... to ... parts ... by weight [B162.1]
- concentrically:** inserted concentrically inside [B 1609.1]
- concept:** [B810.0, B812.3, H100.0]; are in line with the concept that [C926.1]; basic concept of... is [0976.1]; broader concept of [B199.1]; concept for reducing [P740.1]; concept of [H100.1, П1277.1]; in a dramatic display of this concept, ... commissioned [Я63.1]; loosely defined concept [HI 659.1]
- conception:** [3435.0]; conception that (П1836.1); current conception [C408.1]; existing conceptions of [C 1586.1]
- conceptual:** conceptual and preliminary phases of ... design [П 1946.1]; conceptual design [Э88.1]; conceptual design phase [Э96.1]; in the conceptual design phase [H193.1]
- conceptualize:** [0948.1, C1092.1]
- conceptually:** [Y406.2, Y406.3]
- concern:** [Д244.0, H601.0]; are more important concerns than ever before for [C412.1]; are of

considerable concern to the ... designer [01065.1]; are of prime concern [T437.1]; area of concern [B1802.1]; as concerns [4143.3]; because of concern [И 125.0]; because of concern that [И 125.3]; causing concern [B 1814.1]; concern ... difficulty [T473.1]; concern by [C440.1]; concern regarding [0736.1]; concern to [C1489.1]; concerns ... addressed [3352.1]; earlier concerns [B 1980.1]; has serious concerns [C445.1]; have concerns [0739.1]; invention concerns [И319.1]; one of the important concerns [0527.1]; series of concerns developed about [B1349.1] do not present a significant concern [H1020.3]; embodies all the points of concern [01614.1]; general lack of concern in [0331.1]; giving cause of major concern [ B 1834.1]; in this paper the concern is with [B430.1]; increased... concern in [И585.1]; is ... not a concern [H797.1]; is ... of less concern [M93.1]; is a cause for concern [H916.1]; is of concern for [B1827.1]; is of concern to [И1854.1]; is of natural concern [B1479.1]; is of serious concern to [Я25.1]; is only of concern as [P475.1]; major concern with [0979.2]; matter of great concern [Д245.1];

of major concern [Д246.1]; of most concern [И 1866.2]; of paramount concern to ... rather than [Д326.1]; of particular concern are [01071.1]; of present concern [И1862.1]; out of concern for possible [C169.1]; principal concern is in [B280.2]; principal concern with [0979.3]; problem of... has been a concern of design engineers for many years [И2606.1]; there is concern that (C 1573.1); there is little concern for... problem [И2601.1]; this concern proved completely unfounded [0738.1]; to be of concern [B295.0, B1802.2]; to cause concern [B1814.0]; undue concern [H1252.1]; was not of major concern [H878.1]; was of concern [B295.2]; we need not concern ourselves with [H1254.1]; widespread concern [И27.1]; with no ... concern about [M24.1]

**concerned:** [3213.0, P489.7]; as far as ... are concerned [E1 17.1]; been concerned with [И423.1]; concerned with [3359.1]; consideration is concerned with ... only [A108.1]; functions concerned [3214.1]; increasingly concerned about [B963.1]; is ... concerned with [И376.3]; is concerned with [K190.1, 01443.7]; or must one also be concerned with [И344.1]; papers concerned with [C 1441.1]; parties concerned [3215.0]; predominantly concerned with [C351.1]; to be concerned with [3351.0, И376.0, И423.0, K190.0]; we are exclusively concerned with the situation [H404.1]; we shall not be concerned with [M413.1]; who were among the earliest concerned with creep [0539.1]; with which ... is concerned [07.1]

**concerning:** [K192.0, K192.1]; clues concerning ... can ... be gleaned from [C268.1]; concern-

ing this matter [B307.0]; disagreement ... among ... concerning [01548.1]; does not contain a statement concerning [HI 769.1]; hypothesis was put forth ... concerning [B1779.1]; is based on recent developments concerning [01025.1]; it is appropriate to provide some comment concerning [C630.2]; little has been said concerning [M23.1]; somewhat less appears in the literature concerning [HI 584.1]; there seemed to be little choice concerning this matter [B308.1]; we would all welcome additional contributions concerning [X80.1]

**concert:** acting in concert with [Д187.1]; in concert or independently [C859.1]; in isolation and in concert [И430.2]; operate singly or in concert [Д185.1]

**concession:** [Y548.1]

**concise:** [K449.0]; concise review [K450.1]; concise treatment with applications [K453.1]; reasonably concise [Д696.2]

**conciseness:** for the sake of clarity and conciseness [Д370.1]

**conclude:** conclude sales [3240.1]; from this it is concluded [01571.1]; if... were ... it might be concluded, erroneously [E107.1]; it may be concluded [M368.1]; it is ... premature to conclude [И1967.1]; it was concluded [Д198.4];

it was tentatively concluded [C393.1]; it would appear to be reasonable to conclude [И330.1]; lead one to conclude that [И2226.1]; on this basis it was concluded [H89.1]; one can therefore conclude [01572.1]; paper concludes by showing ... and outlining [B124.1]; to conclude [3235.0]; we are forced to conclude [M407.1]

**conclusion:** [B 1725.0, 3245.0]; although this conclusion is possibly premature [XI 10.1]; are led to the conclusion [И2550.1]; at conclusion of the test [И424.1]; at the conclusion [B159.1]; at the conclusion of (И2069.1); cautioned against the hasty conclusion [И 1768.1]; conclusion can be reached [M368.0]; conclusion that... is necessary [B1726.1]; conclusion was contradicted [0862.1]; conclusion was reached [C392.1]; conclusion was verified [И844.2]; corollary of this conclusion is that [HI 489.1]; erroneous conclusion [01698.1]; foregone conclusion [H1270.1]; from this point to the conclusion [C35.1]; in conclusion [B120.0]; main conclusion ... that [И845.1]; reach the ... conclusion that [И2551.1]; reached a similar conclusion [И2552.1]; similar conclusion was reached by [И2552.2]; support ... conclusion [И844.1]; this conclusion may be reached simply by [K23.1]; this leads to the conclusion that [A40.1]

**conclusions:** [B1725.2]; affect the results and conclusions of the paper [C514.1]; but some conclusions can be drawn at this point (A1 13.0); conclusions ... are reinforced [И731.1]; conclu-



sions are mixed [B 1731.1]; conclusions are unchanged [B 1732.1]; conclusions drawn regarding [B 1735.1], contradict conclusions [Π2974.1]; firm conclusions [0717.1, Y24.1]; following conclusions can be drawn [И825.0]; following conclusions can be reached [M369.1];

from the results of this study the following major conclusions can be drawn [H85.1J; in spite of ... conclusions can be reached [H1618.1]; interim conclusions [Π1707.2]; it is ... much too soon to draw any final conclusions [C655.1]; overly optimistic conclusions [4149.1];

prevented the author from reaching firm conclusions [H988.1]; reached the following conclusions [Π2553.1]; similar conclusions have been drawn by [K2.1]; specific conclusions reached from this investigation [K322.1]; tentative conclusions [Π1707.1]; to draw ... conclusions [Д198.1]

**conclusive:** our results are not conclusive [H739.1];

play a conclusive role [И90.4]

**conclusively:** conclusively show [Y18.1]; conclusively state [C145.1]

**concomitant:** concomitant with [C101.1]; with a concomitant decrease in [C 149.1]

**concreteness:** for concreteness [Д350.1]

**concur:** [C928.1]

**concurrency:** with the concurrence of [Π474.1]

**concurrent:** [0580.1]; and... is concurrent [И45.1];

concurrent with [H534.3, 0582.2]

**concurrently:** [0579.2, 0583.1]; almost concurrently [Π1559.1]; run concurrently from ... through [Π3006.1]

**condensation:** [P711.2]

**condense:** be stated in a condensed and precise question format [Ф48.1]; condensed into a single trace [C312.1]

**condition:** [C1 106.1]; as-received condition [B611.1]; avoid running the system in an ... condition [И161.1]; be in good condition [H652.1]; boundary condition [Г 118.1]; by the condition that [И824.1]; condition ... is met [Y176.1]; condition inspection of assembled article [Д274.0]; condition inspection sheet [Д275.0]; condition is satisfied if [Y394.1]; for the infrequent condition where [H150.1]; from a fault condition [И220.1]; fulfil the condition [B 1898.1]; healthy condition for [B 120.1]; im-

poses the condition [H367.1J; in AI condition [B619.1]; in good condition [B617.1]; in the as-

... condition [B606.0]; in the as-rolled condition [B610.1]; in the no-... condition. [B320.0);

in the no-signal condition [B321.0]; maintain ... in top condition [Π709.1]; necessary condition for [Y390.1]; off-ratio condition [Y389.1];

reach an equilibrium condition [Д716.2]; reasonable condition [Y 164.1]; relaxation of ... boundary condition [C798.1]; relaxation of the ... condition [01306.1]; relaxing ... condition [C797.1]; satisfy the ... condition [Y176.2]; to

examine the condition [Π2652.1]; to remedy the condition [И740.0]; to satisfy the boundary condition ... it is required [И138.1]; under that condition the associated [C 1025.1]; were found

to be in excellent condition [H653.1]

**conditions:** abnormal operating conditions [H1354.1]; adverse operating conditions [T519.1]; all other conditions unchanged [Π2155.1]; also to ... specification of the boundary conditions on [H391.1]; appropriate conditions [Π876.1]; are subject to the initial conditions [Π892.1]; at ... turn-down conditions [Π2089.1]; capability of ... to survive under ... adverse ... conditions [C1216.1J; conditions ... chance from [C716.1]; conditions ... for [Π692.1]; conditions ... have not yet been settled [Y397.1]; conditions are not observed [HI 076.1]; conditions favorable to [Y395.1]; conditions in the majority of the bed [Y401.1]; conditions leading to [Y396.1]; conditions of no stress [Y391.1]; controlled conditions [K353.1]; either of these conditions [0538.1]; for otherwise comparable conditions [Π2160.1];

for the most severe conditions [Д415.1]; frigid conditions [Y402.1]; imposition of ... conditions on [H390.1]; in ... conditions [B713.1]; in conditions [B713.0]; initial and boundary conditions [H712.1]; intended service conditions [0601.1]; meet those ... conditions [Π1288.1];

minor variations in test conditions [H1164.1];

most benign conditions [H306.1]; normal plant conditions [H1854.1]; off-calibration conditions [01335.1]; once the... conditions are met [Π1377.1]; operating conditions [P626.5]; operating conditions for [P104.1]; prolonged idle conditions [Д300.1]; properties ... at atmospheric conditions [C340.1]; reference conditions [X20.1]; service conditions [Y404.1];

steady state conditions ... attained [Д716.3];

steady-state ... conditions [Y494.1]; test conditions [Y399.1]; to survive under ... adverse operating conditions [Y594.1]; transient conditions [Π205.1]; under ... conditions [B606.0, B713.2]; under a wide range of conditions [B105.1]; under conditions [B713.0]; under fault conditions [B720.1]; under no-load conditions [B30.0); under normal lighting conditions [Π2104.1]; under suitable conditions [Π2157.1]; under tare conditions [B620.1];

under terrestrial conditions [B721.1]; under the right conditions [Π2156.1]; under zero gravity conditions (B716.1); unforeseen conditions [H 1511.1]; upset conditions [A57.1, H1159.2J; variations in ... conditions [И254.1];

where service conditions are reproduced as accurately as possible [B715.1]

**conductive:** [B117.0]; conducive to [B119.3, C 1237.1]

**conduct:** analyses were conducted [Π2671.1];

approach is to conduct [Π873.1]; conduct in-

- house ... studies [Π2678.1]; conducted studies [Π2676.1]; experiments were conducted [Π2697.2]; inspection was conducted [Π2688.1]; tests are to be conducted [Π288.1]; to conduct [B932.0]; to conduct audits [Π2695.1]; work ... was conducted under contract ...with [P29.1]
- conducting:** support the rationale for conducting [Π849.1]
- conduction:** state of pure conduction [C1 113.1]
- conductive:** be conductive to... fracture [C 1233.1];  
is conductive to [C1231.3]; this is not always conductive towards [Э119.1]
- conductivity:** copper-to-bronze thermal conductivity ratio [01470.1]
- confer:** confer... extra benefit [Д13.1]; confers on ... proprietor ... rights [Π1758.1]; confer substantial advantages [Д45.1]; conferred substantial benefit [Π2456.1]; does not confer immunity from [H962.1]; to confer [Д3.0], to confer an advantage [Д43.0]
- conference:** conference attendance: [0254.1]; general conference sessions [Π295.1]; press conference was held [C 1120.1]; published... in time for conference [И211.1]; to participate at the... conference [Π2437.1]
- confess:** it must be confessed [H1379.1]
- confidence:** added confidence in [Д632.1]; applied with complete confidence [Π2371.1]; can ... with confidence that [M330.1]; confidence in results [Д488.1]; confidence in the results [Y73.1]; confidence is achieved [Д483.1]; confidence that ... is not great [B230.1]; enables the prediction ... to be made with confidence (Π927.1); engender confidence [B1574.2]; gain more confidence in [Π2471.1]; give confidence in [B1574.1]; gives confidence that [B1575.2]; has resulted in an increased confidence in [Π590.1]; if it is to be used with confidence [E133.1]; information ... treat... in strict confidence [И702.1]; lending further confidence to [E195.1]; lends ... confidence that [B 1575.1]; lends confidence in the future use of... for [B1576.1]; loss in confidence as to [Π1512.1]; provides confidence that [B1575.3]; reduces the confidence that can be placed to [C769.1]; to develop confidence in [Д484.1]; to encourage confidence [B1244.0, B1244.1]; to engender confidence [B1573.0]; to give confidence [B1573.0]; to lend confidence [B1573.0]; to provide confidence [B1573.0]; with a certain amount of confidence [C 146.1]; with confidence [C144.1]
- confident:** are ... confident that [Y75.1]; confident  
prediction can be made that [M372.3]; to become confident of [Π529.1]; to receive wide and confident acceptance [Π 1172.1]
- confidential:** confidential information [K368.1]
- confidently:** it is confidently expected [M356.1]; it is confidently predicted that [M372.2]
- configuration:** [B810.0, B812.2]; finally dictate configuration selection [0816.1]; strong configuration dependence [C460.1]
- configure:** is configured in a similar fashion [И455.1]
- confine:** are contained within the confines of the present [H801.1]; confined their attention to cases [0467.2]; confined to [0463.2]; confines itself to (0463.3); I shall confine my attention to [Я2.1]; narrow confines dictated by (Y 191.1);  
present discussion is confined to [M428.1]; protruded beyond the confines of [B 1995.1]; remaining discussion will be confined [Π 1420.1]
- confining:** confining discussion to [0462.1]
- confirm:** confirm ... recommendations in practice [Π2650.1]; confirm if... are required [Π848.1]; confirms the soundness of [Π852.1]; could neither be confirmed nor denied [HI 318.1]; have subsequently been confirmed by [B 1499.1];  
is ... confirmed by [Π820.2]; is seen as sufficient evidence to confirm that [Π 1891.1, P544.1]; subsequently confirmed by [Π868.1]; to confirm it to be wet or dry [Y33.1]
- confirmation:** adds further confirmation of [C691.1]; further confirmation [Д636.1]; gives  
... confirmation of [Π843.3]; subject to confirmation [Π737.1]
- confirmatory:** confirmatory runs [K366.1]
- confirming:** I am confirming our consent to [Π856.1]
- conflict:** are in conflict: [Π2977.1]; are in conflict  
with [H640.1]; conflict ... be brought to the attention of [0210.1]; conflict between [Π2972.1];  
conflicts between [P540.1]; conflicts with [B1643.1, Π2973.3, P535.2]; is in conflict with [Π2973.4]; significant conflict [C1557.1]
- conflicting:** are ... conflicting [B1642.1]; compromise between conflicting requirements [K306.1J; conflicting design goals [Π2979.1];  
conflicting requirements... resolved [C915.1]
- conform:** conform in ... to [C919.1]; conform to the principles [Π890.1]; conform to the provisions of Par [C1017.1]; conform to the specifications [01245.1]; conformed to the equation [Π891.2]; conforms to the ... rule [Π889.1]; to conform to [B590.10]
- conformity:** certificate of conformity [C434.1J; in  
conformity with [B588.0, B588.2]
- confront:** [B1623.1]; confronted with [B1632.1]; confronted with difficulty [C1374.1J; to confront [B1620.0J; to confront with [B1630.0]
- confuse:** confuse the ... issue [3421.1]; not to be confused with [H1072.2]; this should not be confused with [H 1072.1]; thoroughly confused  
the situation [C822.1]; to confuse [3420.0]
- confusing:** is confusing [B 1233.1]; to be confusing [B1233.0]; to be no less confusing than the  
useof[B1234.1]
- confusion:** confusion over [Π3090.1]; confusion produced by [Π3091.1]; have been omitted ...

to avoid confusion [HI 012.1]; much confusion can ensue [M271.1]; to avoid confusion [4185.1]; to avoid overlap and attendant confusion [4183.1]; to resolve the confusion [Y535.1]

**conjectural:** unraveling of ... is still conjectural [0373.1]

**conjecture:** is pure conjecture and needs to be verified [B1568.1]; it is conjectured that [П1795.2]; this is just conjecture [H1819.1]

**conjunction:** in conjunction [B625.1]; in conjunction with [B625.0, И1.3, H534.2, C862.2, C862.3];  
read in conjunction with [И709.2]

**connect:** are intricately connected [C367.1]; be ... closely connected to [T207.5]; connect ... to [П823.1]; connect voltmeter between terminals [П729.1]; connected in series with [B1 117.0, C972.1]; connected to [n2522.2]; connects directly to [C965.1]; connects to common [C967.1]; do not leave ... connected [H965.1]; is connected ... to [C964.1]; is connected to ground [3205.1]; is intimately connected with [T207.7]; not connected [H981.1J]; to connect [B1 107.0]; voltage... be connected to [П631.2]; where it was connected to [B187.1]; wires or leads marked ax to be connected to [П2668.1]

**connecting:** connecting ... across ... resistor [П824.1]; connecting ... in series [П1409.1]; connecting a ... voltmeter between ... and ground [П2523.1]; connecting power ... to [П727.1]

**connection:** check ... for open connection [П2658.1]; connection between [C371.1]; connection (B1 118.0); in connection with [B494.0, B494.1]; in this connection [B503.0]; in this connection, it should be noted that [B507.1]; in this connection, it should be pointed out that [B507.2]; make ... connection [Y463.1]; mentioned in connection with the description [Y320.1]; open connection... in the... circuitry [P334.1]; should state his business connection the title of his position [Y204.1]

**connotation:** connotation of [Д625.1]

**connote:** connotes ... means [0614.2]

**cons:** pros and cons of [B1003.1, Д741.4]; pros and cons [Д741.0, 315.1]

**conscientious:** conscientious effort [Д485.1]

**conscious:** have been conscious of ... from the beginning [П1271.2]; was image conscious [373.1]

**consecutive:** (П 1407.2)

**consecutively:** [П1399.4]

**consensus:** [E14.1]; general consensus on [B1580.1]

**consent:** applying to ... for consent to [И746.1]; gives its consent [Д64.1]; I am confirming our consent to [П856.1]; to obtain the consent [П1179.1]; with the consent, in writing, of [C50.1]; withhold ... consent [H823.1]; written consent [П260.2]

**consequence:** and as a consequence of this [И33.1]; are ... of negligible consequence [H878.3]; are of no consequence for [H877.2]; as a consequence of all this activity [B475.1]; as a consequence of the previous discussion [B498.2]; as a consequence of [B474.0, B494.0, B1597.0]; as a consequence [A38.0, П1575.5]; as a consequence [K114.1]; as a consequence, one wonders [A39.1J]; consequence of [B1597.1J]; consequence of [C636.1, C636.2]; consequences  
... have been assessed [01634.1]; consequences of an accident [П1414.1]; consequences [П1413.1]; direct consequence of [П3062.1]; had far reaching consequences [И429.1]; has an interesting consequence [И430.1]; have disastrous consequences [И428.1]; in consequence [B474.0]; in consequence [B474.2]; is ... consequence of [Я29.2]; is of consequence [И387.1]; one consequence of this is [0525.1]; this would be of little consequence [Э117.1]; to be of consequence [И387.0]; undesirable consequence of [H1221.1]; unpredicted consequences to [H1512.1J]; with detrimental consequences [B 1512.1 ]; with no major consequences [B24.1]; without any adverse consequence [B23.1]

**consequent:** consequent problems [C354.1]; consequent upon [K 113.1]

**consequently:** [A38.1, П1399.3]; and consequently [И55.1]

**conservation:** conservation of energy [C 1125.1]; conservation of mass principle [3252.1]

**conservative:** is ... on the conservative side [042.1]; is conservative [Д15.1]; unnecessarily conservative [И234.1]

**conservatively:** are conservatively sized [B 1700.1]

**conserve:** [C1126.1]; be conserved [Э8.1]; in order to conserve space (B748.2); to conserve space [Д423.1]

**consider:** cautions ... to consider [П1910.1]; consider ... to be unconvincing [C1614.1]; consider each of... in turn [P459.1]; consider first [P479.1J]; consider not... but one [P467.1]; consider the case where [P481.1]; consider, ... the other extreme situation [P480.1]; is not so surprising when one considers [HI 109.1]; it is ... attractive to consider [3273.1]; it is helpful to consider [П 1012.1]; it is of interest to consider [И613.1]; may seem ... until one considers [M295.1]; this is understandable when one considers [Э 181.1] let us first consider [P479.2]; now consider [P482.1]; to begin with, let us consider [B1 170.1]; to begin, it is relevant to consider [Д359.1]; to consider... in isolation [P453.1]; to consider in a bit more detail [P472.1]; additional factor to be considered is [E220.1J]; been considered justification for [C1623.1]; before ... can be considered for purchase [П1960.1]; being considered [P489.9];  
both required to be considered [T451.1]; by

convention, ... is considered [Y409.1]; can legitimately be considered [B 1490.1]; claims will not be considered if the packing list is not enclosed. [B46.0]; considered as provisional [P463.1]; considered carefully [T517.1]; considered equally [P465.1]; considered final [C 1622.1]; considered first [P454.1]; considered separately from the rest of [P469.1];

evidence ... is now considered [P483.1]; final matter to be considered with respect to [H50.1]; having considered ... let us now turn our attention to [P478.1]; in the past it was generally considered [B425.1]; may (can) be considered as (M364.0); need to be considered [H1392.3]; normally considered [0415.1]; only are considered ... in the sequel [B 1500.1];

possibility of replacing ... was considered [B365.1]; these would want to be considered [H856.1]; this aspect will be considered further [999.1]; was not considered important at the time [B67.1]; was not seriously considered [C444.1]; were not considered suitable for ... by virtue of [H2314.1]; when ... is considered [E79.1, E96.1]; when considered in relation to [E84.1]; would not usually be considered when [0410.1]

**considerable:** [B224.0, B778.0, 3605.0, M193.0];

acquired considerable experience in [H2486.1]; add considerable complexity [B935.1, 3635.1]; after considerable effort [C141.2]; after considerable experimentation [H1365.1]; after what may be a considerable time [H1362.1]; are of considerable concern to the ... designer [01065.1]; are subject to considerable abuse [362.2]; considerable advances were made in [H721.1]; considerable amount of information [3637.1]; considerable amount of work [B243.1];

considerable amount of [B240.0]; considerable assistance was derived from [H1161.1]; considerable attention was paid to [B239.1]; considerable body of [3611.1]; considerable effort aimed at [3613.1]; considerable effort has been expended in [B233.2]; considerable effort was expended [M200.1]; considerable effort was spent in [H2729.1]; considerable engineering judgement [C439.1]; considerable field evidence [B246.1]; considerable improvement is sought for the future. [H215.0]; considerable improvement is sought [H647.1]; considerable judgement has to be exercised [C621.1];

considerable milestone [B789.1]; considerable thought was given to [Y 109.1]; considerable time ... be spent [3489.1]; for a considerable time [H501.1]; give considerable insight into [H921.1]; has been the subject of considerable investigations [H33.1]; have expended considerable effort to [M211.1]; have made a considerable advance on [H426.2]; have received considerable past attention [Y120.1]; hold considerable promise [01089.1]; is a consider-

able departure from [C476.2]; it took a considerable number of years before [H3017.1]; it was necessary to use considerable care [H1897.1]; of considerable importance [01658.1]; problem ... has received considerable attention [H2607.1]; question of considerable practical importance [B 1392.1]; requires considerable caution [T433.1]; requires considerable improvement [H1885.1]; there is considerable disagreement [C1580.1]; were forced to pay considerable attention to [H2567.1]

**considerably:** considerably less attention has been given to [Y 118.1]; considerably less variation [3625.1]; considerably [3614.0]

**consideration:** [A107.0, B1201.0, B1337.0, B1391.1];

at first consideration [H13.4]; beyond the consideration of [E1 42.1]; consideration for [B1338.1]; consideration is concerned with ... only [A108.1]; consideration of ... problem [P497.1]; consideration of revisions to [P495.1];

consideration should be given to [C628.1]; consideration will now be given to [P482.3]; detailed consideration ... is merited [3444.1]; eliminates ... from consideration [H910.1]; emerges from consideration [B2013.1]; give special consideration to [0216.1, Y116.2]; given consideration to using [P458.1]; important consideration in ... is [H1335.1]; i consideration for [B 140.1]; is a secondary consideration [H393.2, H2289.1]; is given general consideration [P486.1]; is given serious consideration [Y117.1]; is not a consideration [M321.1];

is of prime consideration [H397.1]; is relevant to a consideration of [B788.1]; is under consideration [P485.4]; it is worth some consideration [C1465.1]; less from consideration of... than (H1096.1); merit consideration [3456.1];

most important consideration in [H312.1]; paramount consideration [B795.1]; pay any consideration [B1865.1]; primary consideration must be given to [0987.1]; prime consideration [0508.1]; question of... requires further consideration [B 1409.1]; receive careful consideration [T517.2]; ruled out further consideration [H655.1]; secondary consideration (B 1662.1); submit for consideration [H 1852.1];

this becomes an important consideration in [H156.1]; time is a consideration [B1527.1]; to be a consideration [H387.0]; to be of consideration [H387.0]; under consideration [P489.10]; were given strong consideration [Y109.3]; were fatigue is a consideration [B561.1]; with due consideration for [C167.1]; would also be an interesting consideration [H614.1].

**considerations:** be left out of any considerations [H654.1]; be subject to ... considerations (P775.1); because of... considerations [H475.1];

before entering into... considerations [H1958.2];

for economic considerations [H481.2]; for en-

environmental impact considerations [И821.1]; foregoing considerations [B2075.1]; from safety considerations [И132.1]; general... considerations [0342.1]; laying other considerations aside for the moment [E57.1]; mechanical considerations [K339.1]; not only for... considerations, but also [И120.1], practical considerations [П1680.1]; primary considerations governing [Г58.1]; similar considerations must surely apply to [A133.1J; to address specific ... considerations [P464.1]

**considering:** considering [Y619.1]; corp. ... is reported to be considering [C1007.1J; especially considering [01036.1]; especially considering that [01037.1]; especially considering the overall trend of [01050.1]; is worth considering [3456.2]; provides a means of considering [Д11.1]; such disagreement is not surprising considering the difficulty investigators have encountered in (T74.1); there is little point in considering [H1650.1]; what is the justification for considering [H547.1]; when considering [P477.1]; when considering that [E97.1]; which is not bad considering [4165.1]

**consignee:** [Г138.0]

**consignor:** [Г137.0]

**consist:** they each consists, basically, of [K37.1]; to consist in [3242.0]; to consist of [3242.Q, 3242.1]

**consistency:** [3253.0]; consistency of performance [C1349.1]

**consistent:** [H1276.2, П1407.3, C497.1]; are consistent [C870.4]; are not consistent with [H1077.1]; consistent ... compared with [C1352.1]; consistent set of symbols is used [И703.1]; consistent thread running through [П3003.1]; consistent trend [Y513.1]; consistent with [B589.2, B590.0, 4166.1]; consistent with good piping practice [B600.1]; consistent with good practice [B599.1]; consistent with their past performance [K72.1]; interpretation was consistent, ... with [Э168.1]; is ... consistent with [H648.1]; is consistent with [C920.4]; is entirely consistent with [П1066.2]; is more consistent with [01377.1]; shows a consistent pattern [C1133.1]; to provide a consistent explanation for [Д25.1]

**consistently:** [B962.3, B1548.4, H1277.2, П1472.3]; have not been found to consistently provide [H624.1]

**consisting:** consisting of [C1118.1]

**console:** operator console [П3075.1]

**consolidate:** to consolidate [0350.3]

**constant:** constant ... constraint [0442.1, Y392.1]; constant... values [П1479.1]; constant at the wall value [П1478.1]; constant speed [C99.2J; constant study [H1518.1]; fixed... constant [П1476.1]; greater than... a constant amount [B208.1]; have ... constant rate [XI 1.1]; hold constant [01110.2]; is adjusted for a constant [P617.1]; is maintained

at a constant temperature [П719.1]; keep ... constant at the desired level [П712.1]; numerical constant [492.1 ]; remain about constant [01112.1]; roughly constant [П2190.1]; stays constant [01110.1]; thereafter remaining constant [01111.1]; was maintained constant [П717.2]; were centered around a constant value of [Г144.1]; within the constant [П2095.2]

**constantly:** [П1472.1]

**constituent:** constituents... constituent [C1103.1]

**constitute:** [0197.5, П1874.4]; constitute a basis for [C687.1]; constitute a further degree of complexity [Д621.1]; constitute an important part of [Я12.1]; constitutes the major difference between [B767.1]

**constitutive:** constitutive equations [0858.1]

**constrain;** constrained to operate at (P27.1); is constrained from expanding [H821.1]; is constrained on the north [0477.1]

**constraint:** additional constraint of mixing [Д635.1]; blade spacing constraints [0445.1]; constant ... constraint [0442.1, Y392.1]; constraint of ... is relaxed [C784.2J; constraints and limitations imposed by prior design of [0444.1]; constraints on size [Г2.2]; constraints posed [0443.2]; impose constraints on [H380.3]; inequality constraints [0441.1]; measure of the constraints on (C1451.1); pose a ... constraint on [H366.2]; practical constraints [0448.1]; removes the constraint [C784.1]; schedule constraints [0447.1]; so far practical constraints have prevented this [H1808.1J; space constraints [П2942.1]

**construct:** are constructed with [C1515.1J; construct a ... chart [П1487.2]; constructed from the data [П1489.1]; constructed of [B1912.1, И201.1]; constructed on a modular basis [И184.1]; constructed to a geometric scale ratio of 1:10 [И186.1]; constructed to date [П1491.1]; curves ... constructed [П1488.1]; designed and constructed [C1257.1]; is constructed in two sections (B 1876.1); model of 1/8 size was constructed [И188.1]; shall be constructed to provide [Д577.1]; to construct [B1873.0, И183.0]; to construct ... of ... size [И185.0]; to construct of [И191.0]; to construct to a scale ratio of [И185.0]

**construction:** [И208.0]; are proposed for construction [П1794.1]; construction ended ... days ahead of the schedule [C1510.1J; construction is scheduled for completion in [385.1, 0703.1]; construction rules and regulations [H1866.1, C1508.1]; delayed the start of construction [3186.1]; is dedicated to construction engineering [C1153.1]; management of the overall construction [Y328.1]; method of construction of [M160.1J; modular construction [M239.1]; presently under construction [C1516.1]; robust construction [П3034.1]; savings in ... design and construction [C779.1,

Э26.1]; staged construction [П 1574.1]; to proceed with construction [П2743.1]; to select the construction site [B 1702.0]

**constructive:** [K334.0], constructive comments [K337.3]; constructive criticism [K337.1]; constructive effect [П 111 2.1]

**consult:** for ... consult factory [П349.1]; be consulted [0226.1]; company ... be consulted [П2835.1]

**consultant:** adviser ... consultant [K346.1]

**consume:** consumed material is minimal [P527.1]; consumes [P538.1]

**consumer:** [П 1519.1]

**consuming:** is time consuming [T439.1]

**consumption:** energy consumption [П1524.1]; fuel consumption [П1523.1]; per-capita consumption of [П1521.1]; specific fuel consumption of the turbine [Y107.1]; will bring down the time consumption [П932.1]

contact:[C347.1]; are brought into contact with [П2217.1]; come in contact [B1646.1]; come in contact with [П2547.1]; contact ... at [0231.1, C347.2]; contact ... for information ... at ... by fax at [0224.1]; contact... for technical support [0225.1]; contact is closed [K348.1]; contact is open [K349.1]; do not contact leads [H1031.1]; for more information, contact [314.1]; in order for a contact to become open [Д404.1]; it is ... important that regular contact be maintained [B801.1]; made contact with [B1630.2]; makes or breaks contact [3316.1]; to assure reliable contacts [4178.1]; to make contact with [B1630.0]; was in contact with [C1040.1]

**contain:** [C405.1, C938.1]; contain little or no (C948.1); contain much useful engineering information [C943.1]; contained [J199.1]; are contained within the confines of the present [H801.1]; contained virtually no possibilities for ... error [И662.1]; contains ... valuable information [C942.1]; contains the required characteristics (090.1); does not contain a statement concerning [H1769.1]; guidelines for ... are contained in [P674.1]; information contained in [И633.1]; information is all contained in [B959.1]; inventory of ... contained within [K263.1]; is contained [П1243.1]; literature contains very limited advice [B171.1]; proposals contained in it [C956.1]

**container:** keep containers closed when not in use [B334.0]

**containing:** containing ... nitrogen [C953.1]; pressure containing [P92.3]

**containment:** complete containment [П1080.1]

**contaminant:** [3147.0]; contaminant species [3147.0,3152.1]

**contaminate:** airborne contaminates [3151.1]; chemicals are contaminated. [3149.0]

**contamination:** (3147.0); contamination rate [C545.1]; water contamination of the fuel [3150.1, П1283.1]

**contemplate:** [П1786.3]

**contemporary:** on a topic of contemporary importance [H167.1]

**contend:** contend with [B258.3]; to contend with [B258.0]

**contender** contenders for the design [K325.1]; main contenders for [0970.1]

**content:** definitive content of the abstract [0710.1]; hydrogen content of the fuel [C935.1]; interpretation of the content [T297.1]; summary of its contents [K454.1]; vessel contents [C937.1]

**contention:** [T369.1, Y557.1]; it is our contention that [M437.1]; supports the contention that [И858.1]; widely held contention [И25.2]

**contentious:** most contentious [C222.1]

**contest:** decision is contested [01077.1]

**context:** at least in the context of [П400.1]; be significant only in a localized context [И394.1]; in a ... context [B713.0]; in a marine context [B723.1]; in the context of [B494.2]; in this context [B503.0]; out of context [ B318.1]; to set this study in the context of a wider investigation, of which it is a part [P466.1]; within the context [B457.3]; within the context of [B457.0]

**context-specific:** [388.7]

**continental:** continental type of claims [E1.0]

**contingency:** to cover all contingencies [C 160.1]

**contingent:** are contingent on ... subject to [388.4]; contingent upon [388.5]; to be contingent on (upon) [388.0]; were the largest contingent [C 1074.1]

**continually:** [B1548.0, H1523.1]; are being upgraded continually [H1527.4]; at a continually increasing rate [C97.1]; is continually changing [B1549.1]

**continue:** [B87.1, П441.1, П 1476.3, П2746.1, C1142.1]; and this will continue [И59.1]; be continued [П2746.3]; but ... continued [HI 814.1]; continue ... for many years to come [C 1128.1]; continue in force [C 1139.2]; continued for the full... length [П2917.1]; continued fraction [H1529.1]; continued in production [01088.1]; continued interest [H1453.1]; continued interest and support [И520.1]; continued into [П2747.2]; continued until [П2747.1]; continues to be a matter of some controversy [01125.1]; debate on ... continues to the present day [C1195.1]; further... studies might continue along two paths [Д107.1]; general pattern ... continues at [K186.1]; have been and continue to be used [И733.1]; if failure continues [E59.1]; interchange of experience ... will continue [0120.1]; is worthy of continued study [3451.1]; its use will surely be continued [И536.0]; major emphasis continues to be placed on (0988.1); need for... continued to be pressing [HI 407.1]; never start or continue operation if electric equipment failure is detected. [3410.0]; shall continue through [Д184.1]; to continue the present practice

[C594.1], was continued past [Π2916.1]; was continued with [Π2739.1]; will continue to receive research support [И784.1]

**continuing:** analysis of these data is continuing [A1 13.0]; are continuing a dialogue to improve [Π2740.1]; continuing debate as to [HI 519.1]; continuing demands on engineers [Π86.1]; continuing importance [C 1124.1]; continuing improvements in [Π 1480.1]; is continuing [Π2746.2]; recent and continuing [H700.1]

**continuity:** no continuity [P334.2]; verify continuity [Π2643.1]

**continuous:** [Д298.0, H1533.1]; continuous ... loading [Д299.1]; continuous ... monitoring of [H1532.1]; continuous duty [P83.1], continuous line [C1193.4]; continuous running [H1531.1]; continuous striving for [H1534.1]; continuous variation in [Π273.1]; has been continuous [Π2687.1]; nominal continuous rating of [H1849.1]

**continuously:** continuously upgraded [H1527.3]; varied continuously [Π276.1]

**contour:** be contoured with a radius [C555.1]; contoured to a ... radius [B1965.1]

**contract:** [Д523.0]; are a contract requirement [0273.1]; boiler contract award [3246.1]; contract definition [T233.1]; contract with ... for [Д526.1]; contracted effort (Д528.1); contracted with [3239.2]; contracts are placed with [3239.1]; contracts ... expands [C451.1]; contracts for service with [3238.1]; installation contracts [Д524.1]; entered into a contract ... to [3237.1]; in effect on the date of the ... contract [Д191.1]; is ... under development... under contract [P298.1]; order... placed against an already established contract [3216.1]; tender contract [Д525.0]; through a contract with [Π366.1]; turn-key contract [Д525.0]; under contract to [3239.3, Π366.2, Π384.1]; under the terms of the contract [Π502.1]; was awarded the contract to deliver [Π1147.1]; withdraw from the contract [A147.1]; work ... was conducted under contract... with [P29.1]

**contraction:** [C1538.1]

**contractor:** installing contractor [M251.1]; prime contractor [Г45.1]; it shall be the responsibility of contractors to make use of [B267.1]

**Contractor-General:** [Г33.0]

**contractual:** for specific contractual situations (C162.1); is a contractual matter [0847.1]

**contractually:** where agreed contractually [K241.2]; where contractually specified [K241.1]

**contradict:** appears to contradict [K49.1]; conclusion was contradicted [0862.1]; contradict conclusions [Π2974.1]; contradict the results [Π2975.1]; contradicts claims [Π2976.1]

**contradiction:** apparent contradiction [K45.1, Я56.1]

**contradictory:** are contradictory to [Π2973.2]; contradictory reports [Π2980.1]

**contrary:** contrary to [B 1386.0]; contrary to ... statement [B 1390.1]; contrary to a recent statement on the subject [B1387.1]; contrary to expectation [B 1388.1]; contrary to expectations [B1388.2]; contrary to popular belief [B 1389.1]; contrary to what would be expected [B1388.3]; plenty of evidence to the contrary [M230.1]; on the contrary [H455.3]; results to the contrary [P658.1]

**contrast:** [n929.1]; are in contrast to [01387.6]; by contrast [B296.1, B416.0, B417.1, И41.1]; by contrast with (B416.2); contrast appears even stronger [P231.1]; in contrast [H455.1J]; in contrast to [B294.5, B416.3]; in contrast with [B294.4]; in strong contrast to ... is [C476.3J]; is in contrast to [H640.2]; is in dramatic contrast to ... [Π1061.1]; is in marked contrast to [3297.1]; is in sharp contrast to [P632.1]; stand in contrast to [C476.4]; stand in marked contrast to ... as regards their [P633.1]; turn CONTRAST control clockwise [И548.1j]; are contrasted with [C1036.2, C1280.3]; as contrasted to [B294.2]; as contrasted with [B294.3, B605.0]; contrasts with [H640.3, Π2973.1, P535.1]; is inferior ... when contrasted to [X130.1]

**contrasting:** [C1035.1]; by contrasting ... it may be observed that [C1284.1]

**contribute:** contribute in two ways to [ C 1223.1); contribute little error [B1226.1]; contribute little of significance to [M38.1J]; contribute little to [M38.2]; contribute to [B1 146.7]; contributed strongly to [B1214.1]; contributes to [C1231.2]; contributes to their interest [C1230.1]; greatly contributed [B206.1]; had contributed to... a prize competition [Π2436.1]; has contributed significantly to the advancement of the-state-of-the-art in [B1215.1]; has contributed to providing ... with [C1228.1J]; to contribute [B1213.0]; to contribute error [B1224.0]; to contribute to [B1 146.0]

**contributing:** causes contributing to [Π2589.1]; contributing factor [Φ14.1]

**contribution:** [3439.0, 0622.3, P1.3]; another contribution from [E223.1]; author's contribution lies in [3440.1]; contribution to ... of ... isolated [Y523.1]; contributions ... to make to [B1213.1]; decomposing ... into ... contributions gives [P249.1]; real contribution [B931.1]; represents a major and significant contribution to understanding [Π907.3]; summary of ... contribution [K452.1]; to make a contribution to (B1213.0); we would all welcome additional contributions concerning [X80.1]

**contributor:** (Д550.1); primary contributor to [0974.1]

**contributory:** this may also be a contributory factor [Э147.1]

**control:** [K354.0]; air pollution control [B261.0]; are ... critical to the control of [И401.1]; as a

- control [C 173.1]; automatic control and protection system [A71.1]; be controlled more rigorously [HI 371.1]; causes completely beyond our control have made it impossible [Π444.1]; control of the proper use [K357.1]; control of [K355.1]; control outputs [Y336.1]; control panel interconnections [M250.0]; controlled conditions [K353.1]; controls ... pressure to [Π681.1]; control related issue [B1408.1]; control sign [3575.0]; due to circumstances beyond our control [Π411.1]; exercise control of [01178.1]; exercises a closer control over [B187.1]; fire was brought under control [J1100.1]; for reasons beyond the control of [Π443.1]; fracture control [K358.1]; has some control on [H681.2]; improper control setting [H1500.1]; is ... controlled [0840.3]; is controlled by ... alone [0843.1]; is controlled on the basis of [P611.1]; is ... on automatic control [P615.1]; is not ... under ... control [B2043.1]; is not in control [H858.1]; is under control [H681.1]; loss control and injury prevention [M131.1]; manufacturing quality control [K359.1]; over their full control range [B102.1]; passed beyond the control [B2043.2]; plant noise control [B260.0]; protection, sequencing, alarms and ... control functions [Φ63.1]; quality control [K360.1, 030.3]; Quality Control Department [01283.1]; remotely controlled [Y334.1]; set ... control for ... display of zero [Y485.1]; take over the control of [B 1070.1]; tight control of scheduling [0750.1]; to control [B258.0]; to exercise control [01177.1]; to switch control to [Π103.1]; turn CONTRAST control clockwise [Π548.1]; under control [B363.0]; unless suitable measures are taken to control [E 143.1]; used to control [H712.1]; with proper ... control [Π2152.1]; was ... controlled [C765.1]
- controllable:** in a controllable manner [B471.1]; was controllable to within [P613.1]
- controlling:** controlling failure mode [0854.1]; key to controlling [K224.1]
- controversial:** controversial issue [C 1199.1]; controversial term [C1200.1]
- controversy:** continues to be a matter of some controversy [01125.1]; controversy on this subject [Π1025.1, C1196.1]; is of some controversy [H 1598.1]; matter of controversy [C1201.1]; renewing controversies over [B1351.1]; there is controversy [M188.1]
- convenience:** at your earliest possible convenience [K229.1]; convenience of [Y153.1]; for convenience in plotting [Δ410.1]; for experimental convenience [Δ411.1]; for the readers convenience [Δ412.1]; for the sake of computational convenience [Δ409.1]; for the sake of convenience [PI 43.1]
- convenient:** convenient reach [J132.1]; convenient way of [Y 150.1]; found it convenient (C1617.1); is a convenient place to install [HI 71.1]; it is ... convenient to write the resulting equations in ... form [Y146.1]; it is convenient to refer [Y144.1]; it is more convenient for our purposes to [B541.1]; it is often convenient [419.1]; when convenient [K243.1]
- conveniently:** does the job faster, cheaper, and more conveniently [Я9.1]; is most conveniently handled by using [H335.1]
- convention:** [Π 1922.1]; by convention [K97.2]; by convention, ... is considered [Y409.1]; convention priority date [Δ127.0]; is covered by the ... summation convention [Π 1608.1]; this convention ... be adhered to [Π2303.1]
- conventional:** [0388.1]; are of conventional design [0397.1]; in the conventional fashion [K97.1, 0391.1]; in the conventional manner [0391.2]
- conventionally:** [0400.3]; what are conventionally referred to as [K418.1]
- converge:** [C 1603.1]; converged to an acceptable level of accuracy [C 1605.1]
- convergence:** convergence checks [Π2628.1]; force convergence [Y386.1]; meet the convergence criterion [Y167.1]; to ensure convergence of the solution [052.1]; until convergence [B1471.1]
- converse:** converse holds true when [0206.1]; if the converse is true [E39.1]
- conversely:** [H41.2]
- conversion:** [Π2014.1, P687.1]; conversion factors: [K433.1]; conversion from ... to [Π190.7]; conversion to [Π188.1, Π1693.1]
- convert:** [Π1690.1]; converted to [Π1173.3]; converts the ... energy [Π2018.1]; is converted to [Π 1691.1]; were converted from [Π 175.1]
- converting:** converting ... to [Π2015.1]; converting ... to ... by the ... formula [Π1174.1]; converting the units of measurement [Π1171.1]
- convey:** convey a clear message, namely, that [C192.1]; conveys ... identical results [Δ62.1]; conveys two... messages [Π917.1]; to convey a result [Δ51.0]; signals... conveyed via [Π 102.1];
- conveying:** conveying authority to ... to ship [Y314.1]
- convince:** we convinced ourselves that [M439.1]
- convincing:** do not provide a convincing case for [H998.1]; is not as convincing [HI 108.1]; is so convincing that [H565.1]
- convincingly:** cannot be convincingly explained [H1173.1]
- cool:** air cooled to room temperature [01622.1]; cooled down [01620.1]; cooled to ... at [01621.1]; furnace cooled [01623.1]
- cooldown:** cooldown rate [C546.1]
- cooling:** reason for ... cooling [0961.1]; with less cooling effect [BI 835.1]
- cooperation:** by the cooperation of [Π2162.1]; closer cooperation among [B183.1]; in close cooperation [B624.1]; we must have your



- support and cooperation if we are to have a successful result [B13.0]
- cooperative:** cooperative relationships [K370.1]; in a cooperative effort between [B478.1]
- coordinate:** [Π2215.1]; coordinated with [C916.2];  
in terms of the x, y, z coordinate system [B165.1]; on ... coordinates [B163.1]; on log-log coordinates [B 164.1]; origin of the coordinate system is (H703.1); replotted on coordinates [Π170.1]; spatial coordinate [Π2941.1]
- cope:** cope with [C 1252.3]; easier to cope with [J131.1]; was unable to cope effectively with [Π317.1]
- coplanar:** coplanar with [B342.1]; is coplanar with [H634.1]
- copper:** are commercially available in copper [Π2720.1]
- copper-to-bronze:** copper-to-bronze thermal conductivity ratio [01470.1]
- copy:** [K373.0J]; please find copy of [H576.1]; printer's copy, typed in double spacing [H232.1]; verbatim copy of [Д675.1]; copies ... are available [H489.1]; provide ... copies of documents [Π95.1]
- copyright:** Crown Copyright [K385.0J]
- core:** core skills [0998.1]; throughout the core [Π352.1]
- corollary:** corollary of this conclusion is that [H1489.1]; corollary to [C636.3]; corollary to this is that [0537.1]
- Corp.;** Corp. ... is reported to be considering [C1007.1]
- correct:** [B895.0, Π1626.1, C253.1, Y521.1]; assemblage ... in the correct sequence essentially correct (Π491.1); could not be corrected [H1310.1]; if these steps fail to correct the trouble [E176.1]; is ... correct in his surmise regarding [Π1602.1]; is ... correct [B327.1]; is correct against your order [C875.1]; is not entirely correct [H1082.1]; more nearly correct  
where [B 155.1]; much more likely to be correct than [H238.1]; problems with ... were corrected [Y529.1]; stand corrected for [Π2313.1]; to correct [H739.0]; to correct for [B847.0, B1227.0]; to correct for ... error [B 1232.1]; trouble can be diagnosed and corrected [0821.1]
- correctable:** readily correctable [J125.1]
- correcting:** [H737.0]; correcting noncompliance [Y520.1]
- correction:** [H737.0]; correction for [Π1299.2]; correction was applied to the readings from ... gauge [B 1228.1]; presenting a correction to [B824.1]; to apply a correction to [B1227.0]; to introduce a correction for [B1227.0]; to present a correction for [B847.0]
- corrective:** after corrective maintenance action is completed [Π 1379.1]; by taking corrective action at the appropriate lime [B 1249.1];  
corrective action to be taken [HI 422.1]; corrective maintenance [T 127.1]; take necessary corrective action [Π2419.1]
- correctly:** check that... is correctly positioned for [Π2660.1]; does not perform correctly [P64.1J]
- correctness:** correctness under the terms of the order [Π1631.1]
- correlate:** are ... correlated with [C920.7]; as correlated with [B605.0J]; be correlated with [C 1036.3]; correlate ... data with the expression [0785.1]; correlate with [C346.1]; correlated the experimental results [0786.1]; has correlated [Π 1148.1]; heat transfer coefficients were ... correlated [H603.1]; is correlated in some way with [C364.1]; was empirically  
correlated against [Π 1140.1]
- correlating:** [C349.1]; does an ... job of correlating [043.1]
- correlation:** [K393.0, C903.1, C1035.2, Э80.2]; correlation formula [Э80.1]; development of the correlations [ B 1730.1]; no correlation ... was found [K395.1]; overall correlation of the results [K396.1]; to lie within 2 percent of... correlation [01343.1]; with no apparent correlation to [B27.1]
- correspond:** correspond to what [C 1021.1]; corresponds to [C1012.1]; corresponds to usual practice [C1023.1]; corresponds with [C1012.2]
- correspondence:** are in broad correspondence with [B263.1]; one-to-one correspondence [0587.1]; one-to-one correspondence between [Π1088.1]; setting up business correspondence [Y506.1]; there is a one-to-one correspondence between [Π1056.1]
- corresponding:** [C1024.11, C1024.12]; are ordered corresponding to increasing [P372.1]
- correspondingly:** [B601.1, C1029.2]
- corrode:** [P338.1]
- corrosion:** corrosion allowance [Π2510.1]; corrosion attack [K397.1]; corrosion protection [3533.1]; exhibited... resistance to ... corrosion attack [C1052.1]; locate corrosion [0125.1]; long term effects... in respect of corrosion and deposition (B1 133.1); resistance to corrosion [C1047.1J]; to pose ... corrosion threat [Y84.1]
- cosmetic:** is more cosmetic than catastrophic [HI 105.1]
- cosmetically:** [Π344.1]
- cost:** at a cost below the original projections [Π487.1]; at his cost (361.1); at low cost [C10.1]; at reasonable cost [Π508.1]; at some cost in [359.1]; at the cost of [357.0, 357.2]; at the cost only of a slightly more complicated [Π35.1]; cost effective [P706.1]; cost effectiveness [P705.1]; cost estimates [C725.1J]; cost of [3487.1]; cost of sales [T332.1]; cost overrun [Π1702.1]; cost premium for [H255.1J]; cost prohibitive [Д674.0, Д674.1]; did not appear to  
be worth the extra cost of [Π339.1]; expedient in time and cost [Π4.1]; favorable cost impact of the use [Э23.1]; for cost reasons [Π480.1];

- high cost item of the total [C1556.1]; in both costs and ... efficiency [K123.1]; incur the ... costs [H1644.1]; in unlimited supply and at very modest cost [B 156.1]; is worth the extra cost [0802.1]; it is not known what the costs would be to develop [H1274.1J; list of spare parts<sup>^</sup> furnished at extra cost [B871.0]; manufacturing costs [3117.1]; most of the costs are [B237.1]; offer less cost savings [Д69.1]; possibility of... cost advantages [B 1323.1]; recover ... costs [B 1292.1]; recurring maintenance costs [T 131.1]; savings in material costs more than compensate for [Э25.1]; setting the cost ... cost equal to each other [И2518.1]; to offer a cost saving [Д68.0]; to the ... cost [357.0, 360.1]; yield a saving in both development time and cost [И935.1]
- cost-effective:** [Э19.1]; are not a cost-effective means [H1 179.1]
- cotter:** secure ... with cotter pin [3255.1]
- count:** [K253.0, C1546.2]; annual inventory count [E30.1]; are ... on any count [B309.5]; counted on [P507.4]; it is ... that counts not [И388.1]; it is the ... that counts, not [B785.1]; least count [И30.3]; on any count [B309.0]; counts ... against [Г72.1]; on all counts [И357.1]; on all these counts [И358.1]; page count (K264.1); to count on [B1287.0];
- counter:** sense of ... is counter to [H471.1]; to (counterbalance for [K278.0]
- counter-clockwise:** turning ... counter-clockwise ... turning it clockwise [И552.1]
- counter-example:** [И2378.1]
- counteract:** be counteracted by [И2955.1]; is counteracted by [Y361.4]; may be counteracted by [H1286.1J]
- counteracting:** [И2954.1]
- counterbalance:** is counterbalanced by [K280.2, Y361.5]; to be counterbalanced by [K280.0]
- counterclaim:** [И2967.1]; filed a counterclaim [И1933.1]
- counterclockwise:** counterclockwise against [И2953.3]; in a counterclockwise direction [И2953.1]; in a counterclockwise fashion [И2953.2]
- counterpart:** [A123.2, A123.3, Э1.2]
- counterset:** counterset... below [Y553.1]
- countersign:** not valid until countersigned [B43.0, H825.1]
- counting:** [И841.2]
- country:** [Г138.0]; in the country as a whole [B683.1]
- couple:** couple ... with [C346.3]
- coupled:** coupled changes [C858.1]; coupled with [A41.4, B625.3, B1 154.4, C350.3]; couples ... to [C962.1J; is ... coupled to [C964.2]
- coupling:** [B 1181.0]; coupling damaged [И555.1]; coupling science to production [C373.1]; of coupling science to production [B1 186.1]
- coupon:** [0192.3]
- course:** as a matter of course [C204.2]; Certificate of Completion for the course [C287.1]; choice of alternative courses was available of either... or [M325.1]; course of... oxidation [И2946.1, X29.1]; during the course of [B418.0, B418.2, B738.0]; during the course of [B738.2]; follow the course of [И113.1]; gave a course of lectures [4114.1]; in due course [B66.1, K237.1, C 189.5]; in the course of [B738.1]; in the course of time [C122.1J; it would of course be possible to [M393.1]; nub of the ... is of course [Г50.1]; of course [K317.0, K317.1]; results ... will be reported in due course [P645.1]; text in a... course [Y603.1]; throughout the course of [B738.0]; throughout the course of the experiments [B738.3]; work is in course of publication [P17.1]
- court:** refer to courts of law [0223.1]
- courtesy:** courtesy of [И116.1]
- cover:** [01613.2, P489.8]; as covered in [И225.1]; coated ... covered [И1005.1]; covered by ... patent [И775.1]; covered in detail [И797.2]; covered in the technical manual [0778.1]; covers ... the ... time frame [01617.1]; covers a larger area [3342.1]; derivation of the ... formula is covered [И2220.1]; в1 of the covers [И2353.1]; heavily covered with [И1002.1]; is covered by the ... convention [И1922.1]; items covered [P490.1]; subject matter covered in papers [И 1744.1]; to cover all contingencies [C160.1]; to cover an area [3341.0]; under separate cover (01288.1); will be covered first [P479.3]; within the experimental range covered [B97.1]; would ... be covered [B349.1]
- coverage:** expanded media coverage [ИИ16.1]
- covering:** is capable of covering all ... specifications [B615.1]
- coworkers:** and his coworkers [C102.2]
- craft:** experience in the crafts and trades [B228.1]
- crash:** [A60.0]; crash development [C 1339.1]; in crash environments [B718.1]
- crate:** secure the packaging on ... crate [И2341.1]; visually check crates [0946.1]
- create:** create ... complications [B 1815.1]; create ... difficulties [C978.1]; creates ... action [C974.1]; creates a hardship [C978.2]; to create [B1801.0]
- creating:** creating a discrepancy in [И2232.1]; goes into creating [3492.1]
- creative:** in creative ways [T123.1]
- credence:** adds further credence to [Л78.1]; lends credence to [B1245.1]; to lend credence [B 1244.0]
- credential:** to review the credentials [И2648.1]
- credibility:** erode the credibility of [И1819.1]; if we are to maintain our credibility [E1 35.1]
- credible:** [3463.1]; credible information [Д735.1]; credible to [3448.1]; does a credible job [Д55.1]; is not credible [H775.1]
- credit:** [3439.0]; allowed them credits [И1761.2]; credit ... given for [И2408.5]; credit be given

- for [Π2408.4]; credit for ... is shared by [3441.1]; credit of... granted [Π1761.1]; credit terms [Y398.1]; if credit were given for [E 102.1];  
is credited to [Π2501.3]; **no** credit was allowed for [HI 735.1]; taking credit for [Π2408.3]; to give due credit to [01272.1]
- creep:** is the yield ... suitably perturbed to allow for creep [C1027.1]; who were among the earliest concerned with creep [0539.1]
- crew:** maintenance crew [P700.1J]; repairing crew [B280.0]
- crib: tool crib [И583.1]
- criss-cross:** in a criss-cross pattern [K472.1]
- criterion:** [K483.0]; design criteria (K339.2); for...  
the... criterion may be used as an approximate guide [Π2091.1]; meet the convergence criterion [Y167.1]; often opposing criteria [427.1]; opposing criteria [Π2968.1]; passed all the checkout criteria [Π3008.1]; satisfy ... criteria [Y166.1]; simplicity criteria [Y400.1]; stability criterion [Π 1716.1]
- critical:[K491.0, 01240.1]; are ... critical to the control of [И401.1]; critical ... components (H314.1); critical to the success... is [Y426.1]; critical value below which [K493.1]; he was critical of [K496.1]; higher critical ... exists above which..., a lower critical... exists below which [C1572.1]; is ... critical [01450.1]; is not critical [H878.4]
- criticality:** criticality of [K499.1]
- critically:** critically assessed [K497.2]; depends critically on [01672.1]; shall be critically scrutinized [C614.1]; weigh critically [K497.1]
- criticism:** another criticism [E224.1]; are open to criticism (M263.1); attract criticism [B1810.1]; constructive criticism [K337.1]; criticism and suggestions [K495.1]; criticism by [K489.1J]; criticism leveled at [K487.1]; criticism of the prior art [K488.0]; for useful criticism [K337.2];  
has benefited from ... criticism [Y611.1]; hind-sight criticism [K486.1]; **in** spite of the foregoing criticisms [H1615.1J]; offering criticism of [K490.2]; rebut... criticism [Д537.1]; response to ... criticism [01233.1]; to offer criticism of [K490.0]; uninformed criticism [H1356.1]
- criticize:** [Π652.1]; has ... criticized [Π652.2]; have been criticized [Π660.1]
- critique:** [K490.1]; to critique [K490.0]
- cross:** [Π159.3]; across the ... cross section [Π439.1]; cross section [Π 1291.1]; cross sectional blockage [3143.1]; over the entire cross section [Π351.1]; wide cross section of [Π1831.1]; to cross [K473.1, Π159.4]
- cross-fertilized:** have cross-fertilized one another [B1044.1]
- cross-section:** cross-section of the ... public [И18.1]
- cross-sectional:** cross-sectional areas [Π320.1]
- cross-threading:** take care to prevent cross-threading [H972.1]
- crosshatched:** [3530.1]
- crossing:** crossing angle [Y82.1]
- crossover:** [Π185.1]; crossover point [T372.1]; fuel crossover [Π 192.1]
- crown:** Crown Copyright [K385.0]
- crucial:** (K491.0, P730.1); are not crucial to [H957.1]; crucial bearing on [P731.1]; factors ... crucial [P728.1]
- crude:** [Γ132.0]; crude ... analysis [Π2181.1]; crude estimates for [Γ133.1, Π2182.1]
- crudely:** have been measured crudely [Π2185.1]
- cryogenic:** cryogenic community [C 1160.1]
- cube:** as the cubed root of power [Π2881.1]; cube  
root of [K382.1]; cubed [square] root of [K381.1] cubes ... on a side [K515.1]; inversely  
with the cube root of [0201.1]; with the cube rootof[n2881.2]
- cull: culled from [01206.1]
- culminate:** culminated in [381.1, 3223.3]; to culminate in [381.0, 3223.0]
- culmination:** culmination of [3247.1]
- cumbersome:** procedure is algebraically cumbersome [M166.0]
- curable:** is... curable by [Π705.1]
- cure:[И739.1, Y521.2]; to cure [И739.0]; was cured [Y521.3]
- cure-all:** «cure-all» [Π13.1]
- curious:** curious example of [J1128.1]; it is curious  
that [J1 129.1]
- curiously:** curiously though [И21.1]
- current:** [Д118.0, 0306.2]; area of great current interest [0100.1]; bear current certifications of [И372.1]; being of current interest [Π1865.1]; current ... is applied to [Π2331.1]; current conception [C408.1J]; current engineering emphasis is on finalizing [B59.1]; current interest has been revived in the use of [B61.1J]; current level of technology [C879.1J]; current progress in [T126.1]; current results ... [Π1198.1]; current state of the art in ... based on [C881.1]; current status [T130.1]; current work [Д119.1, H573.1]; designed to current practice [C 1262.1];  
in current use [Π2375.1]; in the light of current ... theory [B490.1J]; most appropriate references for the current investigation [P35.1]; most current results from [C236.1]
- currently:** [B45.0]; as currently planned [B593.1];  
attempts ... are currently in progress [B57.1]; currently accepted [Π2447.1]; currently available commercially [И525.1]; currently available from [И523.1]; currently in [H687.1]; currently in operation [Э63.1]; currently in use [И711.2]; currently standard [C1419.1]; currently used [И711.4]; work is currently in progress [B46.1]
- cursory:** cursory examination [Π2102.1]; to obtain a cursory sense of [Π 1165.1]
- curtail:** [Y251.8]
- curve:** all of the curves [B1005.1]; are indistinguishable from the curves [C645.1]; broken-

line curve [III41.2]; collapse to one curve [C644.1]; curve faired through [II271.1]; curve follows the same trend [X28.1]; curve plotted from the theoretical formula [K477.1]; curves ... constructed [II 1488.1]; curves have been faired through the ... data [II2684.1]; curves have been faired to tie together the data [K482.1]; faired curve [A153.0]; fall on a single curve [Y228.1]; fit the ... curve [Y227.1]; full line curve [CI 193.3]; envelope of the curves [0433.1]; general application of a single ... curve [II689.1]; it is clear from the curves [II140.1]; negotiate curves [II3001.1]; ordering of the curves [01426.1]; set of curves [I141.1]; slope of... curve [T116.1]

**custody:** custody transfer [K276.1]; safe custody [H271.1]

**custom:** custom designed [C1261.1]; custom jobs [P16.1]

**custom-build:** [B1914.0, II92.1]

**customarily:** [0400.4]

**customary:** customary precautions [0399.1]

**customer** [3222.0]; requirements from customers [T428.1]

**customer-general:** [Г32.0]

**customize:** [0161.1]

**cut:** cut in half [P313.1, Y252.2]; cut lockwires [C1325.1]; cut longitudinally [P312.1]; cut out [B1961.1]; cut thread M6 ... 3 mm deep [H502.2]; cut to ... length [01513.1]; cut to the specified shape [B1963.1]; cuts [II159.1]; energy supply is cut off [II1990.1]; is cut off [II126.2]; material being cut [B1964.1J]; per cut [350.1]; program has been cut [Y366.1]; samples ... cut [B1962.1]; to cut [B1961.0]; to cut off [B1845.0]; to cut out [B1961.0]

**cut-away:** cut-away view [B1077.0]; cut-away working model of [Д 189.1]

**cutout:** bared by cutouts [0122.1]

**cycle:** and the cycle repeats [II72.1]; are cycled [II668.1]; cycles [K266.0]; duty cycle [P97.1]; length of the ... cycle [Д311.1]; principle and cycle of operation [II2460.1]; reinjected into the ... cycle [B1273.1]; to meet the cycle requirements [Д366.1]

**cyclic** adequacy of the design for cyclic duty [II2271.1]

**cylindrical:** is referred to the cylindrical... frame [P456.1]

## D

**damage:** action for damages [II640.0]; be careful not to damage [C1427.2]; care must be exercised ... that... not damage [HI389.1]; check system for any damage [Y28.1]; concealed ... damage [C560.1]; coupling damaged [II555.1]; damage from outside sources [II558.1]; damage inflicted [H444.1]; damage or deterioration of [II557.1]; damage statement [A92.0]; damage to [II556.1]; damage tolerance [Д670.1]; damage was overcome [Y538.1]; immediately report any damage to [09.1]; local damage [MI 39.1]; momentary operation at ... was observed without the damage to the pump [K461.1]; permanent damage [HI 469.1]; permanently damaged [HI470.2]; suffered... damage [II1157.1]; to avoid damage [B128.1]; to protect... against accidental damage [3547.1, II 1783.1]; unrepairable damage (HI 470.1); use caution as not to damage [C 1427.1]; was not possible without risking damage [HI 171.1]

**damaging:** is as damaging as [T28.1]; keeps wiring mishaps from damaging [II 1775.1]; preventing any excessive voltage from damaging [II1774.1]

**damp:** to damp [3505.0]

**danger** [B1202.0]; DANGER! (B1202.3); danger in this approach is that [0749.1]; eliminate any danger of [II661.1]; eliminates the danger

[Y537.1]; if eminent danger exists that [E92.1]; points out the danger of (Y209.1); pose grave danger to [II 1853.1]; stand in danger of [C1477.1]; there is a danger [C1574.2]; there is always the danger that [B1565.1]; there was no danger of [0745.1]; to be in danger of [Г129.0]; to eliminate a danger [II660.0]; warn ... of the hidden danger [II1911.1]; where danger lies [II1884.1]; whether... is in danger ...ornot[ri31.1]

**dangerous:** are only dangerous if (0741.1J); dangerous to life [0740.1]; it is felt that it would be dangerous [II336.1]

**danger,** involves ... dangers [B936.1]; secured from... dangers [3475.1]

**darken:** darkened symbols [T141.2]

**dash:** dash is recorded [Д224.1]; dashed line [III41.3]; swung dash [T261.1]

**data:** [Д108.0, Э37.2]; available experimental data [II533.1]; based on these data [II825.0]; best fit to the data [H352.1]; broader data base [Б 164.1]; by grouping the data according to [Г142.1]; call for supporting data [II1530.1]; computer printouts of the data [M74.1]; constructed from the data [II1489.1]; correlate ... data with the expression [0785.1]; curves have been faired through the ... data [II2684.1];

data..... were acquired [П1133.3]; data ... fit a relation of the form [0785.2]; data ... is not accurately available [Т384.1]; data ... sensitive [С420.1]; data ... were generated [П1133.1]; data acquisition and processing [П1207.1]; data bank [Б4.1]; data base [0968.1]; data from other sources [Д109.1]; data from two test series [Д114.1]; data on ... is not available in the literature [Д112.1]; data point [Э37.1]; data reduction [0190.1]; data run [Э30.2]; data sample [И298.0, 3288.1, И298.2]; data taken on [Д116.1]; data was ... reduced to plots [0179.1]; data were reduced [0178.1]; data were taken [П2673.2]; develop more ... data [П1134.1]; deviant data point [В1864.2]; drawing a best line through the data [П2614.1]; extensive body of experimental data [Б245.1]; from an interpretation of the test data, it appears that [А1 14.1]; half-filled data symbols [H459.1]; least squares fit of the data [0191.1, 0191.2]; limited ... data [0473.2]; line ... passed through the data [П2682.2]; lines ... been faired through the data [П2684.2]; meaningful test data [Д736.1]; most of the available data [Б221.1]; parameter ... in collapsing the data [K394.1]; past and present data [С 1432.1]; paucity of... data [H1206.2]; platform specific data [Д115.1]; previous field test data [Д117.1]; raw data [H1359.1]; reference data [И835.0]; regression lines are fitted through ... set of data [П2685.1]; round-robin data [025.1]; scatter in the data [PI 73.3]; selected data [B1723.0]; significant amount of... data [Б241.1]; significantly increase the available data [С1562.1]; spread in the data [P173.2]; spread of the data points [PI 73.1]; straight line passed through the data [П3057.1]; substantial data [Б241.2]; substantially underpredict the experimental data [Д17.1]; tested against the data [П2651.1]; this data was collected [П1133.2]; throughout the entirety of the data run [B691.1]; to fit... to the data [П689.1]; to fit a line to... data [П644.1]; to plot the data on the ... graph [H448.1]; valuable data [П37.1]; widely scattered data [С480.1]

**date:** advise me the date [С997.1]; almost all the results available to date [П1548.1]; as from the date of [С1618.1]; as the date of... approaches [П391.1]; at a later date [B11.2, П937.3]; at later date [С189.4]; at the date of order [H42.1]; before ... after the date of [B705.1]; by ... date [B632.0]; by foreseeable dates [B635.1]; commissioning date [Д141.0]; completion date was met [С 1509.1]; constructed to date [П1491.1]; convention priority date [Д127.0]; date... set for [H293.1]; date acquired [Д133.0]; date and time of failure of the article or its components [Д123.0]; date is set for [H293.2J]; date of acceptance after repair [Д122.0]; date of acceptance for repair [Д136.0]; date of

delivery [Д135.0]; date of inspection [Д130.0]; date of issuance [Д120.0]; date of manufacture [Д121.0]; date of measurement [Д138.0]; date of packing [Д142.0]; date of patent [Д129.0]; date of placing in storage [Д143.0]; date of preservation [depreservation] [Д128.0]; date of receipt of the order [Д134.1]; date of reduction to practice [Д 131.0]; date of removal from storage [Д140.0]; Date/Venue: [Д124.1]; dates as far as [01445.1]; dates from [01443.10J]; dates from the publications [01446.1]; deadline date [П1720.1]; Entry No. of authorizing document and date [B1683.1]; experience to date [0879.1]; expiration date [Д 126.0]; filing date [Д137.0]; from ... experience to date [С1533.1]; from the date of signing [С194.1]; in effect on the date of the ... contract [Д191.1]; no less than ... before the ... date [H1008.1]; patent date [Д120.0]; progress made to date [Y429.1]; provision is made ... at a later date [П938.1]; re-schedule ... at a later date [П146.1]; rescheduled for another date [П141.1J]; start-up date [Д141.0]; target date for [H412.1]; target on-stream date [П291.1]; terminal date of prior patents [Д125.0]; to date [Д440.3, Д456.1, И530.1, К3.1, H49.1]; warrants ... be free of defects in material and workmanship for a period of one year from date of [Г16.2]; warrants... to be free from defects in materials and workmanship for a period of one year from the date [Г16.1]; within three 3 months from the date it received [H 1004.1]

**dated:** [Y509.2]; Amendment to the Agreement...

dated [П1298.1]; be ... dated [Y508.1]; dated September [Д144.1]

**dating:** dating to [01457.9]

**datum:** reference datum [П298.1]

**day:** [Э85.1]; 24 hours a day [Д151.1]; all day long [B954.1]; been used to the present day [И724.1]; day after day [Д261.1]; day in day out operation [H1531.2J]; day to day [E32.1, П562.3]; day when ... is long past [B1513.1J]; debate on ... continues to the present day [С1 195.1]; from day one [С93.2]; from day to day [И124.1]; have survived to the present day [С1146.1]; hours a day [41.1]; in the day to day functioning (Bill.lj); manufacturer guarantees trouble-free operation of the article for ... years since the day of shipment from the plant [И207.0]; on a day to day basis [H97.1]; one day after [464.1]; present day [С878.1J]; time of day [B1538.1]; until the following day [Т313.1J]; work 24 hours a day [P54.1]. (СМ. также days).

**day's:** serve 10 day's notice of [01603.1]

**day-in:** day-in day-out [K25.1]

**day-out:** day-in day-out [K25.1]

**day-to-day:** (П562.4); day-to-day ... operations [П563.1]; day-to-day activities [K26.1]; day-to-day requirements [K27.1]

**days:** 10 days before [36.1]; about 3 days a year [0699.1]; after ... days subsequent to the expiration of [465.1]; after two days at rest it was restarted [П3083.1], by 10 days before [36.2]; construction ended ... days ahead of the schedule [C1510.1], for a period of days to weeks [B701.1]; in those days [B70.3]; it may take ... two or three days to [M300.1]; on 90 days ... before the end of [H1007.1], required a few hours to a few days [T442.1]; several days apart [C20.1]; well ahead of the allocated drilling days [H427.1]; within 15 days of delivery [H 1003.1]

**dead:** bring ... to a dead end [3125.1]

**deadline:** deadline date [П1720.1]; deadline for [K448.1]; deadline for submission [П 1721.1]; to meet the ... deadlines [Y224.1]

**deal:** be dealt with [C1252.4]; but before this is dealt with it is necessary to [H1811.1]; deal... with [K 190.2]; deal directly with [И377.1]; deal primarily with [01444.1]; dealt ... with [И376.1]; great deal [M203.0]; great deal for [M193.0]; great deal has been said and published about [M195.1]; great deal of [M193.1]; great deal of ingenuity has been shown [П3042.1]; great deal of progress has been made in [C404.1]; great deal of scatter (B229.1); means a great deal for [M207.1]; must be dealt with in [П2561.1]; rest of the paper deals with [B757.1]; to deal with [B258.0, И376.0, K190.0]

**dealing:** dealing with [B258.4, K192.0, 01.2, 01457.2]

**debatable:** at best,... debatable, at worst, mistaken [B537.1]

**debate:** (Д290.0); are ... much under debate [И 115.1]; are ... very much under debate [M199.1]; are still... under debate [C1 197.1]; continuing debate as to [H1519.1]; debate on ... continues to the present day (C1 195.1); in the midst of the ... debate over [B453.1]; much debate centered on [Д291.1]; subject of ... debate among people in the ... field [П1747.1]

**debris:** to keep out the debris from [П 1782.1]

**debt:** was deeply in debt [И382.1]

**debug:** [B2084.1]

**debugging:** [B2081.1, 01368.1]

**debut:** since ... industrial debut [C33.1]

**decade:** in the spell of a single decade [334.1]; for more than two decades [B158.1]; in the coming decades [B6.1]

**decad:** [T5.1]

**decay:** decays gradually [П 1464.1]; decays to zero [Y262.1]; exponentially decay [3506.1]; timewise decay of [Y271.1]; to decay [3505.0]; will... decay somewhat [H1605.1]

**decelerate:** to decelerate [3276.0]

**deceleration:** [3275.1]

**December:** end of December [K308.2]; late December [K308.1]

**deceptively:** deceptively simple [0116.1]

**decide:** as a result of these data, it was decided [Y620.1]; because of ... it has been decided [B495.1]; complete redesign ... was decided upon [П2433.1]; it was decided, therefore [П 1576.2]; it was then decided to [T284.1]; on balance, it was decided that [C 158.1]; therefore, it was decided to [П1576.1]; to decide between [Д197.1]

**decidedly:** [B102.0, B1 173.2, H1632.5]; decidedly inferior to [B104.1]

**decimal:** agreed to within the ... decimal place [C923.1]; decimal place [Д267.1,3573.0]; round-ed to three significant decimal figures [0727.1]; to five significant decimal figures [C 137.1]

**decision:** [3245.0]; decision adopted by [P741.1]; decision has to be left to [P736.1]; decision is contested [01077.1]; decision regarding [P737.1]; decision to be made as to whether... should be [П2432.1]; decision was derived due to [П2431.1]; decisions for... must... be based on [P739.1]; final decision [0716.1]; first major decision to be made was whether... would be [П1950.1]; in making this decision, it was recognized that [П2434.1]; make a ... decision [П2430.1]; notified ... about the decision regarding [Y47.1]; provide a significant basis for ... decisions [045.1]; rectify ... decision [П164.1]; yielded the decision to [П2239.1]

**decisive:** decisive experiments [Y25.1]

**decline:** [Y259.6]; are in decline [H650.1]; decline in [Y270.3]; is ... in severe decline [P634.1], steadily declines [C 1353.1]

**decommission:** to decommission [B1742.0]; was decommissioned [B 1742.1]

**decompose:** decomposes ... to [P217.1]

**decomposing:** decomposing ... into ... contributions gives [P249.1]

**decomposition:** decomposition of ... with the production of [P360.1]

**decouple:** [P190.1, P292.1];

**decrease:** brings about a ... decrease in [П2243.1]; decrease as ... decreases [Y268.1]; decrease in ... of... from [Y278.1]; decrease in the amount of [Y276.1]; decrease still further [Y263.1]; decreased ... from (Y267.1); decreased in popularity [И603.1]; decreases in magnitude [Y266.1] ; discriminability between ... is decreased [B1321.1]; needs to be decreased a little [H1903.1]; progressive decrease in [B966.1]; was decreased the full [Y265.1]; was decreased [C148.1], when the... has decreased past [П1376.1]; with a concomitant decrease in [C149.1]

**decreasing:** are arranged in the order of decreasing [P373.2]; are ordered, ... according to decreasing [P374.1]; decreasing in the order: [Y269.1]; in decreasing order of efficiency [B370.1]; in order of decreasing [B367.0]; in order of decreasing wear resistance [B369.1]; ranked in order of decreasing [P373.1]

**dedicate:** [C 1154.1]; are committed and dedicated to [Д195.2]; dedicated to [П1751.5]; is dedicated to [П1748.3]; is dedicated to construction engineering [C 1153.1]

**deduce:** deduced from [B1738.1]; from this we deduce that [01573.1]; that ... was deduced from [B1727.1]; to deduce [B1736.0, 3235.0]

**deducing:** [01597.1]

**deduct:** [B2063.0]

deduction: [B1725.0, B1725.1]; affirms this deduction [П1846.1]

**deem:** deemed suitable [C 1627.1]; is not deemed desirable [П1894.1]; nor was it deemed necessary [Д2.1]; shall be deemed to be [C1625.1]; was deemed satisfactory [C1624.1]

**deenergize:** [B1845.0]

**deep:** [Г60.0]; cut thread M6 ... 3 mm deep [H502.2]; key slot 4 mm wide x 2.15 mm deep [B1966.0]

**deeper:** deeper insight into [Г64.1]; provides a deeper insight into [Д38.1]

**deeply:** most deeply resented ... is [H350.1]; was deeply in debt [И382.1]

**deface:** [C1460.2]

**default:** default setting [Y503.1]; means by default [0617.1]

**defeat:** [C319.3]

**defect:** [Д272.1]; defects such as [T75.1]; do not suffer from these defects [Л76.1]; warrants ... be free of defects in material and workmanship for a period of one year from date of [Г16.2]; warrants ... to be free from defects in materials and workmanship for a period of one year from the date [Г16.1]

**defective:** [H 1282.2]

**defend:** to defend [3539.0]

**defense:** defense against [3532.1]; further defense against [Д627.1]

**defer:** defer spending [01526.1]; deferred production [П2497.1]; is... deferred for two years [01320.1]

**deference:** in deference to [П2409.2]

**deficiency:** [Д272.0, Д276.0, HI 199.1]; and while it does have deficiencies [И71.1]; deficiency of [Д276.1]; manufacturing deficiencies [Д273.1]; more subtle deficiencies [HI 114.1]; remedy the deficiencies [Y527.3]; to satisfy some of the deficiencies in the data base, regarding [П1135.1]

**deficient:** [H1627.1]

**definable:** four stages appear definable [M329.1]

define: [0813.8]; are ... ill defined [H1212.1]; as defined [0848.3]; as defined by ... equation [0852.1]; as defined in [0850.1]; as defined in equation [0852.2]; be absolutely defined [T409.1]; cannot be defined as easily [T14.1]; completely define [П1051.1]; defined as [3383.1, 0814.1]; defined in a great variety of ways [C1571.1]; defined in an alternative way [3384.1]; has been defined previously on the

basis of [0839.1]; in the sense defined in (B585.1); is defined [0840.5]; loosely defined concept [H1659.1]; sharply defined [483.1]; suitably defined [C1028.1]; to define [3382.0]; we need to define [H1904.1]; were poorly defined in comparison to [M96.1]; when defined in terms of [E56.1]; yet to be defined [K416.1]

**defining:** [0805.4]

**definite:** [0848.1]; act ... in a definite sequence [Д178.1]; definite possibility [B1334.1]; no definite trend is seen with [K163.1]; no definite trend with ... is apparent [K162.1]; nothing definite can be said [HI 333.1]; this is a definite possibility [Э120.1]

**definitely:** [B55.0, B55.1, 0426.2]; are definitely a significant advance [HI 633.1]; is definitely preferred over the others [Я50.1]; it is definitely agreed that [M431.1]

**definiteness:** for definiteness [Д377.1]

**definition:** by definition ... is [П428.1]; contract definition (T233.1); definition of... adopted in this paper [0810.1]; definition of the separate effects of... variables [0806.1]; detailed definition [П817.1]; falls ... outside the definition [H984.1]; is by definition [П428.2]; term ... definition [П1277.3]; use has been made of the definition of [И731.1]

**definitive:** [0707.1, П1074.2, T380.2]; definitive content of the abstract [0710.1]; rather scanty and not entirely definitive [Д513.1]

**deflect:** deflected ... from straight-line trajectories [01344.1]

**deform:** severely deformed [C466.1]

**deformation:** widespread deformation [0294.1]

**defy:** defies interpretation [H978.1]

**degradation:** aerodynamic degradation (Y591.1); degradation in [Y590.1]; fat degradation [P359.1]

**degrade:** degrade... quality [Y585.1]; degrades... performance [Y586.1]; is further degraded [P362.1]

**degree:** are subject to degree of choice [B1698.1];

be viewed with a high degree of [C1620.1]; bent 90 degrees [И320.1]; but not to the degree that apparently occurred (H1801.1); completed ... master of science and doctor of philosophy degrees [3540.1]; constitute a further degree of complexity [Д621.1]; degree of [C1450.2]; degrees of design sophistication [C1452.1]; differ in the degree of complexity [P225.1]; exhibited some degree of [0129.1]; is ... degrees out of phase [C385.1]; problem of first degree difficulty [3170.1]; rotated 180 degrees [П542.2]; shrouded in a degree of mystery [0728.1]; to a degree [B646.0]; to a differing degree [B674.1]; to a lesser degree [B660.0, B660.1]; to a similar degree [B675.1]; to some degree [B664.0]; to such a degree that [Д471.0]; turns through 180 degrees [П542.3];

very high degree of commonality [01664.1]; with any degree of reliability [C26.1]; with some degree of apprehension [C38.1]; with some degree of success [C153.1]

**delay:** avoid unnecessary delays [C332.1]; delay in the schedule for the project [C1340.1]; delay the mailing [3187.1]; delayed the start of construction [3186.1]; delays in procurement [3188.1]; development has been delayed due to [P307.1]; further discussion on this is delayed until [Д106.1] time delay [3367.1]; to delay [3185.0, 3276.0, 3509.0]; to notify ... without delay [HI 246.1]; to save unnecessary expense and delay [И157.1]; without delay [Б53.1, Б75.1, H1338.3]

**delete:** delete ... in its entirety [И333.1]; to delete [И650.0]; details... have been deleted to save space [П805.1]; were deleted [И654.3, 01213.1]

**deleterious:** [B1506.0J]; have a deleterious effect upon [0633.1]

**deliberate:** this approach is deliberate [Э 130.1]

**deliberately:** deliberately chosen [B 1701.1]

**deliberation:** after some deliberation [П 1368.1]

**delicate:** delicate manufacturing procedure [T327.1]

**delimit:** [0817.1]

**delineate:** [01683.1]; is delineated [0792.5]; this is delineated by the presence of [H204.1]

**deliver:** [Д679.1]; delivered ... lectures [4115.1]; delivered... via [П637.1]; delivered equipment (K292.0); delivers satisfying answers [Д30.1]; is delivered to the site [П 1454.1]; to deliver [Д3.0, Д679.0]; to deliver an answer to [Д27.0]; was awarded the contract to deliver [П1147.1]

**delivery:** are available at the site by rail, ... delivery [Д680.1]; check the delivery for completeness [П2637.1]; complete delivery [K295.0]; completion and delivery of the ... project report [384.1]; date of delivery [Д135.0]; delivery and acceptance test statement [A91.0]; delivery list [K298.0]; delivery schedule integrity [T378.1J]; delivery to destination [Д678.1]; delivery:... after receipt of firm order [П1448.1]; included in the delivery [B1673.2]; priorities for delivery ... in order [П1335.1]; scope of delivery per item [K294.0]; uninterrupted delivery [H1530.1]; within 15 days of delivery [H1003.1]

**delving:** before delving further into [П 1962.1]

**demand:** continuing demands on engineers [П86.1]; demand for [C1264.1]; demand for transport services [П 1528.1]; demand was not justified [T417.1]; demanded more [П950.2]; demands an explanation [H1887.1]; demands placed upon [T427.2]; domestic demand for [C1265.1]; electric demand [C1266.1]; it demands care [T434.1]; make financial demands of [П 1941.1]; output is set according to demand [Y454.1]; placed new demands on [П1938.1]; places ... demands on [П1935.1];

sized for... of maximum ... demand [P256.1J]; times of peak demand [П230.1]; will be capable of supplying the demand [B608.1]; with potential for satisfying this demand [C1221.1]; without making excessive demands on [Б47.1]

**demanding:** [П 1942.1, T486.2]; demanding ... requirements [T487.3J]; demanding design requirements [C 1498.1]; demanding standard of [T487.2]; is ... three times as demanding as [П1937.1]; is more demanding of [П1936.1]; is most demanding of [Б296.1]; tolerances ... demanding [C1491.1]

**demarcation:** abrupt demarcation [479.1]

**demerit:** merits and demerits [Д741.0]

**demise:** eventual demise of [H1271.1]

**demonstrable:** has not been demonstrable [01562.1]

**demonstrate:** actually demonstrate [Д540.1]; as demonstrated ( [K102.0]; as will be demonstrated later [K105.2]; clearly demonstrated ... that are possible [Y16.1]; demonstrated in commercial operation [П2634.2]; demonstrated the utility of [П2730.1]; Fig. demonstrates [H137.3]; has demonstrated ... many times [Y 185.1]; it can be easily demonstrated that [M347.1]; it has been demonstrated that [П991.3]; it is readily demonstrated that [J22.4]; it will be demonstrated that [M430.1]; serves to demonstrate [C671.1]; to actually demonstrate [H44.1]; to demonstrate [Д535.0, П973.4]; to demonstrate the capabilities [4207.1]; to demonstrate the potential of the apparatus [П980.1]

**demonstration:** [Д530.0]; demonstration prototypes [Д254.1]; field demonstration [Д255.1]; represent a true demonstration of the existence of [Д172.1]; write up of the demonstration [0774.1]

**demonstrative:** most demonstrative [H320.1]

**denominator:** [3584.0]

**denote:** [0149.1, 0614.8, П608.1]; dot denotes differentiation with respect to time (T373.1J); let ... be denoted by [0150.1]; subscript ... denotes [И548.1]

**denoting:** with ... denoting [П2572.1]

**density:** power density [Y106.2]; represent the average density [Д65.1]

**deny:** are denied the certainty [J174.1]; are not to be denied [H1323.1]; could neither be confirmed nor denied [H1318.1]; is denied [J168.2]; is denied the option of [J168.1]; to deny [J167.0]; were denied [01307.1]

**denying:** nor is there any denying that [HI 324.1]

**depart:** departs... from [01340.1]

**departing:** departing from [01303.1]; without departing from the spirit and scope of the invention [Б42.0]

**department:** accounting department [Б288.0]; engineering department [Э56.1]; plant main-



- tenance department [01284.1]; Quality Control Department [01283.1]
- departure:** departure from [01326.1]; departure from established practice [01336.1]; is a ... departure from [P535.4]; is a considerable departure from [C476.2]; point of departure [01494.1]
- depend:** depend on overcoming [3100.1]; depend on the outcome of the ... tests [398.1]; to depend on [388.0]; depended in a complex manner on [3102.1]; depends critically on [01672.1]; depends entirely on [Π1039.1]; depends on [388.1]; it depends to a large extent on [B200.1]; whether ... are used depends on [4140.1]
- dependability:** dependability is built into [3230.1]
- dependable:** dependable ... performance [H272.1]
- dependence:** [3104.0]; dependence... on [3108.1]; dependence of [3108.2]; functional dependence [Φ59.2]; has a linear dependence on [393.1]; is not unique in its dependence [H952.1]; show a slightly higher dependence on [0131.1]; strong configuration dependence [C460.1]; temperature dependence [3110.1]; there may be some dependence on [B1311.1]
- dependent:** are dependent not only on ... but even more so on [394.1]; future of advanced ... is dependent upon this [01197.1]; to be ...-dependent [388.0]; to be dependent on [388.0]; was Rayleigh number dependent [3101.1]; were not at all dependent on [B 1374.1]
- depending:** depending on [B 112.1]; depending on ... economics [B115.1]; depending on the material available [B 113.1]; different depending on [P240.1]
- depict:** as depicted in [И316.2]; depicts one such [0496.1]; equation ... depicts [Y354.1]; to depict [И3 13.0]
- deploy:** was deployed [P263.2]
- deposit:** deposit forming tendency [T147.1]; deposited at random [01323.1]
- deposition:** likelihood of deposition [B907.1]; long term effects... in respect of corrosion and deposition [B1 133.1]
- depreservation:** date of depreservation [preservation] [Д128.0]; depreservation [preservation] instruction(s) [И574.0]
- depress:** [Π1260.1]; depress into the base [H286.1]
- depression:** solubility depression [Π 1263.1]
- depressurization:** [Π8.1]
- depth:** at a depth of [H37.1]; deserving individual treatment in depth [3443.1]; explored in greater depth [И795.2]; extends to a depth of [Π2918.1]; immersed to a depth of ... in [Π602.1]; in more depth [B167.0, B167.1]; in some depth [Д509.2]; individual treatment in depth [01286.1]; to investigate in greater depth [И795.1]
- derated:** be derated [C768.1]
- derating:** [C778.1]
- derivable:** were directly derivable from [B1739.1]
- derivation:** [B1725.0]; derivation of equation [B1728.1]; derivation of the ... formula is covered [Π2220.1]; detailed derivation of [Π812.1]
- derivative:** derivative of ... with respect to [Π2794.1]; partial derivative equation [Y352.1]; partial derivative of... with respect to [B277.1, 414.1]; temporal derivative [Π2795.2]; time derivative [Π2795.1]
- derive:** considerable assistance was derived from [Π1161.1]; decision was derived due to [Π2431.1]; derive from the fact that [0274.1]; derive the relation [B1746.1]; derived benefit of [0536.1]; derived from [Π1143.1, Π1191.3]; derived from ... experiments [Π1190.1]; derives from [Π2815.2]; derives its support from [0762.3]; experimentally derived information [Э40.3]; have ... been derived primary from experience on [01028.1]; is derived ... from [Π1201.1]; to derive [B1736.0]; to be derived from [B940.0]; were derived from [B940.1]
- descend:** [0873.1]
- descending:** in descending [ascending] order of [B367.0]; in descending order of importance [B368.1]; in order of descending [ascending] [B367.0]
- describe:** are described [0792.1]; as described in [T37.1]; as described in the foregoing [K99.1]; beyond ... described [Π1248.1]; describe in broad outline [0776.1]; described by way of example [0780.1]; described independently from [0781.1]; described uniquely [0782.1]; describes an arc [0779.1]; differences from the one just described [01410.1]; has been solved in a manner to be described below [P726.1]; is described briefly as follows [M343.1]; just described [T323.1]; merits being described as [3462.1]; technique to be described [0790.1]; to describe [И231.0]; to be described in the next section [K408.1]; will be described shortly [B345.1]; will now be briefly described [T174.1]; will now be described [0787.1]; work to be presented describes [B432.1]
- describing:** are worth describing [3460.1]
- description:** [0769.1, C1 175.2]; are ... beyond adequate description by [H912.1]; Drawing and Brief Description of its Views [K456.0]; General Description [0335.1]; mentioned in connection with the description [Y320.1]; of every description [B1560.0]; part description [H288.1]; precludes a precise description of [H993.1]; qualitative descriptions [0771.1]
- deserve:** deserves close attention [3446.1]; deserves detailed investigation [3450.1]; deserves further study [3449.1]; deserves some further explanation [3453.1]; to deserve [3442.0]; to deserve attention [3445.0]
- deserving:** deserving individual treatment in depth [3443.1]

**design:** [K334.0, K342.0, K342.1, P556.1]; adequacy of the design for cyclic duty [Π2271.1]; advances in ... design [Y415.1]; alternate ... designs [B812.1], alternative designs for [Π2771.1]; are of conventional design [0397.1]; are rugged in design [И404.1]; are used as a basis of design [Π1116.1]; as a matter of design expediency [Π383.1]; as fixed by good design practice [0853.1]; at the time of the design [B36.1]; based on the latest design practice [01032.1]; be ... factored into the design [Y613.1]; catalog series designs [K195.1]; change in the design... was initiated [B1218.1]; change to Design' B was made [Π198.1]; conceptual and preliminary phases of ... design [Π1946.1]; conceptual design [088.1]; conflicting design goals [Π2979.1]; constraints and limitations imposed by prior design of [0444.1]; contenders for the design [K325.1]; degrees of design sophistication [C 1452.1]; demanding design requirements [C1498.1]; design ... for [P546.1]; design against... failure [P547.1]; design application [3555.0]; design assignment [3161.0]; design breakthroughs [Y415.2]; design codes [H1867.2]; design criteria [K339.2]; design details [K338.2]; design discrepancies [01332.1]; design do's and don'ts [P671.4]; design effort [P36.1]; design endorsement [Π533.1]; design example [Π2379.2]; design features [K338.1]; design goals should be to [C620.1]; design guidance for [P673.1]; design guidelines for [P671.1]; design is subject to change without notice of obligation [K343.0]; design life [P557.1]; design philosophy [K338.3]; design point of 83 percent effectiveness (P558.1); design project [Π2763.1]; design rules [H1867.1, P671.2]; designs for [Π2766.1]; detail production design [P95.1]; detailed design [P102.1]; did not function as per design [P76.1]; evident deviations from the intent of the design [Я59.1]; experience to design [0886.1]; extend ... design flexibility [P567.1]; fall ... short of the design life [H850.1]; fall outside of the design envelope [B2035.1]; final design [0709.1]; for design reasons [Π479.1]; for some design situations [B571.0]; has been used ... in actual design [И696.1]; important design inputs [B791.1]; improving the design ... for (Y246.1); in the design and hardware stages [H191.1]; increasing... flexibility with respect to design [P566.1]; involved a number of interesting design changes (Π2240.1); involved in the design [3360.1]; is common practice in ... design [0312.1]; is involved in ... design project [Y597.1]; it is beneficial to design for [B1765.1]; philosophy behind the design [Π2464.1]; problem of... has been a concern of design engineers for many years [Π2606.1]; proved to be the superior design [K344.1]; recognized standards of de-

sign (0311.1); shall be of the ... design [Д581.1]; simple in design [Π2935.1]; structural design equations [Ф45.1]; to be... in design [И403.0]; to design for [Π2769.1]; to design [3193.0, K333.0]; valuable for the design [Π1024.1]; was built ... to the design of [Π1490.1]. (См. также **designed**).

**design-oriented:** [Π 1752.1]

**designate:**[0156.2]; designated ... areas [C1 169.1];

to designate boldface type [Д375.1]; was designated as [H300.4]

**designation:** designation of [0151.2]; designation of responsibility [0808.1]

**designators:** see ... for... designators [0154.1]

**designed:** [K333.1, Π1914.5]; custom designed [C1261.1]; designed and constructed [C1257.1];

designed by different teams [C 1263.1]; designed so that [C1260.1]; designed tests [C1 191.1]; designed to [Π1751.3]; designed to bum [C1259.1]; designed to current practice [C 1262.1]; designed to last for the life of the unit [P513.1]; designed, built and tested at [C1258.1]; experiment designed to [031.1]; is designed to operate from [P512.1]; poorly designed [Π318.1]; programs ... are designed to do just this [Π2708.1]; specially designed [C 1170.1]; were designed [3193.2]; were designed to [Π1748.1]

**designer** are now available to the designer [B463.1]; are of considerable concern to the ... designer [01065.1]; designer's duty [Д567.1]; designers are challenged [Π87.1]

**designing:** [P671.3]; designing on the side of caution [Π2768.1]; important feature in designing [B779.1]; when designing [Π2116.1]

**desinenace:** [K307.0, K307.4]

**desirability:** desirability for application to [Π7.1]

**desirable:** [Π875.1]; and ... would be desirable (A37.1); at a less than desirable rate [Π2087.1]; desirable rather than essential [Ж6.2]; highly desirable if [K437.2]; highly desirable to ensure [K444.1]; is not deemed desirable [Π1894.1]; it is ... desirable that... be [Ж7.2]; it is desirable [B796.0]; it is desirable that [Ж7.1]; it is desirable that ... be selected [Ж3.1]; it is desirable to [Ж2.0]; it is desirable to be able to predict [B803.1]; it is desirable to use [Ж5.1]; it

is highly desirable that [K437.1]; it would be highly desirable if [B380.1]; makes ... the least desirable [Д221.1]; which is so desirable [K420.1]

**desire:** originates in the desire to [Π2816.1];

stemmed from a desire (B 1342.1)

**desired:** [И677.1, И677.2, T455.1]; as desired [Π367.2]; at the desired level [H176.1]; desired with [T456.1]; elected as desired [B1697.2]; hold in the desired position [Y133.1]; in the desired ratio [B306.1]; is less than desired [M111.1, H1113.1]; it is desired [Ж4.1]; it is desired that [Ж2.0]; it is desired to [Ж2.0];

keep ... constant at the desired level [Π712.1];

leave a lot to be desired [01138.1]; leaves much to be desired [01138.2]; not as ... as might be desired [H1102.1]; reveal the desired information about [Д21.1], were machined to the desired dimensions [0180.1]

**desiring:** anyone desiring to do so [B1007.1]

**desk-size:** desk-size mockup [M234.0]

**desperately:** is desperately in need of [01165.1]

**despite:** [H 1610.2]; despite a careful attempt to [H1612.1]; despite some misgivings [H1619.1]; despite the best of intentions [K52.1]; despite these qualifying remarks [H1621.1]

**destination:** [M145.1]; delivery to destination [Д678.1]; to destination [K9.1]

**destroy:** destroy the whole purpose of [C321.1]

**destruction:** [P358.1]

**destructive:** destructive to [B1508.1, Г148.1]

**detach:** in a ... detached way [0174.1]

**detail:** [Д269.0, П797.1]; as will be discussed in more detail later (K106.1); attention to detail [B1204.1]; by attention to detail in [EII 1.1]; covered in detail [П797.2]; Detail A [Y190.1]; detail production design [P95.1]; in detail [П793.1]; in greater detail [П800.1]; in more detail [B167.0]; in some detail [Д509.1]; is discussed in detail [П799.1]; number of differences in detail [P786.1]; shows... in exact detail [П977.1]; to consider in a bit more detail [P472.1]

**detailed:** [B1582.0]; are detailed [П797.3]; are detailed in [П803.1, П807.1]; are detailed in Table [П2249.3]; as will be detailed shortly [K87.1]; deserves detailed investigation [3450.1]; detailed ... geometry [П818.1]; detailed analysis would not be necessary [П801.1]; detailed attempt to quantify a discussion of the results [П1311.1]; detailed consideration... is merited [3444.1]; detailed definition [П817.1]; detailed derivation of [П812.1]; detailed design [P102.1]; detailed picture [П815.1]; discussion ... is not detailed [H766.2]; prevent a detailed discussion of [H990.1]; See ... for a more detailed discussion [B170.1]

**details:** [Д269.3, M89.1, 01053.4, П799.2]; before going into the ... details [П1963.1]; design details [K338.2]; details ... have been deleted to save space [П805.1]; details of how [П809.1]; discusses more details on [B168.1]; full details of [B1012.1]; is referred to ... for the complete details [C56.1]; refer to ... for details [П804.1]; to go into details [B850.0]; to keep the details of... secret from [C558.1]; without going into the details of [H767.1]

**detect:** [H601.2, 0128.8, 0813.3]; never start or continue operation if electric equipment failure is detected. [3410.0]; no ... could be detected [K165.1]; no... have yet been detected [H1747.1]; no appreciable deviation from the normal trend was detected [3290.1]; to detect [И299.0]; was detected by [И299.6]

**detectability:** limit of detectability [П 1713.1]

**detectable:** when first detectable [B212.1]

**detecting:** error inherent in detecting [01693.1]

**detection:** [0123.1]; early detection of [P343.1]; escaped detection [H758.1]

**deteriorate:** [П560.1, Y587.1]; to deteriorate [И735.0]

**deterioration:** damage or deterioration of [П557.1]; deterioration in [Y590.2]; deterioration in performance [Y592.2]

**determination:** [0805.1]; determination was within [0834.1]

**determine:** are uniquely determined [0588.1]; be determined from [0844.2]; determine the spacer thickness to eliminate play [Д416.0]; determine whether... is operating properly [0830.1]; determine which one of [0823.1]; determined by two methods [0818.1]; finally ... must be determined (H374.1); is determined in the following manner [0846.1]; it frequently suffices to determine [426.1]; to determine [И299.0]; to determine the extent to which [4201.1]; to determine the proper [Д332.1]; until... have been... determined [Д462.1]; was determined to be the [0822.1]; with ... determined, attention may be turned to [0837.1]

**determining:** [0805.2]; because some difficulty was encountered in accurately determining [П1352.1]; determining the source [0831.2]; do a reasonably accurate job of determining [0819.1]

**deterministic:** deterministic equations [Д271.1]

**deter:** has not deterred (HI 016.1)

**deterrent:** [C406.1]; been a deterrent to [Y129.1]; is,... a deterrent to ... application [T335.1]

**detract:** detract ... from the generality [J71.1]; detract from ... performance [Y586.2]; detract from the value of [Y249.1]; detract from these advantages [060.1]; detracts from [Y251.4]; this does not detract from [Э 152.1]; to detract from [Л67.0]; without in any way intending to detract from [H924.1]

**detrimental:** [B1506.0]; be detrimental to [HI 160.1]; be detrimental to the quality [C767.1]; detrimental ecologically [B1507.1]; detrimental effect [B1511.2]; detrimental to [B1509.1]; had a detrimental effect on [H1160.2, 01505.1]; has a detrimental effect on [C516.1]; have a detrimental effect on [0627.1]; with detrimental consequences [B1512.1]

**develop:** alarm is initiated if a malfunction develops [H529.1]; develop more ... data [П1134.1]; develop ... an understanding [П1274.1]; develops ... familiarity of ... with [3578.1]; it is not known what the costs would be to develop [HI 274.1]; should the need develop [E94.1]; takes time to develop [T435.1]; to develop [B1339.0, B1736.0, Д489.0, И231.0]; to develop confidence in [Д484.1]; to develop familiarity with [3578.0]; to develop your skills [P180.1]

**developed:** [0197.2, П1189.3, П2469.2]; be developed -  
 oped to ... prototype level [Д494.1]; developed a keen interest in [Г65.1]; developed an interest in [П3044.1]; developed from [P305.1]; developed from scratch [P299.1]; developed its name [П1149.1]; developed jointly [P300.1];  
 developed specifically for [P301.1]; developed to a point where [P302.1J]; developed view [B21.0, B1077.0]; have been developed... from first principles [P297.1]; have developed ... along two lines [P306.1]; have yet been developed beyond the laboratory stage [B2045.1]; his views on... were well developed [Y7.1]; is developed based on this model [H91.1]; method was developed for [Д388.1]; none ... have ... been developed beyond the laboratory stage [H804.1]; path to be followed if ... is to be developed [П3096.1]; series of concerns developed about [B1349.1]; vigorous activity developed [A97.1]; were developed ... [П1125.1]; when fully developed [П1374.1]  
**developer:** earlier developers [П63.1]  
**developing:** developing a heat balance around [C1072.1]  
**development:** [B813.1, B1725.0]; advanced development [P309.2]; along with some additional development [H535.1]; are at a point in our development program, that [H677.1]; are in their infancy in development [H655.1]; are still in ... stages of development [H658.1]; as dictated by technological development [H1404.1]; crash development [C1339.1]; development effort [П2711.1]; development has been delayed due to [P307.1]; development in phases [П1572.1]; development is advancing rapidly [P187.1]; development of [0894.1]; development of the correlations [B 1730.1]; development periods were reasonably relaxed [C1333.1]; development testing [Д497.1]; development tests [Д497.2]; development time [B1537.1]; engineering development [Д496.1]; experience greater technical development [П760.1]; in the exploratory development stage [H153.1]; is ... the farthest from ... in development [П659.1]; is ... under development ... under contract [P298.1]; major technical development challenge (H333.1); manage the ... development of [P767.1J]; milestone in the development [B 1037.1]; operational development [Э52.1]; product development (K340.1);  
 prototype development [P309.1]; R&D research and development effort [H597.1J]; recommendations for the development of guidelines (P672.1J); stimulated the development [C1459.1]; under development [P303.1]; with the present state of development [Y618.1]; yield a saving in both development time and cost [n935.1]  
**developments:** developments are needed in a number of areas [P783.1]; eagerly await further

developments in [0604.1]; in subsequent developments [B385.1]; is based on recent developments concerning [01025.1]; keeps close watch on new developments in this direction [П2528.1]; served as a starting point for later developments [П 1424.1]  
**deviant:** deviant data point [B 1864.2]  
**deviate:** deviated on the average by [01380.1]  
**deviation:** allowable size deviation of finished surfaces  $\pm 0.013$  mm [Д654.0]; deviations ... are 12 percent at their maximum [P543.1]; deviations from [01326.2]; deviations from the nominal values [01328.1]; evident deviations from the intent of the design [Я59.1]; no appreciable deviation from the normal trend was detected [3290.1]; standard deviation . [C1308.1]; standard deviation of [C1422.1]  
**device:** hold-down device [Y139.1]; interruption device [Y543.1]; readout devices [П998.1]; safety devices [3538.1]  
**devious:** devious paths [0701.1]  
**devise:** [B838.2, K333.2, P296.1]; to devise [B838.0, K333.0]; means ... be devised of [H609.1]; was devised [П2304.1]  
**devising:** devising means (01599.1)  
**devoid:** devoid of [J175.2, C303.3]  
**devote:** devoted to lubrication topics (П 1344.1); while there is an extensive body of research literature devoted to [X 106.1]  
**dexterity:** dexterity of [Y250.1]  
**dia:** holes 0.4 mm dia [01220.1]  
**diagnose:** trouble can be diagnosed and corrected [0821.1]  
**diagnosis:** diagnosis of... malfunctions [Д279.1]; diagnosis of a ... fault [0807.1]  
**diagram:** block diagram [B147.2]; circuit diagram [Э73.1]; diagram omits [H1 65.1]; electrical wiring diagram [C 1599.1]; flow diagram [T184.2]; schematic diagram [C1594.3]; segment of the diagram [Y600.1]; simplified ... diagram [Y344.1]; wiring diagram [C1598.1]  
**diagrammatically:** are pictured diagrammatically [C 1601.2]  
**dialogue:** [0119.2]; are continuing a dialogue to improve [П2740.1]  
**diameter:** [Д280.1]; in diameter [Д281.2]; length to diameter ratio [01465.1]; outer diameter [H505.1]; oversize in ... diameter [C78.1]; oversize on the diameter [П2512.1]; ratio of minor to major diameters [01467.1]; runout of diameter over a length of... mm from the shaft end is not in excess of... mm. [B108.0]; sealed at the ... diameter [Y310.1]; semi-minor [semi-major] diameter... axis [M15.1]; were small in diameter [И378.1]  
**diametrically:** diametrically opposite [Д282.1]  
**dictate:** as dictated by technological development [H1404.1]; controls ... dictates [0813.5]; dictate utilization [T436.1]; finally dictate configuration selection [0816.1]; is dictated

by [0840.4]; logic would dictate [J186.1]; mainly dictated [II2731.1]; narrow confines dictated by [Y 191.1]; this approach was dictated by the requirement [T57.1J]

**die:** die away [3505.1, 0927.2]; to die away [3505.0]

**differ** differ ... in being [01399.1]; differ as to [P531.1]; differ from ... in that [01391.1]; differ from each other by [01381.1]; differ in the degree of complexity [P225.1]; differ markedly [3296.1]; differ only in so far as [01401.1]; differ significantly [3629.1, C1563.1]; differ widely [C475.1]; differed from test to test [I286.1]; differs ... in appearance from [01393.1]; differs ... in many ways [01379.1]; differs by a factor of [01378.1]; differs by at most [01397.1]; do not differ by more than [H968.1]; do not differ more than ... from [01388.1]; does not differ greatly from [H967.1]; to differ [I270.0]

**difference:** allowable casting wall thickness difference is not to exceed 10 percent of the wall thickness [Д664.0]; although this may not appear as a significant difference [X109.1]; and constitutes the major difference between [B767.1]; by ratioing ... with the difference in [01463.1]; chief difference is not... but [0995.1]; did show a distinct difference from [Я47.1]; difference ... is not as fundamental, as it would appear [01386.1]; difference between [P284.1]; difference between ... is [P228.1]; difference in the ... from the ... arises from [P230.1J]; difference lies not merely in [P233.1]; difference was [P234.1]; does not know the difference [B78.2]; finite difference form [K316.1]; in the limit of small temperature difference [B548.1J]; it makes no difference [B78.1]; it makes no difference to ... whether... is localized, or distributed [Д323.1]; it would have made little difference [Э141.1]; leads ... with a phase difference of [0758.2]; made... difference to the performance [I267.1]; made very little difference [M40.1]; main difference being in [0996.1]; main difference is that [0993.1]; major difference between ... was in [0994.1]; makes practically no difference [II1656.1]; much of the difference [B222.1]; no difference was established between [Y488.1]; radical ... difference [K377.1]; small difference between two large and similar quantities [M1 6.1]; there is less difference [P235.1]; there is little practical difference [P279.1]; there is very little difference between ... and [P229.1]; there shall not be a greater difference than... between the highest and the lowest temperature [P285.1J]; to make a difference to [I256.0]; wide difference [B249.1]; with one major difference [317.1]; with the difference that [C84.1]

**differences:** adjusting for... differences [B825.1]; are reflective of ... differences [01501.1]; both similarities and differences [K125.1]; did not disclose any significant differences

[H939.1]; differences do occur, however [K3 19.1]; differences from the one just described [01410.1]; differences in ... are immediately evident [X47.1J]; incorporates some important differences [I422.1]; is complicated by the fundamental differences [0938.1]; narrow differences [HI 262.1]; number of differences in detail [P786.1J]; shows significant differences [II988.1]; substantial differences [C1558.1J]; subtle differences [E10.1]; to resolve such differences [4209.1]; underscore the differences in [II882.1]; where differences exist... shall govern [B559.1]

**different:** [Д750.0, I566.0, 01402.1, P286.1]; above procedure was repeated for different [B2071.1]; acquired from different sources [II1196.1]; are different from those of [01390.1]; are little different from [HI 266.1]; are quite different from [II1053.2]; are significantly different than [C476.1]; at different instances of time [B226.1J]; at different times [B64.1, B226.2]; be slightly different [C574.1]; but for different reasons [H1807.1]; completely different situation [C823.1]; designed by different teams [C1263.1J]; different ... from [Д755.1]; different ... than [01409.2]; different ... to [01403.1]; different depending on [P240.1]; different from one laminate to another [P289.1J]; different from those of [I568.1]; different types of [P291.1]; different types of user [C239.1]; extended to ... situations involving different [P441.1J]; formation by different routes [0196.1]; had taken a slightly different approach [B1420.1]; have different... properties from [01395.1]; how might these be different if [H539.1]; in a different ranking order [P375.1]; in a far different way than [C887.1]; in a somewhat different way [H1594.1J]; in different ways [II462.2]; is altogether different from ... [II1053.1]; is different from [01387.1]; is different to [01387.2]; is dramatically different [P632.2]; is entirely different from [K380.2]; is fundamentally different from [K380.1]; is little different from [M33.1]; looks no different from [H1776.1]; many different... many different [C238.2]; occur in a number of different ways [II114.1]; principle ... is basically different [II2466.1]; quite different... from [C824.1]; significantly different from [3630.1]; similar to ... but with somewhat different [A135.1]; situation is quite different [II1103.1]; situation may be quite different [C503.1]; two different entities [Д148.1]; two widely different types of [Д149.1]; via a different mechanism than do [I542.1]; via a different mechanism [I538.0]; was different (B308.1); was different in form from [01396.1]; was not all that much different [01398.1]; was not much different [II1568.1]; we face a different situation here [B540.1]; wide variety of different systems [C240.1]

**differential:** differential expansion between ... and [P277.1]; maintains a ... differential pressure ... across [Π1716.1], performance differential [P278.1]; recast in differential form as: [Π153.1]; taking the total differential of [B1071.1]

**differentiate:** differentiate between [P 193.1]; differentiated by [P222.1, P226.1]; following ... can differentiate between them [P223.1]

**differentiating:** differentiating ... with respect to [Δ292.2]

**differentiation:** differentiation between ... and [P192.2]; differentiation with respect to [Δ292.1]; dot denotes differentiation with respect to time [T373.11]

**differently:** [Π462.1], behave somewhat differently [B942.1]; quite differently [C886.1]; somewhat differently from [HI 581.1]; stated differently [Π4.1]

**differing:** differing forms (Э217.1); to a differing degree [B674.1]

**difficult:** are made difficult [3501.1]; could prove to be difficult [0690.1]; difficult if not impossible to [T478.1]; difficult to achieve [T488.1]; difficult to exercise [T480.1]; difficult to remove [T492.1]; even more difficult [E231.1]; is a difficult ... to ... duplicate [T476.1]; is difficult to explain in terms of ... alone [T479.1]; is not difficult to explain [0381.1]; it is... difficult to conceive of [T483.1]; it is not... difficult to surmise [H1664.1]; it is not difficult to show that [J122.5]; machining difficult [T490.2]; make ... difficult [3496.1]; make the ... task ... more difficult [C394.1]; makes ... extremely difficult if not impossible [Δ229.1]; makes... extremely difficult [01661.1]; makes testing ... difficult [3499.1]; may be difficult [C1057.1]; much more difficult to [3634.1]; not difficult [J114.0]; proved more difficult to study [И779.1]; proved quite difficult (0664.1); render it difficult [3496.2]; so ... as to make ... difficult [T60.1]; solutions are difficult to attain [P744.1]; this maybe a difficult task [Э143.1]; thus making ... difficult to [3500.1]; to be made difficult (B 1804.0); to make difficult [Δ228.0, 3496.0]; to render difficult [3496.0]; was made difficult [B 1804.2]; without ... it would be difficult to say with certainty [B12.1]

**difficult-to-machine:** [T490.1]

**difficulties:** awesome difficulties have plagued [И764.1]; create ... difficulties [C978.1]; difficulties ... insurmountable [H1522.1]; difficulties are even more pronounced under [T474.1]; difficulties in calculating [3494.1]; difficulties were encountered on various fronts [C 1375.1]; difficulties were encountered [B 1631.1]; in order to avoid these difficulties [4186.1]; inevitable difficulties [HI 272.1]; overcoming ... difficulties [Π2025.1]; some of the difficulties which can arise with [HI 300.1]; success

and difficulties [Δ741.0, Δ741.3]; to present difficulties [B1804.0]; two major difficulties were encountered in solving [P734.1]; unforeseen difficulties **did** emerge [B 1348.1]

**difficulty:** [3493.0]; added difficulty [Δ631.1]; adds a new dimension to this difficulty [Y551.1]; allows replacement ... without difficulty [Π905.1]; because some difficulty was encountered in accurately determining [Π 1352.1]; concern ... difficulty [T473.1]; confronted with difficulty [C1374.1]; have removed much of this difficulty [H425.1]; if difficulty is encountered when [B519.1]; largely removed this difficulty [B285.1]; long recognized difficulty [0304.1]; major difficulty [B257.1]; obvious difficulty involved with [01651.1]; one major difficulty faced by [0529.1]; problem of first degree difficulty [3170.1]; run into difficulty [H583.1, C1374.2]; should have little difficulty [Δ361.1]; succumbed to the same difficulty [И765.1]; such disagreement is not surprising considering the difficulty investigators have encountered in [T74.1]; this difficulty can be side-stepped [Э111.1]; to overcome ... difficulty [Π2022.1]; while recognizing the difficulty of [Π1272.1]; with little difficulty [B57.2]; with no difficulty [B56.1]; without much difficulty [B57.1]

**diffuse:** efforts ... are diffused [P447.1]; large but rather diffuse body of evidence [B244.1]

**diffusion:** diffusion rates [C544.1]

**digitize:** are ... digitized [Π2020.1]

**digit:** drop ... digits beyond [01215.1]; to within two of the last significant digits [C 136.1]

**digressing:** without digressing [HI 140.1]

**dilemma:** face the dilemma of [C 1476.1]

**dilute:** [P154.1, P155.1]; diluted with water [P156.1]

**dilution:** [PI 53.1]

**dimension:** adds a new dimension to this difficulty [Y551.1]; brought a new dimension of [Π2292.1]; in the 900 mm dimension [B863.1]; those problems have been growing in dimension ever since [M64.1]. (См. также **dimensions**).

**dimensional:** dimensional analysis [A118.1]; dimensional checks [Π2627.1]

**dimensionless:** after making equations ... dimensionless by dividing both sides by [Π1364.1]; dimensionless representation of [Π1833.1]; recast in dimensionless form [Π 152.1]; were reduced to dimensionless form [Π2224.3]

**dimensions:** [P252.1]; characteristic dimensions [X14.1]; clear inside dimensions [P257.1]; out-line dimensions [Г3.3]; overall ... dimensions [Г3.2]; overall dimensions [Г3.1]; restrictions on ... overall dimensions [Г2.1]; shall have dimensions falling within the tolerances [P259.1]; to the dimensions [Π460.2]; to the same dimensions (C83.1); were machined to the desired dimensions [0180.1]

**diminish:** all diminish to [B 1022.1]; diminished [Y251.6, Y251.9]; operate to diminish the rights [B938.1]

**diminishing:** at a progressively diminishing rate [C98.1]

**diminution:** diminution in [Y270.2]

**dint:** by dint of [I219.3]

**dip:** dipped in a solvent [C747.1]

**direct:** and it is to this last aspect that most ... attention is being directed [I32.1]; be directed at [II1342.2]; direct ... action [II3061.1]; direct... impact [H1487.1]; direct accessibility to [HI 486.1]; direct answering of... question [II3059.1]; direct comparison is not feasible [H1490.1]; direct consequence of [II3062.1]; direct distance [P505.1]; direct hazard to personnel [H1485.1]; direct link [II3058.1]; direct result of [II3060.1]; directed in writing [H476.1]; directed toward [H483.2]; effort was directed at [H479.2]; efforts to ... should be directed toward [B1023.1]; establish a direct link [3136.1]; have a direct link with [C359.1]; have direct import for [H613.1]; in direct proportion to [II3068.1]; indicates a direct link between [Y210.1]; inquiries may be directed to [3415.1]; is a direct function of [H629.1, HI 479.1]; is obtained by direct heat balance [II 1152.1]; is the direct responsibility of [H1482.1J]; made direct use of [H1480.1]; most direct approach [C220.1]; no direct evidence of ... is present [H1488.1]; obtain ... direct [II1151.1]; spray solvent... direct on [H480.1]; specific emphasis is directed at [01067.1]; store away from heat, open flame and direct sunlight [X121.1J]; through ... factory direct [H495.1]; to direct the ... attention to [0208.2]; under the direct supervision of [II615.1]

**directing:** [P769.1]; capability for directing [C1214.1]

**direction:** acts in an outward direction [D182.1]; aims in the right direction [D179.1]; become familiar with the ... directions [0610.1]; but since there seems to be little movement in this direction [H1809.1]; direction ... is as per the direction arrows [H472.1]; direction for future research [H470.1]; direction for use [I576.0]; directions for [Y199.2]; follow the directions [B 1897.1 ]; in a clockwise direction [II510.1 ]; in a counterclockwise direction [II2953.1]; in a forward (backward) direction [B232.0]; in an upstream [downstream] direction [B231.1J]; in an upward [downward] direction [B230.0]; in one direction or the other [B238.1]; in opposite directions [B237.1]; in the direction away from the center [B233.1]; in the opposite direction to [B234.1]; in the reverse direction of [II2959.1]; is pointed in directions [P183.1]; is turned in direction [I262.1]; keeps close watch on new developments in this direction [II2528.1]; most promising direction for

[H323.1]; positive in the direction of increasing [II1108.1]; preferential ... direction [II1815.1]; reverses its direction [Ml 17.1]; step in this direction [III2.1]; steps in the right direction [LU7.1]; under the direction of [II614.1]; yet a further step in this direction [E221.1]

**directive:** adhere to the directives [II2302.1]; government directive [II 1635.1]

**directly:** adopted directly [3208.1]; calculated directly from [B2056.1]; connects directly to [C965.1]; deal directly with [I377.1]; directly applicable [II2275.1]; directly benefit from [II1131.1]; directly onto [H1473.1]; directly or indirectly, all the ... are related to the theme of [II3065.1]; directly pertinent to the present study [I513.1]; directly power [3391.1]; directly proportional to [II3067.1]; directly related to [HI 483.1]; is centered directly over [P269.1]; is directly tied to [H494.1]; is directly

translatable to [II1059.1]; not directly relevant to [H889.1]; not only directly ... but also indirectly [H 1117.1 ]; read directly on [C 1630.1 j];

were directly derivable from [B1739.1]

**director:** is on the Board of Directors [B1674.1]

**dirt:** keep ... free of dirt [H841.2J]; to keep dirt out [3546.1, H841.1, II1780.1]

**disadvantage:** advantages and disadvantages [D741.0]; competitive disadvantage [H1177.1];

each ... has its advantages and disadvantages [K38.1]; has ... been at a disadvantage to [II2778.1]; has both advantages and disadvantages [I381.1]; minor disadvantage [H1162.1]; outweighs the disadvantages [II1681.1]; strong disadvantage [K508.1]; suffer the disadvantage of [C1479.1]; suffers from the disadvantage of [C 1479.2]; tend to suffer other disadvantages [I411.1]; to place it at a disadvantage [C 1355.1]

**disagree:** disagree by [P534.1]; reason to disagree [0964.1]; we disagree with this [M425.1]

**disagreement:** are in disagreement over [P533.1];

disagreement ... among ... concerning [01548.1]; disagreements on [P542.1]; disagreements over [II2971.1]; enough points of disagreement occur to indicate [K262.1]; such disagreement is not surprising considering the difficulty investigators have encountered in [T74.1J]; there is considerable disagreement [C1580.1]

**disallowing:** disallowing any general comments (H 1000.1)

**disappear:** disappears to the size of a dot [II1692.1]; disappeared [I838.1]; they disappear of themselves [I840.1]; to disappear [I838.0]

**disappearance:** [I842.1]

**disappointing:** [P295.1]; results were ... disappointing [P650.1]; results were disappointing [P657.1]

**disassemble:** disassemble... reassemble [P165.1];  
 is shipped partially disassembled [01267.1]  
**disassembly:** dismantling and subsequent disassembly [Д260.0]; removal and disassembly [Д259.1]  
**disaster** is an invitation to disaster [H240.1]; to mean a disaster [Г129.0]  
**disastrous:** have disastrous consequences [И428.1]  
**disband:** disband the ... activity [C344.1]; disband the ... standard activity [П1986.1]  
**discard:** [374.1, И654.5]; are discarded [01213.2];  
 discard the old [B 1724.1], discarded the idea [01312.1]; discards [Б262.0, Б262.1]; shall be discarded [И692.1]; to discard [B1722.0, 374.0];  
 were discarded in favor of [01309.2]  
**discarding:** discarding ... in favor of [01304.1]  
**discern:** [01376.1]  
**discernible:** [3289.3, P238.1], are clearly discernible [X44.4]; barely discernible [E9.2]; discernible pattern [Я43.1]; easily discernible [X44.5]  
**discharge:** [B1866.0]; discharge is into the atmosphere [B1923.1]; discharge of ... duties [B1869.1]; to discharge [B1924.0]  
**discipline:** [01506.1]; other disciplines involved [П1830.1]  
**disclaim:** expressly disclaims [P745.1]; expressly disclaims liability for [C193.1]  
**disclose:** did not disclose any significant differences [H939.1]; disclosed [П1973.6]  
**disclosure:** abstract of the Disclosure [A142.0]  
**discolor:** [058.1]  
**disconcerting:** is disconcerting [H1602.2]  
**disconnect:** disconnect ... from [01522.1]; leads ... be disconnected [01523.1]; it disconnects power from [01348.1]; to disconnect ... from the mains [01346.1]  
**discontinue:** are discontinued [B214.2]; to discontinue products [П 1992.1]; use was discontinued [П1988.2]; was discontinued within a few hours [П1993.1]; were discontinued [01308.3]  
**discontinuing:** [П 1998.1]  
**discount:** are not discounted [H1060.1]; is discounted [H1034.1]; should be discounted [H77.1]  
**discourage:** might be expected to discourage ... effective use [M264.1]  
**discouraging:** is discouraging [B1819.1, 029.1]; somewhat discouraging [H1591.1]  
**discover** [0128.2]; it was subsequently discovered that [B1497.1]  
**discovery:** of discovery [П1834.1]; not all ... are recent discoveries [H788.1]  
**discrepancy:** creating a discrepancy in [П2232.1];  
 design discrepancies [01332.1]; discrepancy between [P540.3]  
**discrepant:** discrepant point [B 1864.1]  
**discrete:** broke up into discrete droplets [P 162.1]  
**discretion:** at ... 's discretion [П1503.2]; at the discretion of [П1503.1]

**discriminability:** discriminability between ... is decreased [B1321.1]  
**discriminate:** discriminate between [P221.2, Y240.1]; discriminates against [0452.1]  
**discriminating:** capable of discriminating [C85.2]  
**discrimination:** loses the discrimination of [T201.1]  
**discuss:** [P451.4]; as already discussed [K64.4]; as discussed [K62.0, K102.0]; as discussed earlier [K64.3]; as discussed in the forthcoming [K105.3]; as discussed previously [T38.1]; as will be discussed in more detail later [K106.1]; discussed here thus far [P491.1]; discussed in order of the role [0264.1]; discussed more later [P471.1]; discussed step by step [P473.1]; discusses more details on [B168.1]; is discussed in detail [П1799.1]; it now remains to discuss the manner in which [01118.1J]; was fully discussed in ... and will not be repeated [П1796.1]; we would be very interested in discussing [M435.1]; will be discussed shortly [B348.1]; will now be discussed [П202.1, P482.2]  
**discussion:** [Д290.0, C1194.1]; add complexity to the discussion [Y412.1]; although the discussion has centered around [XI 08.1]; are momentarily excluded from the discussion [B 1523.1]; as a consequence of the previous discussion [B498.2]; as suggested in the discussion [П1440.1]; bears some discussion [И464.1]; confining discussion to [0462.1]; detailed attempt to quantify a discussion of the results [П1311.1]; discussion ... is not detailed [H766.2]; discussion is restricted to ... aspects of [0458.1]; discussion will be limited to [0465.1]; discussion will center on [C1065.1];  
 following is a brief discussion of [H1715.1, H1715.2]; from the previous discussion ... becomes obvious [И149.1]; further discussion on this is delayed until [Д106.1]; in subsequent discussions [B89.4]; in the balance of this discussion [B383.1, B756.1]; is the universal practice in engineering discussions [П1565.1];  
 it is clear from the foregoing discussion that [И 148.3]; merits greater discussion [3452.1]; no discussion on ... can be complete without [0265.1]; present discussion is confined to [M428.1]; prevent a detailed discussion of [H990.1]; qualitative discussion [0266.1]; remaining discussion will be confined [П 1420.1];  
 see ... for a more detailed discussion [Б170.1]; this discussion highlights the fact that [Э202.1]; to thank ... for ... valuable comments and helpful discussions [П1521.1]; under discussion (P489.12); warrants further discussion [3458.1];  
 we will limit this discussion to aspects of [0466.1]  
**disengage:** disengage the ... belt from the pulley [C794.1]; to disengage [И177.2]  
**disincentive:** disincentives to proceed with [H1219.1]  
**dismantle:** [P164.1]



**dismantling:** dismantling and subsequent disassembly [Д260.0]

**dismiss:** [01217.1, П1175.1]; possibility ... dismissed [01218.1]

**dispensable:** it is dispensable [Б34.1]

**dispensation:** [P325.1]

**dispense:** dispense with [0286.2]; is ... dispensed with [0286.1]

**displace:** are displaced ... vertically [C736.1]; are displaced below ... by (C735.1); be displaced to the right [C732.1]; displaced ... by a large amount [C733.1]; displaced a distance ... from [01541.1]; is displaced downward a distance [C731.1]; to displace [B2017.0]

**displacement:** displacement of [B2019.1]

**display:** [0128.5, П973.3, П995.1, П3040.1]; be displayed on stand [Д258.1], in a dramatic display of this concept, ... commissioned [Я63.1]; on display ... be [Д257.1]; poster displays [Э64.1]; set... control for... display of zero [Y485.1]; to be displayed [Д257.0]; to be on display [Д257.0]; to display [B 1434.0, И313.0]

**disposal:** at... disposal [B462.1], at smb.'s disposal [B462.0]; at the disposal of [H688.1]; comprehensive disposal plant [K288.0]; equipped with ... at his disposal [И365.1]

**dispose:** disposed of [Y90.3]; provisions ... made to promptly and safely dispose of (П1821.1); to dispose [B1722.0]; to dispose of [И152.0]; to dispose of the fractional powers of [И153.1]

**disposition:** authority for the disposition [П 1030.1]

**disprove:** neither does it disprove [HI 792.1]; these fears can be neither proved nor disproved [Э216.1]; was ... disproved [01314.1]

**dispute:** beyond dispute (Б102.0, Б1 173.4); in dispute [C1198.1]; to settle the dispute [P316.1]

**disregard:** be disregarded [H1034.2, HI 141.6]; must be disregarded [H837.1]; it would be myopic to disregard the possibilities of [Б382.1]; variations in ... are disregarded, as are variations in [И253.1]

**disrepair** are in a very serious state of disrepair [H1894.1]; are in disrepair [023.1]; is falling into disrepair [B1036.1]

**disrepute:** fell into disrepute [П 1518.1]; to bring ... into disrepute [H241.1]

**dissemination:** dissemination of ... information [P435.2]

**dissertation:** doctoral dissertation [Д553.3]

**dissimilar:** [HI 437.1]; dissimilar in the way it works [01394.1]; should not be dissimilar to [H831.1]

**distance:** at a distance [H127.1]; at a distance from ... of [H130.1]; at great distances [H133.1]; blade-to-blade distance [P499.1]; direct distance [P505.1]; displaced a distance ... from [01541.1]; distance... apart [01542.2]; distance from [P502.1]; distance of... from ... to [P503.1]; for a distance of [H123.1]; for some distance ...

from [H135.1]; from a distance [H127.2]; is displaced downward a distance [C731.1]; long distances [H126.1J]; nozzle to specimen distance [P504.1]; over the ... distance [H51.1]; short distance [HI 34.1]; short distance from [H125.1]; some distance away [H135.2]; staggered by a distance [C729.1]; to travel ... distance [П3010.1]; transportation ... over long distances [T414.1]; uncertainties on distance [П599.1]; was moved a certain distance [П109.1]

**distillation:** [K213.1]

**distinct:** [B1953.0, P286.2, 481.2]; are very distinct (C475.2); as distinct from [B294.0, B294.6]; did show a distinct difference from [Я47.1]; distinct advantages [Я60.1]; distinct improvement in [Я57.1]; offer ... distinct advantages over [084.1]; offers distinct advantages [083.1]; offers distinct potential for [074.1]

**distinction:** distinction between ... and [PI 92.1]; qualitative distinctions [P237.1]; makes a distinction ... of [B848.1]; no distinction is made between [H827.1]; no distinction was ... made [H826.1]

**distinguish:** [01292.2]; are distinguished from [01387.5]; are not ... sensitive enough to distinguish between ... and [H929.1]; are not easy to distinguish from [HI 306.1]; as distinguished from [B294.0, B294.7]; be clearly distinguished from [485.1]; carefully distinguished between calculations based on ... and [T516.1]; clearly distinguish between [484.1]; distinguish between [01373.1, P221.1J]; distinguished from ... by [01374.1]; distinguished from each other [01375.1]; is distinguished by [01376.4]; one of the most distinguished ... of the period [0513.1]; should be distinguished from [C610.1]; to distinguish between a fault in ... or in [4210.1]; two situations must be distinguished: [HI 908.1]

**distinguishable:** [P238.2]

**distort:** distorted view of [B20.1]

**distortion:** introduce distortion in [B1220.1]

**distribute:** after test materials have been distributed [П1367.1]; it makes no difference to ... whether... is localized, or distributed [Д323.1]; uniformly distributed [PI 22.1]

**distribution:** distribution ... is much more even [P418.1]; distribution of ... along the length [P419.1]; distribution of information [P435.1]; distributions for ... are coincident [P422.1]; fictitious ... distribution [Ф31.1]; size distributions [P420.1]

**district:** district water [C448.1]

**disturb:** disturb the ... operation of [H515.1]; equilibrium ... is disturbed [H517.2]; so that... is not disturbed [4194.1]; to disturb the equilibrium [B1740.0]; to disturb the generality [H513.1]

**disturbance:** [B1336.2]; momentary disturbance [M76.1]

**disturbing:** disturbing of the equilibrium state [H530.1]; is somewhat disturbing [B 1803.1, H1 602.1], it is somewhat disturbing that [H1588.1]; one slightly disturbing point... was their repeatability [H1604.1]; without disturbing [B31.0]; without disturbing the bearings [B32.1]

**disuse:** been falling into disuse [B2048.1]; to fall into disuse [B2048.0]

**diurnal:** [Д433.1]

**diverge:** diverge in branches [P449.1]; diverge substantially from [3628.1]

**divergence:** divergence between [P540.2]; we are still left with the divergence [H394.1]

**divergent:** from divergent views on [И228.1]

**diverse:** [P283.2], are many and diverse [M227.1]; many diverse [C237.1]

**diversification:** [P562.1]

**diversified:** diversified company [M223.1]; diversified mix [P282.1]

**diversion:** [O1329.1]

**diversity:** diversity in the results [P172.1J; number and diversity of [B242.1]

**divert:** are diverted [O1256.1]; to divert the effort to [H479.3]

**divide:** be divided into ... groups [P204.1], divide ... by [Д240.1]; divides ... into ... equal [Д241.1]; finely divided [M90.1, П307.1, T328.1]; is divided into a set of [P 160.2]; is equally divided among [P428.1]; to be divided into [Д238.0] to divide [Д238.0]; to divide ... into ... size categories [P205.1J]

**divider** by means of a scale and dividers [C61.1]

**dividing:** [Д235.0]; after making equations ... dimensionless by dividing both sides by [П 1364.1]; dividing ... by [Д236.1]

**division:** [Д235.0]; division of labor [PI 99.1]; division of the latter by the former yields [Д237.1]; smallest scale division of [И30.2]

**divulging:** without divulging too much of [H766.1]

**do's:** design do's and don'ts [P671.4]; do's and don'ts [4147.1]

**doable:** [B 1918.1]

**doctor:** completed ... master of science and doctor of philosophy degrees [3540.1]

**doctoral:** doctoral dissertation [Д553.3]; doctoral thesis [Д553.1]

**document:** [Д558.1]; approval documents [Д557.1]; authorizing document [Д554.0]; document the validity of... results [O172.1]; documents are in package No. 1. [Д563.0]; documents attached [Д556.0]; entry No. of authorizing document and date [B1683.1]; identification documents [У177.1]; non-applicable documents [H1541.1]; original revision of ... document [П40. ^procurement documents [Д555.0]; properly executed documents [П1623.1]; provide ... copies of documents [П95.1]; revised item of a document [И742.0]; revision of documents [И738.1]; separate document [O1287.1]; set of

technical documents [K293.0]; submittal of documents to [П1837.1] to amend the document [B1229.1]. (См. также **documented**).

**documentation:** [Д561.1, Д562.0]; documentation enclosed [C1043.1]; documentation that accompanies [Д564.1]

documented: ^560.1, Д565.1]; are documented more fully in [B 169.1]; as will be documented

shortly [K107.1]; documented photographically [P602.1]; does not appear to be well documented in the literature [H1 209.1]; has to be documented [П847.1]; is well documented [П1797.4]; is well documented in the literature [O789.1]; was ... documented [П1133.4]; well documented experiments [X56.1J]

**doesn't:** in fact it doesn't [B93.1, H47.1]; it doesn't really matter where [П1652.1]

**dog:** was ... dogged by [П2038.1]

**doing:** are ... doing the exact job required [Д200.1]; doing so [H531.1J; in doing so [П2167.4]; in doing so, it was noted that [П2168.1]; in doing the analysis [П2115.1]; in so doing [П1505.1, П2167.3]; it is not worth doing [Э 132.1]; one of the simplest means of doing this is [П2926.1]; usual method of doing this is to [O390.1]

**domain:** [O103.1]; domain of [O94.1]

**domestic:** domestic demand for [C1265.1]; domestic hot water supply [Г98.1]

**dominant:** [Д607.0]; be the dominant player in [И90.2]; dominant factor [Д608.1]; dominant term is [O859.1]; is the more dominant of these two effects [B1 143.1]; play a dominant role [И90.1]; retain a dominant position in [Y125.1]

**dominate:** [И90.3, O813.7]; dominate ... market [3344.1]; dominate over [П1694.7, П2010.2]; dominates [П2010.1]; is completely dominated by [O845.1]; is dominated [O840.1]; would no longer be ... dominated [B217.1]

**don't:** don't be afraid to experiment [H752.1]; don't worry about messing up [H751.1]

**don'ts:** design do's and don'ts [P671.4]; do's and don'ts [4147.1]

**done:** and what little that has been done [И23.1]; as will be done later [4138.1]; best which can be done [C231.1]; but application ... should be done with care [H1813.1]; done in two steps [B1874.1]; done intentionally [Д204.1]; done much to promote the art and science [Д202.1]; has done much to promote the art and science [M212.1]; how this is done is explained [K144.1];

if nothing is done other than [E62.1]; if this is not done [E177.1]; if this were not done [E109.1]; if work of this type is to be done [E137.1]; it is best to have this done by [J106.1];

lot still remains to be done in optimizing [M206.1]; much has to be done to [M205.1]; much more needs to be done [M204.1]; much more needs to be done [H1385.1]; much work

has been done in [B233.1]; neither was done [H1709.1]; this is most easily done by setting [П2927.1], this is most easily done by [J129.1]; this must be done in such a manner that [Д589.1]; this must not be done [Э205.1]; this was done so that [Э 127.1]; this was done while holding [Э128.1]; this was so done, rather than [Э 129.1]; what has been done is to use [Д426.1];

when done in this way [П2167.6]

**door:** out of doors [B1 180.1, H18.2]

**dormant:** dormant time [П227.2]

**dot:** disappears to the size of a dot [П1692.1]; dot denotes differentiation with respect to time [Т373.1]

**double:** are marked by a single asterisk [a double asterisk] [П1237.1]; double inclusion [Д162.0]; double that [B439.0]; enclosed by double quotes [3236.1]; printer's copy, typed in double spacing [H232.1]

**double-check:** [П156.1]

**double-spaced:** typed double-spaced [H457.1]

**doubled:** (Y 102.1); was doubled [Y56.1]

**doubling:** [Y104.1, Y50.1]

**doubt:** beyond a doubt [B55.0]; beyond reasonable doubt [C191.1]; cast ... doubt on the validity of the theory [B1824.1]; cast doubt on [B1825.1]; casts doubts on what [B1826.1]; causes doubt about [B1825.2]; doubts arose as to [B1350.1]; doubts raised (C990.1); leave no doubt in the minds of the present authors that, if [H964.1]; leaves little room for doubt [П1567.1]; no doubt [B55.0]; reason to doubt [O965.1]; some doubt ... as to whether ... would [H 1297.1]; there is little doubt that [M28.1, H1 653.1]; there is no doubt that (H 1652.1); this fact casts some doubt that there are [H143.1]; to cast doubt [B1823.0]; to cause doubt [B1823.0]; validity of such a representation is in serious doubt [O167.1]; without a doubt [B55.0]

**doubtful:** it appears doubtful [П1897.1]; it is doubtful [C993.1]; regarded as doubtful [C1616.1]

**doubtless:** [B55.4, H1632.2]

**down:** [B1200.1]; are scaled down [П173.2]; bear down on [H254.2]; boils down to [C322.4];

broken down into a number of [P160.1, P208.1]; clamping down (of) [3257.0]; cooled down [O1620.1]; down time [B1536.1]; down to [B1470.1, B1470.3, Д435.0]; down to less than [Д443.1]; face down [J162.1]; facing down [upward] [O240.1]; foundations for ... were laid down [3231.2]; hold ... button down [Y126.1]; holding ... down [Y121.1]; inside down [П1532.1]; is broken down to [P363.1]; knocked down [B22.3]; necked down [C1537.1];

phase down [П1985.3]; press down over [H254.1]; pressing down [H253.1]; right down to [B1473.1]; round down [O724.1]; rounding down [O721.1]; scaled down [П 180.1]; scaled

down to real value [П 176.1]; scaled up ... down ... within similarity restraints [П178.1]; selection ... narrowed down to a single choice [C1536.1]; setting down the ... equation in its entirety [3386.1]; settle down [Y441.1]; settled down to a steady state [П2548.1]; shut down ... any extended period of time [O1148.1]; shut down automatically on [A68.1]; slowed down [3276.1]; slows down [3276.2]; strip down [B1592.1]; take down [C782.1]; tear down [P164.3]; to lay (down) the foundation (for) [3231.0]; to set down [3382.0]; to shut down [B1845.0]; to slow down [3276.0]; to turn down

[B1845.0]; to work down (B1608.0) turn down [B1847.1, П2989.1]; ; turn down to operate as [П199.1]; was shut down [O1147.1]; what lets it down [4128.1]; when stripped down to its barest fundamentals [E1 13.1]; will bring down the time consumption [П932.1]; work down [B1608.2]; worn down [H310.2]

**downstream:** downstream from [31.0]; downstream of [31.0, 31.4, H1720.1]; in an upstream

[downstream] direction [B231.1]

**downtime:** [П2928.4]

**downward:** downward [upward] from (B 1199.1);

downward facing [O244.3]; facing downward [O244.1]; in an upward [downward] direction [B230.0]; is displaced downward a distance [C731.1]; is pointing downward [O244.2]; passes

... downward [upward] [П3000.1]; pointed downward [H484.1]; surface facing upward [downward] [П1537.1]; upward flow ... downward flow [H482.1]

**draft:** [П2762.1]; draft response [472.1]; final draft [П1387.1]; first draft narrative [П155.1]; initial draft [П139.1]

**drag:** to drag out [3509.0]

**drain:** be drained off [O1256.2]; drain ... liquid [C647.1]; drain out [C1442.1] ; to empty ... drained [C 1267.1]

**dramatic:** [B1460.0]; dramatic change [P631.1]; dramatic effect [C461.1]; dramatic indication [B1462.1]; improvement in ... was dramatic [P636.1]; in a dramatic display of this concept, ... commissioned [Я63.1]; is in dramatic contrast to ... [П11061.1]

**dramatically:** by ... the situation will be dramatically reversed [K5.1]; is dramatically different [P632.2]

**drastic:** potential for a drastic reduction in [O747.1]; too drastic for practical use [C653.1]

**draw:** amperage draw on [П1522.1]; draw ... to scale [B2050.1]; draw a line parallel to [П2683.1]; draw heavily on [C467.3]; draw up plans [C1088.1]; drew attention to [O208.3]; it is ... much too soon to draw any final conclusions [C655.1]; to draw [B2049.1]; to draw ... conclusions [Д198.1]; to draw on [H693.0]; to draw up [B1931.0] (См. также drawn).

- drawback:** drawback in that [H1201.1]; drawbacks ... are overcome [Y527.1]; drawbacks to the use of [H1202.1]
- drawing:** accompanying drawings [Π2352.1]; arrangement drawings [K303.3]; built from drawings [C1514.1]; drawing a best line through the data [Π2614.1]; Drawing and Brief Description of its Views [K456.0]; drawing of... provided for reference [Д398.1]; Drawing Register is maintained [B933.1]; Drawing Schedule [0796.1]; drawing up a scheme of [C1095.1];  
except when specified on drawings [325.1]; fabricated ... from ... drawings (И194.1); is entitled to introduce amendments into the working drawings [И432.1]; line drawings [Г128.1]; revisions of drawings [P623.1]; schematic drawing [C1600.1]; with reference to the accompanying drawings [C 118.1]
- drawn:** analogy was drawn [Π2672.2]; attention was drawn to [Π2200.2]; but some conclusions can be drawn at this point [A113.0]; conclusions drawn regarding [B 1735.1]; drawn... into the argument regarding [B1247.1]; drawn free-hand [B2051.1]; drawn on [И693.5]; drawn to scale [H503.1]; following conclusions can be drawn. [И825.0]; from the results of this study the following major conclusions can be drawn [H85.1]; inferences drawn from [B 1733.1]; is drawn parallel to [Π2690.1]; line is drawn through the points [Π2682.1]; sample ... is drawn [01207.2]; similar conclusions have been drawn by [K2.1]; tangent ... be drawn (Π2680.1); that need to be drawn to the attention of [H67.1]; traces have been drawn from the maximum values of [K481.1]; was drawn off the top of [01264.1]
- dresser:** dresser to dresser [Π2109.2]
- drill:** drill... to receive part [C271.1]; holes were drilled [Π2899.1]
- drilling:** well ahead of the allocated drilling days [H427.1]
- drive:** [K173.0, Π2211.2]; drive ... home [Π1440.3];  
drive ... out [B2007.1]; drive for [K174.1, T145.2]; drive in [B818.1]; drive out [B1687.1];  
drive the nail into [366.1]; drive the pin in [367.1]; is used to drive [И723.1]; driven ... by [Π2262.1]; electrically driven [C77.3]; equilibrium is driven [C380.1]; made a ... drive to mechanize [P177.1]; menu driven [Y333.1]; to drive in [365.0]
- driving:** driving force (0857.1); driving force for [Д159.1]; is the driving force behind [C1458.1]
- drop:** drop ... digits beyond [01215.1]; drop by [Y264.1]; drop in [Y270.1]; drop out of [B1862.2]; dropped ... sagged [Π1.2]; dropped to 75 percent of its maximum value [Y261.1]; drops into place [B1613.1J]; it dropped ... to ... as much at [Y306.1]; pressure drop across [Π9.1]; pressure drop penalty [Π1516.1]; to drop [И650.0]; voltage drop across [Π10.1];  
was ... dropped [И654.4]; were dropped [01308.2]
- drop-off:** [Y41.1]
- droplet:** broke up into discrete droplets [PI 62.1]
- dropping:** [0871.2]; dropping all the small terms [01212.1]; goes on dropping [Π2741.1]
- dry:** allow the surface to dry thoroughly [Д72.1]; blow ... dry with compressed air [B2004.1]; air dried [B2003.1]; cleaned ... rinsed, dried, and wiped [01690.1]; keep dry [Б152.0]; tighten ... to a torque of ... dry [3513.1]; tightening torque dry [M244.0]; to confirm it to be wet or dry [Y33.1]; weighs ... dry [B927.1]; when dry [K230.1]; wipe dry [B2015.1]
- dryer-equipped:** [0162.1]
- dual:** fulfil the dual role [B1904.1]; has a dual effect on [0628.1]
- duality:** duality of [Д161.1]
- dubious:** dubious accuracy [C992.1]
- duct:** was dueled to [Π1504.1]
- dueling:** plumbing, electrical and dueling installations [B1252.1]
- due:** all such ... are not due to [H789.1J]; almost certainly due to [Π1552.1]; although this may well be due to [X102.1]; are due to [0271.1]; be due to [B1829.1]; became due [Д588.1]; decision was derived due to [Π2431.1]; development has been delayed due to [P307.1]; due again to [0898.1]; due in part to [43.1]; due to [Б110.0, B494.0, B514.0, B1597.0, И219.0, 0268.1]; due to ... being very busy (B515.1); due to ... or perhaps something else such as [0275.1]; due to anticipated [И125.1]; due to circumstances beyond our control [Π411.1]; due to oversight [Π410.1]; due to shortage of [И224.1]; due to symmetry, only ... need be studied [Б112.1]; due to the fact that [B502.1]; due to the present lack of [И225.1]; due to time limitations [B499.1]; due to various circumstances [B1598.1]; has never been justified due to [H1757.1]; in due course [B66.0, B66.1, K237.1, C189.5]; in due time [C331.2]; is due to the fact that [B1838.2]; manuscripts are due [Π1856.1]; not because of ... but due to [H868.1]; one half ... is analyzed due to symmetry [B1599.1]; one should exercise due care before accepting [C626.1]; portion of ... due to [Д605.1]; results ... will be reported in due course [P645.1]; special acknowledgement is due to [01072.1]; this is due to the fact that ... t [0277.1]; this is most likely due to [C541.1]; this was due to the fact that [Д251.4]; to be due to [B 1829.0]; to give due credit to [01272.1]; with due consideration for [C 167.1]
- dull:** to dull [3502.0]
- duly:** duly signed [Π778.1]
- dump:** to dump [B 1722.0]
- dumping:** dumping into [C261.1]
- duplicate:** [Д763.0, K373.0, C737.1]; average of duplicate triplicate tests [C1321.1]; duplicated

[B1434.3]; duplicates [I1573.1]; in duplicate (B91.1, B167.1); is a difficult... to ... duplicate [T476.1]; to duplicate [B 1434.0]

**duplication:** [I1568.2]

**durability:** [I1568.0]

**durable:** [I1569.1]

**duration:** at a succession of times spanning the entire duration of [I1353.1], duration of... is ... times shorter [I12754.1]; duration of which extended [I1312.1]; for the full duration of [B688.1]; longer shorter duration [B179.1]; of 5 min duration [I1315.1]; test duration [I12756.1]

**during:** [Bl.O, B32.0, B685.0, 31.0, I12055.3]; at any time during [B218.1J]; at some point during [B221.1]; during early times [H 198.1]; during field service [B40.1J]; during the ... test [B34.1], during the coming months (B8.1J; during the course of [B418.2, B738.2]; during the ensuing years [B88.0]; during the entire series of tests [B692.1]; during the initial stages [B638.1]; during the late [B159.0]; during the late ... and early [B161.1]; during the past year [B427.0]; during the past year [B427.1]; during the

period... to [335.1]; during which time [B698.1]; loss during its startup period [Y42.1]; made inoperative during the test [B1846.1]; not the situation during [438.1], should any unit fail during operation ... [B518.0]; what was actually taking place during [4136.1]

**dust:** in a highly laden dust environment [B717.1J]

**dust-laden:** [3423.1]

**duty:** [I1566.0, H297.5, P626.4]; adequacy of the design for cyclic duty [I12271.1];

continuous duty [P83.1]; designer's duty [I1567.1]; discharge of... duties [B1869.1]; duty cycle [P97.1], intermittent duty [P84.1]; is assigned the duty [B1151.2]; is on duty [H643.1]; is on duty at all times [H671.1]; perform his duties [B1887.1], to impose as a duty [Bl 151.0]; to impose on smb. the duty of [Bl 151.0]; various ... duties [P242.1]

**dwelt:** dwell on [K190.4]; dwell on this point [01152.1]; primarily dwell on [01154.1]; to dwell on [K 190.0]

**dwelling:** dwelling at [3189.1]

## E

**each:** [K28.0]; abreast of each other [I1417.1]; aid

or oppose each other [I177.1]; are within ... of each other [01383.1]; are within a factor of... of each other (01382.1); at 90 deg to each other [I1621.1]; at each end [H63.1]; at right angles to each other [I1621.2]; balance each other [Y362.1]; cancel each other out [B1049.1];

consider each of... in turn [P459.1]; differ from each other by [01381.1]; distinguished from each other [01375.1]; each... has its advantages and disadvantages [K38.1]; each and every [K29.1]; each entry [B 137.1]; each for [I1517.1];

each of which [K34.1]; each other [B1042.0, I1747.1]; each time [B1652.2, B1653.1, K39.1];

equal number of each [P131.1]; face each other [H668.1, 0245.1]; fall within ... of each other [H969.1]; far apart from each other [I103.1]; following each ... hours of operation [467.1]; following each such incident (B533.1J);

for each one of [I1349.1]; in close proximity of each other [B253.1]; in each case [B532.1]; in total isolation of each other [C827.1]; independently of each other [H1 225.1]; interface with each other [I117.1]; is growing each year [P519.1]; isolated from each other [I1322.1]; know ... what to do each step of the way [3593.1]; main ... each [K32.1]; mistake them for each other [C1272.1]; next to each other [P790.1]; of ... each (I1343.1); one ... was

positioned in each of [B 138.1]; one each [I1418.1]; one in each of the areas [I1421.1]; one line each for [I1419.1]; oppose each other [0932.1]; oriented at... to each other [P405.1]; peculiar to each [C1182.1J]; planes at right angles to each other [B 1046.1]; reinforce ... each other [Y376.1]; same ... for each [0542.1]; setting the cost ... cost equal to each other [I12518.1]; six ... each on [I1513.1]; spaced ... from each other [01542.1]; they each consists, basically, of [K37.1]; three each on [I1498.1]; two each at [I1364.1]; two screws each at top and bottom [I1363.1]; which ... each [K34.3]; who each [K34.2]; with each other [I1749.1]; within ... proportions from ... to ... of each [C14.1]

**eagerly:** eagerly await further developments in [0604.1]

**ear:** with the unaided ear [H141.1]

**earlier:** alluded to earlier [H66.1]; as discussed earlier [K64.3]; as indicated by earlier researchers [K108.1]; as noted earlier [K134.1J]; as pointed out earlier [K100.1, K135.2]; as stated earlier [K64.2J]; as was pointed earlier [K100.2]; earlier concerns [B1980.1]; earlier developers [I163.1]; earlier times [B180.1]; referred to earlier [Y324.2]; some time earlier (H1600.1); starts earlier and lasts longer [H724.1]

**earliest:** at the earliest opportunity [Π2059.1]; at the earliest time [H 155.1]; at your earliest possible convenience [K229.1]; earliest [C233.1]; who were among the earliest concerned with creep [0539.1]

**early:** [B240.0]; after as early as [Y187.1]; as early as [E1 99.0]; as early as possible [B634.1J]; as early as the mid-nineteenth century [E201.1]; at an early stage [H154.1]; at early times [B337.1]; back in the early '90s [E200.1]; during early times [H198.1]; during the late ... and early [B161.1]; early detection of [P343.1]; early in [B240.1J]; early June [H702.1]; early operation ... indicated [Π49.1]; early prototypes [Π150.1]; early stages of [P342.1]; early studies [Π1931.1]; has fulfilled its early promise [0800.1]; in the early 1970s (B241.1); in the early stages [H201.1]; is ... at an early stage of [H656.1J]; most early work in this area [C234.1]; on an early test [B270.1]; reject... early on in manufacture? [01211.1]

**earmarked:** earmarked material [H388.1]

**earth:** on earth [B721.2]

**ease:** are eased [C1278.1]; ease ... on to [H257.5]; ease of [0111.1]; ease of implementation [Π2938.1]; ease of machining [J133.1]; ease with which [J134.1]; for ease in [J1371.0]; for ease in calculating [J1372.1]; for ease of [J1371.0]; for ease of assembly [J1373.1]; for ease of visualization [J1354.2]; with ... ease [J114.2]; with ease [J114.0]; with relative ease [01433.1]

**easier:** allowing easier [0104.3]; easier to cope with [J131.1]; is easier to operate [Π2925.1]; is made even easier [E193.1]; made the study ... easier [0107.1]; make the requirements easier to fulfil [0105.1]; makes... even easier [0106.1]; makes it easier to advance [0109.1]; much easier [T93.1]; question is easier to answer if we [01231.1]

**easily:** [J114.0]; advantage easily overlooked [Π1976.1]; are more easily uttered than effected [J130.1]; arrange... easily supervised [Y452.1]; cannot be defined as easily [T14.1]; easily discernible [X44.5]; easily mass-produced [Y151.1]; easily visible to the eye [X45.2]; fit easily into the existing space [J127.1]; is easily predictable from [J116.1]; is easily understood by anyone [01671.1]; it can be easily demonstrated that [M347.1]; location which can be easily read [M 144.1]; one can easily show that [J122.1]; results can be transferred easily to [P648.1]; subjects itself easily to ... analysis [J121.2]; this is easily understandable when [0180.1]; this is most easily done by setting [Π2927.1]; this is most easily done by [J129.1]

**easing:** easing specification requirements [0113.1]

easy: [J11.0, J14.0]; are not easy to distinguish from [H1306.1]; are within easy reach [H637.1]; easy accessibility [J12.1]; easy task [Π2931.1];

easy test [Π2932.1]; easy to access [J112.2]; from easy (J100.1); has not proved to be an easy task [0666.1]; is not so easy to explain [0380.1]; it has not been too easy to [H 1107.1];

it is easy to recognize that (J124.1); it is easy to see [C 1398.1]; it is easy to show that (J122.2, H1663.1); it is not always easy [H779.1]; it is that easy [H76.1]; to answer the easy questions first: [C763.1]; was ... easy [J114.1]

**easy-to-install:** [J128.1]

**ecologically:** detrimental ecologically [B1507.1]

**economic:** economic alternative to [017.1]; economic and technical assessments [T213.1]; economic environment [010.1]; economic viability (011.1); for economic considerations [Π481.2]; for economic reasons [Π481.1]; was sensitive to the economic implications [X68.1]

**onomical:** [015.1]; economical manufacturing [018.1]

**economically:** economically... attractive [015.2]; economically feasible [Π2307.1, P706.2]; economically feasible compared to [P707.1]; economically justified [021.1]; economically more attractive [016.1]; economically undesirable [020.1]; if... are to be produced economically [E138.1]; it will not be economically feasible [C131.1]

**economics:** depending on ... economics [B115.1]; economics of [09.1]

**economy:** economies of scale [027.1]; economy and performance of [013.1]; for economy [Π481.3]; fuel economy [029.1]; have better economy [B200.1]; industry economy [07.1]; it is ... poor economy to [H1687.1]; loss economies [Y280.1, 028.1]; outlook for economy [012.1]; success of the economy [014.1]; to ... exploit economies [B 1424.1]

**edge:** at the edge of [H69.1]; at the leading edge of technology [H1 40.1]; blunt all sharp edges [3504.0]; having a slight edge in [H1583.1]; having a slight edge [H435.1]; in the immediate vicinity of the edges [Y12.1]; sealed onto the edges of [Y311.1]; to the very edge [J448.1]

**edition:** edition of section [P624.1]; ran to seven editions [B1898.1]

**editorial:** [P622.1]

**effect:** [Bl 131.0, B1281.0, J166.2, 0220.1]; adverse effect of [H1 158.1]; are more easily uttered than effected [J130.1]; are opposite in effect [0634.2]; as to what effect [B298.1]; attenuation of the effect [0928.1]; be effected [01179.1]; beneficial effect of [B118.2]; causal/effect relationships [Π2590.1]; cause and effect [Π2578.1]; constructive effect [Π1112.1]; detrimental effect [B1511.2J]; dramatic effect [C461.1J]; effect ... is not very pronounced [B1136.1J]; effect... is unclear [B1138.1]; effect ... savings in [J68.1]; effect is always present in one way or another [Bl 144.1]; effect is

practically nonexistent [Э223.1]; effect is slightly spoiled by [B1429.1]; effect of... does not radiate beyond [B1 137.1]; effect of ... is felt [C512.1]; effect of... is taken into account by [B1 145.1]; effect of ... is to [B1 142.1, П2222.7, Э225.1, Э225.2]; effect of ... is unmistakable [B1 139.1]; effect of this is [P644.1]; exercises a ... effect on [0636.1]; for its effect [И221.1];

fruitful way to introduce the effect of... is to use [П1014.1]; gross effect [C1545.1J]; had little or no effect [B1 148.1]; had no effect [H956.1]; has a ... effect on [B1 146.3]; has a dual effect on [0628.1]; has a prolonged effect upon [0638.1]; has a small effect on [C565.2J];

has an inconsequential effect on [H1063.2]; has been shown not to have a great effect [П992.1]; has little effect on [M36.1]; has no beneficial effect [H819.1]; has the opposite effect [B1147.1, 0634.1]; have a deleterious effect upon [0633.1]; have a larger effect on [C482.1]; have a retarding effect on [T336.1];

have an adverse effect on [01515.2]; have any legal effect [И476.1]; have little or no effect on [M21.1]; have the effect of [B 1949.1]; important effect of... was that [П2247.1]; in effect [Д188.0]; in effect on the date of the ... Contract [Д191.1]; indicate no effect of [C298.1]; is exactly the opposite of the effect of ... [П1060.1]; is in effect [01179.2]; is still in effect [B970.1]; it is unlikely that... had much of an effect on [M43.1]; least effected was [M109.1]; most striking effect was that [H326.1]; obliterate the effect of (C1461.1); observable effect on [3291.1]; opposite effect to that expected [P641.1, Э224.1]; produces a negligible effect on [H1265.2J]; research on the effect [И775.1]; reversal of this effect occurs [П2961.2];

reverse effect was observed [П2961.1]; startling observation was the effect of [П1322.1]; synergetic effect [C488.1]; this effect could be caused by [B 1312.1]; this generally has the effect of [Э118.1]; three-way effect on [T465.1]; to be in effect [Д176.0]; to come into effect [B1645.0]; to effect a saving in [Д168.0]; to effect [B1146.0]; to have an effect on [B1146.0]; to have beneficial effect in [Б 122.0]; to have the effect [B1948.0]; to the effect that [B586.0, B586.4]; to this effect [Д424.2]; type of hysteresis effect [Э221.1]; was effective in suppressing the effect of [Э228.1]; was in effect [Д176.4]; what will have an effect is [4146.1]; with less cooling effect [B1835.1J]. (См. также effects).

**effective:** [Э232.1]; [Д168.0, Д168.1, H730.5]; are

effective at preventing [Э227.1]; are extremely effective at achieving this goal (01675.1); be effective in [Э233.1]; become effective [B 1645.1]; cost effective [P706.1]; did not prove effective [0675.1]; effective means of improving in the most effective manner

[H345.1]; is only partially effective [3226.1]; marginally effective [P89.1]; might be expected to discourage ... effective use [M264.1]; much more effective way [3616.1]; to become effective [B1645.0]; was effective in suppressing the effect of [Э228.1]

**effectively:** (X41.1); effectively eliminates the need for [Y532.1]; effectively rule out [И663.1];

was unable to cope effectively with [П317.1]

**effectiveness:** cost effectiveness [P705.1]; design point of 83 percent effectiveness [P558.1J];

effectiveness of the mounting technique [Э230.1]; efficiency and effectiveness [П2785.1]

**effects:** [П1413.3]; adverse effects of [HI 159.1]; ascertain ... effects of scale [B2089.1]; assess potential ... effects [01630.1]; combined effects [C857.1]; definition of the separate effects of ... variables [0806.1]; effects of an accidental release [П 1415.1]; effects on [B1134.1]; exert favorable effects on [0624.1]; had the beneficial effects of reducing [0625.1J]; has two effects on [0628.2]; have appreciable effects on [0629.1]; have beneficial effects in [Б 122.3]; have far-reaching effects [П2234.1]; have the least effects from [B663.1]; ill effects [B1511.1]; investigation into the effects of [И775.2]; is the more dominant of these two effects [B1 143.1]; its associated effects [C353.1];

long term effects... in respect of corrosion and deposition [B1 133.1]; mask the effects of [C557.1]; overstate the effects [П2053.1]; produces all the beneficial effects [075.1]; separate these ... effects [P201.1]; shows effects [П3047.2]; side effects [П1525.1]; to gain insights into the effects of [P167.1J]; was attributed to the effects of [П2502.1]. (См. также effect).

**efficacious:** [Э231.2]

**efficacy:** [Д 165.1, Э229.1]

**efficiency:** at high efficiency (C29.1); efficiency and effectiveness [П2785.1]; efficiency penalty [C777.1]; impairs ... efficiency [C771.1]; in both costs and ... efficiency [K123.1]; in decreasing order of efficiency [B370.1J]; over most of the efficiency range [B753.1]

**effort:** after considerable effort [C141.2]; be scope

for much further effort [И498.1]; conscientious effort [Д485.1]; considerable effort aimed at [3613.1]; considerable effort has been expended in [Б233.2]; considerable effort was expended [M200.1]; considerable effort was spent in [П2729.1]; contracted effort [Д528.1]; design effort (P36.1); development effort [П2711.1]; effort... has been aimed at [H479.1];

effort is underway to [П1824.1]; effort was directed at [H479.2]; every effort is made [П2347.1]; every effort shall be made to [H1384.1]; every effort should be made to ensure (H1907.1); every effort should be made to [C388.1]; have expended considerable ef-

fort to [M211.1]; in a cooperative effort between [B478.1]; joint effort with [C856.1]; made every effort to [Л195.1, C389.1]; make every effort to [B1656.1]; manual effort [P778.1]; much effort has been put forth [П2348.1]; much effort will be spent to [3612.1]; much time and effort will have been saved [C1635.1]; no effort is made to [H 1770.1]; no effort was made [П1312.1]; primary effort ... should be oriented to [Г55.1]; R&D research and development effort (H597.1); reduction in effort [Y274.1]; required much care and effort [T431.1]; sizable... effort is in progress [B184.1]; this can be achieved with modest effort [Э204.1]; time is short for completion of the effort [B1547.0]; to divert the effort to [H479.3]; to make a real effort to [П2332.1]; with modest effort [B57.3]

**efforts:** [P1.2]; efforts ... are diffused [P447.1]; efforts ... toward [Y380.1]; efforts along these lines [P4.1]; efforts along this line [P4.2]; efforts made to ... did not prove fruitful [П 1313.2]; efforts spent on [Y379.1]; efforts to ... should be directed toward [B1023.1]; efforts to ... were mostly unsuccessful [П 1314.1]; independent efforts [H1238.1]; major efforts in this area [01010.1]; strenuous efforts were made to [П2422.1]; use its best efforts to [П2417.1]; use reasonable efforts to [П2418.1]; with efforts [C141.1]

**eigenvalue:** standard eigenvalue package [C1420.1]

**eighties:** [B 1443.1]

**either** [K28.0, K33.1, K36.1, Л117.0, Л120.2, 0509.1]; are either proprietary or classified [П 1883.1]; choice of alternative courses was available of either ... or [M325.1]; does not ... either ... or [H1696.3]; either ... nor ... take account of [H1700.1]; either ... or [И2.3, И341.1, Л44.1, Л45.1]; either ... or else [A42.1]; either of the both [Л120.3]; either of these conditions [0538.1]; either of two [Л120.1]; either separately or in combination [П431.3, П1324.1]; either separately or jointly [П431.2]; either side of [П2075.1]; either singly or in combination [П431.1]; either way [B538.2]; in either or both [B130.1]; it does not take account of either... or [H1 142.1]; no ... either [T53.1]; no ... either ... or [H1696.2]; on either side of [П415.2]; protrude an equal amount on either side (B1999.1); this suggests that, either... or [Э176.1]; vary either side of the target value of [И274.1]; was not... in either of the two [H757.1]

**elaborate:** elaborate on the particulars of [П801.1]; to elaborate [B1931.0, K274.0]; will be elaborated shortly [B350.1]

**elaborating:** elaborating ... issue [T507.1]

**elapse:** [П2998.2]; elapsed time from rupture [B1546.0]; if sufficient time elapses [П375.1]; more than two years have elapsed [П3016.1]

**elect:** [П2430.2]; elected as desired [B1697.2]

**electric:** completed an electric circuit [3314.1]; electric demand [C 1266.1]; never start or continue operation if electric equipment failure is detected. [3410.0]

**electrical:** electrical wiring diagram [C1599.1]; parts of the electrical industry [Э75.1]; plumbing, electrical and dueling installations [B1252.1]

**electrically:** electrically driven [C77.3]

**electrician:** wrap a piece of electrician's tape [0118.1]

**element:** introduce an element of subjecting in that [B1223.1]; key element of [0975.1]; of which structural elements [T363.1]

**elevate:** elevated temperatures [П1595.1]; is elevated above [П2507.1]

**elevation:** [Y367.3]; elevation in [B 1360.0]; elevation in ... coefficients [П1592.1]; grade ... between... elevations [Y232.1]

**eliminate:** compliance with this standard does not eliminate [C1011.1]; determine the spacer thickness to eliminate play [Л416.0]; effectively eliminates the need for [Y532.1]; eliminate any danger of [И661.1]; eliminate the need for [Y531.1]; eliminated ... as a potential [И657.1]; eliminates ... as a complicating factor [Y524.1]; eliminates ... entirely [П1070.1]; eliminates... from consideration [П1910.1]; eliminates the chance of [Y522.1]; eliminates the danger [Y537.1]; minimize, if not completely eliminate [E152.1]; need for ... is eliminated [H1400.1]; possibility cannot be eliminated [H890.1]; possibility cannot be eliminated that [H 1314.1]; precautions were taken to eliminate [П2415.1]; problems ... should be eliminated [П2599.1]; time has not yet been reached such that... can be wholly eliminated [E213.1]; to eliminate [И650.0, Л47.0]; to eliminate a danger [И660.0]; which if it had existed ... must have been eliminated [K415.1]

**eliminating:** eliminating ... at its origin [Y517.1]; eliminating... between... and... yields [П838.1]; eliminating ... in favor of ... via equations [B 1947.1]; eliminating any [Y525.1]; eliminating any potential for [Y518.1]; eliminating the need for ... installation [П1916.1]; totally eliminating the need for [П1047.1]

**elimination:** [И666.0]; elimination of ... from equations (И669.1)

**ellipse:** semi-major [semi-minor] axis of... ellipse [B232.1]

**elongate:** [Y142.2]; to elongate [B2020.0]

**else:** all else [B1011.1]; and everything else is all right [A8.1]; due to ... or perhaps something else such as [0275.1]; either... or else [A42.1]; if nothing else [E65.1, П401.1]; nothing else has been available which has proven to be better [H1768.1]; or else [B549.3, И340.1, И538.0]



**elsewhere:** [B429.1, Г28.1]; and elsewhere [B192.1];  
 here and elsewhere [B 193.1]; unless specified elsewhere [E169.1]

**elucidate:** [0375.3, П2837.2, Y572.2]; to elucidate [B2088.0]

**emanate:** emanate from ... research [П1128.1]; to emanate [И814.0]

**embark:** embark on an activity [3353.1]; embarked on [H713.1, П2530.1]; to embark on [3351.0]

**embarking:** it is worth embarking on [C 1464.1]

**embarrassment:** [3493.0]; embarrassment of [3495.1]

**embed:** embedded flush with the surface [3183.1]  
 to embed [3228.0]

**embodiment:** [B811.1]; particular embodiment of the invention [K321.0]; preferred embodiment [П11814.1]

**embody:** [0733.1]; embodies all the points of concern [01614.1]; to embody in [B1383.0]

**embrace:** [01613.1]

**emerge:** emerges from consideration [B2013.1]; situation has now emerged where [C415.1]; to emerge [B1339.0, B2011.0]; unforeseen difficulties did emerge [B 1348.1]

**emergence:** emergence of [П 1584.1]

**emergency:** [A55.0, A60.0, 3378.0]; emergency power source [A58.1]; for emergency use [H143.1];  
 in emergency [B258.1]; normal and emergency operation [P6.1]; personnel relied upon to carry out... emergency procedures [П249.1]

**eminent:** [B1775.0]; eminent scientists [B1776.1];  
 if eminent danger exists that [E92.1]

**emission:** emission goals [K364.1]; emission regulations [H1863.1]; statutory limits on emissions [H1 858.1]

**emit:** to emit [B1722.0]

**emphasis:** adding further emphasis to the importance [Д618.1]; current engineering emphasis is on finalizing [B59.1]; emphasis ... be placed on [Y108.1]; emphasis ... for [Д231.3]; emphasis added [0218.1]; emphasis has been on [0985.1]; emphasis is on [0985.2]; emphasis is placed on [Д231.2]; emphasis [B1201.0]; major emphasis continues to be placed on [0988.1]; major emphasis is placed on [0216.4, Y115.1]; place more emphasis on the more reliable tests [Y 110.1]; placed strong emphasis on [П2288.2]; point of emphasis [0969.1]; received little emphasis [Y 112.1]; received little much emphasis in the past [B426.1]; recent emphasis has included [B63.1]; recently there has been a strong emphasis on [B62.1]; specific emphasis is directed at [01067.1]; switched emphasis toward [И268.1]; this result indicates that further emphasis should be placed on investigations [Э105.1]; to be emphasis for [Д231.0]; to place emphasis on [Д231.0]; with a particular emphasis on [П2573.1]; with increased emphasis on [C54.1]

**emphasize:** again emphasizes [E229.1]; although it should be emphasized that [C616.1]; as emphasized several times [K65.1]; as emphasized [K62.0]; emphasize the need for [П881.2];  
 emphasize the role of [П880.1]; it cannot be too strongly emphasized that [H753.1]; it must be emphasized that [H1 378.2]; it should be emphasized that [C615.1]; it should be emphasized, however, that [П885.1]

**emphasizing:** idea of emphasizing [M441.1]

**empirical:** empirical evidence indicates that [Э42.1]

**empirically:** was empirically correlated against [П1140.1]

**employ:** [И693.1]; employed in [И721.1]; have in its employ [И367.1]; in view of... employed to [B832.1]; it is standard to employ [0407.1]; to be employed [И715.0]; to employ [И693.0]

**employment:** [И682.0]; employment at the plant is... persons [491.1]

**empower:** was empowered [Y315.1]

**empty:** empties into [B1927.1]; to empty [B1924.0];  
 to empty ... drained [C1267.1]

**enable:** enabled ... to be obtained [П918.2]; enables ... to [П902.4]; enables... to be seen at a glance [П933.1]; enables the prediction ... to be made with confidence [П927.1]; to enable [Д9,0,Т48.1]

**encase:** to encase [3235.0]

**enclose:** are enclosed [3235.1]; claims will not be accepted if the package list is not enclosed [П2106.1]; claims will not be considered if the packing list is not enclosed. [B46.0]; do not run ... in an enclosed area unless it is well ventilated [H772.1]; documentation enclosed [C1043.1J]; enclosed articles [B1150.0]; enclosed by double quotes [3236.1]; enclosed please find [П2123.1]; enclosed you will find [H575.2]; encloses (П1243.3); to enclose [3235.0]

**enclosing:** we are enclosing herewith [H575.1]

**encompass:** encompass all aspects of [01615.1]; encompass the ... range [01616.3]; encompassed a three-day period [3329.1]; these ... encompassed a three-day period [H206.1]

**encounter:** [B1633.0J]; be more frequently encountered [B1625.1]; because some difficulty was encountered in accurately determining [П1352.1]; commonly encountered in engineering practice [420.1]; commonly encountered [0387.1]; difficulties were encountered on various fronts [C 1375.1]; difficulties were encountered [B 1631.1]; encounter a far more severe environment [P50.1]; encountered in actual furnace practice [B1635.1]; encountered in practice [B 1636.1]; frequently encountered [421.2]; if difficulty is encountered when [B519.1]; is ... encountered in [B1627.1]; is universally encountered whenever [H217.1];  
 is widely encountered in [Ш19.1]; most suc-

- cess has been encountered using [H348.1]; much encountered situation [422.1]; normally encountered [0404.1]; obviates the problems encountered in the prior art [Y528.1]; particular problems are encountered in [01075.1]; such as are encountered in [K413.1]; such disagreement is not surprising considering the difficulty investigators have encountered in [T74.1]; to be encountered [B1620.0, B1630.0]; to be encountered in [B1627.0]; to encounter [B1617.0]; two major difficulties were encountered in solving [P734.1]
- encourage:** are encouraged to [P677.5]; encourage that ... be [II2324.1]; encourage the formation [C 1229.2]; guide and encourage [H478.1]; to encourage confidence [B1244.1]
- encouraging:** are extremely encouraging [B1031.1]; has been less encouraging [H1606.1]; highly encouraging [B1032.1J]; results ... have been encouraging [P649.2J]; results are encouraging [P649.1]
- encroach:** encroached on the available ... space [3520.1]
- encroachment:** (B2024.1)
- end:** agreement ends when [P281.1]; construction ended... days ahead of the schedule [C1510.1]; ends in [3223.2]; for a term that ends in [H152.1]; is open ended [H1062.1]; sealed onto the ends [Y312.1]; was ended by [0257.1];
- endanger:** [II655.1, C1363.1]
- ending:** beginning with ... and ending with [H732.2]; ending in [0697.1]; starting with ... and ending with [H732.1]
- endless:** possible combinations ... are endless [498.1]
- endorse:** endorse it heartily [II 1065.1]
- endorsement:** design endorsement (II533.1); with-drew ... endorsement [01313.1]
- endurance:** [II568.0]; ire endurance [0438.1]
- endure:** to endure [B 1789.0]
- energetic:** energetic remedial action [Э82.1]
- energize:** battery energized [C51.1]; energizes [II682.2, C1360.1J]; is energized [H682.1, II631.1]; remains energized [01108.1]
- energizing:** [B 1118.0]
- energy:** conservation of energy [C1 125.1]; converts the ... energy [II2018.1]; energy consumption [II1524.1]; energy exchange [0121.1]; energy intake [II1524.2]; energy is ... generated [B 1932.1]; energy output [B2029.1]; energy supply is cut off [II 1990.1]; energy to evolve [B1785.2]; expenditure of... energy [P528.1]; is raised to a higher energy level [II759.1]; released ... energy [B1785.1]; significant expenditure of both manpower and energy [B255.1]; total energy [C1544.1]; transfer ... energy to [II 104.1]
- energy-demanding:** be less energy-demanding than [T438.1]
- enforcing:** [K354.0, K356.1]
- engage:** [B1667.2]; engage ... in (B1608.3); to engage in ... activity [3353.2]; to engage in [B1608.0, 3351.0]
- engender:** engender confidence [B1574.2J]; is engendered by [0271.4]; to be engendered by [B 1829.0]; to engender confidence (B 1573.0)
- engine:** engine has now moved into high production release [H717.1]; engine health [T239.1]; engine inoperative [H1555.1]; is not acceptable for good engine performance [HI 546.1]; problem engine [HI 352.1]; production engines (C430.1); until the engine comes to a complete standstill [II455.1]; with the engine at a standstill [II2070.1]
- engineer:** continuing demands on engineers [II86.1]; engineers and technicians [II556.1]; practicing engineers [II555.1]; problem of... has been a concern of design engineers for many years [II2606.1]; engineered standards [T247.1]; to engineer [K333.0]
- engineering:** [P308.1]; achievements of engineering [II732.1]; adequate for engineering calculations [II701.1]; commonly encountered in engineering practice [420.1]; considerable engineering judgement [C439.1]; contain much useful engineering information [C943.1]; current engineering emphasis is on finalizing [B59.1]; engineering department [Э56.1]; engineering development [II496.1]; engineering excellence [T237.1]; engineering judgement [II557.1, T226.1]; engineering judgements [II2183.1]; engineering requirements [T429.1]; engineering science [II2330.1]; fields of engineering and science [097.1]; for engineering purposes [B467.1]; good engineering practices [II1109.1]; in engineering terms [C126.1]; is dedicated to construction engineering [C 1153.1]; is the universal practice in engineering discussions [II565.1]; on the engineering scale [B185.2]; prior to an engineering application [II1957.1]; scientific and engineering communities [H598.1]; thorough case-by-case engineering analysis [T505.1]
- English:** in English ... units [B281.1]
- enhance:** accuracy of the predictions is enhanced by [T377.1]; enhance the potential [P565.1]; enhanced appreciation of [B 185.1]; enhances [Y241.1, Y375.1]; enhances ... performance [II586.1]
- enjoin:** enjoined ... from [3407.2]; to enjoin from [3407.0]
- enjoy:** enjoy ... virtue in that [076.1]; enjoy a reputation of [II444.1]
- enlarge:** enlarged view [B1077.0]; range ... be enlarged [P568.3]
- enlist:** to enlist [B1415.0]; to enlist the services [B 1423.1]
- enormously:** [II673.0]
- enough:** [II681.0]; accurate enough [II696.0]; are not... sensitive enough to distinguish between

- ... and [H929.1]; enough ... but at the same time, not so [B306.1]; enough points of disagreement occur to indicate [K262.1J]; interestingly enough [Д503.1]; is not enough to [H926.1]; just enough to [P753.1]; low enough temperature to allow transition [Д688.1]; may not be enough [M291.1]; more than enough [B194.2], more than enough ... for [B194.1]; more than enough for [B 194.0]; more than enough to [B 195.1]; not enough is known to [H740.1J]; not enough to warrant any ... as a means of [H928.1]
- enrich:** [0147.1]
- ensue:** much confusion can ensue [M271.1]
- ensuing:** [П1416.2]; during the ensuing years [B88.0]
- ensure:** ensure that [H1387.1, C584.3, Y38.2]; ensure the instrumentation was performing properly [Y31.1]; ensures essentially 100 percent [Г17.1]; every effort should be made to ensure [H 1907.1]; highly desirable to ensure [K444.1]; small price to pay to ensure [Д367.1]; to ensure [Г14.0, Д365.2]; to ensure ... is tight [Y29.1]; to ensure against [3474.0]; to ensure convergence of the solution [052.1]; to ensure the validity [039.1]; which ensures [4154.1]
- entail:** entails [B 1129.1]; to entail [B 1129.0]
- enter:** [B1415.8, B1463.1, 01317.1]; does not enter the picture [H1737.1]; enter ... equation indirectly through [B 1676.1]; enter ... in various ways [П 1287.1], enter into the composition of (B 1675.2); entered commercial operation [B844.5]; entered into a contract ... to [3237.1]; entered into a licensing agreement... for [3241.1]; entered service [B1647.3, B1679.1]; enters [3382.1, П1497.1, Y608.8]; enters service [П1500.1]; manually enter them through the keyboard [B845.2]; matriculated and entered [C375.1]; this can allow ... to enter [Э145.1]; to enter [B1415.0, B1663.0, 3382.0]; to enter commercial operation [B844.0]; to enter into [B1608.0, 3235.0]; to enter into negotiations [B1639.0]; to enter service [B1647.0]; to enter the minutes [3365.0]; to enter upon negotiations [B1639.0]
- entering:** before entering into ... considerations [П1958.2]; entering Fig. with (П1224.1); is entering a period [B1641.1]; prior to ... entering service [Д437.1]; upon entering service [П1354.1]
- enterprise:** [П1826.2]; capacity of the enterprise [M402.0]; commercial enterprises [П2854.2]; parent enterprise [Г86.0]
- enterprise-wide:** [B459.1]
- entire:** [B953.0, B953.1, П10.1]; along the entire length of [П354.1]; at a succession of times spanning the entire duration of [Д353.1]; during the entire series of tests [B692.1]; entire books have been written on this subject [H169.1]; entire range of [B1560.0]; entire range of alternatives [B1561.1]; for its entire length [H52.1]; over the entire cross section [П351.1]; roll out the entire ... length [P250.1]; ruin the entire job [H736.1]; run the entire length of [П2917.2]; throughout the entire plant kingdom [B196.1]
- entirely:** [И673.2, T300.2]; as if their composition was entirely methane [B330.1J]; attributed entirely to [01442.1]; depends entirely on [П1039.1]; does not account entirely for [Y612.1]; eliminates ... entirely [П1070.1]; entirely arbitrary (C841.1); is entirely avoidable by [M334.1]; is entirely consistent with [П1066.2]; is entirely different from [K380.2J]; is not entirely correct [H1 082.1]; is not entirely unexpected [H 1079.1]; it is entirely misleading to [C830.1]; it is not entirely unreasonable to [C889.1]; may often be entirely sufficient [3525.1]; not... entirely successful [H1084.1]; nothing goes entirely according to plan [H786.1 ]; rather scanty and not entirely definitive [Д513.1]; was never entirely resolved [T29.1]; which is entirely expected [4164.1]
- entirety:** appears in its entirety [П2209.1]; delete ... in its entirety [И333.1]; in its entirety [П1032.1]; setting down the ... equation in its entirety [3386.1]; throughout the entirety of the data run [B691.1]
- entities:** [0357.1]; two different entities [Д148.1]
- entitle:** [0608.1]; is entitled to [И431.1]; is entitled to introduce amendments into the working drawings [И432.1]; to be entitled to [И431.0]
- entity:** single entity [E27.1J]; entities [Д34.1]
- entrance:** at entrance to [H28.3J]; at the entrance [H27.1]; protected from weather and entrance of extraneous materials [3545.1]
- entrap:** to entrap [3518.0]
- entry:** [3387.0]; at the entry to [H28.2J]; each entry [B137.1]; entry... into [П1282.1]; entry... made [П2597.1]; Entry No. of authorizing document and date [B 1683.1]
- enumerate:** enumerated the advantages [П224.1]
- envelope:** envelope of the curves [0433.1]; fall outside of the design envelope [B2035.1J]; fit inside a ... envelope [ B 1464.1]; fits into envelope restrictions [B1466.1]; mounting ... within the space envelope [P271.1]; operating envelope [Д289.1]; to fit inside an... envelope [B1464.0]
- environment:** [0729.2]; economic environment [Э10.1]; encounter a far more severe environment [P50.1]; environment of [B1281.3]; hostile environment [B1510.1]; in a highly laden dust environment [B717.1]; in environment [B628.0]; in ... environments [B713.0]; in crash environments [B718.1]; in-service environments [Y404.2]; in particularly hostile environment [B630.1]; in the manufacturing environment [B726.2]; in the natural environment [B722.1J];

in-service environment [Э55.1]; losses to the environment [П1515.1]; perform reliably ... in hostile environments [H263.1J]; reside in ... environments [H661.1] was exposed to a ... environment [C1041.1]; without risk to the environment [№73.1]

**environmental:** environmental impact [B1135.1, Э5.1]; environmental impact assessment [01640.1]; environmental impacts [B1283.1]; environmental implications [Э6.1]; environmental limitations [0446.1]; environmental pollution [3148.1]; for environmental impact considerations [И821.1]

**envisage:** [П1871.2, П1914.3]

**envision:** [П1871.3]; it is envisioned that [H1664.3];

no ... are envisioned [H917.1]

**epoxy:** epoxy impregnated [П2877.1]

**equal:** all other factors being equal [П2158.2]; are ... equal to, or slightly less [P136.1J]; compared on an equal basis [C1281.1]; divides ... into ... equal [Д241.1]; equal ... in [C1290.1]; equal number of each [P131.1]; equal to or greater than [P135.1]; equal, ... equal [P126.2]; equals [P134.1]; for all other factors being equal [П2118.1]; greater than or equal to [B204.1]; has been set equal to [B1072.2]; have no equal [H883.4]; in equal measure [B667.0]; is equal to or greater than [P135.2]; is equal to or less than [M110.1]; is taken to be equal to [П2429.2]; it is of equal importance [H904.1]; less than or equal to [M99.1]; must be equal or less than [Д576.1, H832.1]; numerically equal, but of opposite sign [PI32.1]; of equal or greater significance is [T86.1]; of equal thickness [0545.1]; other things being equal [И54.1, П2158.1]; protrude an equal amount on either side [B1999.1]; requirement for equal... numbers [Y393.1]; setting the cost... cost equal to each other [П2518.1]; they were not all equal ... in their influence [И855.1]; was increased in six equal increments [Y64.1]; was taken equal to ... was set equal to [П2429.1]; with equal facility [C30.1]

**equality:** equality sign [3577.1]

**equalize:** to equalize [B1936.0]

**equally:** [B667.0,0548.5]; applies equally [B670.1];

applies equally well [B670.3]; apply equally well when [B668.1]; are equally valid for [B673.1, P133.1]; are treated equally [П1286.1];

considered equally [P465.1]; equally at home [0553.1]; equally complex [T83.1]; equally important [H902.1, H902.2, H905.1, 0549.1];

equally plausible [B669.1]; equally rugged [B671.1, T82.1]; equally significant [H907.1]; equally spaced [P404.1]; equally spaced along [P120.1]; equally well [0552.1, C156.1]; is equally a function of... as [392.1]; is equally applicable [B670.2]; is equally divided among [P428.1]; is equally good [T85.1]; it is equally important that [H906.1]; it is equally or more

so [B672.1]; less equally [M102.1]; shared equally between [P431.1]

**equate:** equated with [П2515.2]; is ... equated to [П2515.1]; right-hand sides of equations ... be equated [П2517.1]; roughly equated to [П2186.1]

**equation:** adherence to equation [C817.1]; appears ... on both sides of the equation [B1670.1]; as defined by ... equation [0852.1]; as defined in equation [0852.2]; conformed to the equation [П891.2]; derivation of equation [B1728.1];

enter ... equation indirectly through [B1676.1];

Equation ... be rewritten as (П154.1); Equation ... depicts [Y354.1]; Equation ... represents [Y356.1]; equation using ... reads [Y353.1];

examination of the roots of the ... equation [И777.1]; in compliance with ... equation [C911.1]; integrating equation ... from ... to [И586.1]; note immediately from equation ... that [И120.1]; now, from equation [T168.1];

obeys the equation [П891.1]; on right-hand side of equation [B758.1]; one arrives at the following ... equation... [П2554.1]; partial derivative equation [Y352.1]; prediction of equation [P552.1]; relation of the form given by equation [3105.1]; resolving equation ... for [P725.2];

satisfied equation [Y175.1]; setting down the ... equation in its entirety [3386.1]; standard simultaneous equation solver [C1421.1]; substituting for ... from equation [П831.1]; well represented by equation [X59.1]; were fit to a third-order polynomial equation [A152.1]

**equations:** after making equations ... dimensionless by dividing both sides by [П1364.1]; are ... represented by ... equations [0794.1]; as indicated by equations [K101.1]; constitutive equations [0858.1]; deterministic equations [Д271.1]; eliminating ... in favor of ... via equations [B1947.1]; elimination of ... from equations [И669.1]; equations are valid for [Y360.1]; equations with ... independent variables [Y357.1]; formulation of the governing equations in the general form [B1729.1]; it is... convenient to write the resulting equations in ... form [Y146.1]; particular solutions to equations [416.1]; probabilistic equations [B912.1]; resulting equations [П1204.1]; right-hand sides of equations ... be equated [П2517.1]; set of equations [C495.1]; simultaneous ... equations [C860.1]; solving equations ... simultaneously [C861.1]; structural design equations [Ф45.1]; substituting equations ... and rearranging [П834.1]; two simultaneous equations ... in terms of [C496.1]

**equidistant:** are equidistant from [PI25.1]; equidistant from [HI36.1]

**equilibrate:** [Д715.3]

**equilibration:** [Y507.1]

**equilibrium:** [H517.3, П2546.3, П111.1]; are at... equilibrium [H645.2]; are in ... equilibrium

[H645.1]; are out of equilibrium [H765.1J; attainment of equilibrium [Д730.1]; be brought to equilibrium [П2214.1]; come to equilibrium [П2546.1]; disturbing of the equilibrium state [H530.1]; equilibrium ... is attained [Д715.2]; equilibrium ... is disturbed [H517.2]; equilibrium ... is set up [Y471.1]; equilibrium is driven [C380.1J; equilibrium of forces ... [P110.1], in equilibrium [B436.1], reach an equilibrium condition [Д716.2]; reached equilibrium [Д715.1]; stable equilibrium states... unstable equilibrium [Y514.1]; to disturb the equilibrium [B1740.0]; to reach equilibrium [Д716.1]

**equipment:** acceptance of the equipment [П2305.1J;

acquire... equipment (П2482.1); ancillary equipment [B1602.1]; assembly and installation of the

... equipment [C255.1]; auxiliary equipment [B1602.2]; delivered equipment [K292.0]; equipment qualification [A169.1J; extra equipment and materials [Д634.0]; guarantee for equipment operating [Г20.0], is not included with standard equipment [H792.1]; list of extra equipment and materials [B870.0]; list of standard equipment [K298.0, K299.0]; never start or continue operation if electric equipment failure is detected. [3410.0]; operate equipment [П3081.1]; operate the equipment [P56.1]; out of gauge equipment [HI 183.1]; preservation and storage of... equipment [K332.1]; remove power from equipment [01347.1]; standard equipment [K294.0, K296.0J; standard equipment set [K292.0]; standard equipment specification [K299.0]

**equip:** equipped with [0160.1, C757.4]; equipped with ... at his disposal [И365.1]

**equispace:** [P119.1, P123.1]

**equity:** accepted an equity position [П2427.1]

**equivalence:** [P108.1]

**equivalent:** [3278.2, P126.1]; are virtually equivalent [П492.1]; equivalent (of) [3278.0J; equivalent notion of a(B137.1); equivalent to [P124.1, Э1.1]; is ... equivalent to ... in terms of [Э3.1]; is equivalent to [P134.2]; roughly equivalent [П2393.1]; saved the equivalent of [C1634.1]; this is equivalent to [Э185.1]; this is equivalent to assuming (Э186.1)

**equivalently:** or equivalently [И348.2]; or, equivalently [И348.1]

**erect:** precautions were erected towards personnel exposure to [B366.1]; scaffolding is erected [B1259.1]

**erection:** bill of quantities for building and erection works [B874.0]

**erode:** erode the credibility of [П1819.1]

**erratic:** erratic running [HI 353.1]

**erroneous:** erroneous conclusion [01698.1]; erroneous results [01701.1]; produced erroneous results [Д61.1]

**erroneously:** [01696.1]; if... were ... it might be concluded, erroneously [E107.1]

**error:** «trial and error» search [M159.1]; allowable error:5% [Д662.0]; amount of en-or [B892.1];

are ... numerically in error [495.1]; blatant errors [Я53.1]; contained virtually no possibilities for... error [И662.1]; contribute little error [B1226.1]; error analysis [A116.1]; error bars [Д285.1]; error inherent in detecting [01693.1]; error introduced by [01691.1]; errors in other measurements involved [01694.1]; implied errors [П1799.1]; incremental... error [Д630.1]; introduce serious error [B1225.1]; is ... within the error bounds of [H638.1]; is taking a chance of being in error [P751.1]; little error is introduced by this assumption [01692.1]; margin of error [П1718.1]; potential errors induced by [B 1335.1]; predicted by those methods could be as much as 100 percent in error [P551.1J; produce a ... error in ... prediction [Д31.1]; source of error [И811.1]; systematic errors [C500.1]; to contribute error [B1224.0]; to correct for... error [B 1232.1]; to introduce error [B1224.0J; to randomize the error [Y539.1];

was in error by [C945.1]; within the limits of measurement error [B393.1]; without fear of serious error [B39.1]

**escape:** escape the mention of [0281.1, Y248.1]; escaped detection [H758.1]; escapes notice [01098.1]; to escape [M183.0]

**escaping:** there can be no escaping the fact that [H1316.1]; there is no escaping the fact, however, that [0568.1]

**especially:** are especially suspect [01068.1]; especially at [01044.1]; especially considering [01036.1]; especially considering that [01037.1]; especially considering the overall trend of [01050.1]; especially true for [01046.2];

especially true in the case of [01046.1]; especially true of [01046.3]; it is especially noteworthy that [01057.1]; this is especially the case for [C511.2]; this is especially so in the case of [Э 195.1]

**essence:** capturing ... essence in capsule form [И232.1]; essence of the method is to [C1553.1]; in essence [П489.3]; succinctly captures the essences of [B734.1 ]

**essential:** becomes essential (C 1390.1); desirable rather than essential [Ж6.2]; essential aspects [C1555.1]; essential in [H1410.2]; essential need

for ingenuity still prevails [B977.1]; essential systems and components [C1561.1J; essential to

[B783.0, H1410.1]; is essential [B295.1, И392.1];

is essential to [Д325.1]; it is essential [B796.0]; it

is essential that [B804.1, H1395.1]; it is essential

that no... are overlooked [B798.1]; it is essential

to [H1362.2]; it was regarded as essential to [C1621.1]; one essential measure in [0526.1]; to

be essential [B295.0]; when essential to the comprehension of [K242.1]

**essentially:** [П1644.3]; ensures essentially 100 percent [Г17.1]; essentially correct [П491.1]

**establish:** [0813.6, Y447.6]; although studies have not yet established [X100.1]; become established [Y470.1]; departure from established practice [01336.1]; establish a direct link [3136.1]; establish the view [Д543.1]; established a foundation for [C976.1]; established liaisons [Y450.1]; establishes a precedent [C977.1]; fixing ... establishes [3160.1]; has yet to be established [HI 899.1]; have established a two-year lead [0756.1]; is not firmly established [T410.1]; is now an established fact [C 1405.3]; is well established [X53.1];

it is hoped to establish [M410.1]; it is now a well established fact that [T180.1]; it may be necessary to ... to establish [Д339.1]; no difference was established between [Y488.1]; order... placed against an already established contract [3216.1]; role ... established [B2091.1]; should it be established that ... is required [E38.1]; theoretical treatment... is well established [T156.2J]; theory has been well established [T156.1] to establish [B2088.0, Д338.0]; to establish which is the case [P 168.1]

**establishing:** status of establishing [C 1109.1]

**establishment:** [Д729.0]; establishment of [Д729.2]

**estimate:** [01639.3]; cannot readily be estimated [01637.1]; cost estimates [C725.1]; crude estimates for [Г133.1, П2182.1]; estimated from [01632.2]; is estimated at [01635.1]; is estimated to be [C 1100.1]; refined estimate [Y571.1]; to estimate [B2053.0]

**estimation:** [B2052.0, 0805.3]

**evacuate:** [01315.1]; was evacuated [B806.1]

**evaluate:** [И756.1, 01627.1, P507.2]; be the best way to evaluate [01631.1]; evaluated for [01632.1]; feasibility of adapting ... to ... is ... being evaluated [И326.1]; integral... evaluated [B2054.1]; should be evaluated on an individual basis [01638.1]; to evaluate [B2053.0, И325.0, И756.0]; to evaluate this proposal in terms of [P474.1]

**evaluating:** in evaluating [П2107.1]; manner of evaluating [C1206.1]; useful tool in evaluating [П1018.1]

**evaluation:** [И747.1, 01639.4]; complete evaluation [B 1585.1]; evaluation by persons not involved [01641.1]; objective evaluation of [0362.1]; post-test evaluation [0942.4]; separate evaluations [HI 236.1]

**even:** [Д78.0, P113.1, P127.1, Y181.1]; alternative-

ly, it is possible even probable that [C107.1]; and, of even greater importance [И73.1]; are dependent not only on... but even more so on [394.1]; becomes even a less reliable [C1386.1];

contrast appears even stronger [P231.1]; difficulties are even more pronounced under [T474.1]; distribution ... is much more even [P418.1]; even... over its length [P114.1]; even after [Д85.1]; even and an odd number [487.1]; even for [Д80.1]; even if [Д83.1]; even ignoring

the effect of [Д84.1]; even in [488.1]; even lower risks are involved [P746.1]; even more difficult [E231.1]; even more surprising [Д79.1];

even so [Д82.1, И20.4, H1785.1, H1812.1]; even spread of load [PI 15.1]; even though [Д83.2, H1620.2, H1620.3, X89.1]; even though

great strides have been accomplished [H1616.1];

even when [Д81.1]; even with [B1551.1, HI 610.5]; even with this [HI 786.1]; held to even closer tolerances [B1791.1]; is even more scarce [И62.1]; is made even easier [E193.1];

lowers ... even more [E1 96.1]; makes ... even easier [0106.1]; nor is it even possible to do so in the case of [A5.1]; of even poorer quality [E1 97.1]; or even the other way around [И337.1]; problem came into even sharper focus [И2600.1]; this is so even though [T22.1]

**evenhandedly:** [B100.1]

**evenly:** evenly arranged [P118.1]; tighten ... evenly [PI 17.1]

**event:** [0752.2]; chain of events (И51.1); highly undesirable event [4152.1]; in any event [B538.1, T31.2]; in the event [E37.0, E37.3]; in the event ... is [H146.1]; in the event of ... provision is made in the design for [H147.1]; in the event of [B517.0]; in the event of failure [B521.1]; in which event [И13.0, И13.5]; keeping track of upcoming events [B299.1]; main events experienced by [01016.1]; of accidental events [A59.1]; portray a sequence of events [0783.1]; postulated event [Г41.1]; rare event [4127.1]; rare event in that [T350.1]; sequential events [П1412.1]; successive and simultaneous... events [П1400.1]

**eventual:** eventual demise of [HI 271.1]; eventual failure of [П 1086.1]

**eventuality:** in such an eventuality [B553.1]; unrealistic eventualities [H 1564.1]

**eventually:** [B158.0, B158.2]

**ever:** [B1548.3]; are ever advancing [H1527.2]; are

more important concerns than ever before for [C412.1]; before... ever [E204.1]; ever increasing

[B967.1]; ever more [B962.0, B962.4]; ever since

[C67.1]; has been used extensively ever since [И22.1]; is rarely if ever found [E124.1]; is rarely,

if ever, accounted [E129.1]; rarely, if ever, occur

[E124.2]; than ever before [K96.1, 450.1]; that had ever been achieved [И 122.1]; there is the ever present hazard of [B1565.2]; those problems

have been growing in dimension ever since [M64.1]; was this ever measured? [И303.0]

**ever-changing:** [H 1526.1]

**every:** [K28.0]; advocated ... at every opportunity [3548.1]; approximately every 2 min [П2389.1];

each and every [K29.1]; every attempt should be made ... to [П 1461.1]; every effort is made [П2347.1]; every effort shall be made to [HI 384.1]; every effort should be made to [C388.1]; every effort should be made to ensure [H1907.1]; every hour or so [П2391.1];

every other [K31.1]; every time [B1652.1]; every year [E31.0, E31.2]; in every respect [B309.0, B309.2]; in every way [B309.0, B309.3]; in every way identical to [0546.1]; in every way possible [B1655.0]; looks every bit as good as [B1752.1]; made every effort to [Д195.1, C389.1]; make every effort to [B1656.1]; of every description [B1560.0]; once every 24 hr [466.1]; once every 6.0 seconds or less [K40.1]; once every revolution [0494.2]; once every twelve minutes [C49.1]; once in every six years [P148.1]; provide every benefit of [П1760.1]; replace... every six months [3281.1]; should be ... relubricated ... every fifty hours... of operation [HI 390.1]; there is every possibility of a ... generated [И499.1]; there is every reason to believe that [E1 92.1]; there is every reason to expect [И503.2]

**everyday:** everyday [П1562.1]; were in everyday use [M727.1]

**everyone:** [B953.0]; everyone would agree that [B1018.1]

**everything:** and everything else is all right [A8.1]; do everything possible [Д194.1]; straightening up everything [П2213.1]; with everything properly adjusted [П 1372.1]

**everywhere:** [B885.0, B1648.2, П567.1]; everywhere except [B 1650.1]

**evidence:** [Д108.0, Д108.1, Д530.0]; ample evidence that [H1336.1]; are in evidence [И409.4, X44.1]; as evidenced [K115.0]; as evidenced by [013.1]; as evidenced by ... being illuminated [014.1]; as evidenced by the data [K116.1]; as is evidenced in [Д534.2, K86.1, 013.3]; clear evidence that [Y22.1]; considerable field evidence [B246.1]; empirical evidence indicates that [Э42.1]; evidence ... is now considered [P483.1]; evidence for this suggestion can be found [П865.1]; evidence in support of this proposal [Д531.1]; evidence now suggests that [И531.1]; evidence of rough handling in transit [П2321.1]; evidence suggests [И532.1]; evidence that [C290.2]; evidence to support [Д532.1]; evidences [C291.1, C673.1]; experimental evidence [Э40.1]; experimental evidence on [Э41.1]; external evidence [B1198.1]; give evidence [П843.5]; growing body of evidence [P522.1]; in evidence [B1091.3, И521.1, П2542.2]; indirect evidence in support of [K400.1]; is clearly in evidence [X46.1]; is evidence of the fact that [C299.1]; is in clear evidence [Э200.2]; is more in evidence [B294.1]; is seen as sufficient evidence to confirm that [П1891.1, P544.1]; large but rather diffuse body of evidence [B244.1]; limited evidence [0473.1]; little, if any, evidence (E125.1); more circumstantial evidence for [Б 188.1]; no direct evidence of ... is present [H1488.1]; objective evidence of [0361.1]; other evidence suggests that [E190.1]; overwhelming evidence [0482.1];

persuasive evidence that [Y22.2]; physical evidence [Ф7.1]; plenty of evidence to the contrary [M230.1]; provide ample evidence of this [C674.1]; provide strong evidence that [C675.1]; taken as evidence that [P461.1]; there is ... little evidence of [П1565.1]; there is evidence [И495.0]; there is growing evidence that [И488.1]; there is little evidence that [C712.1]; there is still ... in evidence [B969.1]; there is strong evidence that [И501.1]; there was visual and audible evidence of [H224.1]; to be in evidence [И409.0]; unequivocal evidence of [H1634.1]; with no evidence of [B52.1]

**evident:** are evident [C291.5, X44.2]; as is evident

from the above [И148.2]; because ... it was evident that [T35.1]; becomes increasingly evident [C 1383.1]; differences in ... are immediately evident [X47.1]; evident deviations from the intent of the design [Я59.1]; from the foregoing, it is evident that [И148.1]; hardly evident [E4.1]; is clearly evident [X45.2]; need for ... was evident if... were [C1415.1]; need for such ... is made evident... when [H1405.1]; no satisfactory explanation appears evident for [M415.1]; superiority of ... was evident [П1688.1]; to be evident [B2094.0]; various other problems were evident [B2097.1]; was clearly evident to the eye [X45.1]

**evolution:** [P185.1]; timewise evolution [P186.1]

**evolve:** energy to evolve [B1785.2]; evolve progressively [П2718.1, P184.1]; evolved [П1587.3, P304.1]; evolves into [P182.1]; statement evolves from the fact that [Y561.1]; to evolve [B1784.0]

**exacerbate:** is ... exacerbated by [Y375.3]

**exact:** are ... doing the exact job required [Д200.1]; exact analogy [П 1079.1]; exact composition [T381.1]; exact replicas of [T382.1]; exact same [T406.2]; in the exact center [T395.1]; shows ... in exact detail [П977.1]

**exacting:** exacting ... requirements [T487.1]; exacting a heavy toll of lost [B1817.1]

**exactly:** [И352.1]; are not exactly the same [C872.1]; be exactly on the design values [T401.1]; exactly as [T404.1]; exactly imitated

[T388.3]; exactly where [T386.1]; in exactly the opposite manner as [C842.1]; is exactly the

opposite of the effect of ... [П1060.1]; is exactly the way [C1411.1]; nearly, but not exactly [П 1557.2]; see exactly what was happening [PI 69.1]; that was exactly the case [И355.1]; work exactly the same way [P77.1]

**exaggerate:** [П2052.1]; exaggerated impression of [n2054.1]

**exaggeration:** it is not an exaggeration to state that [M370.1]

**examination:** [A107.3, И773.0, 0250.1, П2619.2];

be subjected to a visual examination [П2999.1]; close examination [C 1492.1]; close examination

of [T506.2]; cursory examination [П2102.1];

examination of the roots of the ... equation

[И777.1]; examination report [A95.0]; further examination [Д104.1]; merit a closer examination [3457.1]; metallographic examination [M154.1]; on a closer examination of [П122.1];

post-test examination [0942.3]; record of examination results [3390.0]; removed for examination [C789.1]; request for examination [3416.0]; terminate the examination [3225.0]; upon examination ... prior to [П105.1]; visual examination [B 1104.1]; was opened up for examination [B1593.1]

**examine:** be examined carefully [T512.1]; be examined forwear [П2636.1]; examine... for [П2654.2]; examine... periodically [П2645.1]; examined... for [И800.1]; examined in a more comprehensive manner [И796.1]; examined independently of [P468.1]; examines records [П2644.1]; next, we examine (И801.1); to examine [A119.0, И794.0, K350.0]; to examine the condition [П2652.1]; were visually examined [П2686.1]

**examining:** [A 119.1]; worth examining [3464.1]

**example:** [П2377.1]; above are but two examples of [Э122.1]; as a last example [H373.1]; as witnessed, for example, by [015.1]; before proceeding to the examples [П90.1]; byway of example [B150.1]; curious example of [Л128.1]; described by way of example [0780.1]; design example [П2379.2]; example of the latter may be [П2383.1]; examples of this include [K22.1]; examples seem to indicate that [П1641.1]; exhibit ... by theory and example [П989.1]; few examples should clarify [П 1598.1]; follow the example [C593.1]; for example, cases occurred where [H488.1]; for example, one might [H489.1]; illustrated by means of an example [П2812.1]; is another example of [C696.1]; numerical example [493.1]; of which ... is an example (П2381.1); one can imagine, for example, that [M359.1]; one example of this [0519.1]; one may cite ... as an example [M374.1]; opposite example [П2378.2]; such an example is [П2382.1]; such as ... for example [T92.1]; suppose, for example, that [П1790.1]; taking, as an example [B1073.1]; this is best illustrated by an example [Л113.0]; thus, for example [T17.1]; to give an example [H487.7]; two examples will suffice [Д693.0]

**exasperating:** can certainly become an exasperating nuisance [H914.1]

**exceed:** allowable casting wall thickness difference is not to exceed 10 percent of the wall thickness [Д664.0]; exceeds... increases above [П1694.4]; far exceeds [H431.3] goals ... met or exceeded [056.1]; greatly exceed [C478.1]; never exceeded [H1756.1]; providing operating time does not exceed [E43.1]; shall not exceed ... whichever is less [H833.1]; shall not exceed the lesser of [H833.2]

**exceedingly:** [И673.0]

**excel:** is an area ... not excel [C563.1]

**excellence:** engineering excellence [T237.1]; man-manufacturing excellence [B 1985.1]

**excellent:** does an excellent job [01408.1, 01677.1]; give an excellent fit to [01678.3]; were found to be in excellent condition [H653.1]

**except:** all ... except for [B1004.2]; all other ... except [B1004.1]; applies to all... except those that [P443.1]; everywhere except [B1650.1]; except as provided in 2.5 [328.1]; except as specifically noted [327.2]; except for [E145.1, 316.0, 316.2]; except in [316.1]; except in cases where [322.1]; except that [329.1, П2161.5]; except when [320.1]; except when specified on drawings [325.1]; except where [323.1]; except where indicated [326.1]; except where otherwise noted [327.1]; except where specifically stated [318.1]; except where stated otherwise [324.1]

**exception:** [И666.0]; almost without exception [П1543.1]; exception is taken to [И667.1]; exception to ... rule [И668.1]; exception to this [И670.1]; I take exception to [B1358.1]; is an exception [Я17.1]; is no exception in this regard [HI 150.1]; is the rule rather than the exception [C538.1]; no exception can be allowed [H1743.1]; one exception is that (E19.1); only exception to (E18.1); possible exception might be in [B1310.1]; requests for exceptions to [П2943.1]; sole exception [E18.2]; take some exception to [B1358.2]; there appeared to be an exception with [И672.1]; this is with the exception of [И671.1]; to take some exception to [B1358.0]; with few exceptions [330.3]; with limited exceptions [330.2]; with minor exceptions [330.1]; with the exception of (that) [316.0]; with the exception of [E145.0, 316.3]; with the exception of when [320.2]; with the exception that [329.2]; without exception [B19.1]

**exceptional:** [И676.1]; as ... as these are quite exceptional [T76.1]

**excess:** [И164.1, Л77.1]; absorb excess power [П597.1]; are in excess of [П1694.2]; barely in excess of [E8.1]; in excess of [B189.0, B197.3, B2065.3, П1700.1, C345.2]; in excess of 2 m long [Д296.1]; increased to something slightly in excess of [Y58.1]; is far in excess of [H431.2]; much in excess of [3632.1, H432.1]; not in excess of [H742.3]; runoff of diameter over a length of... mm from the shaft end is not in excess of... mm [B108.0]; well in excess of [H432.2]

**excessive:** [4120.1]; preventing any excessive voltage from damaging [П1774.1]; wipe off excessive [Y93.1]; without making excessive demands on [B47.1]

**exchange:** carry out the exchange of (П2790.1); energy exchange [0121.1]; roles ... are exchanged [MI 21.1]; to exchange [MI 15.0]

**exchanging:** exchanging for another [П 1231.1]; unless it wants exchanging [E163.1]



**excise:** excised [B1961.2]; to excise [B1961.0]  
**excitation:** furnish excitation [036.1]  
**exciting:** is at a truly exciting point [H670.1]  
**exclude:** are excluded [C506.1, C1637.1]; are momentarily excluded from the discussion [B1523.1], automatically excluded [A66.1]; is stringently excluded from (K197.1); to exclude [H650.0]  
**excluding:** [H1099.2]  
**exclusion:** [H666.0]  
**exclusive:** exclusive of [B60.0, B60.3]; once the exclusive province [K240.1]  
**exclusively:** ... oriented exclusively toward [П1345.1], almost exclusively [П155.1.I]; exclusively [H673.3]; is based exclusively on [01021.1]; is used exclusively to [H725.1]; we are exclusively concerned with the situation [H404.1]  
**execute:** [B1873.3, B1910.0]; is executed in the following manner [01181.1]; properly executed documents [П1623.1]; to execute [B1873.0]; were executed with painstaking care [B1895.1]  
**executing:** executing the experiments [П2618.1]  
**execution:** [B1866.0, 01608.1]; execution of the application [C819.1]; execution of the order [B1867.1]; project execution [01172.1]  
**executive:** executive summary [P675.1]; managerial and executive personnel [A84.0]  
**exemplar:** [0192.6]  
**exemplary:** exemplary specimens of what [0198.1]  
**exemplify:** exemplifies [H350.1]; to exemplify [H350.0, П1597.1]; well exemplified by [X39.1]  
**exempt:** are exempt from [0921.1]; medicines,... shall be exempt from the requirements of [T422.1]  
**exercise:** [П2361.4]; care... be exercised [П3046.1]; care must be exercised [C622.3]; care must be exercised ... that ... not damage [H1389.1]; care must be exercised when [H1383.1]; care should be exercised in [П2125.1]; caution should be exercised [C622.2]; considerable judgement has to be exercised [C621.1]; difficult to exercise [T480.1]; exercise care to [П900.2, C584.7]; exercise control of [01178.1]; exercise extreme care [B360.1]; exercise extreme caution while you are working on [B361.1]; exercises a ... effect on [0636.1]; exercises a closer control over [B187.1]; one should exercise due care before accepting [C626.1]; parallel with this exercise [0585.1]; to exercise [B1873.0]; to exercise control [01177.1]  
**exert:** exert a ... pressure [0640.1]; exert favorable effects on [0624.1]; exert its... properties [П3048.1]; exert pressure [H252.2]; exert some influence on [0632.1]; exert their activity [П3041.1]; exerts a ... positive influence on [П1105.1]; to exert an influence on [B146.0]  
**exhaust:** all possibilities... be exhausted [H844.1]; exhaust the air [B1925.3]; is vented to an

exhaust [B1723.2]; potentialities ... exhausted [H843.1]; to exhaust [B1924.0, B2020.0]; until exhausted [Д444.1]  
**exhaustive:** [H845.0]; exhaustive as ... have been [K95.1]; is ... intended to be exhaustive [П2040.1]; is illustrative rather than exhaustive [П2258.1]; survey ... exhaustive [H846.1]; this is by no means an exhaustive list [B2073.0]; this is not an exhaustive listing [П212.1]; topics listed are not exhaustive [П213.1]  
**exhibit:** exhibit... by theory and example [П989.1]; exhibit ... tendency for [0135.1, П3049.2]; exhibit a ... negative influence on [01515.3]; exhibit no new features [H1010.1]; exhibit some action [0639.1]; exhibited ... resistance to ... corrosion attack [C1052.1]; exhibited a ... coloration [0719.3]; exhibited a brown coloration [П2484.1]; exhibited some degree of [0129.1]; exhibits [П973.7]; to be on exhibit [Д257.0]; trend of... is exhibited [T146.1]  
**exhibiting:** is exhibiting [Д256.1]  
**exhibitor:** exhibitors are requested to [П2902.1]  
**exist:** as it existed [B27.1]; do not exist [01558.4]; did not exist anywhere [H1710.1]; do not exist in the open literature [01559.1]; does not exist with [01560.1]; exist a strong resistance to the use [Y325.1]; exist extensive bodies of literature [0296.4]; exist in abundance [П2540.1]; exists in the official versions [C1569.1]; higher critical ... exists above which... a lower critical... exists below which [C1572.1]; if a market exists [E93.1]; if eminent danger exists that [E92.1]; if it exists, must be [E127.1]; if... then there exist ... such that [E160.1]; important need exists [C1576.1]; instances exist ... where [H507.1]; need to ... does not exist [H1402.1]; no longer exists [01485.1]; other ... exist [C1583.1]; potential exists for [C1574.1]; real possibility exists that [C1575.1]; some sporadic interest... exists in [H602.1]; still exists [01079.2]; to exist [H409.0]; when no... exists [B320.0]; when no input signal exists [B321.0]; where differences exist ... shall govern [B559.1]; which if it had existed ... must have been eliminated [K415.1]  
**existence:** argue for the existence [Д542.1]; existence ... is always a possibility [B1564.1]; existence of [П2535.2]; represent a true demonstration of the existence of [Д172.1]; to pass out of existence [B2048.0]; very existence of [C205.1]  
**existing:** all existing and anticipated [B1019.1]; existing conceptions of [C1586.1]; existing space ... accommodate [C1587.1]; fit easily into the existing space [J27.1]; retrofitted into existing [Y460.1]; review of the existing literature on the subject [066.1]  
**exit:** [B2022.1, B2040.2, H33.4]; at the ... exit [H33.1]; to exit [B2030.0]; to exit ... MODE [B2044.1]  
**expand:** contracts ... expands [C451.1]; expand our readership [P570.1]; expand the storage ...

by [y62.1]; expanded media coverage [III16.1]; is free to expand [M303.1J]; to expand ... in a ... series and to retain [P213.1]; to expand ... in terms of a power series [P216.1]; update/expand upon [II163.1]; we expand ... in ... series about [P214.1]

**expanding:** expanding and collecting terms, and solving for [P357.1]; is constrained from expanding [H821.1]; there are expanding opportunities in [III29.1]

**expansion:** differential expansion between... and [P277.1]; expansion of... in terms of [P245.1]; expansions of ... in power series in [P246.1]; thermal expansion [T185.1]

**expansivity:** expansivity mismatch [P288.1]

**expect:** as one would expect [K79.0]; it is logical to

expect that [J192.1]; it is reasonable to expect [M340.2]; it is reasonable to expect that [E191.1,

J192.2]; it is then not reasonable to expect [II1581.1]; more frequently than one might expect [437.1]; one may expect a similar ... for [A129.1]; one might expect that (K50.1, M394.1);

one would expect that [M340.0], one would expect that [M340.1]; one would not expect that [HI 320.2]; there is ample reason to expect [H503.1]; there is every reason to expect [H503.2]; there is good reason to expect that [H496.1]; there is no reason to expect [H1648.1].

(См. также **expected**).

**expectation:** [II1802.3]; compare well with expectations [X77.1]; contrary to expectation [B1388.1];

expectation was that (II1796.3); expectations are fulfilled [II854.1]; has fallen short of ... expectation [H959.1]; live up to expectations [0803.1]; physical expectation [0599.1]; reach far beyond our expectations [H429.1]; results... in accordance with expectations [P639.1]; some-what below expectation [H1607.1]; there were great expectations that [B256.1, B1288.1]; with the expectation that [B466.1]

**expected:** are not expected to be [H834.1]; are still expected to occur [B979.1]; as could be expected [K79.0]; as expected [K79.1, K79.2]; as might be expected [K79.0]; as one might have expected from [K83.1J]; as would be expected (K79.0); by ... the expected number is [M342.1]; can be expected to [M355.0]; can hardly be expected to [B1555.0]; can hardly be expected to resist [B1558.1]; contrary to what would be expected (B1388.3); expected life [C1334.1]; expected life span [C1334.4]; expected role [II 1801.1]; expected to be used in the near future [0597.1]; if... were ... it would be expected that [E108.1]; in practice ... might be expected [M341.1]; in the expected manner [T40.1]; is ... be expected [C607.1]; is expected [H281.3]; is expected to be [B346.1]; is not expected to [H1320.1, II338.2]; it certainly could be expected that [E183.1]; it is confidently expected [M356.1]; it is expected

that [M355.1]; it might be expected [M340.0J]; it might be expected that [M394.2]; might be expected to discourage ... effective use [M264.1]; nor are ... expected for [H1788.1]; not ... as might have been expected [A28.1]; opposite effect to that expected [P641.1, Э224.1]; over what would be expected [II486.1];

should not have been expected [H1311.1, 0603.1]; so... would not be expected [II1582.1]; such an ... cannot be expected to [B 1556.1]; than he would have expected [455.1]; than one would have expected from [453.1]; then ... would be expected to [T275.1]; this is as expected [Э107.1, Э208.1]; this is somewhat to be expected [H1685.1]; was expected to be [C1619.4]; what impact is expected [K150.1J]; which is entirely expected [4164.1]; which is expected to stretch over an 18-month period [B 1868.1]; would be expected to [Д586.1]; would be expected to be [Б346.0, Б346.2]; would have been expected [C635.1]

**expediency:** as a matter of design expediency [II383.1]

**expedient:** [II1658.1]; expedient in time and cost [II4.1]; expedient means of [II 1659.1]; simple expedient of [II2930.1]

**expedite:** [Y382.3]; expedite applications [Y385.1]

**expel:** air is expelled [B2018.1]

**expend:** considerable effort has been expended in [B233.2]; considerable effort was expended [M200.1]; have expended considerable effort to [M211.1]; is expended by [3491.1]; is expended in [3491.2]; to be expended in [3490.0]; work... expended over the time [PI 9.1]

**expendables:** [P537.1]

**expenditure:** expenditure of ... energy [P528.1]; expenditure of time and expense [3486.1]; significant expenditure of both manpower and energy [B255.1]

**expense:** are ... an extra expense [II2242.1]; at the expense of [357.1, 362.1, II34.1]; at the owner's expense [358.1]; at the sole expense of the supplier [H674.1]; expenditure of time and expense [3486.1]; expense is ... justified [0804.1]; predominance of... at the expense of [II2008.1]; to save unnecessary expense and delay [H157.1]

**expensive:** [Д674.0]; prohibitively expensive [H1216.1]; this could be expensive [Э142.1]

**experience:** [H627.0]; acquired considerable experience in [II2486.1]; experience ... teaches one [0889.1]; experience ... the advantages of [Y36.1]; experience gained (H377.1J); experience gained from [0885.1]; experience gained in many years of lecturing [0878.1]; experience greater technical development [II760.1]; experience has been that [0888.1]; experience has shown that [0884.2]; experience in [0882.1J]; experience in ... has been gained [II2485.2]; experience in field operation

[0891.4]; experience in the crafts and trades [Б228.1]; experience to date [0879.1]; experience to design [0886.1]; experience with [0877.1]; field experience [0891.2, Э48.1]; first hand experience [И628.2]; from ... experience to date [С1533.1]; from experience it is known that [И 126.1]; gain experience with [П2485.1]; hands-on experience [П1667.1]; have ... been derived primary from experience on [01028.1]; in light of relevant... experience [Б488.1]; industry experience [П2797.2]; interchange of experience ... will continue [0120. 1]; is backed up by ... years of ... experience [0764.1]; is largely a matter of experience [391.1]; it has been our experience [М438.1]; it has been our experience that [И 128.1, Н736.1]; it is our experience that [М410.1]; it is well known from experience that [И127.1]; learn ... by bitter experience [П 1468.1]; long satisfactory experience [Д309.1]; manufacturing experience [П2797.1]; many years' experience in operating [М221.1]; many years of satisfactory experience [М222.1]; obtained ... practical experience [П1154.1]; operating experience [0891.3]; practical experience [П1640.1]; previous experience [И527.1, Н377.2]; previous experience indicates [П1930.1]; previous experience suggests [И528.1]; prior experience with [0891.1]; recorded experiences [3432.1]; requisite experience [Н1417.1]; several years of commercial experience [0892.1]; testing experience revealed that [И754.1]; through experience it has been found that [0884.1]; to experience [И756.0]; while staying within proven ... experience [Н803.1]; with experience [П2094.1]; working experience on [0887.1]

**experienced:** (И756.2); ... have experienced ... failures [П1157.2]; all experienced [П2823.1]; be experienced hands-on [0912.1]; main events experienced by [01016.1]; need only be experienced at [П2566.1]; no unusual problems were experienced [К 168.1]

**experiment:** [0876.3, Э30.1, Э38.5]; decisive experiments [У25.1]; derived from ... experiments [П1190.1]; don't be afraid to experiment [Н752.1]; executing the experiments [П2618.1]; experiment designed to [Э31.1]; experiment with [П 1535.1]; experiments are performed [П2697.1]; experiments reported here [0791.1]; experiments were ... of a more limited scope [Э36.1]; experiments were conducted [П2697.2]; need to be verified with experiments [Н1 891.1, Т447.1]; sequence of a typical experiment [П 1406.1]; sets of experiments [С428.3]; throughout the course of the experiments [Б738.3]; well documented experiments [Х56.1]

**experimental:** are ... at the experimental stage [Н657.1]; available experimental data [И533.1];

correlated the experimental results [0786.1]; experimental and theoretical investigation [Э39.1]; experimental apparatus [Э38.1]; experimental bias [Э34.1]; experimental evidence [Э40.1]; experimental evidence on [Э41.1]; experimental inadequacies [Н1203.1]; experimental observations [Э40.2]; experimental procedure [М168.1]; experimental reproducibility [Б1433.1]; experimental setup [Э38.2];

experimental verification [Э35.1]; extensive body of experimental data [Б245.1]; for experimental convenience [Д411.1]; is experimental in nature [Н1 877.1]; need to be substantiated by further experimental data [Н1883.1]; substantially underpredict [overpredict] the experimental data [Д17.1]; to within experimental uncertainty [С 138.1]; were experimental in nature [И472.1]; within the experimental range covered [Б97.1]

**experimentally:** [С 132.1]; experimentally derived information [Э40.3]; experimentally familiar [Х51.1]; experimentally measured [И305.1]

**experimentation:** after considerable experimentation [П 1365.1]; numerical experimentation [494.1]; on ... experimentation [Э45.1]

**experimenter:** [Э44.1]

**expert:** classing experts [К212.1]; expert in [К211.0]; recognized experts [П2319.1]

**expertise:** [К281.2, Э86.1]; expertise in this area ... is held with [Б227.2]; expertise in this area resides at [Б227.1]

**expiration:** [Б1934.0]; after... days subsequent to the expiration of [465.1]; at the expiration of such period [П379.1]; expiration date [Д126.0]; expiration of overhaul period [Б 1935.1]

**expire:** [П2912.1]

**expiry:** after the expiry of a period of [П378.1]

**explain:** adequately explain [У 159.1]; are only partially explained [Т321.1]; can be explained [М337.0]; can be explained quite closely [М338.1]; cannot be convincingly explained (Н 1173.1); cannot be explained in this fashion (Н1319.1); explained ... on the basis that [0379.1]; explained by [0383.1]; explained in the following manner [0378.1]; has not yet been fully explained [Е215.1]; have not yet been satisfactorily explained [Е216.1]; how this is done is explained [К144.1]; invoked to explain [П2204.1]; is difficult to explain in terms of ... alone (Т479.1); is not difficult to explain [0381.1]; is not so easy to explain [0380.1]; may explain [М305.1, М337.0]; nor has ... been adequately explained (Н1015.1); remain to be explained theoretically (Е218.1); which may explain why [К426.1]

**explaining:** falls short of explaining [Н790.1, Т193.1]

**explanation:** any explanation such as [Л126.1]; but unfortunately for the neat explanation

[H1796.1]; demands an explanation [H1887.1], deserves some further explanation [3453.1]; explanation ... is still being sought [E205.1], explanation ... put forward [II1729.1]; explanation for [0372.1]; explanation for this would appear to be that [0385.1]; explanation is intriguing [T70.1]; explanation lies with the increase [0384.1]; explanation of this lies in [Э 162.1]; it would be satisfying if explanations could be found [B385.1]; likely explanation [B914.1]; likely explanation for [B914.2]; most acceptable explanation... is that [H328.1]; most logical explanation ... thus seem to be as follows [T100.1]; no satisfactory explanation appears evident for [M415.1]; offer an explanation [Д24.1]; offer an explanation as to why [0376.1]; partial explanation for... could lie in [412.1]; plausible explanation for [П 1605.1]; proposes an explanation [П 1729.2]; provides an explanation as to why [0377.1]; suggesting several possible explanations [4148.1]; there seems to be only one explanation for this, namely [Э164.1]; there simply was no immediate explanation of [B75.1]; to offer an explanation for [Д24.0]; to provide a consistent explanation for [Д25.1]; to provide an explanation for [Д24.0]; to supply an explanation for [Д24.0]

**explanatory:** are self explanatory [П1276.1]

**explicitly:** appear explicitly [П2539.1]; appears explicitly [B1680.1]

**explod:** [B22.1]; exploded view [B22.2, B1077.0]

**exploit:** [И693.2]; exploited [B1415.6]; to exploit [B1415.0, И693.0] ; to ... exploit economies [B1424.1]

**exploratory:** [П948.1]; exploratory studies [П949.1]; exploratory tests [П2327.1]; in the exploratory development stage [H153.1]; was ...exploratory [H1873.1]

**explore:** explored in greater depth [И795.2]; have not been fully explored yet [П 1038.1]; it is worth our time to explore [C 1466.1]; to explore [И794.0]

**exploring:** avenue worth exploring (B 1395.1); exploring the opportunities for [И798.1]

**explosive:** operate your meter in flammable or explosive atmospheres [Э60.1]

**exponent:** positive exponent greater than unity [П1111.1]

**exponential:** exponential bracket [C530.1]

**exponentially:** exponentially decay [3506.1]

**export:** not packed for export [И849.0]; packed for export [И850.0]

**expose:** expose ... to rain [П651.1]; expose the role of [B2086.1]; exposed to [П650.2, П671.1]; exposed a ... new field of study [01363.1]; exposed to ... solutions [П 1245.1]; is exposed to the attack of [П650.3]; to expose [B 1789.0, B2083.0]; was exposed to a ... environment [C 1041.1]; were exposed to [П2205.1]

**exposition:** exposition of the hypothesis [И235.1]

**exposure:** [B1800.0, B2079.0]; at ... exposure [C5.1]; exposure at [B1800.2]; exposure to [B1281.2]; exposure to ... light [B1284.1]; long period of exposure to the atmosphere [Д305.1]; precautions were erected towards personnel exposure to [B366.1]; prolonged exposure to [Д304.1]; short exposures... to [K462.1]

**expound:** [И231.0]; expounded upon [И795.1]

**express:** express their appreciation for [B 1944.2]; expressed another way [Г74.2]; expressed as [B 1941.1]; expressed as ... expressed as [B1954.1]; expressed in matrix form [B1955.1]; expressed to the nearest [B1957.1]; expressed uncertainty over the possibility of [B 1951.1]; relation between ... is commonly expressed as [C1034.1]; to be expressed [B1948.0]; to express [B1940.0, Г66.0]; to express appreciation [B1943.0]; to express gratitude [B1943.0]; to express gratitude ... for [B1944.1]

**expressing:** expressing ... in terms of... results in [B1946.1]

**expression:** [B1958.1]; bracketed expression [B1959.1]; correlate ... data with the expression [0785.1]; expression inside of the braces [B1960.1]; expressions of interest in [П3039.1]; read ... with expression [4116.1]; use of a ... expression is justified because [И686.1]; we now give the expressions of [П2251.1]

**expressly:** are expressly advised that [C 1171.1]; expressly disclaims [P745.1]; expressly disclaims liability for [C 193.1]

**extend:** after some extended period of time [П377.1]; duration of which extended [Д312.1]; extend ... design flexibility [P567.1]; extend ... intervals [Y60.1]; extend from ... to [П2919.1]; extend its capability [P565.2]; extend the range of validity [P569.2]; extended ... to [П2745.1]; extended at a ... angle [И111.1]; extended the testing over about [P525.1]; extended to ... situations involving different [P441.1]; extended use [Д302.1]; for an extended time period [B707.1J]; extends ... techniques to [P440.1J]; extends from ... to [П195.1, П2919.2]; extends to a depth of [П2918.1]; over an extended period of operation [B708.1]; purpose is not to extend ... but to [Ц17.1]; range of applicability ... extended [P569.1]; shut down ... any extended period of time [01148.1]; to extend [И105.0, B1992.0, B2020.0,]; to extend and complement [P573.1], was extended to [П2736.1]

**extending:** extending from [B 1996.1]

**extension:** [P642.1]; extension ... to [0143.1]; extension of the studies ... to [P436.1]; extensions of ... studies to other ... be in order [Y288.1]; extensions to more complex loadings [0144.1]; logical extension [И89.1]; natural extension of... studies of [E184.1]

**extensive:** exist extensive bodies of literature [0296.4]; extensive body of [B240.0]; exten-

sive body of experimental data [B245.1]; extensive listing of [0292.1]; extensive review of the appropriate literature [П1813.1]; extensive reviews of [0291.1]; extensive studies [0297.1]; that has received extensive publicity [05.1]; through an extensive interplay between [B113.1]; was extensive and penetrating [01400.1]; while there is an extensive body of research literature devoted to [X 106.1]

**extensively:** are used extensively [П21.2]; borrow extensively from [M209.1]; has been used extensively ever since [П22.1]

**extent:** [P252.3]; 120 deg in extent [П2993.1]; did separate to a certain extent [B980.1]; extent of [П2992.1, C 1450.1]; is true, to a certain extent in the case of [C 1248.1]; it depends to a large extent on [B200.1]; of finite extent [K315.1]; only to the extent required [T314.1]; should be utilized to the maximum extent [C604.1]; to a large extent [B198.0, B654.1]; to a lesser extent [B660.2]; to a much lesser extent [B661.1]; to an extent [B646.0, B664.1]; to any extent [B658.1]; to determine the extent to which [4201.1]; to some extent [B664.2, Д468.1]; to such an extent that [Д471.2]; to the extent [B390.3]; to the extent of [B153.0]; to the extent possible [П345.1]; to the extent that [B586.3, H563.2]; to the fullest extent possible [B659.2]; to the greatest extent possible [B659.3]; to the maximum extent possible [B659.1]; to what extent [B657.1]

**exterior:** [B1196.1, H508.1]; exterior to [B1172.0, B1 172.3, C759.2]; wipe the exterior of [П2983.1]

**external:** external... piping [H507.1]; external... power supply [B 1195.1]; external evidence [B1198.1]; external to [B1172.0, C104.1, C759.1]

**extinguish:** [П 1533.2]; light is extinguished [J17.2]

**extinguishing:** fire extinguishing system [C494.1]

**extra:** [Д622.0]; are ... an extra expense [П2242.1]; at extra price [339.1]; confer ... extra benefit [Д13.1]; did not appear to be worth the extra cost of [П339.1]; extra ... compressor per [0486.1]; extra equipment and materials [Д634.0]; extra low [C277.1]; extra quantity of [Д633.1]; is worth the extra cost [0802.1]; list of extra equipment and materials [B870.0]; list of spare parts furnished at extra cost [B871.0]; provide extra ... at less weight [046.1]

**extract:** [B1800.0, И177.1, Ц53.2]; extract... root of [И179.1]; extract from [B1800.1]; to extract [И177.0]

**extracting:** extracting ... heat from [И 182.1]

**extraction:** extraction of a ... sample [01208.1]

**extraneous:** extraneous matter [П 1470.2]; extraneous to [C104.3]; protected from weather and entrance of extraneous materials [3545.1]

**extraordinary:** extraordinary ... flexibility relative to [01655.1]

**extrapolate:** extrapolated to [Э68.1]; is extrapolated from ... to [Э69.1]

**extrapolation:** extrapolation ... to [Э71.1]; extrapolation of ... from ... to [Э72.1]; to make extrapolations [Э67.1]; with ... a ... modest extrapolation [П2144.1]

**extras:** [Д645.0]

**extreme:** [B224.0, Г 111.0, K446.0]; at the other extreme [B528.1]; became of extreme importance [П2475.1]; carried to an extreme [B547.2]; consider,... the other extreme situation [P480.1]; exercise extreme care [B360.1]; exercise extreme caution while you are working on [B361.1]; extreme care [П1722.1]; extreme left-hand [C217.1]; extreme range [B226.1]; extreme right [K447.1]; extremes of the ... range [Г114.1]; in the extreme position [B353.1]; intermediate between the extreme values [П2843.1]; it ... becomes a matter of extreme importance [C1381.1]; in the extreme [B547.1]; over all but the extremes of the ... range [B 101.1]; with extreme reluctance [J83.1]

**extremely:** [B1027.0, И673.0]; are extremely effective at achieving this goal [01675.1]; are extremely encouraging [B 1031.1]; extremely attractive alternative to [C1209.1]; makes ... extremely difficult [01661.1]; makes ... extremely difficult if not impossible [Д229.1]

**extremity:** [K307.2]

**exude:** (B1784.1); to exude [B1784.0]

**eye:** appear... to the naked eye [K47.1, П1892.1]; appears ... to the human eye [K47.2]; check to see ... by eyes [П2639.1]; easily visible to the eye [X45.2]; kept an interested eye on [B1208.1]; naked eye [И1 174.1]; not visible to the unaided eye [И1 169.1]; observed with the naked eye [B1090.1]; place eyes [П828.1]; read at a unit of... with the eye [C1629.1]; to spot with the unaided eye [3307.1]; to the eye [H36.1]; visible to the unaided eye [B 1093.1]; was clearly evident to the eye [X45.1]; with an eye to [C37.1]

## F

**fabricate:** fabricated... from... drawings [И194.1]; fabricated ... welds [3124.1]; fabricated from [И191.1]; fabricated into [И190.2]; fabricated

on one-half and one-third scales [И187.1]; to fabricate [И183.0]; to fabricate from [И191.0]; to fabricate on... scale [И185.0]; was

fabricated

[C387.2]; were fabricated in the form of [H190.1]

**fabrication:** [H208.0, H208.1]; at the time of fabrication [B419.1]; fabrication capacity [H2805.2]; fabrication limitations [0449.1]; fabrication shop [H2798.1]; fabrication technology [T250.1], methodology for ... fabrication [M165.1]

**face:** [H61.0, T340.1]; are faced with the problem of [C1372.2J]; face a serious challenge [C1478.1]; face down [H62.1]; face each other [H668.1, 0245.1]; face the dilemma of [C1476.1]; faced with the requirements of [C 1369.1]; faces the prospect of becoming [C1371.1J]; faces toward [0238.1]; impact of... onto the face [Y100.1]; in the face of [B 1386.1]; is faced with proper resolution of [C1370.1]; must face [H574.1]; on the face of it [HI 3.6]; on the outer face of [H160.1]; one major difficulty faced by [0529.1]; same problems face the user of [C 119.1]; that one is faced with in [C28.1]; we face a different situation here [B540.1]

**facet:** [A162.0, A162.2]

**facilitate:** [0104.2]; facilitated by [C1222.1]; is greatly facilitated [01668.1]; scheme was facilitated by using [H413.1]

**facility:** [3112.2]; full facilities to [B121.1]; medical facilities [M79.1]; oxygen facilities [Y502.1]; test facility [H38.3]; with equal facility [C30.1]

**facing:** [0242.1]; downward facing [0244.3]; facing away from [0239.1]; facing down [upward] [0240.1]; facing downward [0244.1]; facing inward [outward] [0241.2]; surface facing upward [downward] [H537.1]; when facing [E86.1]; when facing the rear of [E88.1]

**fact:** [H4.1]; add to this the fact that [H479.1]; allowance must be made for the fact that [HI 393.1]; also borne out is the fact that [H861.1]; and in fact [H22.1]; arises from the fact that [B1341.1]; as a matter of fact [H9.3, H25.2]; as witnessed by the fact that [016.1]; be tied to the fact that [C366.1]; bear part of the responsibility for the fact that [HI 643.1]; beyond the fact that [329.4]; but for the fact that [E112.1]; but the fact remains that [H1817.1]; but the important fact is that [0560.1]; combined with the fact that [C163.1]; comes from the fact that [H2817.2]; coupled with the fact that [A9.1]; derive from the fact that [0274.1]; do not alter the fact that... was halted [H960.1]; due to the fact that [B502.1]; fact is that [H48.1]; fact of life is that [H16.1]; fact remains [H5.1]; fact that [T277.2]; fact which may account for [0524.1]; further complicated by the fact that [H615.1]; give weight to the fact that [Y615.1]; hard cash facts of life [4107.1]; has overlooked the fact that [Y349.1]; if... were in fact [E105.1]; if note is taken of the fact that [E61.1]; in fact [B184.3, B92.1, H251.3, H9.2, H8.1.H8.2]; in fact it

doesn't [B93.1, H47.1]; in light of that fact that [B492.1]; in spite of the fact that [H1620.1]; in view of the fact that [B833.1]; is ... complicated by the fact that [0939.1]; is aggravated by the fact that [Y552.1]; is due to the fact that [B 1838.2]; is evidence of the fact that [C299.1];

is motivated by the fact that [B1838.1]; is now an established fact [C1405.3]; is related to the fact that [C362.1]; it is a fact of life [Y27.1]; it is now a well established fact that [T 180.1]; lay in the fact that [3243.1]; making use of the fact that [H 1223.1]; of specific note is the fact that [01061.1]; principle of... stems from the fact that [H2465.1]; recognizing this fact [C164.1]; results from the fact that [H2817.1, H2822.1]; silently testify to this fact [M240.1]; statement evolves from the fact that [Y561.1]; task is further complicated by the fact that [3169.1]; there can be no escaping the fact that [HI 316.1]; there is no escaping the fact, however, that [0568.1]; there is no mistaking the fact that [M371.1, H1652.3]; this discussion highlights the fact that [H202.1]; this fact casts some doubt that there are [HI 143.1]; this is due to the fact that [0277.1]; this is, in fact, the case [T21.1]; this was due to the fact that [H251.4]; to account for this fact [4218.1]; took advantage of the fact that [B 1421.1]; uses the fact that [01027.1]; using the fact that [Y619.2]

**factor:** [K430.0]; additional factor to be considered

is [E220.1]; all other factors being equal [H2158.2]; almost a factor of two [H1545.1]; are all important factors [B990.1]; are within a factor of ... of each other [01382.1]; be ... factored into the design [Y613.1]; be factored into [Y614.1]; by ... a factor of [B437.1]; by a factor of between 3 and 7 [B437.2]; by a factor of [B437.0]; by more than a factor of 3 [B190.1]; by more than a factor of two [B 191.1]; causative factors [H2592.1]; competing factors [K329.1, H2956.2]; contributing factor [H14.1]; conversion factors [K433.1]; differs by a factor of [01378.1]; does not vary by more than a factor of [H280.1]; dominant factor [H608.1]; eliminates ... as a complicating factor [Y524.1]; factor

... as important [H903.1]; factor of... [K466.0]; factor of 10 increase in [K467.2]; factor that needs bearing in mind [H13.1]; factor two better [P152.1]; factors ... crucial [P728.1]; for all other factors being equal [H2118.1]; gives a factor of 4 in [Y57.1]; governing factor [P728.2]; influencing factors [B1 149.1]; is also an important factor [01196.1]; major factor in suppressing the growth [H46.1]; not factored into this figure [H773.1, HI 143.1]; opposing factors [H2956.1]; pacing factor [0856.2]; primary factor [0856.1]; reduced by a factor of 2 [Y252.1]; reduction of... by a factor of [Y272.1]; removes the... as a factor [H664.1]; safety factor

on [K432.1]; significant factor in the compari-

sons of [B781.1]; smaller... a factor of [B449.2]; smaller by a factor of [M108.1]; taking this factor into account [Y607.1]; this is less ... by about a factor of two [Π2385.1]; this may also be a contributory factor [Э147.1]; to be a factor [B1 146.0]; to factor out [I651.1]; transition is not a factor [B 1140.0]; varied as much as a factor of two [I271.1]; vary by a factor of [I276.1]; was varied by about a factor of 4 [I281.1]; were ... off by a factor of [01378.2]; were accurate within a factor of [01384.1]; were ... factored into [Y609.1]; were reduced by a factor of [Y260.1]; while not a factor in [H774.1];

within a factor of two or better [H745.1]

**factory:** [3112.0, 3113.0, И849.0]; factory level overhead [3123.1]; factory repair [P691.1]; for

... consult factory [Π349.1]; is factory assembled [C808.1]; returned to the factory for repair [B1271.1J; through ... factory direct [H495.1]; witness test at factory [3122.1]

**faculty:** faculty of medicine [M78.1]

**fail:** [B2046.1, 3224.1, 0670.1]; but not why it fails

[A31.1]; fail... requirements [HI 131.1]; fail by [P331.1]; fail to hold (Π167.2); failed as [0677.1]; failed to notice [H859.1]; fails completely to reproduce [C825.1J; fails to comply with the specifications [H986.1]; fails to run [HI 046.1]; has failed the acceptance test [HI 041.1]; have failed by a similar mode [P330.1]; if these steps fail to correct the trouble [E1 76.1]; is automatically activated should ... fail [B1 114.1]; literature search failed to unearth any published research of the type reported in the present paper [H399.1]; progressively fails to predict [B987.1]; should ... fail [H145.1]; should ... fail to [E64.1]; should any unit fail during operation ... [B518.0]; without fail [588.0,0426.1]

**fail-safe:** [B65.0, H267.1]; fail-safe operation of [B66.1]; fail-safe systems [B74.1]

**failing:** [01302.1]; failing in less than (B2026.1); failing the verification procedure [H793.1]; failing this [E 178.1]

**fail-soft:** [H266.1]

**failure:** [A60.0, B2022.0]; accommodate ... failure

[H148.1]; at the moment of failure [B213.1]; controlling failure mode [0854.1]; avoiding ... failures [Π 1778.1]; date and time of failure of the article or its components [Д123.0]; design against... failure [P547.1]; eventual failure of [Π1086.1]; failure ... method [H1639.1J; failure ... to apply [H1667.1]; failure occurs through [P332.1]; failure sites [M148.1]; failure to attend to this may result in [HI 180.1]; failure to do so [E44.1]; failure to do so may result in [HI 180.2]; failure to observe a time limit [H1624.1]; have experienced ... failures [Π1157.2]; if failure continues [E59.1]; in the event of failure (B521.1); mean time between failures [C 1315.1]; modes of failure [ B 1085.2];

never start or continue operation if electric equipment failure is detected. [3410.0]; origin of the failure [Π2575.1]; potential failure problem [0746.1]; premature failure [Π 1968.1];

prove a total failure [0665.1]; service failures [A61.1]; tested to failure [I762.1]; to warn of potential... failure [Π 1909.1]

**faint:** faint... marks [C564.1]

**faintly:** faintly visible [E4.2]

**fair:** curve faired through [Π271.1]; curves have been faired through the ... data [Π2684.1];

curves have been faired to tie together the data [K482.1]; fair appreciation of [Π1632.3];

faired curve [A153.0J; faired curves [A153.1];

faired into [Π277.1]; faired to [Π277.2]; lines

...

been faired through the data [Π2684.2]; was in fair agreement with [Y 161.1]

**fairly:** [Д499.1]; is now a fairly old [Д517.1]; we will be fairly accurate in saying that [M418.1]

**fairness:** in fairness to the bushing seal [C1244.1]

**faithfully:** faithfully reproduce [T388.1]; faithful-

ly simulated [T389.1]

**fall:** [Π7.1, P369.2]; did not fall into this trap [И158.1]; fall... off the ... line [01342.1]; fall...

on a straight line [J195.1]; fall ... short of the design life [H850.1]; fall along a straight line [J195.2]; fall broadly into three groups [P432.1];

fall in an arc [Π6.1]; fall into [Д242.1]; fall into ... categories [И785.2]; fall off [01216.1, Y259.4];

fall on a single curve [Y228.1]; fall out of [B1862.1]; fall outside of the design envelope [B2035.1]; fall short of [H936.1, H1144.2]; fall within ... of each other [H969.1]; fall, ... are reduced [Y259.3]; falls ... outside the definition [H984.1]; falls ... short of... requirements [01535.1]; falls into [C1 114.5]; falls more than [Π4.1]; falls off [Π1.1]; falls outside of the ... range [B2032.2]; falls short [Д18.1]; falls short of explaining [H790.1, T193.1]; falls short of its

objective in [H848.1]; falls squarely in [Π1289.1]; falls to zero [Π2.1]; falls within ... range [Π1285.1]; has fallen short of [H848.2J; has fallen short of... expectation [H959.1]; to fall along [J194.0]; rises ... and then falls [B1364.1]; to fall into disuse [B2048.0]; to fall into [Д238.0]; to fall on [J194.0]; to fall within clearance limits [B1464.0]. (См. также fell).

**fall-out:** [Π1524.2]

**falling:** been falling into disuse [B2048.1]; falling

just short of [B1469.1]; falling through [Π2611.1]; is falling into disrepair [B1036.1]; shall have dimensions falling within the tolerances [P259.1]; to preclude from falling [Π1773.1]

**false:** [H1168.1]; claim that ... is false [Y560.1]; false suggestion of representation [J197.0]; knowingly false [378.1]

**familiar:** [3582.1, И168.2]; are familiar with the ins and outs of [B307.1]; be thoroughly familiar with [X50.2]; become familiar with [0609.1];



- become familiar with the... directions [0610.1]; experimentally familiar [X51.1J; familiar with [3581.1]; to become familiar [3580.0]; we are familiar with [X55.1]
- familiarity:** develops ... familiarity of ... with [3578.1]; has familiarity with [3581.0]; have ... familiarity with [3581.2]; to develop familiarity with [3578.0]
- familiarization:** operator familiarization with [0613.1]
- familiarize:** to familiarize oneself [3580.0]; to familiarize the readers [Π942.1]
- fan:** fans out [P532.1]
- fancy:** caught... fancy [Π1319.1]
- far:** [Γ87.0, Д90.0, 3614.0]; are far from simple [Д101.1]; as far as [4143.6]; as far as ... are concerned [E117.1]; as far as I can judge [H550.1]; as far as it will go [Д453.1, Д473.1]; as far as we can see that [H546.1]; as far as we know [H544.1J; as far back as [E199.0]; by far [Б102.0, Б1173.3, H1632.4]; by far the greatest [Б103.1, 3618.1]; by far the greatest potential for [H415.1]; by far the majority of [Π639.4]; by far the most advanced [H414.1]; by far the most satisfactory [H434.1]; dates as far as [01445.1]; differ only in so far as [01401.1]; discussed here thus far [P491.1]; encounter a far more severe environment [P50.1]; far apart from each other [Д103.1]; far away from [Y97.1]; far below [3627.1]; far exceeds [H431.3]; far from [B851.3, Д93.0, 01472.1]; far from ideal [Д96.1]; far from the truth [Б248.2]; far from usual in [B1039.1]; far lower than [H424.1]; far more important [3615.1]; far more than [Б189.0]; far more than offset [Б196.1]; far off the mark [H1658.1]; far out of the range which can be [Д92.1]; far outnumber [Б162.1, H430.1]; far outweighs [C31.1]; far removed from that occurring in [M32.1]; far short of [C468.1]; far too small [C650.3]; had far reaching consequences [И429.1]; has so far received ... little theoretical ... investigation [Π959.1]; how far ... remains to be seen [01117.1]; in a far different way than [C887.1]; in all cases cited so far [B566.1]; in so far as it is appropriate [H553.1]; is far beyond the scope of [B2039.2]; is far from complete [Д95.1]; is far from optimum [Д89.1]; is far from smooth [Д94.1]; is far in excess of [H431.2]; is far outweighed by [3631.1]; is only important in so far as [B787.1]; is performing satisfactorily so far [Π964.1]; little too far away from [H1345.1]; pull out... as far as the leads allow [B2021.1J; reach far beyond our expectations [H429.1]; results obtained so far [P653.1]; so far [Д457.4, Д458.1]; so far practical constraints have prevented this [H1808.1]; surely it is not stretching a point too far to say [И35.1]; thus far [Д440.4, Д457.3]; to screw as far as it goes [B827.0]; while still... far from [Б353.1]
- far-out:** [01484.1]
- far-reaching:** have far-reaching effects [Π2234.1]; with far-reaching potential [C70.1]
- farm:** farmed out [Π92.1]
- farther:** [Д86.0]; a farther ... object [0532.1]
- farthest:** [K446.0, H334.1]; is ... the farthest from ... in development [Π659.1]
- fascinating:** [И605.0]
- fashion:** cannot be explained in this fashion [H1319.1]; in (a) similar fashion [A136.0]; in (an) analogous fashion [A136.0]; in a counter-clockwise fashion [Π2953.2]; in a similar fashion [A136.1]; in such a fashion that [T102.1J; in the conventional fashion [K97.1, 0391.1]; in the normal fashion [K97.0]; in the usual fashion [K97.0]; is configured in a similar fashion [И455.1]; obtained in this fashion [Π1188.1, Π1194.1]; to assess ... in an overall fashion [01628.1]; will be handled in the normal fashion [Π1503.1]
- fashionable:** it has become fashionable [C1404.1]
- fasten:** fasten loosely with ... screws [C577.1]; to fasten [3259.0]
- fastening:** [K469.0, C552.1]
- faster:** at a faster rate [C96.1]; does the job faster, cheaper, and more conveniently [Я9.1]
- fastest:** fastest growing [H310.1]
- fat:** fat degradation [P359.1]
- fathoming:** [И298.0]
- fatigue:** fatigue sensitivity [4224.1]; where fatigue is a consideration [B561.1]
- fault:** at fault [H1282.3]; diagnosis of a ... fault [0807.1]; fault of the theory [01702.1]; faulted [H523.1]; faults go undetected [C248.1]; from a fault condition [И220.1]; if the fault has ... been isolated to [E58.1]; remedy of fault [M161.0]; to distinguish between a fault in ... or in [4210.1]; to fault [K490.3, P354.1J; under fault conditions [B720.1]; were at fault [B2046.2]
- faulty:** [H1282.1]; if a relay is suspected to be faulty [E51.1]
- favor:** [Б122.2, Г67.1, Г67.2]; are finding favor with [H608.1]; arguments advanced in favor of [A157.1, Д498.1]; comes in favor of [Г67.3]; discarding ... in favor of [01304.1]; eliminating ... in favor of... via equations [B1947.1]; favor the formation (C 1229.1); favor the properties [B1416.1]; favors the use [Г68.1]; favor the use of [01276.2]; final choice was made in favor [01151.1]; finding increasing favor [01278.1]; found favor [Π1166.3]; gained favor [3126.1]; have become more favored [Π1176.1]; in the... favor are [B357.1]; is favored [Б122.1, Π2009.5]; is widely favored as [Π1220.1]; opting in favor of [Д196.1]; out of favor [H764.1]; to favor [Б122.0, Б1975.0, Г66.0]; to gain favor [3126.0]; were discarded in favor of [01309.2]; were favored on the whole [B743.1]
- favorable:** [Б117.0]; conditions favorable to [Y395.1]; exert favorable effects on [0624.1];

- favorable ... for [B119.1]; favorable comments [П1110.1]; favorable comparison (X37.1); favorable comparisons were shown between [П2135.1]; favorable cost impact of the use [Э23.1]; favorable influences [B118.1]; favorable written report [П 111 3.1]; most favorable results [H305.1]; on the most favorable ... terms [H179.1]
- favorably:** came out favorably inclined toward [B 1976.1], compared very favorably with [01678.2]; compares favorably with [B1764.1, B 1840.1]; have not compared favorably with [П2778.2]; speaks favorably of [0595.1]; to come out favorably [B1975.0]
- favoring:** favoring one ... over another [П1811.1]
- fax:** contact ... for information ... at ... by fax at [0224.1 ]; sent via FAX transmission [01491.1]
- fear** for fear of [И119.1, И125.2]; there must be some fear of [HI 377.1]; without fear of serious error [B39.1]; fears... were unfounded [0737.1]; it may be feared that [M340.3]; these fears can be neither proved nor disproved [Э216.1]
- feasibility:** feasibility analysis [T212.1J; feasibility of adapting ... to ... is ... being evaluated [И326.1]; feasibility studies [П1827.1]; practical feasibility [П 1669.1]
- feasible:** appears feasible [П 1888.1]; direct comparison is not feasible [HI 490.1]; economically feasible [П2307.1, P706.2]; economically feasible compared to [P707.1]; if it is feasible to take ... out of [E50.1]; is not feasible in [H966.1]; it is not feasible [HI 170.1]; it will not be economically feasible [C131.1]; may not be feasible on a routine basis [B725.1]; not physically feasible [П1654.1]; whenever feasible [E164.1]
- feature:** [01053.1, Y542.3]; check these ... features [0214.1]; combines ... the best features [0354.1]; design features [K338.1]; exhibit no new features [H 1010.1 ]; feature in common to the two approaches [0329.1]; had many common features [И416.1]; important feature [01406.1]; important feature in designing [B779.1]; impressive feature of [B1461.1J; introduce the ... features [3579.1J; key feature of [Г47.2, 01004.2]; noteworthy feature [И608.1]; novel feature of our method is [H1835.1]; overriding feature [Г47.1]; shares some common features [091.1]; specific application of... is a patented feature of [3380.1]; strong and weak features [C462.2]; to be featured [Д257.0]; to feature [И359.0]
- fee:** [B1337.0]; commissioning fee [K272.1J; participation fee: [B1065.1]
- feed:** [П1450.1]; at a feed rate of [C86.1]; fed into the ... model [3229.1]; fed to ... fed in [П636.2]; power fed to [M400.1]; signal is fed to [П635.1]; V a. c. is fed to the circuit from [H491.1]; to feed into [3228.0]
- feeding:** feeding the ... voltage ... to the input [П632.1]
- feel:** and ... is felt to [И40.1]; by feel [H102.2J; effect of ... is felt (C512.1); feel comfortable with operating [П 1570.1]; get the feel of [0913.1]; intuitive feel of [И621.1]; it is ... felt that [M348.2, П1008.2]; it is felt [П328.3]; it is felt that it would be dangerous [П336.1]; it was felt intuitively [И626.1]; it was felt logical [П1889.2]; testing by feel [П2609.1]; was felt logical [C1613.1]; where I feel it's necessary [T114.1]; while we feel [X103.1]
- fell:** fell into disrepute [П 1518.1]; fell on the high side of [P384.1J; production fell ... from ... to [Д486.1]. (См. также fall).
- few:** [M20.1, H1573.1]; are but a few of (Э123.1); are few [4100.1]; as brief as a few seconds [B1571.1]; by only a few percent (B1570.1); few examples should clarify [П1598.1]; few in number [M48.1, H1349.1]; few more words should be said about [H1601.1]; few statements of generalities [P784.1]; few tenths [H1577.1]; few words may be in order [M314.0]; few words of... are in order [C630.3]; few years ago it was believed [H1582.1]; has ... lagged a few years behind [01532.1]; in the last few years [B86.0]; on those few occasions when [B578.1]; one of the few [0515.1]; only few ... below [B1569.1]; quite a few [Д504.1]; quite a few things in common [Д505.1]; required a few hours to a few days [T442.1]; to mention only a few [И38.1, H807.1]; to name a few [H807.2]; to name but a few [И38.0]; too few [C651.1]; very few [01666.1]; very few apparently know [01667.1]; was discontinued within a few hours [П1993.1]; will only be a few [C1076.1]; with few exceptions [330.3]
- fewer:** [Ml 13.3]; are fewer [B1621.1J; fewer ... would probably be adequate [B904.1]; fewer number of [Ml 13.2]; many fewer [H421.1J; one fewer teeth [H81.2]; substantially fewer [3626.1]; two fewer stages [H5.1]
- fiberglass:** fiberglass coated [C58.1]
- fictitious:** fictitious ... distribution [Ф31.1]
- fiddle:** play second fiddle to [3345.1]
- field:** authority in the field [A78.1J; considerable field evidence [B246.1]; during field service [B40.1]; experience in field operation [0891.4]; exposed a ... new field of study [01363.1]; field demonstration [Д255.1]; field experience [0891.2, Э48.1]; field survey of [067.1]; field tests [Э54.4]; field visits [П1346.1]; fields of engineering and science [097.1]; in the field of view [B347.1]; in the field [B255.0, B719.1, B766.0]; introducing ... in the field [B1185.1]; men in the field [C1158.2]; outside the field of [B2037.1]; persons working in the field [C1 162.1]; previous field test data [Д117.1]; production and field balancing [3116.1]; subject of... debate among people in the ... field [П1747.1]; ventured briefly into the field [П728.1]; were field proven [П2634.1]; workers ... in the field of [И789.1]

**fifty:** should be ... relubricated ... every fifty hours  
... of operation [HI 390.1]; staff totaled fifty [III38.1]

**fighting:** fire fighting [PI899.1]

**figure (Fig.):** are shown in Fig [H137.1]; captions  
for figures [PI782.1]; entering Fig. with [PI1224.1]; Fig. compares... with [H138.1]; Fig. demonstrates [H137.3]; Fig. shows [H137.2]; figure of merit [K484.2]; figure out [P166.2]; figures prominently in [I85.3]; in Figs.... and , respectively [C1030.1]; not factored into this figure [H773.1, H1143.1]; on the scale of Fig [B179.1]; performance figures are at [P106.1]; prominent figure in the ... world [B 1098.1]; readings to ... significant figures [01566.1]; results plotted in Fig [PI1197.1]; rounded to three significant decimal figures [0727.1]; to five significant decimal figures [C137.1]

**file:** [Д244.0]; Complete Specification filed 15 July 1970 [Д132.0]; are on file [XI 15.1]; file claim [n634.1]; filed a counterclaim [PI1933.1]; filed suit against [PI1932.1]; modem transmission of files [PI106.1]; placed upon file [3364.1]; renaming a file [PI114.1]; single file [B483.1J; to file for U.S. patents [PI627.1]; to save the file [C1140.1]

**filig:** filing a complaint against... with [PI626.1]; filing date [Д 137.0]

**fill:** add oil as necessary to maintain the level at the bottom of the fill plug hole [Д600.0]; best fills your needs [H358.1]; fill ... order ... and avoid unnecessary delays [C332.1J; fill the gap between [J49.1]; fill up [3397.2]; filled manually [3403.1]; filled the senior positions [3325.1]; filled to capacity [3401.1]; filled with [3397.1]; to fill [Д597.0, 3269.0, J47.0]; to fill ... gaps [J48.1]; to fill in [3397.0]; to fill up [3397.0J; to fill with [3397.0]

**final:** [K310.0, 0708.1]; as a final matter [B120.0];  
as a final matter, it may be noted [B 121.1]; as a final precaution [B 148.1]; as a final remark with respect to [PI1390.1]; before making a final selection [PI91.1]; considered final [C1622.1]; final ... assembly [0714.1]; final... tests [3248.1]; final area of investigation was [PI 1398.1]; final choice was made in favor [01151.1]; final decision [0716.1]; final design [0709.1]; final draft [PI1387.1]; final go ahead for [0715.1]; final matter to be considered with respect to [I50.1]; final result [0712.1]; final rules [0713.1]; final word on [B 122.1]; give ... a final half turn [3515.1]; it is... much too soon to draw any final conclusions [C655.1]; lacks the final [HI 348.1]; prior to the final assembly [PI88.1]

**finalize:** close to being finalized [Б 133.1]; once the selection ... has been finalized [PI1360.1]; to finalize all arrangements [0704.1]

**finalizing:** current engineering emphasis is on finalizing [B59.1]; finalizing ... specifications [B1767.1]

**finally:** [0816.1]; [B158.0, B158.3]; and finally [I48.0]; and finally, but not least [I48.1];  
finally... must be determined [H374.1]; finally adopted [0706.1]; finally dictate configuration selection finally, a note on ... is in order [H375.1]; largest impact is seen in ... followed by...and finally [H349.1]

**financial:** cease publication because of financial problems [PI1987.1]; financial health [Φ36.1]; financial indicator [Φ37.1]; financial solvency [PI294.1]; financial support for the work was provided by [Φ33.1]; make financial demands of [PI1941.1]; reputation and the financial standing of the firm [P710.1]; strong financial pedigree [H274.1]

**financially:** become financially solvent [C1407.1]

**find:** enclosed please find [PI2123.1]; enclosed you will find [H575.2]; find... application to [H611.1]; find ... industrial applications [H621.1]; find its way into [PI2861.2]; find major utilization in [I720.1]; find, by means of Table [0828.1]; finds its greatest usefulness in [H612.1]; finds its nearest analogue [I421.1]; it is common to find [0409.1]; may find it helpful [Д328.1]; may never find a need [M281.1]; please find copy of [H576.1]; to find out [B2088.0]

**finding:** are finding favor with [H6Y8.1]; are finding increased implications [H617.1]; are finding increasing use [H617.2]; finding increasing favor [01278.1]; findings on [P652.2J; is finding a growing market [H620.1]; most important finding [H313.1]; preliminary findings [PI1710.2]; substantiate this finding [Д539.1]; substantiates ... findings [PI732.1]

**fine:** [M87.0]; fine mesh ... screens [C450.1J; fine balance [H1680.1]; fine piece of [01407.1]; fine tuning [T326.1]; imposes fines for [H383.1]; walk a fine line between [C 1138.1]

**finely:** finely divided [M90.1, PI307.1, T328.1]

**fineness:** were ground to the ... fineness [I237.1]

**finesse:** [I679.1]

**finger nut ... thread on finger tight** [3511.2]; tapped with the finger [PI1493.1]; turn the nuts to finger tightness [3511.1]

**finger-tight:** tightening the nut finger-tight [3517.1]

**fingertip:** putting ... at your fingertips [Д8.1]

**finish:** allowable size deviation of finished surfaces  $\pm 0.013$  mm [Д654.0]; finish ... coarser [M97.1]; polished... to a mirror finish [PI1027.1]; finished in [01291.1]; finished on itself [0188.1]; finished product [Г103.0]; surface finish [0189.1, 4109.1]; were finished to grade 10 specifications [0185.1]; were ground to a nominal surface finish [III32.1]

**finishing:** casting allowance for finishing [J155.0]

**finite:** [K310.0]; finite difference form (K316.1); of finite extent [K315.1]; remains finite [01091.1]

**fire:** care ... to avoid fire hazards [PI2957.1]; catches fire [3141.1]; cause fires [B1816.1];

fire extinguishing system [C494.1]; fire fighting [Π899.1]; fire safety predictions [P553.1]; fire started ... from [Π898.1]; fire warning system [C493.1]; fire was brought under control [J100.1]; is for the prevention of fire [H722.1]; to catch fire [3141.0]; to fire [3417.1]

**firing:** supplemental firing [Д640.1]; while firing [B39.1, Π2124.1]

**firm:** delivery: ... after receipt of firm order [Π1448.1]; firm conclusions [0717.1, Y24.1]; firm specifications of [0718.1]; have given us ... firm as a reference [C1343.1]; occupy a firm place [3338.1]; prevented the author from reaching firm conclusions [H988.1]; prices are firm ... if [L33.1]; reputation and the financial standing of the firm [P710.1]

**firmly:** are firmly attached to [Π3031.1]; be firmly clamped [K468.1J; is not firmly established [T410.1]; most firmly based [H321.1]

**first:** [B322.0, B322.4, B1166.2, B1450.0, B1450.1, Π1948.1]; «first start» has been made to [Π1118.1]; among the first to [Π62.1]; appear at first sight [Π996.1]; approach first suggested by [M157.1J; as a first approach [Д357.1]; as a first approximation [B 147.1, B402.1J; as a first step only [T310.1]; as among the first to [B321.1]; ascertaining ... in the first place [B2090.1]; at first [B1 166.0, B1166.4, 449.1]; at first and then [B1 167.1]; at first blush [H13.3, Π996.2]; at first consideration [H13.4]; at first glance [H13.2]; at first hand [И129.1]; at first sight [H13.1]; at the first opportunity [Π2127.1]; be neglected in a first approximation [Π2001.1]; by first [Π1703.1]; consider first [P479.1]; first... second [B327.1, C762.1]; first and foremost [Π1948.4]; first appearance [Π59.1]; first appears [B1453.1]; first area given attention was [Π66.1]; first author [Π147.2]; first class [Π35.1]; first draft narrative [Π55.1]; first hand experience [И628.2]; first indication of... came from [Π64.1 ]; first it is necessary to [Π1949.1]; first occurs [Π1589.1]; first of all [Π1948.2]; first principles [01015.1, P297.1, P508.1]; first priority [B322.3, Π45.1]; first step is to [Π53.1]; first step toward understanding [Π51.1]; first thought was that [Π58.1]; first time [C79.1]; first to [Π148.1]; for the first time [B1450.2, Π68.1]; from the time that it was first used [C32.1J; in the first place [B322.0, B322.1, Π1948.3]; on the first try [C46.1J; one of the first important questions to be answered [0514.1]; one's first impulse is to [Π61.1]; take on first importance (Π2477.1); to ... it is first necessary [4196.1]; to a first approximation [B402.2]; to answer the easy questions first: (C763.1); to do this ... must first be [Д428.1]; was apparently the first to [B322.1]; were the first of their kind [B320.1]; when first detectable [B212.1]; will be covered first [P479.3]

**first-hand (firsthand):** first-hand information [И628.1]; see firsthand [Y35.1]

**firstly:** Firstly ... Secondly ... Lastly [B328.1J; firstly... secondly [B327.0]; firstly ... then ... and lastly [C762.2]

**fit:** first assumption to be made regards [Π57.1]

**fit:** [Π1340.1, Y475.1]; are fitted with [C757.2]; as the programmer sees fit [Π504.1]; be fit for its intended purpose [01243.1]; best fit [K474.0, H332.1]; best fit to the data [H352.1]; data ... fit a relation of the form [0785.2]; fit ... to [Π686.2]; fit a straight line to ... points (Π2693.1); fit a well-defined pattern [И461.1]; fit easily into the existing space [J127.1]; fit freely on [C310.1J; fit in [Y290.2]; fit in a slot [3521.1]; fit in holes [B1672.1]; fit in the space occupied by [Y291.1]; fit inside a ... envelope [B1464.1]; fit into ... classes [Π773.1]; fit into a number of [C1014.1]; fit into the framework of [Y223.1]; fit loosely into [C308.1]; fit of [A153.2]; fit of ... on to [C1010.1]; fit of the covers [Π2353.1]; fit on the screen [Y292.1]; fit the ... curve [Y227.1]; fit tightly around the circumference [Π306.1]; fit within [Y290.1]; fits inside of ... fits into [Π304.1]; fits into envelope restrictions [B1466.1]; fits over [H257.2J; fits snugly [Π303.1]; fitted flush [Y490.1]; fitted to [Y465.3]; fitted together [Π688.1]; fitted with [0160.2]; give an excellent fit to [01678.3]; least squares fit of the data [0191.1, 0191.2]; least squares fit to [Π2178.1]; regression lines are fitted through ... set of data [Π2685.1]; specially fitted to [C1 172.1]; to be fit by [A149.0]; to be fit to [A149.0J; to fit ... to the data (Π689.1); to fit a line to ... data [Π644.1]; to fit clearance gauge [B1464.1]; to fit in the space occupied [B 1467.1]; to fit inside an... envelope (B1464.0J; to fit into [B1608.0, B1663.0]; to fit the format (Y226.1); was fit by a linear representation [A151.1J; were fit to a third-order polynomial equation [A152.1]

**fitting:** close fitting [Π305.3]; fitting ... to the straight lines [Y229.1]; it is fitting at this occasion [Y287.1]; it is fitting that [И81.1]; it is fitting to close this biographical sketch of [Y285.1]; visually fitting [Π685.1]; well fitting [X69.1]

**five:** at a proportion of three to five times [B413.1]; five remaining fuels [01145.1]; implement over the next five years or so [P587.1]; out of these, five observations [И 147.1]; outlook for the next five years [Π251.1]; to five significant decimal figures [C137.1]

**fix:** as fixed by good design practice [0853.1]; being fixed at [B332.1]; beefing-up ... is undertaken as a fix for the problem [Д417.1]; to fix [3259.0]; fixed ... constant [Π1476.1]; fixed value [Π1479.2]; implement fixes [Y534.1]; is fixed at [Y462.1]; problem, ... fixed [Y530.2]; provisionally fixed for [H296.1]; securely fixed [Π3029.1]; were kept fixed

[П171.1]; were secured by... to ... was fixed by ...Jo[П2340.1]

**fixing:** [K469.0]; fixing ... establishes [3160.1]

**fixture:** [3201.1, Э38.4]

**fizzle:** fizzle out [Г22.1, 0696.1]

**flame:** store away from heat, open flame and direct sunlight [X121.1]

**flammable:** operate your meter in flammable or explosive atmospheres [Э60.1]

**flat:** [Г96.1, П1091.2]; flat slope (M14.1J)

**flatness:** flatness ... over [H1460.1]

**flaw:** [Д1272.0]; hypothetical flaw [Г40.1]

**flexibility:** [П2527.1]; extend ... design flexibility [P567.1]; extraordinary... flexibility relative to [01655.1]; increasing... flexibility with respect to design [P566.1]

**flexible:** is flexible to changing needs [J126.1]

**night:** out of the line of flight [B678.1]; flights ... arranged individually [П2470.1]

**flip:** flip ... to an up position [C383.1]

**float:** schedule float [П268.1]

**flooding:** subject to flooding [П673.1]

**floor:** are rooted under the floor [П3007.1]; floor area [П2799.1]; height... be ... above the floor [B1998.1]; occupy a floor area [3341.1]; on the shop floor [B728.1]; to occupy a floor area [3341.0]

**flow:** flow area [П321.1]; flowchart [Б147.1]; flow diagram [T184.2]; flow leakage past [Y562.1]; flow rate [P526.1]; flow requirements [T458.1]; flow sheet [Д 158.0, T260.1]; per unit ... flow [H57.1]; repair flow sheet [M54.0]; to flow out [B2011.0]; twice the ... flow [Y103.1]; upward flow ... downward flow [H482.1]

**flow-resistance:** [Г36.1]

**flowsheet:** [T184.1]

**fluctuate:** fluctuated with time [K248.1]; to fluctuate [K247.0]

**fluctuation:** [K244.0]

**fluid:** working fluid [P99.1]

**flush:** embedded flush with the surface [3183.1]; fitted flush [Y490.1]; flush ... in the wall (3396.2J); flush out ... pipe lines with compressed air [П2759.1]; flush with [B1552.1]; flush with the ... wall [3396.1]; flushed clean [T515.1]

**flushing:** [П2850.1]

**fof:** FOB [И849.0]; FOB North American port [И850.0]

focus: attention may now be focused on [0232.1]; attention will be focused on [0228.5]; attention will initially be focused on [C764.1]; brought into focus the importance [П1878.4]; brought to a sharper focus [P470.1]; comes into focus [C1398.2]; focus is on [0983.1]; focus of... is [0985.3]; focus of this paper is on [C1437.1]; focused on [0216.2, Ф40.1]; has brought ... into sharper focus [3472.1]; here will focus briefly [P484.1]; is a primary focus of [H663.2]; main focus ... will be [0986.1]; main

focus was put on [0989.1]; measurements were focused on [0984.1]; principal focus ... was on [Y111.1]; problem came into even sharper focus [П2600.1]; this investigation focused on [B 134.1]; this study did not focus on [B250.1]; will be focused on [Y108.2]; with a strong focus on [Y109.2]

**fold:** (K466.0, K466.1); fold increase in [K467.1]; increases ... fold [Y66.1]; times: ...fold [B437.0]

**follow:** [C580.1J]; does not follow this pattern [B941.1]; follow ... general pattern [C591.1]; follow ... laws [П1888.2]; follow from [C589.1]; follow suit [C593.2J]; follow the course of [И113.1]; follow the directions [B1897.1]; follow the example [C593.1]; follow the law [П1888.1]; follow the pattern [П2829.1]; follow the same procedure [П1578.1]; is hard to follow [T482.1]; it does not follow that [И144.1]; it would have been possible to ... first... and to follow this by [M390.1]; that follow [П1416.3], to follow [B932.0, B 1873.0, B2011.0, И 105.0]; to follow this line of thought [П2744.1]. (СМ. также **follows, followed**).

**follow-on:** follow-on studies to the work reported [И785.1]

**follow-up:** [K361.1]; follow-up of the ... Minutes [B1870.1]; followed: [n2905.1]; followed ... lead [C593.3]; followed by ... and then [Д87.1]; followed by [353.1, 354.1, C69.1, C71.1]; followed by a [351.1]; followed in full [01174.1]; followed with [353.2]; is closely followed [T400.1]; largest impact is seen in ... followed by... and finally [H349.1]; may be followed [M363.1J]; path to be followed if ... is to be developed [П3096.1]; principles followed in [П2461.1]; recommendations were followed [B 1893.1]; research... followed along many lines [И774.1]; route is followed [C592.1]; rules ... are strictly followed [C1505.1]; same reasoning is followed for... as well [T87.1]; to be followed by [Д585.1]; was followed [B 1899.1]

**following:** [B591.1, B1595.1, B1596.1, П1353.3, П1735.2, C595.1, C637.1, C905.2]; arises because of the following [B 1343.1]; at the following address: [П1472.1]; be careful while performing the following procedures. [B358.0]; explained in the following manner [0378.1]; first... following which [Bl 167.2]; following ... can differentiate between them: [P223.1]; following ... in abundance [Y547.1]; following conclusions can be drawn. [И825.0]; following conclusions can be reached [M369.1]; following each... hours of operation [467.1]; following each such incident [B533.1]; following inequality holds [C 1249.1]; following is a brief discussion of [H1715.1, H1715.2]; following is a brief summary [HI 722.1]; following relationship holds [C1250.1]; following the analogy of [П326.4]; following the calculation procedure

[C596.1]; following the guidelines of the manufacturer [B595.1]; following the same procedure we can [T106.1J]; following three [C639.1J]; from the results of this study the following major conclusions can be drawn [H85.1]; has been following ... very closely [C582.1J]; immediately following [T367.1, T367.2]; in the following way [C640.2]; is determined in the following manner [0846.1]; is executed in the following manner [01181.1]; is following, rather than pacing [C588.1]; it is appropriate to preface ... with the following annotation [Π1956.1]; leads to the following formula: [Π2222.2]; one arrives at the following ... equation... (Π2554.1); procedure is ... the following [M164.1]; reached the following conclusions [Π2553.1]; settled on the following choice of ... parameters [01155.1]; until the following day [T313.1]; while keeping in mind the following... [H853.1]

**follows:** [B2011.2]; as follows: [C640.3]; check ...  
as follows [B1907.1J]; curve follows the same trend [X28.1J]; follows international practice [C590.1]; follows no specific pattern [3106.1]; follows the ... form [Π579.1]; in what follows [B89.1, H1712.3]; in what follows, we investigate [HI 716.1]; inherent advantages ... are as follows [Π2545.1]; is described briefly as follows [M343.1]; it follows that [H141.1, 01578.1]; it follows then that [01578.2]; most logical explanation ... thus seem to be as follows [T100.1]; one may speculate as follows [M365.0]; proceed as follows [J430.1]; seems to be as follows [M360.1]; summarized as follows [Π896.1]; will be referred to as ... in what follows [H1713.1]

**foolproof:** [3476.1]

**footing:** sound footing [Π3035.1]

**footprint:** [3357.1]

**forbid:** forbid the use of [3408.1]

**force:** (Φ52.1); are forced to recognize [B1861.1];

continue in force [C1 139.2]; driving force [0857.1]; driving force for [J159.1]; equilibrium of forces ... force balance [PI 10.1]; force ... action on [0637.1]; force convergence [Y386.1];

force is not required [Y381.1]; forced ... out of service [B 1857.1]; forced its way [Π2896.1]; forced outage [B1860.1]; is forced to [B303.1]; forces acting on [C458.1]; in force [J188.0]; is the driving force behind [C1458.1]; it gives added force to ... arguments [Π2293.1]; now in force [J190.1]; one is forced to use [Π2557.1]; powerful force behind [M404.1J]; resultant ... force [P661.1]; to be forced [B303.0]; to come into force [B 1645.0]; to force [B 1856.0,3466.0];

to force out [B2017.0J]; we are forced to conclude [M407.1]; were forced to pay considerable attention to [Π2567.1]; will force a greater reliance on [B 1859.1]

**fore:** fore and aft of [Π84.1]

**forefront:** on the forefront of [H70.1]; to put in the forefront [B1781.0]

**foregoing:** [B2069.0, B2072.0, Π1929.4]; as described in the foregoing [K99.1]; foregoing considerations [B2075.1]; from the foregoing, it is evident that [H148.1]; in light of the foregoing [B487.1]; in spite of the foregoing criticisms [HI 615.1]; it is clear from the foregoing discussion that [H 148.3]; see the foregoing [C743.1]; with the foregoing as background [C161.1]

**foregone:** foregone conclusion [HI 270.1]

**foreground:** in the foreground [HI 04.1]; to push

into the foreground [B1781.0]

**foreign:** foreign material [Π1470.3]; foreign matter [Π1470.1]; foreign particles [Π1471.1]

**foremost:** [B882.0]; first and foremost

[Π1948.4];

foremost is [01017.1, C224.1]

**forerunner:** [Π1926.1]

**foresee:** cause trouble in ways not yet foreseen [Π2230.1]; we do not foresee any insurmountable problems [M414.1]

**foreseeable:** by foreseeable dates [B635.1]; for

the foreseeable future [B15.1]

**forever:** be gone forever [H839.1, Π2871.1]

**forge:** was ... forged solid with [01354.1]

**forging:** when forging is completed [K238.1]

**forgotten:** it should not be forgotten [H1068.1]

**form:** [0197.1]; are similar in form to [Π1540.2];

capturing ... essence in capsule form [H232. In-

complete reverse side of this form [3399.1];

data ... fit a relation of the form [0785.2];

expressed in matrix form [B 1955.1]; finite

difference form [K316.1]; follows the ... form [Π579.1]; form a very useful supplement to

[C676.1J]; form the basis of a hypothesis for [Π903.1]; form the subject matter of this paper

[C1091.1]; formed into [H460.1]; formulation

of

the governing equations in the general form

[B1729.1]; function ... is taken to have the form

[Π2442.1]; imposes a penalty in the form of

[Π2238.1]; improper form of [H1501.1]; in a ...

form [B730.0]; in a product form [B731.1J]; in

abbreviated form [B19.1]; in form [B17.0]; in

tabular form [B735.1]; in the form of [B730.0,

B730.1]; is formed into [Π2296.1]; is present in

the form of [Π2538.1]; is similar in form

[A138.1]; it is ... convenient to write the

resulting equations in ... form [Y146.1]; merge

to form [C646.1]; order form [B124.0]; react ...

with ... to form [B1053.1]; reacted to form

[P582.1]; recast in differential form as:

[Π153.1];

recast in dimensionless form [Π 152.1]; relation

of the form given by equation [3105.1]; shows

in... simplified form what happens to [Π978.1];

some form of [B736.1]; takes on the form

[Π2438.2]; to be formed into [H460.0]; to be...

in

form [H460.0]; to complete the form [3398.1];

to

form the basis for [J139.0]; to form the basis of

[J139.0]; to form the foundation for [J139.0];

took

- the form of [Π2493.1]; was different in form from [01396.1]; were fabricated in the form of [И 190.1]; were reduced to dimensionless form [Π2224.3]; would be of the form [B1950.1]
- format:** (01601.1)
- formatize:** [01610.1]
- formally:** formally notify [01606.1]
- format:** [Φ41.1]; be stated in a condensed and precise question format [Φ48.1]; format the output (Φ43.1); in this format [Π2082.1]; more appropriate format [B178.1]; to fit the format [Y226.1]
- formation:** [0195.1]; encourage the formation [C1229.2]; favor the formation [C1229.1]; formation by different routes [0196.1]; intermediate formation [Π2847.1]; outcome of... was the formation of [P643.1]; potential for formation [B906.1]; reaction for... formation [P583.1]; switch between formats [Π122.1]
- former:** division of the latter by the former yields [Д237.1]; former choice was made [01157.1]; former [Π46.1]; in the former case, ... in the latter case [B546.1]; instead of the former practice of [B1059.1]
- formerly** [Π1947.1, P346.4]
- formidable:** challenges are formidable [T494.1]; not ... as formidable a problem as previously believed [И 106.1]
- forming:** deposit forming tendency [T 147.1]; forming part [Я39.1]
- form:** differing forms [Э217.1]; forms a part [C1097.1]; forms the basis of [J139.3]; take ... forms [Π2438.1]; take a number of forms [Π2440.1]; take various forms [Π2439.1]; was ... tied up ... in chemical forms [C356.1]
- formula:** calculated by means of Formula [B2060.1]; calculated from Formula [B2060.2]; converting ... to ... by the ... formula [Π174.1]; correlation formula [Э80.1]; curve plotted from the theoretical formula [K477.1]; derivation of the ... formula is covered [Π2220.1]; formulas... through (Φ46.1); functional formula [Φ59.1]; leads to the following formula [Π2222.2]
- formulate:** problem as formulated [C1593.1]; to formulate... completely [Π1067.1]; was formulated [Φ47.1]
- formulation:** [B1725.0, C1070.2, Φ44.2]; formula-  
tion of the governing equations in the general form [B1729.1]; formulation of the problem [Π1460.1]; semi-empirical formulations [Π1210.1]
- forsake:** forsake ... for [01311.1]
- forth:** and so forth [И57.0]; back and forth [B 1040.1, B 1458.1, T501.1]; hypothesis was put forth ... concerning [B 1779.1]; much effort has been put forth [Π2348.1]; set forth [И231.1]; set forth in Table [Π2253.3]; theoretical basis ... is set forth [T160.1]; to put forth [B1777.0]; to set forth [И231.0]
- forthcoming:** (Π 1905.1); as discussed in the forthcoming [K105.3]; is forthcoming [0605.1]
- fortuitous:** is regarded as somewhat fortuitous [Π 1893.1]; it is fortuitous that ... can be [M381.1]
- fortunate:** it is indeed fortunate that [M376.1, T279.1]
- fortunately:** [K18.1]; but fortunately [H1797.1]
- fortune:** I had the good fortune [M186.1]
- forward:** are being forwarded [01489.1]; are best forwarded to [J112.1]; argument has been put forward [Π 1727.1]; explanation ... put forward [Π1729.1]; forward of [B1456.2, Π83.4]; forward rearward end [Π112.1]; forward the manuscript to [Π182.1]; in a forward [backward] direction [B232.0]; in the light of what has been put forward [B486.1J]; just forward of [H1476.3]; move forward [Д154.1]; pumped forward into [Π116.1]; put forward [B1777.1]; represented a major step forward [Я10.1]; to bring forward [B1777.0]; to put forward [B1777.0]
- forwarder:** appointed official forwarder [01604.1]
- fouling:** [3147.1]
- found:** [B1633.0, H601.1]; actually, it was found that [0692.1]; **are** ... found in nature [B1629.1]; are found in the literature [B 1628.1]; evidence for this suggestion can be found [Π865.1]; found favor [Π1166.3]; found it convenient [C1617.1]; found it necessary to [H605.1]; found that this **is** not necessary [H606.1]; found wide application [H614.1]; found wide usage in [H615.3]; have found common use [H614.2]; have found increased application as [H619.1]; have not been found to consistently provide [H624.1J]; identical procedure as found under [Π3019.1]; in looking further, it was found that [B90.1]; is found from [H602.1]; is not found as frequently as [0137.1]; is rarely if ever found [E124.1]; it was found that [0691.2]; it was found that... was [B2095.1]; it would be satisfying if explanations could be found [B385.1]; most frequently found [H339.1]; no correlation ... was found [K395.1]; none was found [H1742.1]; on one occasion... was found [B545.1]; problem is ... found (C 1372.1); reasons for ... are to be found in [Π2587.1]; reverse is found [H219.1]; this was found to be so [T30.1]; through experience it has been found that [0884.1]; to be found [B2094.0]; to be found in [B1627.0]; was ... found to be true with [0661.1]; was found to be [0682.2]; was found to be much more valuable than for simply obtaining spectrums [0681.1]; was usually found to be [0676.1]; were found to [B371.1, H623.1, 0691.1]; were found to be in excellent condition [H653.1]
- foundation:** established a foundation for [C976.1]; foundations for ... laid [3231.1]; foundations for ... were laid down [3231.2]; good founda-

- tion had been laid [3233.1]; to form the foundation for [Л39.0]; to lay (down) the foundation (for) [3231.0]
- founder:** one of the founders of [0517.1]
- four** burst into four parts [P219.1]; four stages appear definable [M329.1]; four to one [489.1]; highest... of the four [H347.1]; make ... in four pieces [И197.1]; stake... in four places [3526.1]; there are four basic ... from which to choose [И493.1]
- fourth:** fourth root of [K383.1]; three fourth places [T468.1]; to the fourth power [B676.1]
- fraction:** [Д603.0]; are a small fraction of [C 1080.1]; continued fraction [H1529.1]; fraction of [Д603.1]; fraction of a second [Д606.1]; is only a fraction of [C 1081.1]; L, the fraction of the total [Д604.1]; spend only a ... fraction of life [P79.1]; was a significant fraction of [C1079.1]
- fractional:** fractional powers [Д745.1]; negative fractional power [Д746.1]; to dispose of the fractional powers of [И153.1]
- fractionally:** fractionally greater than [HI 267.1]
- fracture:** be conductive to ... fracture [C1233.1]; fracture control [K358.1]; fracture initiation [H708.1J]; modes of fracture (B 1085.1); pre-mature fracture [II 1969.1]; up to the point of fracture [B 1472.1]
- fragile:** [HI 190.1]
- frame:** at any time within the time frame of [Г27.1]; covers ... the ... time frame [01617.1]; frame of reference [C490.1, C491.1]; in the ... time frame [B335.1]; is framed in terms of [B1945.1]; is referred to the cylindrical ... frame [P456.1]; reference frame [C491.2]; time frame [II228.1, II228.2]; within the scheduled time frame [B633.1]; within the ... time frame [B632.0]
- framework:** fit into the framework of [Y223.1]; general framework for understanding [0954.1]; offer a framework for [C689.2]; provide the ... framework of metabolic machinery [3232.1]; to provide the basic framework (of) [3231.0]; within... framework [B457.2]; within a... frame-work [B457.0]; within the framework of [B457.1]
- fraught:** are fraught with problems: [B524.1] iree: [E7.3, B30.2, B91.1, B1967.1, H1243.1, C303.2]; are free of [H874.1]; be free to move [C309.2]; be freed [0918.1]; free action [C302.1]; free of [B7.0, Л75.1]; free of charge [B90.1]; free to move [C307.1J]; frees... from [0921.2]; frees up space [B1968.1]; have kept... free of [II1779.1]; is ... odor free [H876.1]; is free to choose [C306.1]; is free to expand [M303.1]; is kept free of [II 1781.1]; is more free from complications [C 1058.1]; is obtainable free of charge [II126.1]; keep ... free of dirt [H841.2]; keeps it free of [3544.1]; kept ... free of [3541.2]; operation is free and smooth [B97.1]; to free [B1967.0]; to keep free of [3539.0]; warrants... be free of defects in material and workman-ship for a period of one year from date of [Г16.2]; warrants ... to be free from defects in materials and workmanship for a period of one year from the date [Г16.1]; was free of [H1089.2]
- freedom:** freedom from [01546.3]; freedom of choice [C301.1]
- freehand:** drawn freehand [B2051.1]
- freely:** fit freely on [C310.1]; rotate freely [B1505.1]; see if it rotates freely [Y32.1]; to move freely [C309.1]
- freezing:** freezing patterns [K 187.1]
- freight:** ocean freight [И850.0]
- frequency:** at the ... frequency [C185.1]; at twice the fundamental frequency [C186.1]; statistical average frequency [C1434.1]
- frequency-dependent:** [3103.1]
- frequency:** at more frequent intervals [C22.1]
- frequently:** [H1566.1]; be more frequently encountered [B 1625.1]; frequently encountered [421.2]; is not found as frequently as [0137.1J]; it frequently suffices to determine [426.1]; less frequently [C21.1J]; more frequently than in the past [436.1]; more frequently than one might expect [437.1]; most frequently found [H339.1]; most frequently used [H337.2]; not as frequently as [HI 111.1]
- fresh: start fresh [H715.1]
- freshly:** freshly applied [T322.1]
- friend:** were no friends to [HI 033.1]
- frigid:** frigid conditions [Y402.1]
- from:** [B474.0, B474.4, И118.0, И219.0, И816.0, H129.1, 0268.3, 01430.7, П484.11]; absolve ... from [0922.3]; acquired from different sources [II1196.1]; adapted ... from [II II 1.1]; advances from [Y417.1]; go on from here [II221.1]; omitted from [И52.1]; another contribution from [E223.1]; anywhere from ... to [B188.1, Г30.2]; apart from [319.1, 329.3]; apparent from [A109.1]; are abstracted from [3210.1]; available from [И480.2, B1772.1]; are different from those of [01390.1]; are distinguished from [01387.5, 485.1]; are exempt from [0921.1, T422.1]; are far from simple [Д101.1]; are hung from [II675.1]; are indistinguishable from [C645.1, II1650.1, P654.1]; are little different from [H1266.1J]; are momentarily excluded from the discussion [B1523.1]; are not easy to distinguish from [H1306.1]; are obtained from [3209.1]; are powered via... from [II264.1]; are quite different from [II1053.2]; are retired from service [И331.3]; are ruled out right from the start [И665.1]; are seconded from [II2335.1]; are separated from [01293.1]; arise from [B1340.2, II1590.1, II1588.1, ]; arises from the fact that [B1341.1]; arise from two sources [II2827.1]; as distinct from [B294.0, B294.6]; as distinguished from [B294.0, B294.7]; as from [H730.3]; as from the date of [C1618.1]; as is evident from the above [И148.2]; as obtained



from [П1191.2]; as one might have expected from [K83.1]; as viewed from the top of [E89.1]; aside from [E145.0, E145.3, K500.0, K500.1, П1246.2]; at a distance from ... of [H130.1]; at the opposite end from which [H65.1]; available from [Д733.1, И482.1, И523.1]; average ... from ... to [C1311.1], away  
 from [B851.1, H129.2, H170.1, 01536.1]; be determined from [0844.2]; be interested in hearing from [C24.1]; benefit from [И180.1, B1839.1, П1131.1]; borrow extensively from [M209.1]; break away from [01533.3]; built from drawings [C1514.1J]; calculated from [B2055.1, B2056.1, B2057.1, B2060.2, M366.1, П842.1]; came from [Я29.4]; cancelled from [C982.3]; carry heat away from [01263.1]; change from [И244.1, И287.1, И297.1]; change  
 from ... to [П190.1]; change from one ... to the next [И285.2]; change from the present position [И249.1]; changeover from ... to [П190.3, П191.1]; come loose from [01483.1]; comes about from [П2821.1]; comes from [П1501.1]; comes from the fact that [П2817.2]; comes from the need to [B 1830.1]; competition from [K326.1]; completely independent from one another [П11046.1]; conditions ... chance from [C716.1]; considered separately from the rest of [P469.1]; constructed from the data [П1489.1]; conversion from ... to [П190.7]; culled from [01206.1]; curve plotted from the theoretical formula [K477.1]; damage from outside sources [П558.1]; data from [Д109.1, Д114.1]; date of removal from storage [Д140.0];  
 dates from [01443.10, 01446.1]; deduced from [B1738.1]; depart from [01303.1, 01340.1]; departure from [01326.1]; departure from established practice [01336.1]; derive from [П1143.1, П1161.1, П1191.3, П1201.1, П2815.2  
 ]; derive from the fact that [0274.1]; derived from ... experiments [П1190.1]; derives its support from [0762.3]; described independently from [0781.1]; detract from [Y251.4]; detract... from the generality [J171.1]; detract from ... performance [Y586.2]; detract from the  
 value of [Y249.1]; detract from these advantages [060.1]; developed from [P305.1]; developed from scratch [P299.1]; deviation from [3290.1, 01326.2]; deviations from the nominal values [01328.1]; differ from ... in that [01391.1 ]; differ from each other by [01381.1  
 ];  
 differed from test to test [И286.1]; difference in the ... from the ... arises from [P230.1]; differences from the one just described [01410.1]; different ... from [Д755.1, 3630.1, K380.1, K380.2, M33.1 ]; different from one laminate to another [P289.1]; different from those of [И568.1]; differs ... in appearance from [01393.1]; disconnect... from [01348.1, 01522.1 ]; disengage from [C794.1]; displaced a distance ... from [01541.1]; distance from

[P502.1]; distance of ... from ... to [P503.1]; distinguished from [C610.1]; distinguished from  
 ... by [01374.1]; distinguished from each other [01375.1]; diverge substantially from [3628.1]; do not differ more than ... from [01388.1]; does not confer immunity from [H962.1]; does not differ greatly from [H967.1]; downstream from [31.0]; downward [upward] from [B1199.1];  
 elapsed time from rupture [B1546.0J]; eliminates ... from consideration [П1910.1]; elimination of ... from equations [И669.1]; emanate from [П1128.1]; emerges from consideration [B2013.1]; enjoined ... from [3407.2]; equidistant from [H136.1]; estimated from [01632.2]; evident deviations from [Я59.1]; experience gained from [0885.1]; extend from [B 1996.1]; extend from ... to [П195.1, П2919.1]; extract from [B1800.1, И182.1]; extrapolation of ... from ... to [Э72.1]; fabricated from [И191.1]; facing away from [0239.1]; far apart from each other [Д103.1]; far away from [Y97.1]; far from  
 [B851.0, B851.3, Д93.0, 01472.1]; far from ideal [Д96.1]; far from the truth [B248.2]; far from usual in [B 1039.1]; far removed from that  
 occurring in [M32.1]; fire started ... from [П1898.1]; follow from [C589.1J]; for reasons not  
 apparent from [П453.1]; for some distance ... from [H135.1J]; freedom from [01546.3]; frees ... from [0921.2]; from a balance of [И137.1]; from above [C279.1, Y498.1]; from a distance [H127.2]; from a fault condition [И220.1]; from  
 ... all the way to [H732.6]; from a knowledge of  
 [P550.1]; from ... comes word [И130.1]; from ... experience to date [C1533.1]; from ... on [H726.1]; from ... onward [H730.6]; from ... onwards [H730.7]; from the beginning [П1271.1]; from ... through [01201.1, C53.1]; from ... through the end of [H731.1]; from ... to  
 [H732.3, 01203.1]; from ... to and including [C53.2]; from twenty years hence [J142.1]; from  
 a... standpoint [C124.2]; from behind [И219.0];  
 from below [C781.1]; from beneath [И324.0, И324.1, C781.2]; from day one [C93.2]; from day to day [И124.1]; from divergent views on [И228.1]; from easy [Д100.1]; from experience  
 it is known that [И126.1]; from front [rear] of [C113.1]; from lack [331.1]; from left to right [C569.1]; from one ... to another [01204.1];  
 from one of several [П422.1]; from one side [C110.1]; from safety considerations (И132.1); from scratch [C39.1]; from symmetry arguments [П478.1]; from that time on [H733.1]; from the date of signing [C 194.1]; from the foregoing [И 148.1]; from the geometry of the problem [И817.1]; from the left [C568.2]; from  
 the perspective of [C124.3]; from the perspective of [C124.4J]; from the point that [B222.1J]; from the previous discussion [И149.1]; from the remainder of the analysis [П2056.1]; from the requirement that [И 136.1]; from the results

of this study [H85.1]; from the side [C249.1J]; from the standpoint of [C124.1]; from the standpoint of practice [C128.3]; from the time that it was first used [C32.1]; from the way in which [И135.1]; from then onward [H734.3, C34.1]; from these measurements [И464.1]; from this [01570.2, 01578.4]; from this it is concluded [01571.1]; from this it may be inferred that [И142.1]; from this it was inferred that [И141.2, 01579.1]; from this point on [H734.1]; from this point to the conclusion [C35.1]; from this time onward [H734.2]; from this we deduce that (01573.1); from time to time [B1533.0, B1533.1]; from top left to bottom right [C281.1]; from under [И324.0, И324.2]; from where [01367.1]; from within [И312.0, И312.2, C105.2]; gained from [И631.1]; get into trouble from [H725.1J]; gleaned from [C268.1]; have the least effects from [B663.1]; identifying ... from [P368.1]; immunity to interference from [HI 175.1]; in going from ... to [И2109.1]; in order to prevent this from happening [4206.1]; in progressing from ... to [И2064.1]; in regions remote from [B256.1]; in the range from ... to [B96.3]; indistinguishable from the background [H1455.1], infer from [B1738.2, И1787.1]; inferences drawn from [B1733.1]; info from [И632.1]; integrating equation ... from ... to [И586.1]; is a ... departure from [C476.2, P535.4]; is constrained from expanding [H821.1]; is easily predictable from [И16.1]; is extrapolated from ... to [Э69.1]; is far from complete (Д95.1); is far from optimum [Д89.1]; is far from smooth [Д94.1]; is found from [H602.1]; is more free from complications [C1058.1]; is spaced away... from [01538.1]; is stringently excluded from [K197.1J]; is traced from ... to [И2909.1]; isolated from each other [И322.1]; it is clear from [И140.1, И148.3]; it is known from [И121.1]; it may be argued from [C1532.1J]; judging from [C1535.1]; keep ... from [И1770.7, И1775.1, X120.1]; leading from ... to [И116.1]; learn from [M201.1]; less from consideration of ... than [HI 096.1]; little too far away from [HI 345.1]; long way from [H124.1]; looks no different from [H1776.1]; manage ... from [Y330.1]; measured from [И300.1, 01567.1]; most current results from [C236.1]; motivation for... stems from [H1399.1]; move ... away from [01479.1, Y94.1]; not suffering from [И75.0]; obtained from [И1191.1]; omissions from [HI 214.1]; on the opposite side of ... from the horn [H159.1]; operate from [P512.1]; originated from [3434.1]; papers coming from academe [C1439.1]; papers from industry [C1440.1]; peeled off from [01519.1]; Im-practical returns from [И1671.1]; predicting ... from [P549.1]; pressured from many sides [И761.1]; prevent ... from [H811.1, И1238.1, И1770.3]; prevent... from occurring [И1912.1];

prevented the author from reaching firm conclusions [H988.1]; preventing any excessive voltage from damaging [И1774.1]; proceeding from [И816.0]; proceeds from the position [H728.1]; production fell... from ... to [Д486.1]; protect from [B151.0, 3542.1, 3543.1, 3545.1]; protects ... from injury [И1784.1]; protrudes from [B1994.1]; pry... from [01300.1]; range from ... to [3328.1, И272.1, И282.1, H627.1, H732.5, 01200.1, C1086.1]; read ... from... chart [0826.1]; reasoning from [И816.0]; recoils from [01518.1]; refrain from [B1285.1J]; remains unchanged from [B215.1]; remote from [B851.0, B851.2]; remove ... from [057.1, 01347.1, 01521.1, 01688.1, C787.1, Y39.1]; repeatability from test to test [B 1432.1]; requested permission from ... to [0237.1]; requirements from customers [T428.1]; result from [B1340.LB2012.1, M257.1, И1202.1, Я29.3]; results from the fact that [И2817.1, И2822.1]; return from [B901.1]; rotate ... away from you [И546.1]; run concurrently from ... through [И3006.1]; safeguard ... from [И1779.2]; safely away from [HI 32.1]; secured from ... dangers [3475.1]; select ... from the many possible [B1694.1]; short distance from [H125.1]; slipped from ... to [И148.1]; somewhat differently from [H1581.1]; sourced from outside suppliers [И1457.1]; spaced ... from each other [01542.1]; specific conclusions reached from this investigation [K322.1]; starting from [И816.0]; statement evolves from the fact that [Y561.1]; stem from [B1829.4, 0271.3., И2815.1, Я29.5]; stems from the fact that [И2465.1]; stemmed from a desire [B 1342.1]; store away from heat, open flame and direct sunlight (X1 21.1); substituting ... from ... into ... we get [И830.1]; substituting for ... from ... in ... results in [И836.1]; substituting for ... from equation [И831.1]; substitution for ... from [И839.1]; suffer from [C1479.2, И76.1]; support ... from [0761.1]; suspended from [И676.1]; switch from ... to [И190.6]; switch over to ... from [И201.1]; switching from ... to [И123.1, И190.5]; tap ... from [B 1688.1]; that are required from [T457.2]; to arise from because of [B1829.0]; to assume the liability arising from [B1289.0]; to be derived from [B940.0]; to be ousted from popularity [B2048.0]; to be retired from service [И331.0]; to buy ... from [3268.1]; to choose from [H30.1J]; to choose from among the large number of possible [C390.1]; to come from [B1829.0]; to deduce from [B1727.1]; to detract from [И67.0, H924.1, Э152.1]; to disconnect ... from [01346.1]; to enjoin from [3407.0]; to expect from [453.1]; to fabricate from [И191.0]; to infer from [B769.1]; to keep out the debris from [И1782.1]; to keep the details of ... secret from [C558.1]; to make from [И191.0]; to preclude from [И1773.1]; to

proceed from the assumption that [И815.0]; to protect ... from [С1 167.1]; to remove from service [В1742.0, И331.0]; to save from [И150.0],  
to secure from [3474.0]; to select from among the various ... surfaces [В1692.1]; to start from the assumption of [И815.0]; to steer ... away from [H477.1]; to stem from [В1829.0]; to withdraw from service [И331.0]; traced from... to [П2907.1]; traces have been drawn from the maximum values of [K481.1]; transformation from ... to [П190.4]; transition from ... to [П190.2]; trend away from [Т151.1]; trend is away from [H221.1]; unchanged from [H909.1, 01115.1]; under sponsorship from [П2163.1]; unhook ... from [01583.1]; unsolder ... from [01487.1]; variations from [01326.3]; vary from [01387.3]; vary from ... to [И265.1, И284.1]; varies ... from one ... to the next [И285.1]; vary from one ... to another [И285.3];

vary in ... from ... to [И283.1]; vary much from [H428.1]; viewed from [E157.1]; viewed from above [E90.1]; warrants ... to be free from defects in materials and workmanship for a period of one year from the date [Г16.1]; was ... unchanged from the previous [H872.1]; was different in form from [01396.1]; was indistinguishable from [H1312.1]; was withdrawn from [Y92.1]; were ... ousted from popularity [В2048.2]; were converted from [П175.1]; were

derived from [В940.1]; were directly derivable from [В 1739.1]; were substantially aided by insights gained from [H1337.1]; when going from ... to [С48.1]; willingness from ... to sell [С902.1]; withdraw from the contract [A147.1];

withdrawn from service and handed over to [И332.1]; within ... proportions from ... to ... of each [С14.1]; within three 3 months from the date it received [H1004.1]; without assistance from [Б44.0, Б44.1]; without departing from the spirit and scope of the invention [Б42.0]; work in the vicinity from [P74.1]; work loose from [P561.1]

**front:** at the front... of [С 1152.1]; at the rear and the front [С453.1]; difficulties were encountered on various fronts [С 1375.1]; from front [rear] of [С113.1]; front view [В1077.0]; in front of [В1456.0, В1456.3, П83.3]; investigation on several fronts [И781.1]; remove the front panel [С793.1]; well in front of [Д91.1]; when ... from the front of [E87.1]

**fruitful:** attempts to ... did not prove fruitful [П1313.1]; efforts made to ... did not prove fruitful [П1313.2]; fruitful area of research [099.1]; fruitful teamwork [П297.1]; fruitful way to introduce the effect of ... is to use [П1014.1]

**fruition:** come to fruition on schedule [01182.1]

**fuel:** fuel consumption [П1523.1]; fuel crossover [П 192.1]; fuel economy [Э29.1]; hydrogen content of the fuel [С935.1]; less fuel [M114.1];

operation ... on ... fuel [P22.1]; remaining fuels [01145.1]; specific fuel consumption of the turbine [Y107.1]; to change fuels [П1197.1]; water contamination of the fuel [3150.1, П1283.1]

**fuel-rich:** [Б 149.2]

**fulfil:** expectations are fulfilled [П854.1]; fulfil the

condition [В1898.1]; fulfil the dual role [В1904.1]; fulfils ... functions [В1901.1]; has fulfilled its early promise [0800.1]; make the requirements easier to fulfil [0105.1]; these hopes show little promise of being fulfilled [M45.0]; to fulfil [В1873.0]; to fulfil a function [В1901.0]

**fulfillment:** [В 1866.0]

**full:** [Б117.0, И845.0, В953.0]; 2/3 full [3400.1]; at

... full scale [H110.1]; at full throttle [H35.1];

attain full speed [Д710.1]; continued for the full ... length [П2917.1]; followed in full [01174.1]; for full advantage of [4204.1]; for the full duration of [В688.1]; full account has been taken of [П1071.2]; full automatic [П 1034.1]; full benefit of ... is not realized [П1982.1]; full details of [В1012.1]; full facilities to [Б 121.1]; full information [И848.1]; full length [H53.2]; full line curve [С1 193.3]; full name [И537.1]; full potential of [В1001.1]; full response [П1077.1]; full scale [В239.1]; full scale testing [H585.1]; full set of test readings [В958.1]; full spectrum [В955.1]; is in full position in [П1040.1]; is now in full operation [P58.1]; is now in full production [P58.2];

obtain the full advantage of [П1160.1]; operate at full power [P57.1]; over their full control range [В 102.1]; penetrate the full length [И2863.1]; realize the full potential of [P588.1];

take full advantage of [В 1418.1]; take up full load [В269.1]; takes full account of [П1071.1, П1089.1]; takes full advantage of [П1044.1]; to a scale of 30 times full size [В177.1]; to full load [Д454.1]; to screw full in [В827.0]; to take full advantage of [П1036.1]; used to ... full potential? [П1043.1]; was decreased the full [Y265.1]; while giving full recognition to [П 1058.1]

**full-size:** [H584.1, П 1029.1]; full-size mockup [M234.0]

**full-sized:** [В239.0]

**fullest:** to the fullest extent possible (B659.2);

used to its fullest [И699.1]

**fully:** [В1475.0, Д453.2]; although a fully certain recommendation cannot be made at this time [X105.1]; are documented more fully in [В169.1]; be fully tropicalised [И402.1]; fully automated [П1033.1]; fully functioning [П1062.1]; fully in accordance with [В603.2]; has not yet been fully explained [E215.1]; have not been fully explored yet [П1038.1]; more fully [В167.0]; necessary to more fully assess [H1413.1]; to characterize fully [П1055.1]; was

fully discussed in ... and will not be repeated [Π796.1]; when fully developed [Π1374.1]

**fume:** migration of... fumes to [Π2865.1]

**function:** [Δ166.0, 3104.0]; **are** more a function of

the ... than of the [389.1]; as a function of [Bt 12.6, B737.0]; as a function of time [B737.1];

assign to ... functions for [B 1151.1]; did not function as per design [P76.1]; fulfils ... functions [B1901.1]; function ... is taken to have the form [Π2442.1]; function of... is to [H298.1]; function served by [Φ61.1]; functioned as [B1901.2, P44.1]; functions concerned [3214.1]; functions in removing (Φ62.1);

is a direct function of [H629.1, HI 479.1]; is a function of [Я35.1]; is a strong function of (C467.1); is equally a function of... as [392.1]; linear function [J152.1]; perform ... function [B1901.3J]; power function relation between [C1454.1]; protection, sequencing, alarms and ... control functions [Φ63.1]; scale... functions [H1860.1]; scan, gate, and process functions [0753.1]; serves two functions [B1903.1]; serves

the ... function of [B1902.1]; to assign to smb. functions for [BI 151.0]; to be a function of [388.0]; to fulfil a function [B1901.0]; to function [Δ176.0]; to function as [B1901.0]; to perform a function [B1901.0]; to serve a function [B1901.0]; understand the functions of [Y623.1]; varies as a function of (H273.2); will permit calculation of... as a function of [Π926.1]

**functional:** [P94.1J]; functional dependence [Φ59.2]; functional formula [Φ59.1]; functional instruction [Δ591.0]; functional requirements [T420.1J]; it is often not indicative of a functional problem [H783.1]; were functional [B331.1]

**functionality:** jeopardize the functionality [Π656.1]

**functioning:** fully functioning [Π 1062.1]; in the day to day functioning [B 111.1]; is not functioning [H1046.6]; is not functioning properly [P67.1J]

**fundamental:** [K175.0, 0966.2]; are fundamental to the understanding of [И398.1]; at twice the fundamental frequency [C186.1]; difference ... is not as fundamental, as it would appear [01386.1]; fundamental computer skills [0957.1]; fundamental idea [01018.1]; fundamental objection of [C438.1]; fundamental research [T159.1]; fundamental theoretical study [K177.1]; fundamental to understanding or [H1520.1]; fundamental understanding of the ... process [Π 1266.1]; in fundamental terms [B341.1]; is complicated by the fundamental differences [0938.1]; is of fundamental importance [И397.3]; makes fundamental changes in [H260.1]

**fundamentalist:** [T153.1]

**fundamentally:** [B403.0, T163.3]; fundamentally

... practically [C129.1J]; is fundamentally differ-

ent from [K380.1]; is fundamentally simple in that [B405.1]

**fundamentals:** [01004.1]; when stripped down to its barest fundamentals [E1 13.1]

**furnace:** encountered in actual furnace practice [B1635.1]; furnace cooled [01623.1]

**furnish:** [Π1450.2]; are ... furnished [Π1450.4]; are furnished on request [B1771.1J]; be furnished with [K300.1]; furnish excitation [036.1]; furnishes [034.4]; list of spare parts furnished at extra cost [B871.0]

**further:** [B89.0, B89.5, Δ86.1, Δ611.0, Δ622.0, E198.1, E219.3, K501.1, J177.0]; adding further emphasis to the importance (Δ618.1); adds further confirmation of [C691.1J]; adds further credence to [J178.1]; analogy ... be taken further [Π2737.1]; and no further melting occurs [И47.1]; Another ... A further, ... Still another, ... Yet farther object [0532.1]; are worth further investigation [3449.2]; needs further investigation [B 1400.1]; be scope for much further effort [И498.1]; be the subject of further studies [C1409.1]; before delving further into [Π 1962.1]; brought into view a further requirement [B 1780.1]; constitute a further degree of complexity [Δ621.1]; decrease still further (Y263.1); deserves further study [3449.1]; deserves some further explanation [3453.1]; eagerly await further developments in [0604.1]; further amplified [Δ619.1]; further categorized as [Δ616.1]; further complicate [Δ615.1, E1 94.1]; further compounds this problem [Δ614.1]; further confirmation [Δ636.1]; further defense against [Δ627.1]; further discussion on this is delayed until [Δ106.1]; further emphasis should be placed on investigations (Э105.1); further examination [Δ104.1]; further illustrates [C505.1J]; further indication [E226.1]; further influences [Δ612.1]; further insight [B157.1, B176.1, Δ629.3, Δ629.4]; further investigation ... is in progress (B58.1); further refined [3597.1]; further review [Δ698.1]; further use [Π1419.2]; further work is required [P34.1]; further work in this area appears warranted. [Δ344.0]; if necessary ... to further [Π2098.1]; if the further specification is made that (£66.1); if we now carry our analogy ... a step further [E83.1]; in looking further, it was found that [B90.1]; is further degraded [P362.1]; is further increased [Δ620.1]; it can build up no further [Δ105.1]; it is further noted that (01422.1); lending further confidence to [E195.1J]; lent further support to [Δ617.2]; must await further investigation [H1881.1]; need not be adjusted further [H932.1]; need to be substantiated by further experimental data [H1883.1]; needs for further work [H1408.1]; needs further [H1880.1J]; needs further careful study [H1882.1]; no further trouble occurred [H1745.1]; prevent further

[П2031.1]; provides further justification [J179.1]; require further study [Д337.1]; ruled out further consideration [И655.1]; situation may be further aggravated [П 1096.1]; suggest further [Д36.1]; task is further complicated by the fact that [3169.1]; technology is further advanced [T249.1]; to further complicate matters [П2603.1]; to render ... unfit for further use [C397.1]; warrants further discussion [3458.1]; was further supported by [П 1159.1]; went further [П950.1]; yet a further [E219.0]; yet a further step in this direction [E221.1]

**furthered:** accomplishment of these objectives was furthered by [C 1226.1]

**furthering:** greatest stumbling blocks in furthering our business [C441.1]

**furthermore:** furthermore [Д86.0, K501.2]

**future:** [B284.0, B 11.3, 0600.1]; at some future time [K232.1]; considerable improvement is sought for the future. [Д215.0]; direction for

future research [H470.1]; expected to be used in the near future [0597.1]; for future use [Д348.1]; for the foreseeable future [B15.1]; for the immediate future [B12.2]; future investigators would be prudent to [B286.1]; future of advanced ... is dependent upon this [01197.1]; future proposed [П1734.1]; future use [П1419.1]; in the near future [B12.1J]; in the not-too-distant future [B14.1]; in the relatively near future [01436.1]; is planned for the near future [П286.1]; is projected... for the future [П283.1]; lends confidence in the future use of ... for [B 1576.1]; scheduled to begin in the near future [H704.1J]; should future [H144.1]; state of affairs will change in the near future [B42.1]; to lay the groundwork for future [3234.1]; what is the future of [4168.1]; will be relevant to the future [П1257.1]; will serve as a starting point for future studies along such lines [П1425.1]

## G

**gain:** [B1756.0, B1841.0, П2519.1]; advantage gained using [П1977.1]; but there is yet another important message to be gained [H1800.1]; experience gained [H377.1]; experience gained from [0885.1]; experience gained in many years of lecturing [0878.1]; experience in ... has been gained [П2485.2]; gain access to [П 1138.1]; gain experience with [П2485.1]; gain in [B 1360.0]; gain more confidence in [П2471.1]; gain some understanding of [П1164.1]; gained ... wide acceptance in (H615.2); gained favor [3126.1]; gained wide acceptance [3127.1]; gained wide-spread acceptance [П 1171.1]; has ... gained in importance (B1366.1); have gained some appreciation of [П 1130.1]; in order to gain some knowledge as to [4197.1]; information gained from [И631.1]; little advantage is gained [B1843.1]; nothing is gained by it [B1759.0]; one gains an impression that [C523.3]; outweigh any gains [П1696.1]; power gain [B 1842.1]; there is little advantage to be gained by [Д44.1]; to gain [Д480.0]; to gain a more complete picture [П1146.1]; to gain acceptance [3126.0]; to gain favor [3126.0]; to gain insights into the effects of [P 167.1]; to gain some insight into [П1164.2]; were substantially aided by insights gained from [H1337.1]

**gaining:** be instrumental in gaining [C1225.2]; gaining practical insight into [П2488.1]; gaining wider and wider acceptance [3128.1]

**gamut:** spanned the gamut [01618.1]  
**gap:** bridges the gap between [П117.1]; closing of the gap [C246.1]; fill the gap between [J49.1]; gap between [P540.4]; gap between theory and observation [P335.1]; to fill... gaps [J48.1]  
**gas:** gas borne [HI 635.1]; gas operated [P86.1]; smell gas [4226.1]; the gas side of... company [Г4.1]

**gaseous:** gaseous nitrogen [Г5.1]

**gasification:** gasification route [П3094.1]

**gasket:** is mounted with a gasket [Y468.1]

**gate:** scan, gate, and process functions [0753.1]

**gauge:** clearance gauge [Ж8.0]; correction was applied to the readings from... gauge [B1228.1];

gauged [01627.2]; pressure ... gauge [И165.1]; to fit clearance gauge [B1464.1]; to gauge [И299.0]

**gauging:** [И298.0]; gauging application severity [01644.1]

**gave:** gave a course of lectures [4114.1]; gave a presentation [B2001.1]; gave much of his time to [Y 114.1]; gave the best results [Д57.1]; gave

way to [Y545.1]. (См. также **give**).

**gear:** are geared to [H628.1]

**gearing:** gearing up [Y382.4]

**general:** [B1578.0, П2809.1]; apply ... general analysis to the special case [П2370.1]; became accepted for general use [C 1405.1]; become general [C1405.2]; disallowing any general comments [HI 000.1]; follow... general pattern [C591.1]; for general use [0334.2]; formulation

of the governing equations in the general form

[B1729.1]; general... considerations [0342.1]; general application of a single... curve [И689.1]; general behavior [0326.1]; general comparison of... results [C1279.1]; general conference sessions [П295.1]; general consensus on [B1580.1]; general description [0335.1]; general framework for understanding [0954.1]; general impression of [0330.1]; general lack of concern in [0331.1]; general object of the invention [И19.1]; general pattern ... continues at [K186.1]; general purpose [0334.1]; general sessions [П295.2]; general specifications [0344.1]; general statements [Y559.1]; general state-of-the-art of [0340.1]; general to all the [0317.3]; general trend [3253.0,3253.1]; general view [B1077.0]; in general... is indicated by these data [B264.1]; in general terms [B265.0]; in general terms [B265.1]; in general [B260.0, B544.1, B 1371.2]; in the most general case [B552.1]; is general in nature [И465.2]; is given general consideration [P486.1]; is in general agreement with [B262.1]; is more general [И466.1]; is more general in its application [И438.1]; proposed methodology appears to be general [П1737.1]; reasonably general [Д689.1]; set of general... instructions [P785.1]; then we can, in general, assume that [3481.1]; this invention relates in general to ... and more particularly to [H574.1]; three general principles govern the operation [B274.1]; were more general [И 163.1]

**generality:** [0346.1]; detract... from the generality [И71.1]; few statements of generalities [P784.1]; lack generality [И72.1]; to disturb the generality [H513.1]

**generalization:** generalization of ... will ... be sought (П1305.1); some generalizations ... about [H1301.1]

**generalize:** generalize ... to [0146.1]; in a generalized form [B732.1]

**generally:** [B260.0, B741.0, B1371.0, K110.2, 0400.1]; are generally recognized [0299.1]; generally available [0298.1]; generally speaking [B1372.1]; generally unsatisfactory situation [B742.1]; however, it is generally agreed that [0561.1]; in the past it was generally considered [B425.1]; is generally inadequate to [H1 543.1]; is generally referred to as [H302.1]; it is generally accepted that [0314.1]; it is generally agreed that [0314.2]; it is generally known that [0302.1]; it is generally recognized that [0305.1]; it may be proved quite generally [Д536.1]; it would generally be beneficial to [0401.1]; recourse is generally taken to [0412.1]; this generally has the effect of [Э118.1]; to be generally useful [П2276.1]; were generally accepted [П1167.1]

**generate:** data ... were generated [П1133.1]; energy is ... generated [B1932.1]; generate ... power [П2492.1]; generate replies to... inquir-

ies [C1087.1]; generated interest for [П2610.2]; has generated wide attention ... to issues [П2202.1]; plot ... is generated [C1513.1]; there is every possibility of a ... generated (И499.1); to generate [B1801.0, B1931.0]; to generate a need for [B1811.0]; to generate interest [B1806.0]

**generation:** [B1934.0]

**generically:** referred to generically as [0145.1]

**genuine:** [И808.1]

**genuinely:** [Д 170.0]; genuinely influences [Д 171.1]

**geometric:** constructed to a geometric scale ratio of 1:10 [И186.1]; geometric mean [C1319.1]

**geometry:** detailed ... geometry [П818.1]; from the geometry of the problem [И817.1]

**germane:** and it is germane that [И31.1]

**gerund:** important in gerund [B783.0]; in hopes of gerund [B227.0]

**get:** as ... programs get more complex [C 150.1]; get around the patent [0282.1]; get into [П1284.1]; get into trouble from [H725.1]; get longer [Y142.1]; get out of balance [0683.1]; get the feel of [0913.1]; get too specific [B850.1]; gets closer to [П2174.3]; gets its name because [П 1150.1 ]; gets shorter [Y236.1]; promises to get better [062.1]; substituting ... from ... into ... we get [П830.1]; to get rid of [И152.0, И152.1]; to get too specific (B850.0); to get used to a new [П2264.1]; under no circumstances should ... be permitted to get [H1695.1]

**getting:** getting ... work underway [PI 89.1]

**give:** could give misleading results [M274.1]; could the author give some guidance on [H918.1]; give ... a final half turn [3515.1]; give ... an opportunity [П1759.1]; give a broad indication of [Д42.1]; give a visual impression of [Д40.1]; give an excellent fit to [01678.3]; give an immediate insight into [Д22.1]; give better agreement [И109.1]; give confidence in [B1574.1]; give considerable insight into [П921.1]; give evidence [П843.5]; give good insight into what takes place in [X35.1]; give no warning (П2824.1); give rise to [Д23.2]; give satisfactory service for [Y160.2]; give special consideration to [0216.1, Y116.2]; give way to [П 193.5, C724.1]; give weight to the fact that [Y615.1]; it would be misleading to give the impression that [Y13.1]; occasionally give problems [И565.1]; this in itself should give [Y186.1]; to give [Д3.0]; to give a ... [B1992.0]; to give a physical appreciation of [4179.1]; to give a reaction [Д50.0]; to give a result [Д51.0]; to give an answer to [Д27.0]; to give an example [H487.7]; to give an idea of [Д37.0]; to give an indication of [Д37.0]; to give an insight [Д18.0]; to give an insight into [Д37.0]; to give confidence [B1573.0]; to give due credit to [01272.1]; to give rise to [B932.0]; to give security for the reimburse-

ment [Г15.1]; to give security for [Г14.0]; to give some idea of [Д41.1]; to give the ability [Д9.0]; to give the trends but not precise numerical answers [С 175.1]; to give way to [М1 15.0]; to give your opinions on topics of [В1974.1]; we now give the expressions of [П2251.1]. (См. также **gave**).

**given:** [Д118.1, Е46.1, Е131.1, 3162.1, П2161.4, С157.1, Y619.4]; are given for reference [Д14.1]; at a given point in time [H75.1]; beyond those given ... [П1249.1]; careful attention ... be given to [0216.3]; considerable thought was given to [Y109.1]; considerably less attention has been given to [Y 118.1]; consideration should be given to [С628.1]; consideration will now be given to [P482.3]; credit ... given for [П2408.5]; credit be given for [П2408.4]; first area given attention was [П66.1]; for a given [A341.1, A342.1]; for a given [n2071.1]; for the same reasons given in [П455.1]; given consideration to using [P458.1]; given impetus to [Д66.1, С 1456.2]; given proper care [П2149.1]; given some years of service (П2894.1); given the same [П2153.1]; great care should be given to the thought of how [HI 901.1]; greatest [least] weight is given to [П2286.1]; have ... been given second priority to [П36.1]; have given us ... firm as a reference [С1343.1]; if credit were given for (E102.1); in a given time, ... within a given time [34.1]; is ... given prominence [01059.1]; is given general consideration (P486.1); is given precedence [01276.3]; is given serious consideration [Y117.1]; is not... given prominence [H1130.1]; no serious thought was given to [HI 766.1]; no weight was given to [HI 030.1]; precedence must ... be given to (B323.1); preference is given to [П1812.1]; preference will be given to [01276.5]; primary consideration must be given to [0987.1]; priority has ... been given [01276.1]; relation of the form given by equation [3105.1]; to shift ... a given amount [H261.1]; was given specific instructions [П3011.1]; weight was given to [П2287.1]; were given ... treatments [П654.1]; were given a ... coating [H445.1]; were given strong consideration [Y109.3]; were given the task of [B373.1]; within a given class of [B392.1]

**gives:** [Д3.1]; decomposing ... into ... contributions gives [P249.1]; gives ... confirmation of [П843.3]; gives ... incentive for [С702.1]; gives ... insight into [Д37.1]; gives a ... list of [С947.1]; gives a ... reaction [Д50.1]; gives a factor of 4 in [Y57.1]; gives a paradox [П2233.1]; gives an indication of [С693.1]; gives confidence that [В1575.2]; gives its consent [Д64.1]; gives license for the use of [Д35.1]; gives rise to [П2222.3]; gives the ability [Д9.1]; gives up [01309.1]; gives up ... heat [01280.1]; gives way to [M120.1, H151.1]; he gives only a slight

indication of [Д39.1]; it gives added force to ... arguments [П2293.1]; solving for ... gives [P725.1]; which when substituted in ... gives [4159.1]

**giving:** giving access to [040.2]; giving cause of major concern [В1834.1]; terminated ... giving [A 148.1]; while giving full recognition to [П1058.1]

**glance:** at first glance [H13.2]; enables ... to be seen at a glance [П933.1]; merit more than a passing glance from [3454.1]; might at first glance appear to be [M298.1]

**glaring:** are glaring [B283.1]; to be glaring [B283.0]

**glean:** clues concerning ... can ... be gleaned from [С268.1]

**global:** [B1578.1, 0316.5]

**glow:** instrument panel lights do not glow [H809.1]

**glue:** glue application [H436.1]; glued to [П2334.1]

**goal:** [3167.3, 3168.0]; aimed at a common goal [И414.1]; are extremely effective at achieving this goal [01675.1]; conflicting design goals [П2979.1]; design goals should be to [С620.1]; emission goals [K364.1]; goal, then, is to provide [П24.1]; goals ... met or exceeded [056.1]; goals were met [Д723.1, 3177.1, 1427.1]; primary goal [0980.1]; ultimate goal (K3 14.1); was the goal [П26.1]

**go:** as time goes on [С122.5, С189.3]; be gone forever [И839.1, П2871.1]; goes a long way toward [0645.1]; goes away [И838.4]; goes into creating [3492.1]; goes on dropping [П2741.1]; goes on to state [И108.1]; goes through a maximum [П3013.1]; goes through numerous ... checks [П661.1]; goes under the name of [И110.1]; goes well beyond [H431.1]; history of ... goes back more than ... years [И810.1]; in succession, goes on to ... and [П 1401.1]; nothing goes entirely according to plan [H786.1]; power goes through ... to [П1683.1]; presentation of results will begin with ... it then goes on to [0773.1]; to screw as far as it goes [B827.0]

**going:** additional benefit in going to [Д623.1]; before going into the ... details [П1963.1]; going to [П188.2]; in going from... to [П2109.1]; in going to [П2108.1]; keep you informed of what is going on [Д264.2]; when going from ... to (С48.1); without going into the details of [H767.1]; work is going on in significant amounts [П11.1]

**good:** and with good reason [И42.1]; are good representations of the performance [X60.1]; as fixed by good design practice [0853.1]; as good a [Т85.2]; **be** in good condition [H652.1]; consistent with good piping practice [B600.1]; consistent with good practice [B599.1]; does a remarkably good job of accounting for [01679.1]; give good insight into what takes

- place in [X35.1]; good ... practice [Y495.1]; good engineering practices [П 1109.1]; good foundation had been laid [3233.1]; good habit is to [H1898.1]; good or bad [B1177.1]; good performer [X72.1]; good potential for [X34.2]; good potential for this end [X38.1J]; good prospect [Я22.1]; good success rate [B1982.1]; good working order [И745.0, X36.1]; holds good for [C1245.1]; I had the good fortune [M1 86.1]; in good condition [B617.1J]; in good working order [B622.1]; is a good indication of [C695.1]; is as good an insulator as [H1 139.1]; is as good as [H1 138.1]; is equally good [T85.1]; is not acceptable for good engine performance [H 1546.1]; is only as good as [T319.1]; it is ... good practice [П1011.1]; it is always good practice [P677.4]; it is good practice [П3.5]; it makes good sense to [И449.1]; just for good measure [П2921.1]; looks every bit as good as [B1752.1]; maintained in good order [П710.1]; makes for good [Y241.2]; now is a good time to [C414.1]; now that a rather good understanding ... has been attained [T170.1J]; possesses good... properties [088.1]; produced repeatedly good results [Д58.1]; prohibit a good indication of whether ... actually happened [H1 001.1]; remains as good as [H1777.1]; represent a standard of good practice [01031.1]; show good agreement with [X76.2]; there is good reason to believe [И502.1]; there is good reason to expect that [И496.1]; this is the good news. The bad is that [Э201.1]; to issue the certificate of origin for goods [B1770.0]; to make good sense to [И449.0]; twice as good [B857.0]; via the good offices of [П2085.1]; was ... as good as [H1776.2]; was in good agreement with [Y161.1]; was not as good as [Б341.1]
- GOST:** GOST [Г99.0]; to issue a COST on [Г100.0]; to specify a GOST [ПОО.0]
- govern:** is governed [0792.6]; is ... governed by [0840.2]; is governed by [388.9]; lesser of the values ... governs [B144.1]; three general principles govern the operation [B274.1]; to be governed by [388.0, И814.0]; where differences exist... shall govern [B559.1]
- governing:** formulation of the governing equations in the general form [B 1729.1]; governing factor [P728.2]; governing mechanism [0855.1]; primary considerations governing [Г58.1]
- government:** government directive [П 1635.1]
- government-owned:** [Г101.1]
- grace:** period of grace of one month of [01527.1]
- grade:** [M50.1]; comes in a broad selection of grades [B1928.1J]; commercial grade [П2857.1]; grade ... between ... elevations [Y232.1]; low grade [H1732.1]; manufactured in... grades of [И191.4]; reagent grade [X25.1]; to be graded [И270.0]; were finished to grade 10 specifications [0185.1]; was graded [И270.2]
- gradual:** on a gradual and limited basis [П 1465.1]
- gradually:** [П 1462.1]; decays gradually [П 1464.1]
- graduate:** graduated in (0693.1); is graduated at a unit of 0.5% [Г110.1]
- graduation:** [Д235.0]
- grain:** at the grain boundaries [П359.1]
- grant:** credit of... granted [П1761.1]; grant... for [Д744.1]; it is ... taken for granted [C 1615.1]; licenses granted to [J156.1]; one tends to take this for granted [0416.1]; patent ... granted [B1768.1]; recertification will be granted to [K12.1]; takes for granted (П2407.1); to grant a patent [B1768.0]; was granted ... patents by the United States [П 1156.1]
- graph:** [Г119.0]; graph ...was prepared [П1487.1]; plotted on the ... graph [H449.1]; to plot the data on the ... graph [H448.1]
- graphically:** presented graphically [П1840.1]
- grasp:** [B1076.1, 3518.2]; physical meaning of... is more readily grasped [Ф22.1]; to grasp [B1076.0, 3518.0]
- grateful:** authors are grateful to ... for [A75.1]
- gratifying:** is very gratifying [01669.1]
- gratitude:** to express gratitude [B1943.0]; to express gratitude ... for [B1944.1]
- grave:** pose grave danger to [П 1853.1]
- gravitate:** [C 1443.1]
- gravity:** by gravity [П607.1, C212.1]; under zero gravity conditions [B716.1]
- gravity-fed:** [П607.3]
- gray (grey):** gray area [098.1, П2846.1]; shades of grey [01580.1]
- grease:** grease ... applied, sparingly (H442.1); inject lubricant with a grease gun [3529.0]
- great:** [Б224.0]; (a great) number of [Б240.0]; are a great improvement over previous [H418.1J]; are of great practical importance [И400.1]; area of great current interest [О100.1j]; at great distances [H133.1]; confidence that ... is not great [Б230.1]; defined in a great variety of ways [C1571.1]; even though great strides have been accomplished [H1616.1]; great body of [Б240.0]; great care must be taken [H1 382.1]; great care should ... be taken [C624.1]; great care should be given to the thought of how [H1 901. 1j]; great deal [M203.0]; great deal (of) [M1 93.0]; great deal has been said and published about [M1 95.1]; great deal of [M193.1]; great deal of ingenuity has been shown [П3042.1]; great deal of progress has been made in [C404.1J]; great deal of scatter [Б229.1]; great hope for... must lie with [B1008.1]; great number of [Б240.1]; great pains are taken [П2346.1]; great paucity of [Б231.2]; great significance was attached to [П2288.3]; has a great advantage over [И434.1]; has been shown not to have a great effect [П992.1]; holds great promise toward [01670.1]; should not pose too great a problem [H795.1]; is of great value to [П1859.1]; matter of great concern [Д245.1]; means a great deal for



- [M207.1]; offers a great intellectual challenge [01365.1]; take a great amount of abuse [062.1]; taken great pain [Π2349.1]; there is no great interest on the part of... to build [Y9.1]; there were great expectations that [B256.1, B 1288.1]; to have great potential [072.1]; with great care [C43.1]
- greater** [B201.0]; and, of even greater importance [И73.1]; at a time when ... has never been greater [C411.1]; equal to or greater than [P135.1]; experience greater technical development [Π760.1]; explored in greater depth [И795.2]; fractionally greater than [H1267.1]; greater than [Б 153.1, Б189.0]; greater than ... a constant amount [B208.1]; greater than ... times [B443.1]; greater than or equal to [B204.1]; in greater detail [Π800.1]; in the near vicinity of, but greater than [01653.1]; is causing greater attention to be paid to [3471.1]; is equal to or greater than [P135.2]; is many times greater than [B450.2]; is over two orders of magnitude greater [B198.1]; is up to, but not greater than [Д709.1]; many times greater [B444.1]; many times greater than that of [B450.1]; merits greater discussion [3452.1]; minima are greater [M180.1]; much greater [Г88.1]; need be no greater than [M310.1]; no greater than [H742.2]; of ... or more ... of ... or greater [H901.3]; of equal or greater significance is [T86.1]; offer... greater latitude in [Д63.2]; positive exponent greater than unity [Π 1111.1]; prompted greater attention toward ...rather than [3473.1]; similar, if not greater [T88.1]; some being greater than others [Y8.1]; somewhat greater in magnitude [H1575.1]; there shall not be a greater difference than ... between the highest and the lowest temperature [P285.1]; though the actual ... could be somewhat greater [X85.1]; to investigate in greater depth [И795.1]; will force a greater reliance on [B1859.1]
- greatest**: are at their greatest [M1 1.1]; at its greatest [M9.0]; by far the greatest [Б103.1, 3618.1]; by far the greatest potential for [H415.1]; finds its greatest usefulness in [H612.1]; greatest stumbling blocks in furthering our business [C441.1]; greatest weight is given to [Π2286.1]; have seen greatest use [H341.1]; of greatest use [H337.1]; to the greatest extent possible [B659.3]
- greatly**: [B198.0, 3614.0]; does not differ greatly from [H967.1]; does not greatly improve [H1025.1]; greatly contributed [B206.1]; greatly exceed [C478.1]; greatly simplifies [C481.1]; is greatly facilitated [01668.1]; situation is not improved greatly by the use [И687.1]; without greatly [Б8.0]; without greatly increasing model complexity [Б 11.1]
- green**: green READY TO RUN lamp not on [H808.1]; indelibly... green [H1622.1]
- greenish**: greenish yellow [3570.1]
- grew**: grew in stature [Π2479.1]
- grid**: grid is marked on [H447.1]; grid size [ИИ6.1]; operating on the grid [P47.1]
- grim**: total... picture is not as grim as [0336.1]
- grinding**: grinding allowance [Д651.1]
- gross**: gross chemical analysis [B807.1]; gross effect [C1545.1]; gross overstatements [B248.1]; gross properties [C338.1]
- ground**: [3202.0]; at ground level [H173.1]; attach the ground wire [Π2524.1]; breaking new ground [Π2834.1]; broke ground for its ... plant [Π2532.1]; broken new ground [C977.2]; but there is little common ground between [H1798.1]; check that... is properly grounded [Π2659.1]; connecting a ... voltmeter between ... and ground [Π2523.1]; ground based technology [H292.1]; ground can be provided by [3203.1]; ground is provided to pin [C958.1]; ground is removed [01520.1]; grounded [3205.2]; grounds for rejection [0960.1]; grounds of appeal [0959.1]; has a ground through [3317.1]; is connected to ground [3205.1]; negative ground [M182.0]; objected ... on the grounds that [B 1357.1]; on grounds of (H83.2, Π442.1); on the grounds that [H88.1]; on theoretical grounds we assume [T164.1]; receives a ground [C966.1]; removes a ground from the switches [01521.1]; run the ... ground wire [Π2836.1]; short to ground [K389.1]; surface ground on ... paper [ИИ35.1]; system ground [3204.1]; there is little common ground between ... and [И491.1]; were ... ground and lapped [ИИ33.1]; were ground to a nominal surface finish [ИИ32.1]; were ground to the ... fineness [И237.1]
- groundwork**: to lay the groundwork (for) [3231.0]; to lay the groundwork for future [3234.1]
- group**: [Г139.1]; be divided into ... groups [P204.1]; be subdivided into ... groups [Π785.1]; belong to ... groups [Π2400.1]; fall broadly into three groups [P432.1]; group [individual] set list [B867.0]; group headed by [Г140.1]; group set of spare parts [Г146.0]; grouped... into [P203.1]; Task Group [И2.1]; to be grouped into [Д238.0]; working groups [P98.1]
- grouping**: by grouping the data according to [Г142.1]
- grow** [B1361.2, Y65.1]; grow by ... annually [B1362.1]; grow in magnitude [P518.1]; to grow [B1361.0]
- growing**: fastest growing [H310.1]; growing body of evidence [P522.1]; growing need ... of [P521.1]; is finding a growing market [H620.1]; is growing each year [P519.1]; there is growing evidence that [И488.1]; there is growing interest ... in [P520.1]; those problems have been growing in dimension ever since [M64.1]
- growth**: abets the ... growth [C1234.1]; growth in ... output (P759.1); growth in the market for [P760.1]; growth of [B 1360.0]; growth phase

[Π234.1]; major factor in suppressing the growth [Γ46.1]; resist the growth in application of (Π2033.1); uninterrupted growth [H1517.1]  
**gauge:** out of gauge equipment [H1 183.1]  
**guarantee:** [Γ6.0, Γ10.1]; does not ... guarantee [E210.1 ]; does not guarantee by itself [C 198.1 ]; guarantee commitments [Γ13.0]; guarantee for equipment operating [Γ20.0]; guarantee point testing [Γ12.1]; guaranteed [Γ6.0]; is no guarantee [H805.1J; letter of guarantee [Γ11.0]; manufacturer guarantees trouble-free operation of the article for ... years since the day of shipment from the plant [И207.0]; there is no guarantee that [H1654.1J; to guarantee [Γ14.0]  
**guard:** be guarded against [01162.1]; mu?c be guarded against [C608.1]; to guard ... agp.inst [J343.1]; to guard against [027.1, ΓIII70.5, 4182.1]  
**guess:** [Π2177.2]; been guessed befr'ehand [J522.1]; is guessed [3158.1]; starting guess [H711.1 ]; who would have guessed that [K513.1]  
**guesswork:** [P13.1]  
**guidance:** could the author give some guidance on [H918.1]; design guidance for [P673.1];

more guidance in ... is needed from ... codes [H1864.1]; provide guidance for making [Π1256.1]; under the guidance of [Π1614.2]  
**guide:** (P668.1); as a guide [B145.1]; for... the ... criterion may be used as an approximate guide [Π2091.1]; guide... in selecting [0644.1]; guide and encourage [H478.1]; guided by ... results [C1534.1]; inspection and maintenance guide [E26.0]; only as guides [T309.1]; only serve as a guide [C672.1]; serve as a guide to the order of assembly [Y212.1]; serves as a guide to [C686.1, Y211.1]; to be guided by [И814.0]; useful guide for... programs [P773.1]; were guided by [P774.1]  
**guidelines:** [01007.2]; applicable guidelines in [01459.1]; design guidelines for [P671.1J; following the guidelines of the manufacturer [B595.1]; guidelines for ... are contained in [P674.1]; guidelines to [P669.2]; hard-and-fast guidelines [T121.1]; recommendations for the development of guidelines [P672.1]  
**guiding:** guiding ... improvement [Π945.1]; guiding principles [P777.1]  
**gun:** inject lubricant with a grease gun [3529.0]

## H

**habit:** good habit is to [HI 898.1]  
**habitually:** [0400.9]  
**half:** cut in half [P313.1, Y252.2]; give... a final half [3515.1]; half... as high [B445.1]; have half a point [H460.1], in half the time [B446.0]; in the latter half of [B356.1J; is half the [P139.1, C1089.1J; one half ... is analyzed due to symmetry [B1599.1J; one half as many [B858.2]; over the last half century [342.1]; reduces ... by half [H461.1]; split in half [P207.1]  
**half-filled:** half-filled data symbols [H459.1]  
**half-full:** was precisely half-full [3402.1]  
**halfway:** halfway between [Π 1434.2]; halfway measures [Π1123.1]  
**halt:** all work on ... was halted [B960.1]; braked to an abrupt halt [P635.1]; do not alter the fact that... was halted [H960.1]  
**halve:** are ... halved [B858.1]; be halved [Y252.3]  
**hammer:** hammer test [0262.1]; to hammer in [365.0]  
**hamper:** practical implementation ... been hampered [Π2032.1]; to hamper [3496.0]  
**hand:** are ... in hand [И484.1]; are in hand [B300.1]; are well in hand [B1486.1J; at first hand [И129.1]; at hand (J118.5, Π522.2, P489.15); be... kept on hand [X123.1]; by hand [B1554.1J; do not touch ... with your bare hands [H852.1]; first hand experience [И628.2]; go hand in hand

in [C994.1]; hand loaded [H249.1]; hand polished [Π1026.1]; hand tighten [3512.1]; hand worked [0177.1]; in hand [И804.0]; is in hand [И485.1]; left ... in the hand of [Π94.1]; left hand [J18.1]; on hand [B324.1, Π616.1]; on the one hand ... on the other [C112.1]; on the one hand, we are told (C 111.1); on the other hand [C106.1]; plans were put in hand [Π2531.1]; right hand side of..... [Π1601.2]; to be in hand [И479.0]; to have ... on hand [И420.1]; touched by human hands [T470.1]; tried their hand at [Π1304.1]; withdrawn from service and handed overto[M332.1]  
**hand-held:** [Y138.1]  
**handbook:** [C1253.2]; handbook... values [3596.1]  
**handicap:** biggest handicap in the hardware was [H351.1]  
**handle:** [01173.3, Π115.1, C1252.1]; analysis ... handled [B1874.1]; does not handle [H1090.1J; handle resources [P75.1]; handle successfully (Y437.1); handle the ... carefully [01164.1]; is most conveniently handled by using [H335.1]; never handle voltages [3412.0]; problem ... is ... handled [P723.2]; will be handled in the normal fashion [Π 1503.1]  
**handling:** [B1866.0, Π603.1]; evidence of rough handling in transit [Π2321.1]; requires special handling [T440.1]; rough handling [Γ134.1]

**handout:** [B 1605.1]  
**hands-off:** [A69.0]; hands-off around-the-clock operation [A70.1]  
**hands-on:** be experienced hands-on [0912.1]; hands-on experience [Π 1667.1]  
**handy:** came in rather handy [Π2570.1]; handy for [yi48.1]  
**hang:** [387.1]  
**happen:** as it happens [Д251.2], happen at once [Π2826.1], however, it may happen that [0565.1]; it happens that... often [418.1]; it so happens that [Д249.1]; let us now look at what happens in [Π 1431.1]; prohibit a good indication of whether... actually happened [H1001.1]; shows in ... simplified form what happens to [Π978.1]; this does not happen [Э207.1]; to cause this to happen [4180.1]  
**happening:** in order to prevent this from happening [4206.1]; see exactly what was happening [P 169.1]; to see what is actually happening [Π1429.1]; was truly happening [Π2825.1]  
**happy:** are happy with this situation [T73.1]  
**harbor:** trans-shipment... in the harbor [ГТ81.1]  
**hard:** are hard at work on ... problems [Y326.1]; are hard at work [И590.1]; are hard at work on [M198.1]; hard cash facts of life [4107.1]; hard specification [Ж11.1]; hard to bum [T491.1]; is adopting a particularly hard line on [Π2692.1]; is hard to accept [T484.1]; is hard to follow [T482.1]; is hard to identify in any precise way [T477.1]; it is hard to overstate the importance [T481.1]; was hard pressed to [И763.1]  
**hard-and-fast:** [H1268.2, P151.1]; hard-and-fast guidelines [T121.1]  
**hard-to-get-at:** hard-to-get-at places [T489.1]  
**hardly:** [E2.0]; are so well known as to hardly need restating [H566.1]; can hardly be expected to [B1555.0]; can hardly be expected to resist [B1558.1]; hardly changes [Π1566.1]; hardly evident [E4.1]; hardly perceptible [E9.1J]; it is hardly probable that [B1555.0]; there is hardly any benefit from [E5.1]  
**hardness:** hardness uniformity through [Π 1481.1]  
**hardship:** creates a hardship [C978.2]  
**hardware:** biggest handicap in the hardware was [H351.1J]; hardware implementation [И209.1]; hardware inventory [C1 175.1]; in the design and hardware stages [HI 91.1]  
**harm:** do not harm [H1037.1]  
**harmful:** harmful [B 1506.0]; is not harmful to [H 1037.2]  
**harmony:** working in harmony [P46.1]  
**harness:** harness the powers of nature for the benefit of mankind [0220.1]; wiring harnesses [Э74.1]  
**hasn't:** time hasn't stood still [B1532.1]  
**haste:** in the haste [B626.1]  
**hasten:** hasten the onset of [Y383.1]  
**hasty:** cautioned against the hasty conclusion [Π1768.1]

**having:** besides having [A21.1]; having a slight edge [И435.1]; having a slight edge in [H1583.1]; having a way of [Y250.2]; having considered ... let us now turn our attention to [P478.1]; probability of having [B910.1]; without having necessarily to remove [B37.1]  
**hazard:** care ... to avoid fire hazards [Π2957.1]; direct hazard to personnel [HI 485.1]; has some potential hazards [C365.1]; hazard of atmospheric pollution [0744.1]; hazard posed by [0748.1]; hazardous area requirements [T424.1]; insufficient to pose a ... hazard [H927.1]; many potential hazards will be avoided [M1 92.1]; there is the ever present hazard of [B1565.2]  
**hazardous:** specific hazardous materials [01060.1]  
**head:** [B1279.1]; group headed by [Г140.1]; to bring ... to a head [Д490.1]; was brought to a head [0175.1]  
**head-on:** [C1 152.2]; head-on view [B1077.0, B1079.1]  
**headway:** made major headway [C479.1]  
**health:** engine health [T239.1]; financial health [Ф36.1]; poor health of the ... industry [H1673.1]; state of health [T238.1]  
**healthy:** [И743.1]; healthy condition for [B 120.1]  
**hearing:** be interested in hearing from [C24.1]  
**heart:** heart of [0971.1]; is al the heart of [J139.1]; lies at the heart of [J139.2]; to be at the heart of [J139.0]; to lie at the heart of [J139.0]  
**heartily:** endorse it heartily [Π 1065.1]  
**heat:** [H247.1]; by recovering the heat [Π3100.1]; carry heat away from [01263.1]; developing a heat balance around [C1072.1]; extracting ... heat from [И182.1]; gives up ... heat [01280.1]; heat recovery [Y564.1]; heat to redness [H248.1]; heat transfer augmentation [И596.1]; heat transfer coefficients were... correlated [H603.1]; heat transfer community [C1161.1]; heat transfer to [Π680.1]; heat transfer [T187.1J]; is obtained by direct heat balance [Π 1152.1]; protect from heat [cold] [B151.0]; recover ... heat [Y566.1]; rejects heat [01262.1]; resistant to heat [Y511.1]; store away from heat, open flame and direct sunlight [XI 21.1]; was ... subjected to a ... heat treatment [Π664.1]  
**heat-affected:** heat-affected zone [3638.1]  
**heat-to-heat:** heat-to-heat variations [И248.1]  
**heating:** heating period [01481.1]; space heating [01482.1]; uneven heating [H1560.1]  
**heavily:** [B198.0, И589.0, И589.1]; draw heavily on [C467.3]; heavily covered with [Π 1002.1]; heavily instrumented [C758.1, X62.1]; leans heavily on [Y119.1]; relies heavily on [B200.2]; rely heavily on [Π1050.1]; weigh heavily [И360.1]; weigh heavily in making a ... choice [Π72.1, C477.1]  
**heavy:** exacting a heavy toll of lost [B1817.1]; heavy walled [T298.1]  
**heavy-duty:** heavy-duty service [P8.1]  
**hedge:** [Y233.1]

**heed:** pay heed to [Π2408.6]  
**height:** absolute height [A52.1J; at a height of [H31.1]; at the approximate height [Π2390.1]; height ... be ... above the floor [B1998.1]; in height [B 1990.1]  
**held:** are held by the majority [B223.1]; are held together [Y135.1], are held vertically [Y132.2]; classes are held [3366.1]; expertise in this area ... is held with [B227.2]; has been held proprietary [C1094.2]; held ... in position [Y123.1]; held academic qualifications [I454.1]; held at [B1796.1J]; held in a vertical position [Y132.1]; held in stock for maintenance purposes [I364.1], held the chair of [B1280.1]; held to even closer tolerances [B1791.1]; held together [C553.1J]; is held at rest [Y134.1]; is held in place [Y136.1], is held off [Y137.1], is held to be subsidiary to [C1611.1]; it is widely held that [Π26.1]; meeting held for [C853.1]; press conference was held [C1120.1]; small advantage is held ... for [I436.1]; widely held contention [Π25.2]  
**help:** (Π1253.6); help in [Π1253.3]; helped in reducing [C 1236.1]; in the hope that it may help [B229.1]; is of minimal help [M34.1J]; measures will indeed help [M1 28.1]; situation can be helped [M331.1]; will not necessarily help [H781.1]; with the help of [C59.1]  
**helpful:** be helpful in [Π1023.2]; is helpful in achieving [C 1225.1]; it is helpful to consider [Π1012.1]; may find it helpful [J328.1]; to thank ... for... valuable comments and helpful discussions [I1521.1]; what might be a helpful start [J358.1]  
**hence:** [01570.1, C586.1]; from ... twenty years hence [J42.1]; hence it is tempting to infer [01574.1J]; hence one is led to [01577.1]; hence, it may be presumed that [Π 1580.1]  
**henceforth:** [01471.1]; henceforth called [H1717.1]; henceforth to be called [K411.1]  
**here:** [B555.2, 3562.0, Π2167.1]; all that is necessary here to ... is [B989.1]; and one could go on from here [Π221.1]; are here to stay [Y238.1]; argument presented here [Π2254.1]; both here and abroad [K121.1]; clamp here [3519.0]; discussed here thus far [P491.1]; experiments reported here [0791.1]; here again [B557.2, 3566.1, I13.1, I30.1]; here and elsewhere [B193.1]; here and there [B1533.4, 3563.1]; here it is assumed that [Π2172.1]; here too [I13.0]; here will focus briefly [P484.1]; idea here was to [I 104.1]; is not intended here [M422.1J]; it is not necessary to repeat it here [Π574.1]; it is not proposed to repeat ... here [M423.1]; it is worth mentioning here that [3564.1]; little will be said here about [M412.1]; obtained here previously [Π1193.1]; open here [B1594.0]; stamp here [M142.0]; studied here [I803.1]; suffice it to say, here, that ...

[Π958.2]; term ... here means [T190.1]; we face a different situation here [B540.1]; what is presumably missing here [4137.1]  
**hereafter:** presented hereafter [Π1903.1]  
**herein:** herein lies the basic shortcoming [B768.1]  
**heretofore:** (J457.2, Π1947.4, P346.3); apparently no one has heretofore [H1765.1]  
**herewith:** we are enclosing herewith [H575.1]  
**hidden:** warn ... of the hidden danger [Π1911.1]  
**hierarchical:** hierarchical pattern [Π1333.1]  
**hierarchy:** hierarchy of actions [Π1404.1]  
**high:**[3133.0]; already high ... levels [I6.1]; are ... on the high side [Π1694.6]; are ... too high [3134.2]; are high by [3134.1]; artificially high [H1218.1]; as high as (J435.4, T91.1); at high efficiency [C29.1]; be ... high in [I371.1]; be viewed with a high degree of [C1620.1J]; but unless ... are so high that [H1 790.1]; engine has now moved into high production release [H717.1]; fell on the high side of [P384.1]; half ... as high [B445.1]; high accuracy [B1984.1]; high assurance of [H269.1]; high cost item of the total [C1556.1J]; high in iron [I515.1]; high on the priority listing [Π43.1]; high production rate [B1983.1]; high spot [C227.1]; inadmissibly high [H1196.1]; intolerably high [H1195.1]; is ... a high priority [Я21.1]; is an indication of its high potential [C293.1]; is high by ... twice [3135.1]; long ... wide ... high (J297.1); nearly so high [X88.1]; on the high side [3133.1]; places a high value on [Π2288.1]; rank high [3331.1]; read high by [3131.1]; spend a high proportion of their time at [P80.2]; there is a high probability that [C1568.1]; to be high [3130.0]; to be on the high side [3130.0]; to read high [3130.0]; too high [3133.0]; unacceptably high [H1194.1]; very high degree of commonality [01664.1]; was ... high in silicon [I452.1]; was ... percent high [3134.3]; were ... suspiciously high [0678.1]  
**high-quality:** [K202.0]  
**high-technology:** [01460.1]  
**higher** [B201.0, B919.1, B2065.0]; 15 to 25 percent higher [B206.1, B2066.1]; 3x higher [B438.5]; at higher amplifications [Π2142.1]; both higher than, and lower than [K122.1]; for higher powers of [C57.1]; higher... than would be predicted by ... calculations [B156.1]; higher by ... above what could be obtained [B2067.1]; higher critical... exists above which ... a lower critical ... exists below which [C 1572.1]; increase with higher ... and lower [B1363.1]; is ... higher [H2.1]; is raised to a higher energy level [Π759.1]; major challenge to the achievement of higher [0992.1]; much higher [3617.2]; require ... higher ... higher ... on the part of [T441.1]; show a slightly higher dependence on [0131.1]; were higher than normal [Π1698.2]

**highest:** at the highest priority [B322.0, B322.2]; highest ... of the four [H347.1]; highest standard of service [B1987.1]; there shall not be a greater difference than ... between the highest and the lowest temperature [P285.1]

**highlight:** highlight the influence [Π879.1]; highlight, in broad terms (0247.1); highlighted [Π877.2, C292.1]; highlights a major inadequacy [Π883.1]; highlights of [01014.1]; this discussion highlights the fact that [Э202.1]; to highlight [B1781.0]; to highlight the most important point [01153.1]

**highly:** [B1027.0, И673.0, K435.0]; highly desirable if [K437.2]; highly desirable to ensure [K444.1]; highly encouraging [B1032.1]; highly practical [01673.1]; highly regarded ... [Π1226.1]; highly reliable service [И675.1]; highly successful [X48.5]; highly trained [B1988.1]; highly undesirable [K441.1]; highly undesirable event [4152.1]; highly unlikely [B652.1, K438.1]; in a highly laden dust environment [B717.1]; is highly speculative [И463.1]; is highly suited to [01676.1]; it is highly desirable that [K437.1]; it is highly premature [B653.1]; it is highly uncertain [C837.1]; it is highly unlikely [B1029.1]; it would be highly desirable if [B380.1]

**himself:** spared himself the need to [И 151.1]; to satisfy himself that [Y34.2]

**hinder** [Π2030.1]; application of ... has been hindered somewhat by [Π2362.1]; been hindered by the absence [M174.1, T337.1]; to hinder [3185.0, M172.0]

**hindsight:** hindsight criticism [K486.1]

**hinge:** swung out on hinges [01316.1]

**historical:** to place ... in ... historical perspective [0820.1]

**historically:** [Π496.2, Π496.3, C64.1, 4106.1]

**history:** (3104.1, И240.3, Π1945.2, Π3024.2); case history [A117.1, T269.1]; case histories [Π2377.5]; history of... goes back more than ... years [И810.1]; major turn in the history of the industry [Π554.1]; past history [Π1945.1]; time histories [3109.1]; trace the history of [Π2906.1]

**hitherto:** [Д457.0, Д457.1, Π1947.2]; has hitherto not been applied [Π 1951.1]

hoc: ad hoc [C1 164.4]

**hoist:** [Π751.1]

**hold:** [C1139.1]; converse holds true when [0206.1]; did not hold true [H522.1]; do not strictly hold for [C1501.1]; fail to hold [Π167.2]; following inequality holds [C1249.1]; following relationship holds [C1250.1]; for the approximation to hold [4219.1]; hold ... button down [Y126.1]; hold ... in place [Y128.1]; hold a senior position on [3324.1]; hold considerable promise [01089.1]; hold constant [01110.2]; hold for [B347.1]; hold in the desired position [Y 133.1]; hold order [Π2325.1];

hold promise for [Π257.1]; hold some promise

as [061.2]; hold the potential for [01358.4]; holds ... responsible for code compliance [H382.1]; holds good for [C1245.1]; holds great promise toward [01670.1]; holds sufficient quantity of product for ... of operation (C944.1); holds to the scenario [Π2298.1]; may not hold [M266.1]; set and hold ... switch to [Y480.1]; that hold promise [Π630.1]; to hold [B1789.0, И359.0]; to hold ... at ... predetermined value [Π712.2]; to hold it together [Y124.1]

**hold-down:** hold-down device [Y139.1]

**holding:** holding ... down [Y121.1]; holding ... to a minimum [B1794.1]; holding ... to [K471.1]; this was done while holding [Э128.1]

**hole:** add oil as necessary to maintain the level at the bottom of the fill plug hole [Д600.0]; align the hole ... with the holes [C865.1]; bolt holes [01222.1]; fit in holes [B1672.1]; holes 0.4 mm dia [01220.1]; holes were drilled [Π2899.1]; line up ... holes [C865.2]; locate ... hole [H410.1]; multiple holes [M226.1]; pattern ... of the holes [P410.1]; pull ... through hole [Π2991.1]; push ... back through holes [B2008.1]; threaded holes [01224.1]

**holidays:** weekends and holidays [Д434.1]

**home:** are at home in [X50.1]; drive ... home [Π1440.3]; equally at home [0553.1]; right home [Д453.0]; tighten right home [3514.0]; well home [Д453.3]

**home-made:** [C206.1]

**honor:** Certified with Honors [Π1136.1]; honor... claims [B 1889.1]; Honors were bestowed upon [B340.1]

**hook-up:** [T472.1]

**hook:** hooked up to ... water [Π726.2]; hooks onto [И50.1]

**hope:** great hope for... must lie with [B1008.1]; in hopes of gerund [B227.0]; in hopes of obtaining [B228.1]; in the hope that [B227.0]; in the hope that it may help [B229.1]; it is hoped that [M335.1]; it is hoped to establish (M410.1); it is to be hoped that [H1902.1, 01120.1]; it is our hope that [M411.1]; little hope for [M30.1]; precludes hope of [H989.1]; there would then have been some hope that [T288.1]; these hopes show little promise of being fulfilled [M45.0]; to pin one's hopes on [B1287.0]; to place one's hopes in [B1287.0]

**hopefully:** [X81.1.X82.1]

**horizon:** [Π250.1]

**horizontal:** [Г96.0]

**horizontally:** lifted horizontally [Π752.1]

**horn:** on the opposite side of ... from the horn [H159.1]

**horsepower.** [M398.2]

**host:** any of the host of [K35.1, K514.1]; host of [M228.3]; host site for [M147.1]

hostile:[B1506.0]; hostile environment [B1510.1];

in particularly hostile environment [B630.1];

perform reliably ... in hostile environments [H263.1]  
**hot:** domestic hot water supply [Г98.1]  
**hotel:** reserve accommodation in... hotels [Б282.1]  
**hotter:** hotter ... as compared to ... the [444.1]; they ran ... hotter [P73.1]  
**hour:** 24 hours a day [Д151.1]; accumulated operating hours [K261.0, K266.0J]; every hour or so [П2391.1]; following each ... hours of operation [467.1]; has accumulated over ... hours of service [01498.1]; hour before [311.1]; hours a day [41.1]; hours of operation have •been accumulated [H497.1]; limited operation ... to several hours [0459.1]; on a 24 hour basis [K505.2]; pieces an hour [Ш44.1]; required a few hours to a few days [T442.1]; should be ... relubricated ... every fifty hours ... of operation [HI 390.1]; was discontinued within a few hours [П1993.1]; work 24 hours a day [P54.1]  
**hour-a-day:** 24-hour-a-day operations [K504.2]  
**house:** be housed onsite [P448.1]; housed in [P394.1]; houses [P267.1, C679.1]; in house [C337.1]; to house [B1165.0, Д387.1, 3235.0]  
**household:** household ammonia [X32.1]  
**housing:** comes with a standard ... housing [B1929.1]; housing accepts [B166.1]  
**hover** hover around the ... mark [H667.1]  
**how:** as to how one should regard [01437.1]; details of how [П809.1]; great care should be given to the thought of how [HI 901.1]; how does one choose a suitable [K61.1]; how far... remains to be seen [01117.1]; how important a small improvement in ... can be [H541.1]; how long does it take [C531.1]; how many... will it take ... to [C532.1]; how might these be different if [H539.1]; how much ... is worth [H549.1]; how much change [H538.1J]; how much results change [H548.1]; how much to increment [H552.1]; how pertinent ... to [H537.1]; how this is done is explained [K144.1]; it is not clear how [H1086.1]; no matter how impeccable [K 155.1]; no matter how small [K53.1]; on the basis of how [И823.1]; question is how [C1256.1]; question of how [B1402.1]; this... immediately raises the question of how [B508.1]; this requires some insight as to how

[Д429.1]; this section addresses the question of how [B456.1]; understanding how it is that [П1275.1]; understanding how [П1267.1]  
 however [K317.0]; differences do occur, however [K319.1]; however ... was all [0557.1]; however complex [K154.1]; however much ... may vary [K55.1]; however there remains the need to [0569.1]; however understandable in the past [K54.1]; however, ... does [H1780.1]; however, although ... is known to [0573.1]; however, in actuality [0567.1]; however, it is generally agreed that [0561.1]; however, it may happen that [0565.1]; however, it never occurred [0575.1]; however, the position was taken that [0558.1]; however, two problems arose [0571.1]; however, with the understanding that [0572.1]; is not however a problem for most [0559.1]; it should be emphasized, however, that [П885.1]; point is however, that [Д252.1]; problem with ... however, is [0563.1]; there is no escaping the fact, however, that [0568.1]; this ... has to be qualified however [0562.1]; this does not necessarily imply, however, that [0578.1]; this is not so, however, because [0577.1]  
**hub:** [И47.1]; toward outside of hub [H481.1]  
**human:** appears ... to the human eye [K47.2]; is clearly audible to a human observer [X73.1]; touched by human hands [T470.1J]; without human intervention [B16.1]  
**humidity:** relative humidity [01425.1]  
**hung:** are hung from [П675.1]  
**hydraulic:** hydraulic all the way [И732.0]; interrupt hydraulic pressure [П125.1]; porting of hydraulic power to [P416.1]; to port hydraulic power to [П681.2]  
**hydrogen:** hydrogen content of the fuel [C935.1]  
**hypothesis:** [Г37.0, Г38.1]; breakdown of ... hypothesis [H526.1J]; exposition of the hypothesis [И235.1]; form the basis of a hypothesis for [П903.1]; hypothesis ... weakens [Г39.1]; hypothesis was put forth ... concerning [B 1779.1]; test the hypothesis [П2635.1]  
**hypothesize:** was hypothesized [B 1970.1]; was hypothesized to be a result of [Б369.1]  
**hypothetical:** hypothetical Haw [Г40.1]  
**hysteresis:** type of hysteresis effect [Э221.1]

**idea:** [И100.0]; discarded the idea [01312.1]; fundamental idea [01018.1]; idea ... is supported [П854.2]; idea behind [И103.1]; idea here was to [И104.1]; idea of emphasizing [M441.1]; idea of [П1832.1]; idea was implemented [01176.1]; ideas on [T154.1]; is the

background to the idea of [П2227.1]; share some ... ideas [И418.1]; share some ideas with [П1723.1]; some idea of [H1294.1]; to give an idea of [Д37.0]; to give some idea of [Д41.1]; to have a clear idea of [И433.1]; use of... is not a recent idea (И102.1); utilizing this idea [0767.1]

**ideal:** [И98.1]; far from ideal [Д96.1]  
**idealize:** idealized situation [И94.1]  
**ideally:** [B529.1, И95.0]; ideally... but in actuality [B126.1]; ideally suited to [И97.2]; is ideally suited for [И97.1]; lends itself ideally to [И97.3]  
**identical:** almost identical [П1558.1], are practically identical with [П1657.1]; completely identical [C838.1], conveys... identical results [Д62.1]; have identical readings [Д33.1], identical ... yield varying [0547.1]; identical procedure as found under [П3019.1]; identical to [0544.1, 0544.2]; in a manner identical to that for [A124.0, A124.2, T104.1]; in an identical manner to [0550.1]; in every way identical to [0546.1]; nearly identical [П1558.3, П1561.1]; no two ... are identical [H1703.1]; otherwise identical [0541.1]  
**identifiable:** identifiable to [Y492.1]  
**identification:** [B2079.0, Y177.2]; identification documents [Y177.1]; identification of task priorities [B2082.0]; identification symbol [J165.1]  
**identify:** are identified ... by [0844.1]; are identified [M382.0]; are identified by [M383.1]; are identified with [B1627.2]; cause ... was ... identified [0831.3]; for reasons not yet identified [П450.1]; identified the presence of [И985.1]; identified with [01480.1, Y469.2]; identify the nature [Y461.1]; identify the nature of [0835.1]; is hard to identify in any precise way [T477.1]; no issues were identified [H1740.1]; no reason... was identified [П2580.1]; problem areas... have been identified [0824.1]; to be identified with [B1627.0]; to identify [B2083.0]; to try and identify the cause [П1309.1]; was identified by [Y469.1]; were identified as [H300.5]  
**identifying:** identifying ... from [P368.1]  
**identity:** [И549.1, X1.3]  
**idle:** at the idle [H34.1]; prolonged idle conditions [Д300.1]  
**idling:** [P23.1]; spend ... at idling [P61.1]  
**ignite:** to ignite [3141.0]  
**ignore:** are ignored [HI 141.5]; may be safely ignored [B1477.1]; to ignore [И83.0]  
**ignoring:** even ignoring the effect of [Д84.1]; ignoring ... which is small compared to [П2002.1]; ignoring for the moment [П2003.1]; initially ignoring [E48.1]  
**ill:** [B1506.0]; are ... ill defined [H1212.1]; ill effects [B1511.1]  
**illuminate:** as evidenced by ... being illuminated [014.1]; illuminated by a beam of light [0916.1]; light indicator will illuminate [3142.1]; light ... is illuminated (J15.1); to illuminate [3141.0, 0915.2, P339.1]  
**illustrate:** as illustrated [K102.0]; as illustrated in [K103.1]; best illustrate [J111.1]; further illustrates [C505.1]; illustrate that observation

[И351.1]; illustrated by means of an example [П2812.1]; illustrates the importance [П979.1]; merely illustrates [Y215.1]; serve to illustrate but are not intended to limit the present invention [H1872.1]; this is best illustrated by an example [J113.0]; to illustrate [И313.0, И350.0]; to illustrate this point [C172.1, 4208.1]  
**illustration:** as an illustration [Д345.0]; by way of illustration [Д345.1]; for purposes of illustration [B746.1]  
**illustrative:** is illustrative rather than exhaustive [П2258.1]  
**image:** image of... is reflected on [И317.1]; was image conscious [373.1]  
**imaginary:** separating the real and imaginary parts [P198.1]  
**imagine:** [П1873.1]; if one first imagines [E40.1]; if one imagines ... to be present [E77.1J]; imagine riding [П 1791.1]; imagined [П 1871.1]; one can imagine [M357.0]; one can imagine, for example, that [M359.1]  
**imitate:** exactly imitated [T388.3]; much imitated [И509.1]  
**immediate:** [HI 484.1]; are of immediate relevance to practice [И427.1]; for immediate availability [Д368.1]; for the immediate future [B12.2]; give an immediate insight into [Д22.1]; immediate action [B77.1]; immediate impression was that [П156.1]; immediate objective [П44.1]; immediate practical application [H578.1]; immediate value to [K424.1]; in the immediate neighborhood of [B820.2]; in the immediate vicinity of [B820.1]; in the immediate vicinity of the edges [Y12.1]; of immediate importance, ... is that [Д327.1]; of immediate interest [И620.1]; provides immediate insight into [П1920.1]; there are no immediate plans for [B43.1]; there simply was no immediate explanation of [B75.1]; took immediate steps to [HI 339.1]  
**immediately:** [H1338.1, T502.1]; bring ... to a stop immediately [01156.1]; differences in ... are immediately evident [X47.1]; immediately adjacent to [B820.3]; immediately after [C1298.1]; immediately after ... is over [C1299.1]; immediately ahead of [H1476.1]; immediately applicable [K428.1]; immediately before [H 1240.3, H1475.1]; immediately following [T367.1, T367.2]; immediately report any damage to [09.1]; immediately to the rear of [H1478.2]; is immediately apparent [T368.1]; is immediately available [M352.1]; it stands out immediately that [C1301.1]; note immediately from equation ... that [И 120.1]; one is immediately impressed by [C 1293.1]; plans are to proceed immediately with [П287.1]; reason for... is not immediately apparent [П2582.1]; significance of ... is immediately apparent [C1400.1]; significance of... is not immediately apparent [C752.1]; this ... immediately raises the question of how [B508.1]

**immerse:** immersed to a depth of... in [Π602.1]  
**imminent:** [HI 269.1, HI 340:1]  
**immiscible:** [H1609.1]  
**immune:** are ... immune to [H1176.1]; are ... immune to ... attack [H975.1]  
**immunity:** does not confer immunity from [H962.1]; immunity to interference from [H1175.1]  
**impact:** [B1131.0, B1146.2, B1281.0]; and are not likely to have a major impact on [H18.1]; before a significant impact on the problem is made [Π1964.1]; cessation of impact [Π1997.1]; direct ... impact [H1487.1J]; environmental impact [B1135.1, Э5.1]; environmental impact assessment [01640.1]; environmental impacts [B1283.1]; favorable cost impact of the use [Э23.1]; for environmental impact considerations [H821.1]; has an insignificant impact on [H1265.1]; have a significant impact on [C464.1J; impact of... on [BI 134.2]; impact of ... onto the face [Y100.1]; impacts ... on [B1282.2J; largest impact is seen in ... followed by ... and finally [H349.1]; make a significant impact [Π2473.2]; notable impact on ... be achieved [C464.2]; potential ... to impact [B911.1]; produced an impact [0622.2]; technical impact [T242.1]; to impact [B 1146.0]; to produce an impact on [BI 146.0]; what impact is expected [K150.1]; with minimal ... impact [Π2080.1]  
**impacting:** impacting against [Y101.1]  
**impaction:** impaction ... on [Y98.1]  
**impair** does not seriously impair [H768.1]; impairs ... efficiency [C771.1]; is impaired [Y587.2]; is impaired by [Y588.1]; seriously impair [B937.1]; seriously impaired [C447.1]  
**impart:** [C995.2]; are imparted to [H368.2, Π105.3]; impart to [Π2284.1]  
**impartial:** impartial assessment [B99.1], impartial organization [H1241.1]; impartial piece of information [B790.1]  
**impeccable:** no matter how impeccable [K 155.1]; results of impeccable quality [H275.1]  
**impede:** [MI 72.1]; impede assurance of [3497.1]; impedes ... calibration [3498.1]; to impede [3185.0, 3496.0, M172.0]  
**impending:** impending shortage [0598.1]  
**imperative:** [0423.2]; it is imperative that [H1395.2]; it is imperative that ... have [H1396.1]; it is imperative to [H1362.1J; need for... was imperative [Π1595.1]  
**imperfection:** [Д272.0]; imperfections [Д272.2]  
**imperial:** [Π655.2]  
**impervious:** are impervious to [H 1042.1]  
**impetus:** given impetus to [Д66.1, C1456.2]; provided the impetus for [C1456.1]; provides a strong impetus toward achieving a better understanding of [C1457.1]  
**impinging:** impinging on the wall [Y99.1]  
**implanting:** implanting... interest... for [Π2198.1]

**implement:** idea was implemented [01176.1]; implement fixes [Y534.1]; implement over the next five years or so [P587.1]; might be ... if... were to be implemented [M391.1]  
**implementation:** [H208.0]; ease of implementation [Π2938.1]; hardware implementation [H209.1]; practical implementation [Π1672.1]; practical implementation ... been hampered [Π2032.1]; steps of... implementation [Π3097.1]  
**implication:** [B1725.0, 3595.0, Π1802.2]; are find- ing increased implications [H617.1]; by implication [K403.2]; by implication or otherwise [Π3064.1, Я44.1]; clear implication [01648.2]; environmental implications [Э6.1]; have important implications for [H389.2]; implication of this is that [H142.2]; implications of the results (B1734.1); implications regarding [K401.1J; typically, the implication is that [0411.1]; was sensitive to the economic implications [X68.1]; which has implications for [4163.1]; whose implication will be clarified [C751.1]  
**implicit:** [K399.0]; implicit ... is the assumption that [Π789.1]; implicit in [Π790.1]; incorporation of... is implicit [Π788.1]  
**implicitly:** [K402.1, K403.0]; implicitly assumes [H1688.1]; it is implicitly assumed [Π787.2]  
**imply:** as implied [K115.0J; as the name implies [K117.1]; does not mean to imply (H1146.1); does not necessarily imply [01473.1]; does this imply that [H953.1]; implied errors [Π1799.1]; implies in light of [0615.1]; it is not implied that [M436.2]; this does not necessarily imply, however, that (0578.1); this implies that [Э134.1]; this would imply that [A47.2]; to imply [Г66.0]; but this is not to imply that [H1823.1]  
**implying:** [Π787.1]  
**import:** have direct import for [H613.1]  
**importance:** [B774.0, 3595.0]; adding further emphasis to the importance [Д618.1]; and, of even greater importance [H73.1]; are of ... minor importance [H878.2]; are of great practical importance [H400.1]; assigned ... less importance [Π2290.1]; assumed major importance [Π2473.1]; became of extreme importance [Π2475.1]; brought into focus the importance [Π878.4]; continuing importance [C1124.1]; has ... gained in importance [B1366.1]; illustrates the importance [Π979.1]; importance ... been placed on [Π2287.2]; importance ... is underscored [Π878.3]; importance ... to [B775.1J; importance of ... cannot be overemphasized [B776.1]; importance of ... cannot be overstressed [HI 172.1]; importance of being able to [K57.1]; importance or otherwise [B786.1]; in descending order of importance [B368.1J; is of central importance [3349.2]; is of fundamental importance [H397.3]; is of major importance in [H395.1]; is of secondary importance [H393.1];



it... becomes a matter of extreme importance [C1381.1]; it is hard to overstate the importance [T481.1]; it is of equal importance [H904.1]; of considerable importance [01658.1]; of immediate importance, ... is that [Д327.1]; of practical importance [B1636.2, И510.1]; of utmost importance is [K436.1]; on a topic of contemporary importance [H167.1]; question of considerable practical importance [B1392.1]; ranks in importance with [C1038.1]; recognition of the importance [П2316.1]; stressed the importance of [И878.1]; take on first importance [П2477.1]; takes on lesser importance [C1378.1]; to be of importance [И387.0], topic assumed new importance [B 1407.1]; underlines the importance of [И878.2]; utmost importance [0480.1]; what importance, if any, should be attached to [H540.1]

**important:** [B778.0, B1202.0]; are all important factors [B990.1]; are more important concerns than ever before for [C412.1]; are most important [H311.1]; are obviously important in [И389.3]; are still important [B971.1J]; as important or more so [T89.1]; as important to performance as [T27.1]; become important [П2472.1]; becomes important [H716.1]; but the important fact is that [0560.1]; but there is yet another important message to be gained [H 1800.1]; constitute an important part of [Я12.1]; equally important [H902.1, H902.2, H905.1, 0549.1]; factor... as important (H903.1); far more important [3615.1]; has become increasingly important [П2474.1]; has important practical application [И390.1]; have an important bearing on [И389.1]; have important implications for [И389.2]; how important a small improvement in ... can be [H541.1]; important consideration in ... is [H1335.1]; important design inputs [B791.1]; important effect of ... was that [П2247.1]; important feature [01406.1J]; important feature in designing [B779.1]; important in gerund [B783.0]; important links in the chain of [B794.1]; important message of these results is [B777.1]; important need exists [C1576.1]; important performance index [B780.1]; important point is that [B802.1]; important step for achieving [B782.1]; important technical improvements [C1559.1]; important thing to note is that [B800.1]; important to [B783.0, B783.1]; incorporates some important differences [И422.1]; is also an important factor [01196.1]; is important in understanding [B784.1]; is only important in so far as [B787.1]; is the more important one [И391.1]; it is ... important that regular contact be maintained [B801.1]; it is equally important that (H906.1); it is important [B796.0]; it is important in [П2057.1]; it is important that [B805.1J]; it is important to bear in mind that [B797.1]; it is important to realize

that [B797.2]; it is important to recognize that [B797.3]; least important [H359.1]; make the important point that [0217.2]; most important consideration in [H312.1]; most important finding [H313.1]; next to ... the second most important [B 1658.1]; one of the first important questions to be answered [0514.1]; one of the important concerns [0527.1]; play an important role in [И85.1]; plays a particularly important role in [И87.1]; provide an important, new understanding of [И907.1]; this becomes an important consideration in [Э156.1]; to be important [B295.0, И387.0]; to highlight the most important point [01153.1];

very important needs which have to be met [01659.1]; was not considered important at the time [B67.1]; what is important is that [B799.1]; while important [B355.1] **importantly:** and, as importantly [И74.1]; but more importantly [HI 818.1]; more importantly [4135.1]; or, more importantly [И349.1] **impose:** constraints and limitations imposed by prior design of [0444.1]; impose a limitation to [H380.2]; impose constraints on [H380.3];

imposed severe limitations on the value of the predictions [C770.1]; imposes a penalty in the form of [П2238.1]; imposes fines for [H383.1]; imposes the condition [H367.1]; limitations ... imposed [0443.1]; loads ... are imposed ... on [И97.1]; to impose as a duty [B1151.0]; to impose on smb. the duty of [B1 151.0] **imposition:** imposition of... conditions on [H390.1]

**impossible:** causes completely beyond our control have made it impossible [П444.1]; difficult if not impossible to [T478.1J]; if not impossible [A22.1, E42.1]; make ... all but impossible [Д206.1]; makes ... extremely difficult if not impossible [Д229.1]; virtually impossible [П1653.2]; well-nigh impossible [П1554.1]; which is next to impossible [4160.1]; which made it impossible to [4133.1]; would make it impossible [C403.1]

**impracticable:** it is impracticable [П1655.1] **impractical:** [H1539.1, H1682.1, П1655.2]; it is impractical [HI 683.1]

**impracticality:** impracticality associated with [П 1678.1]

**imprecise:** somewhat imprecise [H1083.1, H1589.1]

**imprecision:** inaccuracy... imprecision [H1657.1]

**impregnate:** epoxy impregnated [П2877.1]

**impress:** one is immediately impressed by [C1293.1]

**impression:** exaggerated impression of [П2054.1];

general impression of [0330.1]; give a visual impression of [Д40.1]; immediate impression was that [П156.1]; it would be misleading to give the impression that [Y13.1]; leave the impression [01132.1]; leave the reader with the impression, ... that [C979.1]; one gains an impression that [C523.3]

- impressive:** [B 1460.0]; impressive feature of [B1461.1]; is not as impressive as for the other test cases [HI 094.1]
- improbable:** it is not improbable [B1296.0]
- improper:** improper ... action [H1499.1], improper control setting [H1500.1]; improper form of [H1501.1J]
- improperly:** was improperly purported to be [H1496.1]
- improve:** are continuing a dialogue to improve [Π2740.1]; can be substantially improved [M385.1], did not improve matters [H1133.1J]; does not greatly improve [H1025.1J]; improve with age [C190.1]; improved beyond [Y242.1]; improved to where [Y420.1]; improves ... productivity [Π589.1]; quest for improved [Π946.1]; situation is not improved greatly by the use [I687.1]; was improved steadily [H1527.1]
- improvement:** [Y270.8, Y414.1]; are a great improvement over previous [H418.1]; considerable improvement is sought [I647.1]; considerable improvement is sought for the future [Δ215.0]; continuing improvements in [Π1480.1]; distinct improvement in [Я57.1]; guiding ... improvement [Π945.1]; how important a small improvement in ... can be [H541.1]; important technical improvements [C1559.1]; improvement in ... was dramatic [P636.1]; improvement in our understanding of [B157.2]; improvements made to [Y416.1]; leaving less room for improvement [H999.1]; marked improvement in [3292.1]; offers some improvement over [082.1]; requires considerable improvement [H1885.1]; there has been a ... improvement in our ability [B1367.1]; to introduce alterations and improvements into the instruction [B 1219.1]
- improving:** effective means of improving [Э232.1]; improving the design ... for [Y246.1]
- impulse:** one's first impulse is to [Π161.1]
- impunity:** with impunity [Б40.1]
- impunity:** [3147.2]
- in-depth:** [Г60.0]; in-depth study of [Г63.1]
- in-house:** conduct in-house ... studies [Π2678.1]
- in-place:** [H73.4]
- in-process:** in-process adjustments [Π792.1]
- in-service:** [Э47.1]; in-service environment (Э55.1); in-service environments [Y404.2]; in-service transfers [Δ158.0]
- in-situ:** [Π403.1]
- inability:** [H1638.1, H1638.2]; our inability to [H737.1]; owing to the inability of [И223.1]
- inaccessibility:** inaccessibility of [Π310.1]
- inaccessible:** inaccessible within [Б17.1]
- inaccuracy:** inaccuracy... imprecision [H1657.1]; inaccuracies [H1657.2]
- inadequacy:** [H1535.1]; experimental inadequacies [H1203.1]; highlights a major inadequacy [Π883.1]; shown the total inadequacy [Π983.1]
- inadequate:** [H1205.1]; becomes inadequate for [C1391.1]; completely inadequate [C831.1]; is generally inadequate to [H1543.1]; is inadequate and progressively so [C1392.1]
- inadmissibly:** inadmissibly high [HI 196.1]
- inadvertent:**[C713.1 ]; inadvertent use of [H 1454.1 ]
- inapplicable:** [H1547.1]; such a procedure is completely inapplicable [T66.1]
- inappropriate:** it would not ... inappropriate to [H1308.1]
- inasmuch:** inasmuch as [B833.2, H563.3, Π1347.1]
- inboard:** [0241.1]
- incapacity:** incapacity of [H1665.1]
- incentive:** gives ... incentive for [C702.1]; incentive for [C1455.3]; incentive to [C1455.2J]; major incentive [M403.2J]; provisions of the right incentives to [Π1633.1]; powerful incentive [M403.1]; puts incentives for [C1456.3]; there is no incentive to [H1651.2]
- inception:** [H701.1]; since its inception [C93.1]
- incidence:** [K253.4]; incidence of [C1590.1,497.1]
- incident:** following each such incident [B533.1]
- incipient:** incipient... limit [Π1714.1]
- incline:** [H372.1]; came out favorably inclined toward [B 1976.1]; inclined to [H371.1]; is inclined ... off vertical [01341.1]; was inclined at an angle of [H370.1]
- include** [B1111.1, B1111.2, C938.2]; also included [Π2250.1]; examples of this include [K22.1]; have included as part of their programs [B1 109.1J]; included in the delivery [B1673.2]; is not included with standard equipment [H792.1]; measured quantities included [B762.1]; other benefits include [K21.1]; other, ... included [B761.1]; presentation includes [Π1904.1]; recent emphasis has included [B63.1]; redesign included the provisions for [P688.1]; stipulation of ... normally includes [0270.1]; supply includes [B1673.1]; these include [B764.1J]; to include [B1107.0, B1111.0, B1678.0]
- including:** [B765.1, B765.2]; from ... to and including [C53.2]; including time limit in transit and storage [И207.0]; including trades [C81.1]; not including [H1099.1]; up to and including [Δ439.2]; without including [Б60.0, Б60.1]
- inclusion:** [B1 118.0, Y605.1]; double inclusion [Δ162.0]
- inclusive:** [B1122.1, Δ439.1]
- inclusively:** through ... inclusively [C53.3]
- incomplete:** blank incomplete spaces [Π3087.1]; is lacking or incomplete [H1467.1]; was left incomplete [01097.1]
- incompletion:** [HI 135.1]
- inconceivable:** [H1350.1]
- inconclusive:** [HI 447.1, HI 666.1]; this observation is very inconclusive [Э103.1]; were inconclusive [H997.1]
- incongruity:** [H1636.1]; incongruity of ... with [H1629.1]

**incongruous:** it is incongruous that... should be [H1307.1]  
**inconsequential:** has an inconsequential effect on [H1063.2]; is inconsequential [H877.1]  
**inconsiderable:** not inconsiderable algebraic trans-formations [Д502.1]  
**inconsistency:** (H1636.2, 01324.1); occasional inconsistencies [C715.1]  
**inconsistent:** be inconsistent [H940.1]; is inconsistent [B313.1, И3045.1]; it is then not at all inconsistent [П1578.1]  
**inconsistently:** [H1471.1]  
**inconvenience:** to suffer some inconvenience [П951.1]; were willing to suffer some inconvenience in return for being able to [C930.1]; were willing to suffer some inconvenience [Г105.1]  
**inconvenient:** inconvenient for practical use [H1670.1]  
**inconveniently:** inconveniently large [H 1544.1]  
**incorporate:** incorporate the capabilities of [П1915.1]; incorporated ... into [B1383.1]; incorporated refinements [И459.1]; incorporated to [П1924.1], incorporates some important differences [И422.1]; incorporates the latest advancement in [B1384.1]; simplification incorporated in the analysis [Y343.1]; to incorporate [B838.0, Bill 1.0, И359.0], to incorporate changes in [B1217.1]; to incorporate into [B1383.0]  
**incorporating:** [C1.2]  
**incorporation:** [B822.0, B1 118.0, И682.0]; incorporation of... is implicit [П788.1], incorporation of [И682.2]; incorporation of provisions [B1 120.1]  
**incorrect:** is a little incorrect [H1082.2]  
**incorrectly:** incorrectly adjusted [H1493.1]  
**increase:** are finding increased implications [H617.1]; as... increases [П397.1]; compare a tenfold increase [01378.3]; exceeds... increases above [П1694.4]; explanation lies with the increase [0384.1]; factor of 10 increase in [K467.2], fold increase in [K467.1]; has resulted in an increased confidence in [П590.1]; have found increased application as [H619.1]; in the limit as ... is increased [B400.1]; increase ... climb [B1361.1]; increase... percent [Y61.1]; increase in [B1360.2, И591.1, Y49.1]; increase in proportion [Y69.1]; increase markedly [3298.1]; increase of ... percent [Y54.1]; increase smoothly [П275.1]; increase with higher ... and lower [B1363.1]; increased... concern in [П585.1]; increased opportunity [X34.1]; increased requirements ... place on [П1939.1]; increased to a point where [Y67.1], increased to something slightly in excess of [Y58.1]; increased to values beyond (Y59.1); increases ... fold [Y66.1]; increases by the sixth power of velocity [B1365.1]; increases linearly with [Y68.1]; increases production [Y63.1], increas-

ing ... is to increase [Y51.1]; is further increased [Д620.1]; marginal increase of [H1261.1]; may allow an increase [B1301.1]; moving ... to the right provides increased [C377.1]; opportunity was taken to increase [B 1422.1]; ought to be increased [Д578.1]; rate of increase [C547.1]; serve to increase [C1235.1]; significantly increase the available data [C1562.1]; to increase [B1361.0]; was increased in six equal increments [Y64.1]; which is an increase of ... times over [4129.1]; with increased emphasis on [C54.1]  
**increasing:** [B1360.0]; are finding increasing use [H617.2]; are ordered corresponding to increasing [P372.1]; at a continually increasing rate [C97.1]; ever increasing [B967.1]; finding increasing favor [01278.1]; in increasing number [B155.1]; in order of decreasing [increasing] [B367.0]; increasing ... flexibility with respect to design [P566.1]; increasing ... is to increase [Y51.1]; increasing ... raising [П591.2]; increasing annual production capacity [Y52.1]; on increasing [И2140.1]; positive in the direction of increasing [П1108.1]; see increasing application in [H618.1]; there has been an increasing tendency [B988.1]; without greatly increasing model complexity [B11.1]  
**increasingly:** [B651.1, B962.1]; are becoming increasingly aware of [B964.1]; are increasingly popular [П2489.1]; becomes increasingly evident [C1383.1]; has become increasingly important [П2474.1]; increasingly concerned about [B963.1]; situation becomes increasingly intolerable [П 1104.1]; were increasingly too low [B965.1]  
**increment:** at... hr increments [467.2]; changed incrementally... in small increments [И263.1]; how much to increment [H552.1]; in increments of [C 1522.1]; in small increments [HI 165.2]; was increased in six equal increments [Y64.1]  
**incremental:** [Д622.0]; incremental ... error [Д630.1]  
**incrementally:** [H1165.1]; changed incrementally ... in small increments [И263.1]  
**incumbent:** [Д566.0]; incumbent upon [Д566.1, 0419.1]  
**incun** [П2222.6]; incur the ... costs [H1644.1]; to incur [B932.0]  
**indeed:** [B184.2, Д170.1, И9.0, B95.1, И9.1, И25.1, Ф8.5]; and indeed [A44.1]; could indeed [Д174.1]; indeed the case [H46.2]; it is indeed fortunate that [M376.1, T279.1]; measures will indeed help [M128.1]; or indeed [И336.1]; suggests that this is indeed the case [П924.1]; this, indeed, has been the case [T20.1]; very rare indeed [01663.1]  
**indefinite:** for an indefinite period [B706.1]  
**indefinitely:** [B84.1]; indefinitely postponed [01319.1]

**indelibly:** indelibly... green [H1622.1]  
**independence:** there is ... size independence [3111.1]; velocity independence [H 1233.1]  
**independent:** are not completely independent of [H1013.1]; completely independent from one another [Π1046.1]; equations with ... independent variables [Y357.1]; independent ... variables [H1237.1]; independent efforts [H1238.1]; independent of [H855.1]; independent theoretical predictions [HI 232.1]; is largely independent of [B282.1]; is relatively independent of [01435.1]; is virtually independent of [Π490.1, Π1649.1]; strain-independent... independent of strain [H1235.1]  
**independently:** [H1225.2]; act independently of one another [Д183.1]; cannot be varied independently of [H1313.1]; described independently from [0781.1]; examined independently of [P468.1J; in concert or independently [C859.1]; independently by ... two people [H1224.1]; independently of each other [H1225.1]; independently of the others [H 1226.1]; was independently proposed by [Π1728.1]  
**indeterminable:** [H979.1]  
**indeterminate:** solution becomes indeterminate [P743.1]  
**index:** [И545.0]; alignment... with an index mark [C869.1]; important performance index [B780.1]; index ... refers to [И547.2]; index at acceptance [И546.0]; index by subject [T140.1]; index No [HI 843.1]; index points [E1 2.1]; power index [Π970.1]; qualitative index [K203.1]; thorough index [Π1814.1]  
**indicate:** are indicated [B2087.2, Y201.3]; as indicated [K102.0]; as indicated by earlier researchers [K108.1]; as indicated by [E91.1, H188.1]; as indicated by equations [K101.1]; as indicated in the previous section [K 136.1]; as indicated previously [K135.1]; as to whether ... further investigations did not so indicate [4145.1]; early operation ... indicated [Π49.1]; empirical evidence indicates that [Э42.1]; enough points of disagreement occur to indicate [K262.1]; examples seem to indicate that [Π 1641.1]; except where indicated [326.1]; has been strongly indicated [И506.1]; in general ... is indicated by these data [B264.1]; indicate no effect of [C298.1]; indicate some similarities [C295.1]; indicate that (Г70.1); indicate the potential for [Y207.1]; indicated unequivocally that [Π3069.2]; instituted when clinically indicated [H295.1J; indicates a direct link between [Y210.1]; indicates the need for [Y208.1]; indicates unambiguously [Y214.1]; is strongly indicated [B1034.1]; judgement would indicate [J186.2, Π386.1]; just as ... would indicate [K75.1]; preliminary analyses indicated [Π 1709.1]; previous experience indicates [Π1930.1]; taken together, this all indicates that

[B992.1J; this does not indicate that [Э137.1]; this result indicates that further emphasis should be placed on investigations [Э105.1]; to indicate [Г66.0]; was indicated by [0844.3]; which, in itself, would indicate [4161.1]  
**indicating:** has no way of indicating [H1736.1], indicating a possible [Y207.2]  
**indication:** dramatic indication [B 1462.1]; first indication of ... came from [Π64.1]; further indication that [E226.1]; give a broad indication of [Д42.1]; gives an indication of [C693.1]; he gives only a slight indication of [Д39.1], indication that [C290.1]; indications of leaks [Π2323.1]; is a good indication of [C695.1]; is a possible indication of [B1305.1]; is an indication of its high potential [C293.1]; more as qualitative indication ... than as a quantitative measure [C536.1]; perhaps an indication of [B1316.1]; prohibit a good indication of whether ... actually happened [HI 001.1]; provides another indication of [C699.1]; should not be taken as an indication that [H1073.1]; show no indication of [C297.1]; some indication of [H1294.2]; spurious indications (J198.1); there has been no indication at all [B 1376.1]; to give an indication of [Д37.0]  
**indicative:** are indicative of... in trouble [C296.1]; be indicative of the amount of [C694.1]; indicative of [X15.4]; is indicative of [Г69.2, C291.4, C693.2]; is taken as indicative of [C693.3]; it is often not indicative of a functional problem [H783.1]; to be indicative of [Г66.0]  
**indicator:** [Π967.1]; financial indicator [Ф37.1]; indicator light is on when ... is below normal [И552.1]; light indicator will illuminate [3142.1]; performance... indicators [Π969.1]  
**indirect:** [K399.0]; in an indirect way [K403.1]; indirect evidence in support of [K400.1]  
**indirectly:** [K403.0]; directly or indirectly, all the ... are related to the theme of [Π3065.1]; enter ... equation indirectly through [B1676.1]; not only directly ... but also indirectly [HI 117.1]; were indirectly referenced [K404.1]  
**indispensable:** [H1249.1]  
**indisputable:** no indisputable reasons can be advanced [HI 331.1]  
**indistinguishable:** are indistinguishable from the curves (C645.1J; indistinguishable from the background [H1455.1]; is virtually indistinguishable from [Π 1650.1]; results were virtually indistinguishable from [P654.1]; was indistinguishable from [HI 312.1]  
**individual:** [И550.0, K28.0, K30.1, K320.3]; addition of the individual [C660.1]; deserving individual treatment in depth [3443.1]; individual changes in [И250.1]; individual points have been omitted for clarity [4192.1]; individual responsible [01241.1]; individual set list [B867.0]; individual treatment in depth

- [01286.1]; should be evaluated on an individual basis [01638.1]
- individuality:** [И549.0]
- individually:** [B292.0]; flights ... arranged individually [И2470.1]; individually... and collectively [И430.3]
- individual:** knowledgeable individuals [K282.1]
- indoor** [B1241.1]
- induce:** [B1801.2, B1831.0, B1836.2, 0268.2]; induced by [B1831.2]; potential errors induced by [B1335.1]; to induce [B1801.0]; were artificially induced [B 1809.1]
- induction:** induction safety training [H709.1]
- industrial:** find... industrial applications [H621.1]; for industrial applications [Д382.1]; in an industrial situation [B726.1]; industrial applications have centered on [И2855.1]; industrial service [Y405.1]; industrial undertakings [И2854.1]; it is normal industrial practice [B411.1J]; moving to an industrial position [И189.1]; on an industrial scale (B185.0); since ... industrial debut [C33.1]
- industrially:** [B185.0]
- industry:** across all industries [B315.1]; branches of industry [01507.2]; in a branch of industry [B314.0]; in an industry [B314.0]; in certain process industries [B316.1]; in chemical and metallurgical industries [B317.1]; in industry [H119.1]; industry could be... short of [И2859.1]; industry economy [Э7.1]; industry experience [И2797.2]; industry practice worldwide (Y496.1); integration into industry [B1 183.2]; key ... players in the oil, ... industries [K226.1]; key industries [B884.1]; major turn in the history of the industry [И554.1]; papers from industry [C1440.1]; parts of the electrical industry [Э75.1]; poor health of the... industry [H1673.1]; variety of industries [P241.1]
- ineffective:** inefficient and often ineffective [P65.1]
- inefficient:** inefficient and often ineffective [P65.1]
- inequality:** [H1558.1]; following inequality holds [C1249.1]; inequality constraints [0441.1]
- inert:** in an inert argon atmosphere [B4.1]; inert to [И553.1]
- inevitable:** inevitable difficulties [H1272.1]; some ...is inevitable [HI 291.1]
- inevitably:** this inevitably introduces the problem of [И2170.1]
- inexperience:** inexperience with ... by the ... operators [01557.1]
- infancy:** are in their infancy in development [H655.1]; in their infancy [B639.1]; is still in its infancy [T315.1]; was in its infancy [Д213.1]
- infer:** [0614.1, 0813.2]; from this it may be inferred that [И 142.1]; from this it was inferred that [И141.2, 01579.1]; hence it is tempting to infer [01574.1]; infer ... therefrom [C1530.1]; infer from [И1787.1]; inferred... from [B1738.2]; it was inferred [Д198.3]; this can be readily inferred from [B769.1]; to infer [B1736.0]
- inference:** [B 1725.0]; inferences drawn from [B1733.1]; obvious inference [01648.1]; simplistic inference [Y347.1]
- inferentially:** [A110.1]
- inferior** decidedly inferior to [B104.1]; is inferior ... when contrasted to [X1 30.1]; markedly inferior to [3299.1]; mechanically inferior to [Y544.1.X129.1]
- infinite:** [B83.1]
- infinitesimal:** [B85.1]
- infinity:** approach infinity as ... tends to zero [C1487.1]; at infinity [H8.1]
- infirm:** [0861.2]
- inflection:** inflection point [И127.1]; inflection point [T371.1]
- inflict:** damage inflicted [H444.1]
- influence:** [B1131.1, B1146.1, B1281.0]; are strongly influenced by [B649.1]; be influenced by [И759.1]; bear strong influence on [0635.1]; exert some influence on [0632.1]; exerts a ... positive influence on [И1105.1]; exhibit a ... negative influence on [01515.3]; favorable influences [B118.1]; further influences [Д612.1]; genuinely influences [Д171.1]; has a weak influence on [C565.1]; has the most influence [0630.1]; highlight the influence [И879.1]; influence of... is neglected [B1141.1]; influence of... versus ... cannot be separated [H1332.1]; interfere with the influence [0931.1]; investigated for... influence [И797.1]; is ... influenced by the manner in which [399.1]; machineability is influenced by [0623.1]; minor influences on [M94.1]; selection... was influenced by [B1708.1]; sort out the influence of [B 1787.1]; they were not all equal ... in their influence [И855.1]; to exert an influence on [B 1146.0]; to be influenced by [388.0]; to influence [B1 146.0]; under the influence of [И605.1]
- influencing:** influencing factors [B1 149.1]
- influential:** be influential [0622.1]; to be influential in (B1 146.0); was influential in various ways [И2235.1]; were not influential [H954.1]
- inform:** keep ... informed [Д262.1]; keep ... informed of [И638.1]; keep you informed of what is going on [Д264.2]; keeping ... informed of the situation as it progresses [Д264.1]; kindly inform [C1001.1]; to keep  *smb.* informed [Д262.0]
- informalities:** [01545.1]
- informally:** [B372.1]
- infonnation (info):** [Д108.4, И627.0]; additional information regarding [Д629.1]; available information [И529.1]; basic information of [0337.1]; bulk of published infonnation [0978.1]; confidential information [K368.1]; considerable amount of information [3637.1]; contact ... for information ... at... by fax at [0224.1]; contain much useful engineering infonnation [C943.1]; contains... valuable information [C942.1]; credible information [Д735.1]; dissemination of ...

information [P435.2]; distribution of information [P435.1]; experimentally derived information [Э40.3]; first-hand information [И628.1]; for more information, contact [314.1]; full information [И848.1]; impartial piece of information [B790.1]; info from [И632.1]; in the absence of better information [332.1]; information ... available from [И630.1]; information ... top secret [C843.1]; information ... treat ... in strict confidence [И702.1]; information contained in [И633.1]; information gained from [И631.1]; information is all contained in [B959.1]; information on [И629.1]; information regarding [И629.2]; information retrieval [И637.1, П944.1]; information source [И813.0]; little significant information ... can be obtained [H1330.1]; minimum amount of ... information [M177.1]; most valuable information [H338.1]; of many types of information [C225.1]; ordering information for ... is available by calling ... at [И635.1]; paucity of information [H1206.1]; prior information [П1706.1]; provides ... information on [Д19.1]; reveal the desired information about [Д21.1]; secondary information regarding [Д629.2]; such information [И634.1]; to provide an information [Д18.0]; to research the literature for information [И327.1]; to reveal an information [Д18.0]; to secure the required information [П1145.1]; valuable information on [П38.1]; vast amount of information [0295.1]; when more information on ... is available [K228.1]; will not... provide any information as to (H815.1)

**informative:** [Б149.0, Б150.1, П1536.1]; it would be informative [П1019.1]

**infrequent:** for the infrequent condition where [HI 50.1]; not infrequent occurrence is [Д519.1]

**infringe:** infringe on ... patents [П774.1]; infringed on... patents [H514.1]

**infringement:** infringement of ... patent rights [H528.1]; infringement search [И780.0]; liability for infringement of letters patent [01237.1]; patent infringement suit [И641.0]

**ingenious:** ingenious solution [01167.1]

**ingenuity:** essential need for ingenuity still prevails [B977.1]; great deal of ingenuity has been shown [П3042.1]

**ingredient:** [C1 105.1]

**ingress:** [П1282.2]

**inherent:** all... have inherent [B1026.1]; because of its inherent [И227.1]; error inherent in detecting [01693.1]; inherent... of the method [П2544.1]; inherent advantages ... are as follows [П2545.1]; inherent advantages of ... system [П1981.1]; inherent in [П2543.1]; inherent in ... is [Д419.0]; inherent in ... is the use of [Д420.1]; inherent to [П2543.2, X15.7]

**inherently:** [A63.0, B277.1, П467.1, П493.1, C1560.2]; inherently produces [A67.1]

**inhibit:** [M172.4J]; to inhibit [3185.0, M172.0]

**inhibiting:** inhibiting capacity [C1213.1]

**initial:** [И829.0]; are subject to the initial conditions [П892.1]; during the initial stages [B638.1J]; initial and boundary conditions [H712.1J]; initial approach for [П38.1]; initial draft [П39.1]; initial operational checkout phase [П3085.1]; initial phase of the work will concentrate on [H199.1]; initial recommendation was [B1171.1]; initial time period [H710.1]; initial work [П152.1]; rotated ... to an initial position [П545.1]

**initially:** [B1166.1, B1166.3, П41.1]; attention will initially be focused on [C764.1]; initially ignoring [E48.1]

**initiate:** alarm is initiated if a malfunction develops [H529.1]; are being initiated [H713.2]; automatically initiate [A64.1]; being ... only of interest to the initiated [П1864.1]; change in the design ... was initiated [B1218.1]; claim ... be initiated with the carrier [П1934.1]; initiated operation of [П2533.1]; initiates [Д23.1]; is initiated at the predetermined rate [П3080.1]; to initiate changes [B1216.0]

**initiation:** assigned priorities for program initiation [H411.1]; fracture initiation [H708.1]; initiation site [M141.1]; upon initiation by [П373.1]

**inject:** inject lubricant with a grease gun [3529.0]; injected into [B1502.1]; to inject [B838.0]

**injection:** [B822.0]

**injunction:** [C1526.1]

**injurious:** [Г148.2]

**injury:** injury of [П556.2]; loss control and injury prevention [M131.1]; protects ... from injury [П1784.1]

**inlet:** [B 1681.1, H27.2]; at the inlet to [H28.1]; at the nozzle inlet [H29.1]

**inline:** inline [П417.2]; was mounted inline ... of [B1 112.2]

**innocent:** innocent looking [K42.1]

**innocuous:** [Б69.1]

**innovation:** is an innovation [H1827.1, П1876.1]

**innumerable:** [Б105.1]

**inoperative:** [H1046.3]; become inoperative [B2046.3, П2549.1]; engine inoperative [HI 555.1]; has become completely inoperative [C890.1]; is inoperative [H1046.2]; made inoperative during the test [B1846.1]; make ... inoperative [Д210.2, П2231.1]; rendering ... inoperative [B1741.1, Д210.1]; renders ... inoperative [П2035.1]; to make inoperative [B1741.0]; to render inoperative [B1741.0]

**input:** [И833.1]; feeding the ... voltage ... to the input [П632.1]; important design inputs [B791.1]; input to [И834.1]; power input [П679.1]; set the power input to [Y487.1 ]; we would be interested in receiving input on this question from you. [B378.0]; when no input signal exists [B321.0J]; with an annual input of [П2068.1]

**inquire:** inquire ... for [3406.1]; it is pertinent to inquire [Y284.1]

**inquiry:** [3414.0]; generate replies to ... inquiries [C1087.1]; in response to ... inquiry [B290.1]; inquiries may be directed to [3415.1]

**insensitive:** insensitive to [H855.3, H1147.1]; is insensitive to [H750.1]

**insensitivity:** insensitivity of... to [H1686.1]

**insert:** [B1607.0]; insert ... through [Π2889.2]; insert ... values for [Π2913.1]; insert the mains plug into [B 1608.1]; inserted concentrically inside [B1609.1]; to insert [B838.0]; to insert into [B1608.0]

**inset** [B1607.1]

**inside:** [B1238.1]; clear inside dimensions [P257.1];  
expression inside of the braces [B1960.1]; fit inside a ... envelope [B1464.1]; fits inside of... fits into [Π304.1]; inserted concentrically inside [B1609.1]; inside down [Π532.1]; inside of [B1238.2]; inside of buildings [B1239.1]; inside  
view [B1077.0]; on ... the inside [B1238.3], on the inside [B1238.0, И312.1, C105.1J; on the inside of [H161.1]; penetrate inside [Π2862.1]; to fit inside an... envelope [B1464.0]; to turn inside out [B1748.0]

**insidious:** [HI 250.1]

**insight:** [И627.0, Π1832.4]; deeper insight into [Г64.1], further insight [Б176.1, Д629.3]; further insight as to (Б157.1); further insights [Д629.4]; gaining practical insight into [Π2488.1]; give an immediate insight into [Д22.1]; give considerable insight into [Π921.1];  
give good insight into what takes place in [X35.1]; gives ... insight into [Д37.1]; interesting ... insights [И607.1]; provide insight [Д29.1];  
provide unique insight into [P572.1]; provides a deeper insight into [Д38.1]; provides a strong insight into [035.1]; provides immediate insight into [Π920.1]; some insight into [H1294.3]; substantial ... insight into [Г64.2]; this requires some insight as to how [Д429.1]; to gain insights into the effects of [P167.1]; to gain some insight into [Π1164.2]; to give an insight [Д18.0]; to give an insight into [Д37.0]; to provide an insight into [Д37.0]; to provide insight [Д27.0]; were substantially aided by insights gained from [H1337.1]

**insignificant:** (HI 258.1); has an insignificant impact on [HI 265.1]; reduced to an insignificant level [C315.1]

**insist:** insist that [H555.1]

insistent: was insistent on [H554.1]

**insofar:** insofar as possible [H542.2]

**inspect:** inspect ... carefully [B1207.1]; inspect columns for [0945.1]; inspect... for [Π2654.1]; to inspect [K350.0]; visually inspect [0944.1]

**inspection:** [A107.4, B875.0, И570.1, K354.0, 0940.1, P494.1J]; all work shall be subject to inspection and acceptance by owner [B961.0]; condition inspection of assembled article [Д274.0]; condition inspection sheet [Д275.0]; date of inspection [Д130.0]; inspection and acceptance

[0941.1]; inspection and maintenance guide [E26.0]; inspection and maintenance record [K182.0]; inspection authority [И571.1]; inspection for [0251.1]; inspection list [K362.0]; inspection report [A94.0]; inspection was conducted [Π2688.1]; on close inspection it was seen [T504.1]; overall inspection [K286.0]; periodic scheduled inspections [Π238.1]; post-test ... inspection [0942.1, 0942.2]; random inspection [B1718.0]; record of checking measuring instruments by inspection agencies. [Д113.0]; routine ... inspection [Π290.1]; surprise inspection [B1190.1]; type of inspection [B1083.0]; under closer inspection [Π2121.1]

**inspector:** quality inspector [M60.0]

**inspire:** inspired studies [Π1426.1]

**instability:** origin of the instabilities [Π2831.1]

**instability-prone:** [C528.1]

**install:** [Y475.3]; are installed [Y447.2]; install ...  
and check operation [Y479.1]; is a convenient place to install [H171.1]; there are no significant benefits to install [Y500.1]; when ... was originally installed [B420.1]

**installation:** [M247.0, Y499.1]; assembly and installation of the ... equipment (C255.1J; eliminating the need for ... installation [Π916.1]; installation and removal [M248.1]; installation contracts [Д524.1]; multiengine installations [Y505.1]; plumbing, electrical and dueling installations [B1252.1]; retrofit installations [P686.1]; reassembly and installation... assembly [C256.1]

**installing:** installing contractor [M251.1]

**instance:** [M241.0, M243.1, Π2377.2]; at different instances of time [B226.1]; but such instances are rare [H1816.1]; for instance [H487.3]; in ... all instances [B563.1]; in nearly all instances [Π1547.1]; in ... percent of the instances [B573.1]; in some instances [B570.1]; in the instance of [B517.0]; in this particular instance [B556.1]; instances exist ... where [И507.1]; might have, for instance, chosen [M256.1]

**instant (inst):** [M241.0]; at an instant in time [B220.1]; at any ... instant of time [B217.2]; at the instant that [B211.0, B211.2]; inst [T129.1]; instant at which ... began [M246.1J; instant of time [M242.1]

**instantaneous:** [M75.0, M77.1]; instantaneous value [M77.2]

**instead:** [A1.4, B1163.1]; but instead to [A6.1]; instead of (A24.3, B1058.0, B1157.0); instead of the former practice of [B1059.1]; lies not in ... but instead in [3244.1]; no longer ... instead [T166.1]; not... but instead [H741.1]

**instigate:** [Π527.2]

**institute:** [C486.2], instituted when clinically indicated [H295.1]

**instruct:** is ... instructed to [Π1181.1]

**instruction:** [И572.0, Y196.1]; article ... has been packed at... in compliance with the requirements specified in the Operating instructions

- [И218.1]; article ... has been subjected to preservation at ... in compliance with the requirements specified in the Operating instructions [И215.1]; functional instruction [Д591.0]; instruction manual [И572.0, И579.1]; instructions for [У199.1]; instructions packaged with [И580.1]; maintenance instruction(s) [И577.0]; mounting instruction(s) [И575.0]; notes and instructions [3303.0]; ongoing instruction [P621.1]; operating instructions [И579.2]; per manufacturer's instructions [C908.1J]; preservation instruction (s) [И574.0]; set of general ... instructions [P785.1]; tentative instruction [B 1515.1]; to introduce alterations and improvements into the instruction [B 1219.1]; was given specific instructions [П3011.1]; wiring instruction(s) [И575.0]
- instructive:** it is instructive [Ц3.4]; it is instructive to see [HI 155.1]
- instrument:** [0950.1, 0952.1]; heavily instrumented [C758.1, X62.1]; instrument panel lights do not glow [H809.1]; instrumented with [0160.3]; is instrumented for the measurement (0951.1); record of checking measuring instruments by inspection agencies. (Д113.0); was instrumented to measure [0951.2]
- instrumental:** be instrumental in gaining [C1225.2]; is instrumental in [И88.1]; to be instrumental [Б325.0]; was instrumental in [M210.2]; would be instrumental in [Б325.3]
- instrumentation:** ensure the instrumentation was performing properly [У31.1]; instrumentation for... readings [П2194.1]; sparse instrumentation [M19.1]
- insufficient:** insufficient... to maintain [H1208.1]; insufficient to pose a ... hazard [H927.1]
- insulate:** insulated with [T 186.1]; to insulate [И321.0]
- insulation:** for insulation purposes (C 171.1)
- insulator** is as good an insulator as [HI 139.1]
- insure:** to insure [4177.1]; to insure that [4198.1]
- insurmountable:** difficulties ... insurmountable [H1522.1J]; we do not foresee any insurmountable problems [M414.1]; yet insurmountable mathematical problems [H1521.1]
- intact:** [H1660.1]; are left intact [01130.1]; leaving ... intact [01135.1]; remained intact [01095.1]; remains intact [01102.1]; totally intact (C845.1); unfasten the assembly... leave ...intact [01355.1]
- intake:** energy intake (П 1524.2)
- intangible:** [HI 459.1]
- integral:** (B1913.2, E25.0, C666.1); are an integral part [Я19.1]; cast integral with [01372.1]; integral ... evaluated [B2054.1]; integral of [И584.1]; integral part of [H1457.1]; integral with [B1913.1]
- integrand:** [П893.1]
- integrate:** [B1615.0, K284.0, C1 102.1]; be integrated in [П2813.1]; integrated approach [K287.1]; integrated order [K285.0]; integrated view [Ц12.1]; integrates [0350.2]; is closely integrated with [C1083.1]
- integrating:** integrating ... into a ... system [0349.1]; integrating by parts [И588.2]; integrating equation ... from ... to [И586.1]; to meet the challenge of integrating [P722.1]
- integration:** [B1181.0, 0347.1]; integration ... with time [И587.1]; integration by parts [И588.1]; integration into industry [B1 183.2]; integration limits [П1717.1]; integration of... between ... and [И585.2]; integration of... over a range ... to [И585.1]
- integrity:** [Ц13.1]; delivery schedule integrity [Т378.1J]; mechanical integrity [M171.1]; structural integrity [K341.1]; without affecting the integrity of [Б33.1]
- intellectual:** offers a great intellectual challenge [01365.1]
- intellectual-property:** intellectual-property rights [П 1600.1]
- intend:** [П1797.1]; are not intended to [H887.1J]; as originally intended [K92.1]; be fit for its intended purpose [01243.1]; intended ... utilization [П1753.1]; intended application [H297.3]; intended for [П 1751.1]; intended service conditions [0601.1]; intended usage [H297.4J]; intended use of [П1800.1]; is ... intended to be exhaustive [П2040.1]; is intended to [П1748.2]; is not intended as [H1092.1]; is not intended here [M422.1]; is not intended to represent more than [И474.1]; it is intended that [И362.1, П1795.3]; it was not intended to [B248.1]; it was not intended to ... rather to [Ц18.1]; misses the intended target objective [H849.1]; originally it was intended [B1 169.1]; range of intended usage [Д286.1]; serve to illustrate but are not intended to limit the present invention [H1872.1]; serves its intended purpose [Б329.1]; study is intended to [Ц20.1]; to be intended to [И473.0]; use ... as intended [И705.1]
- intending:** without in any way intending to detract from [H924.1]
- intensification:** [И595.0]
- intensify:** [У375.2]
- intensity:** [И591.0]; intensity of the radiation [И592.1]
- intensive:** have come under intensive scrutiny [C1410.1]
- intensively:** [И589.0]
- intent:** evident deviations from the intent of the design [Я59.1]; to all intents and purposes [П489.1, Ф8.4]; while possibly not the original intent [X101.1]
- intention:** despite the best of intentions [K52.1]; intention is to run [C810.1]; intention of the ... work [Ц25.1]; introduced ... with the intention of [B849.1]; it is ... the intention to [И494.1]; it is the intention to add [П 1793.1]; selected with the intention of [B1703.2]; with the intention of [C 120.4]



**intentionally:** done intentionally [Д204.1]  
**interact:** interact with [B 1052.1], to interact [B 1051.0]  
**interaction:** [B1050.3, B1050.4]; interaction between [B1050.1]; interaction process [B1050.2]  
**interchange:** interchange of ... for [3277.4]; interchange of experience ... will continue [0120.1]; interchanged [M119.1]; to interchange [M1 15.0]  
**interchangeable:** [B1054.1, C723.1]  
**interconnection:** [M247.0]; control panel interconnections [M250.0]; interconnection between [B1057.0]  
**interconvert:** [B1047.1]  
**interdependence:** [B1057.2]; interdependence among [B1057.0]  
**interdependent:** interdependent, but ... not the same thing [B1056.1]  
**interest:** [3211.0, И601.0]; area of great current interest [0100.1]; attracted much interest [B1807.1]; becomes more academic than of real interest [П2481.1]; becomes of interest [П2480.1]; being ... only of interest to the initiated [П1864.1]; being of current interest [П 1865.1]; being of permanent interest [П1868.1]; coefficient of interest [И678.1]; continued interest [H1453.1]; contributes to their interest [C 1230.1]; current interest has been revived in the use of [B61.1]; developed a keen interest in [Г65.1]; developed an interest in [П3044.1]; expressions of interest in [П3039.1]; for most cases of practical interest [Д391.1]; generated interest for [П2610.2]; have attracted the most interest [B 1808.1]; have renewed interest in [B 1353.1]; implanting ... interest... for [П2198.1]; in the interests of ... trade [B133.1]; in the interests of safety [B131.1]; in the range of interest [B103.1]; in the sizes of interest in this investigation [B98.1]; interest... shown in [И604.1]; interest in ... has been stirred [B1254.1]; is ... of academic interest only [П1848.1]; is no longer of interest [B216.1]; is of interest [П1845.1]; is of practical interest [П1849.1]; it is in the best interest of both the ... and the [B 132.1]; it is of interest [И611.0]; it is of interest that [И615.2]; it is of interest to consider [И613.1]; keen interest in [Г61.1]; of immediate interest [И620.1]; of interest [И605.0, И619.1, И677.0, P489.13]; of interest... are [И605.1]; of interest in their own right [И610.1]; of interest to [П1863.1]; of most interest [П1866.1]; of practical interest [П1869.1]; of special interest are [01064.1]; one item of interest [0511.1]; over the ... range of interest [B103.2]; physical interest [П1666.1]; point of interest [И606.1]; point of interest was whether or not... would [H403.1]; renewed the interest in [B1369.1]; rivaling in interest that of [П1867.1]; several points of interest are apparent from [A109.1];

some sporadic interest ... exists in [И602.1]; thank ... for ... continued interest and support [П520.1]; there has been a renewed interest in [B1353.2]; there has been renewed interest in [B1354.1]; there is growing interest ... in [P520.1]; there is no great interest on the part of ... to build [Y9.1]; to arouse interest [B1806.0]; to attract interest [B1806.0]; to generate interest [B1806.0]; to provoke interest [B1806.0]; to stimulate interest in [П2610.1]  
**interested:** [3213.0]; are primarily interested in [B280.1]; be interested in hearing from [C24.1]; kept an interested eye on [B1208.1]; we are interested in [Д356.1]; we would be interested in receiving input on this question from you. [B378.0]; we would be very interested in discussing [M435.1]; were primarily interested in [И618.1]  
**interesting:** [И605.0]; are not only interesting from a ... point-of-view [И609.1]; as an interesting aside [B 142.1]; has an interesting consequence [И430.1]; interesting ... insights [И607.1]; interesting sidelight [B1660.1]; involved a number of interesting design changes [П2240.1]; is particularly interesting in that [01038.1]; it is interesting [И611.0]; it is interesting to note that [И612.1]; it would be interesting to have the comments of the authors on this. [B379.0]; offers interesting prospects [01364.1]; reveals some interesting things [П914.1]; would also be an interesting consideration [И614.1]  
**interestingly:** [И615.1]; interestingly enough [Д503.1]; interestingly when [И616.1]  
**interface:** [Г111.0, Г112.1, П538.1]; at the ... interface [H105.1]; at the interface between [H105.2]; interface with each other [Г117.1]; to interface [Г 116.0]  
**interfactory:** [M84.0]  
**interfere:** interfere with [M172.2]; interfere with the influence [0931.1]; to interfere with [M172.0]  
**interference:** immunity to interference from [H1 175.1]; interferences ... with [П1236.1]  
**interim:** in the interim [T 134.1]; interim conclusions [П1707.2]; interim status of... program [П2845.1]  
**interior:** [B1237.1]; in the interior of the region [B1240.1]  
**intermediate:** [C1310.7]; at several intermediate positions [B355.1]; intermediate between [3348.2]; intermediate between the extreme values [П2843.1]; intermediate formation [П2847.1]; intermediate range [П2841.1]; intermediate to [3348.3, П2842.1]; is intermediate [3347.1]; temporary intermediate [K390.1]; was intermediate between [3348.1]  
**intermediation:** [П1435.1]  
**intermittent:** [П2036.1]; intermittent duty [P84.1]  
**intermittently:** [П241.3]

**intermix:** [Π3092.1]; do not intermix ... parts [H1075.1]

**internal:** internal to [B1238.4]; involvement in the ... internal affairs [B1 164.1]; is completely internal [Π11.1]; under internal pressure [P92.2]

**international:** achieved international recognition [Π1168.1]; follows international practice [C590.1]

**internationally:** internationally recognized standards [0310.1]; internationally renowned [B1577.1]; of internationally recognized authorities [A77.1]

**internationally-renown:** [Π1227.1]

**interplay:** interplay between [B 1057.0]; interplay of opinion [0119.1]; through an extensive interplay between [B113.1]

**interpolation:** linear interpolation (J151.1)

**interposed:** be interposed between [Y451.1], interposed between [Π1242.2]

**interpret:** be interpreted as [P488.2]; is to be interpreted to mean that [H1906.1]; to interpret [B1427.0]; which... can be interpreted as [C750.1]

**interpretation:** [A107.0]; attach a physical interpretation to [Π2294.1]; defies interpretation [H978.1]; from an interpretation of the test data, it appears that [A1 14.1]; interpretation of ... provisions [T296.1]; interpretation of the content [T297.1]; interpretation was consistent, ...with [Θ168.1]

**interrelate:** are interrelated [B1055.1]

**interrelating:** [B1055.2]

**interrelation:** [B1057.0]

**interrelationship:** [B 1057.1]

**interrupt:** interrupt hydraulic pressure [Π125.1]; interrupts [Π2034.1]

**interruption:** interruption device [Y543.1]; short power interruptions [K464.1]

**intersect:** [Π159.5]

**intersperse:** [01419.1]; are interspersed [Π128.1]

**interval:** [H597.0, M153.1]; are spaced at ... intervals [P387.1]; at 1 minute intervals [C17.2J]; at 6-  
mo intervals [C18.1]; at intervals of [C187.2]; at intervals of not more than [H1056.1]; at more frequent intervals [C22.1]; at one-minute intervals [C17.1]; at regular intervals [Π241.1, P619.4, 471.1]; at time intervals [C16.1]; intervals around ... circumference [Π4.1]; extend ... intervals [Y60.1]; in predetermined intervals [C23.1]; maintenance intervals [H600.1]; time interval [H598.1]; transport ... in a time interval [Π137.1]; types and intervals of maintenance [B1088.0]; uncertainty intervals [Π598.2]; were taken at regular intervals [H302.1]

**intervene:** [Π2818.4]

**intervention:** without human intervention [B16.1]; without intervention [B14.0)

**interworks:** [M84.0]

**intimate:** [Γ60.0]; intimate knowledge of

[Γ62.1]; intimate relationship between [T205.1J]; intimated [Y3 19.1]

**intimately:** intimately mixed [X65.1]; is intimate-ly associated with [H1562.1]; is intimately connected with [T207.7]; is intimately related to [T207.6]

**intimation:** there was no intimation of [H759.1J]

**into:** are brought into contact with [Π2217.1]; are called into play [B839.1]; are coming into use [H719.1J]; are recessed into [Y553.2]; are taken ... into account [Π2408.1]; be broken into [C520.3]; be classified into [P159.2]; be divided into ... groups [P204.1]; be ... factored into [Y613.1]; be processed into [И710.1]; be subdivided into ... groups [Π785.1]; been falling into disuse [B2048.1]; before delving further into [Π1962.1]; before entering into [Π1958.2]; before going into [Π 1963.1]; brazed into [B 1449.1);

breakdown ... into [P247.1]; bring ... into coincidence with [C866.2]; bring... into sharper focus [3472.1]; bring ... into specification [01510.1]; broke up into discrete droplets [P162.1]; broken down into a number of [P160.1,

P208.1]; broken into the ... categories [P159.1]; brought into focus the importance [Π878.4]; brought into view a further requirement [B1780.1]; built into [B1614.1, B1616.1]; burst into four parts [P219.1]; called into question [M345.1, Π1444.1]; carries over into [P442.3], cemented into [B 1106.1]; channeled into [H475.3]; charged into [3144.2]; come into balance [Π2546.2]; come into being [B1339.2]; come into the category of [B1665.2]; come into use [B1676.1J]; come into focus [C1398.2]; come

into play [B1638.1, H714.1]; condensed into a single trace [C312.1]; continued into [Π2747.2);

deeper insight into [Γ64.1]; dependability is built into [3230.1]; depress into the base [H286.1]; discharge is into the atmosphere [B1923.1]; divides ... into ... equal [Д241.1];

drawn... into the argument regarding [B1247.1J;

drive the nail into [366.1]; drops into place [B1613.1J; dumping into [C261.1]; empties into

[B1927.1]; engine has now moved into high production release [H717.1]; enter into the composition of (B1675.2); entered into a contract [3237.1]; entered into a licensing agreement [3241.1]; entry ... into [Π1282.1]; evolves into [P182.1]; fabricated into [И190.2]; factored

into this figure [H773.1]; faired into [Π277.1]; fall into (Д242.1, C1114.5); fall broadly into three groups [P432.1]; fall into ... categories [Π785.2]; fall into this trap [И158.1]; fed into the ... model [3229.1]; fell into disrepute [Π1518.1]; find its way into [Π2861.2]; fit easily

into the existing space [J127.1]; fit into... classes

[Π773.1]; fit into a number of [C 1014.1); fit into

the framework of [Y223.1]; fit loosely into [C308.1]; fits into [Π304.1]; fits into envelope restrictions [B1466.1]; formed into [И460.1]; gaining practical insight into [Π2488.1]; get into [Π1284.1]; get into trouble from [H725.1);

give an immediate insight into [Д22.1]; give considerable insight into [П921.1]; give good insight into what takes place in [X35.1]; gives...  
 insight into [Д37.1]; go into operation [B1647.1];  
 go into creating [3492.1]; grouped ... into [P203.1]; incorporated ... into [B1383.1]; inject-  
 ed into [B1502.1]; insert the mains plug into [B1608.1]; insight [Г64.2, H1294.3J]; into inte-  
 grating ... into [0349.1]; integration into indus-  
 try [B1183.2]; into the test [C1271.1]; investiga-  
 tion into the effects of [И775.2]; is falling into  
 disrepair [B1036.1]; is formed into [П2296.1];  
 is  
 resolved into... components [P215.1]; is thread-  
 ed into [B835.1]; is translated into [П3052.3];  
 loaded into [3144.1]; lowering ... into  
 [0872.1];  
 made into [B1383.2]; made its way into  
 [П2861.1];  
 margin of safety built into [3375.1]; merge  
 into  
 [C643.1]; H1143.1]; packed into [H214.1];  
 placed  
 into service [П3082.2]; plug ... into [B1608.4,  
 П726.3]; poured into [B 1130.1, 3270.1,  
 3479.1,  
 H580.1]; preliminary investigations into  
 [П1708.1]; press ... into [B1501.1]; press ...  
 into  
 submission [B1858.1]; problem came into  
 even  
 sharper focus [П2600.1]; provide unique  
 insight  
 into [P572.1]; provides a deeper insight into  
 [Д38.1]; provides a strong insight into [035.1];  
 provides immediate insight into [П920.1];  
 pumped forward into [П116.1]; pushing ...  
 back  
 into [3178.1]; put ... into the SETUP MODE  
 [B842.1]; putting into operation (B836.0J;  
 put-  
 ting into service [B836.0]; reinjected into the  
 ...  
 cycle [B1273.1]; research work into [И793.1];  
 resolution ... into components [P248.1]; re-  
 solved into ... components [P353.1]; retrofitted  
 into existing [Y460.1]; roll ... into [C343.1J;  
 ruled into [P220.1]; run into difficulty  
 [H583.1,  
 C1374.2]; slips ... into [B853.1]; snap into the  
 place [3531.1]; subdivided into [П784.1];  
 substi-  
 tuting ... into [П830.1, П833.1]; tap ... into  
 position [П1494.1]; to be divided into  
 [Д238.0];  
 to be formed into [И460.0]; to be grouped into  
 [Д238.0]; to be subdivided into [Д238.0]; to  
 bring ... into disrepute [H241.1]; to bring into  
 operation [B1 110.0]; to bring... into  
 perspective  
 [4203.1]; to bring into view [B1777.0]; to  
 build  
 into [B 1614.0, 3228.0]; to call into question  
 (C1361.1); to come into being [B1339.0]; to  
 come into effect [B 1645.0]; to come into  
 force  
 [B1645.0]; to come into operation [B1638.0];  
 to  
 come into play [B1638.0]; to come into  
 service

[B1647.0]; to divide into a set of [P160.2]; to  
 divide ... into ... size categories [P205.1]; to  
 enter into [B1608.0, 3235.0]; to enter into  
 negotiations [B1639.0]; to factor into [Y609.1];  
 to fall into [Д238.0]; to fall into disuse [B2048.0];  
 to feed into [3228.0]; to fit into [B1608.0,  
 B1663.0]; to gain insight into [П1164.2, P167.1];  
 to give an insight into [Д37.0]; to go into  
 [3490.0, K190.0]; to go into details [B850.0]; to  
 go into operation [B1647.0]; to incorporate into

[B1383.0]; to insert into [B1608.0]; to introduce alterations and improvements into the instruction [B1219.1]; to introduce amendments into [И432.1]; to make into [B1383.0];  
to plug into (B1608.0); to press ... into service [Б76.1]; to provide an insight into [Д37.0]; to push into the foreground [B 1781.0]; to put into operation [B844.1]; to put into service [П3082.1];  
to rub into [B1657.0]; to take into account [B1145.1, Д418.4, H1392.1, П2408.2, Y607.1, Y608.3, Y616.1]; to translate into [B1383.0];  
to work into [B1657.0]; transformed into [П1193.3];  
translate into [B1853.1, 0614.11, П1691.5, П2019.1]; translating ... into [B1385.1]; turn into [П193.4]; vented into the atmosphere [C262.1]; ventured briefly into the field [П728.1]; was oriented into the wind [0908.1];  
was subcontracted ... into [П2203.1]; welded into [B821.1]; well into the test (П 1375.1);  
without going into the details of [H767.1];  
work ... into [B1657.1, Д492.2]  
**intolerable:** [H1192.1]; situation becomes increasingly intolerable [П1104.1]  
**intolerably:** intolerably high [HI 195.1]  
**intolerance:** intolerance of... toward [H1655.1]  
**intolerant:** are intolerant of [H799.1, H840.1, H1656.1]  
**intractability:** against this background of apparent intractability [C 166.1]  
**intractable:** [H980.1]  
**intricacy:** unfamiliar with the intricacies [H1256.1]  
**intricate:** intricate matter [C662.2]  
**intricately:** are intricately connected [C367.1]  
**intriguing:** [И605.0]; explanation is intriguing [T70.1]; it is intriguing [И611.0]; it is intriguing that [И615.3]; presents intriguing possibilities [01360.1]; question which has been intriguing many of us [B1398.1]  
**intrinsic:** have intrinsic value [Ц40.1]; intrinsic to [П2543.3]; is intrinsic [Д175.1]  
**introduce:** [B838.1, B1187.1, B1222.1]; are being introduced for use on selected [B1 189.1]; error introduced by [01691.1]; fruitful way to introduce the effect of ... is to use [П1014.1]; introduce ... complication [0935.1]; introduce an element of subjecting in that [B1223.1]; introduce distortion in [B 1220.1]; introduce serious error [B1225.1]; introduce the ... features [3579.1]; introduced ... with the intention of [B849.1]; introduces a question as to [B1610.2]; is entitled to introduce amendments into the working drawings [И432.1]; to introduce [B838.0]; little error is introduced by this assumption [01692.1]; this inevitably introduces the problem of [П2170.1]; to introduce a correction for [B1227.0]; to introduce alterations [B1216.0]; to introduce alterations and improvements into the instruction

[B1219.1]; to introduce error [B1224.0]; to introduce the topic [B841.1]; to introduce to [3578.0]

**introducing:** [B1 181.0]; introducing ... for ... one obtains [П832.1]; introducing ... in the field [B1185.1]

**introduction:** [B822.0, B1 181.0]; as stated in the introduction [K63.1]; breakthrough came with the introduction of [T236.1]; introduction to [B823.1, 0612.1]; pending introduction [Д436.1]; time scales for the introduction of [C1327.1]; wide-scale introduction [B1 184.1, III15.1]

**intuition:** intuition ... is [И625.1]

**intuitive:** intuitive feel of [И621.1]; intuitive rationale [И622.1]; intuitive reasoning [И623.1]; on a purely intuitive basis [4105.1]

**intuitively:** intuitively one might think that [И624.1]; it was felt intuitively [И626.1]

**inure:** inure to the benefit of [C681.1]

**invalidate:** [Д207.1, J170.1]; be invalidated by [C 1385.1]; invalidate the calibration setting [H519.1]; invalidate warranty [J169.1]

**invaluable:** are an invaluable aid in [0648.1]; has proved invaluable in [0673.1]; has proven invaluable for [0672.1]

**invariably:** [H1277.1J]; are invariably attributable to [M262.1]

**invariant:** invariant with time [H857.2]

**invention:** general object of the invention [Ц19.1];

invention concerns [И319.1]; particular embodiment of the invention [K321.0]; reduction of invention to practice [Д487.0]; serve to illustrate but are not intended to limit the present invention [H1872.1J]; subject-matter of the invention [0358.1]; test for invention [И750.0]; this invention relates in general to... and more particularly to [H574.1]; without departing from the spirit and scope of the invention [Б42.0]

**inventive:** inventive activity [И3 18.1]

**inventor:** [A73.0]

**inventory:** [K253.0, H387.1]; annual inventory count [E30.1]; hardware inventory [C 1175.1]; inventory list [И544.0]; inventory No [И543.0]; inventory of ... contained within [K263.1]; inventory replenishment [B1412.1]; inventory turnover [0158.1]; to ... review inventory of [П2641.1]

**inverse:** [B890.2J]; inverse problem statement [Ф50.1]; varies as the inverse of [И289.1]

**inversely:** [И41.4]; inversely as the square of [0200.1]; inversely proportional to [0199.1]; inversely with the cube root of [0201.1]

**investigate:** in what follows, we investigate [H1716.1]; investigated for... influence [И797.1]; over the ... range investigated [B104.2]; proposal that... be investigated [П1739.1]; range investigated [И802.1]; to investigate [И794.0]; to investigate in greater depth [И795.1]; we now investigate [И801.2]

**investigation:** [И773.0]; are worth further investigation [3449.2J]; as one of the aims of the

investigation was to provide [0534.1]; as to whether ... further investigations did not so indicate [4145.1]; aspect needs further investigation [B1 400.1]; but the first step in a ... investigation [T311.1]; deserves detailed investigation [3450.1]; experimental and theoretical investigation [Э39.1]; final area of investigation was [П1398.1]; for the first time in such an investigation [B1451.1J]; further investigation ... is in progress [B58.1]; has been the subject of considerable investigations [Я33.1]; has been the subject of numerous investigations [Я34.1]; has so far received ... little theoretical ... investigation [П959.1]; in the sizes of interest in this investigation [B98.1]; investigation into the effects of [И775.2]; investigation on several fronts [И781.1]; investigations of [И786.1]; line of investigation [H469.1]; most appropriate references for the current investigation [P35.1J]; must await further investigation [HI 881.1]; preliminary investigations into [П 1708.1]; prompted the present investigation [П528.2]; specific conclusions reached from this investigation [K322.1]; subject of ... investigations [T138.2]; that is under investigation [И804.2]; this investigation focused on [B134.1]; this investigation is just a beginning [Э138.1]; this potential is ... under investigation [T65.1]; this result indicates that further emphasis should be placed on investigations [Э105.1]; to set this study in the context of a wider investigation, of which it is a part [P466.1J]; under investigation [И804.0, P489.11]

**investigator:** [И788.0]; at the investigator's leisure [П370.1]; future investigators would be prudent to [B286.1]; such disagreement is not surprising considering the difficulty investigators have encountered in [T74.1]

**inviolable:** [H1268.1]

**involute:** are not necessarily involute [H948.1]

**invitation:** accepted the invitation [П2428.1]; is an invitation to disaster [H240.1]

**invite:** invited lectures [Д548.1]; is invited by [П2900.1]; readers are invited [П1732.1]; your comments are invited ... should be addressed [Ж1.1]

**invoice:** check invoices for ... versus [C270.1]

**invoke:** analogy will be invoked [0229.1]; invoked to explain [П2204.1]; is invoked [B1415.7, 0228.4]; to invoke [B1415.0]

**invoking:** [0246.1]

**involve:** [Д118.2, B1111.3, B1129.2, 3242.2, И804.0, 0614.3, P489.5, C357.2, C1024.4]; although ... are involved [H1610.4]; are involved in [B1 111.4]; errors in other measurements involved [01694.1j]; evaluation by persons not involved [01641.1]; even lower risks are involved [P746.1]; involved a number of interesting design changes [П2240.1]; involved in [И714.1, И734.1, C350.4];

involved in the design [3360.1]; involves ... dangers [B936.1]; involves a two-step process [B1905.1]; involves several stages [C1115.1]; is actively involved with the ... markets [A98.1]; is involved [И715.3]; is involved in ... design project [Y597.1]; may not simply involve [П2922.1]; must somehow be involved [Д582.1]; obvious difficulty involved with [01651.1]; other disciplines involved [П 1830.1]; procedure for... involves [M 169.1]; rather involved [Д514.1]; should not involve [H836.1]; significantly more involved [3633.1]; some luck was involved [T453.1]; than when no... is involved [445.1]; to be involved [И715.0]; to involve [Bill 1.0, B1 129.0, 3242.0]; when no ... is involved [K235.1]

**involvement:** [3211.1]; involvement in the ... internal affairs [B1 164.1]

**involving:** [C1.3, C952.1]; extended to ... situations involving different [P441.1]; in the case involving [B522.1]

**inward:** [B1243.1]; facing inward [outward] [0241.2]

**iron:** high in iron [И515.1]

**ironclad:** ironclad proof [C1469.1]

**irreconcilable:** irreconcilable alternatives [H1630.1]

**irrelevant:** is irrelevant [H866.1, H877.3]; makes ... irrelevant [Д209.1]

**irrespective:** irrespective of [B1 174.2, H1223.1]

**isolate:** [И321.1]; artificially isolate [И680.1]; contribution to ... of... isolated [Y523.1]; if the fault has ... been isolated to [E58.1]; is isolated [01345.1]; is isolated to [C1067.1]; isolate the problem to [И644.1]; isolate the problem [Y455.1]; isolated from each other [И322.1]; isolated occurrence [E13.1]; no single ... could be isolated [B1788.1]; this allows ... to be isolated [3175.1]; to isolate [B1784.0, И321.0]

**isolating:** isolating the malfunction to a ... component [0127.1]

**isolation:** [PI 97.1]; in isolation [B292.0, B293.1]; in isolation and in concert [П430.2]; in total isolation of each other [C827.1]; to consider... in isolation [P453.1]

**isothermal:** very nearly isothermal [П 1647.1]

**issuance:** date of issuance [Д 120.0]; issuance of ... certificates of authorization [B1774.1]

**issue:** [B1391.0, H1839.3]; begs the issue [Y76.2, Я15.1, Я32.1]; challenge to... was issued [C1356.1]; complex issue [C662.1]; confuse the ... issue [3421.1]; control related issue [B1408.1]; controversial issue [C1199.1]; elaborating... issue [T507.1J]; has generated wide attention... to issues [П2202.1]; issues a receipt [B1769.1]; I take issue with [H1088.1]; no issues were identified [H1740.1]; patent ... issued [B1768.2]; question at issue is [01124.1]; raised the issue of [П753.3]; resolve ... issues [P719.1]; returning to the issue [B1275.3]; side issue [П523.1]; specifically address this issue [П1343.1]; to issue [B1924.0, И814.0]; to issue a COST on [Г100.0]; to issue a patent [B1768.0]; to issue the certificate of origin for goods [B1770.0J]; topicality of the issues [A101.1]; until these issues are clear [Д467.1]

**it's:** it's not unusual that [B1485.1]; where I feel it's necessary [T 114.1 ]

**item:** [И213.0, П940.1]; back-ordered and missing items from shipment [H1549.1]; completing items [K301.0]; high cost item of the total [C1556.1J; item number [C 1175.2]; item of the total [C1 103.2]; items covered [P490.1]; items of supplied outfit [K292.0]; key item [0973.1]; legal-for-trade items [P328.1]; one item of interest [0511.1]; open item updates [Y570.1]; revised item of a document [И742.0]; scope of delivery per item [K294.0]

**itemize:** are itemized [П222.1]

**itself:** [C196.1]; adds itself to [Д477.1]; by itself [B29.1, C210.1]; confines itself to [0463.3]; does not guarantee by itself [C198.1]; does not lend itself to [H 1027.4]; does not readily lend itself to [H1028.1]; end in itself [C214.1]; finished on itself [0188.1]; in itself [C197.1]; is ... in itself [C203.1]; itself is a major problem [C199.1]; left to itself [П1763.1]; lends itself ideally to [И97.3]; lends itself to [П703.1]; manifests itself as [П3052.1]; should have manifested itself [0429.1]; simplicity itself [C200.1J; subjects itself easily to ... analysis [J21.2]; this in itself should give [Y186.1]; to manifest itself [B1948.0]; which, in itself, would indicate [4161.1]

## J

**jam:** be jammed [3200.1]; to jam [3138.0]

**jarring:** [B1637.1]

**jeopardize:** [П1655.3, C1363.3]; jeopardize the functionality [П656.1]

**job:** [3168.0]; are ... doing the exact job required [Д200.1]; at the job site [H74.1]; custom jobs

[P16.1]; do a reasonably accurate job of determining [0819.1]; does a credible job [Д55.1]; does a remarkably good job of accounting for [01679.1]; does an ... job of correlating [043.1]; does an excellent job [01408.1, 01677.1]; does the job faster, cheap-

er, and more conveniently [Я9.1]; job ... completed [B1892.2]; preparatory jobs [П696.2];  
 put ... on to the job [П725.1]; ruin the entire job [И736.1]; spare time job [P15.1]; take on lots more jobs [H616.1]; thankless job [H1156.1]  
**join:** joined to [П2522.3]  
**joining:** by joining the points ... one obtains [C963.1]  
**joint:** album of main joints and repair tolerances [A105.0]; joint effort with [C856.1J]; on the joint US-USSR... program [B461.1]  
**jointly:** developed jointly [P300.1]; either separately or jointly [П431.2]; solely or jointly [C211.1]  
**journal:** [Ж17.0]; journal was allotted 450 pages [Ж18.1]  
**jubilee:** celebrate the ... jubilee of [П1638.1]  
**judge:** as far as I can judge [H550.1]; by judged on [C1529.2]; is judged ... on the basis of [C1528.1]; is judged by [C1529.1]; it is pre-  
 ma-  
 ture to judge [P345.1]; it was not judged necessary [Б374.1]; one cannot judge upon [T485.1]; was judged [C1609.1]; was judged to  
 be tolerable [C1612.1]  
**judgement:** [B1725.0, 3568.1]; considerable engi-  
 neering judgement [C439.1]; considerable judgement has to be exercised [C621.1]; engineering judgement [И557.1, T226.1]; engineering judgements [П2183.1]; in our judgement [П408.1]; judgement would indicate [Л86.2, П386.1]; personal judgement [C1525.1];  
 snap judgement ... be made [T339.1]; snap judgement should not be made [H1066.1]; value judgement [П150.1]  
**judging:** judging from previous results [C1535.1]  
**judicious:** judicious selection [O169.1]; judicious selection of [P577.1]  
**July:** Complete Specification filed 15 July 1970 [Д132.0]  
**jump:** quantum jump [K252.1]  
 **jumper:** are jumpered [C961.1]  
**June:** early June [H702.1]  
**jurisdiction:** is under the jurisdiction of [B1668.1, H660.1J]

**jurisdictional:** jurisdictional regulations [B881.1]  
**just:** [И352.0]; and just as well [И82.1]; differences  
 from the one just described [O1410.1]; falling just short of [B 1469.1]; has just broken [T325.1];  
 is just as likely [T24.1]; is just like [B82.1]; just above [HI 474.1, 4228. I]; just after [C 1300.1]; just ahead of [H1476.2]; just as [П768.2]; just as  
 ... would indicate [K75. I]; just behind [H1478.1];  
 just below [H1477.2]; just beneath [H1477.1]; just described [T323.1]; just enough to [P753.1];  
 just for good measure [П2921.1]; just forward of  
 [H1476.3]; just one time [T316.1]; just outside the point [C1295.1]; just over [H1342.3]; just perceptible [E9.3]; just prior to break [H1481.1J];  
 just those which [T320.1]; just under the ... manifold [П617.1]; just what [K 148.1]; looks just like [B1754.1]; much more ... than just [H1119.1]; not just [A32.1]; programs ... are designed to do just this [П2708.1]; so that ... just touches [T50.1]; these were just the ... required [A46.1]; this investigation is just a beginning [3138.1]; this is just conjecture [H1819.1]; to tackle just about any ... problems [П2024.1]; ut this just trades the problem ... for the problem of [H1822.1J]  
**justice:** do justice [O1633.1]; to do justice to [O1272.2]  
**justification:** been considered justification for [C1623.1]; justification for [O163.1, 0798.1]; justification for, or the acceptability of [П1636.1]; physical justification [Ф27.1]; provides further justification [Л79.1]; what is the justification for considering [H547.1]; with ample justification [C42.1]; without any physical justification [Б26.1]  
**justify:** demand was not justified [T417.1J]; economically justified [Э21.1]; expense is ... justified [O804.1]; has never been justified due to [H1757.1]; is not justified [H985.1]; justifies  
 [O799.1]; may well justify [B 1481.1]; this assumption is probably justified [Э193.1]; to justify (B1936.0); use of a ... expression is justified because [И686.1]  
**justifying:** [B1936.2J]

## K

**keen:** developed a keen interest in [Г65.1]; keen interest in [Г61.1]; keen: intimate [Г60.0]  
**keep:** in order to keep ... clear [4191.1]; keep ... accounts ... in order [C946.1]; keep ... away from [X120.1]; keep ... clean [C941.1]; keep ... constant at the desired level [П712.1]; keep ... free of dirt [H841.2]; keep ... from [П1770.7];  
 keep ... informed of [И638.1]; keep ... in-

formed [Д262.1]; keep ... well lubricated [C940.1]; keep abreast of [И106.2, H970.2]; keep coming back for more [П1473.1]; keep containers closed when not in use [B334.0]; keep dry [Б152.0]; keep in a cold place [Д265.0]; keep pace with [H970.1, П1432.1, Y424.1]; keep track of [Б298.1]; keep viscosity  
 low [П715.1]; keep you informed of what is



going on [Д264.2]; keeps ... moist [П721.1]; keeps close watch on new developments in this direction [П2528.1]; keeps it free of [3544.1]; keeps wiring mishaps from damaging [П1775.1]; keeps you abreast of [Д263.1]; key point to keep in mind [Г51.1]; reader should keep in mind [4113.1]; to keep [B932.0, B1789.0]; to keep a record [B950.0]; to keep dirt out [3546.1, H841.1, П1780.1]; to keep free of [3539.0]; to keep out [3539.0]; to keep out of [И154.0]; to keep out of trouble [И159.1]; to keep out the debris from [П1782.1]; to keep pace with [И106.1]; to keep smb. abreast [Д262.0]; to keep smb. informed [Д262.0]; to keep smb. posted [Д262.0]; to keep the details of... secret from [C558.1]; to keep the minutes [B939.0]; to keep the service log [B951.0]; to keep their lead in the race with [C113.1]; to keep track of (C580.2)

**keeping:** in keeping with [B590.3]; is not in keeping with [И107.1]; keeping ... informed of the situation as it progresses [Д264.1]; keeping track of upcoming events [B299.1]; provisions ... for keeping [M125.1]; service log keeping rules [И573.0]; was totally in keeping with [П1066.3]; while keeping in mind the following... [H853.1]

**kept:** be ... kept on hand [X123.1]; be kept on line [01088.2]; be kept to an ... minimum [C984.1]; careful record was ... kept of [T518.1]; has been kept level at [C1148.1]; have kept... free of [П1779.1]; have not kept pace with [H1137.1]; is kept free of [П1781.1]; is kept in check [B1790.1]; it must be kept in mind that [H1368.1]; it should be kept in mind [C603.2]; kept... free of [3541.2]; kept an interested eye on [B1208.1]; kept posted [Д262.2]; kept to a minimum [B1794.2, C316.2]; was kept to a minimum [П711.1]; were kept fixed [П717.1]; were kept to less than [П714.1]

**kerosene:** thinned with kerosene [P157.1]

**key:** [B882.0, Г42.0, K221.0]; attained a key position [3346.1]; key ... players in the oil, ... industries [K226.1]; key assumption underlying [Г57.1]; key element of [0975.1]; key feature of [Г47.2]; key features [01004.2]; key in the ... value [B845.1]; key industries [B884.1]; key item [0973.1]; key point to keep in mind [Г51.1]; key slot 4 mm wide x 2.15 mm deep [B1966.0]; key step [P729.1]; key to controlling [K224.1]; key to the success of [K225.1, 0956.1]

**keyboard:** manually enter them through the keyboard [B845.2]

**keying:** [Y407.1]

**keyway:** master keyway [Г52.0]

**kilometer** [K266.0]

**kind:** all kinds of [B1560.0]; kind of [H1684.1, C334.2]; of the above-mentioned kind [B2078.1]; one cannot be very precise in this kind of study [B136.1]; regarded as a kind of... system

[P462.1]; various kinds of [C223.1]; were the first of their kind [B320.1]

**kindly:** kindly inform [C1001.1]

**kingdom:** throughout the entire plant kingdom [B196.1]

**kit:** repair kit [P699.1]; shim kit [H230.1]

**kiting:** kiting area [M143.0]

**knock:** knocked down [B22.3]; occurrence of knock [П1585.1];

**know:** [И168.1]; although it is known that [X93.1]; although less widely known [X94.1]; and something was already known of [И36.1]; are known collectively as [И176.1]; are not known to be available in the literature [H398.2]; are presumed known [П2451.1]; are so well known as to hardly need restating [H566.1]; as far as we know [H544.1]; but the significance of this is not known [017.1]; commonly known as [0405.1]; do not need to be known [3592.1]; does not know the difference [B78.2]; from experience it is known that [И126.1]; however, although ... is known to [0573.1]; is known [И174.2]; is not ... known with assurance [Д734.2]; is not known with certainty [Д734.1]; is not well known [H1211.1]; is too well known to require further review [Д698.1]; it has been known for years that [Д75.3]; it has long been known that [Д75.1]; it is generally known that [0302.1]; it is known ... that [И174.1]; it is known from ... that [И121.1]; it is not known what the costs would be to develop [H1274.1]; it is sometimes useful to know [И564.1]; it is well known from experience that [И127.1]; it is well known that [X54.1]; it is widely known that [Ш20.1]; know ... at all times [3590.1]; know ... what to do each step of the way [3593.1]; known approximate location [П2388.1]; known as [И169.1]; known number of [H61.1]; known to [K423.1]; known to be [04.1]; knows in advance [3591.1]; let me know [Д56.1, C1000.1]; let us know [Д71.1]; little is known of [M39.1]; little is known of... other than that [02.1]; little known [M47.1]; must be known [H1365.1]; must be known for the proper [4205.1]; need to know... accurately [H1406.1]; no ... are known [H397.2]; not enough is known to [H740.1]; not known at the moment [B50.1]; now that... are known, it is possible to [T171.1]; one known [0510.1]; significance of this is not known [3603.1]; there are two known [И175.1]; universally known [0301.1]; use of ... requires ... be known [4189.1]; very few apparently know [01667.1]; was known to be [03.1]; we know of no [M417.1]; we know of no published [H398.1]; what is known as aging [Я5.1]; with ... assumed to be known, as before [П2445.1]; with... known [3594.1]

**know-how:** know-how is passed on through [П99.1]

**knowing:** thus, by knowing ... one could [T95.1]  
**knowingly:** knowingly false [378.1]  
**knowledge:** [3586.0, И627.0]; according to today's knowledge of thermodynamics [И822.1]; armed with ... knowledge [B1382.1]; at the present state of knowledge [И2146.1]; based on today's knowledge [И820.1]; best knowledge [H1825.1]; calculated from a knowledge of [B2057.1]; call for specialist knowledge [T445.1]; can be calculated from a knowledge of [M366.1]; have a rudimentary knowledge of [Э78.1]; in light of the present state of knowledge for [B491.1]; in order to gain some knowledge as to [4197.1]; intimate knowledge of [Г62.1]; knowledge of... is required for [3588.1J; knowledge of [И629.3];  
 lack of knowledge [H1257.1]; lack of knowl-

edge of [H1204.1]; minimum knowledge of [M179.1]; offers little knowledge [H814.1]; prior knowledge of [A155.1]; requires a knowledge of [H1366.2]; requires knowledge only of [T446.1]; state of knowledge relative to ... is still modest [Y370.1]; technique ... starts from a knowledge of [P550.1]; this knowledge is useful to [3587.1]; thorough knowledge of... is required [HI 393.1]; to the author's knowledge [H543.1]; to the best of our knowledge [H544.2]; with the knowledge that [И363.1]; within the knowledge of the authors [H543.2J; without an approximate knowledge of [H863.1]; working knowledge [H1411.1]  
**knowledgeable:** knowledgeable individuals [K282.1]; people knowledgeable in [C1163.1]

## L

**label:** [0156.1, C755.1]  
**labile:** [H1679.1]  
**labor:** division of labor [PI 99.1]  
**laboratory:** [JI.0]; have yet been developed beyond the laboratory stage [B2045.1]; most laboratory practice [0309.1]; none ... have ... been developed beyond the laboratory stage [H804.1]  
**laboratory-grade:** [JI.1]  
**lack:** [H1089.1]; at present there is a lack of understanding [B51.1J; due to the present lack of [И225.1]; for lack of [B501.1, 331.0]; for lack of a better term [333.1]; from lack [331.1]; from lack of [331.0]; general lack of concern in [0331.1]; lack generality [J72.1]; lack of [01546.1, И1084.1]; lack of knowledge [H1257.1]; lack of knowledge of [H1204.1]; lack of production maturity [HI 628.1]; lack of statutory subject matter [0359.1]; lack stamina for [H1145.1]; lacks [B309.1, H1144.1]; lacks the final [H1348.1J; substantial lack [B231.1]; their lack of need for [01556.1]; this lack of repeatability [T72.1]  
**lacking:** is ... lacking (01558.2); is lacking or incomplete [H1467.1]; lacking in (J75.3); too lacking in [C650.2]; understanding is still lacking [B972.1]  
**laden:** in a highly laden dust environment [B717.1]; in the laden state [B616.1]  
**lag:** has... lagged a few years behind [01532.1]; lag in [01529.1]; thermal lag [T183.1]; to lag [И321.0]; were lagged with [И321.2]  
**lagging:** is lagging in [01531.1]; lagging ... and leading [01534.1]  
**laminare:** different from one laminate to another [P289.1]

**lamp:** green READY TO RUN lamp not on [H808.1]  
**language:** spoken language proficiency [B1126.1]  
**lap:** were ... ground and lapped [И333.1]  
**lapse:** lapse or otherwise [Y350.1]  
**large:** [B224.0, K507.0]; are not nearly as large [3624.1]; as ... becomes large [C90.1]; at large [B741.0]; because of the large length-to-diameter ratio [И 1350.1]; by and large [B261.1, B741.3]; displaced ... by a large amount [C733.1]; in a large measure [B648.1]; in large numbers [B154.1]; in large quantities [B154.0J; inconveniently large [H1544.1]; is ... as large as or larger than [P135.3]; it depends to a large extent on [B200.1]; large body of [B240.0]; large body of... literature [0296.2]; large but rather diffuse body of evidence [B244.1]; large majority of [И639.2]; large number of [B983.1]; large scale use (И683.1, И15.2); large value of ... lies in [B235.1]; large variety of [B250.1]; may seem large, but [M294.1]; need not necessarily be large [H946.1]; not nearly as large as (C897.1); on a large scale [B183.1J; one-quarter as large [478.1]; quantities at large times [И352.1]; several times as large [B441.1]; small difference between two large and similar quantities [M1 6.1]; to a large extent [B198.0, B654.1]; to choose from among the large number of possible [C390.1]; too large a [C649.1]; without suffering large [B8.0]; without suffering large losses [B9.1]  
**large-scale:** large-scale production [K512.1]; large-scale version [Y71.1]  
**large-series:** large-series production [K512.2]  
**largely:** [B198.0, Г59.1]; have been limited large-ly to [C323.1]; is largely a matter of experi-

ence [391.1]; is largely an academic matter [Π1847.1]; is largely associated with (C358.1); is largely independent of [B282.1]; largely or completely [B655.1]; largely removed this difficulty [B285.1]; were largely responsible for [B201.1]

**larger:** and ... are all larger [И4.1]; covers a larger area [3342.1]; have a larger effect on [C482.1]; is... as large as or larger than [P135.3]; larger times [B174.1]; much larger [H416.1]; much larger than [3619.1]; very much larger [H416.2]

**largest:** largest impact is seen in ... followed by... and finally [H349.1]; largest producers [K509.1]; were the largest contingent [C1074.1]

**last:** [B324.1Б, K446.0, C1142.2]; and it is to this last aspect that most ... attention is being directed [И32.1]; and the last [И48.0]; as a last example [H373.1]; as a last resort [B534.1, K109.1]; canceled at the last minute [A145.1]; designed to last for the life of the unit [P513.1]; first... second ... last [C762.1]; in the last analysis [B158.0]; in the last analysis ... on [B158.6]; in the last few years [B86.0]; in the last three years alone [T304.1]; last ... have seen [341.1]; last mentioned [Π1386.1]; last the longest [P62.1]; last two assumptions are open to question [B386.1]; last word is [Π466.1]; last year [B427.0]; lasted until [Π2893.1]; lasts only (Д317.1); only as a last resort [T302.1]; over the last ... years or so [B710.1]; over the last half century [342.1]; starts earlier and lasts longer [H724.1]; to last [B1789.0, Д316.0]; to within two of the last significant digits [C136.1]; was cancelled at the last minute [01412.1]; was last on the list [3336.1]; was not to last for long [Д320.1]; within the last... years [340.1]

**lasting:** long lasting [Д298.0]; long lasting service with ... no maintenance [Д303.1]; of lasting value [Π43.1]

**lastly:** firstly ... secondly... lastly [B328.1]; firstly ... then ... and lastly [C762.2]

**latch:** latch on [Ф30.1]

**late:** during the late [B159.0]; during the late ... and early [B161.1]; in the late 1960s [B160.1]; in the late [B159.0]; late December [K308.1]; of late [Π1388.1]; since the mid- to late 1980's [C94.1]

**lately:** [B60.0]

**later** as shall be seen later [K89.1]; as will be demonstrated later [K105.2]; as will be discussed in more detail later [K106.1]; as will be done later [4138.1]; as will be shown later [K105.1]; at a later date [B11.2, Π937.3]; at a later stage [Π937.4]; at a later time [B1496.4, Π937.5]; at later date [C189.4]; at later times [B336.1]; discussed more later [P471.1]; in later part of the paper [B454.1]; in the later stages [Π937.6]; it is not until later that [И64.1]; later on [Π937.2]; not later than [И1 002.1]; not later than one year after

[H1006.1]; provision is made ... at a later date [Π938.1]; re-schedule... at a later date [Π146.1]; served as a starting point for later developments [Π1424.1]; should the need for such ... arise at a later time [E71.1]; we shall return to this point later [M406.0]; will be postponed until later [3354.1]

**later-time:** [Б 173.1]

**lateral:** lateral view [B1077.0]

**latest:** based on the latest design practice [01032.1]; incorporates the latest advancement in [B 1384.1]; represents the latest technology in [Π1878.1]; transmitted ... latest [Π 181.1]; very latest [H1824.1]

**latitude:** [B1318.0, Д283.0]; allow little latitude in [0460.1]; allowing ... more latitude in [Д63.1]; latitude in the choice [C301.2]; offer... greater latitude in [Д63.2]; quite a wide latitude [B1035.1]; there is little latitude in [B1327.2]

**latter** [Π1384.1]; division of the latter by the former yields [Д237.1]; example of the latter maybe [Π2383.1]; in the former case... in the latter case [B546.1]; in the latter half of [B356.1]; this latter point [Π1391.1]

**launch:** to be launched [3418.1]; to launch [3417.0]

**law** [3104.2, 3249.0, Ф44.1]; be made obligatory by law [Π1921.1]; follow the law [Π888.1]; from Bernoulli's law [Π499.1]; law of similitude [3250.1]; obey a ... law [Π888.3]; power law relationship [C 1453.1]; refer to courts of law [0223.1]; scaling laws [Y355.1]

**lawfully:** [H87.1]

**lay:** foundations for... laid [3231.1]; foundations for... were laid down [3231.2]; good foundation had been laid [3233.1]; lay in the fact that [3243.1]; lay of the surface [C579.1]; to lay [3228.0]; to lay (down) the foundation (for) [3231.0]; to lay an action against (B1253.0); to lay the groundwork (for) [3231.0]; to lay the groundwork for future [3234.1]

**layer:** applied ... in a thin layer on [H441.1]; spread ... in a thin layer [H581.1]

**layout:** [K303.1]; layout plan [K303.2]

**lead:** [0754.2]; are led to the conclusion [Π2550.1]; do not contact leads [H1031.1]; followed ... lead [C593.3]; have established a two-year lead [0756.1]; hence one is led to [01577.1]; lead ... in phase [K250.1]; lead ... to [H475.2J]; lead one to conclude that [Π2226.1]; lead time [Д314.1, C 1332.1]; leads ... be disconnected [01523.1]; leads ... by [0755.1, 0758.1]; leads ... to a cautious optimism [3470.1]; leads ... with a phase difference of [0758.2]; leads the shift [P768.1]; leads to the following formula: (Π2222.2); led out of [B1738.3J]; led the way in [3343.1]; led to some risk of [Π2229.1]; long lead [Д308.1]; pull out ... as far as the leads allow [B2021.1]; purchasing lead time [Д313.1]; should lead to better results [Д587.1]; take the

- lead [Π3043.1]; this leads to a saving in time [Π930.1]; this leads to the conclusion that [A40.1]; this reasoning leads us to assert [T59.1]; to keep their lead in the race with [C1131.1]; to lead [И105.0]; to lead out (B1736.0); to lead to [B932.0]; wires or leads marked ax to be connected to [Π2668.1]
- leader:** become a technological leader [3335.1]; has become the undisputed leader in [3343.2]
- leading:** [B882.0]; at the leading edge of technology [H140.1]; conditions leading to [Y396.1]; lagging ... and leading [01534.1]; leading ... company [B883.1]; leading from ... to [И116.1]
- leak:** indications of leaks [Π2323.1]; to leak [B2011.0]; toleakout [B2011.0]
- leakage:** flow leakage past [Y562.1]
- leaktight:** [Π299.2]
- lean:** leans heavily on [Y119.1]
- learn:** based on lessons learned from [0765.1]; but it was also learned that [H1 795.1]; can be learned [M382.0]; learn ... by bitter experience [Π1468.1]; learned society [H595.1]; many valuable lessons have been learned from • [M201.1]; much can be learned about [M384.1]; through this work more can be learned about mechanisms [B115.1]; will have to learn to [Π2563.1]
- learning:** with learning in mind [C 182.1]
- least:** [B662.1]; and finally, but not least [И48.1]; appears, on the surface at least [Π1895.1]; are least understood [H360.1] at least [Π398.1]; ; at least... with ... preferred [Π402.1]; at least for the present: [Π399.1]; at least in the context of (Π400.1); be the least affected by (390.1); but at least [H1802.1J]; but not least [И48.0]; but not (the) least [И48.0]; have the least effects from [B663.1]; in the least [B658.2]; least count [Π30.3]; least effected was [M109.1]; least important [H359.1]; least severe [H361.1]; least squares fit of the data [0191.1, 0191.2]; least squares fit to [Π2178.1]; least weight is given to (Π2286.1); makes ... the least desirable [Д221.1]; not least [Д99.1]; not the least of these [Д102.1]; not the least of which (Д98.1); shows ... to least advantage [Π976.1]; were the least protective [085.1]; whichever is the least [B 1704.2]
- leave:** but leaves ... to others [H1803.1]; do not leave ... connected [H965.1]; leave ... untouched [H860.1]; leave a lot to be desired [01138.1]; leave me in a quandary [C1354.1]; leave no doubt in the minds of the present authors that, if [H964.1]; leave out [0157.1]; leave the impression (01132.1); leave the reader with the impression, ... that [C979.1]; leave the responsibility for ... with [B1289.2]; leaves ... to [Π1757.1]; leaves ... unable to [Д211.1]; leaves ... unaltered (H796.1); leaves little room for doubt [Π1567.1]; leaves much to be desired [01138.2]; leaves us ... as we may please [01133.1]; to leave [B2030.0J]; to leave the responsibility for smth. with smb. [B1289.0]; unfasten the assembly ... leave ... intact [01355.1]
- leaving:** [B2022.0]; before leaving [Π1953.1]; his school leaving certificate (A166.1); leaving ... intact [01135.1]; leaving behind [01136.1]; leaving less room for improvement [H999.1]; leaving other considerations aside for the moment (E57.1); leaving overnight [01134.1]; present paper addresses ... leaving ... to others [B644.1]
- lecture:** [Д546.0]; delivered ... lectures [4115.1]; gave a course of lectures [4114.1]; invited lectures [Д548.1]; plenary... lectures [Π296.1]
- lecturing:** experience gained in many years of lecturing [0878.1]
- left:** [J9.1]; are left intact [01130.1]; at no time ... shall ... be left [H1754.1]; be left out of any considerations [И654.1]; be left untouched in the original... position [01131.1]; decision has to be left to [P736.1]; from left to right [C569.1]; from the left [C568.2]; from top left to bottom right [C281.1]; have left ... unanswered [01082.2]; left ... in the hand of [Π94.1]; left hand [J18.1]; left off [01149.1]; left to itself [Π1763.1]; left to right [C569.2, C569.3]; left unattended [01139.1]; negative aspects ... to be left behind [Y540.1]; on the left [C568.1J]; on the left, ... on the right [B754.1]; on the operator's left [C571.1]; one is left with the possibility that [01123.1]; points left out [B1410.1]; shifted ... to the left [C730.1]; should not be left to speculation [H1321.1]; to the left of [C570.1]; to the left of [B1 127.1]; to the left of their prior positions [B1 128.1]; was left incomplete [01097.1]; we are still left with the divergence [H394.1]; well to the left of [H417.1]
- left-hand:** extreme left-hand [C217.1J]; left-hand [J19.0, J19.2]; rearranging ... on the left-hand side of Eq [ni45.1]
- legal:** have any legal effect [И476.1]; natural or legal person [Φ26.1]
- legal-for-trade:** legal-for-trade items [P328.1]
- legally:** [C133.1]
- legible:** [Y152.1]
- legislate:** to legislate [3259.0, 3261.1]
- legislation:** as set up in legislation [Y218.1]
- legitimately:** can legitimately be considered [B1490.1]
- leisure:** at the investigator's leisure [Π370.1]
- lend:** do not lend themselves to [H974.2]; does not lend itself to [H1027.4]; does not readily lend itself to [H1028.1]; lend optimism to [B1574.3]; lend stability [Π2295.1]; lend themselves to [B328.1]; lends ... confidence that [B1575.1]; lends ... support to the validity [Π857.1]; lends confidence in the future use of ... for [B1576.1]; lends credence to [B1245.1];

lends itself ideally to [H97.3]; lends itself to [Π703.1]; lends support to [C690.1]; lends weight to the view [Π2285.1]; readily lend themselves to [J120.1]; to lend confidence [B1573.0]; to lend credence [B1244.0]; to lend optimism [B1573.0]

**lending:** lending further confidence to [E195.1]

**length:** along the ... length [Π365.3], along the entire length of [Π354.1]; along the length of [Π365.2], at... length [Π793.2]; at any length position [B189.1]; at length and on several occasions [Π794.1]; at some length [Δ512.1, H1597.1]; at two locations along the length [B191.1]; be anything up to ... in length [H407.1]; continued for the full ... length [Π2917.1], cut to ... length [01513.1]; distribution of ... along the length [P419.1]; even ... over its length [P1 14.1], for any length of time [H22.2]; for its entire length [H52.1]; for most of its length [H186.2]; for the appropriate length of time [H25.1]; full length [H53.2]; in length [Δ295.1]; length between the center-lines of [Δ294.1]; length of the ... cycle [Δ311.1]; length of time it [Π2755.1], length penalty [Π2781.1]; length to diameter ratio [01465.1]; length,... length [Y599.1]; made-up length [Δ293.0]; over much of their length [H186.1]; overall length less [0324.1]; penetrate the full length [Π2863.1]; per unit length [H56.1]; roll out the entire ... length [P250.1]; run the entire length of [Π2917.2]; running the length of [Π2915.1]; runout of diameter over a length of... mm from the shaft end is not in excess of... mm. [B108.0]; some of the length is taken up [3350.1]; whole length [H53.1]

**length-to-diameter:** because of the large length-to-diameter ratio [Π1350.1]

**lengthen:** been lengthened [Y142.3]; list... lengthened [Π2742.1]; to lengthen [B2020.0]

**lengthwise:** [Π365.1]

**lengthy:** [Δ298.0, Π2939.1, T462.1]; lengthy approach ... to [Δ306.1]

**lent:** lent further support to [Δ1617.2]

**less:** [B7.0, B7.1, B7.2, 312.1, M92.0, M107.0, M181.0, M181.1]; aims at nothing less than [C1364.1]; although less so if [X91.1]; although less widely known [X94.1]; and much less so [H63.1]; are ... equal to, or slightly less [P 136.1]; are an order of magnitude less than [H107.1]; are less at risk [P750.1]; assigned ... less importance [Π2290.1]; at a less than desirable rate [Π2087.1]; at this ... and less [Π2169.1]; be less than [H1017.1]; be less energy-demanding than [T438.1]; becomes even a less reliable [C1386.1]; but never less than [H1806.1]; considerably less attention has been given to [Y118.1]; considerably less variation [3625.1]; down to less than [Δ443.1]; failing in less than [B2026.1]; has been less encouraging [H1606.1]; in less than [M106.1];

is... of less concern [M93.1]; is equal to or less than [M110.1]; is less than desired [M111.1, H1113.1]; is never less [B1651.1]; is not less than ... nor more than (H908.1); is one less than [H81.1]; is slightly less than [HI 343.1]; is undertaken in less than [3326.1]; leaving less room for improvement [H999.1]; less certainty [Y74.1]; less equally [M102.1]; less frequently [C21.1]; less from consideration of ... than (HI 096.1); less fuel [MI 14.1]; less pronounced [M95.1]; less than [M92.0, M92.1, M105.1, H744.2]; less than 10% as much [M100.1]; less than or equal to [M99.1]; less than realistic results [H1210.1]; less well [H971.1]; more or less [B159.1, B159.2]; more or less ... as that [B160.1]; much less (All.1, Γ90.1, 3623.1, H419.1, T132.2); much less pronounced [Γ91.1];

much less than [H420.3]; must be equal or less than [Δ576.1, H832.1]; no less a person than [H1763.1]; no less than [H1008.1]; no more or less [H748.1]; not less than [H901.2, H1056.2];

not less than ... before [H1005.1]; nothing less than [H1733.1]; of... or less [H742.1]; of 230 1 or less capacity [E36.1]; of less than [HI 018.1];

offer less cost savings [Δ69.1]; once every 6.0 seconds or less [K40.1]; overall length less [0324.1]; pay for themselves in less than [0732.1]; possess less tolerance to [M104.1];

provide extra ... at less weight [046.1]; required calculations ... be much less than that [0364.1]; restrict ... to less than [0451.2];

scales less than [M62.1]; shall not exceed ... whichever is less [H833.1]; slightly less than [H1585.1]; so long as ... remains less than [Δ465.1]; so much less ... that [H562.1];

somewhat less appears in the literature [H1584.1]; there is less difference [P235.1];

this is less ... by about a factor of two [Π2385.1]; times less [B449.1]; to be no less confusing than the use of [B 1234.1]; to less than [Δ443.2]; to limit... to less than [0451.1];

were kept to less than [Π1714.1]; were noticeably less [K256.1]; which is obviously less than

[4173.1]; whichever is less [M112.1]; with less [Π2088.1]; with less cooling effect [B1835.1]

**lessen:** [Y251.3, Y259.5]

**lesser** [M107.0]; lesser of the values ... governs [B144.1]; lesser quantity of [M113.1]; shall not

exceed the lesser of [H833.2]; takes on lesser importance [C1378.1]; to a lesser degree [B660.0, B660.1]; to a lesser extent [B660.0, B660.2]; to a much lesser extent [B661.1]

**lesson:** based on lessons learned from [0765.1]; many valuable lessons have been learned from [M201.1]

**lets:** what lets it down [4128.1]

**letter** acknowledge this letter [Π851.1]; combination of a letter and a number [K268.1]; letter of guarantee [Γ11.0]; liability for infringement of letters patent [01237.1]

**level:** [Г96.0]; acceptable levels [П2308.1], acceptable reliability level [Д668.0]; add oil as necessary to maintain the level at the bottom of the fill plug hole [Д600.0]; adjust ... readings to ... level [П177.1]; already high ... levels [И6.1]; at ground level [H173.1]; at the desired level [H176.1]; **be** developed to ... prototype level [Д494.1]; **be** level ... with [H676.1]; **be** plumb or level and square with [И112.1]; converged to an acceptable level of accuracy [C 1605.1]; criticism leveled at [K487.1]; current level of technology [C879.1]; factory level overhead [3123.1]; has been kept level at [C 1148.1]; is level [P385.1]; is leveled [Y456.1]; is raised to a higher energy level [П759.1]; keep ... constant at the desired level [П712.1]; level and square with [Г97.1]; level of workmanship [Y371.1]; level of (Y367.1); level out [C1602.1]; level with [H175.1]; leveled off [B1939.1]; leveled off at [A160.2]; maintenance at a local level [0253.1]; preset level [3164.1]; production levels [Y373.1]; reduced to an insignificant level [C315.1]; reducing ... to an acceptable level (Y273.1); returns to a normal level [B1276.1]; technology level [Y374.1]; to an acceptable level [Д475.1], to level off [B1936.0]; to level off at [A160.0]; to level out [И838.0]; tolerable level of [Y369.1]; training levels of available manpower [Y372.1]; was maintained at a pre-selected level [П713.1]

**liability:** assume all ... liability arising from [B 1290.1]; expressly disclaims liability for [C 193.1]; liability for infringement of letters patent [01237.1]; liability rests with [01236.3]; liabilities have been met [B 1888.1]; to assume the liability arising from [B1289.0]

**liable:** are liable to [B1028.2]

**liaison:** established liaisons [Y450.1]; in close liaison with [B16.1]

**liberate:** liberated [B1969.1]; to liberate [B1967.0]

**liberty:** if we take some liberty in [E 132.1]; not be  
at liberty to select [0668.1]

**license:** application for a license [3560.1]; gives license for the use of [Д35.1]; licenses granted to [J156.1]; manufacturing license [J157.0]; operating license [J159.0]; selling license [J158.0]; under license [П385.1]

**licensee:** sold to ... licensees [П2721.1]

**licensing:** [П1755.1]; entered into a licensing agreement ...for [3241.1];

**lie:** advantages lie with [П1980.1]; advantages of ... lie in [П1979.1]; attraction lies in [Д738.1]; author's contribution lies in [3440.1]; difference lies not merely in [P233.1]; explanation lies with the increase [0384.1]; explanation of this lies in [Э162.1]; great hope for... must lie with [B1008.1]; herein lies the basic shortcoming [B768.1]; large value of... lies in [B235.1]; lie along the line ... lie ... on the ... line [J136.1];

lie outside the range [B2032.1]; lie successively lower (P383.1); lies anywhere [Г24.1]; lies at the heart of [J139.2]; lies not... but in [3244.2]; lies not in ... but instead in [3244.1]; partial explanation for... could lie in [412.1]; physical reason ... to lie in [Ф20.1]; to lie [J135.0]; to lie at the heart of [J139.0]; to lie in [3242.0]; to lie on [J194.0]; to lie within 2 percent of ... correlation [01343.1]; to lie within clearance limits [B1464.0]; where danger lies [П1884.1]

**lieu:** in lieu of [B1 157.3]

**life:** [Д568.0]; accounts of the life [Ж13.1]; as in real life [K71.1]; dangerous to life [0740.1]; design life [P557.1]; designed to last for the life of the unit [P513.1]; expected life span [C1334.4]; expected life [C1334.1]; fact of life is that [Ж16.1]; fall... short of the design life [H850.1]; hard cash facts of life [4107.1]; it is a fact of life [Y27.1]; life of [П2753.1]; long shelf life [Д301.1]; loss of ... life [Y281.1]; over ... service life [B712.1]; shelf life [C1328.1]; spend only a ... fraction of life [P79.1]; useful life [C1334.2]

**lifetime:** [C1334.3]; in the lifetime [356.1]; lifetime of milliseconds [П229.1]; over... lifetimes [B712.2]

**lift:** lift ... off the pallet [C795.1]; lift ... over [П2506.1]; lift ... straight up [П757.1]; lifted horizontally [П752.1]

**light:** [J11.0]; apply a ... light coat of ... to [H440.1]; came to light [П1587.2]; cast light on [П2837.1]; exposure to ... light [B1284.1]; illuminated by a beam of light [0916.1]; implies in light of [0615.1]; in light of relevant ... experience [B488.1]; in light of that fact that [B492.1]; in light of the foregoing [B487.1]; in light of the present state of knowledge for [B491.1]; in light of this need [B493.1]; in the light of [B485.0, B713.3]; in the light of current ... theory [B490.1]; in the light of the work [B489.1]; in the light of what has been put forward [B486.1]; indicator light is on when ... is below normal [И552.1]; instrument panel lights do not glow [H809.1]; light ... blows [J13.1]; light ... is illuminated [J15.1]; light ... will come on when [J16.1]; light colored [C282.1]; light indicator will illuminate [3142.1]; light is extinguished [J17.2]; light is off [J17.3]; light will go out [J17.1]; looking ... by light (П2910.1); shed light on this question [П3055.3]; shed new light on [П1413.1]; shed some light on [П2839.1]; sheds no light on [H1734.2]; sheds no light on this question [Э101.1]; show ... in their worst light [П975.1]; throw more light on [П2838.2]; to shed... light on [0915.1]; to shed additional light on [П2838.1]

**light-proof:** [C284.1]

**light-tight:** [C285.1]

**light-weight:** light-weight [J11.1]

**lighten** [H3.1]

**lighting:** under normal lighting conditions [П2104.1]; watching and lighting [Д164.0]; with side lighting [П2103.1]

**lightly:** be taken lightly [H1036.1], tap ... lightly [C575.1]; these are not matters to be taken lightly. [K13.0]

**like:** [A127.2, B1553.1, H458.1, П763.1, 0590.2, 4220.1]; act like [Д186.1]; acts like [B946.2], and the like [И66.1], behave like a [B946.1]; in (a) like manner [A136.0]; in a like manner [A136.3]; is just like [B82.1]; is superficially, more like [H14.1], is very much like [01665.1]; like this [П764.1]; look like a new one [B1751.1]; look something like this [B1755.1]; looks just like [B 1754.1]; may seem like [M293.0J]; may seem like an undesirable simulation [M297.1]; paper like this [C1436.1]; perhaps the author would like to comment [M307.1]; to be shaped like [И460.0]

**likelihood:** [B905.0]; in all likelihood [П353.1]; is

little likelihood that [M42.0]; likelihood of becoming [B909.1J]; likelihood of deposition [B907.1]; there is little likelihood that [M42.2]

**likely:** [B903.0, B913.0]; and are not likely to have

a major impact on [И18.1]; and would likely account for [И15.1]; is any more likely... than [B376.1]; is just as likely [T24.1]; is not likely to be as sensitive [M44.1]; is not likely to be [M42.0]; it does not seem likely that [B1555.1]; likely explanation [B914.1]; likely explanation for [B914.2]; likely to be [B903.1]; more likely than not [B915.1]; more than likely [B192.1]; most likely [H316.1, C539.3]; much more likely to be correct than [H238.1]; neither are ... likely to be [M46.1]; this is most likely due to [C541.1J]; this is not likely to be the case [T68.1]; very likely [C539.5]

**liken:** be likened to [Y313.2]; liken ... to [Y3 13.1];

likens... to [Y313.3]

**likewise:** [0548.4, T103.1J]; is likewise in need of recognition [T52.1]

**limit:** allowable limit set [Д667.1]; are reaching the limit of their usefulness (H674.1J; at the limit of utility [П2114.1]; back to the limit of its travel [Д466.1]; failure to observe a time limit [H1624.1]; in order to limit the calculations required [4216.1]; in the limit as ... is increased [B400.1]; in the limit of [П2074.1]; in

the limit of small temperature difference [B548.1]; incipient ... limit [П1714.1]; including time limit in transit and storage [И207.0];

limit of applicability of [П1715.1]; limit of detectability [П1713.1]; limit the potential of [0453.1]; limit their usefulness to qualitative results [0461.1]; lower limit of applicability [HI 726.1]; places a practical limit on [H381.1]; rate sensitivity of the proportional limit [4225.1];

reached the limit of their capability [Д711.1];

serve to illustrate but are not intended to limit the present invention [H1872.1]; set the limit

on [H380.5]; sets a limit of [Y459.1]; to limit... to less than [0451.1]; to screw to the limit [B827.0]; upper limit [B920.2]; was ... above the limit on [П1699.1]; we will limit this discussion to aspects of [0466.1]. (См. также **limited**, limits).

**limitation:** [0474.1]; circumvent ... limitation [0284.1]; constraints and limitations imposed by prior design of [0444.1]; due to time limitations [B499.1]; environmental limitations [0446.1]; fabrication limitations [0449.1]; impose a limitation to [H380.2]; imposed severe limitations on the value of the predictions [C770.1]; limitation of [HI 200.1]; limitation on

[H380.1]; limitations ... imposed [0443.1];

overcomes the limitations [Y527.2]; places ... limitation on [H366.1]; places limitations on... ability to [0454.1]; strengths and limitations [Д741.1]; strengths and limitations of [C462.1];

within the limitations of [B391.2]

**limited:** are limited only by the availability of [0468.1]; are limited to those [0469.1]; are of limited applicability [И440.1]; are pressure limited [0464.1]; because of the limited time available for [И222.1]; discussion will be limited to [0465.1]; experiments were ... of a more limited scope [Э36.1]; has limited the problem to [3172.1]; has limited value [H1019.2,

П 1860.1 ]; have been limited largely to [C323.1 ];

his results are somewhat limited in that [И42.1]; in a limited way [B266.1, B666.1]; is limited in what he can do [0476.1]; is of limited value [И439.1]; limited... data [0473.2]; limited application potential [0475.1]; limited evidence [0473.1]; limited number of tests [H1167.1]; limited operation ... to several hours [0459.1]; limited success along these lines [410.1]; limited tests [HI 167.2]; limited to operation at temperatures [P28.1]; literature contains very limited advice [B 171.1]; market is limited for (P781.1); method is limited to [П2363.1]; of limited value [M49.1]; on a gradual and limited basis [П1465.1]; results ... are limited (Д110.1); significance ... is limited [3598.1]; utility of... is limited [П1212.1]; were ... limited to narrow applications [П1749.1]; with limited exceptions [330.2]

**limiting:** limiting cases for [П1719.2]; limiting cases of [П1719.1]

**limits:** are pushed nearer to their limits [И728.1]; bounded within ... narrow limits [0470.1];

integration limits [П1717.1]; is within acceptable limits [H802.1]; limits ... to a predetermined amount [0457.1]; limits on ... are [B891.1]; reduces ... to below the limits of accurate chemical analysis [C766.1]; statutory limits on emissions [HI 858.1]; stringent limits [Ж10.1]; there are limits [B1025.1]; time limits [П1720.2]; to fall within clearance limits [B1464.0]; to lie within clearance limits

[B1464.0]; vary over wide limits [И277.1]; was ... beyond serviceable limits [П1697.1]; within close limits [B399.1J; within reasonable limits [B397.1, B398.1]; within specification limits [B396.1], within the limits of measurement error [B393.1]; within the limits [B390.2J

**line:** [K474.0, H1837.2]; along the lines of [C1024.8]; are in line with the concept that [C926.1J; are listed on line ... of Table [Y202.1]; are no longer in the product line [B214.1]; be kept on line [01088.2]; broad line [И14.1]; broken line [И41.1]; can tolerate variations in line voltage [Д658.1]; complete line of [П1075.1]; continuous line [C1 193.4]; dashed line [И41.3]; draw a line parallel to [П2683.1]; drawing a best line through the data [П2614.1]; efforts along this line [P4.16 P4.2]; fall... off the ... line [01342.1]; fall... on a straight line [J195.1]; fall along a straight line [J195.2]; first line maintenance [H1456.1]; fit a straight line to ... points [П2693.1]; fitting ... to the straight lines [Y229.1]; flush out ... pipe lines with compressed air [П2759.1]; full line curve [C1 193.3]; have developed ... along two lines [P306.1]; in line with [B588.1, B590.4, H82.1]; in the same line [H71.1]; is adopting a particularly hard line on [П2692.1]; is in line with (C920.4); is put back on line [B1269.1]; lie

along the line ... lie ... on the ... line [J136.1]; limited success along these lines [410.1]; line ... passed through the data [П2682.2]; line drawings [Г128.1]; line is drawn through the points (П2682.1); line of [C425.2]; line of investigation [H469.1]; line up... holes [C865.2J;

line up with [C870.7]; line voltage is supplied to [H492.1]; lines ... been faired through the data [П2684.2]; one line each for [П1419.1]; out of the line of flight [B678.1J; regression lines are fitted through ... set of data [П2685.1];

research... followed along many lines [И774.1]; sent over the phone lines via modem [01492.1]; short-dashed lines (K475.1); solid line [C1 193.1,

C1 193.2]; straight line passed through the data [П3057.1]; studies along similar lines ... been pursued [П2677.1]; symmetrically to the center line [C484.1]; taken off line [01346.2);

to fit a line to ... data [П644.1]; to follow this line of thought [П2744.1]; to put in line [B844.0]; to take off the line [B1742.0]; walk a fine line between [C1 138.1); was taken off the line [B1742.3]; were arranged in line [P371.1]; were brought on line [П3082.4]; were read from the ... line [B265.1]; will serve as a starting point for future studies along such lines [И11425.1]; with the unit off line [H100.1]; work along similar lines [P3.1]

**linear** has a linear dependence on [393.1]; linear function [J152.1]; linear interpolation [J151.1]; was fit by a linear representation [A151.1]

**linearly:** increases linearly with [Y68.1]

**link:** [C370.1]; be closely linked to [T207.1]; business links [Д253.1]; close links with [T205.4]; direct link [П3058.1]; establish a direct link [3136.1]; have a direct link with [C359.1]; important links in the chain of [B794.1]; indicates a direct link between [Y210.1]; is linked to [C357.1J; provide a link with [050.1]

**lion's:** lion's share of [J115.1]

**liquid:** drain ... liquid [C647.1]; transferring liquids ... is prohibited [П136.1]

**liquid-tight:** [H1043.1]

**list:** [B865.0]; added to its list of production [P571.1J; are listed in Table [П223.1, П2249.1];

are listed on line ... of Table [Y202.1]; check list [K362.0]; claims will not be accepted if the package list is not enclosed [П2106.1]; claims will not be considered if the packing list is not enclosed. [B46.0]; comprehensive list of references [0293.1]; delivery list [K298.0]; gives a ... list of [C947.1]; group [individual] set list [B867.0]; inspection list [K362.0]; inventory list [И544.0]; list... lengthened [П2742.1]; list of alterations [B878.0]; list of articles to be procured [B876.0]; list of extra equipment and materials [B870.0]; list of operation papers [B880.0]; list of references [C1187.1J; list of references cited [B879.0]; list of repair papers [B869.0J; list of spare parts [B872.0]; list of spare parts furnished at extra cost [B871.0J; list of standard equipment [K298.0, K299.0]; listed as [K217.2]; listed in Table (П2253.1); material allowance list [H1869.1J; picking list [J153.0]; preliminary list [0910.1]; ranked at or near the bottom of the list [3334.1]; sample list of references [П2380.1]; spare parts allowance list (H1868.1); SPTA list [B872.0]; tentative allowance list of SPTA for major repair [B1518.0]; this is by no means an exhaustive list [B2073.0]; to be listed [K216.0]; too numerous to list [C652.2]; topics listed are not exhaustive [П213.1]; was last on the list [3336.1]

**listening:** is a tremendous listening aid [0649.1]

**listing:** all-inclusive listing [И847.1]; extensive listing of [0292.1]; high on the priority listing [П43.1]; this is not an exhaustive listing [П212.1]

**literature:** are found in the literature [B1628.1J; are not known to be available in the literature [H398.2]; data on ... is not available in the literature [Д 112.1); do not exist in the open literature [01559.1]; does not appear to be well documented in the literature [H1209.1]; exist extensive bodies of literature [0296.4]; extensive review of the appropriate literature [П813.1]; has been repeatedly reported in the literature [H1441.1]; in the literature [0869.1]; in the literature on this subject [B173.1]; in the open literature (B 174.1); is well documented



in the literature [0789.1]; large body of ... literature [0296.2]; literature contains very limited advice [B 171.1]; literature search failed to unearth any published research of the type reported in the present paper [H399.1]; literature survey [A115.1, 064.1]; preponderance of ... literature [Π2012.1]; review of the existing literature on the subject [066.1]; review of the literature [A115.2]; review of the literature on [065.1]; reviewed the literature [Д212.1]; search of the literature [064.2]; somewhat less appears in the literature concerning [H1584.1];

to research the literature for information [H327.1]; vast amounts of literature [0296.3]; voluminous literature [0296.1]; was obtained from the literature [B267.1]; while there is an extensive body of research literature devoted to [X106.1]

**little:** [M20.0, H1344.2]; allow little latitude in [0460.1]; although with little success [X90.1];

and what little that has been done [H23.1]; another area which has received too little attention [E222.1]; are little different from [H1266.1]; are little, if any, better than [E126.1];

bears little resemblance to [M31.1]; but there is little common ground between [HI 798.1]; contain little or no [C948.1]; contribute little error [B1226.1]; contribute little to [M38.2]; contribute little of significance to [M38.1]; do little more than serve as [C682.1]; had little meaning [H879.1]; had little or no effect [B 1148.1]; has little effect on [M22.1, M36.1]; has little or no effect on [M21.1]; has little recourse but to [H1767.1]; has little to add [M41.1]; has little to

do with [H415.1]; have little merit [H875.1]; have very little practical value [H396.1]; is a little incorrect [H1082.2]; is little different from [M33.1]; is little likelihood that [M42.0]; is of little value [M34.2]; it may require a little practice [B 1304.1]; it would have made little difference [Э141.1]; leaves little room for doubt

[Π1567.1]; little advantage is gained [B1843.1];

little by little [Π1259.1]; little error is introduced by this assumption [01692.1]; little has been said concerning [M23.1]; little hope for [M30.1]; little is known of [M39.1, M47.1]; little

is known of... other than that [02.1]; little is understood of [M27.1]; little more than [H1342.1J]; little movement in this direction [H1809.1]; little over [H1574.1]; little sensitivity

to [C562.1]; little significant information ... can be obtained [H1330.1]; little tendency toward [H1259.1]; little too far away from [H1345.1]; little will be said here about [M412.1]; little, if any, evidence [E1 25.1]; made very little difference [M40.1]; needs to be decreased a little [H1903.1]; of little value to [B95.0, B95.3]; offers

little knowledge [H814.1]; provide little protection against [C678.1]; received little emphasis [Y112.1]; received little emphasis in the past

[B426.1]; requires little comment [HI 124.1]; requires very little in the way of [T443.1]; should have little difficulty [Д361.1]; show little

advantage over [0130.1]; show little promise of

[M42.0]; shows little change [M25.1]; there appears little that one can do [Π333.1]; there has been little research [H490.1]; there is little advantage to be gained by [Д44.1]; there is little common ground between ... and [H491.1];

there is little concern for [Π2601.1]; there is little doubt that [M28.1, H1653.1]; there is little

evidence of [Π1565.1]; there is little evidence that [C712.1]; there is little latitude in [B1327.2];

there is little likelihood that [M42.2]; there is little point in choosing [B 1714.1]; there is little

point in [H1649.1, H1650.1]; there is little practical difference [P279.1]; there is little scope in [B1327.1]; there is little wonder that [H1669.3]; there is very little difference between ... and [P229.1]; there seemed to be little choice concerning this matter [B308.1]; there was little ambiguity about [Π1564.1]; these hopes show little promise of being fulfilled [M45.0]; this would be of little consequence [Э117.1]; too little [C650.1]; varies little with [M29.1, C566.1]; very little, if any ... is lost [E128.1]; with little [B8.0]; with little difficulty

[B57.2]; with little or no [B362.1]; would ... do little to [M37.1]

**live:** live up to expectations [0803.1]; is short lived [C1567.1]; long lived [Д570.1]; short lived [K460.1]

**load:** [3145.1]; are load bearing [H1641.1]; at no load [B30.0]; at part load [H76.1]; carry ... loads [H1641.2]; even spread of load [PI 15.1]; hand loaded [H249.1]; is being loaded [B35.1J]; is spring loaded closed [H680.1]; load ... be spread [P425.1]; load acceptance and shedding [H228.1]; load carried by the tube to tube welds [H250.1]; load carrying capacity of a structure [H1645.1]; load is transmitted ... to... through [Π98.1]; load throw-on [H233.1]; load was carried across ... against [Π98.2]; loaded into [3144.1]; loads ... are imposed ... on [Π97.1]; no load [H1912.1]; part load operation [P24.1]; provides a better match to the load requirements [JIИ 0.1]; take up full load [B269.1]; to carry the load in compression [P60.1]; to full load [Д454.1]; to load in bulk [Г136.0]; under... load [Π612.1]; while on load [B38.1]; withstand ... loads [B1795.1]

**loading:** [K369.2]; applied loading [Π2360.1]; continuous ... loading [Д299.1]; extensions to more complex loadings [0144.1]; pattern of loading [C1595.1]

**loan:** on loan [Π 1762.1]; to repay bank loans [Π596.1]

**local:** [JIИ01.1, M137.1]; local damage [M139.1];

local officials [M1 38.1]; maintenance at a local level [0253.1]

**localize:** be significant only in a localized context

[И394.1], it makes no difference to ... whether ... is localized, or distributed [Д323.1]; so localized that [H560.1]

**locally:** [H73.7]

**locate:** [H601.3, 0128.7, P262.1]; are located adjacent to [P382.1]; are located at the ... position [H636.1]; be located to clear [P386.1J]; is located ... km south of (P406.1); is located aft of [H683.1], locate ... hole [H410.1]; locate ... on mounting studs [И1339.1]; locate corrosion [0125.1]; located between [P396.1J]; located on [P397.1]; to locate the problem [Y455.2]; was located ... near to [P370.2]

**locating:** locating malfunctions [0126.1]

**location:** [M140.0, M152.1]; accessible location [Д743.1]; at the location [B186.0]; at the same location as [B190.1]; at two locations along the length [B191.1J]; known approximate location [И2388.1]; location around the circumference of [P411.1]; location for ... spotted [H410.2]; location which can be easily read [MI 44.1]; mount the replacement ... on ... making certain that ... is at the same location ... as it was on [C742.1]; observe location of the ... pulley on the shaft [3405.1]; place in a safe location [И1240.1]; right at ... plant location [И3066.1]

**lock:** locked in place so that [H1462.1]; locked together [C553.2]; to lock [3259.2]

**lockout:** [B148.1]

**lockwire:** cut lockwires [C 1325.1]

**log:** [Ж17.2]; logged [P600.1]; service log keeping rules [И573.0]; to keep the service log [B951.0]

**log-log:** on log-log coordinates [B 164.1]

**logic:** logic would dictate [JИ86.1]

**logical:** it is logical to expect that [JИ92.1]; it is logical to suggest ... that [JИ93.1]; it seems logical that [JИ91.1]; it was felt logical [И1889.2];

it would seem logical [И 1889.1]; logical choice

[B 1712.1); logical extension [JИ89.1]; logical to

start with [JИ90.1]; most logical explanation ... thus seem to be as follows [TIOO.lj]; was felt logical [C1613.1]

**logistical:** in the Navy logistical system [H647.1];

logistical support [M73.2]

**logistics:** (M73.1); logistics of transport [0901.1]

**lone:** lone [E15.1]

**long:** (Д298.0); all day long [B954.1]; are long overdue [C469.1]; as long ago as [E199.1]; as long as [A34.0, Д459.1, E37.4, Л81.1]; as long as

... is not too [E144.1]; as long as this is so [A35.1]; before long [B1588.2]; by long tradition [И497.1]; day when... is long past [B1513.1]; for

a long period of time [B703.1]; for long periods of time [B703.2J]; go a long way toward (B305.1);

goes a long way toward [0645.1]; has been around for a long time [И171.1]; have come a long way in our understanding of [H433.1]; how

long does it take [C531.1]; in excess of 2 m long

[Д296.1]; in the long term [B695.1J]; it has long been known that [Д75.1]; it has long been recognized that [Д75.2]; long ... wide ... high [Д297.1]; long awaited [Д76.1]; long before [3190.1, 3191.3]; long distances [H126.1]; long lasting service with... no maintenance [Д303.1);

long lasting [Д298.0]; long lead [Д308.1]; long lived [Д570.1]; long period of exposure to the atmosphere [Д305.1]; long range prospect [Д88.1]; long recognized difficulty [0304.1]; long satisfactory experience [Д309.1]; long shelf life (Д301.1); long term [Д298.1]; long term effects ... in respect of corrosion and deposition [B1 133.1]; long time period [Д307.1j];

long way from [H124.1]; long way off still [B973.1]; not long ago [B424.0]; over long periods of time [B703.3]; persist for a long time

[C1144.1]; remains a long range prospect [01090.1]; so long as [Д459.2]; so long as ... remains less than [Д465.1]; takes a long bearing

[0763.1J; this ... is valid as long as [Э191.1]; times as long [B448.1]; transportation ... over long distances [T414.1]; was not to last for long [Д320.1]

**long-term:** for long-term storage [Д421.0]; for the

long-term (B464.1); long-term [Д298.0]; long-

term storage record [K 179.0]

**long-time:** [Д298.0]

**longen** are no longer in the product line [B214.1]; for longer than [B686.1]; get longer [Y142.1]; in

the longer term [32.1]; is no longer of interest [B216.1]; is no longer open to question [B213.1];

it is no longer necessary to [T177.1]; longer shorter duration [B179.1]; longer than ... at a time [Д310.1]; no longer [B212.1, И165.2, Y184.1]; no longer ... instead [T166.1]; no longer exists [01485.1]; over a longer period of time [336.1]; require a longer time [T449.1];

starts earlier and lasts longer [H724.1]; take no longer than necessary [Д319.1]; to be no longer [B212.0]; to the point that ... is no longer applicable (B1474.1); took slightly longer [3327.1]; would no longer be ... dominated [B217.1]

**longest:** last the longest [P62.1]

**longevity:** [Д568.0, Д568.1]

**longitudinally:** cut longitudinally [P312.1]

**longstanding:** longstanding precedent for [Д77.1]

**look:** is not as bad as it looks [H1103.1]; let us now look at what happens in [И1431.1]; look closer at [0209.1]; look like a new one [B1751.1]; look something like this: [B1755.1J;

looked much the same as [B1753.1]; looks every bit as good as [B1752.1]; looks just like [B1754.1]; looks no different from [H1776.1]; to look back on [0434.1]; to look for [И642.0]

**look-up:** table look-up for [T7.2]

**looking:** [K41.0]; are looking ... to [0219.1]; in looking further, it was found that [B90.1];

innocent looking [K42J]; looking ... by light [Π2910.1]; looking toward [E86.0, E86.2]

**loose:** becomes ... loose [0927.3]; break loose [B2043.3]; come loose from [01483.1]; comes loose [01533.1]; is ... loose [H591.1]; is loose [0918.2]; loose clamps [0934.1]; supplied loose [Π1458.1]; work loose from (P561.1)

**loosely:** fasten loosely with ... screws [C577.1]; fit

loosely into [C308.1]; loosely called [H301.1]; loosely defined concept [H1659.1]; loosely mating [HI 461.1]

**loosen:** to loosen the ... bolts [0930.1]

**lose:** advantage of... is lost [Π1978.1]; be careful not to lose [C1428.1]; be lost as [Π166.1]; begin to lose their validity [Π167.1]; exacting a heavy toll of lost [B1817.1]; has not been lost on [H756.1]; is ... lost [T202.1]; is lost to the atmosphere [T203.1]; is lost [I838.3, Π2870.1];

is often lost on [424.1]; lose much of their [T198.1]; loses the discrimination of [T201.1]; must not be lost sight of [H1334.1]; so they will not become lost [4200.1]; some of the benefit... is lost [432.1]; to be lost [I838.0]; to lose sight of [Π1516.1, Y348.3]; very little, if any ... is lost [E128.1]; was lost to [T204.1]; which would otherwise be lost [K410.1]

**loss:** at a loss as to [H861.1]; compensates for the loss [B1293.1]; is ... at a loss as to [H630.1]; loss

... to its surroundings [Π1514.1]; loss control and injury prevention (M1 31.1); loss during its startup period [Y42.1]; loss economies [Y280.1, Y281.1]; loss in confidence as to [Π1512.1]; loss of... life [Y281.1]; loss of ability [Π1513.1]; loss

of availability [B2025.1]; loss of availability [Π2929.1]; loss of performance [Y592.1]; loss of porosity [Y279.1]; loss to the ambient [Π1515.2];

losses are recoverable [Y565.1]; losses to the environment [Π1515.1]; suffered losses [T194.1];

without suffering large losses [B9.1]

**lot:** [M203.0, Π26.1]; leave a lot to be desired [01138.1]; lot still remains to be done in optimizing [M206.1]; production lot (3181.0); take on lots more jobs [H616.1]

**low:** are ... on the low side of the true values [3321.1 ]; are regrettably low in number [K16.1 ]; are so low as to be ... negligible [H561.1]; as low as [B1566.0]; as low as 10 [B1566.4]; at low cost [C10.1]; at the low magnification [Π2143.1];

**machinable:** readily machinable [J18.1]

**machine:** is machined [B2010.1]; to machine [B2010.0]; using this machine ... were tested [H208.1]; were machined to the desired dimen-

extra low [C277.1]; have a low resistance to [Π316.1]; is quite low [J507.1]; is running low [I806.1]; keep viscosity low [Π1715.1]; low enough temperature to allow transition [J688.1]; low grade [HI 732.1]; low in number [M48.0, M48.2]; low in oxygen [B6.0]; low maintenance [HI 126.1]; low power operation [P31.1]; low rank [H1732.2]; low slope [M14.2];

number of ... is low compared to [K258.1]; reduction in the already low [Y275.1]; stress this low [T69.1]; surprisingly low ... readings [H1445.1]; temperature too low [C654.1]; to be low [3318.0]; to be on the low side [3318.0]; to read low [3318.0]; unusually low [H1432.1]; up

to ... low [3323.1]; was out of tolerance on the low side [Π5.1, Y307.1]; were increasingly too low [B965.1]

**lower:** [0871.1, Π1260.2]; are ... lower [01339.1];

are ... lowered [C772.1]; are about 50 percent lower [3319.1 ]; at successively lower [Π2112.1 ];

both higher than, and lower than [K122.1]; classed not lower than... [I511.0]; even lower risks are involved [P746.1]; far lower than (H424.1); higher critical... exists above which... a lower critical... exists below which [C1572.1];

increase with higher... and lower [B1363.1]; lie successively lower [P383.1]; lower bound on [H1727.1]; lower limit of applicability [H1726.1];

lower portion [B922.1]; lowers ... even more [E196.1]; somewhat lower [H1586.1, H1590.1];

to lower [Y251.2]; trend for a lower [T148.1]; very much lower than [H424.2]; were ... lower [H6.1]; whichever is lower [B1704.1]

**lowering:** lowering ... into [0872.1]

**lowest:** are their lowest [C219.1]; there shall not be a greater difference than ... between the highest and the lowest temperature [P285.1]

**lubricant:** inject lubricant with a grease gun [3529.0]; starve ... of lubricant [J173.1]

**lubricate:** [C720.1]; keep ... well lubricated [C940.1]; tightening torque lubricated [M245.0]

**lubrication:** aid in lubrication [J374.1]; devoted to lubrication topics [Π1344.1]; lubrication chart [K180.0]; lubrication point [M149.0]; number of lubrication points [K265.0]

**luck:** some luck was involved [T453.1]

**lukewarm:** came out... lukewarm about [B1979.1]

**lump:** be lumped [0350.4]

## M

sions [0180.1]; were machined together [0181.1]; were rough machined 0.38 mm oversize [Π665.1]

**machineability:** machineability is influenced by [0623.1]

**machinery:** provide the ... framework of metabolic machinery [3232.1]

**machining:** ease of machining [J33.1]; machining difficult [T490.2]

**made:** [B1910.0]; allowance is made for [B847.1, B1231.1, B2064.2, Y608.2]; allowance must be made for the fact that [H1393.1], although a case might be made for [И70.1]; although a fully certain recommendation cannot be made at this time [X105.1]; application made in [3558.0]; are made available to [П1764.1]; are made difficult [3501.1]; are made in order to make the problem more amenable [4199.1]; assumptions that are made about [Д1672.1]; attempt has been made to [Д214.1]; an attempt was made to [П2101.1]; attempts have been made in the past [P349.1]; before a significant impact on the problem is made [П1964.1]; change to Design B was made [П198.1]; comparisons are made [П2696.1]; compromises must be made [H1366.1]; confident prediction can be made that [M372.3]; considerable advances were made in [Д721.1]; decision to be made as to whether... should be [П2432.1]; efforts made to ... did not prove fruitful [П1313.2]; enables the prediction ... to be made with confidence [П927.1]; every attempt should be made ... to [П1461.1]; every effort is made [П2347.1]; every effort shall be made to [H1384.1]; every effort should be made to [H1907.1, C388.1]; final choice was made in favor [01151.1]; first major decision to be made was whether... would be [П1950.1]; first assumption to be made regards [И57.1]; former choice was made [01157.1]; great deal of progress has been made in [C404.1]; have been made in this mode [T32.1J]; have made a considerable advance on [H426.2J]; if progress is to be made toward a better understanding of [E134.1]; if the further specification is made that [E66.1]; improvements made to [Y416.1]; is made even easier [E1 93.1]; is made properly in accordance [B1896.1]; is made serviceable [П2219.1]; is made up of [C1114.2]; it would have made little difference [Э141.1]; made available to [И522.1]; made clear [0375.6, Y572.1, 486.1]; made contact with [B1630.2]; made... difference to the performance [И267.1]; made a ... drive to mechanize [P177.1]; made obligatory by law [П1921.1]; made direct use of [H1480.1]; made every effort to [Д195.1, C389.1]; made in [И201.2]; made in various angles [И196.1]; made in writing and signed [C1101.1]; made inoperative during the test [B 1846.1]; made into [B 1383.2]; made it impossible [П444.1]; made its way into [П2861.1]; made major headway [C479.1]; made of [И191.2, M50.2]; made possible by [П1209.1]; made the study ... easier [0107.1]; made to operate [3467.2]; made to order [B1883.1,

B1914.0, Д203.1]; made to pattern [И202.0], made up of [П2283.1, C1118.2]; made very little difference [M40.1]; made zero [Д225.1, 0207.1]; may be made to ... by [M333.1]; measurements were made [П2673.1]; mention may be made of [M386.1]; modification of ... was made to [M238.1]; need for such ... is made evident... when [H1405.1]; no allowance for... need be made [H1750.1]; no attempt was made to measure [M420.1]; no distinction is made between [H827.1]; no distinction was ... made [H826.1]; no effort is made to [H1 770.1];

no effort was made [П 1312.1]; no mention is made of [H1 134.1]; observations maybe made [Д 198.2]; only passing reference will be made [Y319.2]; plans were made ... for [3395.1]; point was made... that [0217.1]; progress in... has been made [Д720.1]; progress made to date [Y429.1]; provision is made for [H1 47.1, 037.6, П1915.2]; provision is made... at a later date (П938.1); provisions ... made to promptly and safely dispose of [П 1821.1]; provisions shall be made to [П1917.1]; reference is made to [Д227.1, 0230.1, Y318.3]; resort has been made ... to [B1415.4, П2173.1]; runs were made [П2689.4]; selection ... be made from those [B1693.1]; several points need to be made [H1386.1]; significant strides ... made (Д232.1); snap judgement... be made [T339.1]; snap judgement should not be made [H 1066.1];

some comments... be made regarding [C398.1]; strenuous efforts were made to [П2422.1]; studies of... been made [П2676.2]; suggestion is made [Д219.1]; this has been made possible by [Э198.1]; this made it possible to [Э178.1]; this point was also made by (H203.1); to be made difficult [B1804.0]; to which allusion was

already made in [K421.1J]; two comments should be made [C629.1J]; use can now be made of [B 1425.1]; use has been made of the definition of [И731.1]; use is made of a ... method [И730.1]; was made difficult [B1804.2],

was made possible [C1380.1]; were made from [И191.3]; were made of [B1873.2]; which made

it impossible to [4133.1]. (См. также **make, makes**).

**made-up:** made-up length [Д293.0]

**magazine:** [Ж17.0]

**magnetic:** recorded onto magnetic tape [3385.1]

**magnification:** at 50 X magnification [П2140.2]; at the low magnification [П2143.1]; be seen without magnification [B1090.2]; can be seen without magnification [M327.1]; visible at 30 x magnification [B 1096.1]

**magnify:** become magnified [0684.1]; was magnified [Y55.4]

**magnitude:** [B888.2, 3595.0]; approaching in magnitude [П2176.1]; are an order of magnitude less than [H107.1]; decreases in magnitude [Y266.1]; grow in magnitude [P518.1]; in

order to bring the magnitude ... into perspective [4203.1]; is over two orders of magnitude greater [B198.1]; magnitude of [A53.1]; magnitudes of ... are comparable [C1287.1]; of negligible magnitude (Π2007.1); order of magnitude [Π1333.5]; similar magnitude to [0543.1]; somewhat greater in magnitude [H1575.1]; three orders of magnitude [H109.1]; to have a magnitude of [И384.0]; up in the order of magnitude [H108.1]; with trends and magnitudes similar [C925.1]

**mail:** [01493.1]

**mailing:** delay the mailing [3187.1]; mailing procedures [Π1336.1]; mailings [Π261.1]

**main:** [Γ42.0]; album of main joints and repair tolerances [A105.0]; but the main point is that [H1784.1]; has three main components [C1116.1]; in the main [B278.6]; main ... each [K32.1]; main conclusion ... that [Π845.1]; main contenders for [0970.1]; main difference being in [0996.1]; main difference is that [0993.1]; main events experienced by [01016.1]; main focus ... will be [0986.1]; main focus was put on [0989.1]; main reason [Γ48.1]; main relevance of ... is to [0991.1]; main thrust of... work was to [0972.1]; main trends [01001.1]

**mainly:** [B278.2, Γ59.0]; mainly dictated [Π2731.1]

**mains:** from ... mains [01194.1]; insert the mains plug into [B1608.1]; to disconnect... from the mains [01346.1]

**maintain:** add oil as necessary to maintain the level at the bottom of the fill plug hole [Δ600.0]; balance is maintained [C1137.1]; Drawing Register is maintained [B933.1]; if we are to maintain our credibility [E135.1]; insufficient ... to maintain [H1208.1]; is maintained at a constant temperature [Π719.1]; is maintained with the same meaning as [И718.1]; it is ... important that regular contact be maintained [B801.1]; maintain ... in top condition [Π709.1]; maintained at [Π720.1]; maintained in good order [Π710.1]; maintained with [XI24.1]; maintains a... differential pressure... across [Π716.1]; maintains an aggressive ... policy [Π2691.1]; provided ... is maintained [Π2154.1]; similarity is maintained [C1134.1]; to maintain [B1789.0]; to maintain clarity [4193.1]; unerringly maintained [T397.1]; was maintained at a pre-selected level [Π713.1]; was maintained constant [Π717.2]

**maintainability:** [P704.1]

**maintaining:** maintaining close tolerances on [B1797.1]

**maintenance:** [T230.1]; after corrective maintenance action is completed [Π1379.1]; be within the capability of... operating and maintenance personnel [B1669.1]; centrally based maintenance parties [Π45.1]; corrective maintenance [T127.1]; first line maintenance [H1456.1]; has

been supplier of maintenance services [0654.1]; held in stock for maintenance purposes [И364.1]; inspection and maintenance guide [E26.0]; inspection and maintenance record [K182.0]; long lasting service with ... no maintenance [Δ303.1]; low maintenance [HI126.1]; maintenance at a local level [0253.1]; maintenance crew [P700.1]; maintenance instruction(s) [И577.0]; maintenance intervals [И600.1]; Maintenance Manual [И578.1]; maintenance outages (01159.1); Maintenance Schedule [H1838.1]; maintenance technicians [P696.1]; monthly maintenance [E34.0]; never perform maintenance if the caution is not put up. [3411.0]; number of maintenance staff [Π39.1]; operation and maintenance personnel [Э50.1]; perform ... maintenance operations [B1891.1]; plant maintenance department [01284.1]; preventive ... maintenance [Π2995.1]; preventive maintenance [Π1906.1]; preventive maintenance schedule [Γ123.1]; prolongs the maintenance of [Π2734.1]; recurring maintenance costs [T131.1]; routine maintenance [T128.1]; saves maintenance [Y340.1]; type of maintenance [B1087.0]; types and intervals of maintenance [B1088.0]; with near zero maintenance [Π1544.1]

**major:** [B224.0, B778.0, Γ42.0, 3605.0]; and are not likely to have a major impact on [И18.1]; and constitutes the major difference between [B767.1]; assumed major importance [Π2473.1];

but a major simplification results if [H1799.1]; find major utilization in [И720.1]; first major decision to be made was whether ... would be [Π1950.1]; from the results of this study the following major conclusions can be drawn [H85.1]; giving cause of major concern [B1834.1]; highlights a major inadequacy [Π883.1]; is of major importance in [И395.1]; itself is a major problem [C199.1]; made major headway [C479.1]; major ... projects [K511.1]; major argument against [0967.1]; major attention has to be paid to [0987.2]; major bottleneck [H336.1]; major challenge to the achievement of higher [0992.1]; major competitors in ... markets [Γ44.1]; major concern with [0979.2];

major difference between ... was in [0994.1]; major difficulty [B257.1]; major efforts in this area [01010.1]; major emphasis continues to be placed on [0988.1]; major emphasis is placed on [0216.4, Y115.1]; major factor in suppressing the growth [Γ46.1]; major incentive [M403.2]; major motivation for [0997.1]; major objections to [01003.1]; major obstacle [Γ54.1]; major problem with [0979.1]; major redesign [B234.1]; major role [B792.1]; major technical development challenge [H333.1]; major turn in the history of the industry [Π554.1]; major usage ... has been in [B281.1]; means a major [Γ130.1]; of major concern [Δ246.1]; one major difficulty faced by [0529.1];

played a major role in [И85.2]; provided a major advance in understanding [П907.2]; ratio of minor to major diameters [01467.1]; recent major advance in [0535.1]; represented a major step forward [Я10.1]; represents a major and significant contribution to understanding (П907.3); tentative allowance list of SPTA for major repair [B1518.0]; two major difficulties were encountered in solving [P734.1]; type of repair (medium, major, etc.) [B1086.0J]; was not of major concern [H878.1]; with no major consequences [B24.1]; with one major difference [317.1]

**majority:** majoring in [C1 157.1]

**majority:** are held by the majority [B223.1]; by far

the majority of [П639.4]; conditions in the majority of the bed [Y401.1]; in the majority of cases [B562.2]; large majority of [П639.2]; majority of [B218.2, 3609.5]; overwhelming majority of [П639.3]; vast majority of [П639.1]

**make:** [И213.1]; are made in order to make the problem more amenable [4199.1]; commissioned ... to make a ... study of [П1330.1]; contributions ... to make to [B1213.1]; do not permit us to make predictions [H995.1J]; it shall be the responsibility of contractors to make use of [B267.1]; make... all but impossible [Д206.1];

make ... connection [Y463.1]; make ... difficult [3496.1]; make ... in four pieces [И197.1]; make

... inoperative [Д210.2, П2231.1]; make a ... decision [П2430.1]; make a 180 deg turn [П542.4]; make a memo of [3404.1]; make a preference among the alternatives [C391.1];

make a significant impact [П2473.2]; make certain check that [Y179.2]; vake certain [H1387.2, C584.4, Y38.3]; make do with [Д521.1,

0285.1]; make every effort to [B1656.1]; make financial demands of [П1941.1]; make for ... operation [C 1232.1 j]; make it a practice [B264.1 j];

make matters worse [Y584.1]; make public [0867.1]; make sure [0426.4, C584.5]; make the ... task ... more difficult [C394.1]; make the important point that [0217.2]; make the requirements easier to fulfil [0105.1]; make their first appearance (П1589.2); make up [0197.4];

make use of [B1415.1]; one can make use of [M328.1]; seismic make [И205.0]; so ... as to make ... difficult [Т60.1]; to make [B 1856.0, B1873.0, Д192.0, Д704.0, 3466.0, И183.0, И210.0]; to make ... work [3467.1]; to make a change in [И256.0]; to make a contribution to [B1213.0]; to make a difference to [И256.0]; to make a memo of [3404.0]; to make a problem [Д228.0]; to make a real effort to [П2332.1]; to make allowance for [B847.0, B1227.0]; to make

alterations [B1216.0]; to make certain [4214.1]; to make changes [B1216.0]; to make contact with [B1630.0]; to make difficult [Д228.0, 3496.0]; to make extrapolations [Э67.1]; to make from [И 191.0]; to make good sense to

[И449.0]; to make in [И191.0]; to make inoperative [B1741.0]; to make into [B1383.0]; to make maximum use of [M7.1]; to make modification (of, to, on) [M238.0]; to make modifications [B1216.0J; to make of [И191.0]; to make reliance on [B1287.0]; to make resort to [B1415.0]; to make smooth [B1936.0]; to make the most of [И 181.1]; to make the most of [M7.2]; to make the use of [Д346.0]; to make up for [B1291.0, B1413.0, K278.0]; to make use of [B1415.0, И693.0, И715.0]; would make it impossible [C403.1]. (См. также **made, makes**).

**maker** [И206.1]

**makes:** it makes good sense to [И449.1]; it makes

no difference to ... whether ... is localized, or distributed [Д323.1]; it makes no difference (B78.0, B78.1); makes ... akin to [Д218.1];

makes ... even easier [0106.1]; makes ... extremely difficult if not impossible [Д229.1];

makes ... extremely difficult [01661.1]; makes ... irrelevant [Д209.1]; makes ... the least desirable [Д221.1]; makes a distinction ... of [B848.1]; makes an angle of 20 deg with the vertical [C1096.1]; makes an audible click [И212.1]; makes comparisons ... somewhat risky (Д226.1); makes for good [Y241.2]; makes

fundamental changes in [И260.1]; makes it easier to advance [0109.1]; makes it possible to [Д193.1, П902.5]; makes no allowance for [H1141.4]; makes or breaks contact [3316.1]; makes practically no difference [П 1656.1]; makes sense in that [0619.1]; makes testing ... difficult [3499.1]; makes use of [И693.3]; makes use of... ability to [П1912.1]

**makeshift:** «makeshift» nature [П11.1]; makeshift tools [C207.1]

**making:** after making equations ... dimensionless by dividing both sides by [П1364.1]; before making a final selection [П191.1]; in making this decision, it was recognized that [П2434.1]; making ... more of a problem than might be the case with [Д230.1 j]; making a start [П 1119.1 j];

making an analogy [П2672.1]; making sense out of [П1265.1]; making sure that [C585.1];

making the transition to ... as painless as possible [C399.1]; making use of the fact that [П1223.1]; mount the replacement ... on ... making certain that... is at the same location ... as it was on [C742.1J; provide guidance for making [П1256.1]; thus making ... difficult to [3500.1]; weigh heavily in making a ... choice [П172.1, C477.1]; without making excessive demands on [B47.1]

**malfunction:** [H1466.1, H1506.1, C247.1]; alarm is initiated if a malfunction develops [H529.1];

diagnosis of... malfunctions [Д279.1]; isolating the malfunction to a ... component [0127.1];

locating malfunctions [0126.1]

**malfunctioning:** [H1497.1]

**malpractice:** operational malpractice [H1502.1]  
**man:** practical man [П1639.1]  
**manage:** manage ... from [Y330.1]; manage the ... development of [P767.1]  
**manageable:** [П2277.1]  
**management:** in undertaking ... management [B94.1]; management of the overall construction [Y328.1]; management practices [0881.1]; reduced ... management personnel [C983.1]; senior management [B2006.1], upper ... management [P770.1]  
**manager:** project manager [P763.1]  
**managerial:** managerial and executive personnel (A84.0)  
**mandatory:** [0423.1]; for ... become mandatory [B1645.2]; to become mandatory [B1645.0]  
**manhr:** [442.1]  
**manifest:** [01647.1]; is manifested by [П3051.1]; manifested as [B1952.1]; manifests itself as [П3052.1]; should have manifested itself [0429.1]; to manifest itself [B1948.0]  
**manifestation:** [П3038.1]; another manifestation [E225.1]  
**manifold:** just under the ... manifold [П617.1]  
**manipulate:** manipulate the position of [P612.1]  
**manipulation:** manipulation of [P30.1, Э45.2]  
**mankind:** harness the powers of nature for the benefit of mankind [0220.1]  
**manner:** accomplished in a timely manner [B1878.1]; behaves in a ... manner [B943.3]; behaves in a somewhat peculiar manner [B944.1]; depended in a complex manner on [3102.1]; examined in a more comprehensive manner [И796.1]; explained in the following manner [0378.1]; has been solved in a manner to be described below [P726.1]; in (a) like manner [A136.0]; in (a) similar manner [A136.0]; in a controllable manner [B471.1]; in a like manner [A136.3]; in a manner identical to that for [A124.2, T104.1]; in a manner similar to [П769.1]; in a manner similar to that observed in [П769.2]; in a manner typified by [T39.1]; in a manner which assures [T49.1]; in a manner which is peculiar to [C1 181.1]; in a similar manner to [A124.0, A124.1]; in a similar manner to that used [A126.1]; in a simple yet persuasive manner [П2924.1]; in a specified manner [B377.1]; in a stable manner [H1 876.1]; in a timely manner [B1248.0, C331.1]; in a ... manner [B469.0]; in an as yet unknown manner [П955.1]; in an identical manner to [0550.1]; in exactly the opposite manner as [C842.1]; in much the same manner as [П768.1]; in some balanced manner [H90.1]; in such a manner as not to [T46.1]; in such a manner that no [T46.3J]; in the above manner [B2070.1]; in the conventional manner [0391.2]; in the expected manner (T40.1); in the most effective manner [H345.1]; in the same manner [0548.2]; in the same manner as [T26.1]; in the same

manner as before [K77.3]; in the same manner as reported previously [T405.1]; in this manner [T105.1, T93.3]; is... influenced by the manner in which [399.1]; is determined in the following manner [0846.1]; is executed in the following manner [01181.1]; is processed in such a manner that [0187.1]; it now remains to discuss the manner in which [01118.1]; manner of evaluating [C1206.1]; not be placed ... in such a manner as to obstruct [P266.1]; this must be done in such a manner that [Д589.1]  
**manpower:** significant expenditure of both manpower and energy [B255.1]; training levels of available manpower [Y372.1]  
**manual:** [И572.0]; adjust and test the units in strict accordance with recommendations outlined in the service manual [M249.0]; covered in the technical manual [0778.1]; instruction manual [И572.0]; instruction manual [И579.0, И579.1]; maintenance manual [И578.1]; manual effort [P778.1]; manual operations [P780.1]; manual setup and adjustment [P779.1]; operating manual [C1254.1]  
**manually:** [B1554.2]; filled manually [3403.1]; manually enter them through the keyboard [B845.2]  
**manufacturability:** [T253.1]  
**manufacture:** [И208.2]; date of manufacture [Д121.0]; manufactured in... grades of [И191.4]; manufactured to meet specifications [И204.0]; reject ... early on in manufacture [01211.1]; small-scale manufacture [M91.0]; to manufacture [B1924.0, И183.0]; to manufacture in [И191.0]  
**manufacturer:** [3112.0]; according to the manufacturer [П362.1]; as communicated by the manufacturer [П362.2]; following the guidelines of the manufacturer [B595.1]; manufacturer guarantees trouble-free operation of the article for... years since the day of shipment from the plant [И207.0]; manufacturer's representative attendance [П2536.1]; manufacturer's statement [3114.0]; per manufacturer's instructions [C908.1]; wire colors vary between manufacturers [Y10.1]  
**manufacturing:** [3113.0]; delicate manufacturing procedure [T327.1]; economical manufacturing [Э18.1]; in manufacturing [П2077.1]; in the manufacturing environment [B726.2]; manufacturing costs [3117.1]; manufacturing deficiencies [Д273.1]; manufacturing excellence [B1985.1]; manufacturing experience [П2797.1]; manufacturing license [И57.0]; manufacturing operations [T258.1]; manufacturing quality control [K359.1]; serial number manufacturing number [3115.1]  
**manuscript:** forward the manuscript to [П182.1]; manuscripts are due [П1856.1]; review of the manuscript [P714.1J]; to prepare ... manuscript for presentation [П695.1]

**many:** [3614.0, M189.0, M193.0, M225.1]; affords many benefits compared with [И437.1]; and many more [И38.0, И38.2]; and many others [И38.0]; are many and diverse [M227.1]; as many [C1468.1]; continue ... for many years to come [C1 128.1]; differs ... in many ways [01379.1]; experience gained in many years of lecturing [0878.1]; for many years (B699.1); go through many ... phases [П3015.1]; had many common features [И416.1]; has been through many ... changes [П2049.1]; has demonstrated ... many times [У185.1]; how many... will it take ... to (C532.1); in many practical situations [B569.1], in many respects [B312.0, B312.1, B312.2]; in many ways [B312.0]; is many times greater than [B450.2]; is many times thicker than [B451.1]; many (as predicative) [M225.0]; manya(M189.1j; many believe [M191.2]; many different ... many different [C238.2]; many diverse [C237.1]; many fewer [H421.1]; many have assumed [M191.1]; many modifications would be required [П1258.1]; many more [B218.3, 3617.1]; many of [M189.0]; many of the previous [M1 90.1]; many other advantages [M 197.1]; many potential hazards will be avoided [M192.1J; many similarities between [B252.1, M196.1]; many such ... are available [T78.1J; many times greater than that of [B450.1]; many times greater [B444.1]; many times [B568.1, M213.1, H1439.1]; many types of [B984.1]; many uses to which ... can be put [И700.1]; many valuable lessons have been learned from [M201.1]; many years' experience in operating [M221.1]; many years of [M220.1]; many years of satisfactory experience [M222.1]; of many types of information [C225.1]; offer many advantages over [Д46.1]; one half as many [B858.2]; opens up many possibilities [01359.1]; pay for themselves many times over [M214.1]; pressured from many sides [И761.1]; problem of... has been a concern of design engineers for many years [П2606.1]; question which has been intriguing many of us [B1398.1J; raises many questions [П754.1]; research ... followed along many lines [И774.1]; select ... from the many possible [B1694.1]; similarities ... are many [B205.1]; so many ... that [T15.1]; there are many papers [И492.1]

**wap:** [K178.0, H1852.1]

**march:** of technological and scientific progress [P188.1]

**margin:** [3369.0]; but not by a wide margin [H1815.1J; in the margin [H106.1]; margin of ... in ... power [3372.1]; margin of error [П1718.1]; margin of safety built into [3375.1]; margin on ... stress [3373.1]; margins over [3374.1]; outperformed ... by a significant margin [P53.1]; overestimate ... by a small, but significant margin [3132.1]; power margin of [3372.2]; with ... margin [C9.1]

**marginal:** [П1723.1]; are marginal for meeting ... requirement [H673.1]; be marginal [H672.1]; marginal in their ... performance [P59.1J; marginal increase of [HI 261.1]

**marginally:** [H115.1, H1264.2]; marginally effective [P89.1]; only marginally [J184.1]

**marine:** in a marine context [B723.1]

**mark:** [B224.0, B1953.0, 3289.0, 3573.0, 01419.2, П973.10]; align the assembly marks [C867.1J; alignment... with an index mark [C869.1J; are marked by a single asterisk [a double asterisk] [П1237.1]; bearing a marked resemblance to [C474.1]; faint ... marks [C564.1]; far off the mark [H1658.1]; grid is marked on [H447.1]; has a marked ... action [0642.1]; hover around the ... mark [H667.1]; is in marked contrast to [3297.1]; mark off [P262.3]; marked improvement in [3292.1]; marked out [P262.2]; marked similarity between [B251.1]; marked the beginning of [П1118.2]; marks the end of [3585.1]; quality mark [3574.0]; quotation marks [K24.1J; shows a marked preference for [01279.1]; stamp mark [K220.0]; stand in marked contrast to... as regards their [P633.1]; trade mark [K220.0]; trade mark application [3556.0]; trade mark commodity [И217.0]; wires or leads marked ax to be connected to (П2668.1)

**markedly:** [3294.0]; differ markedly [3296.1]; increase markedly [3298.1]; markedly inferior to [3299.1]

**market:** are ... on the market [И483.1, П2858.1]; come out on the market [П1499.1]; dominate ... market [3344.1]; growth in the market for [P760.1]; if a market exists [E93.1]; is actively involved with the ... markets [A98.1]; is finding a growing market [H620.1]; major competitors in ... markets [r44.1]market for [C1264.2]; market is limited for (P781.1); market penetration [0924.1]

**marking:** [M52.0]; marking and sealing [M51.0]

**marry:** are married to [П643.1]

**mask:** [3140.1, 3274.1, И321.3, C559.1]; be ... masked by [M55.1]; mask the effects of [C557.1]; masked the observation [M173.1]; to mask [И321.0, M172.0J; was masked [0686.1]

**mass:** closing ... mass balance [C264.1]; conservation of mass principle [3252.1]

**mass-produced:** easily mass-produced [У151.1]

**massive:** [M58.1]

**master:** [T42.0, C1252.2]; calibrated against the ... master [T119.1]; checked against the reference master [П2647.1]; completed ... master of science and doctor of philosophy degrees [3540.1]; master bill of materials - [C1179.1]; master keyway [Г52.0]; master route sheet [M53.1]; master schedule [Г121.1, C327.1]

**match:** [П687.1, П2515.3, C870.1, T402.1]; are matched (П690.1); cannot possibly match [П2923.1]; match ... size with ... size [П646.1]; is ... matched to [C917.1]; match precisely



with [T398.1]; match the service capability [C1291.1]; matched ... quite closely [C871.1]; matched set [П648.1], matched to [П647.1]; matches the size and type [C1016.1]; most nearly matched by [H309.1]; provides a better match to the load requirements [ЛИ 0.1]; to match [B590.6]

**matching:** [C1024.9]; matching ... to [П686.1]  
**mate:** mated to [C1055.2]; mates with [C1054.1]

**material:** [B1038.0]; advanced materials [H1830.1];

after test materials have been distributed [П1367.1]; allotted material [P630.1]; assigned material [P630.1]; apportioned material [P630.1]; candidate materials for [B763.1]; consumed material is minimal [P527.1]; depending on the material available [B 113.1]; earmarked material [H388.1]; extra equipment and materials [Д634.0]; foreign material [П1470.3]; list of extra equipment and materials [B870.0];

master bill of materials - [C1 179.1]; material allowance list [H1869.1]; material assets [M72.1]; material being cut [B1964.1]; material must arrive in the ... office [M68.1]; material requirement [П1527.1]; material savings [Э24.1]; material tested [C216.1]; mortgaged material [P630.1]; obligated material [P630.1]; operating on ... materials [P32.1]; order bill of materials (B877.1); poster material [C1449.1];

properties of the material reported by the supplier [C339.1]; protected from weather and entrance of extraneous materials [3545.1]; raw materials requisition [3553.1]; reserved material [P630.1]; savings in material costs more than compensate for [Э25.1]; specific hazardous materials [01060.1]; substantial materials savings [3610.1]; warrants ... be free of defects in material and workmanship for a period of one year from date of [Г16.1, Г16.2]

**materially:** does not change materially [H873.1]

**mathematical (math):** [M65.0]; math model [M67.1]; mathematical treatment (M66.1); yet insurmountable mathematical problems [H1521.1]

**mating:** loosely mating [H1461.1]; mating of [C1056.1]

**matriculate:** matriculated and entered [C375.1]

**matrix:** expressed in matrix form [B 1955.1]

**matter:** [B1038.1, B1391.0, Д244.0]; another practical matter [Д753.1]; are another matter

altogether [C885.1]; as a final matter [B 120.0];

as a final matter, it maybe noted [B 121.1]; as a matter for [B363.0J]; as a matter of course [C204.2]; as a matter of design expediency [П383.1]; as a matter of fact [И9.3, И25.2]; as a matter of policy [C400.1]; as a practical matter [E120.1J]; assess these matters [01636.1]; bring the matter to the attention of [Д602.1]; clarified several matters [П925.1]; concerning this matter [B307.0]; continues to be a matter of some controversy [01125.1]; did not improve

matters [H1133.1]; extraneous matter [П1470.2]; final matter to be considered with respect to [И50.1]; for that matter [B503.1, B667.2];

foreign matter [П1470.1]; form the subject matter of this paper [C1091.1]; in a matter of minutes [37.1]; intricate matter [C662.2]; is a contractual matter [0847.1]; is largely a matter of experience [391.1]; is largely an academic matter [П1847.1]; is very much a matter of [B210.1]; it... becomes a matter of extreme importance [C1381.1J]; it doesn't really matter where [П1652.1]; lack of statutory subject matter [0359.1]; make matters worse [Y584.1];

matter ... be settled [Y364.1]; matter for argument [П1746.1]; matter of choice and style [Д247.1]; matter of choosing [B1394.1J];

matter of controversy [C1201.1]; matter of great concern [Д245.1]; matter of time [B1393.1]; no matter [B1 174.3]; no matter how impeccable [K155.1]; no matter how small [K53.1 ]; no matter on which side [B 1176.1 ];

no

matter where [H1229.1]; no matter which [H1230.1]; relatively simple matter [C1289.1J];

replaced in a matter of minutes [3280.1];

return to this matter [B1275.2]; subject matter covered in papers [П1744.1]; taken up the matter [П753.1]; there seemed to be little choice concerning this matter [B308.1]; these are not matters to be taken lightly [K13.0]; this matter will be revisited [M405.1]; to be a matter of [388.0]; to further complicate matters [П2603.1]; to touch on a matter [3483.0]; touches on this matter [3485.1]; within a matter of seconds [38.1]

**maturity:** [B1935.2]; lack of production maturity

[H1628.1]

**maximize:** [Д708.1]; to maximize [M8.1]; to maximize the benefit of [И181.2]

**maximum:** [M3.0, M9.0]; attains its maximum value [Д707.1]; deviations ... are 12 percent at their maximum [P543.1]; dropped to 75 percent of its maximum value [Y261.1]; goes through a maximum [П3013.1]; is a maximum of [C1085.1]; is at its maximum [M11.2J];

maximum ... attainable [M6.2]; maximum allowable [M5.1]; maximum obtainable [M6.1]; maximum permissible [M5.2]; maximum potential [M4.1]; should be utilized to the maximum extent [C604.1]; sized for ... of maximum ... demand [P256.1]; to make maximum use of [M7.1]; to maximum advantage [H355.1]; to the maximum extent possible [B659.1]; traces have been drawn from the maximum values of [K481.1]; upper maximum allowable [B921.1]

**meager:** [C561.1]

**mean:** [C1310.2J]; agree on what we mean by [Д527.1]; be within ... of the mean value [01389.1]; does not mean to imply [H1 146.1];

geometric mean [C1319.1]; if ... mean any-

thing [E98.1]; is taken to mean [П1613.2]; is to be interpreted to mean that [H1906.1]; mean of [C1313.1], mean the same thing (0616.1); mean time between failures [C1315.1]; mean value ... over the area [C1322.1]; to mean a disaster [Г129.0]. (См. также **means**).

**meaning:** [3595.0]; closest in meaning to [H307.1];

had little meaning [H879.1J; have meaning only at [И451.1]; is maintained with the same meaning as [И718.1]; physical meaning of... is more readily grasped [Ф22.1]; same meaning [Т345.1]; to have meaning [И449.0]; within ... meaning [B 125.1]

**meaningful:** for purposes of clear communication

and meaningful use [4176.1]; it may be more meaningful to speak of [И450.1]; meaningful measurements [П1073.1]; meaningful results [П1072.1]; meaningful test data [Д736.1]; to be meaningful to [И449.0]

**meaningless;** [Б 101.1]; become meaningless [Т200.1J; is meaningless [H885.1]

**means:** [П1608.2, C1203.1, C1203.2]; also meant [0620.1]; are not a cost-effective means [H1 179.1]; best means of assuring positive [H354.1]; by... is meant [П1613.1]; by means of a scale and dividers [C61.1]; by means of (M156.2, C59.3); by no means [Д93.0, H1758.1, 01472.2]; by no means complete (Д97.1, H1691.1); by no means obvious [C893.1J; calculated by means of Formula [B2060.1J; connotes ... means [0614.2]; devising means [01599.1]; effective means of improving [Э232.1]; expedient means of [П1659.1]; find, by means of Table [0828.1]; For the purposes of our study ... means [B431.1]; if only as a means of [X86.1]; illustrated by means of an example [П12812.1]; in practical terms this means that [П1664.1]; is a ... means of [Я26.2]; is a better means by which to [П913.1]; it is by no means [H1692.1]; means ... be devised of [H609.1]; means a great deal for [M207.1]; means a major [Г130.1]; means by default [0617.1]; means of achieving this objective [C1324.1]; no means [C892.1]; not enough to warrant any ... as a means of (H928.1); one of the simplest means of doing this is [П2926.1]; practically, this means [Э135.1]; provided a means [П1902.7]; provides a means of considering [Д11.1]; reliable means of [H268.1]; term... here means [Т 190.1]; this is by no means an exhaustive list [B2073.0]; this means that [Э134.2]; through subjective means [H98.1]; to provide a means of [Д9.0]; which means that [A47.1, Ч156.1]. (См. также **mean**).

**meantime:** in the meantime [A34.1, M82.1, T134.2]

**measurable:** is ... not measurable [H976.1]

**measure:** [И443.2, K483.0, M122.1, 0813.9, P134.3]; assume some measure of obsolescence [Д470.1]; be measured by [0844.4]; be measured to an accuracy of [И301.1]; care has

been taken to measure ... at [041.1]; experimentally measured [И305.1]; halfway measures [П1123.1]; have been measured crudely [П2185.1]; in a large measure [B648.1]; in a measure [B646.0]; in equal measure [B667.0]; in some measure (B664.3, Д468.2); is a measure of [Я18.1]; is measured on the ... axis [01321.2]; is taken to be a measure of [C680.1J; it was measured ... from [И300.1]; it was not possible to obtain a reliable measure of [H262.1]; just for good measure [П2921.1]; measure in the prevention of voids [C1210.1]; measure of [C1450.3]; measure of merit of [K484.1]; measure of the constraints on [C1451.1]; measure up to [Д704.3]; measure up to the ... requirements [01246.1]; measured from [01567.1]; measured normal to [И306.1]; measured quantities included [B762.1J; measured to [И30 1.3]; measures of performance [П969.2]; measures will indeed help [M128.1]; more as qualitative indication ... than as a quantitative measure [C536.1]; no attempt was made to measure [M420.1]; one essential measure in [0526.1]; once ... is measured [П1359.1]; preventive measures [П1907.1]; pro-motional measures [P667.1]; qualitative measure [K205.1]; some measure of success ... achieved [Д722.1]; to measure [И299.0]; to measure ... to within [И301.2]; to measure ... was closed [4187.1]; to measure up to [Д704.0]; unless suitable measures are taken to control [E143.1]; was instrumented to measure [0951.2]; was measured with [И299.1]; was this ever measured? [И303.0]

**measurement:** [И298.0]; converting the units of measurement [П171.1]; date of measurement [Д138.0]; is instrumented for the measurement [0951.1]; measurement artifacts [Э222.1]; measurement at... is required [H1367.1]; measurement capabilities to [И309.1]; measurement uncertainties (П600.2); record of measurement [A89.0]; uncertainty in ... measurement [П600.1]; within measurement accuracies [B395.1]; within the limits of measurement error [B393.1]

**measurements:** errors in other measurements involved [01694.1]; from these measurements [П464.1]; meaningful measurements [П1073.1]; measurements ... were of uncertain accuracy [Т375.1]; measurements taken [Д199.1]; measurements were focused on [0984.1]; measurements were made [П2673.1]; measurements were taken [B1881.1]; scope of measurements [0365.1]; was calculated by the measurements [B2059.1]

**measuring:** (И298.1, И443.1); ... then measuring [П 1418.1]; have the capability of measuring [И369.1]; measuring nominally [И514.1]; record of checking measuring instruments by inspection agencies. [Д113.0]

**mechanical:** all mechanical [Π1045.1]; mechanical considerations [K339.1]; mechanical integrity [M171.1], mechanical properties... strongly affected by [C465.1]

**mechanically:** mechanically inferior to [Y544.1, X129.1]

**mechanism:** governing mechanism [0855.1]; through this work more can be learned about mechanisms [B115.1], via a different mechanism than do [И542.1]; via a different mechanism [И538.0]

**mechanistic:** mechanistic approach [M1 70.1]

**mechanize:** made a... drive to mechanize [P177.1]

**media:** expanded media coverage [Ш16.1], in acid media [B629.1]; training techniques, aids or media [M 162.1]

**medical:** medical advice should be obtained [H1 375.1]; medical facilities [M79.1]

**medicine:** faculty of medicine [M78.1]; medicines, ... shall be exempt from the requirements of [T422.1]

**medium:** [C1310.4]; in medium [B628.0]; medium technology [T251.1]; through the medium of [Π 1436.2, 470.1]; type of repair (medium, major, etc.) [B1086.0]

**meet:** has the capability to meet [B614.1]; has the potential to meet [B614.2]; manufactured to meet specifications [И204.0]; meet the ... standards [01244.1]; meet the challenges posed by the [P721.1]; meet the convergence criterion [Y167.1]; meet the needs of [Y169.2]; meet those ... conditions [Π1288.1]; meets ... requirements [Y171.1]; meets all of these requirements [Y173.1]; meets the requirements of... in all respects [01247.1]; to meet [B1617.0, B1630.0, Д704.0]; to meet the ... deadlines [Y224.1]; to meet the challenge of integrating [P722.1]; to meet the cycle requirements [Д366.1]; to meet the regulations [Y168.1]; to meet the tight schedule [Y225.1]

**meeting:** are marginal for meeting ... requirement [H673.1]; has the potential for meeting [B614.3]; meeting held for [C853.1]; meeting the ... specification [01252.1]; meeting was called to order [0371.1]; meeting, ... was adjourned [3266.1]; negotiation meeting [C852.1]

**melting:** and no further melting occurs [И47.1]; as melting proceeds [Π394.1]; complete melting [Π1087.1]

**member:** member of [4117.2]

**membership:** nationality, age, sex, and society membership [H699.1]

**memo:** make a memo of [3404.1]; to make a memo of [3404.0]

**memorize:** to memorize [3404.0]

**mental:** [B1919.1]

**mention:** another point worthy of mention [B1396.1]; as mentioned (K62.0, K64.5); as mentioned before [K138.1]; as mentioned in a

previous section [K137.1]; as previously mentioned [K100.3]; escape the mention of [0281.1, Y248.1]; is nowhere mentioned [H1711.1]; is... worthy of mention at this stage [T179.1]; it should be mentioned at this point that [3565.1]; last mentioned [Π1386.1]; mention may be made of [M386.1]; mentioned in connection with the description [Y320.1]; merits brief mention [3461.1]; no mention is made of [H1134.1]; not to mention [H806.2]; particular mention should go to [01069.1]; parenthetically, it should ... be mentioned [Π1308.1]; suffice it only to mention that [Д687.1]; to mention only a few [И38.1, H807.1]; too numerous to mention [C652.1]

**mentioning:** it is worth mentioning here that [3564.1]

**menu:** menu driven [Y333.1]

**merely:** [J180.0]; difference lies not merely in [P233.1]; merely ... slightly [J84.2]; merely illustrates [Y215.1]

**merge:** merge into [C643.1]; merge to form [C646.1]; merge together ... coalesce [C642.1]

**merit:** [Д737.0]; detailed consideration ... is merited [3444.1]; figure of merit [K484.2]; has some merit [И380.1]; has the merit of being simple to apply [Д740.1]; have little merit [H875.1]; measure of merit of [K484.1]; merit a

closer examination [3457.1]; merit consideration [3456.1]; merit more than a passing glance from [3454.1]; merits and demerits [Д741.0]; merits attention [3445.3]; merits being described as [3462.1]; merits brief mention [3461.1]; merits greater discussion [3452.1]; merits recognition [3455.1]; merits separate attention [3459.1]; order of merit [P341.1]; physical merit [Φ25.1]; relative merits of [01429.1]; to have a merit [И379.0]; to merit [3442.0]; to merit attention [3445.0]

**mesh:** coarse [fine] mesh ... screens [C450.1];

meshes with [B1667.1]; to mesh with [H631.1]

**meshing:** [H686.1]

**message:** but there is yet another important message to be gained [H1800.1]; convey a clear message, namely, that [C192.1]; conveys two ... messages [Π917.1]; important message of these results is [B777.1]

**messaging:** don't worry about messing up [H751.1]

**metabolic:** provide the ... framework of metabolic machinery [3232.1]

**metallographic:** metallographic examination [M154.1]

**metallurgical:** in chemical and metallurgical industries [B317.1]

**metallurgically:** metallurgically oriented studies [И787.1]

**meter:** operate your meter in flammable or explosive atmospheres [Э60.1]; to meter [И299.0]; was metered by [И299.2]; were metered separately [P529.1]

**metering:** [И298.0]  
**methane:** as if their composition was entirely methane [B330.1]  
**method:** [M155.2]; among others, is a suitable method to solve [0518.1]; common method, although perhaps not the best [0307.1]; determined by two methods [0818.1]; essence of the method is to [C1553.1]; failure ... method [H1639.1]; inherent... of the method [И2544.1]; method is limited to [И2363.1]; method of construction of [M1 60.1]; method was developed for [Д388.1]; novel feature of our method is [H1835.1]; organizational methods [0905.1]; potential of the method [B 1326.1]; predicted by those methods could be as much as 100 percent in error [P551.1]; predictive methods [P560.1]; use is made of a... method [И730.1]; usual method of doing this is to [0390.1]; virtue of the method [Д739.1]  
**methodology:** [M163.0]; calculated in accordance with the methodology [B2058.1]; methodology for ... fabrication [M165.1]; proposed methodology appears to be general [И1737.1]  
**micron:** one micron in size [P254.1]  
**microscope:** with a microscope [B 194.1]  
**mid-:** at mid- [B509.0]; in mid- [B509.0]; mid-1979 [C424.1]; since the mid- to late 1980's [C94.1]  
**mid-height:** at mid-height of [B509.0]  
**mid-length:** at mid-length of [B509.1]  
**mid-March:** [B512.1]  
**mid-nineteenth:** as early as the mid-nineteenth century [E201.1]  
**mid-tank:** in mid-tank [B510.1]  
**middle:** [C1310.3]; in the middle of [B509.0]; middle portion [C1317.1]  
**midplane:** [C1316.1]; at the ... midplane [B343.1]  
 midsection:[C1314.1j  
**midst:** in the midst of the ... debate over [B453.1]  
**midway:** [И1433.1]; be midway between [3348.4]; midway between [И1434.1]; now, midway through [T 173.1]  
**might:** [B1296.0, M254.0]; although a case might be made for [И70.1]; appropriate ... might be written as [И1634.1]; as might be anticipated [K82.1]; as might be expected [K79.0]; as one might have expected from [K83.1]; how might these be different if [H539.1]; if... were ... it might be concluded, erroneously [E107.1]; intuitively one might think that [И624.1]; it might be argued that [H396.2J]; it might be expected that [M394.2J]; it might be objected that [H396.1]; might appear to be [M293.0]; might at first glance appear to be [M298.1]; might have resulted from [M257.1]; might possibly be overcome by [M396.1]; might well be [B1482.1]; question might be raised as to [M392.1]; this might be surprising at first [H16.1]; we might be seeing [B1299.1]; what might be a helpful start [Д358.1]  
**migrate:** migrates upstream [И 134.1]

**migration:** migration of... fumes to [И2865.1]  
 mild: [HI 161.2, Y282.2]  
**milestone:** considerable milestone [B789.1]; mile-stone in the development [B 1037.1]  
 mill: [3113.0, 3119.1]  
**millisecond:** lifetime of milliseconds [И229.1]  
**mimic:** [И572.1]  
**mind:** be borne in mind [И2408.7]; bear ... in mind [Y608.9]; bearing in mind [И361.1, И2409.1]; factor that needs bearing in mind [Ф13.1]; is not one which readily comes to mind [H1091.1]; it is important to bear in mind that [B797.1]; it must be kept in mind that [H1368.1]; it should ... be borne in mind [C603.1J]; it should be borne in mind that [C619.1]; it should be kept in mind [C603.2J]; key point to keep in mind [Г51.1]; leave no doubt in the minds of the present authors that, if [H964.1]; one must bear in mind [HI 368.2]; reader should keep in mind [4113.1]; several questions come to mind [B1345.1J]; spring to mind [— B1600.1]; to my mind [H12.1]; viewed with an open mind [P452.1]; while keeping in mind the following... [H853.1]; with ... in mind [C157.2]; with learning in mind [C182.1]; with this in mind [И478.1]; with this object in mind [Д424.0, C 183.3]  
**minima:** minima are greater [M1 80.1]  
**minimal:** are minimal [И504.1]; consumed material is minimal [P527.1]; is of minimal help [M34.1]; with minimal... impact [И2080.1]  
**minimize:** is minimized [C316.3]; it is prudent to minimize [C623.1]; minimize, if not completely eliminate [E1 52.1]  
**minimum:** as a minimum, it is necessary [HI 370.1]; at a minimum [M1 75.1]; at a minimum (as predicative) [M175.0]; at the minimum [C232.1]; be kept to an ... minimum [C984.1]; but require... as a minimum requirement [H1789.1]; holding ... to a minimum [B1794.1]; in the minimum amount of time [И2090.1]; is a minimum of ... from [01539.1]; kept to a minimum [B1794.2, C316.2]; minimum (as adjective) [M175.0]; minimum ... required [H1416.1]; minimum amount of... information [M177.1J]; minimum knowledge of [M179.1]; minimum number of [M178.1]; minimum of [K80.1]; passes through a minimum [И3014.1]; shall be a minimum of [M176.1]; was kept to a minimum [И711.1]; was reduced to a minimum [C316.1]; with a minimum of risk [C88.1]  
**minor** [B1659.0, M13.0, M87.0, H1258.2]; are of ... minor importance (H878.2); had undergone only minor changes [И2048.1]; minor disadvantage [H1162.1]; minor influences on [M94.1J]; minor repair [M88.0]; minor variations in test conditions [HI 164.1]; played ... a minor role [И91.1]; ratio of minor to major diameters [01467.1]; with minor exceptions [330.1]; with minor modifications [C47.1]

**minority**; small minority of [HI 166.1]  
**minus**: [E7.0, M181.0]; tolerance ... plus or minus [Д649.1]  
**minute**: after some minutes [C 1270.1], are obtainable in minutes [П1139.1]; are present in minute amounts [C950.1]; at 1 minute intervals [C17.2]; below ... minutes [M101.1]; canceled at the last minute [A145.1], follow-up of the ... minutes [B 1870.1]; in a matter of minutes [37.1]; in ... one minute [39.1]; mount ... in minutes [Y473.1]; once every twelve minutes [C49.1]; replaced in a matter of minutes [3280.1]; to enter the minutes [3365.0]; to keep the minutes [B939.0]; to take the minutes [B939.0]; was cancelled at the last minute [01412.1]  
**mirror**: be closely mirrored [T392.2]; polished ... to a mirror finish [П 1027.1]  
**misalign**: operate when misaligned [P49.1]  
**misalignment**: provided the best tolerance to misalignment [Д659.1]  
**misapplication**: [H1505.1]  
**misapply**: [H1495.1]  
**misconception**: [H1503.1, H1504.1J; common misconception [0332.1]  
**misgiving**: despite some misgivings [H1619.1]  
**mishap**: keeps wiring mishaps from damaging [П11775.1]  
**misinterpretation**: [01699.1]  
**misleading**: be misleading [B840.1, Д61.2]; can be misleading [M270.1]; could give misleading results [M274.1]; is misleading [0115.1]; it is entirely misleading to [C830.1]; it would be misleading to end [B383.1]; it would be misleading to give the impression that [Y13.1]; proved to be misleading [B840.2]; somewhat misleading results [P640.1]; somewhat misleading [H1576.1]; to be misleading [B1233.0]  
**mismatch**: [H 1636.3, P498.1J; expansivity mismatch [P288.1]  
**miss**: [П2701.1]; is missed by [B1863.1]; misses completely [B1375.1]; misses the intended target objective [H849.1]  
missing: [П2872.1]; back-ordered and missing items from shipment [H1549.1]; for ... a year without missing [B694.1]; what is presumably missing here [4137.1]  
**mistake**: apparent clerical mistakes [Я52.1]; at best, ... debatable, at worst, mistaken [B537.1]; mistake them for each other [C 1272.1]; mistaken belief [01700.1]  
**mistakenly**: is ... mistakenly attributed to [01697.1]  
**mistaking**: there is no mistaking the fact that [M371.1, H1652.3]  
**mitigate**: mitigates against... use (Г73.1, П2241.1); to mitigate against [Г66.0]  
**mitigation**: [M 129.1]  
**mix**: conclusions are mixed [B1731.1]; diversified mix [P282.1]; intimately mixed [X65.1]; mix of

... products [A164.2]; mix well [X64.1]; mixes with [C727.1]; product mix [A164.1]; with mixed success [C155.1]  
**mixing**: additional constraint of mixing [Д635.1]  
**mockup (mock-up)**: [M234.0, M234.1, M235.1]; desk-size mockup [M234.0]; full-size mockup [M234.0]  
**mode**: [B1077.0, P626.1]; are operated in the series [parallel] mode [P68.1]; controlling failure mode [0854.1]; have been made in this mode [T32.1]; have failed by a similar mode [P330.1]; in the automatic mode [B470.1]; in the mode [B469.0]; in the off mode [B 1849.1]; in this mode of operation [B472.2]; mode is operative whenever [P627.1]; modes of failure [B1085.2J; modes of fracture [B1085.1J; operating modes [P626.3]; put... into the setup mode [B842.1J; to exit... mode [B2044.1]; toggles between ... and ... mode [П120.1]; under this mode of operation [B472.1]; was operated in the suction mode [P72.1]; while in the ... mode [H684.1]  
**model**: [M233.1, M234.0, 0192.4, Y351.1]; are modeled on [C738.1]; cut-away working model of [Д189.1]; fed into the ... model [3229.1]; is developed based on this model [H91.1]; math model [M67.1]; model ... with any realism [C739.1]; model of 1/8 size was constructed [И188.1]; model tests [И748.1]; model whereby (M236.1); obeys ... model [0793.1]; predictive model [P559.1J; refinement of the ... model [Y569.1]; substantiate the predictions of the theoretical model [П733.1]; to model [M233.0]; without greatly increasing model complexity [Б 11.1]  
**modeling**: (M232.0, M232.1)  
**modem**: modem transmission of files [П106.1]; sent over the phone lines via modem [01492.1]  
**moderate**: [C1310.8, Y282.1]  
**modem**: by modern standards [П473.1]; in modem parlance [B773.1]  
**modernization**: undergo a complete modernization [П662.1]  
**modest**: in unlimited supply and at very modest cost [B 156.1]; state of knowledge relative to ... is still modest [Y370.1]; this can be achieved with modest effort [Э204.1]; with ... a ... modest extrapolation [П2144.1]; with modest [Б8.0]; with modest effort [Б57.3]  
**modification**: [Д673.0, И238.0, M237.0, П1297.2]; many modifications would be required [П1258.1]; modification of ... was made to [M238.1]; modifications on [M237.2]; modifications to [M237.3]; record of modifications (B878.0); they require some modification [H1363.1]; to make modification (of, to, on) [B1216.0, M238.0]; with minor modifications [C47.1]; with powers of modification and revocation [C73.1]  
**modify**: [B1099.1, B1100.1, И256.2, P684.2]; be modified to yield [П2019.2]; modified... in such

a way as to permit [Y421.1]; modified for the particulars of [И296.1]; modify ... vs [K392.1]; situation was modified [C502.1]; somewhat modified [H1580.1]; to modify [B1227.0, И256.0, K391.0, M238.0]; was modified [B1227.1];

**modifying:** [C773.3]

**modular:** constructed on a modular basis [И184.1];  
modular construction [M239.1]

**modulated:** is modulated [И270.1]; to be modulated [И270.0]

**moist:** keeps ... moist [И721.1]

**moisten:** [C722.1, C746.1]

**moisture:** moisture removal [Y88.1]

**molecular:** shows ... for the molecular weight [X10.1]

**moment:** [M241.0]; after a moment [C1269.2]; assume for the moment [Д660.1]; assuming for the moment [И2446.1]; at the moment [B45.0]; at the moment of failure [B213.1]; at the moment that of [B211.0]; at the precise moment that [B223.1]; for a moment [H22.1]; for the moment [B1521.0, H19.1]; for the moment ... is neglected [H21.1]; ignoring for the moment [И2003.1]; is for the moment neglected [B1524.1]; leaving other considerations aside for the moment [E57.1]; not known at the moment [B50.1]; restricting, for the moment, our attention to [0471.1]

**momentarily:** [B1521.0, H23.2, H24.1, H72.1]; are momentarily excluded from the discussion [B1523.1]

**momentary:** [K460.0, M75.0]; momentary disturbance [M76.1]; momentary operation at... was observed without the damage to the pump [K461.1]

**momentum:** [M241.0]; momentum principle [3251.1]

**money:** be very wasteful in time and money [И2236.1]; save time and money [C1633.1]

**monitor:** monitored closely [T511.1]; operation ... is monitored [K352.1]; student progress is monitored [Y431.1]; to monitor [K350.0, K350.1, P599.2]

**monitoring:** [K354.0]; continuous ... monitoring of [И1532.1]

**monomer:** reassociation of monomers [C257.1]

**month:** during the coming months [B8.1]; in months ahead [B384.1]; not more than six months old [B1773.1]; period of grace of one month of [01527.1]; replace ... every six months [3281.1]; ten months apart [C19.1]; which is expected to stretch over an 18-month period [B1868.1]; within a period of six months prior to [H1051.1]; within three 3 months from the date it received [H1004.1]

**monthly:** [E33.1]; average monthly [C1309.1]; monthly maintenance [E34.0]

morale: worker morale [T495.1]

**more:** [B201.0, B247.1]; across more of [H185.2];  
all the more [T132.1]; allowing ... more lati-

tude in [Д63.1]; and many more [И38.0, И38.2]; and, more usually [A12.1]; apparently more simple [K43.1]; are dependent not only on ... but even more so on [394.1]; are documented more fully in [B169.1]; are made in order to make the problem more amenable [4199.1]; are more a function of the ... than of the [389.1]; are more easily uttered than effected [И30.1]; are more important concerns than ever before for [C412.1]; are more readily seen [B166.1]; are receiving more research attention [И2201.1]; are sized to more than adequately [P509.1]; as ... programs get more complex [C150.1]; as important or more so [T89.1]; as will be discussed in more detail later [K106.1]; at intervals of not more than [H1056.1]; at more frequent intervals [C22.1], at the cost only of a slightly more complicated [И35.1]; be controlled more rigorously [H1371.1]; be more frequently encountered [B1625.1]; be more satisfactory [Д52.1]; because of one or more of its beneficial characteristics [B114.1]; become more obvious [C1395.1]; become more precise [Y575.1]; become more pronounced [C1377.1]; becomes more academic than of real interest [И2481.1]; becomes more apparent [C1399.1]; becomes more clear [C1399.2]; but... much more to be clarified [И960.1]; but more importantly [H1818.1]; by more than [B197.2]; by more than a factor of 3 [B190.1]; by not more than [H746.1]; demanded more [И950.2]; develop more ... data [И1134.1]; did not vary more than ... from [H870.1]; difficulties are even more pronounced under [T474.1]; discussed more later [P471.1]; discusses more details on [B168.1]; distribution ... is much more even [P418.1]; do little more than serve as [C682.1];  
do not differ by more than [H968.1]; do not differ more than ... from [01388.1]; does not occupy more than [3339.1]; does not vary by more than a factor of (И280.1); does the job faster, cheaper, and more conveniently [Y9.1]; economically more attractive [Э16.1]; encounter a far more severe environment [P50.1]; even more difficult [E231.1]; even more surprising [Д79.1]; ever more [B962.0, B962.4]; examined in a more comprehensive manner [И796.1]; experiments were ... of a more limited scope [Э36.1]; extensions to more complex loadings [0144.1]; falls more than [И4.1]; far more important [3615.1]; far more than [B189.0]; far more than offset [B196.1]; for more than two decades (B158.1); few more words should be said about (H1601.1); for more information, contact [314.1]; gain more confidence in [И2471.1]; have become more favored [И1176.1]; history of ... goes back more than ... years [И810.1]; in more depth [B167.0, B167.1]; in more detail [B167.0]; in

more practical terms [E 120.2]; in no more than  
 90 seconds [H747.1]; in one or more [B268.1];  
 is ... more common [Я8.1]; is any more  
 likely...  
 than [B376.1]; is attained more rapidly as  
 [Д726.1]; is even more scarce [И62.1]; is more  
 appropriate for [B171.1]; is more consistent  
 with [01377.1]; is more cosmetic than cata-  
 strophic [HI 105.1]; is more demanding of  
 [П1936.1]; is more free from complications  
 [C1058.1], is more general [И4466.1]; is more  
 general in its application [И438.1]; is more in  
 evidence [B294.1]; is more severe [B181.1]; is  
 more than offset by [П1068.1]; is more usually  
 the case [0403.1]; is no more than [П 1875.1];  
 is not intended to represent more than  
 [И474.1];  
 is not less than ... nor more than [H908.1]; is  
 nothing more than [H1778.1]; is superficially,  
 more like [H14.1]; is the more dominant of  
 these two effects [B1 143.1]; is the more  
 important one [И391.1]; it has become more  
 and more apparent [C 1396.1]; it is equally or  
 more so [B672.1]; it is more convenient for  
 our  
 purposes to [B541.1]; it is much more practical  
 [Г95.1]; it may be more meaningful to speak  
 of  
 [И450.1]; little more than [H1342.1]; keep  
 coming back for more [П1473.1]; lowers ...  
 even more [E196.1]; make the ... task ... more  
 difficult [C394.1]; making ... more of a prob-  
 lem than might be the case with [Д230.1];  
 many more [B218.3, 3617.1]; may be more  
 successful [M283.1]; merit more than a pass-  
 ing glance from [3454.1]; more ... than it is  
 necessary [B211.1]; more ... was ... added  
 [Д476.1]; more akin to ... than [B207.1]; more  
 and more [B982.1]; more apparent than real  
 [B205.1, C535.1]; more appropriate ... than  
 [B172.1]; more appropriate format [B178.1];  
 more as qualitative indication ... than as a  
 quantitative measure [C536.1]; more circum-  
 stantial evidence for [B188.1]; more common  
 occurrence [B 1626.1]; more frequently than  
 in  
 the past [436.1]; more frequently than one  
 might expect (437.1); more fully [B167.0];  
 more guidance in ... is needed from [H1864.1];  
 more importantly [4135.1]; more likely than  
 not [B915.1]; more nearly correct where  
 [B155.1]; more often than not [434.3]; more or  
 less [B159.1, B159.2]; more or less ... as that  
 [B160.1]; more promising of [H322.1]; more  
 recently [П1937.1]; more refined [Y422.2];  
 more  
 representative [B175.1]; more rigorously ob-  
 tained [B1737.1]; more so as [T133.1]; more so  
 than [B650.1]; more sophisticated in [C663.1];  
 more subtle deficiencies [H1114.1]; more than  
 [B153.2, B189.0, C345.3]; more than adequate  
 for [B194.4]; more than adequate to [B194.5];  
 more than compensates for [C13.1]; more than  
 enough [B194.2]; more than enough for  
 [B194.1]; more than enough to [B195.1]; more  
 than likely [B 192.1]; more than offset  
 [C320.1];

more than once [B 165.1, H951.1]; more than  
 once [H1047.1]; more than one [B209.1,  
 H1573.2]; more than outweigh the [Д758.1];  
 more than sufficient for [B194.6]; more than  
 sufficient to [B194.3]; more than two years  
 have elapsed [П3016.1]; more tolerant of  
 [M98.1]; more un... [M92.0]; more uneven  
 [M103.1]; more usually [433.1]; more work  
 [Д673.0, Д673.1]; much more ... than just  
 [HI 119.1]; much more difficult to [3634.1];  
 much more effective way [3616.1]; much more  
 likely to be correct than [H238.1]; much more  
 needs to be done [M204.1, H1385.1]; much  
 more numerous [Г92.1]; much more rapidly  
 [P364.1]; much more significant than [3619.2];  
 much more so than [Г89.1]; necessary to more  
 fully assess [H1413.1]; needs more work  
 [H1884.1]; never amounts to more than  
 [HI 755.1]; no more or less [H748.1]; no more  
 so than [H749.1]; no more than [H744.1]; not  
 any more [T181.1]; not more [И43.1]; not more  
 than six months old [B1773.1]; of more recent  
 [B182.1]; once more [E228.2, И14.1, C799.3];  
 one of the more challenging problems in  
 [0531.1]; one or more [0489.1]; or, more  
 importantly [И349.1]; perhaps a more useful  
 objective would be [B 1307.1]; physical mean-  
 ing of ... is more readily grasped [Ф22.1];  
 place more emphasis on the more reliable  
 tests [Y110.1]; proved more difficult to study  
 [И779.1]; repeated twice more [П575.1]; sav-  
 ings in material costs more than compensate  
 for [Э25.1]; see ... for a more detailed discus-  
 sion [B170.1]; shown... more positively  
 [П972.1];  
 significantly more involved [3633.1]; slightly  
 more [H1342.2]; slightly more than [C576.1];  
 so much more quickly than [H559.1]; some,  
 but not all, of the more prominent [H1302.1];  
 sometimes, ... but it is more usual [И561.1];  
 substantially more [3617.4]; take on lots more  
 jobs [H616.1]; this invention relates in general  
 to ... and more particularly to [H574.1]; three  
 or more [T466.1]; through this work more can  
 be learned about mechanisms [B115.1]; throw  
 more light on [П2838.2]; to be more precise  
 [Г76.1]; to be more specific [B161.2]; to  
 capitalize on more advanced technology  
 [B1419.1]; to consider in a bit more detail  
 [P472.1]; to gain a more complete picture  
 [П 1146.1]; took more time than originally  
 scheduled [П1532.1]; twice more [E203.1]; two  
 more observations [E202.1]; was found to be  
 much more valuable than for [0681.1]; was  
 more of [П1881.1]; was more subjective than  
 [H 1871.1]; we could not be more pleased with  
 the outcome [P655.1]; were more general  
 [И163.1]; when more information on ... is  
 available [K228.1]; with 50 or more percent  
 [C954.1]; with more care [B 186.1]  
**moreover, moreover** [B184.1]

**mortgage:** mortgaged material [P630.1]  
**most:** [B203.1, B218.0, K435.0, M9.0, M9.4]; most assuredly [Б 102.0]; are ... the most severe [П3053.1]; are most important [H311.1]; at most [M3.0, M3.1, C226.1, C226.2]; being the most popular [П1228.1]; by far the most advanced [H414.1]; by far the most satisfactory [H434.1]; differs by at most [01397.1]; for most cases of practical interest [Д391.1]; for most circumstances [Д390.1]; for most of its length [H186.2J]; for most of the time [B702.1]; for most practical purposes [Д391.2]; for the most part [B238.1]; for the most part are attempts to [П327.1]; for the most severe conditions [Д415.1]; had the most potential for [И373.1, H324.1]; has the most influence [0630.1]; have attracted the most interest [B1808.1]; have been most receptive to [01624.1]; in most cases [B562.1]; in the most effective manner [H345.1]; in the most general case [B552.1]; is ... the most challenging [П1877.1]; is most conveniently handled by using [H335.1]; is most demanding of [B296.1]; is not however a problem for most [0559.1]; most abundant [H329.2]; most acceptable explanation ... is that [H328.1]; most appealing [H327.1]; most appropriate [H325.1, P35.1]; most assuredly [Б102.1, Б1 173.1]; most basic [Э79.1]; most benign conditions [H306.1]; most closely [H308.1J]; most commercially available [B220.1]; most common [H329.1, H340.1]; most common problem is [435.1]; most commonly used for [H342.1]; most contentious [C222.1]; most current results from [C236.1]; most deeply resented ... is [H350.1]; most demonstrative [H320.1]; most direct approach [C220.1J]; most early work in this area [C234.1]; most favorable results [H305.1]; most firmly based [H321.1]; most frequently found [H339.1]; most frequently used [H337.2]; most important consideration in [H312.1J]; most important finding [H313.1]; most laboratory practice (0309.1); most likely [H316.1, C539.3]; most logical explanation [T 100.1]; most nearly matched by [H309.1]; most obviously [C840.1]; most of [B218.0]; most of the available data [B221.1]; most of the comments [C1247.1]; most of the costs are [B237.1]; most of these [B219.1]; most often [434.1, 434.2]; most probable cause [H315.1J]; most probably [П353.3, C539.4]; most promising direction for [H323.1]; most recently [C888.1]; most relevant results [H319.1]; most reliable [H317.1]; most serious accidents [H331.1J]; most significant of [H318.1]; most significantly [C230.1, 4150.1]; most striking effect was that [H326.1]; most success has been encountered using [H348.1]; most unsuitable [C831.3J]; most unwelcome [K440.1J]; most valuable information [H338.1]; most widely used [H343.2]; most

widely utilized [H343.1J]; most wide-spread [C221.2]; most wisely [H330.1]; next to ... the second most important [B1658.1]; of most concern [П1866.2]; of most interest [П1866.1]; on the most favorable... terms [H179.1]; one of the most distinguished [0513.1]; one of the most pressing problems [0530.1]; over most of the efficiency range [B753.1]; problems are ... the most severe [B 1347.1]; spend most time at [P80.1]; that ... which is most beneficial [T349.1]; this is most easily done by [Л29.1, П2927.1]; this is most likely due to [C541.1]; to highlight the most important point [01153.1]; to make the most of [И181.1, M7.2]; were the next most [C638.1]; when ... is needed most [K236.1]; which is true of most [4167.1]; would be most prevalent [01042.1]  
**most-wanted:** [П1229.1]  
**mostly:** [B278.3]; efforts to ... were mostly unsuccessful [П1314.1]; mostly be unnecessary [0413.2]  
**motion:** [Д157.1]; offer ... resistance to motion [0652.1]; set ... plans in motion [3419.1]; setting in motion [П2210.1]  
**motivate:** has motivated the present work [П1528.1]; is motivated by the fact that [B1838.1]; is motivated [П1527.1]; to motivate [B 1801.0]  
**motivation:** [3211.0]; major motivation for [0997.1]; motivation by [3212.1]; motivation for [M253.1]; motivation for ... stems from [H1399.1]; motivation for this study [П1540.1]; motivation for using ... is [И685.1]  
**motor:** operating the ... motor [Y337.1]; to complete the circuit to the ... motor [3315.1]; turn on ... motor switch [Б1 115.1]; with ... motor operators [C77.2]  
**motorize:** [C77.1]  
**mount:** [M249.0]; are mounted on a combine baseplate [Y453.1]; is mounted rigidly to [H1463.1, П3030.1]; is mounted with a gasket [Y468.1]; mount... in its place [Y484.1]; mount ... in minutes [Y473.1]; mount ... onto the bracket [Y481.1]; mount the replacement [C742.1]; this object is accomplished in that... is mounted [Ц16.1]; was mounted inline ... of [Б1 112.2]  
**mounting:** [M247.0]; effectiveness of the mounting technique [Э230.1]; locate ... on mounting studs [П1339.1]; mounting ... within the space envelope [P271.1]; mounting instruction (s) [И575.0]  
**movable:** is ... movable [M292.1]  
**move:** be free to move [C309.2]; engine has now moved into high production release [H717.1]; free to move [C307.1]; move ... a bit [П1678.1]; move ... away from [01479.1]; move ... backward ... rearward [C382.1]; move ... out of way for [Y40.1]; move ... switch to the «on» position [П1439.1]; move forward [Д154.1]; move rapidly to [B292.1]; move towards



[Д155.1], moved out of position [C381.1]; moves away from [Y94.1]; moves over [01478.1];

to move [Д153.0]; to move about [Д153.0], to move freely [C309.1]; to move out [B1777.0]; was moved a certain distance (П109.1)

**movement:** but since there seems to be little movement in this direction [H1809.1]

**moving:** be moving ... to [Д234.1]; moving ... to the right provides increased [C377.1]; moving to an industrial position [П189.1]; program is moving along the schedule [П2704.1]; to be moving [T338.1]

**much:** [B198.0, B278.0, B1655.0, Г87.0, 3614.0, M1 93.0, M203.0]; agree with much of what [C931.1]; and much less so [И63.1], and much of the advantage ... is neutralized [И39.1]; are ... much under debate [И 115.1]; are ... very much under debate [M199.1]; are very much the same [B203.1], as much as [H183.1, H1095.1]; as much as possible [M3.0, M3.2, H542.1]; attracted much interest [B1807.1]; be scope for much further effort [И498.1]; behave in much the same way ... as [B199.1]; but ... much more to be clarified [П960.1], can account for as much as [H54.2], change much [C471.1], contain much useful engineering information [C943.1]; did much to [M210.1]; distribution ... is much more even [P418.1]; done much to promote the art and science [Д202.1, M212.1]; gave much of his time to [Y114.1]; has much to recommend it [M367.1]; have a much better understanding of [3622.1]; have removed much of this difficulty [H425.1]; how much ... is worth (H549.1); how much change [H538.1], how much results change [H548.1]; how much to increment [H552.1], however much ... may vary [K55.1]; in much [B198.0]; in much of [B752.1]; in much the same manner as [П768.1]; in much the same way [B207.1, П2192.1]; is much the same as [B208.1]; is not a ... so much as [H1095.2]; is not so much ... with ... as with [H1097.1]; is pretty much state of the art [B1487.1], is subject to much uncertainty (C939.1); is very much a matter of [B210.1]; is very much like [01665.1]; it dropped ... to ... as much at [Y306.1]; it is ... much too soon to draw any final conclusions [C655.1]; it is much more practical [Г95.1]; it is not so much question of ... as [B1399.1]; it is unlikely that... had much of an effect on [M43.1]; leaves much to be desired [01138.2]; less than 10% as much [M100.1]; looked much the same as [B1753.1]; lose much of their [T198.1]; much as [H458.2, П1560.1, П1560.2]; much attention was placed on [Y113.1]; much below [H423.1]; much can be learned about [M384.1]; much confusion can ensue [M271.1]; much debate centered on [Д291.1]; much easier [Г93.1]; much effort has been put forth [П2348.1]; much effort will be

spent to [3612.1]; much encountered situation [422.1]; much greater [Г88.1]; much has to be done to [M205.1]; much higher [3617.2]; much

imitated [И509.1]; much in excess of [3632.1, H432.1]; much larger [H416.1]; much larger than [3619.1]; much less [All.1, Г90.1, 3623.1, H419.1, T132.2]; much less pronounced [Г91.1],

much less than [H420.3]; much more ... than just [H 1119.1 ]; much more difficult to [3634.1];

much more effective way [3616.1]; much more

likely to be correct than [H238.1]; much more needs to be done [M204.1]; much more needs to be done [H1385.1]; much more numerous [Г92.1]; much more rapidly [P364.1]; much more significant than [3619.2]; much more so than [Г89.1]; much of [B218.0, B236.2, 3609.3];

much of it applies for [M208.1]; much of the difference [B222.1]; much rarer [B1622.1, Г94.1];

much smaller [H420.1, H422.1]; much the same as [B209.1, B284.1, П1562.1]; much through the work of [B279.1]; much time and effort will have been saved [C1635.1]; much time has been spent [M194.1]; much work has been done in [B233.1]; much work remains ahead of us [B 1457.1]; much worse [3636.1]; not have carried as much weight [H886.1]; not so much ... but [H1095.3]; only 40 percent as much ... as [T312.1]; operate much beyond the ... point [P51.1]; over much of ... range [HI 85.1]; over much of their length [HI 86.1]; owe much to [B202.1]; point of much value to [B1397.1]; predicted by those methods could be as much as 100 percent in error [P551.1]; probably would not receive much attention [B1557.1]; received little much emphasis in the past [B426.1]; related as much to ... as it was to [0272.1]; relies very much on (B204.1);

required calculations ... be much less than that [0364.1]; required much care and effort [T431.1]; since much has been said about [П1349.1]; so much less ... that [H562.1]; so

much more quickly that [H559.1]; that simplifies very much [Э177.1]; through much of [H184.1]; throughout much of [B687.1]; to a much lesser extent [B661.1]; too much should not be read into these comparisons [H1071.1]; too much water [4123.1]; twice as much (B856.1); varied as much as a factor of two [И271.1]; vary much from [H428.1]; very much

larger [H416.2]; very much lower than [H424.2];

very much smaller than [H420.2]; was found to

be much more valuable than for (0681.1); was not all that much different [01398.1]; was not much different [П1568.1]; was reduced by as much as... percent [Y255.1]; was too much of a task [0667.1]; weighs ... one-fourth as much [B928.1]; were not... of much value [H1019.1];

will be of much use ... by those (0680.1); with much [B1027.0]; with much success [B1033.1,

C152.1); without divulging too much of

[H766.1J; without much difficulty [B57.1]; without much [B8.0], without too much complication, it is possible to [H1023.1]  
**muffle:** to muffle [3138.0]  
**multi-:** [M193.0]  
**multi-disciplinary:** is multi-disciplinary [H675.1]  
**multi-engine:** [M202.1]  
**multi-fuel:** multi-fuel ability [C1217.1]  
**multi-grade** [Y297.4]  
**multiengined:** multiengined installations [Y505.1]  
**multiple:** [M217.1, M231.1, H1573.3]; multiple (as adjective) [M225.0]; multiple holes [M226.1]; multiple of [M228.0, M228.1]; multiple sampling [M218.0J; multiple shifts [M224.0]; multiple use [M219.1]; reach a multiple of [M216.1]  
**multiplicity:** multiplicity of [M228.2, HI 573.4]; multiplicity of claims [И166.0]  
**multiplied:** multiplied by [Y295.1]  
**multiplier:** [K430.0]  
**multiplying:** multiplying ... with [Y293.1]  
**multitude:** in a multitude of practical applications [B569.2]; in a multitude of ways [B312.0J; multitude of [M228.0]  
**must:** [Д571.0, H1419.1], account must be taken of [H1392.2J; allowance must be made for the fact that [H1393.1]; as a caveat it must be remembered [B149.1]; care must be exercised [C622.3];

**n-power** [B647.1]  
**nail:** Drive the nail into [366.1]  
**naive:** somewhat naive outlook [H1292.1]  
**naked:** appear ... to the naked eye [K47.1, И1892.1]; naked eye [HI 174.1]; observed with the naked eye [B 1090.1]  
**name:** are named [H300.7]; as the name implies [K117.1]; developed its name [И1149.1]; full name [И537.1]; gets its name because [И1150.1]; goes under the name of [И110.1]; has a name of its own [И410.1]; name and signature of person in charge of storage [Д595.0]; named after [H1878.1]; of the same name [0590. I]; to name a few [H807.2]; to name but a few [И38.0]  
**namely:** [A17.1, И352.0]; convey a clear message, namely, that [C 192.1]; there seems to be only one explanation for this, namely [Э164.1]; two cases are relevant, namely [И 1850.1]  
**nameplate:** [3118.0]  
**narrative:** first draft narrative [И55.1]  
**narrow:** bounded within... narrow limits [0470.1J; narrow confines dictated by [Y 191.1]; narrow differences [H1262.1]; narrowed the selection ... to [0455.1]; selection ... narrowed down to a

it must be admitted though that [H1364.1]; it must be assured that [HI 374.1], it must be confessed [H1379.1J; it must be emphasized that [H 1378.2]; it must be kept in mind that [H1368.1J; it must be possible to [H1373.1]; it must be recalled [HI 372.1]; it must be recognized that [H1369.1]; it must be stressed that [H1378.1]; must be answered [H1322.1]; must be capable of withstanding [Д572.1]; must be disregarded [H837.1J; must be equal or less than [Д576.1, H832.1]; must be guarded against [C608.1]; must be known [HI 365.1]; must for [H1410.3, C829.1]; must have an understanding of [Д583.1]; must not be lost sight of [H1334.1]; orders must specify [B119.1]; this must not be done [Э205.1]; this question must still be regarded as open [H1380.1]; two situations must be distinguished: [HI 908.1]; we must be prepared to [M408.1];  
**mutually:** [B1042.0]; if mutually agreed by the parties [И2058.1]; mutually agreeable solution [B1048.1]; mutually perpendicular [B1045.1]  
**myopic:** it would be myopic to disregard the possibilities of [B382.1]  
**myriad:** myriad of [0481.1]  
**mystery:** shrouded in a degree of mystery [0728.1]; unraveling of this mystery [P191.1]

## N

single choice [C1536.1J; were ... limited to narrow applications [И1749.1]  
**national:** on a national scale [B 182.1]  
**nationality:** nationality, age, sex, and society membership [H699.1]  
**nationwide:** [B682.1]  
**natural:** in the natural environment [B722.1]; is of natural concern [B1479.1]; it is natural [E179.0]; it is natural to ask [E1 80.1]; it is natural to question whether [E180.2J; natural extension of ... studies of [E184.1]; natural or legal person [Ф26.1]  
**naturally:** [E179.0]  
**nature:** (И771.1, XI.2); «makeshift» nature [И11.1]; altered the nature [И269.1]; are ... found in nature [B 1629.1]; are preliminary in nature [И470.1]; assume a ... nature [И2441.1]; by its very nature (И469.1); by virtue of... nature of [B516.1]; harness the powers of nature for the benefit of mankind [0220.1]; identify the nature [Y461.1]; identify the nature of [0835.1]; is experimental in nature [H1877.1]; is general in nature [И465.2]; that occur in nature [B1634.1]; to be... in nature [И462.0]; were experimental in nature [И472.1]

**navy:** in the Navy logistical system [H647.1]  
**near:** [Б127.0, Б132.1, Б132.2, Б819.6, 0698.9]; at or near [H62.1]; expected to be used in the near future [0597.1]; in the near future [B12.1]; in the near neighborhood of [B9.1]; in the near term [B41.1]; in the near vicinity of, but greater than [01653.1]; in the relatively near future [01436.1]; in very near term [B13.1]; is near completion [Б 130.2]; is planned for the near future [П286.1]; near the end of [Б128.1]; neared [П2174.2]; ranked at or near the bottom of the list [3334.1]; scheduled to begin in the near future [H704.1]; state of affairs will change in the near future [B42.1]; sufficiently near to the target of [Д682.1]; very near [B820.4, Y11.1]; was located ... near to [P370.2]; with near zero maintenance [П1544.1]  
**near-perfect:** is in near-perfect agreement [П1550.1]  
**near-term:** near-term (B1514.0, 0597.2); near-term ... requirements [B 1520.1]  
**nearby:** [Б 143.1, H694.1, П522.1, P402.1]  
**nearer:** [Б127.0]; are pushed nearer to their limits [И728.1]  
**nearest:** expressed to the nearest [B1957.1]; finds its nearest analogue [И421.1]; nearest (to) [Б126.0]; rounded to the nearest [0726.1]; to save time send all orders for parts to the nearest branch office or agent [Д422.0]; to the - nearest whole number [C 135.1]  
**nearing:** is nearing completion [Б 130.1, П2175.1]  
**nearly:** are not nearly as large [3624.1]; as nearly as possible [H542.3]; at nearly the same time (П1546.1); in nearly all instances [П1547.1]; is in a very nearly [01654.1]; more nearly correct where [Б155.1]; most nearly matched by [H309.1]; nearly identical [П1558.3, П1561.1]; nearly so high [X88.1]; nearly, but not exactly [П1557.2]; not nearly as [C894.1, C896.1]; not nearly as large as [C897.1]; very nearly [01654.2]; very nearly isothermal [П1647.1]; very nearly the same [П1558.2]  
**neat:** but unfortunately for the neat explanation [H1796.1]  
**necessarily:** [H1273.1]; are not necessarily inviolate [H948.1]; does not necessarily have to be [H945.1]; does not necessarily [H944.1]; does not necessarily imply [01473.1]; may not necessarily be [H950.1]; need not necessarily be large [H946.1]; such a ... is necessarily subjective [T56.1]; this does not necessarily imply, however, that [0578.1]; will not necessarily help [H781.1]; without having necessarily to remove [Б37.1]  
**necessary:** add ... as necessary [П2097.1]; add oil as necessary to maintain the level at the bottom of the fill plug hole [Д600.0]; adjust... as necessary [П2099.1]; all that is necessary here to ... is (B989.1); all that is necessary [E20.1]; all the ... which is necessary [B957.1];

as a minimum, it is necessary [H1370.1]; as necessary [П2096.2]; but before this is dealt with it is necessary to [HI 811.1]; conclusion that... is necessary [B1726.1], detailed analysis would not be necessary [П801.1]; first it is necessary to [П1949.1]; for ... it is necessary [Д405.1]; found it necessary to [H605.1]; found that this is not necessary [H606.1]; if it should be necessary to do so [E94.2]; if necessary [E75.2, П2096.1]; if necessary ... to further [П2098.1]; it becomes necessary to [П1593.1]; it is advisable ... it is really necessary [P682.1]; it is no longer necessary to [T177.1]; it is not necessary [H1647.2]; it is not necessary to repeat it here [П1574.1]; it is typically not necessary [0413.1]; it may be necessary to (M299.4); it maybe necessary to... to establish [Д339.1]; it may well be necessary to (M285.1); it was necessary to use considerable care [H1897.1]; it was not judged necessary [Б374.1]; it was not necessary ... to [H760.1]; may be necessary [M299.1]; may be necessary (to) (M299.0); maybe necessary to [M287.1J]; more ... than it is necessary [Б211.1]; necessary and sufficient [H1414.1]; necessary condition for [Y390.1]; necessary prerequisite for [HI 420.1]; necessary to [H1410.6]; necessary to more fully assess [H1413.1J]; necessary, but not sufficient [HI 415.1]; nor was it deemed necessary [Д2.1]; nor was it necessary to [H761.1]; should it become necessary to [E78.1]; strictly necessary [0425.1]; sufficient but not a necessary requirement [Д703.1]; take necessary corrective action [П2419.1]; take no longer than necessary [Д319.1]; than necessary [458.1]; to ... it is first necessary [4196.1]; where I feel it's necessary [T114.1]; where necessary [E171.1, T110.1]  
**necessitate:** necessitated a change of... from ... to [П539.1]; necessitates the application [B 1812.1]; to necessitate [B 1811.0]  
**necessity:** necessity for [Y390.2]; of necessity [П412.1]; suggest the necessity of [H244.1]; without the necessity [Б35.0]; without the necessity for [Б36.2, П2171.1]  
**neck:** necked down [C1537.1]  
**need:** always pressing need for [H577.1]; are in need of total replacement [H1890.1]; are so well known as to hardly need restating [H566.1]; as the need arises [П389.2]; at the point of need [T500.1]; be ... in need of overhaul [H1893.1]; comes from the need to [B1830.1]; do not need to be known [3592.1]; due to symmetry, only ... need be studied [Б 112.1]; eliminate the need for (П1916.1, Y531.1, Y532.1); emphasize the need for [П881.2]; essential need for ingenuity still prevails [B977.1]; growing need ... of [P521.1]; however there remains the need to [0569.1]; if need be

[B520.1, E75.0, E75.3]; important need exists [C1576.1]; in light of this need [B493.1], indicates the need for [Y208.1]; is ... complicated by the need for [Y413.1]; is in need of [H1892.1, 01165.1, T52.1]; may need to [B1309.1, M299.3]; may never find a need [M281.1]; need be [M306.0]; need be no greater than [M310.1]; need for ... continued to be pressing [H1407.1]; need for... has been recognized [H1398.1]; need for... is eliminated [H1400.1], need for ... was evident [C1415.1]; need for... was imperative [Π1595.1]; need for such ... is made evident ... when [H1405.1]; need not [H1647.4J]; need not be [H945.2]; need not be adjusted further [H932.1]; need not be of the same [H949.1]; need not be removed [H935.1]; need not be the same [H947.1]; need not necessarily be large [H946.1]; need not stop there [B612.1, H830.1]; need only be experienced at [Π2566.1]; need reviewing [H1889.2]; need to ... became particularly urgent [H1403.1]; need to ... does not exist [H1402.1]; need to be considered [H1392.3]; need to be substantiated by further experimental data [H1883.1]; need to be taken into account [H1392.1]; need to be verified with experiments [H1891.1, T447.1]; need to be weighed carefully [HI 391.1]; need to know ... accurately [H1406.1]; need was recognized for [H299.1], no ... is without need of [B1000.1]; no allowance for... need be made [H1750.1]; obviate the need for [Y531.3]; on occasions they may need to be tailored for [H563.1]; pointed out the need to [Y208.2], preclude the need for [Y531.5]; produces a need to [Π2228.1]; removes the need to [Y531.2]; several points need to be made [H1386.1]; should the need develop [E94.1], should the need for such ... arise at a later time [E71.1]; spared himself the need to [И 151.1]; stands in need of revision [T444.2]; stress the need for [Π881.1]; that need to be drawn to the attention of [H67.1]; their lack of need for [01556.1]; there is no need for [H1647.3]; there was no need to do so [B770.1]; to anticipate the need for [B388.1]; to comment on the need for [B 1978.1]; to do ... without the need for [M183.0]; to generate a need for [B1811.0]; totally eliminating the need for [Π1047.1]; we need not concern ourselves with [H1254.1]; we need only [H401.1]; we need to define [H1904.1]; were in need of some adjustment [H1885.1]; which need to be appreciated [08.1]; with the need for [B497.1, C91.1]; without the need [B35.0, B36.1, M184.1]; without the need to resort [B38.1]; you do not need to [H1647.5]; you may need [M299.2]; you will need to [B808.1]

**needed:** all that is needed [E20.2]; are not ... needed [H1125.1]; as needed [B116.1, E170.1, Π389.1, Π2096.6]; badly needed [K442.1];

beyond those needed for [Π1250.1]; developments are needed in a number of areas [P783.1]; if needed [E75.0, Π2096.4]; is needed to [Y582.1]; may not be needed [M265.1]; more guidance in ... is needed from ... codes [H1864.1]; needed to [H1410.7]; no ... is needed at all [H1401.1]; when ... is needed most [K236.1]; when needed [Π2096.5]. **needless:** by avoiding needless waste [H156.1]; needless to say [H233.1, H1039.1, C204.1]

**needs:** [H 1879.1, Π 1526.1]; aspect needs further investigation [B1400.1]; best fills your needs [H358.1]; factor that needs bearing in mind [Φ13.1]; in response to ... needs of [H117.1]; is flexible to changing needs [Л26.1]; is pure conjecture and needs to be verified (B1568.1); meet the needs of [Y 169.2]; much more needs to be done [M204.1, H1385.1]; needs ... special attention [H1888.1]; needs for further work [H1408.1]; needs further [H1880.1]; needs further careful study [H1882.1]; needs more work [H1884.1]; needs reexamination [H1889.1]; needs to be decreased a little [H1903.1J]; responsive to the ... needs [01251.1]; suit the needs of [Y169.1]; to accommodate ... needs in [047.1]; very important needs which have to be met [01659.1]

**negate:** [C319.2]

**negative:** [01514.1]; exhibit a ... negative influence on [01515.3]; negative aspects ... to be left behind (Y540.1); negative fractional power [Д746.1]; negative ground [M182.0]; on the negative side [E1 18.1]

**neglect:** be neglected in a first approximation [Π2001.1]; for the moment ... is neglected [H21.1J]; if... is completely neglected [E72.1]; influence of ... is neglected [B1 141.1]; is for the moment neglected [B1524.1]; neglects [Π2000.1]; to neglect [3417.0, H83.0]

**neglecting:** [Π2004.2]

**negligence:** negligence of [Π2004.1]

**negligible:** [Π2005.1]; are ... of negligible consequence [H878.3]; are becoming negligible compared to [C1395.1]; are so low as to be ... negligible [H561.1]; negligible in comparison with [Π2006.1]; of negligible magnitude [Π2007.1]; produces a negligible effect on [HI 265.2]

**negotiate:** [Π2021.1]; be negotiated [Π2023.1];

negotiate curves [Π3001.1]

**negotiation:** negotiation meeting [C852.1]; questions were settled through negotiations [P720.1]; to enter into negotiations [B1639.0]; to enter upon negotiations [B1639.0]

**neighborhood:** in the immediate neighborhood of [B820.2]; in the near neighborhood of [B9.1]; in the neighborhood of [B819.4, 0698.3,

Π1333.6, Π2187.4]

**neither:** [H1701.3]; could neither be confirmed nor denied [H1318.1]; neither ... nor ... are

- appropriate [H1699.1]; neither... nor [H1696.1, H1697.1]; neither ... nor ... quoted [H1698.1]; neither are ... likely to be [M46.1]; neither does it disprove [H1792.1]; neither is the case [H1708.1]; neither of [H1701.2], neither on its own [HI 704.1]; neither was done [HI 709.1]; or  
neither [H343.1]; these fears can be neither proved nor disproved [Э216.1]
- net:** [Д5.1, P660.1, C1542.2]; net result [0712.2]; net weight benefit [4110.1]
- network:** networked together [0352.1]
- networking:** networking of a complete ... system [0348.1]
- neutral:** neutral wire [HI 913.1]
- neutralize:** and much of the advantage ... is neutralized [H39.1]
- never:** [K196.0, H1751.1]; actually, such is never the case [Ф11.1]; at a time when ... has never been greater [C411.1J; but never less than [H1806.1]; can never be said to be [010.1]; has never been justified due to [H1757.1]; however, it never occurred [0575.1]; is never less [B1651.1]; may never find a need [M281.1]; never allow [H846.1]; never amounts to more than [H1755.1]; never exceeded [H1756.1]; never handle voltages. [3412.0]; never has been a time that I would have referred to [H1707.1]; never perform maintenance if the caution is not put up. [3411.0]; never produce [H1752.1]; never start or continue operation if electric equipment failure is detected. [3410.0];  
^ never strike [K198.1]; was never entirely resolved [T29.1]
- nevertheless:** nevertheless [B978.0]; should ... nevertheless [E123.1]
- newly:** [B1450.0]; newly observed [B1452.1]; newly overhauled [T324.1]
- news:** this is the good news [3201.1]
- newsletter:** [H636.1]
- next:** [B126.1, 3480.2]; attention will next be turned to [P482.4]; change from one ... to the next [H285.2]; first ... next ... then [B1168.1]; implement over the next five years or so [P587.1]; next (to) [B126.0]; next to [B1595.0, P789.1]; next to ... the second most important [B1658.1]; next to each other (P790.1); next, we examine [H801.1]; outlook for the next five years [H251.1]; over the next ... yr [B7.1]; rounded up to the next whole number (0725.1); suppose next that [H1787.1]; to be described in the next section [K408.1]; varies... from one ... to the next [H285.1]; were the next most [C638.1]; what to do next [4134.1]; which is next to impossible [4160.1]; within the next two or three years [B711.1]
- nice:** it would be nice to have [X44.1]
- nicety:** [T330.1]
- niche:** its own niche [H761.1]
- nitrogen:** containing ... nitrogen [C953.1]; gaseous nitrogen [Г5.1]
- no-load:** no-load [Б30.0, Б30.1]; under no-load conditions [Б30.0]
- no-signal:** in the no-signal condition [B321.0]
- no-step:** no-step case [C708.1]
- noise:** plant noise control [Б260.0]
- noise-free:** relatively noise-free [01431.1]
- noisy:** performance ... was ... noisy [H307.1]
- nomenclature:** [0151.3]; nomenclature - super-scripts [B924.0]
- nominal:** deviations from the nominal values [01328.1]; nominal bore [NB] [Д280.0]; nominal compositions [H 1848.1]; nominal continuous rating of [H1849.1]; were ground to a nominal surface finish [H32.1]
- nominally:** measuring nominally [H514.1]
- nominate:** to nominate for [B1777.0]; to nominate to [B1777.0]
- nomination:** nominations for the prize [B1783.1]
- non-applicable:** non-applicable documents [H1541.1]
- non-conservative:** [3133.0]
- non-dimensional:** non-dimensional plots [Г120.1]
- non-hazardous:** non-hazardous area [B1066.1]
- non-pressurized:** [P82.1]
- non-routine:** routine and non-routine surveillance [C498.1]
- noncompliance:** code noncompliance [H1625.1]; correcting noncompliance [Y520.1]
- nonconforming:** [H1637.1]
- nonconservative:** [3133.2]
- nondestructive:** nondestructive testing [M158.1]
- nondimensionalized:** [H2224.1]; nondimensionalized with respect to [H1859.2, H2225.1]; problem can be nondimensionalized [3176.1]
- none:** [H1916.1]; none ... have ... been developed beyond the laboratory stage [H804.1]; none at all [B1379.1]; none of [H1701.1]; none of which [H1702.1]; none the worse for that [H1779.1]; none was found [H1742.1]; with none [C839.1]
- nonetheless:** [B978.4, T135.1]
- nonexistent:** are virtually nonexistent [H1661.1]; are, ... nonexistent [01558.6]; effect is practically nonexistent [Э223.1]; prospect... nonexistent [H252.1]; were nonexistent [01558.5]
- nonfunctional:** are ... nonfunctional [H1026.1]
- nonstop:** to run nonstop [P40.1]
- nonuniform:** [H1559.1]
- nonwitnessed:** nonwitnessed ... tests [H753.1]
- normal:** in the normal fashion [K97.0]; indicator light is on when ... is below normal [H552.1]; is not normal [P63.1]; it is normal industrial practice [B411.1]; measured normal to (H306.1); no appreciable deviation from the normal trend was detected [3290.1]; normal and emergency operation [P6.1]; normal plant conditions [HI 854.1]; normal production rate [3166.1]; normal to [H248.2]; normal to page [H247.1]; raises ... back to normal [B1210.1J; returns to a normal level [B 1276.1]; this is

- normal [Э 155.1]; under normal lighting conditions [П12104.1]; was above normal [П11698.1]; were higher than normal [П11698.2]; will be handled in the normal fashion [П11503.1]
- normalize:** normalized by [H1859.1, П2257.1]; was normalized [П2224.2]
- normally:** normally considered [0415.1]; normally encountered [0404.1]; stipulation of ... normally includes [0270.1]; than would normally be possible [461.1]; this is normally the case when [П11.1]
- north:** FOB North American port [H850.0]; is constrained on the north [0477.1]; north of... [K14.1J; north of... to ... south [C407.1]; south to north [C188.1]
- nosedive:** taken a nosedive [P637.1]
- not-too-distant:** in the not-too-distant future [B14.1]
- notable:** it is particularly notable [01039.1]; notable impact on ... be achieved [C464.2]
- notation:** notation is that [0153.1]
- note:** [3300.0]; also to be noted is that [01421.1]; are ... noted [Y201.1]; as a final matter, it may be noted [B121.1J; as noted earlier [K134.1]; be sure to note the order of [0428.1]; except as specifically noted [327.2]; except where otherwise noted [327.1]; finally, a note on ... is in order [H375.1J; have been noted [0208.6]; in doing so, it was noted that [П12168.1]; in this connection, it should be noted that [B507.1]; if note is taken of the fact that [E61.1]; important thing to note is that [B800.1]; is noted for his studies of [И 173.1]; it has been noted that [3311.1]; it is comforting to note [Y563.1]; it is further noted that [01422.1]; it is interesting to note that [И612.1]; it is noted that [01423.1]; it is of relevance to note that [Y286.1]; it is particularly to be noted that [01041.1]; it is satisfying to note [M344.1J; it should be noted [C611.1]; it was noted that [B370.2]; it will be noted that [01423.2]; note immediately from equation ... that [И120.1]; note that [3309.1, И477.1, 0215.1, 01423.5]; noted on [Y220.1]; notes and instructions [3303.0]; of note [3465.2]; of specific note is the fact that [01061.1]; service notes [3302.0]; to be noted [0212.1]; to note [3306.0]; unless otherwise noted [E150.2]; with reference to what has been noted above about [B1277.1]worthyofnote [3465.1]
- noteworthy:** [И605.0]; are noteworthy [3445.1]; it is especially noteworthy that [01057.1]; noteworthy feature [И608.1]; noteworthy is [3445.2]; to be noteworthy [3445.0]; two things are noteworthy [3447.0]
- nothing:** aims at nothing less than [C1364.1]; has nothing to do with [H881.1]; if nothing else [E65.1, П401.1]; if nothing is done other than [E62.1]; is nothing more than (H1778.1); nothing as ... as ... is required [H1774.1]; nothing as simple as this [C895.1]; nothing definite can be said [H1 333.1]; nothing else has been available which has proven to be better [H1768.1]; nothing goes entirely according to plan [H786.1]; nothing is gained by it [B1759.0]; nothing is said ... about [H1769.2]; nothing less than [H1733.1]; nothing new will be revealed by [H816.1J; nothing new will be revealed by [H 1773.1]; this accomplishes nothing [Э154.1]
- notice:** [0213.1, П1913.1]; are subject to change without notice [018.1]; at short notice [H1245.1, П435.1]; brought to the notice of [Д491.1]; design is subject to change without notice of obligation [K343.0J; escapes notice [01098.1]; failed to notice [H859.1]; notice also [01420.1]; on short notice whenever a scheduled opening occurred [C1297.1]; serve 10 day's notice of [01603.1]; to notice [3306.0]; was noticed to [B370.1]
- noticeable:** [B1091.0, 3289.0]; appreciable ... noticeable [3289.1]; are readily noticeable [П115.1]; there was a noticeable trend toward [П 1594.1]
- noticeably:** did not noticeably affect [H955.1]; was not noticeably affected by (H871.1); were noticeably less [K256.1]
- notification:** notification of acceptance [Y43.1 ]
- notify:** formally notify [01606.1]; notified ... about the decision regarding [Y47.1]; notified of abstract acceptance [Y45.1]; notified of acceptance of ... papers [Y46.1]; to notify ... without delay [H1246.1]
- notion:** [И100.0]; equivalent notion of a [Б137.1]; notion of [П1277.2]; notion of ... is not new [И101.1]
- notorious:** are notorious [И445.1, П1216.1]
- notwithstanding:** [H 1610.3]; but notwithstanding this [H1804.1]; notwithstanding all of these possibilities [H1614.1]
- novel;** novel feature of our method is [H1835.1]; novel technique [H 1831.1]
- nowadays:** [B45.5]
- nowhere:** is nowhere mentioned [H1711.1]; there is nowhere to put [H 1305.1]; we nowhere suggest that [M426.1]
- nozzle;** at the nozzle inlet [H29.1]; nozzle to specimen distance [P504.1]
- nucleation:** [3435.0, 3435.1]
- nuisance:** can certainly become an exasperating nuisance [H914.1]
- null:** null out [J147.1, H1285.1]; shall become null and void [T199.1]; to null out [J147.0]
- nullify:** [C317.1]
- number:** ([K253.3, H1839.1]; a great) number of [B240.0]; are numbered ... to [П2866.1]; are regrettably low in number [K16.1]; broken down into a number of [P160.1, P208.1]; by ... the expected number is [M342.1]; by the weight of numbers [И229.1]; check that the ... number compares with [П2661.1]; combination of a letter and a number [K268.1J;

developments are needed in a number of areas [P783.1]; equal number of each [P131.1]; even and an odd number [487.1]; few in number [M48.1, H1349.1]; fewer number of [M113.2]; fit into a number of [C1014.1]; great number of [B240.1]; in a number of cases [B574.1]; in a small but significant number of cases [B542.1]; in increasing number [B155.1]; in large numbers [B154.0, B154.1]; in round numbers [0722.1]; involved a number of interesting design changes [Π2240.1]; it took a considerable number of years before [Π3017.1]; item number [C1 175.2]; known number of [H61.1J]; large number of [B983.1]; limited number of tests [HI 167.1]; low in number [M48.0, M48.2]; minimum number of [M178.1]; number and diversity of [B242.1]; number of ... is low compared to [K258.1]; number of blades per stage [499.1]; number of differences in detail [P786.1J]; number of lubrication points [K265.0]; number of maintenance staff [Ш39.1]; number of packages [K259.0]; number of parts per unit [K255.0]; number of times [H1439.2J]; number of [P782.8]; numbered steps [Π2868.1]; occur in a number of different ways [И114.1]; on a number of occasions [H1599.1]; Part Number [C1 175.2]; put to a number of uses [И701.1]; reference number [И837.0]; requirement for equal ...

**o'clock:** 7 o'clock position [H1725.1]  
**obey:** [Π887.1]; obey a ... law [Π888.3]; obeys ... model [0793.1]; obeys the equation [Π891.1]  
**object:** [Π1742.1, Ц15.1]; general object of the invention [Ц19.1]; it might be objected that [H396.1]; objected ... on the grounds that [B 1357.1]; this object is accomplished in that ... is mounted [Ц16.1]; to object to [B1358.0]; with the object of [C168.2]; with this object in mind [Д424.0]; with this object in mind [C183.3]; yet farther object [0532.1]  
**objection:** fundamental objection of [C438.1]; major objections to [01003.1]; objections to [B1359.1]; to raise an objection to [B1358.0]  
**objectionable:** [H1220.1]; is not objectionable [H794.1]; is objectionable for several reasons [HI 193.1]; objectionable to other [B1833.1]  
**objective:** [3162.0, H297.2]; accomplishment of these objectives was furthered by [C1226.1]; falls short of its objective in [H848.1]; had as its objective to [И473.4]; had as its objective [И473.3]; immediate objective [Π44.1]; means of achieving this objective [C1324.1]; misses

numbers [Y393.1]; rounded up to the next whole number [0725.1]; Serial Number ... must be specified... when ordering [Π2072.1]; serial number manufacturing number [3115.1]; staff numbers were reduced by [Y258.1]; take a number of forms [Π2440.1]; to choose from among the large number of possible [C390.1]; to the nearest whole number [C 135.1]; total number of combinations of K ... in a total of N [4102.1]; total number of packages [3584.0]; unlimited number of choices [Б 106.1, HI 436.1];

was Rayleigh number dependent [3101.1]

**numerical:** [K251.0]; numerical constant [492.1]; numerical example [493.1]; numerical experimentation [494.1]; to give the trends but not precise numerical answers [C 175.1]

**numerically:** are ... numerically in error [495.1]; numerically equal, but of opposite sign [PI 32.1]

**numerous:** [M225.2, M225.3]; goes through numerous ... checks [Π661.1]; has been the subject of numerous investigations [Я34.1]; much more numerous [Г92.1]; numerous (as adjective or predicative) [M225.0]; numerous other [M229.1]; too numerous to list [C652.2]; too numerous to mention [C652.1]

**nut:** nut... thread on finger tight [3511.2]; tighten nuts [3510.1]; tightening the nuts [3516.1]; tightening the nut finger-tight [3517.1]; turn the nuts to finger tightness [3511.1]

## O

the intended target objective [H849.1]; objective evaluation of [0362.1]; objective evidence of [0361.1]; objective of [3162.3]; objective of... was to [Ц26.3]; objective was realized [Д723.2]; perhaps a more useful objective would be [B1307.1]; principal objective [Г49.1]; to have as its objective [И473.0]; with the objective of preventing [C177.1]

**objectively:** objectively assess [0360.1]

**obligate:** obligated material [P630.1]

**obligation:** design is subject to change without notice of obligation [K343.0]

**obligatory:** be made obligatory by law [Π1921.1]

**oblique:** [K406.2]

**obliterate:** obliterate the effect of [C1461.1]

**obscure:** obscure the results [3422.1]; physical significance remains obscure [Ф23.1]; to obscure [3420.0]

**obscurity:** remained in obscurity [01099.2]

**observable:** [3289.0]; observable effect on [3291.1]

**observance:** strict observance of the requirements [C1496.1]

**observation:** [A107.5, B1725.3, 3300.0, 0123.2, H227.1, Э30.3, Э33.1]; experimental observations [340.2]; gap between theory and observation [P335.1]; illustrate that observation [И351.1];

it is a common observation that [0302.2]; masked the observation [M173.1]; observations compare well with theory [Э43.1]; observations

may be made [Д198.2]; out of these, five observations [И147.1]; other than this observation, no change [H1741.1]; prior to taking observations [Д450.1]; refute ... observation [0862.2]; startling observation was the effect of [П1322.1]; taking observations [П2617.1]; this observation is very inconclusive [Э103.1]; two more observations [E202.1]; universal observation [B1579.1]; visual... observations [B1105.1]

**observe:** [И304.1, H226.1, 01419.3]; are not observed in practice [П 1648.1]; by contrasting ... it may be observed that [C1284.1]; conditions are not observed [H1076.1J]; failure to observe a time limit [H1624.1J]; has yet to be observed [E214.1]; if this is not observed [E175.1J]; in a manner similar to that observed in [И769.2]; it is ... not so widely observed [H1112.1]; it was observed that [B2095.2]; it will be observed [3309.2]; it will be observed that [01423.3]; momentary operation at... was observed without the damage to the pump [K461.1J]; newly observed [B 1452.1]; observe location of the ... pulley on the shaft [3405.1]; observe safety requirements [C814.1]; observe that [C584.6]; observe the ... rules [C813.1J]; observed with the naked eye [B1090.1]; opposite trend is observed for [П2966.1]; opposite trend was observed [H222.1]; reverse effect was observed [П2961.1]; same has been observed [T357.1]; special care should be observed [C632.1]; to be observed [B2094.0]; to observe [B1089.0, 3306.0, 3404.0]

**observer** [Э44.2]; is clearly audible to a human observer [X73.1]

**observing:** while observing [H225.1]

**obsolescence:** assume some measure of obsolescence [Д470.1)

**obsolete** [Y509.1]

**obstacle:** major obstacle [Г54.1]; obstacles ... tackled [П2022.2]; removal of obstacles [Y519.1]

**obstruct:** not be placed ... in such a manner as to obstruct [P266.1]

**obstruction:** catch on ... obstructions [3523.1]; obstructions [П2028.1]; skirt obstructions [0283.1]

**obtain:** [П1189.1]; additional value ... obtained [П1137.1]; agreement shall be obtained from (H1905.1); are obtained from (3209.1); as obtained from [П1191.2]; by joining the points ... one obtains [C963.1]; cannot be obtained physically [П 1662.1]; could not be obtained [П1183.1]; enabled ... to be obtained (П918.2); higher by ... above what could be obtained

[B2067.1]; introducing ... for ... one obtains [П832.1]; is obtained by direct heat balance [П1152.1]; it was not possible to obtain a reliable measure of [H262.1]; it was not possible to obtain [П 1182.1]; little significant information ... can be obtained [H1330.1]; medical advice should be obtained [H1375.1]; more rigorously obtained [B1737.1J]; obtain ... direct [П1151.1]; obtain the full advantage of [П1160.1]; obtained ... practical experience [П1154.1]; obtained by solving ... ... simultaneously [П1178.1]; obtained from the change in [0827.1]; obtained from the supplier in [П1449.1]; obtained from [П1191.1]; obtained here previously [П1193.1]; obtained in this fashion [П 1188.1, П1194.1]; progress obtained

to-date [Y430.1]; provides for ... to obtain [П 1919.1]; results obtained so far [P653.1]; results thus obtained [П 1199.1]; some perspective maybe obtained (H1296.1); to obtain [B263.0, B 1736.0, 3207.0]; to obtain a cursory sense of [П 1165.1]; to obtain a perspective [4202.1]; to obtain the consent [П1179.1]; values thus obtained can then [3482.1]; was obtained from the literature [B267.1]

**obtainable:** are obtainable in minutes [П 1139.1);

is obtainable free of charge [П 1126.1]; maximum obtainable [M6.1J]; readily obtainable [J23.1]; were not readily obtainable [H625.1]

**obtaining:** in hopes of obtaining [B228.1]; practi-

cal alternative for obtaining [Д757.1]; was found to be much more valuable than for simply obtaining spectrums [0681.1]

**obviate:** obviate the need for [Y531.3]; obviates the problems encountered in the prior art [Y528.1]

**obvious:** become more obvious [C1395.1]; by no means obvious [C893.1]; for obvious reasons [П451.1, П451.2]; from the previous discussion

... becomes obvious [И149.1]; is an obvious choice for [Я49.1]; obvious alternatives are to ... or [01649.1]; obvious difficulty involved with [01651.1]; obvious inference [01648.1]; obvious rationale for [01650.1]

**obviously:** [B81.2, C840.2]; are obviously important in (И389.3); most obviously [C840.1J]; which is obviously less than [4173.1]

**occasion:** at length and on several occasions [П794.1]; it is fitting at this occasion [Y287.1];

on a number of occasions (H1599.1); on occasion [B437.0, B517.0, И558.0, П1325.1, П2126.1]; on occasions they may need to be tailored for [И563.1]; on one occasion ... was found [B545.1]; on other occasions [B567.1]; on some occasions [B570.2]; on this occasion [B452.1 ]; on those few occasions when [B578.1 ]

**occasional:** occasional inconsistencies [C715.1]

**occasionally:** [B1533.2, И558.0, Э84.1]; occasion-ally give problems [И565.1]

**occupancy:** he occupancy or use of [B 1125.1]



- occupation:** [Π2994.1]
- occupy:** does not occupy more than [3339.1]; fit in the space occupied by [Y291.1]; occupies a central position [3349.1]; occupies an undiminished place [3332.1]; occupy ... volume [3340.1]; occupy a firm place [3338.1]; occupy a floor area [3341.1]; to fit in the space occupied [B1467.1]; to occupy a floor area [3341.0]; to occupy a place [3330.0]
- occur:** [H216.1, Π2818.1, C949.1]; all of the ... occurs in [B985.1]; and no further melting occurs [H47.1]; are still expected to occur [B979.1]; as it occurs [Π390.2]; as soon as this occurred [K132.1]; but not to the degree that apparently occurred [H1801.1]; did occur [Δ173.1]; differences do occur, however [K319.1]; do not occur often [B1624.1]; enough points of disagreement occur to indicate [K262.1]; failure occurs through [P332.1]; first occurs [Π1589.1]; for example, cases occurred where [H488.1]; for this to occur [Δ408.1]; however, it never occurred [0575.1]; might have occurred had ... been [M258.1]; most serious accidents that could occur [H331.1J]; no further trouble occurred [H1745.1]; occur... as [C1566.1]; occur 100 percent of the time [Π2820.1]; occur in a number of different ways [И 114.1]; occur once in ... years [Π2830.1]; occurs by [Π2821.3]; occurs preferentially [Π2819.1]; on short notice whenever a scheduled opening occurred [C1297.1]; once ... has occurred [K131.1]; opposite occurs [H218.2]; picture of what occurs [K189.1]; rarely, if ever, occur [E124.2]; reversal of this effect occurs [Π2961.2]; reverse occurs [H218.3J]; reverse occurred with [Π2963.1]; should ... occur for any reason [E67.1]; situations that may occur in practice [C711.1]; still occurs [01079.1]; tendency of the reaction to occur [C526.1]; that occur in nature [B 1634.1]; to occur [B1620.0, И105.0, И409.0]; to occur in [B1627.0]; which did not occur [H1820.1, 0574.1]
- occurrence:** common occurrences [0396.1]; commonplace occurrence [0396.2]; in these occurrences of [B578.2]; isolated occurrence [E13.1]; more common occurrence [B1626.1]; not infrequent occurrence is [Δ519.1]; occurrence of knock [Π1585.1]; unforeseen occurrences [H1513.1]; unusual occurrence [H1431.1]; upon occurrence [Π1358.1]
- occurring:** [B1633.0]; commonly occurring [421.1]; far removed from that occurring in [M32.1]; occurring in [C1585.1]; prevent... from occurring [Π1912.1]
- ocean:** ocean freight [H850.0]
- odd:** at odds with... Dr [H640.4]; even and an odd number [487.1]; odds are against [0261.1]
- odor:** is ... odor free [H876.1]
- off-board:** [B1855.1]
- off-calibration:** off-calibration conditions [01335.1]
- off-center:** [C734.1]; was off-center [C734.2]
- off-design:** off-design performance [P5.1]; off-design tolerance [Δ669.1]
- off-diagonal:** [H899.1]
- off-loaded:** [B 1766.1]
- off-ratio:** off-ratio condition [Y389.1]
- off-scale:** off-scale reading [3528.0]
- off-specification:** off-specification performance [P18.1]
- off-the-line:** come off-the-line [01351.1]
- off-the-shelf:** [Γ102.1, И524.2]
- offence:** [H525.1]
- offer:** offer ... challenge to [C1356.2]; offer ... distinct advantages over [084.1]; offer... greater latitude in [Δ63.2]; offer ... possibilities [01357.1]; offer... resistance to motion [0652.1J]; offer a framework for [C689.2]; offer a promising potential [01364.2]; offer advantages to [B 1761.1]; offer an explanation [Δ24.1]; offer an explanation as to why [0376.1]; offer less cost savings [Δ69.1]; offer many advantages over [Δ46.1]; offer no benefit [H813.1]; offer our apologies for [Π2454.1]; offer some advantages [Δ47.1]; offer the potential for [Δ10.1]; offer the potential of [Δ9.5]; offered by [C981.1J]; offers... resistance to [0651.1]; offers a great intellectual challenge [01365.1]; offers an alternative to [3279.3, Π915.1]; offers distinct advantages [083.1]; offers distinct potential for [074.1]; offers interesting prospects [01364.1]; offers little knowledge [H814.1]; offers no clue as to [H818.1]; offers some improvement over [082.1]; offers substantial benefits [080.1]; offers the advantages of [079.1]; offers the potential for [Δ9.6, 01358.3]; resistance ... offered by [C1049.1]; theory ... offered [Π1731.1]; to be (offer) an alternative (to) [3279.0]; to offer [Δ3.0]; to offer a cost saving [Δ68.0]; to offer an advantage [Δ43.0]; to offer an explanation for [Δ24.0]; to offer criticism of [K490.0]; to offer the potential for [Δ9.0]; to offer the potential of [Δ9.0]; would appear to offer no benefit [Π341.1]
- offering:** offering criticism of [K490.2]
- office:** [Δ593.0]; are available on request from the ... office [B1772.1]; branch offices [Φ32.1]; material must arrive in the ... Office [M68.1]; to save time send all orders for parts to the nearest branch office or agent [Δ422.0]; via the good offices of [Π2085.1]
- officer:** [C1 121.1]
- official:** [Δ592.0]; appointed official forwarder [01604.1]; be official [01611.1]; exists in the official versions [C 1569.1]; local officials [M 138.1]
- offset:** [K278.3, C319.1]; advantage is, ... offset [∑182.1]; far more than offset [B196.1]; is more than offset by [Π1068.1]; more than offset [C320.1]; to offset [K278.0]
- often:** as is often the case [K145.1]; as is often the case with [K146.1]; do not occur often [B1624.1];

inefficient and often ineffective [P65.1]; is not often appreciated [H782.1]; is often lost on [424.1]; is often referred to as [423.1]; it happens that ... often [418.1]; it is often convenient [419.1]; it is often not indicative of a functional problem [H783.1]; may often be entirely sufficient [3525.1]; more often than not [434.3]; most often [434.1, 434.2]; often opposing criteria [427.1]; often overlooked [428.1]; often reported as [06.1]; repeated as often as [П1577.1]; which is often the case [K145.2]

**oil:** add oil as necessary [Д600.0]; key ... players in the oil, ... industries [K226.1]; no oil present [01549.1]; no oil stains are allowed [M57.0]; off oil [M56.0]; oil soaked [П2876.1]; use no oil [M56.0]

**okay:** is okay [И744.1]

**omission:** omissions from [H1214.1]

**omit:** [H1052.1]; and so are omitted from [И52.1]; are omitted [0871.3]; diagram omits [H165.1]; have been omitted ... to avoid confusion [HI 012.1]; individual points have been omitted for clarity [4192.1]; it is recommended ... be omitted [P679.1]; omitted to preserve clarity [0875.1]

**on-board:** [B1615.0, B1615.1]

**on-design:** on-design performance [P7.1]

**on-line:** [H181.2]

**on-site:** [H73.2]

**on-stream:** target on-stream date [П291.1]

**on-the-job:** on-the-job training [0279.1]; on-the-job training OJT [П2800.1]

**on-the-spot:** [H73.6]

**once:** [K128.1, K227.0, 0493.1, K227.2, П1370.3]; at once [H1338.2, C1292.1, T366.1]; but once again [0570.1]; happen at once [П2826.1]; more than once [B165.1, H951.1, H1047.1]; occur once in ... years [П2830.1]; once ... has been received [C 1296.1]; once ... has occurred [K131.1]; once ... is measured [П1359.1]; once ... vanishes, so does [K129.1]; once a year [P146.1]; once again [E228.1, И13.2, И46.1, C799.2]; once and for all (P150.1, T317.1); once every 24 hr [466.1]; once every 6.0 seconds or less [K40.1]; once every revolution (0494.2); once every twelve minutes [C49.1]; once in every six years [PI 48.1]; once more [E228.2, И14.1, C799.3]; once outside [C1294.1]; once per... revolution [0494.1]; once several ... have been made [C402.1]; once the ... conditions are met [П1377.1]; once the exclusive province [K240.1]; once the selection ... has been finalized [П1360.1]

**one's:** one's first impulse is to [П161.1]; to have one's origin in [B940.0]; to pin one's hopes on [B1287.0]; to place one's hopes in (B1287.0); to say one's say [B1975.0]; to trace one's origin to [B940.0]

**one-fourth:** one-fourth scale [И 198.1]; weighs ... one-fourth as much [B928.1]

**one-half:** fabricated on one-half and one-third scales [И187.1]; one-half of... [П1090.2]; one-half the [П1090.1]; shortens ... by ... one-half [Y256.1]; two and one-half year project to [P516.1]

**one-minute:** at one-minute intervals [C17.1]

**one-piece:** [B1911.1]

**one-quarter:** back ... one-quarter of a turn [B1750.2]; one-quarter as large [478.1]

**one-third:** fabricated on one-half and one-third scales [И187.1]; is ... one-third complete [383.1]; one-third complete [B1917.1]

**one-time:** [B364.1, 0592.1]

**one-time-only:** [0592.2]

**one-to-one:** bear a one-to-one relationship [П1064.1]; one-to-one correspondence [0587.1]; one-to-one correspondence between [П1088.1]; there is a one-to-one correspondence between [П1056.1]

**oneself:** to avail oneself of [B1415.0]; to familiarize oneself [3580.0]

**ongoing:** [П2699.2]; ongoing instruction [P621.1];

ongoing study [П2749.1]

**only:** [B1566.0, E15.0, Л80.0]; after only [B1572.1];

and it was only by [И65.1]; and only then [A43.1]; and then only [Д1.2]; applies only when [П2372.1]; are dependent not only on ... but even more so on [394.1]; are limited only by the availability of [0468.1]; are not only interesting from a ... point-of-view [И609.1]; are only a part [C1098.1]; are only dangerous if [0741.1]; are only of small value [0646.1]; are only one possibility for [J85.1]; are only partially explained [T321.1]; are strictly valid only for [C1503.1]; as a first step only (T310.1);

at the cost only of a slightly more complicated [И35.1]; be significant only in a localized context [И394.1]; being ... only of interest to the initiated [П1864.1]; but it is not only [H1787.1]; by only a few percent [B1570.1]; can only be speculated upon [01126.1]; consideration is concerned with ... only [A108.1]; differ only in so far as [01401.1]; due to symmetry, only ... need be studied [B112.1]; for not only ... but also for [HI 116.2]; had undergone only minor changes [П2048.1]; have meaning only at [И451.1]; if and only if [T286.1]; if only as a means of [X86.1]; if only because of [X87.1]; is ... of academic interest only [П1848.1]; is only a fraction of [C1081.1]; is only as good as [T319.1]; is only important in so far as [B787.1]; is only of concern as [P475.1]; is only partially effective [Э226.1]; is second only to [C1475.1, Y546.1]; is valid only for [Г81.1, C1251.1]; lasts only [Д317.1]; need only be experienced at [П2566.1]; not only ... but also [HI 118.1]; not only ... but it also [HI 118.2]; not only directly ... but also indirectly [HI 117.1]; not only for ... but also for [HI 116.1]; not only for ... considerations, but

also [HI 120.1]; one can only speculate on [M380.1]; only ... are authorized for use in [P318.1]; only ... as opposed to [T301.1]; only ... can be relied on [M350.1]; only 40 percent as much ... as ... removed [T312.1]; only after [T318.1]; only are considered ... in the sequel [B1500.1]; only as a last resort [T302.1]; only as guides [T309.1]; only avenue open [E21.1]; only exception to (E18.1); only marginally [Л84.1]; only passing reference will be made (Y319.2); only possible approach to [E22.1]; only problem was with [E17.1]; only serve as a guide [C672.1]; only those [T320.2]; only time will tell [T306.1]; only to return to [A14.1]; only to the extent required [T314.1]; only viable option [E23.1]; only when special precautions were taken to [T305.1]; only when [T318.2]; persisted for only [C1143.1]; preceding arguments apply only [Π2255.1]; regarded only as... and not as [P476.1]; represent only a small proportion of [C1082.1]; requires knowledge only of [T446.1]; should be acquainted not only with [Д1573.1]; should only be viewed as tentative [C627.1]; spend only a ... fraction of life [P79.1]; suffice it only to mention that [Д687.1], there seems to be only one explanation for this, namely [Э164.1]; this is only speculative [Э 179.1]; this is true only if [C510.1]; to give only a slight indication of [Д39.1]; to mention only a few [И38.0, И38.1, H807.1]; we need only [H401.1]; will only be a few [C1076.1]; would only be changed slightly [И293.1]; you are only turning ...when [Д686.1]

**onset:** began at ... the onset of [H722.1]; hasten the onset of [Y383.1]; onset of skidding [H705.1]

**onsite:** be housed onsite [P448.1]

**onto:** directly onto [HI 473.1]; hooks onto [Ц50.1]; impact of... onto the face [Y100.1]; mount... onto the bracket [Y481.1]; recorded onto magnetic tape [3385.1]; screw... onto [H235.1]; sealed onto the edges of [Y311.1]; sealed onto the ends [Y312.1]; slide ... onto [H257.3]; to record (on, onto) [3382.0]

**onward:** from ... onward [H730.6]; from then onward [H734.3, C34.1]; from this time onward [H734.2]

**onwards:** from ... onwards [H730.7]

**open:** [P356.1]; are open to criticism [M263.1]; are, ... open to [Г106.1]; available to open [P392.1]; check ... for open connection [Π2658.1]; contact is open [K349.1]; do not exist in the open literature [01559.1]; has opened the potential for [01358.1]; have opened the possibility of [01358.2]; have stuck open [3196.1]; in its ... open position [B349.1]; in open air [H18.1]; in order for a contact to become open [Д404.1]; in the open literature [B174.1]; is no longer open to question [Б213.1]; is open ended [H1062.1]; is

open to speculation [01096.1, 01126.2]; is open to the atmosphere [C1005.1]; last two assumptions are open to question [B386.1]; may be open to question [M273.1]; only avenue open [E21.1]; open ... turns [01362.1]; open area of research [H1284.1]; open connection ... in the ... circuitry [P334.1]; open here [B1594.0]; open item updates [Y570.1]; open order [H1244.1]; open question is what [H1568.1]; open symbols [C283.1]; open the circuit [P274.1]; open to atmosphere [C1006.1]; open to question [C991.3, C1 198.2]; opened a session on [01361.1]; opens or shorts [0248.1]; opens up many possibilities [01359.1]; remains an open question [B 1406.1]; stayed open [01105.1]; store away from heat, open flame and direct sunlight [X1 21.1]; stuck open [3477.1]; this question must still be regarded as open [H 1380.1]; to open see other side [Д330.0]; viewed with an open mind [P452.1];

was opened up for examination [B 1593.1]

**opening:** on short notice whenever a scheduled opening occurred [C1297.1]

**operability:** [Π2269.1, Э53.2]

**operate:** [B1110.3, Π107.1, Π2211.4]; are best operated at [Л114.1]; are operated in the series [parallel] mode [P68.1]; battery ... operated [P90.1]; cause ... to not operate properly [3468.1]; constrained to operate at [P27.1]; gas operated [P86.1]; is designed to operate from [P512.1]; is easier to operate [Π2925.1]; is operated by [H662.1, Э61.1]; made to operate (3467.2); must be operated [Д584.1]; operate ... to ... schedule [Y331.1]; operate at full power [P57.1]; operate equipment [Π3081.1]; operate much beyond the ... point [P51.1]; operate on [B1 146.6]; operate on a three shift schedule [P71.1]; operate on the ... principles [P69.1]; operate singly or in concert [Д185.1]; operate the equipment [P56.1]; operate to diminish the rights [B938.1]; operate when misaligned [P49.1]; operate with ... no attention [P39.1]; operate your meter in flammable or explosive atmospheres [Э60.1]; operates off [P55.2]; operates ... system [Y332.1]; see if... operate [Π1430.1]; to operate [B11 10.0, Д176.1]; to operate on [B1 146.0]; turn down to operate as [Π199.1]; was operated in the suction mode [P72.1]

**operating:** abnormal operating conditions [HI 354.1]; accumulated operating hours [K261.0, K266.0]; adverse operating conditions [T519.1]; after operating for a while [Π2895.1]; are in operating position [H644.1]; article ... has been packed at... in compliance with the requirements specified in the operating instructions [И218.1]; article ... has been subjected to preservation at... in compliance with the requirements specified in the operating instructions [И215.1]; basic operating princi-

pies [01008.1]; be within the capability of ... operating and maintenance personnel [B1669.1J; determine whether ... is operating properly [0830.1]; does not work ... is not operating [H1046.5]; feel comfortable with operating [Π1570.1]; guarantee for equipment operating [Γ20.0]; has been operating [H665.3]; many years' experience in operating [M221.1]; not operating [H1046.4]; operating conditions [P626.5]; operating conditions for [P104.1J; operating envelope [Д289.1]; operating experience [0891.3]; operating instructions [И579.0, И579.2]; operating license [J159.0]; Operating Manual [C1254.1]; operating modes [P626.3J; operating on ... materials [P32.1]; operating on battery power [P66.1J; operating on the grid [P47.1]; operating practices [Π1642.1]; operating pressure [P1 00.1]; operating properly [X71.1]; operating results [P656.1]; operating the ... motor [Y337.1]; providing operating time does not exceed [E43.1]; test to see if... may be accidentally operating [Π2664.1]; to survive under ... adverse operating conditions [Y594.1]; to the best of ... now operating [Л103.1]

**operational:** [Γ102.0]; and is still operational [И19.1]; has been operational [H665.2, P38.3]; initial operational checkout phase [Π3085.1]; is now operational [Γ104.2, H651.1]; operational development [Э52.1]; operational malpractice [H1502.1]; operational readiness [Э51.1]; to be operational in [B837.1]

**operation:** [0752.1, Π2854.3.P1.4, Ф60.1]; accumulated years of operation [И852.0]; by operation of [C59.9]; currently in operation [Э63.1]; day in day out operation [H1531.2]; demonstrated in commercial operation [Π2634.2]; disturb the ... operation of [H515.1]; early operation ... indicated (Π49.1); entered commercial operation [B844.5]; every fifty hours ... of operation [H1390.1J; experience in field operation [0891.4]; fail-safe operation of [B66.1]; following each ... hours of operation [467.1]; for operation [Д385.0]; go into operation (B1647.1); hands-off around-the-clock operation [A70.1]; hours of operation have been accumulated [H497.1]; in operation [B428.0]; in regular operation [H666.1]; in this mode of operation [B472.2J; initiated operation of [Π2533.1]; is now in full operation [P58.1]; is slave to the operation of [397.1]; is taken out of operation [B1742.4]; limited operation ... to several hours [0459.1]; limited to operation at temperatures [P28.1]; list of operation papers [B880.0]; low power operation [P31.1J; make for... operation [C 1232.1]; manufacturer guarantees trouble-free operation of the article for ... years since the day of shipment from the plant [И207.0]; momentary operation at... was observed without the damage to the pump

[K461.1]; never start or continue operation if electric equipment failure is detected. [3410.0]; normal and emergency operation [P6.1]; operation ... is monitored [K352.1]; operation ... on [P22.1]; operation and maintenance personnel [Э50.1]; operation at power [P21.1]; operation in remote areas [P10.1]; operation is free and smooth [B97.1]; operation is performed [B1890.1]; operation is smooth and quiet [Π270.1]; operation sheet [B866.0]; over an extended period of operation [B708.1]; part load operation [P24.1]; period of operation [Π233.2]; period out of operation [Π227.1]; prevents accidental ... operation [Π1776.1]; principle and cycle of operation [Π2460.1]; principle of operation of [Π2459.1]; provides for operation of [048.1]; prudent operation [Π1630.1]; putting into operation [B836.0]; rough ... operation [P33.1]; rules of operation [Π1617.1]; should any unit fail during operation ... [B518.0]; three general principles govern the operation [B274.1]; to be in operation [H665.1]; to bring into operation (B1 110.0);

to come into operation [B1638.0]; to enter commercial operation [B844.0]; to go into operation [B1647.0]; to put into operation [B844.1]; to take out of service operation [B1742.0]; total since beginning of operation [И851.0]; under this mode of operation [B472.1];

verify proper operation [Y30.1]

**operations:** [Π1826.1]; 24-hour-a-day operations [K504.2]; day-to-day ... operations [Π563.1]; manual operations [P780.1]; manufacturing operations [T258.1]; operations performed [C936.1]; perform ... maintenance operations [B1891.1]; regular operations (0394.1); undergo a series of operations [Π658.1]

**operative:** is operative [Д176.2]; mode is operative whenever [P627.1]; reset ... to operative position [B1267.1]; to be operative [Д176.0]

**operator:** by the ... operators [01557.1]; motor operators [C77.2]; on the operator's left [C571.1]; operator's area [P101.2]; operator console [Π3075.1]; operator familiarization with

[0613.1]; operator is advised of [0751.1];

without operator attention [B15.1]

**opinion:** [M187.0]; in the opinion of the authors [Π406.1]; interplay of opinion [0119.1]; is ... subject to the opinion [396.1]; to give your opinions on topics of [B1974.1]; widespread opinion [Π25.1]

**opportune:** it is opportune to [Y283.2]

**opportunity:** [B1318.0, Y149.1]; advocated ... at every opportunity [3548.1]; allowed the opportunity of (Д9.3); at the earliest opportunity [Π2059.1]; at the first opportunity [Π2127.1]; clear opportunities [Я58.1]; exploring the opportunities for [И798.1]; give ... an opportunity [Π 1759.1]; I take this opportunity to call your attention to [Π1222.1]; I take this opportunity

[П1221.1]; increased opportunity [X34.1]; opportunity to publish these results [B1320.1]; opportunity was also taken [И698.1]; opportunity was taken to increase [B1422.1]; provide an opportunity [Д9.4]; provide opportunities for [037.3]; real opportunity [P592.1]; there are expanding opportunities in [И129.1]; there's no better opportunity than [Д431.1]; to allow the opportunity of [Д9.0]; to capitalize on the opportunity [B1417.1J; to provide an (the) opportunity [Д9.0]

**oppose:** aid or oppose each other [Д177.1]; as opposed to [B294.0, B294.1, B416.0, B416.1]; only ... as opposed to [T301.1]; oppose each other [0932.1]; opposes [B2000.3]; reaction 1 is opposed by reaction 2 [P585.1]; to oppose [B1975.0]

**opposing:** often opposing criteria [427.1]; opposing criteria [П2968.1]; opposing factors [П2956.1]; opposing tendencies [П2965.2]

**opposite:** [H490.1, П2951.1]; analysis predicts the

opposite [All 1.1]; are opposite in effect [0634.2]; at the opposite end from which [H65.1]; behaves in the opposite way [B948.1]; diametrically opposite [Д282.1]; has the opposite effect [B1 147.1, 0634.1]; in exactly the opposite manner as [C842.1]; in opposite directions [B237.1]; in opposite sense [П2969.1]; in opposite sides of [H 163.1]; in the opposite direction to [B234.1]; is exactly the opposite of the effect of ... [П1060.1]; numerically equal, but of opposite sign [PI 32.1]; on the opposite side of ... from the horn [H159.1]; opposite behavior [П2960.1]; opposite effect to that expected [P641.1, 3224.1]; opposite example [П2378.2]; opposite in sense to [П2959.2]; opposite is true for [П2962.1]; opposite occurs [H218.2]; opposite of [П2958.1]; opposite situation [П2964.1]; opposite trend is observed for [П2966.1]; opposite trend was observed [H222.1]

**optimism:** is biased toward optimism [Д59.1]; leads... to a cautious optimism [3470.1]; lend optimism to [B1574.3]; to lend optimism [B1573.0]

**optimistic:** [3133.4, H1358.1]; overly optimistic conclusions [4149.1]; slightly optimistic [H1579.1]

**optimize:** are optimized in terms of [0866.1]; is optimized,... with respect to (0866.2)

**optimizing:** lot still remains to be done in optimizing [M206.1]

**optimum:** is far from optimum [Д89.1]; optimum approach for [0865.1]; seek an optimum path between [И643.1]

**opting:** are opting for [B 1689.1]; opting in favor of [Д196.1]

**option:** [B810.3]; at its option [П505.1]; is denied the option of [J168.1]; only viable option (E23.1); option is available (to) [И487.0]; option is available to [И487.1]

optional: [B1920.1, Ф16.1]

**orange:** compare apples with oranges [C 1282.1]

**order** [3550.0]; alteration of order [И242.0]; are an order of magnitude less than [H107.1]; are arranged in the order of decreasing [P373.2J; are in order [Y289.2]; are made in order to make the problem more amenable [4199.1]; are ranked in similar order by [P377.1]; assembly order [3220.1]; at the date of order [H42.1J; back order [И1 181.1]; be sure to note the order of [0428.1]; cancel... order [01413.1]; checked and passed as in perfect order [И204.0]; complex order [K285.0]; correctness under the terms of the order [П11631.1]; date of receipt of the order [Д134.1]; decreasing in the order [Y269.1]; delivery: ... after receipt of firm order [П 1448.1 ]; discussed in order of the role (0264.1); execution of the order [B1867.1]; few words maybe in order [M314.0]; few words of... are in order (C630.3); fill... order ... and avoid unnecessary delays [C332.1]; finally, a note on ... is in order [H375.1]; good working order [И745.0, X36.1]; had been awarded ... order... for [П1141.1]; hold order [= stop-work order] [П2325.1]; in a different ranking order (P375.1); in chronological order (B375.1); in decreasing order of efficiency [B370.1]; in descending [ascending] order of [B367.0]; in descending order of importance [B368.1]; in good working order [B622.1]; in order for ... to be possible [4213.1]; in order for a contact to become open [Д404.1]; in order of decreasing [increasing] [B367.0]; in order of decreasing wear resistance [B369.1]; in order of descending [ascending] [B367.0]; in order to [B745.0, B748.2, Д403.1, 4186.1, 4197.1, 4203.1, 4206.1, 4212.1, 4216.1]; in reverse order [B373.2]; in that order [C761.1]; in the reverse order of removal [B365.1]; in the stated chronological order [B376.1]; integrated order [K285.0]; is available on special order [П1456.1]; is correct against your order [C875.1]; keep ... accounts ... in order [C946.1]; made to order [B 1883.1, B 1914.0, Д203.1]; maintained in good order [П710.1]; meeting was called to order [0371.1]; of the order of [П1333.4, П2384.4]; on the order of [П1333.3]; open order [H1244.1]; order ... placed against an already established contract [3216.1]; order acknowledgement [П864.1]; order bill of materials [B877.1]; order form [B124.0]; order of magnitude [П1333.5]; order of merit [P341.1]; out of order [B1 179.1]; place an order with [П1241.1]; place your order with [П1507.1]; priorities for delivery... in order [П1335.1]; production order [3218.1]; purchase order [3219.1]; ranked in order of decreasing (P373.1); ranks in a similar order as do [P379.1]; second order [B 1659.0, B 1659.1]; serve as a guide to the order of assembly [Y212.1]; specified when the order is placed [Y213.1]; subsidiary order [B1601.0];

- tool order [3552.1]; up in the order of magnitude [H108.1]; upsets the ... alphabetical order [H512.1]; work order [H533.1]. (См. также **ordered, orders**)
- order-of-merit:** [P409.1]
- ordered:** are ordered corresponding to increasing [P372.1]; are ordered in a regular way [P378.1]; are ordered,... according to decreasing [P374.1]; well ordered process [X79.1]
- ordering:** ordering information for ... is available by calling ... at [H635.1]; ordering of the curves [01426.1]; Serial Number ... must be specified ... when ordering [Π2072.1]; this ordering was chosen because [T58.1]; when ordering this part be certain to specify [Π2073.1]
- orderly:** in an orderly way [B28.1]; orderly pattern whereby [Y327.1]
- orders:** all parts orders [3217.1]; is over two orders of magnitude greater [B198.1]; orders must specify [B 119.1]; orders will not be processed [3221.1]; three orders of magnitude [H109.1]; to save time send all orders for parts to the nearest branch office or agent [Д422.0]
- ordinary:** [0388.2]
- ordinate:** is plotted on the ordinate [01322.1]; ordinate scale is arbitrary [M63.0]
- organic:** coherent and organic view of [Π28.1]
- organization:** impartial organization [HI 241.1]; organizations [0900.2]; within our organization [B247.1]
- organizational:** organizational methods [0905.1]
- orientation:** orientation with respect to [0908.1]
- orient:** [K192.0, 01457.4, C350.2]; be reliability oriented [H697.1]; metallurgically oriented studies [H787.1]; oriented at... to each other [P405.1]; oriented exclusively toward [Π1345.1]; primary effort... should be oriented to (Г55.1); was oriented into the wind [0908.1]
- origin:** [H703.2]; are ... solar in origin [H442.1]; at present... have no suggestions for the origin [Π965.1]; eliminating ... at its origin [Y517.1]; has its origins in the use of [H729.1]; have their origin with [B275.1]; is the origin of the present practice (Π 1120.1); of unknown origin [H1275.1]; origin of the coordinate system is (H703.1); origin of the failure [Π2575.1]; origin of the instabilities [Π2831.1]; to have one's origin in [B940.0]; to issue the certificate of origin for goods [B1770.0]; to trace one's origin to [B940.0]; traces back the origin of... all the way to [Π2908.1]; were the origin of... accounted for [B330.1, Я26.1]
- original:** [H829.4, C1431.2, Π36.1]; at a cost below the original projections [Π487.1]; be left untouched in the original ... position [01131.1]; original revision of... document [Π40.1]; original text [Π37.1]; restored to original quality [B1437.1]; returns to its original position [B1272.1]; while possibly not the original intent [X101.1]
- originally:** [B1 166.0, Π41.2, C760.1]; as originally intended (K92.1); originally it was intended (B 1169.1); took more time than originally scheduled [Π1532.1]; when ... was originally installed [B420.1]
- originate:** as originated by [B25.1]; originated from [3434.1]; originates in the desire to [Π2816.1]; this project originated because of [P12.1]; to originate [B1339.0]
- originator** [A73.1]
- orthogonal:** orthogonal to [Π248.3]
- oscillate:** oscillated between ... and (K249.1); to oscillate [K247.0]
- oscillation:** [K244.0]; oscillations in temperature [K245.1]
- ostensibly:** [Я62.1]
- other** [Д622.0, Д641.1]Д750.0, E1 90.1, И538.1, K21.1, Π 1830.1, P2.1] abreast of each other [Π417.1]; aid or oppose each other [Д177.1]; all other ... except [B1004.1]; all other conditions unchanged [Π2155.1]; all other factors being equal [Π2158.2]; among other things [Π 1247.1]; any of the other [J118.1]; any other [B1002.1, K159.1]; any person other than [J125.1]; are arranged one above the other (P376.1); are within ... of each other [01383.1]; are within a factor of ... of each other [01382.1]; arranged one above the other [P399.1]; as well as other [Π767.1]; at 90 deg to each other [Π621.1]; at right angles to each other [B1046.1, Π621.2]; at the other extreme [B528.1]; balance each other [Y362.1]; cancel each other out (B 1049.1); data from other sources [Д109.1]; differ from each other by [01381.1]; distinguished from each other [01375.1]; each other [B1042.0, Д747.1]; equal to each other [Π2518.1]; every other [K31.1]; face each other [H668.1, 0245.1]; fall within ... of each other [H969.1]; far apart from each other [Д 103.1]; for all other factors being equal [Π2118.1]; for other than [321.1, И656.1]; from ... or any other cause [И346.1]; has no ... other than [H880.1]; has no other use [H1315.1]; if nothing is done other than (E62.1); in close proximity of each other [B253.1]; in one direction or the other [B238.1]; in other words [Д762.1, И569.1]; in total isolation of each other [C827.1]; independently of each other [H1225.1]; interface with each other [Π 17.1]; isolated from each other [И322.1]; leaving other considerations aside for the moment [E57.1]; little is known of... other than that [02.1]; many other advantages (M197.1); mistake them for each other [C1272.1]; next to each other [P790.1]; numerous other [M229.1]; objectionable to other [B1833.1]; on other occasions [B567.1]; on the one hand ... on the other [C112.1]; on the other hand [C106.1]; on the other side [H162.1]; one... over the other [0492.1]; one... relative to the other [0491.1]; one or other of [T346.1]; one way or the other [B238.2, B681.1]; oppose each

- other [0932.1]; or even the other way around [И337.1], oriented at... to each other [P405.1]; other than [A24.0, A24.2, Д754.1, E145.0, E145.2, И567.1, K500.0, K500.3, 01409.1, П1246.3, П1246.4, П1645.1]; other than by [H1044.1], other than replacing [E146.1]; other than that [B286.2]; other than this observation, no change [H1741.1], other things being equal [И54.1, П2158.1]; other two [Д145.1]; reinforce ... each other [Y376.1], rotate ... a small amount one way or the other [П1549.1]; shift... one way or the other [C379.1]; some other [K161.1]; spaced ... from each other [01542.1]; spread to other [P444.1]; tend to suffer other disadvantages [И411.1]; than any of the other [452.1]; these ... as are all other [Э215.1]; these and other [Э213.1]; to open see other side (Д330.0); together with three other [Bl 155.1]; was other than [H1148.1]; with each other [Д749.1]; with no ... other than [B25.1]; with no changes other than [B22.1]
- others:** [Д760.1, C 1473.1]; among others, has suggested [B315.1]; among others, is a suitable method to solve [0518.1]; and many others [И38.0]; at all of the others [П2060.1]; before others [P350.1]; but leaves ... to others [H1803.1]; for some ... for others [Д376.1]; independently of the others [HI 226.1]; is definitely preferred over the others [Я50.1]; plus several others [П322.1]; present paper addresses ... leaving ... to others [B644.1]; some ... others [0505.1]; some being greater than others (Y8.1); such as ... among others [C1304.1]; than of others [П485.1]; these rules and others [Э214.1]
- otherwise:** [B286.1, B302.1, B310.1, B311.1, B313.1, B549.1, B549.2, И538.0, И569.2, П446.1]; all wires to be X unless otherwise specified [B 1015.0]; but otherwise [A4.1]; by implication or otherwise [П3064.1, Я44.1]; casting radii 5 mm unless otherwise specified [H1676.1]; except where otherwise noted [327.1]; except where stated otherwise [324.1]; for otherwise comparable conditions [П2160.1]; if otherwise [B567.2]; importance or otherwise [B786.1]; lapse or otherwise [Y350.1]; or otherwise [И342.1]; otherwise identical [0541.1]; proves otherwise [Д538.1]; than otherwise would be the case [446.1]; than would be the case otherwise [447.1]; to do otherwise would [П1502.1]; unless otherwise agreed [E167.1]; unless otherwise noted [E150.2]; unless otherwise specified [01142.1]; unless otherwise stated [E150.1, E166.1]; which would otherwise be lost [K410.1]
- ought:** [Д571.0]; ought not to be taken apart [H982.1]; ought to be increased [Д578.1]
- ourselves:** restrict ourselves to the case of [0467.1]; we convinced ourselves that [M439.1]; we need not concern ourselves with [H1254.1]
- oust:** to be ousted from popularity [B2048.0J]; to oust [B2017.0]; were... ousted from popularity [B2048.2]
- out-of-round:** [H1304.1]
- out-of-roundness:** [01327.1]
- outage:** forced outage [B 1860.1]; maintenance outages [01159.1]; outage records [П1971.1]; planned outages [3394.1]; power outage [П170.1]
- outboard:** outboard [0241.1]; outboard of [C104.2]
- outcome:** depend on the outcome of the ... tests [398.1]; outcome of ... was the formation of [P643.1]; practical outcome [П1665.1]; surprising outcome [H1446.1]; we could not be more pleased with the outcome [P655.1]
- outdated:** are now rather outdated [Д517.2]; is seriously outdated [C446.1]
- outdoor:** [H18.3]
- outer:** on the outer face of [HI 60.1]; outer diameter [H505.1]
- outermost:** [H334.2]
- outfit:** items of supplied outfit [K292.0]
- outgrowth:** were the outgrowth of [Я27.1]
- outlet:** [B2022.0]
- outlier:** [B1864.3]
- outline:** [0769.2, П279.1]; describe in broad outline [0776.1]; in outline [B265.0]; is outlined [0792.2]; outline dimensions [Г3.3]; recommendations outlined in the service manual [M249.0]; sketch the broad outlines [0777.1]; trace the outlines [01682.1]
- outlining:** paper concludes by showing ... and outlining [B124.1]
- outlook:** outlook for economy [Э12.1]; outlook for the next five years [П251.1]; somewhat naive outlook [H1292.1]
- outmode:** is outmoded [01296.1]
- outnumber:** far outnumber [B162.1, H430.1]; outnumber [П1687.1]
- outpacing:** [0754.3]
- outperform:** [П 1685.2, П 1685.1, P52.1]; outperform ... for accuracy [П1686.1]; outperform competition [П1684.1]; outperformed ... by a significant margin [P53.1]
- output:** [M398.0, M399.1, H33.3, П2783.2]; absorb ... output [П1525.1]; annual ... output [Г83.1]; at the output of [H33.2]; by the output [П2783.1]; control outputs [Y336.1]; energy output [B2029.1]; format the output [Ф43.1]; growth in ... output [P759.1]; have no output [01561.1]; output... was sensed by [B1429.1]; output is set according to demand [Y454.1]
- outs:** are familiar with the ins and outs of [B307.1]
- outset:** as was asserted at the outset [K66.1]; at the outset [B246.1, B1166.0]; it should be stressed at the outset that [C617.1]
- outside:** [B1172.1, 31.2, 343.0, 3436.1, H509.1]; at the very outside [П465.1]; damage from outside sources [П1558.1]; fall outside of the design envelope [B2035.1]; falls ... outside the definition [H984.1]; falls outside of the ...

range [B2032.2]; is outside the scope [B2038.2]; just outside the point [C 1295.1]; lie outside the range [B2032.1]; on the outside [C759.3]; once outside [C1294.1]; outside assistance [Π1469.1]; outside of [E145.0]; outside of the central region [B1178.1]; outside of this [E148.1];

outside the ... range [344.1]; outside the field of [B2037.1]; outside the pipe [C108.1]; outside the point [363.1]; outside the range of [344.2]; situated outside [P268.1, P395.1]; sourced from outside suppliers [Π1457.1]; toward outside of hub [H481.1]

**outsider** to the outsider, it seems strange [Д364.1]

**outstanding:** [B1775.0]

**outstrip:** [024.1]

**outward:** [H510.1]; acts in an outward direction [Д182.1]; facing outward [0241.2]

**outwardly:** to outwardly resemble [B 1192.0]

**outwards:** push ... outwards [01477.1]

**outweigh:** [0657.1]; far outweighs (C31.1J; is far outweighed by [3631.1]; other advantages of ... more than outweigh the [Д758.1]; outweigh any gains [Π1696.1]; outweighs the disadvantages [Π1681.1]

**over:** [B189.0, B390.4, B685.0, 31.0, Π484.10, Π534.1, Π722.1, Π1694.1, C345.1J; after ... is over [Π1373.1]; all over the world [B195.0J; ambiguity over [H1438.1]; applying ... coating of... over [H437.1]; are a great improvement over previous [H418.1]; are in disagreement over [P533.1]; averaged over [01078.1, Y443.1];

been puzzled over [P166.1]; by over [B197.1]; by well over [3620.1]; carries over into [P442.3];

carry over to [Π105.4]; changed over [Π1230.1];

confusion over [Π3090.1]; disagreements over [Π2971.1]; do not turn over [B918.0J; dominate

over [Π1694.7, Π2010.2]; even ... over its length [P114.1]; exercises a closer control over [B187.1]; expressed uncertainty over the possibility of [B1951.1]; extended the testing over about [P525.1]; favoring one ... over another [Π1811.1]; fits over [H257.2J; flatness ... over [H1460.1J; for well over [B193.1]; has a great advantage over [H434.1]; has accumulated over... hours of service [01498.1]; has barely changed over the past [M26.1]; have to start all over again [Π2564.1]; immediately after ... is over [C 1299.1]; implement over the next five

years or so [P587.1]; in the midst of the ... debate over [B453.1]; integration of... over a range... to [H585.1]; is averaged over... period [B276.1]; is centered directly over [P269.1]; is definitely preferred over the others [Я50.1]; is over two orders of magnitude greater [B198.1]; is preferred over [Π1818.3]; just over [H1342.3];

lift ... over [Π2506.1]; little over (H1574.1J; margins over [3374.1]; mean value ... over the area [C1322.1J; moves over [01478.1]; offer... distinct advantages over [084.1]; offer many advantages over [Д46.1]; offers some improve-

ment over [082.1]; one ... over the other [0492.1]; over ... lifetimes [B712.2]; over ... service life [B712.1]; over... stability boundary [313.1]; over a longer period of time [336.1];

over a specific time period [B704.1]; over a very short time period [338.1]; over all but the extremes of the ... range [B101.1]; over an extended period of operation [B708.1]; over and above [B107.1, B109.0, B109.2, B860.1, Д477.2, K501.0]; over and beyond [B 109.3, K501.8]; over and over [C801.1]; over long periods of time [B703.3]; over much of their length [H186.1]; over one another [Д748.1];

over the ... distance [H51.1]; over the range [B96.1]; over the whole ... range [B100.1]; over most of the efficiency range [B753.1]; over much of... range [H185.1]; over the ... range investigated [B104.2]; over the ... range of interest [B103.2]; over the ... range tested [B104.1]; over the circumference [Π425.2];

over the entire cross section [Π351.1]; over the last ... years or so [B710.1]; over the last half century [342.1]; over the next ... year [B7.1]; over the past ... years [B709.1, 340.0, 340.2];

over the remainder of [H187.2]; over the rest of the surface [H187.1]; over the same period [B338.1]; over the years [B693.1, C6.1]; over what would be expected [Π486.1]; pay for themselves many times over [M214.1]; prefer ... over [Π1806.1]; press down over [H254.1J; range ... of over seven to one [B99.1]; ratio of ... over [01466.2]; renewing controversies over [B 1351.1]; rub ... over [Π2982.1]; sent over the phone lines via modem [01492.1]; show little advantage over [0130.1]; showed slight superiority over [0674.1]; skipped over [Π2888.1];

slide ... over [H256.1J; slip ... over [H257.1]; superiority... over [Π1689.2]; switch over to ... from [Π201.1]; take over [C1394.1, C1402.1];

take it over themselves [B272.1]; take over the control of [B1070.1J; transportation ... over long distances [Т414.1J; turn ... over [Π75.1];

variations over time [И240.1]; vary over wide limits [И277.1]; washes over [0734.1]; well over [B189.0, 3617.3]; were coated all over [Π1000.1]; which is an increase of ... times over [4129.1]; which is expected to stretch over an 18-month period [B1868.1]; will rise to over [Π1694.5]; with clear advantages over [Я48.1]; withdrawn from service and handed over to [И332.1]; work ... expended over the time [P19.1]; work ... over [H590.1]

**over-allowed:** have over-allowed for [Π2291.1]

**overall:** [B741.2, K284.0, 0316.2, Π1074.1, C1310.5,

C 1542.4]; especially considering the overall trend of [01050.1]; management of the overall construction [Y328.1]; overall ... dimensions [Г3.2]; overall correlation of the results [K396.1]; overall dimensions [Г3.1]; overall inspection [K286.0]; overall length less [0324.1]; overall



picture [0327.1]; overall similarity [0341.1]; overall testing [K289.0]; overall trends [0325.1]; restrictions on ... overall dimensions [Г2.1]; to assess ... in an overall fashion [01628.1]

**overcautious:** overcautious... allowance [4118.1]

**overcome:** damage was overcome [Y538.1]; draw-backs ... are overcome [Y527.1]; might possibly be overcome by [M396.1]; overcome ... restriction [Y536.1]; overcomes the limitations [Y527.2]; penalty in ... be overcome [K279.1]; roadblocks ... be overcome [Π2022.3]; this problem can be overcome [Э112.1]; to overcome [K278.0, Л47.0]; to overcome ... difficulty [Π2022.1]

**overcoming:** depend on overcoming [3100.1]; overcoming... difficulties [Π2025.1]

**overdue:** are long overdue [C469.1]

**overemphasize:** cannot be overemphasized [HI 172.2, H1326.1]; importance of ... cannot be overemphasized [B776.1]; it is not possible to overemphasize the value of [HI 172.3]

**overestimate:** overestimate ... by a small, but significant margin [3132.1]; overestimates [3130.1]; to overestimate [3130.0]

**overhaul:** overhaul [K176.1, Π2679.1]; be ... in need of overhaul [H1893.1]; expiration of overhaul period [B1935.1]; newly overhauled [T324.1]; time between overhauls [B1529.1]

**overhead:** [P398.1]; factory level overhead [3123.1]

**overlap:** [Π126.1, 47.1]; overlap between [411.1]; to avoid overlap and attendant confusion [4183.1]

**overleaf:** [H80.1]; please see overleaf for [C744.1]

**overload:** overload on ... circuit [Π82.1]; protect ... from overloads [3543.1]

**overlook:** advantage easily overlooked [Π1976.1]; has overlooked the fact that [Y349.1]; have been ... overlooked [Y348.1]; have been overlooked [0671.2]; is overlooked by [И83.1]; it is essential that no ... are overlooked [B798.1]; often overlooked [428.1]; overlooks [HI 191.1, Y348.2]; possibility ... should not be overlooked [H1067.1]; to overlook [И83.0]; were overlooked [H941.1, H1029.1]

**overly:** overly optimistic conclusions [4149.1]

## P

**pace:** [P605.1]; have not kept pace with (HI 137.1); keep pace with [H970.1, Π1432.1, Y424.1]; sets the pace [3156.1]; to keep pace with [И106.1]

**pacings:** is following, rather than pacing [C588.1]; pacing factor [0856.2]

**pack:** article ... has been packed at [И218.1]; not packed for export [И849.0]; packed for export [И850.0]; packed into [H214.1]; packed weight [B924.0]

**overnight:** [H78.1]; leaving overnight [01134.1]

**overpredict:** [3130.2]; substantially overpredict the experimental data [Д17.1]; to overpredict [3130.0]

**override:** [Π 161.1]

**overriding:** overriding [Г42.0, Д607.1]; overriding feature [Г47.1]

**overrun:** [Π157.2]; cost overrun [Π1702.1]

**overshadow:** [01582.1]

**overshoot:** (B1686.1, Π1701.1); to overshoot [B 1684.0]

**oversight:** [HI 198.1]; due to oversight [Π410.1]

**oversimplification:** [4124.1]

**oversize:** [K507.0]; oversize components [K510.1]; oversize in ... diameter (C78.1J; oversize on the diameter [Π2512.1]; were rough machined 0.38 mm oversize [Π665.1]

**overstate:** it is hard to overstate the importance [T481.1]; overstate the effects [Π2053.1]

**overstatement:** gross overstatements [Б248.1]

**overstress:** importance of ... cannot be overstressed [HI 172.1]

**overt:** overt symptoms [Я61.1]

**overtighten:** [Π183.1]

**overview:** overview of [0337.2]

**overvoltage:** overvoltage protection [3535.1]

**overwhelm:** [Π2010.3]

**overwhelming:** overwhelming evidence [0482.1]; overwhelming majority of [Π639.3]

**owing:** owing to [Б110.0, B514.0, B1597.3, И219.0); owing to the inability of [И223.1]

**own:** are company owned [Π2403.1]; is 50 % owned by [Π2402.1]; owned by [Π2404.1]

**owner:** all work shall be subject to inspection and acceptance by owner [B961.0]; at the owner's expense [358.1]; owners of... plants [C667.1]

**oxidation:** course of... oxidation [Π2946.1, X29.1); pathway for oxidation [Π3095.1]; protect from oxidation [3542.1]

**oxide-free:** [Б72.1]

**oxygen:** in oxygen [B5.2]; low in oxygen [Б6.0]; oxygen facilities [Y502.1]; poor in oxygen [Б6.0]; under... an oxygen atmosphere [B5.1]

**oxygen-deficient:** [Б6.0, Б6.1]

**package:** [Y303.2]; claims will not be accepted if the package list is not enclosed [Π2106.1); documents are in package No. 1. [Д563.0]; instructions packaged with [И580.1]; number of packages [K259.0]; standard eigenvalue package [C1420.1]; total number of packages [3584.0]; type of packages [B1081.0]

**packaging:** [Y303.1]; packaging area [Y304.1); secure the packaging on ... crate [Π2341.1]

**packing:** [M52.0]; claims will not be considered if  
the packing list is not enclosed. [Б46.0]; date of packing [Д142.0]; packing slip accompanying [01271.1]

**page:** journal was allotted 450 pages [Ж18.1]; normal to page [П247.1]; page count [K264.1]

**pain:** great pains are taken [П2346.1]; taken great  
part [П2349.1]

**painless:** [Б68.1]; making the transition to ... as painless as possible [C399.1]

**painstaking:** were executed with painstaking care [B 1895.1]

**painstakingly:** [C 1429.1]

**paint:** is painted with ... color [0719.1]; to be printed and painted [3146.0]

**pair** [П14.1]; in pairs [П15.1, П1290.1]

pale: pale blue [Б 125.1)

**pallet:** lift... off the pallet [C795.1]

**palletize:** stored palletized [XI 19.1]

**panel:** control panel interconnections [M250.0]; instrument panel lights do not glow [H809.1J]; remove the front panel [C793.1]; with the ... panel removed [П2128.1]

**paper** [Д546.0]; affect the results and conclusions of the paper [C514.1]; body of the paper [0981.1]; companion paper [0581.1]; complete papers [3227.1]; definition of... adopted in this paper [0810.1]; focus of this paper is on [C1437.1]; form the subject matter of this paper [C1091.1]; in a subsequent paper [B645.1];  
in later part of the paper [B454.1J]; in the paper [B428.0, B640.0]; in this paper the concern is with [B430.1]; it is the purpose of the present paper to [П21.1]; list of operation papers [B880.0J]; list of repair papers [B869.0]; literature search failed to unearth any published research of the type reported in the present paper [H399.1]; notified of acceptance of ... papers [Y46.1]; paper attempts [B643.1]; paper concludes by showing... and outlining [B124.1J];  
paper like this [C1436.1]; papers coming from academe [C 1439.1]; papers concerned with [C1441.1]; papers from industry [C1440.1]; points ... raised in the paper [B1411.1]; present paper addresses... leaving... to others [B644.1]; remainder of... paper [01129.1 ]; remainder of this paper addresses [B757.2]; rest of the paper deals with [B757.1]; sequence of papers [C429.1]; since no single short paper could [П1348.1]; subject matter covered in papers [П1744.1]; subject of the present paper [T139.1];  
surface ground on ... paper [П35.1], there are many papers [И492.1]; this paper [B640.0]; this paper concentrates on [B642.1]; this paper has summarized some aspects [B641.1]

**parabolic:** in a roughly parabolic way [П2189.1]

**paradox:** gives a paradox [П2233.1]

**paragraph:** [A50.1, П3076.3]

**parallel:** [A127.3]; aligned parallel to [P400.1]; are operated in the series (parallel) mode

[P68.1]; draw a line parallel to [П2683.1]; in parallel [C970.1J]; in parallel with [0582.3, П18.1]; in parallel with ... has been a search [П19.1]; in parallel with this [П20.1]; is drawn parallel to [П2690.1]; parallel with this exercise [0585.1]; parallels [A137.1, Б293.1, C1012.5]; this is paralleled by [0584.1]

**parameter** parameter ... in collapsing the data [K394.1]; scaling parameters [H1861.1]; settled on the following choice of... parameters [01155.1]; simulation predicted parameters [П23.1]; tolerance of... to ... process parameter variations [Д655.1]

**parametric:** parametric study [П24.1]

**paramount:** is paramount [И397.2]; of paramount  
concern to ... rather than [Д326.1]; paramount consideration [B795.1]

**pare:** pare away [C982.1]

**parent:** [И829.3]; parent enterprise [Г86.0]

**parentheses:** [K506.1]

**parenthetically:** [3308.1]; parenthetically, it should  
... be mentioned [П1308.1]

**parlance:** in modem parlance [B773.1]

**parsing:** [A107.7]

**part:** [Д269.1, Y599.2]; all parts orders [3217.1]; any ... parts [B998.1]; are an integral part [Я19.1]; as part of this agreement (C932.1); at part load [H76.1]; be part of the reason [Б316.1]; bear part of the responsibility for the fact that [H1643.1]; burst into four parts [P219.1]; catalogue of parts and units [K194.0]; constitute an important part of [Я12.1]; do not intermix ... parts [H1075.1]; drill... to receive part [C271.1]; due in part to [43.1]; for the most part [Б238.1]; for the most part are attempts to [П327.1]; for their part [C 114.1]; forming part [Я39.1]; forms a part [C1097.1]; group set of spare parts [Г146.0]; have included as part of their programs [Bl 109.1]; in later part of the paper [B454.1]; in part [01584.1, 42.1]; integral part of [H1457.1]; integrating by parts [И588.2]; integration by parts [И588.1];  
is part of [B1675.1]; is subdivided in two ... parts [P207.2]; list of spare parts furnished at extra cost [B871.0]; list of spare parts [B872.0]; number of parts per unit [K255.0J]; of ... are only a part [C1098.1]; on the part of [C103.1, T441.1]; one part of the picture [0593.1J]; part description [H288.1]; part load operation [P24.1]; Part Number [Cl 175.2]; part of the problem is that [46.1]; parts breakdown [Cl 175.2]; parts of the electrical industry [Э75.1]; parts requisition [3551.1]; play a part [И92.1]; play some significant part in [И86.1]; rinse the assembly parts [П2849.1]; selection of parts [K297.0]; separating the real and imaginary parts [P198.1]; set of spare parts [K291.0]; spare parts [3379.0]; spare parts allowance list [H1868.1]; takes part in [П2435.2];  
there is no great interest on the part of ... to

build [Y9.1]; there may be the temptation on the part of [Y4.1]; to a concentration of 1 part ... to ... parts ... by weight [B162.1]; to play a part [I84.0]; to save time send all orders for parts to the nearest branch office or agent [D422.0]; to set this study in the context of a wider investigation, of which it is a part [P466.1]; when ordering this part be certain to specify [II2073.1]

**part-time:** part-time teaching [II2026.1]

**partial:** [HI 288.1, 49.1]; partial derivative equation [Y352.1]; partial derivative of ... with respect to [E277.1]; partial derivatives of ... with respect to [414.1]; partial explanation for ... could lie in [412.1]; provides partial verification of [45.1]

**partially:** are only partially explained [T321.1]; is only partially effective [E226.1]; is shipped partially disassembled [01267.1]; partially or wholly [44. Ij]; this has been attributed partially to [01585.1]; wholly or partially [II1042.1]

**participant:** [Y598.1]; registered participant [3431.1]

**participate:** to participate at the ... conference [II2437.1]; to participate in [II2435.1, Y596.1]

**participation:** participation fee: [B 1065.1]

**particle:** foreign particles [II1471.1]; if spherical particles are assumed [E76.1]; particle size analysis [Φ56.1]

**particular:** [K320.1]; in particular [B759.1]; in particular, questions remained as to [B760.1];

in this particular instance [B556.1]; of particular concern are [01071.1]; particular attention has been paid to [01066.1]; particular case of [413.1]; particular embodiment of the invention [K321.0]; particular mention should go to [01069.1]; particular problems are encountered in [01075.1]; particular solutions to equations [416.1]; with a particular emphasis on [II2573.1]; with particular attention to [Y116.3]

**particularly:** [B759.2]; and particularly so when [01047.1]; in particularly hostile environment [B630.1]; is adopting a particularly hard line on [II2692.1]; is particularly interesting in that [01038.1]; is particularly suitable for [01049.1]; it is particularly notable [01039.1]; it is particularly to be noted that [01041.1]; need to ... became particularly urgent [H1403.1]; particularly accurate [01048.1]; particularly comprehensive study [01052.1]; particularly in relation to ... n rather than [E202.1]; particularly in the ... cases [01034.1]; particularly so since [01043.1]; particularly welcome in what [01040.1]; particularly when [01035.1]; plays a particularly important role in [I87.1]; they are to be particularly commended for their [01058.1]; this applies particularly to [E 169.1]; this invention relates in general to... and more particularly to [H574.1]; this is

particularly so if [C508.1]; this is particularly true [C507.1]; this was particularly so [C511.1]

**particulars:** elaborate on the particulars of [II801.1]; in all of its particulars [B309.0, B309.4]; modified for the particulars of [I296.1]

**partitions:** partitions are required to [01199.1]

**partly:** [42.2]; partly broken away view [B1077.0];

reason for this is partly [0386.1]

**party:** [C1470.2]; centrally based maintenance parties [II45.1]; if mutually agreed by the parties [II2058.1]; parties concerned [3215.0]; parties to the test [0904.1]; to be party to [II2435.3]

**pass:** [II2998.3]; as time passes [C122.4]; checked

and passed as in perfect order [II204.0]; know-how is passed on through [II99.1]; line ... passed through the data [II2682.2]; passed all the checkout criteria [II3008.1]; passed beyond the control [B2043.2]; passed the ... test [B1792.1]; passed through [II2889.1]; passed unnoticed [0671.1]; passes... back to [B1274.5]; passes... downward [upward] [II3000.1]; passes ... to [II105.1]; passes through a minimum [II3014.1]; passes through [II3012.1]; straight line passed through the data [II3057.1]; to pass back to [B1263.0]; to pass out of existence [B2048.0]

**passage:** [M140.0]; after the passage of [II374.1]; passage of ... through [II2997.1]; with the passage of time [C122.2, C 122.3]

**passing:** merit more than a passing glance from [3454.1]; only passing reference will be made [Y319.2]; passing ... water through [II2887.1]

**passport:** valid passport [H1553.1]

**past:** [0698.8, II 1192.1]; are all a thing of the past

[B993.1]; attempts have been made in the past [P349.1]; consistent with their past performance

[K72.1]; day when ... is long past [B1513.1];

during the past year [B427.1]; flow leakage past

[Y562.1]; has barely changed over the past [M26.1]; have received considerable past attention [Y120.1]; however understandable in the past [K54.1]; in the past [B422.1]; in the past it was generally considered [B425.1]; in the recent past [B423.1, HI 185.1]; is a thing of the past [Y579.1]; more frequently than in the past [436.1]; over the past ... years [B709.1, 340.0, 340.2]; past 25 years [II3037.1]; past and present data [C1432.1]; past history [II1945.1]; perceived in the past [II1899.1]; received little much emphasis in the past [B426.1]; to be past [M183.0]; until the recent past [D441.2]; was continued past [II2916.1]; when the ... has decreased past [II1376.1]

**paste:** pasted to [II2333.3]

**patching:** patching together the results [0355.2]

**patent:** are patented [3381.1]; covered by ... patent [II775.1]; date of patent [D129.0]; get around the patent [0282.1]; infringe on ... patents [II774.1]; infringed on ... patents

- [H514.1]; infringement of ... patent rights [H528.1]; liability for infringement of letters patent [01237.1]; patent... granted [B1768.1]; patent... issued [B1768.2]; patent date [Д120.0]; patent infringement suit [И641.0]; patent pending [B1401.1]; patent portfolios [П1328.2]; patents royalties [Л60.1]; patented article [И214.0]; pending patent [3559.0]; portfolio of ... patents [П1328.1]; prosecution of a patent application [B864.0]; specific application of... is a patented feature of [3380.1]; terminal date of prior patents [Д125.0]; to amend a patent specification [B 1230.1]; to file for U.S. patents [П627.1]; to grant a patent [B1768.0]; to issue a patent [B1768.0]; was granted ... patents by the United States [П1156.1]
- path:** be stuck on a path of [3478.1]; devious paths [0701.1]; further... studies might continue along two paths [Д107.1]; in the path of [Л38.1]; path ... route [П3093.2]; path to be followed if ... is to be developed [П3096.1]; seek an optimum path between [И643.1]
- pathway:** pathway for oxidation [П3095.1]; path-way of the ... reaction [X30.1]
- pattern:** [3104.0, 3253.0, K184.0, C1594.4]; characteristic pattern [XI 9.1]; clear pattern between [480.1]; discernible pattern [Я43.1]; does not follow this pattern [B941.1]; fit a well-defined pattern [И461.1]; follow ... general pattern [C591.1]; follow the pattern [П2829.1]; follows no specific pattern [3106.1]; freezing patterns [K187.1]; general pattern... continues at [K186.1]; hierarchical pattern [П1333.1]; in a criss-cross pattern [K472.1]; made to pattern [И202.0]; orderly pattern whereby [Y327.1]; pattern ... of the holes [P410.1]; pattern ... pattern [C1597.1]; pattern of loading [C1595.1]; pattern of [3254.1, K184.1]; patterned after [И193.1]; pressure pattern [P417.1]; shows a consistent pattern [C1 133.1]; staggered ... pattern [П19.1]; transient pattern [П206.1]
- paucity:** great paucity of [Б231.2]; paucity of [M18.1]; paucity of... data [H1206.2]; paucity of information [HI 206.1]
- pay:** considerable attention was paid to [Б239.1]; is causing greater attention to be paid to [3471.1]; major attention has to be paid to [0987.2]; particular attention has been paid to [01066.1]; pay any consideration [B1865.1]; pay for themselves in less than [0732.1]; pay for themselves many times over [M214.1]; pay heed to [П2408.6]; small price to pay to ensure [Д367.1]; special attention ... be paid for [Y116.1]; until after ... has been paid [n962.1] were forced to pay considerable attention to [П2567.1]
- payback:** payback period [П231.1]
- payment:** proof of payment [K214.1]; receipt for the payment [P366.1]; refunding of test payments [B1278.1]
- peak:** [Д708.3, M9.1, M12.1]; peak has been reached [Д708.2]; peaked [Д718.1]; peaks ... are apparent [B1092.1]; set for peak power [Y466.1]; times of peak demand [П230.1]
- peak-to-peak:** peak-to-peak amplitude [P251.1]
- peculiar:** [01055.1]; behaves in a somewhat peculiar manner [B944.1]; in a manner which is peculiar to [C1 181.1]; peculiar to each [C1182.1]; peculiar to [П2543.4, C341.1]; were not peculiar to [X16.1]
- pedigree:** strong financial pedigree [H274.1]
- peel:** peeled off from [01519.1]
- penalize:** [П2237.1]
- penalty:** efficiency penalty [C777.1]; imposes a penalty in the form of [П2238.1]; length penalty [П2781.1]; penalty... against [Д626.1]; penalty in [П2779.1]; penalty in ... be overcome [K279.1]; penalty of [П2780.1]; penalty of... against [Д626.2]; pressure drop penalty [П1516.1]; without a significant penalty in accuracy [Б 10.1]
- pending:** [B32.3, Д435.3]; is pending [0606.1]; patent pending [B1401.1]; pending application [3557.0]; pending introduction [Д436.1]; pending patent [3559.0]
- penetrate:** [П2864.1, П3005.1]; penetrate inside [П2862.1]; penetrate the full length [П2863.1]
- penetrating:** was extensive and penetrating [01400.1]
- penetration:** market penetration [0924.1]
- people:** independently by... two people [H1224.1]; people knowledgeable in [C1163.1]; subject of ... debate among people in the ... field [П1747.1]
- pen** [B590.9, 31.0, C905.1]; adjust... per [01509.1]; as per [B494.0]; as per your request [B496.1]; by ... per cent [H7.1]; did not function as per design [P76.1]; direction ... is as per the direction arrows [H472.1]; extra ... compressor per [0486.1]; hr running per annum [4103.1]; number of blades per stage [499.1]; number of parts per unit [K255.0]; once per... revolution [0494.1]; per cut [350.1]; per manufacturer's instructions [C908.1]; per se [K126.2, П489.2, C197.3]; per unit ... How [H57.1]; per unit length [H56.1]; per unit time [B69.1]; per year [E31.0]; perform ... adjustment per [B1908.1]; scope of delivery per item [K294.0]; taper ... mm per... mm [K367.0]; units per assembler [C1 175.2]; valued at... per [П507.1]
- per-capita:** per-capita consumption of [П1521.1]
- perceive:** perceived benefit [01703.1]; perceived in the past [П1899.1]; to perceive [B1427.0]
- percent:** 15 to 25 percent higher [Б206.1, B2066.1]; accuracy better than 1 percent of [П601.1]; allowable casting wall thickness difference is not to exceed 10 percent of the wall thickness [Д664.0]; amounted to between 10 and 15 percent [Д705.1]; are about 50 percent lower [3319.1]; balances closed to within one per-

cent [B3.1]; based on 100 percent [E80.1J]; between 30 percent and 70 percent [01202.1]; by ... percent of [H122.1]; by only a few percent [B 1570.1]; compare within two percent of [C874.1]; design point of 83 percent effectiveness [P558.1]; deviations ... are 12 percent at their maximum [P543.1]; dropped to 75 percent of its maximum value [Y261.1]; ensures essentially 100 percent [Γ17.1]; in ... percent of cases [B573.2]; in ... percent of the instances [B573.1J]; increase... percent [Y61.1]; increase of ... percent [Y54.1]; occur 100 percent of the time [Π2820.1]; one quarter of one percent [477.1]; only 40 percent as much ... as ... removed [T312.1]; percent chromium [Π3022.1]; percent of the time [B573.3J]; predicted by those methods could be as much as 100 percent in error [P551.1]; remaining 20 percent [01144.1]; to lie within 2 percent of... correlation [01343.1]; was ... percent high [3134.3]; was 5 percent of [C1093.1]; was reduced by as much as ... percent [Y255.1]; with 50 or more percent [C954.1]

**percentage:** [Π3023.1]; is a sizable percentage of [C1078.1]; percentage reduction in [01427.1]; substantial percentage [3609.2]

**perceptible:** (3289.0); hardly perceptible [E9.1]; just perceptible [E9.3]

**perceptibly:** [3294.1]

**perfect:** [A51.0, И98.0]; checked and passed as in perfect order [И204.0]; perfect choice in [И99.1]; perfected [C849.1]

**perfection:** to perfection [И95.0, И95.1]

**perfectly:** almost perfectly periodic [Π 1549.1]

**performance:** [B1370.1]

**perform:** does not perform correctly [P64.1]; experiments are performed [Π2697.1]; has performed satisfactorily for (Y160.1); never perform maintenance if the caution is not put up [3411.0]; operation is performed [B1890.1J]; operations performed [C936.1]; perform ... adjustment per [B1908.1]; perform ... function [B1901.3]; perform ... maintenance operations [B1891.1]; perform ... task [B1880.1]; perform his duties [B1887.1]; perform reliably ... in hostile environments [H263.1J]; tests were performed [Π2689.1]; to perform [B1873.0]; to perform a function (B1901.0J); was performed as planned [B1882.1]

**performance:** [B1866.0, 01171.1, P1.5, P105.1, X5.2]; are good representations of the performance [X60.1]; as important to performance as [T27.1]; capable of... performance [C1220. Inconsistency of performance [C1349.1]; consistent with their past performance [K72.1J]; degrades... performance (Y586.1); dependable ... performance [H272.1]; deterioration in performance [Y592.2]; detract from ... performance [Y586.2]; economy and performance of [Э13.1]; enhances ... performance [Π586.1];

important performance index [B780.1]; is not acceptable for good engine performance [H1546.1]; loss of performance [Y592.1]; made

... difference to the performance [И267.1]; marginal in their ... performance [P59.1J]; measures of performance [Π969.2]; off-design performance [P5.1]; off-specification performance [P18.1]; on-design performance [P7.1]; performance ... indicators [Π969.1]; performance ... was ... noisy [И307.1]; performance differential [P278.1]; performance figures are at [P1 06.1]; performance in rugged applications [P9.1J]; performance of... tests [Π2615.1]; performance of the technician [B1871.1]; performance requalification [Π69.1]; performance testing [Э54.2]; performance tests [Э54.1]; recovery of performance with time [B1441.1]; takes its toll in the performance [H454.1]

**performer** good performer [X72.1]

**performing:** [B1866.0]; be careful while performing the following procedures [B358.0]; ensure the instrumentation was performing properly [Y31.1]; is performing on schedule [Y222.1]; is performing satisfactorily so far [Π964.1]; performing a change of variable [Π2789.1]; performing uniformly in [01175.1]; responsibility of performing [0420.1]

**perhaps:** [B1296.0, M306.0]; common method, although perhaps not the best [0307.1]; could perhaps be [M395.1]; due to ... or perhaps something else such as [0275.1]; perhaps a more useful objective would be [B1307.1]; perhaps an indication of [B1316.1]; perhaps the author would like to comment [M307.1]; perhaps the authors could clarify this point [M308.0]

**perimeter:** around the perimeter [Π436.1]

**period:** after some extended period of time [Π377.1]; after the expiry of a period of [Π378.1]; at the expiration of such period [Π379.1]; break-in period [Π232.1]; brief ... period [K387.1]; development periods were reasonably relaxed [C1333.1]; during the period ... to [335.1]; encompassed a three-day period [3329.1]; expiration of overhaul period [B1935.1]; for a long period of time [B703.1, B703.2]; for a period of days to weeks [B701.1];

for an extended time period [B707.1]; for an indefinite period [B706.1]; heating period [01481.1]; in ... time period (B632.0J); in very short time periods [B636.1]; initial time period [H710.1]; is averaged over ... period [B276.1]; is entering a period [B1641.1]; is succeeded by a period of [352.1]; long period of exposure to the atmosphere [Д305.1]; long time period [Д307.1]; loss during its startup period [Y42.1];

one of the most distinguished ... of the period [0513.1]; over a longer period of time [336.1]; over a specific time period [B704.1]; over a very short time period [338.1]; over an extended period of operation [B708.1]; over long

- periods of time [B703.3]; over the same period [B338.1]; payback period [Π231.1]; period of grace of one month of [01527.1]; period of operation [Π233.2]; period of running [Π233.1];  
 period out of operation [Π227.1]; probationary period [И767.1]; prolonged period of time [Д307.2]; shut down ... any extended period of time [01148.1]; these ... encompassed a three-day period [H206.1]; towards the end of the ... period [K8.1]; transient period [Π203.1]; warrants ... be free of defects in material and workmanship for a period of one year from date of [Г16.2]; warrants ... to be free from defects in materials and workmanship for a period of one year from the date [Г16.1]; warranty period [Г7.2]; was still within the warranty period (Г9.1); which is expected to stretch over an 18-month period [B1868.1J]; within a period of six months prior to [HI 051.1];  
 within the period ... to [335.2]
- periodic:** almost perfectly periodic [Π1549.1]; is not periodic at all [B1377.1J]; on a periodic basis [H96.1]; periodic procedures [Π239.1]; periodic scheduled inspections [Π238.1]
- periodically:** [Π241.2]; examine ... periodically [Π2645.1]
- perish:** perish and ruin [Г147.1]
- perishables:** [C542.1]
- permanent:** being of permanent interest [Π 1868.1];  
 permanent damage (H1469.1)
- permanently:** permanently altered [H1525.1]; permanently damaged [H1470.2]
- permissible: [Д652.0]; maximum permissible [M5.2J]; may be permissible [M309.1]
- permission:** is published by permission of [Π3073.1]; requested permission from ... to [0237.1]; requests for permission to translate [Π2944.1]
- permit:** as resources permit [E70.1]; do not permit  
 us to make predictions [H995.1]; is not permitted [H843.1]; is not permitted unless approved by (Д665.1); is permitted [P317.1]; modified ... in such a way as to permit [Y421.1]; no ... is permitted [H1048.1J]; permit access to [040.3]; permits ... to be written as: [Π906.1]; permits the calculation of [Π904.1]; regulations permit [Π1618.1]; tanks shall not be permitted [H1050.1]; to permit [Д656.0]; under no circumstances should... be permitted to get [H1695.1]; was not permitted [H840.3J]; will permit calculation of... as a function of [Π926.1]
- permitting:** permitting ... to be varied [Π909.1]
- perpendicular:** mutually perpendicular [B 1045.1];  
 perpendicular to [Π248.1]
- perpetuation:** [Y48.1]
- persist:** if trouble persists [E1 55.1]; persist for a long time (C1 144.1); persisted for a significant time [C1 144.2]; persisted **for** only [C1 143.1]; persists to the end [C1145.1]
- persistence:** [C 1462.2]
- person:** [Л61.0, 441.1]; any person other than the [Л125.1]; being present in person [Л66.1];  
 employment at the plant is... persons [491.1];  
 evaluation by persons not involved [01641.1J];  
 name and signature of person in charge of storage [Д595.0]; natural or legal person [Ф26.1]; no less a person than [H1763.1J];  
 person in authority [Π1031.1]; person in charge of (Л63.1); persons working in the field [C1162.1]
- personal:** personal judgement [C1525.1]; receives for their personal use and retention [Π1127.1]
- personnel:** [Л61.0]; be within the capability of... operating and maintenance personnel [B 1669.1]; direct hazard to personnel [HI 485.1];  
 managerial and executive personnel [A84.0];  
 operation and maintenance personnel [Э50.1];  
 personnel relied upon to carry out... emergency procedures [Π249.1]; personnel required to [490.1]; personnel responsible for ... shall be trained in the use of [Л64.1]; personnel training [0280.1]; precautions were erected towards personnel exposure to [Б366.1]; reduced ... management personnel [C983.1]; senior personnel [P776.1]; service personnel [Э49.1]; well qualified personnel [B1989.1]
- perspective:** [K 184.0]; alternative perspective on  
 [H1578.1]; for perspective [Д369.1]; from the perspective of [C 124.3]; from the perspective of [C124.4J]; in order to bring the magnitude ... into perspective [4203.1]; set... in perspective [0825.1]; some perspective may be obtained [H1296.1]; to obtain a perspective [4202.1]; to place ... in ... historical perspective [0820.1]; to place in perspective [0360.2]; without perspective [Б61.1]
- persuasive:** in a simple yet persuasive manner [Π2924.1]; persuasive evidence that [Y22.2]
- pertain:** as pertains to [01457.6]; pertains strictly to [01453.1]
- pertaining:** pertaining to [K192.0, 01457.1]
- pertinence:** in the ... range of pertinence [B103.3]
- pertinent:** [A102.1, И619.2, H1409.1, 01458.1]; directly pertinent to the present study [И513.1]; how pertinent... to [H537.1J]; it is pertinent to inquire [Y284.1]; it is pertinent, at this point, to remind [3567.1]; pertinent points [A103.2]; pertinent question [A103.1]; pertinent to [5136.1, 01457.7]
- perturb:** is the yield ... suitably perturbed to allow  
 for creep [C1027.1]
- perturbation:** [B 1336.1]
- pervasive:** is pervasive in [P442.1]
- pessimistic:** [3133.3, H1358.2]; to produce a pessimistic result [Д60.1]
- phantom:** phantom view [A87.1]
- phase:** are 180 deg out of phase [H641.1J]; conceptual and preliminary phases of ... design [Π1946.1]; conceptual design phase

- [Э96.1]; development in phases [П1572.1]; go through many ... phases [П3015.1], growth phase [П234.1]; in the conceptual design phase [H193.1]; in the preliminary design phase [H1 92.1]; initial operational checkout phase [П3085.1]; initial phase of the work will concentrate on [H199.1]; is ... degrees out of phase [C385.1]; is in phase with [C873.1]; lead ... in phase [K250.1]; leads ... with a phase difference of [0758.2]; phase down [П1985.3]; phase of ... upgrade [01681.1]; phase of testing [Э95.1]; phase out [C343.2]; phase shift [Ф2.1]; phase transformation [Ф3.1]; phased renewal [П1573.1]
- phase-in:** [B843.1]; phased in [П1463.1];
- phase-out:** phased out [П1985.4]; phase-out of [П1999.1]; phasing out [П1467.1]
- phenomenon:** phenomenon [Я4.1]; physical phenomenon [Ф28.1]; preliminary phenomenon to ... is [П1928.1]; this phenomenon will be termed [Б343.1]; unprecedented phenomenon [Б98.1]
- philosophy:** [01007.1]; completed ... master of science and doctor of philosophy degrees [3540.1]; design philosophy [K338.3]; have been based on the philosophy that [01026.1]; philosophy behind the design [П2464.1]; philosophy behind the use of [П2463.2]; underlying philosophy was [B275.1]
- phone:** sent over the phone lines via modem [01492.1]
- photographically:** documented photographically [P602.1]
- photographing:** [Ф53.1]
- physical:** [K334.0, P590.1]; attach a physical interpretation to [П2294.1]; physical arrangement, as shown in [K336.1]; physical evidence [Ф7.1]; physical expectation [0599.1]; physical interest [П1666.1]; physical justification [Ф27.1]; physical meaning of... is more readily grasped [Ф22.1]; physical merit [Ф25.1]; physical phenomenon (Ф28.1); physical reason ... to lie in [Ф20.1]; physical significance remains obscure [Ф23.1]; retains physical significance [C1 141.1]; to give a physical appreciation of [4179.1]; without any physical justification [Б26.1]
- physically:** [C130.1]; cannot be obtained physically [П 1662.1]; not physically feasible [П1654.1]
- physics:** basic ... physics [Ф29.1]
- pick:** to pick [B1854.0]
- picking:** picking list [Л153.0]
- pictorial:** is shown in pictorial view [ИЗ 14.1]
- picture:** [K184.0]; alter... picture [И259.1]; broad picture remains the same [0328.1]; detailed picture [П815.1]; does not enter the picture [H1737.1]; one part of the picture [0593.1]; overall picture [0327.1]; picture of what occurs [K189.1]; picture taking [Ф53.2]; picture was taken [Д233.1, Ф54.1]; to gain a more complete picture [П 1146.1]; total... picture is not as grim as [0336.1]
- pictured:** [0775.3]; are pictured diagrammatically [C1601.2]; as pictured in [ИЗ16.1]; pictured in [П995.2]
- piece:** [Y599.5]; fine piece of [01407.1]; impartial piece of information [B790.1]; make ... in four pieces [И197.1]; piece by piece [П512.2]; pieces an hour [И44.1]; test piece [И770.2]; turn off... one piece at a time [01349.1]; wrap a piece of electrician's tape [0118.1]
- piecemeal:** [П512.1]
- piece:** [П3012.2]
- pilot:** pilot unit [0893.1]
- pin:** drive the pin in [367.1]; ground is provided to pin [C958.1]; secure ... with cotter pin [3255.1]; to pin one's hopes on [B1287.0]
- pinpoint:** [T391.1, T408.1]; to pinpoint the source [0831.1]
- pioneer** has pioneered the use [П66.1]; pioneered by [B1454.1, B1455.1]
- pioneering:** pioneering work [01019.1]
- pipe:** flush out... pipe lines with compressed air [П2759.1]; outside the pipe [C108.1]
- pipng:** consistent with good piping practice [B600.1]; external... piping [H507.1]
- pitch:** arranged on ... triangular pitch [P161.1]; on a ... triangular pitch [C80.1]
- pity:** this is a pity [Э108.1]
- pivot:** to pivot [B 1503.0]
- place:** [M1 40.0, Y475.2]; agreed to within the ... decimal place [C923.1]; ascertaining ... in the first place [B2090.1]; decimal place [Д267.1, 3573.0]; drops into place [B1613.1]; give good insight into what takes place in [X35.1]; hold ... in place [Y128.1]; in place [B1058.0, Y491.1]; in place of [B1 157.1, B1 157.2]; in the first place [B322.0, B322.1, П1948.3]; in their place [B1 160.1]; increased requirements ... place on [П1939.1]; is a convenient place to install [H171.1]; is held in place [Y136.1]; is in place [B311.1]; it does not appear out of place [П331.1]; keep in a cold place [Д265.0]; locked in place so that [H1462.1]; may have taken place [B 1298.1]; mount ... in its place [Y484.1]; no ... can take the place of [H1705.1]; occupies an undiminished place [3332.1]; occupy a firm place [3338.1]; out of place [H895.1]; place... in ... position [Y476.1]; place an order with [П1241.1]; place eyes [П828.1]; place in a safe location [П1240.1]; place more emphasis on the more reliable tests [Y110.1]; place your order with [П1507.1]; put in place [П1440.1]; snap into the place [3531.1]; take place [И409.1]; takes place [01179.4]; takes place in two stages [П2950.1]; takes the place of [И717.1]; taking its place [3337.1]; taking place [П2818.3]; to occupy a place [3330.0]; to place [B1 107.0, 3235.0]; to place ... in ...

historical perspective [0820.1]; to place emphasis on [Д231.0]; to place in perspective [0360.2]; to place in service [B844.0]; to place it at a disadvantage [C 1355.1]; to place on stream [B844.0]; to place one's hopes in [B1287.0]; to place reliance on (B1287.0); to place the responsibility upon smb. for smth. [B1289.0]; to take a place [3330.0]; to take place [И409.0]; to take the place (of) [3279.0]; took the place of [3279.2]; used in place of [И697.1]; using ... in place of [И684.1]; what was actually taking place during [4136.1]

**placed:** [П 1239.1]; be placed in series with [Bill 2.1]; concentration will be placed on [Y378.1]; contracts are placed with [3239.1]; demands placed upon [T427.2]; emphasis ... be placed on [Y 108.1]; emphasis is placed on [Д231.2]; importance ... been placed on [П2287.2]; is ... placed in [01438.2]; is placed across the [И1825.1]; major emphasis continues to be placed on [0988.1]; major emphasis is placed on [0216.4, Y115.1]; much attention was placed on [Y 113.1]; not be placed ... in such a manner as to obstruct [P266.1]; order... placed against an already established contract [3216.1]; placed in [П1244.1]; placed into service [И3082.2]; placed new demands on [П1938.1]; placed on stream [B844.3]; placed strong emphasis on [И2288.2]; placed upon file [3364.1]; reduces the confidence that can be placed to (C769.1); reliance is placed on [B1287.1]; responsibility for ... is placed upon [B1289.1J]; restriction is placed on [H380.4]; specified when the order is placed [Y213.1]; this result indicates that further emphasis should be placed on investigations (Э105.1); was placed along the axis [Y449.1]; was placed in service [B844.2]

**placement:** [P270.1]; placement of a ... requisition [П641.1]

**places:** hard-to-get-at places [T489.1J]; places ... demands on [П1935.1]; places ... in a subservient role to [C1357.1]; places ... limitation on [H366.1]; places a high value on [П2288.1]; places a practical limit on [H381.1J]; places a premium on reliability [П1281.1]; places a premium on [C703.1]; places limitations on ... ability to [0454.1]; places severe requirements on [П1940.1]; stake ... in four places [3526.1]; three fourth places [T468.1]

**placing:** date of placing in storage [Д143.0]

**plagued:** awesome difficulties have plagued [И764.1]

**plain:** [П2928.3]

**plan:** are planned [П281.1]; as currently planned [B593.1]; draw up plans [C1088.1]; in plan [B339.0]; is any further work planned using [П285.1]; is planned for the near future [П286.1]; layout plan [K303.2]; nothing goes entirely according to plan [H786.1]; plan view

[B1077.0]; plan view [П279.2]; planned outages [3394.1]; plans are to proceed immediately with [П287.1]; plans were made ... for [3395.1]; plans were put in hand [П2531.1]; set... plans in motion [3419.1]; there are no immediate plans for [B43.1]; was performed as planned [B1882.1]

**plane:** are aligned with ... planes [H633.1J]; as projected on the ... plane [B410.1]; planes at right angles to each other [B1046.1]

**planning:** are planning to publish [C809.1]; remains in the planning stages [H659.1]

**plant:** [3112.1, Y499.6]; at the ... plant [H59.1J]; broke ground for its ... plant [П2532.1]; comprehensive disposal plant [K288.0J]; employment at the plant is ... persons [491.1]; normal plant conditions [H1854.1]; owners of ... plants [C667.1]; plant maintenance department [01284.1]; plant noise control [B260.0]; product of the plant [П2761.1]; right at ... plant location [П3066.1]; shipment from the plant [И207.0]; throughout the entire plant kingdom [B 196.1]

**plate:** classical vertical plate case [K219.1]; plated to a thickness of [П1001.1]; rating plate [П29.1]

**plateau:** [Y512.1]; reaches a plateau [C1397.1]

**platform:** platform specific data [Д115.1]

**plausible:** [B913.1, П1604.1]; equally plausible [B669.1]; is plausible [П1606.1]; plausible explanation for [П1605.1]

**play:** are called into play [B839.1]; comes into play [B 1638.1, H714.1]; determine the spacer thickness to eliminate play [Д416.0]; play a conclusive role [И90.4]; play a dominant role [И90.1]; play a part [И92.1]; play an adverse role [0626.1]; play an important role in [И85.1]; play second fiddle to [3345.1]; play some significant part in [И86.1]; played ... a minor role [И91.1]; played a major role in [И85.2]; plays a particularly important role in [И87.1]; plays a secondary role [И89.1]; side or axial play [0926.1]; side play or end play [0926.2]; to come into play [B1638.0]; to play a part [И84.0]; to play a role [И84.0]; to play back [B1434.0]

**player:** be the dominant player in [И90.2]; key... players in the oil,... industries [K226.1]

**please:** as we may please [K91.1]; enclosed please find [П2123.1]; leaves us ... as we may please [01133.1]; please acknowledge [П2903.1]; please find copy of [H576.1]; please

see overleaf for [C744.1]; we could not be more pleased with the outcome [P655.1]

**plenary:** plenary... lectures [П296.1]

**plenty:** plenty of [M193.0, M228.0]

**plethora:** plethora of [B240.2]

**plot:** are ... plotted on the same scale [П 1486.1]; are plotted against [П1485.1]; are plotted separately [H443.1J; carpet plot [HI 852.2];



curve plotted from the theoretical formula [K477.1]; data was ... reduced to plots [0179.1]; is plotted against [Π1842.1]; is plotted on the ordinate [01322.1]; non-dimensional plots [Γ120.1]; plot... is generated [C1513.1J]; plotted against [H450.1, C 1512.1]; plotted as the abscissas [01321.1]; plotted on the ... graph [H449.1]; results plotted in Fig [Π1197.1]; sets of three plots [C427.1]; to plot the data on the ... graph [H448.1]; versus ... plot [Γ122.1]; when plotted [Π2113.1]

**plotting:** for convenience in plotting [Д410.1]

**plug:** [365.1, 3508.1]; add oil as necessary to maintain the level at the bottom of the fill plug hole [Д600.0]; insert the mains plug into [B1608.1]; is plugged into ... power [Π726.3]; plug ... into [B1608.4]; plug the ports [3139.1]; plugged up [368.1]; to plug [365.0, 3138.0, 3264.0, 3507.0]; to plug into [B1608.0]

**plumb:** [B916.1]; be plumb or level and square with [И112.1]; is plumbed in [Π726.1]

**plumbing:** plumbing, electrical and dueling installations [B1252.1]

**plurality:** is provided with a plurality of [C756.1]

**plus:** [A41.2, B2065.4, Д737.1]; plus several others

[Π322.1]; tolerance ... plus or minus [Д649.1]

**point:** [B1391.0, M140.0, M241.0, C749.2]; anchor

point [M1 36.1]; another point worthy of mention [B1396.1]; are at a point in our development program, that [H677.1]; as a case in point [4144.1]; as a point of reference [Д396.2]; as pointed out earlier [K100.1, K135.2]; as was pointed earlier [K100.2]; at a given point in time [H75.1]; at a point [B211.0]; at some point during [B221.1]; at some point in the process [B221.2]; at that point in time [B70.2]; at the point of [H39.1]; at the point of need [T500.1]; at the wrong point [H776.1]; at this point in time [B219.1]; at this point [B224.2, 3562.0, H202.1, Π2167.7]; at which point [Π1380.3]; bring up the ... point [Π753.2]; but some conclusions can be drawn at this point [A1 13.0];

but the main point is that [H1 784.1]; carried to a point of [Д493.1]; clarify this point [Π3055.1];

clear up this point [Π3055.2]; crossover point [T372.1]; data point [Э37.1]; design point of 83 percent effectiveness [P558.1]; developed to a point where [P302.1]; deviant data point [B1864.2]; discrepant point [B1864.1]; dwell on

this point [01152.1]; from the point that [B222.1]; from this point on [H734.1]; from this

point to the conclusion (C35.1J; guarantee point testing [Γ12.1]; has repeatedly pointed out [H1443.1]; have half a point [H460.1]; important point is that [B802.1]; in this connection, it should be pointed out that [B507.2]; increased to a point where [Y67.1]; inflection point [Π127.1, T371.1]; is affected to such a point that [Y589.1]; is at a truly exciting point [H670.1]; is pointed in directions [P183.1]; is

preferred from ... point of view [Π1817.1]; is to the point [01674.1]; it is pertinent, at this point, to remind [3567.1]; it is pointed out that [01423.4]; it should be mentioned at this point that [3565.1]; it was pointed out that [Π884.1]; just outside the point [C1295.1]; key point to keep in mind [Γ51.1]; lubrication point [M149.0]; make the important point that [0217.2]; one bothersome point is that [H1603.1]; one point on terminology [T192.1J]; one slightly disturbing point ... was their repeatability [H1604.1]; operate much beyond the ... point [P51.1]; outside the point [363.1]; perhaps the authors could clarify this point [M308.0]; point is however, that [Д252.1]; point is that [Д251.0]; point of departure [01494.1]; point of emphasis [0969.1]; point of interest [И606.1]; point of interest was whether or not ... would [H403.1]; point of much value to [B1397.1]; point was made ... that [0217.1]; point... settled: [P315.1, P719.2J]; pointed downward [H484.1]; pointed out the need to [Y208.2]; pointed to the possibility [Y206.1]; project has progressed to the point where [P26.1]; raises an ... point [Π753.4]; should point toward [Д574.2]; slashed to the point where [Y365.1]; starting point [01494.2, Π 1424.1, Π 1425.1]; stray point [C718.1]; sub-

sequent to this point [364.1, Π1383.1]; surely it is not stretching a point too far to say [И35.1]; test point [Э37.3]; there is little point in choosing [B1714.1]; there is little point in considering [H1650.1]; there is little point in [H1649.1]; there is no point in [H1651.1]; this latter point [Π1391.1]; this point cannot be resolved without (Э100.1); this point was also made by [H203.1]; to a point where [H567.2]; to highlight the most important point [01153.1];

to illustrate this point [C172.1, 4208.1]; to point [Γ66.0]; to the point of [H567.1]; to the point that... is no longer applicable [B1474.1]; to the point where [Д471.0, Д471.1]; took as its

starting point [01495.1]; turning point [Π553.1];

unknown at this point [Π954.1]; up to the point of fracture [B1472.1]; we are now at the point of being able to [T175.1]; we shall return to this point later [M406.0J]; we shall try to point out [Π1606.1]. (См. также points).

**pointer,** pointer should swing 45% [C 1484.1]

**pointing:** is pointing downward [0244.2]

**pointless:** it is pointless to [B101.2]

**point-of-view:** are not only interesting from a ... point-of-view [И609.1]

**points:** additional points [Д643.1]; all of whose points (B1021.1); by joining the points ... one obtains [C963.1]; embodies all the points of concern [01614.1]; enough points of disagreement occur to indicate [K262.1]; fit a straight line to ... points [Π2693.1]; index points [E1 2.1]; individual points have been omitted

for clarity [4192.1]; line is drawn through the points [Π2682.1]; number of lubrication points [K265.0]; pertinent points [A103.2]; points ... raised in the paper [B1411.1]; points left out [B1410.1]; points out the danger of [Y209.1]; points to [Y201.2]; several points need to be made [H1386.1]; several points of interest are apparent from [A109.1]; spread of the data points [P173.1]; terminal points of supply [Γ115.1]. (См. также **point**).

**poise:** were poised on the brink of [H678.1]

**polarity:** polarity is reversed [И266.1]

**police:** police safety procedures [C581.1]

**policy:** as a matter of policy [C400.1]; maintains an aggressive ... policy [Π2691.1]; standby policy has always been to [Π1028.1]

**polish:** hand polished [Π1026.1]; polished ... to a mirror finish [Π1027.1]

**pollution:** [3147.0]; air pollution control [B261.0];

environmental pollution [3148.1]; hazard of atmospheric pollution [0744.1]

**polynomial:** were fit to a third-order polynomial equation [A152.1]

**poor:** [Π309.1]; in poor state of repair [B613.1]; it

is ... poor economy to [H1687.1]; poor health of the ... industry [H1673.1]; poor in oxygen [B6.0]; was in poor agreement with [Y161.1]; were in a poor state of repair [T432.1]

**poorer:** [X127.1]; of even poorer quality [E197.1];

poorer atomization quality [H1731.1]; poorer than [X128.1]

**poorly:** compared poorly [Π315.1]; poorly designed [Π318.1]; were poorly defined in comparison to [M96.1]

**pop-off:** premature pop-off [Π 1970.1]

**popular:** are increasingly popular [Π2489.1]; be popular [Π1217.1]; being the most popular [Π1228.1]; contrary to popular belief [B1389.1];

has become popular [Π2487.1]; rapidly proved popular with [B291.1]

**popularity:** [И601.0]; decreased in popularity [И603.1]; to be ousted from popularity [B2048.0]; were ... ousted from popularity [B2048.2]

**porosity:** loss of porosity [Y279.1]

**port:** FOB North American port [И850.0]; plug the ports [3139.1]; to port hydraulic power to [Π681.2]

**portability:** [Π1326.1]

**portfolio:** [A163.1]; patent portfolios [Π1328.2]; portfolio of... patents [Π1328.1]

**porting:** porting of hydraulic power to [P416.1]

**portion:** [Д603.0]; close-up view of a portion [430.1]; middle portion [C 1317.1]; portion of ... due to [Д605.1]; portion of the available results [431.1]; portion of the reduction ... must be attributed to [48.1]; significant portion of [3609.1]; upper [lower] portion [B922.1]

**portray:** are portrayed as [Д4.1]; are portrayed by [И313.3]; as portrayed (K102.0); as portrayed

at the right [K104.1]; portray a sequence of events (0783.1); to portray [Д3.0, И313.0]

**pose:** constraints posed [0443.2]; does not pose a serious problem [H1020.1]; hazard posed by [0748.1]; insufficient to pose a ... hazard [H927.1]; meet the challenges posed by the [P721.1]; pose a ... constraint on [H366.2]; pose a real technical challenge [Π1879.1]; pose a significant threat to [Π1880.1]; pose grave danger to [Π1853.1]; pose risks to [Π657.1]; poses problems [B1782.1]; problems ... pose (C1592.1); properly pose [Π1624.1]; should not pose too great a problem [H795.1]; to pose [B1777.0]; to pose ... corrosion threat [Y84.1]; to pose ... questions [3154.1]; to pose a threat [Γ129.0]

**position:** [Д593.0, Д595.0, Т369.2, Y475.4]; 7 o'clock position [H1725.1]; accepted an equity position [Π2427.1]; are in a position (Π1129.1); are in a position to (B301.2); are in no position [B312.1]; are in operating position [H644.1]; are located at the... position [H636.1]; assume ... position [Π2425.1]; at any length position [B 189.1]; at several intermediate positions [B355.1]; at the position [B186.0]; attained a key position [3346.1]; be left untouched in the original... position [01131.1]; change from the present position [И249.1]; check that ... is correctly positioned for [Π2660.1]; commands a respected position [Π1219.1]; filled the senior positions [3325.1]; flip ... to an up position [C383.1]; held ... in position [Y123.1]; held in a vertical position [Y132.1]; hold a senior position on [3324.1]; hold in the desired position [Y 133.1]; however, the position was taken that [0558.1]; in... off positions [B351.1]; in its ... open position [B349.1]; in the «ON» position [B348.1]; in the extreme position [B353.1]; in the reference position [B352.1]; is assigned a position [01258.1]; is in full position in [Π 1040.1]; is in the up position [B350.1]; is not in position [C384.1]; manipulate the position of [P612.1]; move ... switch to the «on» position [Π1439.1]; moved out of position [C381.1]; moving to an industrial position [Π189.1]; occupies a central position [3349.1]; one ... was positioned in each of [B138.1]; place ... in ... position [Y476. Imposition ... on [H257.4]; position around the circumference [Π1097.1]; position of ... is unclear [Π1101.1]; positioned in staggered arrays [P403.1]; proceeds from the position [H728.1]; relative position of... to one another [Π1099.1]; remained in position [01092.1]; reset ... to operative position [B1267.1]; restored to position (B1266.1); retain a dominant position in [Y125.1]; return ... to center ... position [B899.1]; returns to its original position [B 1272.1]; reverse relative positions [M1 18.1]; rotated ... to an initial position

[П1545.1]; set the ... switch to the «STOP» position [Y478.1]; shift... to ... start positions [П132.1]; should state his business connection the title of his position [Y204.1]; signatory's position [Д1594.1]; support for this position [П867.1]; switches shaft position [П1233.1]; tap ... into position [П1494.1]; topmost [bottom-most] position [C228.1]; to the left of their prior positions [B1128.1]; we are now in a position to [T175.2]

**positioning:** [P408.1]; aid positioning on reassembly [0108.1]; positive positioning [T379.1]; vertical positioning [Y501.1]

**positive:** [A51.1] best means of assuring positive (H354.1); exerts a ... positive influence on [П1105.1]; positive ... balance [П1107.1]; positive exponent greater than unity [П1111.1]; positive in the direction of increasing [П1108.1]; positive positioning [T379.1]; positive protection [H270.1]

**positively:** shown ... more positively [П972.1]

**possess:** possess less tolerance to [M104.1]; possess the requisite [078.1]; to possess [И359.0]; possesses good ... properties [088.1]; possesses the additional virtues [081.1]

**possibility:** [B810.0, B1318.0]; all possibilities ... be exhausted [И844.1]; another possibility is [Д751.1]; are only one possibility for [J85.1]; contained virtually no possibilities for... error [И662.1]; definite possibility [B1334.1]; existence ... is always a possibility [B1564.1]; expressed uncertainty over the possibility of [B1951.1]; have opened the possibility of [01358.2]; it would be myopic to disregard the possibilities of [B382.1]; notwithstanding all of these possibilities [H1614.1]; offer... possibilities [01357.1]; one is left with the possibility that [01123.1]; one possibility is that [0528.1]; opens up many possibilities [01359.1]; pointed to the possibility [Y206.1]; possibility ... dismissed [01218.1]; possibility ... should not be overlooked [H1067.1]; possibility cannot be eliminated [H890.1]; possibility cannot be eliminated that [H1314.1]; possibility of [0742.1]; possibility of ... cost advantages [B1323.1]; possibility of replacing ... was considered [B365.1]; possibility of using ... to advantage [B1319.1]; practical possibility [Ц9.1]; preclude the possibility of [И652.1]; presents intriguing possibilities [01360.1]; preventing the possibility of (П1772.1); real possibility exists that [C1575.1]; reduces possibility of... being accidentally switched on [Y257.1]; suggested the possibility of [H243.1]; suggested the possibility that [H242.1]; there is every possibility of a ... generated [И499.1]; there is possibility (of) [И487.0]; this is a definite possibility [Э120.1]; where there is a possibility of [T108.1]; with the possibility of a [H891.1]

**possible:** [B1329.0, C390.1]; all possible [B1560.0];

all possible precautions [B1562.1]; alternatively, it is possible even probable that [C107.1]; as accurately as possible [B715.1]; as close as possible [П346.1]; as close to ... as possible [K81.1]; as closely as possible [B1306.1]; as early as possible [B634.1]; as much as possible [M3.0, M3.2, H542.1]; as nearly as possible [H542.3]; as painless as possible [C399.1]; as precisely as possible [П347.1]; as soon as possible [K84.1]; at your earliest possible convenience [K229.1]; avoid ... wherever possible [И160.1]; do everything possible [Д194.1];

in every way possible [B1655.0]; in order for... to be possible [4213.1]; in the shortest possible time [33.1]; in this way it was possible [T137.1]; insofar as possible [H542.2]; is a possible indication of [B1305.1]; is it not possible [A33.1]; is it possible, then [C1255.1]; it has proved possible to [0662.1]; it is also possible that [B1313.1]; it is not clear that... are possible (H1689.1); it is not possible to overemphasize the value of [H172.3]; it is possible [B1296.0, T171.1, T172.1]; it is very possible that [B1028.1]; it may not be possible [M290.1]; it must be possible to [H1373.1]; it seems possible then, that [П1577.1]; it was not possible [H262.1, H780.1, П1182.1]; it would be possible (M254.0, П329.1); it would have been possible to [M254.0, M390.1]; it would of course be possible to [M393.1]; made possible by [П1209.1]; makes it possible to [Д193.1, П902.5]; nor is it even possible to do so in the case of [A5.1]; of a wide range of possible [B1560.0, B1560.1]; only possible approach to [E22.1]; out of concern for possible [C169.1]; possible alternative is to [K59.1]; possible alternative to ... are [B1159.1]; possible combinations ... are endless [498.1]; possible exception might be in [B1310.1]; possible presence [B1322.1]; possible way of (0507.1); such that ... was possible [4162.1]; suggest a possible [П922.1, C294.1, 4148.1]; than would normally be possible [461.1]; this has been made possible by [Э198.1]; this made it possible to [Э178.1]; thought possible of [C1626.1]; to scrutinize all possible [T510.1]; to the extent possible [П345.1]; to the fullest extent possible [B659.2]; to the greatest extent possible [B659.3]; to the maximum extent possible [B659.1]; was made possible [C1380.1]; was not possible without risking damage [H171.1];

when possible [B577.1]; wherever possible [B887.1, T109.1]; without too much complication, it is possible to [H1023.1]; without which this ... would not have been possible [B29.1]

**possibly:** (B1296.1); although this conclusion is possibly premature [X110.1]; cannot possibly match [П2923.1]; could possibly [M254.0];

could possibly have been [M389.1]; might

possibly [M254.0]; might possibly be overcome by [M396.1]; possibly because [B1302.1];

while possibly not the original intent [X101.1]

**post:** [Π1353.4]; been posted to ... account [Δ223.1]; kept posted [Δ262.2]; to keep smb. posted [Δ262.0]

**post-repair:** post-repair testing [И755.0]

**post-test:** post-test ... inspection [0942.2]; post-test evaluation [0942.4]; post-test examination [0942.3]; post-test inspection [0942.1]

**poster:** poster displays [Э64.1]; poster material [C1449.1]; poster presentation [C1447.1]; poster sessions [C1448.1]

**posthumous:** posthumous publication [Π3071.1]

**postpone:** indefinitely postponed [01319.1]; will be postponed until later [3354.1]

**postulate:** it has been postulated [B1973.4J]; it is postulated [B1973.3]; it is postulated that [M355.3]; postulated event [Г41.1]; postulates [Π1495.1]; IO postulate (it) [B1973.0]

**potential:** [B905.0, B1329.0, C1211.2]; application potential [B1328.1]; assess potential... effects [01630.1]; by far the greatest potential for [H415.1]; eliminated ... as a potential [И657.1]; eliminating any potential for [Y518.1]; enhance the potential [P565.1]; full potential of [B1001.1]; good potential for [X34.2]; good potential for this end [X38.1]; had the most potential for [И373.1, H324.1]; had the potential for [Π254.2]; has opened the potential for [01358.1]; has potential application [M279.0J]; has potential application as [M280.1]; has some potential hazards [C365.1]; has the potential for meeting [B614.3]; has the potential of application [M279.0]; has the potential to meet [B614.2]; has tremendous potential [073.1]; have significant potential [072.2]; hold the potential for [01358.4]; indicate the potential for [Y207.1]; is an indication of its high potential [C293.1]; limit the potential of [0453.1]; limited application potential [0475.1]; many potential hazards will be avoided [M192.1]; maximum potential [M4.1J]; offer a promising potential [01364.2J]; offer the potential for [Δ10.1]; offer the potential of [Δ9.5]; offers distinct potential for [074.1]; offers the potential for [Δ9.6, 01358.3]; potential ... to impact [B911.1]; potential competitor [Π1510.1]; potential errors induced by [B1335.1]; potential exists for [C1574.1]; potential failure problem [0746.1]; potential for [B1325.1, 742.2]; potential for a drastic reduction in [0747.1]; potential for formation [B906.1]; potential of [B1318.0, B905.1, Π1508.1]; potential of ... in [C1212.1]; potential of application in [M279.1]; potential of the method [B1326.1]; provides the potential for [037.5]; real potential for using [P594.1]; realize the full potential of [P588.1]; seem to have potential for [Π1898.1]; show potential for being [Π258.1]; significant

unfulfilled potential [E254.1]; this potential is ... under investigation [T65.1]; to demonstrate the potential of the apparatus [Π980.1]; to have great potential [072.1]; to have the potential for [B606.0, И368.0]; to have the potential to [B606.0]; to offer the potential for [Δ9.0]; to offer the potential of [Δ9.0]; to warn of potential... failure [Π1909.1]; used to ... full potential [Π1043.1]; with far-reaching potential [C70.1]; with potential for satisfying this demand [C1221.1]

**potentiality:** potentialities ... exhausted [И843.1]; production potentialities [Π2804.2]

**potentially:** is a potentially attractive alternative to [M304.1]

**pour:** (B1852.1); poured into [B1130.1, 3270.1, 3479.1, H580.1]; to pour [3269.0]

**power:** [M398.0, C143.1, C1211.1]; absorb excess power [Π597.1]; are powered via ... from [Π264.1]; are taken to the power [B1256.1]; as the cubed root of power [Π2881.1]; auxiliary power requirements [3488.1]; beyond the resolving power [346.1]; connecting power... to [Π727.1]; directly power [3391.1]; emergency power source [A58.1]; expansions of ... in power series in [P246.1]; external ... power supply [B1195.1]; for higher powers of [C57.1]; fractional powers [Δ745.1]; generate ... power [Π2492.1]; harness the powers of nature for the benefit of mankind [0220.1]; has a resolving power of [B1061.1]; increases by the sixth power of velocity (B1365.1); is plugged into ... power [Π726.3]; is powered by [Π2211.3, Π2263.1]; it disconnects power from [01348.1]; low power operation [P31.1]; margin of... in ... power [3372.1]; negative fractional power [Δ746.1]; operate at full power [P57.1]; operating on battery power [P66.1J]; operation at power [P21.1]; porting of hydraulic power to [P416.1]; power ... is supplied by [Π267.1]; power absorbed by the pump [M401.1]; power budget [B893.1]; power density [Y106.2]; power fed to [M400.1]; power function relation between [C1454.1]; power gain [B1842.1J]; power goes through ... to [Π683.1]; power index [Π970.1]; power input [Π679.1]; power law relationship [C1453.1]; power margin of [3372.2]; power ON [Π2165.1]; power outage [Π70.1]; power source [И812.0]; power to reduce the viscosity [C1215.1]; powered by [Π265.1, C76.1]; powers ... vested in [H276.1]; raised to a power P [B1257.2]; raised to a power [B646.0, B646.1]; raised to the power [B1257.1]; rated power [H1850.1]; remove power from equipment [01347.1]; removing power from [057.1]; set for peak power [Y466.1]; set the power input to [Y487.1]; short power interruptions [K464.1]; shut off the power supply to [01348.2]; solutions, in terms of power series in [P735.1]; specific power

[Y106.1]; to a power of [B646.0]; to dispose of the fractional powers of [И153.1]; to expand ... in terms of a power series [P216.1]; to port hydraulic power to [И1681.2]; to raise to the power [B1256.0]; to some power [B1258.1]; to take to the power [B1256.0]; to the fourth power [B676.1]; to the power 3 [B170.2], turning on the power supply [B1 121.1]; under its own power [C336.1], vary with the second power of [И278.1]; with a resolving power of [C85.3J]; with power on [И2166.1]; with powers of modification and revocation [C73.1]

**powerful:** [Э231.1]; powerful force behind [M404.1], powerful incentive [M403.1J]; power-ful tool in studying [M397.1]

**practicability:** [И2268.1]

**practicable:** [И1646.1]; is practicable [И1660.1]; not practicable (И1653.1); where practicable [Т115.1]; where this is practicable [Т112.1]

**practical:** [И1663.1, И8.1]; another practical mat-ter [Д753.1]; are of great practical importance [И400.1]; as a practical matter [E120.1]; as close as practical to [И346.2]; as practical [H564.1]; be of practical value to [И399.1]; common practical requirement is [0408.1]; for all practical purposes [И1644.4]; for most cases of practical interest [Д391.1]; for most practical purposes [Д391.2]; for practical applications [Д394.1]; gaining practical insight into [И2488.1]; has important practical application [И390.1]; have very little practical value [И396.1]; highly practical [01673.1]; immediate practical application [H578.1J]; in a multitude of practical applications [B569.2]; in many practical situations [B569.1]; in more practical terms [E120.2]; in practical terms [E1 19.1, C128.2]; in practical terms this means that [И 1664.1]; inconvenient for practical use [H1670.1]; is of practical interest [И1849.1]; it is much more practical [Г95.1]; obtained ... practical experience [И 1154.1]; of practical importance [B1636.2, И510.1]; of practical interest [И1869.1]; places a practical limit on [H381.1]; practical alternative for obtaining [Д757.1]; practical applications ... [И1675.1]; practical considerations [И 1680.1]; practical constraints [0448.1]; practical experience [И 1640.1]; practical feasibility [И 1669.1]; prac-tical implementation [И 1672.1]; practical im-plementation ... been hampered [И2032.1]; practical man [И1639.1]; practical outcome [И1665.1]; practical possibility [И9.1]; practical relevance [И1674.1]; practical returns from [И 1671.1]; practical solution of this problem [И1676.1]; practical tip [И1668.1]; practical usefulness [И 1670.1]; question of considerable practical importance [B1392.1J]; so far practical constraints have prevented this [H1808.1]; there is little practical difference [P279.1J]; too drastic for practical use [C653.1]

**practicality:** [И1673.1]; for practicality [C128.1]; practicalities [И1680.2]

**practically:** И 1644.1]; are practically identical with [И1657.1]; effect is practically nonexistent [Э223.1]; fundamentally ... practically [C 129.1]; makes practically no difference [И1656.1]; practically relevant situations [C709.1]; practically, this means [Э135.1]

**practice:** [M155.3]; are not observed in practice [И1648.1]; are of immediate relevance to practice [И427.1]; as fixed by good design practice [0853.1]; based on the latest design practice [01032.1]; be reduced to practice [B1 188.1]; be successfully applied in practice [Y434.1]; been the practice [И1643.1]; best trade practices [C235.1]; commercial practice [B411.2]; common practice of [0308.1]; commonly encountered in engineering practice [420.1]; confirmed ... recommendations in practice [И2650.1]; consistent with good piping practice [B600.1]; consistent with good practice [B599.1]; corresponds to usual practice [C1023.1J]; date of reduction to practice [Д131.0]; departure from established practice [01336.1]; designed to current practice [C 1262.1]; encountered in actual furnace practice [B1635.1]; encountered in practice [B 1636.1]; follows international practice [C590.1]; from the standpoint of practice [C128.3J]; good ... practice [Y495.1]; good engineering practices [И1109.1]; in actual practice [H111.1]; in practice ... might be expected [M341.1]; industry practice world-wide [Y496.1]; instead of the former practice of [B1059.1]; is ... not attained in practice [H1 14.1]; is common practice in ... design [0312.1]; is the origin of the present practice [И1120.1]; is the universal practice in engineering discussions [И565.1]; it is ... common practice [И566.1]; it is ... good practice [И1011.1]; it is also common practice [0313.1]; it is always good practice [P677.4]; it is good practice [И3.5]; it is normal industrial practice (B411.1); it is now widespread practice to [B56.1]; it is the practice to replace [C1579.1]; it may require a little practice [B1304.1]; make it a practice [B264.1]; management practices [0881.1]; most laboratory practice [0309.1]; operating practices [И 1642.1]; practice with [И1300.1]; practice writing [И1301.1]; practice your skills [3262.1]; Recommended Practice for [И1679.1]; reducing... to practice [B1182.1]; reduction of invention to practice [Д487.0]; represent a standard of good practice [01031.1]; situations that may occur in practice [C711.1 ]; to continue the present practice [C594.1]; to practice my profession [P70.1]; useful practice isto[y474.1]

**practicing:** [И1672.2]; are practicing [И2368.1]; practicing engineers [И555.1]

**praise:** praised as [P683.1]  
**pre:** [3424.0]  
**pre-assigned:** (3162.0)  
**pre-selected:** was maintained at a pre-selected level [Π713.1]  
**prearrange:** [3426.0]  
**preassign:** preassigned [3426.0]; to preassign (3153.0)  
**precaution:** [M123.1], adequate precautions [Д596.1]; all possible precautions [B1562.1]; as a final precaution [B 148.1]; customary precautions [0399.1]; in the way of a precaution [C335.1]; no special precautions had been taken [H1746.1]; only when special precautions were taken to [T305.1]; precaution against [M127.1]; precautions were erected towards personnel exposure to [B366.1]; precautions were taken to eliminate [Π2415.1]; safety precautions [M126.1]; special precautions were taken to (Π2421.1); taking appropriate precautions [Π2420.1]; to take precautions against [Π2416.1]; using... safety precautions [C812.1]; with appropriate precautions [Π2133.1]  
**precede:** [Π1927.1, P388.1]; preceded by [K422.1]; which precedes ... into production by a year [Π2808.1]  
**precedence:** is given precedence [01276.3]; precedence must... be given to [B323.1]  
**precedent:** establishes a precedent [C977.1J]; longstanding precedent for [Д77.1]  
**preceding:** [Π1929.1, Π1929.2]; addressed in the preceding sections [P492.1]; preceding arguments apply only [Π2255.1]  
**precept:** [Π1607.1]  
**preceptitate:** [Y382.1]  
**precise:** at the precise moment that [B223.1]; be stated in a condensed and precise question format [Ф48.1]; become more precise [Y575.1]; is hard to identify in any precise way [T477.1]; one cannot be very precise in this kind of study [B 136.1]; precise value of [T383.1]; precludes a precise description of [H993.1]; to be more precise [Г76.1]; to be precise [И335.1]; to give the trends but not precise numerical answers [C 175.1]  
**precisely:** as precisely as possible [Π347.1]; is precisely that [0660.1]; is precisely the same as for (T407.1); it is precisely because [И354.1]; match precisely with [T398.1]; precisely reflect [T392.1]; precisely similar [T406.1]; precisely the... required [K112.1]; was precisely half-full [3402.1]  
**precision:** [B1431.0]; to a precision of [C134.2]  
**preclude:** [Д205.1, H987.1, Π1770.1, Π1770.2]; do not preclude [H910.2]; is precluded [C1388.1]; preclude the activities [И653.1]; preclude the need for [Y531.5]; preclude the possibility of [И652.1]; precludes... as their source [И658.1]; precludes a precise description of [H993.1]; precludes hope of [H989.1]; precludes the

availability of sufficient [H991.1]; this does not ... preclude the question of [Э150.1]; this does not preclude the use of [Э149.1]; to preclude [И650.0]; to preclude from falling [Π 1773.1]  
**precluding:** [Π2030.2]  
**precursor:** [Π1926.2]  
**predetermine:** [3162.5, 3426.1, Π1754.1]; in pre-determined intervals [C23.1]; is initiated at the predetermined rate [Π3080.1]; limits ... to a predetermined amount [0457.1]; to hold ... at ... predetermined value [Π712.2]  
**predicate:** be predicated on [01020.3]  
**predict:** (B2061.2, P556.2); analysis predicts the opposite [All 1.1]; as well as being able to predict [Π1252.1]; higher ... than would be predicted by ... calculations [B156.1]; it is confidently predicted that [M372.2]; it is desirable to be able to predict [B803.1]; no ... is predicted [P548.1]; predict ... from first principles [P508.1]; predicted by those methods could be as much as 100 percent in error [P551.1]; predicted values by [3602.1]; progressively fails to predict [B987.1]; simulation predicted parameters [Π23.1]; theory predicts [T155.1]; to predict [B2053.0]; to successfully predict [4217.1]  
**predictable:** is easily predictable from [JИ16.1]; is not as predictable [0842.1]  
**predicting:** might be capable of predicting [C62.1]; predicting... from [P549.1]  
**prediction:** [B2052.0, Π2702.0, T157.1]; accuracy of the predictions is enhanced by [T377.1]; confident prediction can be made that [M372.3]; do not permit us to make predictions [H995.1]; enables the prediction ... to be made with confidence [Π927.1]; fire safety predictions [P553.1]; imposed severe limitations on the value of the predictions [C770.1J]; independent theoretical predictions [H1232.1]; prediction of equation [P552.1]; predictions ... calculations [P545.1J]; produce a ... error in ... prediction [Д31.1]; substantiate the predictions of the theoretical model [Π733.1j]; validity of the predictions [C1242.1]  
**predictive:** predictive methods [P560.1]; predictive model [P559.1]  
**predominance:** predominance of ... at the expense of [Π2008.1]; there is a predominance of [Π2009.4]  
**predominant:** [Π2011.1]; was predominant [Π2009.3]  
**predominantly:** (Г59.3, Π1983.1); predominantly concerned with [C351.1]  
**predominately:** [Π1972.1]  
**predominate:** [Π2009.2]  
**prefabricate:** [3120.1]  
**preface:** [Π1724.1]; it is appropriate to preface ... with the following annotation [Π 1956.1]  
**prefer:** are preferred above [Π1818.4]; are preferred to [Π1818.2]; at least ... with ... pre-

- ferred [П402.1]; is definitely preferred over the others [Я50.1]; is preferred from ... point of view [П1817.1]; is preferred over (П1818.3); prefer ... over [01276.4, П1806.1]; preferred embodiment [П1814.1]; preferred solution [П1816.1]; strongly preferred for [Я55.1]
- preferable:** is preferable to [П1818.1]; it is preferable to accept [П1807.1]; this is preferable to (Э140.11)
- preference:** [B1706.0]; choice of... in preference to [T280.1]; make a preference among the alternatives [C391.1]; preference is given to [П1812.1]; preference of... for [П1810.1], preference will be given to [01276.5]; shows a marked preference for [01279.1]; to your preference [П368.1]; was adopted in preference to [П 1809.1]; was used in preference to [01277.1]
- preferential:** [И162.1, П1971.1]; preferential ... direction [П1815.1]
- preferentially:** occurs preferentially [П2819.1]
- preincubation:** [П1705.1]
- prejudice:** without prejudice to [Б62.2]
- preliminary:** [B1514.0]; are preliminary in nature [И470.1]; assumed value for preliminary calculation [3600.0]; calculation ... preliminary [П2328.1]; conceptual and preliminary phases of ... design [П1946.1]; in the preliminary design phase [И192.1]; preliminary analyses indicated [П1709.1]; Preliminary Design [T222.1]; preliminary findings [П1710.2]; preliminary investigations into [П 1708.1]; preliminary list [0910.1]; preliminary phenomenon to ... is [П1928.1]; preliminary results [П1710.1]; preliminary success [П65.1]
- premature:** although this conclusion is possibly premature [XI 10.1]; it ... be premature to claim [П1966.1]; it is ... premature to conclude [П 1967.1]; it is highly premature [B653.1]; it is premature to judge [P345.1]; premature failure [П1968.1]; premature fracture [П1969.1]; premature pop-off [П 1970.1]
- prematurely:** [П1965.1]; to terminate ... prematurely [П 1991.1]
- premise:** is based upon the premise that [01022.1]; on the premise that [H86.1]
- premium:** cost premium for [H255.1]; is at a premium [0288.1]; places a premium on reliability [П1281.1]; places a premium on [C703.1]; premium for [Д642.1]; premiums [Y49.4]; was sold at a premium [П2722.1]
- preparation:** in preparation for [П2110.1]; surface preparation... [П699.1]
- preparatory:** preparatory jobs [П696.2]; preparatory stage [П697.1]; preparatory work [П696.1]
- prepare:** being prepared for production [П693.1]; graph ... was prepared [П1487.1]; to prepare ... manuscript for presentation [П695.1]; we must be prepared to [M408.1]
- preponderance:** preponderance of [П2013.1]; preponderance of... literature [П2012.1]
- preprint:** [П2027.1]
- prerequisite:** necessary prerequisite for (H1420.1); prerequisite to [H1421.1]
- prescribe:** to prescribe (3153.0); under a prescribed [П2071.2]
- preselect:** [3425.1]
- presence:** identified the presence of [П985.1]; in the presence of [B407.1, П2093.1]; possible presence [B1322.1]; presence of [П2535.1]; tested in ... presence [И760.1]; their very presence [C201.1]; this is delineated by the presence of [H204.1]
- present:** [Д118.3, H571.1]; amount of water present [K254.1]; application ... is presented [П984.1]; are contained within the confines of the present [H801.1]; are not well characterized at the present time [Д691.1]; are present in minute amounts [C950.1]; are presented in terms of [П1839.1]; argument presented here [П2254.1]; as... as is available at the present time [C229.1]; as presented [П995.3]; as though ... were not present [K68.1]; at least for the present: [П399.1]; at present [B45.2]; at present ... have no suggestions for the origin [П965.1]; at present there is a lack of understanding [B51.1]; at the present state of knowledge [П2146.1]; at the present state-of-the-art [П2136.1]; at the present time [B45.0]; been used to the present day [И724.1]; being present in person [Л66.1]; change from the present position [И249.1]; chemical analysis of ... showed that ... were present [X21.1]; debate on ... continues to the present day [C1 195.1]; directly pertinent to the present study [И513.1]; do not present a significant concern [H1020.3]; does not present a serious problem [H 1020.2]; due to the present lack of [И225.1]; effect is always present in one way or another [B 1144.1]; for the present [П952.1]; has motivated the present work [П528.1]; have survived to the present day [C1 146.1]; if one imagines ... to be present [E77.1]; in light of the present state of knowledge for [B491.1]; in the present situation [B527.1]; is present in the form of [П2538.1]; is still present [B976.2]; is the origin of the present practice [П1120.1]; it is the purpose of the present paper to [П21.1]; leave no doubt in the minds of the present authors that, if [H964.1]; literature search failed to unearth any published research of the type reported in the present paper (H399.1); no direct evidence of... is present [H1488.1]; no oil present [01549.1]; of present concern [П1862.1]; of the various ... in use at the present time [C 1305.1]; past and present data [C 1432.1]; present authors are uneasy about the accuracy of [H406.1]; present day [C878.1]; present discussion is confined to [M428.1]; present in [П2542.1, C955.1]; present paper addresses... leaving... to others [B644.1]; presented ... competition to [C1084.1]; present-

ed ... in [Π1901.1]; presented graphically [Π 1840.1]; presented hereafter [Π 1903.1]; presents ... problem [B1804.1]; presents intriguing possibilities [01360.1]; presents the best answer for [H357.1, C698.1]; prompted the present investigation [Π528.2]; serve to illustrate but are not intended to limit the present invention [H1872.1]; should not be present [H839.1]; subject of the present paper [T139.1]; then present rules [C1588.1]; there is at present no [B54.1]; there is the ever present hazard of [B1565.2]; to be present [H479.0]; to continue the present practice [C594.1]; to present [B 1801.0, Д3.0, И231.0]; to present a correction for [B847.0]; to present a problem [B1804.0]; to present difficulties [B1804.0]; to present within the year [Π1843.1]; up to the present [Д457.0]; were present [H479.2, C1565.1J]; will be presented shortly [H1593.1]; with the present state of development [Y618.1]; work to be presented describes [B432.1]

**presentation:** [Π1835.1, C1435.1], attended the presentation [C719.1]; gave a presentation [B2001.1]; in this presentation [Π2137.1]; poster presentation [C 1447.1]; presentation includes [Π 1904.1]; presentation of results will begin with ... it then goes on to [0773.1]; size of the presentation [0368.1]; to achieve a compact presentation [C 180.1]; to prepare ... manuscript for presentation [Π695.1]

**presenting:** [B822.0]; presenting a correction to [B824.1]

**presently:** [B45.1]; are not presently available [B55.1]; are presently in use [B49.2]; presently in use [H711.1]; presently under construction [C 1516.1]; suffice it to say presently that [Π958.3]

**preservation:** article ... has been subjected to preservation at ... [И215.1]; date of preservation [Д 128.0]; preservation instruction(s) [И574.0]; preservation and storage of... equipment [K332.1]

**preserve:** be preserved [C 1126.2]; omitted to preserve clarity [0875.1]; to preserve clarity [4195.2]

**preset:** [3162.0, 3426.0]; is not within ... preset tolerance [H1132.1]; preset level [3164.1]; preset value [3167.1]; preset value [3167.2]; to preset [3153.0]

**press:** press ... button [H285.1]; press ... into submission [B1858.1]; press ... into [B1501.1]; press ... on [H486.1]; press conference was held [C1 120.1]; press down over [H254.1]; press the ... button [H285.2]; pressed... against [Π2311.1]; technical press [T225.1J]; to press ... into service [B76.1]; to press [B1856.0]; was hard pressed to [И763.1]; with the ... button pressed [Π2092.1]

**pressing:** always pressing need for [H577.1J]; need for... continued to be pressing [H1407.1];

one of the most pressing problems [0530.1]; pressing down [H253.1)

**pressure:** [Π 1526.3]; altering the pressure [И241.1]; apply pressure [H252.1]; are pressure limited [0464.1]; build up ... pressure [Π755.1]; controls ... pressure to [Π681.1]; exert a ... pressure [0640.1]; exert pressure [H252.2J]; has been under pressure for [И757.1]; interrupt hydraulic pressure [Π125.1]; is supplied ... under pressure (Π633.1); maintains a ... differential pressure... across [Π716.1]; operating pressure [PI 00.1]; pressure ... gauge [И165.1]; pressure ... to be vented [C263.2]; pressure containing [P92.3]; pressure drop across [Π9.1]; pressure drop penalty [Π 1516.1]; pressure pattern [P417.1]; pressure trace [K476.1]; pressured from many sides [И761.1]; to be pressured [И756.0]; raw pressure data [H1360.1]; relieves the pressure [C263.1]; response to the pressure for [Y 155.1]; sense the pressure [B1428.1]; time it would take the ... pressure to [B1541.1]; under internal pressure [P92.2]; underpressure [H695.1]

**pressure-retaining:** pressure-retaining components [Д270.1]

**pressurized:** [P92.1]; is ... pressurized [H679.1]; is pressurized by [Π1132.1]

**presumably:** [H281.2, Π1803.1]; presumably because of [Π332.1]; what is presumably missing here [4137.1]

**presume:** are presumed known [Π2451.1]; hence, it may be presumed that [Π1580.1]; it is reasonable to presume that [E182.1]; it was presumed that [Π1796.2]

**presumption:** it is a rash presumption to assume that [0864.1]

**pretty:** is pretty much state of the art [B1487.1]

**prevail:** [Π2009.1]; essential need for ingenuity still prevails [B977.1]

**prevalence:** prevalence among ... seams [P437.1]

**prevalent:** would be most prevalent [01042.1]

**prevent:** (M172.3, Π1770.4, Π2030.3); in order to prevent this from happening [4206.1]; prevent ... from occurring [Π1912.1]; prevent... from [Π1238.1]; prevent a detailed discussion of [H990.1]; prevent further (Π2031.1); prevented ... from [H811.1, Π1770.3]; prevented the attachment of [H996.1J]; prevented the author from reaching firm conclusions [H988.1]; prevents ... from [Π1770.6]; prevents access to [Π1771.1]; prevents accidental ... operation [Π1776.1]; provisions ... to prevent unauthorized (M130.1); shortage of time prevented [01547.1]; so far practical constraints have prevented this [H1 808.1]; take care to prevent cross-threading [H972.1J]; to prevent [M172.0]

**preventing:** aids in preventing [Π1255.1]; are effective at preventing [Э227.1]; preventing any excessive voltage from damaging [Π 1774.1];



- preventing the possibility of [П1772.1]; with the objective of preventing [C177.1]
- prevention:** is for the prevention of fire [И722.1]; loss control and injury prevention [M131.1]; measure in the prevention of voids [C1210.1]
- preventive:** preventive ... maintenance [П2995.1]; preventive maintenance [П 1906.1]; preventive maintenance schedule [Г123.1]; preventive measures [П1907.1]
- previous:** [И521.0, P348.1]; are a great improvement over previous [H418.1]; as a consequence of the previous discussion [B498.2]; as indicated in the previous section [K136.1], as mentioned in a previous section [K137.1]; from the previous discussion ... becomes obvious [И 149.1]; in previous communications [B435.1]; in the previous section [B455.1]; in view of the previous argument [H84.1]; judging from previous results [C 1535.1]; many of the previous [M190.1]; on the previous shift [B579.1]; previous experience [И527.1, H377.2]; previous experience indicates [П1930.1]; previous experience suggests [И528.1]; previous field test data [Д117.1]; previous research has attempted to [B135.1]; previous section [П 1944.1]; previous to [Д435.0, Д442.1, П1929.3]; previous to this time [Д440.1, П1947.5, P346.2]; was ... unchanged from the previous [H872.1]
- previously:** [П1703.2, П1947.3, P346.1]; as discussed previously [T38.1]; as indicated previously [K 135.1]; as previously mentioned [K100.3]; as stated previously [K64.1]; compared previously [A122.1]; has been defined previously on the basis of [0839.1]; has previously been proposed [B363.1]; in the same manner as reported previously [T405.1]; it has been shown previously that [P347.1]; not ... as formidable a problem as previously believed [H1 106.1]; obtained here previously [П1193.1]; referred to previously [Y324.1]; short time previously [H1240.1]; than had previously been appreciated [456.1]
- price:** [И849.0, И850.0]; at extra price [339.1]; at today's prices for [П2100.1]; price of these [Ц31.1]; prices are firm ... if [Ц33.1]; retail prices [P755.1]; selling price [П2725.1]; small price to pay to ensure [Д367.1]
- primarily:** primarily [B278.4, Г59.2] are primarily interested in [B280.1]; deal primarily with [01444.1]; primarily based on [01030.1]; primarily dwell on [01154.1]; were primarily interested in [И618.1]
- primary:** [Г42.0, П34.1]; have ... been derived primary from experience on [01028.1]; is a primary focus of [H663.2]; primary advantages [01006.1]; primary components [01000.1]; primary consideration must be given to [0987.1]; primary considerations governing [Г58.1]; primary contributor to [0974.1]; primary effort... should be oriented to [Г55.1]; primary factor [0856.1]; primary goal [0980.1]
- prime:** [Г42.0]; are of prime concern [T437.1]; is of prime consideration [И397.1]; prime consideration [0508.1]; prime contractor [Г45.1]; prime requisite of [Г56.1]; primes [И140.1]
- principal:** [Г42.0, 0966.1]; principal author [П47.1]; principal concern is in [B280.2]; principal concern with [0979.3]; principal focus ... was on [Y111.1]; principal objective [Г49.1]; there are three principal types of [C1582.1]
- principle:** [3249.0]; apply ... principles [И707.1]; basic operating principles [01008.1]; conform to the principles [П890.1]; conservation of mass principle [3252.1]; first principles [01015.1]; guiding principles [P777.1]; have been developed... from first principles [P297.1]; in principle [B403.1]; momentum principle [3251.1]; on principle, ... may not be (B404.1); operate on the ... principles [P69.1]; predict... from first principles [P508.1]; principle ... is basically different [П2466.1]; principle and cycle of operation [П2460.1]; principle behind the use of [П2463.1]; principle of... stems from the fact that [П2465.1]; principle of operation of [П2459.1]; principles followed in [П2461.1]; three general principles govern the operation [B274.1]; underlying principles [П2462.1]; works on the principle of [P69.2]
- print:** is ... out of print [П1063.1]; printed out [B1744.1]; to be printed and painted [3146.0]
- printer,** printer's copy, typed in double spacing [H232.1]
- printout:** computer printouts of the data [M74.1]
- prior:** [A154.0]; constraints and limitations imposed by prior design of [0444.1]; criticism of the prior art [K488.0]; just prior to break [H1481.1]; obviates the problems encountered in the prior art (Y528.1); prior experience with [0891.1]; prior information [П1706.1]; prior knowledge of [A155.1]; prior to [B333.1, Д442.2, П83.1, П1952.1]; prior to ... entering service [Д437.1]; prior to an engineering application [П1957.1]; prior to starting repair procedures [Д451.1]; prior to taking observations [Д450.1]; prior to the final assembly [П88.1]; prior to use [П85.1]; significantly prior to (3191.1, C1564.1); subsequent to ... and prior to [П1356.1]; terminal date of prior patents [Д125.0]; to the left of their prior positions [B1128.1]; upon examination... prior to [П2105.1]; within a period of six months prior to [H1051.1]
- priori:** a priori [A154.0]; a priori assumption [A156.1]
- prioritization:** [0809.1]
- priority:** assigned priorities for program initiation [H411.1]; at the highest priority [B322.2]; convention priority date [Д127.0]; first priority [B322.3]; first priority, ... is to streamline

[П45.1]; have ... been given second priority to [П36.1]; high on the priority listing [П43.1]; identification of task priorities [B2082.0]; is ... a high priority [Я21.1]; priority has ... been given [01276.1]; priorities for delivery ... in order [П 1335.1]; priorities to be used [П2494.1]; receive urgent priority [C 1406.1]; will have priority [B351.1]

**prize:** had contributed to, ... a prize competition [П2436.1]; nominations for the prize [B 1783.1]; prize ... awarded [П2534.2]; prizes ... be bestowed [П2534.1]

**pro:** pro rata reductions [П2886.1]

**probabilistic:** probabilistic equations [B912.1]

**probability:** in all probability [П353.2]; probabili-  
ty of... remains small [B908.1]; probability of having [B910.1]; probability [B905.0]; render the probability of... remote [Д201.1]; there is a high probability that [C 1568.1]; there is a strong probability that [01660.1]

**probable:** [B913.0, B1329.0] alternatively, it is possible even probable that [C107.1]; it is hardly probable that [B1555.0]; it seems probable that [П1886.1]; most probable cause [H315.1]

**probably:** [B903.0]; fewer ... would probably be adequate [B904.1]; most probably [П353.3, C539.4]; probably reason [B1333.1]; probably would not receive much attention [B1557.1]; probably would not [B1555.0]; this assumption is probably justified [Э193.1]; will probably havetobe[n2562.1]

**probationary:** probationary period [И767.1]

**probe:** advance the probe [П133.1]

**probing:** [И298.0]

**problem:** [Д244.0, 3168.0, H1279.1]; adds to the problem [Y550.1]; alleviating ... problem [0112.1]; approach to the problem [П872.1]; are faced with the problem of [C1372.2]; are made in order to make the problem more amenable [4199.1]; aspect of the problem [C1471.1]; became a problem [3501.2]; before a significant impact on the problem is made [П1964.1]; boundary value problem [K434.1]; common problem of [0322.1]; consideration of ... problem [P497.1]; does not pose a serious problem [H1020.1J]; does not present a serious problem [H1020.2]; formulation of the problem [П1460.1]; from the geometry of the problem [И817.1]; further compounds this problem [Д614.1]; has limited the problem to [3172.1]; inverse problem statement [050.1]; is undertaken as a fix for the problem [Д417.1]; is not however a problem [0559.1]; is one approach to solving the problem [0520.1]; isolate the problem [И644.1, Y455.1]; it is often not indicative of a functional problem [H783.1]; itself is a major problem [C199.1J]; major problem with [0979.1]; making ... more of a problem than might be the case with

[Д230.1]; met... problem [P723.3]; most common problem is [435.1]; not... as formidable a problem as previously believed [HI 106.1]; one problem with ... is that [0533.1]; only problem was with [E17.1]; part of the problem is that [46.1]; potential failure problem [0746.1]; practical solution of this problem [П1676.1]; presents ... problem [B1804.1]; problem ... has received considerable attention [П2607.1]; prob-  
lem ... is ... handled [P723.2J]; problem ... remedied [П2022.4]; problem areas [Y192.1]; problem areas ... have been identified [0824.1]; problem as formulated [C1593.1]; problem came into even sharper focus [П2600.1]; problem can be nondimensionalized [3176.1]; problem engine [H1352.1]; problem is ... found [C1372.1]; problem is not the [П2579.1]; problem is with [П2605.1]; problem of... has been a concern of design engineers for many years [П2606.1]; problem of first degree difficulty [3170.1]; problem set for [3171.1]; problem was resolved [P723.1]; problem with ... is [0563.1]; problem ... fixed [Y530.2]; procedural problem [П2604.1]; qualitative aspects of the problem [K204.1]; rectify the problem [Y530.1]; satisfactory resolution of the problem [Y163.1]; separate ... problem (И520.1, 01285.1); should not be a problem [H829.1]; should not pose too great a problem [H795.1]; there is little concern for ... problem [П2601.1]; there still remains the problem of relating ... to [01119.1]; this inevitably introduces the problem of [П2170.1]; this problem can be overcome [Э112.1]; to compound the problem [Д250.1, П2602.1]; to locate the problem [Y455.2]; to make a problem [Д228.0]; to present a problem [B1804.0]; to remedy the problem [И740.0, И740.1]; to troubleshoot a ... problem [Y530.3]; unresolved problem [H1567.1]; but this just trades the problem ... for the problem of [H1822.1]. (См. также **problems**).

**problematical:** answer to the ... question is still problematical [01230.3]

**problems:** alleviate the problems [0110.1]; are fraught with problems [B524.1]; are hard at work on ... problems [Y326.1]; attending to ... problems [P742.1]; cease publication because of financial problems [П1987.1]; consequent problems [C354.1]; have met with problems such as [C1373.1]; however, two problems arose [0571.1]; no unusual problems were experienced (K 168.1); obviates the problems encountered in the prior art [Y528.1]; occasionally give problems [И565.1]; one of the more challenging problems in [0531.1]; one of the most pressing problems (0530.1); particular problems are encountered in [01075.1]; poses ... problems [B1782.1]; problems... pose [C1592.1]; problems... should be eliminated [П2599.1]; problems are ... the

most severe [B1347.1]; problems with ... were corrected [Y529.1]; program... addressing these problems [Π2709.1]; resolution of problems [P742.2]; reveal the type of problems [B2092.1], same problems face the user of (C119.1); severity of... problems [01166.1]; those problems have been growing in dimension ever since [M64.1]; to tackle just about any ... problems [Π2024.1]; unnecessary problems [H 1448.1]; various other problems were evident [B2097.1]; we do not foresee any insurmountable problems [M414.1J]; yet insurmountable mathematical problems [H1521.1]

**procedural:** procedural problem [Π2604.1]

**procedure:** [M163.0]; above procedure was repeated for different [B2071.1J]; assemble by reversing above procedure [B1909.0]; assembling procedure [Π3020.1]; assembly procedure was ... strictly adhered to [C1504.1]; be careful while performing the following procedures. [B358.0]; by reversing the above procedure [B373.1]; calibration procedure [M167.1]; delicate manufacturing procedure [T327.1]; experimental procedure [M168.1]; failing the verification procedure [H793.1]; follow the same procedure [Π1578.1]; following the calculation procedure [C596.1J]; following the same procedure we can [T106.1]; identical procedure as found under [Π3019.1]; mailing procedures [Π 1336.1]; periodic procedures [Π239.1];

personnel relied upon to carry out... emergency procedures [Π249.1]; police safety procedures [C581.1]; prior to starting repair procedures [Д451.1]; procedure for ... involves [M169.1]; procedure is ... the following [M164.1]; procedure is algebraically cumbersome [M166.0]; recommended ... procedure is [P677.6]; such a procedure is completely inapplicable [T66.1]; tedious procedure [Y567.1]; tested in accordance with approved procedure [H772.0]; to steer... way successfully through ... procedure [Y432.1]; well recognized procedure [0303.1]

**proceed:** as melting proceeds [Π394.1]; as ... proceeded [Π396.1]; disincentives to proceed with [H1219.1]; plans are to proceed immediately with [Π287.1]; proceed as follows [Д430.1]; proceed simultaneously [Π2949.1]; proceeds from the position [H728.1]; proceeds to schedule [Π2748.1]; reaction ... requires ... to proceed at a rapid rate [Д384.1]; then the design ... can proceed [M362.1]; to proceed [H814.0]; to proceed from the assumption that [H815.0]; to proceed with [Π2736.2]; to proceed with construction [Π2743.1]

**proceeding:** (H707.1, Π2726.3); before proceeding [Π1959.1]; before proceeding to [Π1955.1, Π 1958.1]; before proceeding to the examples [Π90.1]; is proceeding [Π2746.6]; proceeding from [H816.0]; proceeding with [Π2530.2]

**proceedings:** [T496.1]

**process:** [Π3024.1, C1203.4, T254.1]; all the way through the production process [H196.1]; at some point in the process [B221.2]; at the same time that... is in process [B78.1]; be processed into [H710.1]; first ... process trains [A81.1]; fundamental understanding of the ... process [Π1266.1]; in a competitive bidding process [B740.1]; in certain process industries [B316.1]; in the process of [B418.1]; interaction process [B1050.2]; involves a two-step process [B1905.1]; is in the process of being produced [H642.1J]; is processed in such a manner that [0187.1]; orders will not be processed [3221.1]; process chart [K181.0]; process technology [T248.1]; process variables [Π22.1]; review process [P713.1]; scan, gate, and process functions [0753.1]; this may be a slow process [Д427.1]; this process can require from ... to ... for completion [H58.1]; to streamline the... process [Y341.1]; tolerance of... to ... process parameter variations [Д655.1]; well ordered process [X79.1];

work in process is aimed at [Π2700.1]

**processing:** [H208.3]; accelerated processing of ... application [Y387.1]; data acquisition and processing [Π1207.1]; processing techniques (T255.1); processing to [Π 1693.2]

**procure:** list of articles to be procured [B876.0]

**procurement:** delays in procurement [3188.1];

procurement documents [Д555.0]

**produce:** confusion produced by [Π3091.1]; if... are to be produced economically [E1 38.1];

inherently produces [A67.1]; is in the process of being produced [H642.1]; never produce [H1752.1]; produce a ... error in ... prediction [Д31.1]; produced an impact [0622.2]; produced erroneous results [Д61.1]; produced repeatedly good results [Д58.1]; produced results [Д51.1]; produces a need to [Π2228.1]; produces a negligible effect on [H1265.2]; produces all the beneficial effects [075.1]; to produce [B1801.0, B1924.0, B1931.0, Д3.0]Ю produce a pessimistic result [Д60.1]; to produce a result [Д51.0]; to produce an impact on [B1 146.0]; was produced by [Π1174.1]

**producer:** largest producers [K509.1]

**producibility:** [T253.2]

**product:** [H213.0, Π2760.1]; are no longer in the

product line [B214.1]; end product [K311.1]; finished product [Г103.0]; holds sufficient quantity of product for... of operation [C944.1]; in a product form [B731.1]; is taken as the product of [B274.1]; mix of... products [A164.2];

product development [K340.1]; product mix [A164.1]; product of [Π2782.1]; product of the plant [Π2761.1]; product show [B1991.1]; product-species (B1084.1); to discontinue products [Π1992.1]; type of product [B1082.0]

**production:** [B1930.3, B1934.0, B2022.3, 3113.0, 0195.2]; added to its list of production [P571.1];

all the way through the production process [H196.1]; being prepared for production [Π693.1]; continued in production [01088.1]; coupling science to production [C373.1]; decomposition of ... with the production of [P360.1]; deferred production [Π2497.1]; detail production design [P95.1]; engine has now moved into high production release [H717.1];

have been in production [H639.1]; high production rate [B 1983.1]; in production quantities [B185.0]; increases production [Y63.1]; increasing annual production capacity [Y52.1]; is now in full production [P58.2]; lack of production maturity [H 1628.1]; large-scale production [K512.1]; large-series production [K512.2]; normal production rate [3166.1]; of coupling science to production [B 1186.1]; on a production scale [B185.0, B185.1]; production ... engines [C430.1]; production and field balancing [3116.1]; production capacities [Π2805.1]; production fell... from... to [Δ486.1]; production levels [Y373.1]; production lot [3181.0]; production of [B1934.1]; production order [3218.1]; production potentialities [Π2804.2]; production program [Π2801.1]; production prototypes [0895.1]; production quality assurance [Γ19.1]; production tolerances [Δ650.1]; quantity production [M59.1]; schedule for production of ... is ... tight [H493.1]; stoppage of production for [01160.1]; which precedes... into production by a year [Π2808.1]

**productive:** [Π2786.1]; productive capability [Π2804.1]

**productivity:** [Π2784.1, Π2784.2]; improves ... productivity [Π589.1]

**profession:** to practice my profession [P70.1]

**proficiency:** [3586.2]; spoken language proficiency [B1 126.1]

**profile:** temperature profiles [P421.1]

**profit:** [B1756.0]; after-tax profit [Π2196.1]

**profitable:** [B1760.0]; it is profitable [B1762.0]

**profitably:** [B1762.0]; profitably used [B1763.1]

**profound:** [K375.0]; to transform ... in profound ways [K379.1]

**profoundly:** and that in a profoundly complex way [M53.1]

**profusion:** in profusion [B 129.1]  
**program:** are at a point in our development program, that [H677.1]; as ... programs get more complex [C 150.1]; as the program progressed [Π387.1]; assigned priorities for program initiation [H411.1]; commitment to the ... program [C1494.1]; have included as part of their programs [B1 109.1]; interim status of... program [Π2845.1]; on the joint US-USSR ... program [B461.1]; production program [Π2801.1]; program ... addressing these problems [Π2709.1]; program has been cut [Y366.1]; program is moving along the schedule [Π2704.1]; programs... are designed to do just

this [Π2708.1]; training program [Π2710.1]; useful guide for ... programs [P773.1]; within the program [B460.1]

**программен** as the programmer sees fit [Π504.1];

l); programmer's responsibility [0421.1]

**progress:** (Δ729.0, P185.2); additional work is in progress [B58.2]; are in progress [Π2746.4];

attempts ... are currently in progress [B57.1]; as the program progressed [Π387.1]; as time progressed [C122.6J]; current progress in [T126.1]; further investigation ... is in progress [B58.1]; great deal of progress has been made in [C404.1]; if progress is to be made toward a better understanding of [E1 34.1]; in progress [B45.0]; is in progress [B952.1]; is still in progress [B974.2]; keeping ... informed of the situation as it progresses [Δ264.1]; march of technological and scientific progress [P188.1]; now in progress [Π2699.1]; progress achieved ... in recent years [Π2716.1]; progress chart [Γ127.0]; progress in... has been made [Δ720.1];

l); progress made to date [Y429.1]; progress obtained to-date [Y430.1]; progress report [Δ547.0]; progress reports [Π2844.1]; progress to [Π2715.1]; progressed to [Π194.2]; project has progressed to the point where [P26.1];

remarkable progress [3606.1]; significant progress has been achieved in [Δ728.1]; sizeable ... effort is in progress [B184.1]; state of progress at any stage [C1 108.1]; student progress is monitored [Y431.1]; substantial progress toward achieving [3293.1]; technical progress toward [T221.1]; while work is in progress [B739.1]; work in progress [P14.1]; work is currently in progress [B46.1]; work is in progress on [Π2694.2]

**progressing:** are still progressing [E212.1]; in progressing from ... to [Π2064.1]

**progression:** [P758.1]; arrest ... progression [Π2496.1]

**progressive:** progressive accumulation (Π 1466.1);

progressive decrease in [B966.1]

**progressively:** [B962.2, Π 1462.2]; at a progressively diminishing rate [C98.1]; evolve progressively [Π2718.1, Π 84.1]; is inadequate and progressively so [C1392.1]; progressively fails to predict [B987.1]

**prohibit:** prohibit a good indication of whether... actually happened [H1001.1]; storage ... shall be prohibited (3413.1); to be prohibited [3407.0]; transferring liquids ... is prohibited [Π136.1]; was prohibited [B1426.1]

**prohibitive:** [H1192.3, H1468.1]; cost prohibitive [Δ674.0, Δ674.1]

**prohibitively:** prohibitively expensive [H1216.1]

**project:** [Δ244.2, 0357.2, P507.3, Π2762.2]; as projected on the ... plane [B410.1]; completion and delivery of the ... project report [384.1]; compressed project schedule [Π300.1]; delay in the schedule for the project [C1340.1];

- design project [Π2763.1]; for technical assistance and project capital [B346.1]; is involved in ... design project [Y597.1]; is projected ... for the future [Π283.1]; major... projects [K511.1]; on a project by project basis (01290.1); project execution [01172.1]; project has progressed to the point where [P26.1J]; project manager [P763.1]; project reports on [01591.1]; project schedule [Γ125.1]; project statement [3161.0]; smooth running of the Project [Π272.1]; successful completion of... project [Y438.1]; this project originated because of [P12.1]; to project [B1992.0, B2053.2]; turnkey project [Π2767.1];  
two and one-half year project to [P516.1];  
work on the project [P25.1]
- project-oriented:** [3361.1]
- projection:** [Π2702.0, Π2702.1, P545.4, Э70.1];  
at  
a cost below the original projections [Π487.1];  
theoretical projections [T162.1]
- proliferation:** [P433.2, Y53.1]
- prolong:** [Д298.0, Π2757.1]; has a prolonged effect upon [0638.1]; prolonged exposure to [Д304.1]; prolonged idle conditions [Д300.1]; prolonged period of time [Д307.2]; prolongs the maintenance of [Π2734.1]
- prominence:** is ... given prominence [01059.1];  
is  
not... given prominence [H1130.1]
- prominent:** [3289.0]; became prominent [C1382.2];  
prominent figure in the ... world [ B 1098.1];  
some, but not all, of the more prominent [H1302.1]
- prominently:** figures prominently in [И85.3]
- promise:** [Π253.1]; has fulfilled its early promise [0800.1]; have shown promise [Π629.1]; hold considerable promise [01089.1]; hold promise for [Π257.1]; hold some promise as [061.2]; holds great promise toward [01670.1]; promises to get better [062.1]; promises to provide new alternatives to [C741.1]; show little promise of [M42.0]; shows promise of being [061.1];  
that hold promise [Π630.1]; these hopes show little promise of being fulfilled [M45.0]
- promising:** [Π254.1]; is ... somewhat promising [Я11.1]; is quite promising [Д53.1]; more promising of [H322.1]; most promising direction for [H323.1]; offer a promising potential [01364.2]; promising tool [Π255.1]
- promote:** [C 1231.1]; done much to promote the art and science [Д202.1]; has done much to promote the art and science [M212.1]
- promotion:** promotion of [C933.1]
- promotional:** promotional measures [P667.1]
- prompt:** prompt action maybe taken for [M336.1J];  
prompted an upsurge of research on [B1821.1];  
prompted greater attention toward ... rather than [3473.1]; prompted the present investigation [Π528.2]; to prompt [B1801.0]
- promptly:** promptly removed [H1247.1]; provisions ... made to promptly and safely dispose of [Π1821.1]; this will be taken care of promptly [3356.1]; to bring promptly to the attention of the company any [H1248.1]
- promulgate:** [Π2869.1., Π3073.2); to promulgate [И210.0]
- prone:** are ... prone to [B336.1]; prone to [Π672.2, C527.1]
- pronounce:** [B1953.0, 3289.0, 3289.2, 481.1, Я41.1];  
become more pronounced [C 1377.1]; difficulties are even more pronounced under [T474.1]; effect... is not very pronounced [B1 136.1]; is not as pronounced [B 1956.1]; is pronounced [C1382.1]; less pronounced [M95.1]; much less pronounced [Г91.1]; pronounced shift toward the ... range [Я54.1]; pronounced transition [Я42.1]; severity ... can be so pronounced as to result in [M312.1]
- proof:** [Д530.0]; ironclad proof [C1469.1]; proof of  
acceptability [Д533.1]; proof of payment [K214.1]; -proof [3532.0]; short-circuit proof [3534.1]
- propagating:** [P439.1]
- propagation:** [P433.1]; upstream propagation [P434.1]
- propensity:** has a propensity to [И448.1]; ing propensity [C525.2]; propensity of [C525.3]
- proper:** [C818.1, C1024.7]; accept with proper understanding [01451.1]; control of the proper use [K357.1]; for proper ... behavior [Д386.1];  
for proper scaling, ... must [Д333.1]; given proper care [Π2149.1]; is faced with proper resolution of [C1370.1]; must be known for the proper [4205.1]; proper ... choice [Π1628.1]; proper assembly [Π1629.1]; to determine the proper [Д332.1]; took the proper view of things [Π 1622.1]; verify proper operation [Y30.1]; with proper... control [Π2152.1]
- properly:** [K115.1, H279.1, C1026.1]; cause ... to  
not operate properly [3468.1]; check that... is properly grounded [Π2659.1]; determine whether ... is operating properly [0830.1]; ensure the instrumentation was performing properly [Y31.1]; is made properly in accordance [B1896.1]; is not functioning properly [P67.1J]; operating properly [X71.1]; properly executed documents (Π1623.1); properly pose [Π1624.1];  
properly sized [C82.1]; with everything properly adjusted [Π 1372.1]
- property:** [3571.1]; additional properties,... are... a requirement [T452.1]; combustion properties of [X6.2]; exert its ... properties [Π3048.1]; favor the properties [B1416.1J]; gross properties [C338.1]; have different ... properties from [01395.1]; mechanical properties ... strongly affected by [C465.1]; met the ... properties required by [087.1]; possesses good ... properties [088.1]; properties ... at atmospheric conditions [C340.1]; properties have been ascribed to [Π2503.1]; properties of the material reported by the supplier [C339.1J]; variations in properties among [P236.1]; with re-

gards to their ... properties [Π471.1]; worsening of the ... properties [Y593.1]

**propitious:** time was ... propitious for [C524.1]

**proponent:** proponents of [C1472.1]

**proportion:** [Д603.0, K253.0, K253.5, Π2878.1]; at a proportion of three to five times [B413.1]; at the proportion of... times the [B412.0]; in direct proportion to [Π3068.1]; in all proportions [B604.1]; in proportion to [Π2879.2]; in the proportion... to... [B412.0]; increase in proportion [Y69.1]; out of all proportion [H1563.1]; out of proportion to [H1552.1, H 1631.1 ]; proportion of (Д603.2, 429.1); represent only a small proportion of [C1082.1J]; spend a high proportion of their time at [P80.2]; vary in proportion to [И288.2]; way out of proportion to [C835.1]; within ... proportions from ... to ... of each [C14.1]

**proportional:** approximately proportional to [Π2191.1]; directly proportional to [Π3067.1]; inversely proportional to [0199.1]; proportional to [Π2884.1]; rate sensitivity of the proportional limit [4225.1]

**proportionally:** [Π2879.1]

**proportionate:** vary proportionate to [И288.1]

**proposal:** evidence in support of this proposal [Д531.1]; proposal for [Π1740.1]; proposal that... be investigated [Π1739.1]; proposals contained in it [C956.1J]; to evaluate this proposal in terms of [P474.1]; unsolicited proposal (H1458.1)

**propose:** [Π1725.1, Π1730.1]; are proposed for construction [Π1794.1]; future proposed [Π1734.1]; has previously been proposed [B363.1]; I propose [H408.1J]; I propose to concentrate on [Я3.1]; it is ... proposed [B1973.1J]; it is not proposed to repeat... here [M423.1]; it is therefore proposed that [M433.1]; it is thus proposed that [T96.1]; proposed by [Π1735.1]; proposed methodology appears to be general [Π1737.1]; proposed siting of [B1711.1]; proposes an explanation [Π1729.2]; to propose [B1973.0]; was proposed [Π1786.2]; was independently proposed by [Π1728.1]

**proprietary:** [Π31.1]; are either proprietary or classified [Π1883.1]; are proprietary [C1094.1]; has been held proprietary [C1094.2]

**proprietor:** confers on ... proprietor ... rights [Π1758.1]

**prorate:** has been prorated to [Π2882.1]; were prorated uniformly along [P430.1]

**pros:** pros and cons [Д741.0, 315.1]; pros and cons of [B1003.1^741.4]

**prosecution:** prosecution of a patent application [B864.0]

**prospect:** faces the prospect of becoming [C1371.1]; good prospect (Я22.1); long range prospect [Д88.1]; offers interesting prospects [01364.1]; prospect ... nonexistent [Π252.1]; reasonable prospect of [P593.1]; remains a long range prospect [01090.1]

**prospective:** [B284.0]; prospective supplier [Π1798.1]; prospective users [B285.1]

**protect:** protect... from overloads [3543.1]; protect from heat [cold] [B 151.0]; protect from oxidation [3542.1]; protected from weather and entrance of extraneous materials [3545.1]; protects ... from injury [Π1784.1]; protects against [3541.1]; special care ... to protect ... from [C1 167.1]; to protect... against accidental damage [3547.1, Π1783.1]; to protect [3539.0]; to protect... against [Π1770.8]

**protection:** [3532.0]; added protection to the barrel afforded by [Д628.1]; automatic control and protection system [A71.1]; corrosion protection [3533.1]; overvoltage protection [3535.1]; positive protection [H270.1J]; protection ... against [3532.2]; protection against [3532.0]; protection, sequencing, alarms and ... control functions [Ф63.1]; provide little protection against [C678.1]; weather protection [3536.1]

**protective:** protective coating [3537.0]; were the least protective [085.1]

**prototype:** [Г84.0]; be developed to ... prototype level [Д494.1]; demonstration prototypes [Д254.1]; early prototypes [Π50.1]; production prototypes [0895.1]; prototype boiler [0896.1]; prototype development [P309.1]; prototype for [Π2988.1]

**protrude:** protrude an equal amount on either side [B1999.1J]; protruded above the ... surface [B1997.1]; protruded beyond the confines of [B 1995.1]; protrudes from [B1994.1J]; to protrude [B1992.0]

**prove:** as was anticipated this did not prove to be the case. [K76.0]; attempts to ... did not prove fruitful [Π1313.1]; could prove to be difficult [0690.1]; did not prove effective [0675.1]; efforts made to ... did not prove fruitful [Π1313.2]; has not proved to be an easy task [0666.1]; has proved invaluable in [0673.1]; it has proved possible to [0662.1]; if... proves to be [E63.1]; it may be proved quite generally [Д536.1]; prove a total failure [0665.1]; prove to be quite inadequate [0685.1]; proved more difficult to study [И779.1]; proved quite difficult [0664.1]; proved to be misleading [B840.2]; proved to be the superior design [K344. Improves otherwise [Д538.1]; proves unsuccessful [0656.2]; rapidly proved popular with (B291.1); these fears can be neither proved nor disproved [Э216.1]; this concern proved completely unfounded [0738.1]; to prove [B2094.0, Д535.0]

**proven:** [Π2665.1, X48.1J]; be proven commercially [Π2633.1]; has been proven repeatedly [H1440.1J]; has proven [0655.2J]; has proven invaluable for [0672.1]; has proven useful in [0679.1]; have proven [3433.1]; nothing else has been available which has proven to be

better [H1768.1]; proven to be ... as [Π987.1]; today's proven technology [C882.1]; well proven [X48.2, X48.3]; were field proven [Π2634.1]; while staying within proven ... experience [H803.1]

**provide:** [E37.0, H521.0, Π2161.1, Π2351.1, C995.1]; analogy is valid provided [A140.1];

are provided in [Π1901.2]; as provided in [Π1923.1]; as one of the aims of the investigation was to provide [0534.1]; be provided with [C757.1]; capability was provided for [037.2]; do not provide a convincing case for [H998.1]; drawing of... provided for reference [Д398.1]; except as provided in 2.5 [328.1]; financial support for the work was provided by [Ф33.1]; goal, then, is to provide [Π24.1]; ground can be provided by [3203.1]; ground is provided to pin [C958.1]; have not been found to consistently provide [H624.1]; is provided [Π1914.1];

is provided with a plurality of [C756.1]; provided ... is maintained [Π2154.1]; it is appropriate to provide some comment concerning [C630.2]; moving ... to the right provides increased [C377.1]; promises to provide new alternatives to [C741.1]; provide ... access to [040.1]; provide ... copies of documents [Π95.1]; provide... in quantity [Π2788.1]; provide ... with this capability [Д12.1]; provide a clue [Π821.1]; provide a link with [050.1];

provide a significant basis for ... decisions [045.1]; provide ample evidence of this [C674.1]; provide an important, new understanding of [Π907.1]; provide an opportunity [Д9.4]; provide arrangements [044.1]; provide battery backup ... for [049.1]; provide every benefit of [Π1760.1]; provide extra ... at less weight [046.1]; provide for [Π1914.2]; provide guidance for making [Π1256.1]; provide insight [Д29.1]; provide little protection against [C678.1]; provide opportunities for [037.3];

provide strong evidence that [C675.1]; provide support for the use of [Π853.2]; provide the ... framework of metabolic machinery [3232.1]; provide unique insight into [P572.1]; provided ... support for [Π843.2]; provided a major advance in understanding [Π907.2]; provided a means (Π902.7); provided a springboard for [Π1427.1]; provided a timely reminder [B1250.1]; provided for [034.3]; provided strong

testimony about [Y19.1]; provided that [Π2161.2]; provided the best tolerance to misalignment [Д659.1]; provided the impetus for [C1456.1]; provided to [038.1]; seeks to provide [И475.1]; provides ... information on [Д19.1]; provides a better match to the load requirements [J110.1]; provides a capability for [037.1]; provides a clue to [Д28.1]; provides a deeper insight into [Д38.1]; provides a means of considering [Д11.1]; provides a strong impetus toward achieving a better

understanding of [C1457.1]; provides a strong insight into [035.1]; provides a welcome addition to [Я23.1]; provides an explanation as to why [0377.1]; provides another indication of [C699.1]; provides confidence that [B1575.3];

provides for ... to be approved [Π1920.1]; provides for ... to obtain [Π1919.1]; provides for operation of [048.1]; provides further justification [J79.1]; provides immediate insight into [Π920.1]; provides no clue to [H1734.1]; provides no threat to [H1775.1]; provides partial verification of [45.1]; provides room for [Π1918.1]; provides the potential for [037.5]; shall be constructed to provide [Д577.1]; to provide a clue to [Д27.0]; to provide a consistent explanation for [Д25.1]; to provide a means of [Д9.0]; to provide a vehicle for [037.4]; to provide an (the) opportunity [Д9.0]; to provide an answer to [Д27.0]; to provide an explanation for [Д24.0]; to provide an information [Д18.0]; to provide an insight into [Д37.0]; to provide confidence [B1573.0]; to provide insight [Д27.0]; to provide the basic framework (of) (3231.0); to provide the tolerance to [Д656.0]; to seek to provide [И473.0]; too ... to provide [C657.1]; was provided ... was allowed [Π1914.4]; we were requested to provide [H405.1]; will not... provide any information as to [H815.1]

**providing:** [E37.0, Π2161.3]; does commit to providing [0432.1]; has contributed to providing ... with [C1228.1]; providing operating time does not exceed [E43.1]; thus providing [054.1]; while providing [053.1]

**province:** once the exclusive province [K240.1]; province of [C1591.1]

**proving:** [01369.1]; thus proving that [Д545.1]

**provisional:** [B1514.1]; considered as provisional [P463.1]

**provisionally:** [Y406.1]; provisionally fixed for [H296.1]

**provision:** [M122.0, Y542.2]; conform to the provisions of Par [C1017.1]; has no provision for [H937.1]; has provisions for [Π1918.2]; in the event of... provision is made in the design for [H147.1]; incorporation of provisions [Bl 120.1]; interpretation of ... provisions [T296.1]; provision ... be made for [037.6]; provision is made ... at a later date [Π938.1]; provision is made for [Π1915.2]; provisions ... for keeping [M125.1]; provisions ... made to promptly and safely dispose of [Π1821.1]; provisions... to prevent unauthorized [M130.1]; provisions may be met through [M124.1]; provisions of the right incentives to [Π1633.1]; provisions shall be made to [Π1917.1]; redesign included the provisions for [P688.1]; there was ... a provision for varying [Π1916.1]

**provocative:** provocative results [01662.1]

**provoke:** to provoke interest [B1806.0]

**proximity:** in close proximity of each other [B253.1]; in close proximity to [B819.0, B819.2]; in the proximity of [B819.0, B819.3]; proximity to [B145.1]

**prudent:** [B123.1]; future investigators would be prudent to [B286.1]; it is prudent to minimize [C623.1]; prudent operation [П1630.1]

pry: pry... from [01300.1]

**public:** [0315.1]; cross-section of the ... public [П118.1]; make public [0867.1]; unavailable to the public [H1214.1]

**publication:** be reviewed for publication [01274.1]; cease publication because of financial problems [П1987.1]; dates from the publications [01446.1]; he authored a total of ... publications [Я7.1]; is ... publications [0868.1]; post-humous publication [П3071.1]; publications... on this subject [П3070.1]; work is in course of publication [P17.1]

**publicity:** received publicity [П2478.1]; that has received extensive publicity [05.1]

**publish:** all published work on [B1010.1]; are planning to publish [C809.1]; bulk of published information [0978.1]; Complete Specification published Jan. 6 [Д139.0]; great deal has been said and published about [M1 95.1]; is published by permission of [П3073.1]; literature search failed to unearth any published research of the type reported in the present paper [H399.1]; opportunity to publish these results [B1320.1]; published ... in time for conference [И211.1]; recent works published in [П1395.1]; to be published [B2030.0]; to publish [B1924.0, И210.0]; we know of no published [H398.1]

**pull:** [B1854.4J]; apply an ... pull on [T520.1J]; pull ... out [B2009.1]; pull... through hole [П2991.1]; pull on [T520.2]; pull out... as far as the leads allow [B2021.1]; to pull [B1854.0]; to pull out [B1777.0, B2020.0]

**pulley:** [B146.0]; disengage the ... belt from the pulley [C794.1]; observe location of the ... pulley on the shaft [3405.1]

**pulling:** pulling away [01294.1]

**pulse:** spacing between pulses [И599.1]

**pump:** momentary operation at ... was observed without the damage to the pump [K461.1J]; power absorbed by the pump [M401.1]; pumped forward into [П116.1]

pupil-assistant: [C 1367.1]

**purchase:** before ... can be considered for purchase [П1960.1]; purchase order [3219.1]; purchase requisition [3554.1]; would have to be purchased [П2565.1]

**purchasing:** purchasing lead time [Д313.1]

**pure:** is pure conjecture and needs to be verified [B1568.1]; state of pure conduction [C1113.1]

**purely:** is purely coincidental [Я28. 1j]; on a purely intuitive basis [4105.1]; on a purely theoretical basis [H99.1]

**purge:** [01688.2, П2758.1, Y90.2]

**purification:** air purification [01685.1]

**purity:** purity of [4108.1]

**purport:** [И473.5]; does not purport [H1092.2]; to purport [И473.0]; was improperly purported to be [H1496.1]

**purpose:** [H297.1]; be fit for its intended purpose [01243.1]; destroy the whole purpose of (C321.1); for all practical purposes [П1644.4]; for comparison purposes [C 178.1]; for engineering purposes [B467.1]; for insulation purposes [C171.1]; 'for most practical purposes [Д391.2]; for our purposes [B539.1]; for purposes of [B745.0, H79.1, П477.1, 4176.1]; for purposes of comparison [C179.1]; for purposes of illustration [B746.1]; for reference purposes [Д396.0, Д397.1, Д399.3]; for the purpose of understanding [C176.1]; for the purpose of [B457.0, C168.1]; for the purposes of this report [B458.1]; for the sole purpose of [C181.1J]; for this purpose [Д424.0, C183.2]; general purpose [0334.1]; held in stock for maintenance purposes [И364.1]; is satisfactory for purposes of [01249.1]; it is more convenient for our purposes to [B541.1]; it is not our purpose to [B249.1]; it is the purpose of the present paper to [Ц21.1]; it served the purpose [B1884.1]; purpose ... is two-fold [Д160.1]; purpose is not to extend ... but to [Ц17.1]; purpose of... is not to ... but rather to [Ц22.1]; purpose of... was to [Ц26.2]; purpose was not to ... but [Ц23.1]; serves its intended purpose [B329.1]; serves several purposes [C705.1J]; supplied for this purpose [П2350.1]; to all intents and purposes [П489.1, Ф8.4]; to serious purpose [C 154.1]; to serve a useful purpose [B325.0, B325.1, П2455.1]; to serve no purpose [B93.0]

**purposefully:** [C 1168.1]

**pursuant:** pursuant to the schedule below [B596.1]; pursuant to [B590.11]

**pursue:** pursue the cause [И645.1]; solutions are being pursued [П947.1]; studies along similar lines ... been pursued [П2677.1]ж to pursue [И642.0]

**pursuing:** are pursuing the solution to [И649.1]

**push:** are pushed nearer to their limits [И728.1]; is pushed all the way in [Y554.1]ж push ... back through holes [B2008.1]; push ... outwards [01477.1]; push ... through [П2945.1]; push on [H287.1]; to push into the foreground [B1781.0]

**pushing:** pushing ... back into [3178.1]

**put:** [П2406.2]; argument has been put forward [П1727.1]; explanation... put forward [П1729.1]; hypothesis was put forth... concerning [B1779.1]; in the light of what has been put forward [B486.1]; is put back on line [B1269.1]; main focus was put on [0989.1]; many uses to which ... can be put [И700.1]; may be put in ratio to



[M311.1]; much effort has been put forth [Π2348.1]; never perform maintenance if the caution is not put up. [3411.0]; plans were put in hand [Π2531.1]; put ... into the SETUP MODE [B842.1]; put... on to the job [Π725.1]; put ... out of reach of [Д208.1]; put an end to [Π1117.1]; put another way [Г74.3]; put aside [01318.1]; put cap on the amount of [B846.1J]; put forward [B 1777.1]; put in place [Π 1440.1]; put out [B1924.1]; put to a number of uses [И701.1]; put to work [Π3079.1]; puts incentives for [C1456.3]ж there is nowhere to put [H1305.1];

to put back [B1263.0J; to put forth [B1777.0]; to put forward [B1777.0]; to put in line [B844.0]; to put in the forefront [B1781.0]; to put into operation [B844.0]; to put out [B1924.0]; to put out of action [B1741.0]; was put into operation [B844.1]; was put into service [Π3082.1]  
**putting:** putting ... at your fingertips [Д8.1]; putting into operation [B836.0]; putting into service [B836.0]; sequence of putting ... units [01680.1]  
**puzzle:** been puzzled over [P166.1]  
**pyrolize:** when pyrolyzed [Π1363.1]

## Q

**quadruplicate:** in quadruplicate [B168.1]  
**qualification:** [A168.1]; accept without qualification [B71.1]; equipment qualification [A169.1]; held academic qualifications [И454.1]ж qualification tests [A167.1]; testing qualification [И747.0]  
**qualify:** is qualified for use ... under... specifications [Π2281.1]; qualify for [Π2039.1]; this ... has to be qualified however [0562.1]; to qualify for [Π1163.1]; was... qualified [Π2410.1]; well qualified personnel [B1989.1]  
**qualifying:** [Π875.3]; despite these qualifying remarks [H1621.1]  
**qualitative:** [K202.0, in a qualitative sense [B303.1J]; limit their usefulness to qualitative results [0461.1]; more as qualitative indication ... than as a quantitative measure [C536.1J; qualitative aspects of the problem [K204.1]; qualitative descriptions [0771.1]; qualitative discussion [0266.1]; qualitative distinctions [P237.1]; qualitative index [K203.1]; qualitative measure [K205.1]; there is qualitative agreement [C1570.1]  
**qualitatively:** [C 127.1]; it can be argued qualitatively [Π986.1]; qualitatively amenable to verification [Π704.1]; qualitatively speaking [C127.2]  
**quality:** [K200.0]; adequate quality [Д683.1]; be detrimental to the quality [C767.1]; degrade ... quality [Y585.1]; have both qualities [077.1]; manufacturing quality control [K359.1]; of even poorer quality [E197.1]; poorer atomization quality [H1731.1]; production quality assurance [Г19.1]; quality assurance [030.1]; quality control [K360.1, 030.3]; Quality Control Department [01283.1]; quality inspector [M60.0]; quality mark [3574.0]; restored to original quality [B 1437.1]; results of impeccable quality [H275.1]  
**quandary:** caught in ... quandary - [Π1438.1]; in a quandary [H862.1]; is ... in a quandary

[B297.1, 0658.1]; leave me in a quandary [C1354.1]; one quandary remains [0485.1]  
**quantify:** detailed attempt to quantify a discussion of the results [Π1311.1]; to quantify [B1940.0, B1942.1, 0836.1]  
**quantitative:** [K251.0]; more as qualitative indication ... than as a quantitative measure [C536.1]; on a quantitative basis [H93.1]  
**quantity:** [B888.0, K253.0]; bill of quantities [B873.0]; bill of quantities for building and erection works [B874.0]; bills of quantities [C1177.1]; extra quantity of [Д633.1]; holds sufficient quantity of product for ... of operation [C944.1]; in quantity [B154.0]; in large quantities [B154.0]; in production quantities [B185.0J; lesser quantity of [M1 13.1]; measured quantities included [B762.1]; provide ... in quantity [Π2788.1]; quantity according to specification No. [K257.0]; quantity production [M59.1]; quantities at large times [Д352.1]; small difference between two large and similar quantities [M16.1]  
**quantum:** [K251.0]; quantum advance [K252.2]; quantum jump [K252.1]  
**quarter:** one quarter of one percent [477.1]; turn ... a quarter turn [Π547.2]; turn ... one quarter turn[n547.1]  
query: [3414.0, 3414.1]  
**quest:** quest for improved [Π946.1]  
**question:** [B 1391.0, 3159.1, C988.1]; addresses the question of [И799.1]; answer to the ... question is still problematical [01230.3]; answer to this question [01232.1]; answers to questions [01229.1]; attempts to answer, albeit broadly, the ... question [Д217.1]; be stated in a condensed and precise question format [Ф48.1]; begs the question [Г86.1]; called into question [Π1444.1]; can be called into question [M345.1]; cause is shown to question [E189.1]; direct answering of ... question [Π3059.1]; does not

seem out of the question [Π339.1]; in question [P489.14]; in reply to the ... question [B288.1]; introduces a question as to [B1610.2]; is no longer open to question [B213.1]; is out of the question [H913.1J]; is... questioned [B1823.1]; it is natural to question whether [E1 80.2]; it is not so much question of ... as [B1399.1J]; last two assumptions are open to question [B386.1]; may be open to question [M273.1]; one of the first important questions to be answered [0514.1]; one of the unanswered questions [0516.1]; open question is what [H1568.1]; open to question [C991.3, C1198.2J]; pertinent question [A103.1]; question arises as to whether ... should be ... or whether ... should be [B1612.1]; question arises whether this [B1611.1]; question arises [B1344.1]; question at issue is [01124.1]; question if [C989.1]; question is easier to answer if we [01231.1]; question is how [C1256.1]; question might be raised as to [M392.1J]; question of... requires further consideration [B1409.1]; question of considerable practical importance [B1392.1]; question of how [B1402.1]; question of what [B1403.1]; question remaining is this: [01122.1, Π1385.1]; question whether ... is not really resolved [B1404.1]; question which has been intriguing many of us [B1398.1J]; questions ... validity of [C1362.1]; questions about [B1405.1]; questions arise as to [B1610.1]; questions were settled through negotiations [P720.1]; raises a question [B1778.1, Π754.1]; remains an open question [B1406.1]; remains in question [01106.1]; resolve these questions [Δ29.2]; response to ... question [01229.2]; returned to the question [B1275.1]; same question applies to [∅102.1]; separate question [01063.1J]; several questions come to mind [B1345.1]; shed light on this question [Π3055.3]; sheds no light on this question [∅101.1]; sighted against the question [P455.1]; there has been no question of [H920.1]; there is no question but that [H1652.2]; this ... immediately raises the question of how [B508.1]; this does not... preclude the question of [∅150.1]; this question must still be regarded as open [H1380.1]; this section addresses the question of how [B456.1]; to address ... question [Γ107.1,

4211.1]; to answer the easy questions first [C763.1]; to be questioned [B 1823.0]; to call into question [C1361.1]; to pose ... questions [3154.1]; was questioned [Π667.2]; we would be interested in receiving input on this question from you. [B378.0]; with the question of ... settled [P719.3]; without question [B55.0, B102.0, H236.1]; without question [B55.3, B102.2, H1632.3]  
**questionable:** [C991.1, C991.2]; maybe question-able [Π6.1]  
**quickly:** so much more quickly that [H559.1]  
**quiet:** operation is smooth and quiet [Π270.1]; was quiet [Π45.1]  
**quietness:** [B 107.1]  
**quite:** [B1027.1, B1475.0, Δ499.3]; agree quite well with [Δ518.1]; almost but not quite [Π1557.1]; and it is quite conceivable that [Π17.1]; are quite complicated [Π467.1]; are quite different from [Π1053.2]; as ... as these are quite exceptional [T76.1]; can be explained quite closely [M338.1]; for quite some time [Δ511.1]; for quite some time now [B1447.1, Δ500.1]; had been used quite widely [Δ520.1]; is quite low [Δ507.1]; is quite promising [Δ53.1]; is quite revealing [Δ54.1]; it is quite apparent that [C846.1]; it may be proved quite generally [Δ536.1]; matched ... quite closely [C871.1]; prove to be quite inadequate [0685.1]; proved quite difficult [0664.1]; quite a few things in common [Δ505.1]; quite a few [Δ504.1]; quite a task [Δ515.1, H1554.1]; quite a wide latitude [B1035.1]; quite common [B1484.1]; quite different ... from [C824.1J]; quite differently [C886.1]; quite reasonable [B 1483.1]; quite revealing [Δ20.1]; quite undeformed [C826.1]; quite unique to [C1251.2]; situation is quite different [Π1103.1]; situation may be quite different [C503.1]; this is quite a reduction compared to [∅199.1]; were quite variable by [C472.1]  
**quotation:** [Π53.1]; at the time of request for quotations [H194.1J]; quotation marks [K24.1]  
**quote:** enclosed by double quotes [3236.1]; have been widely quoted [C1346.1]; neither... nor ... quoted [H1698.1]; quoted above [Y219.1]; quoted by [Y321.1]; quoted in Table [Π2253.2]  
**quotient:** quotient of... to [415.1]

## R

**race:** around the race [Π426.1]; to keep their lead in the race with [C1131.1]  
**rack:** stored ... on racks [XI 22.1]  
**radially:** [Π459.1]  
**radiate:** effect of ... does not radiate beyond [B1137.1]

**radiation:** intensity of the radiation [H592.1]

**radical:** [K375.0]; has undergone radical change  
[Π2047.1]; radical,... difference [K377.1]

**radically:** [Π2468.1]

**radio:** transmitted by radio [Π101.1]

**radius:** be contoured with a radius [C555.1];  
bent

round ... radius [3137.1]; blunt to a radius of  
1.5 mm [3503.0]; casting radii 5 mm unless

otherwise specified [H1676.1]; contoured to a ... radius [B1965.1], radius of action [P144.1]  
**rail:** are available at the site by rail, ... delivery [Д680.1]  
**railway:** railway Bill [Ж9.0]  
**rain:** expose ... to rain [П651.1]  
**raise:** [П584.2, Y55.1]; as ... is raised [C142.1], doubts raised [C990.1], is raised to a higher energy level [П759.1]; points ... raised in the paper [B 1411.1]; question might be raised as to [M392.1]; raised the issue of [П753.3]; raised to a power P [B1257.2]; raised to a power [B646.0, B646.1]; raised to the power [B1257.1]; raises ... back to normal [B1210.1]; raises a question [B1778.1]; raises an ... point [П753.4]; raises many questions [П754.1]; this ... immediately raises the question of how (B508.1); to raise [B1777.0]; to raise an objection to [B1358.0]; to raise to the power [B1256.0]  
**raising:** [B1360.0]; increasing ... raising [П591.2]  
**ramification:** [П1677.1]; ramifications [П1413.2]  
**random:** deposited at random [01323.1]; for ... chosen at random [Д335.1]; random inspection [B1718.0]; selection ... at random [B1713.1]; were ... random [HI 875.2]  
**randomize:** to randomize the error [Y539.1]  
**range:** [Д283.0, H1837.1]; agreement was in the ... range [P541.1]; encompass the ... range [01616.3]; entire range of alternatives [B1561.1]; entire range of [B1560.0]; extend the range of validity [P569.2]; extreme range [B226.1]; extremes of the ... range [Г114.1]; falls outside of the ... range [B2032.2]; falls within ... range [П1285.1]; far out of the range which can be [A92.1]; in the ... range of pertinence [B103.3]; in the ... range of [B96.2]; in the range [B96.0]; in the range from ... to [B96.3]; in the range of interest [B103.1]; integration of ... over a range ... to [И585.1]; intermediate range [П2841.1]; lie outside the range [B2032.1]; long range prospect [Д88.1]; of a wide range of possible [B1560.0, B1560.1]; outside the ... range [344.1]; outside the range of [344.2]; over all but the extremes of the ... range [B 101.1]; over most of the efficiency range [B753.1]; over much of ... range [H185.1]; over the ... range investigated [B104.2]; over the ... range of interest [B103.2]; over the ... range tested [B104.1]; over the ... range [B96.1]; over the range [B96.0]; over the whole ... range [B 100.1]; over their full control range [B102.1]; pronounced shift toward the ... range [Я54.1]; range ... be enlarged [P568.3]; range ... of over seven to one [B99.1]; range ... was widened [P568.2]; range investigated [И802.1]; range of applicability ... extended [P569.1]; range of applicability of [Д288.1]; range of applications [Д287.1, P787.1]; range of complete supplies [K296.0]; range of intended usage [Д286.1]; range of validity

[0102.1]; range studied [И802.2]; ranged from ... to [3328.1, И282.1, H627.1, C1086.1]; ranges  
 from ... to [И272.1]; remains a long range prospect [01090.1]; restricts its range of application to values of [0456.1]; spanned the ... range [01616.1]; throughout the ... range [B 100.2]; to broaden the range of [P568.1]; to range [И270.0]; under a wide range of conditions [B105.1]; wide range of [П114.3]; within the experimental range covered [B97.1]; within the range [B96.0]  
**ranging:** beginning with ... and ranging to [H732.4]; ranging from ... to [H732.5, 01200.1]  
**rank:** [3358.1]; are ranked in similar order by (P377.1); in ... ranks [B484.1]; low rank [H1732.2]; rank high [3331.1]; ranked at or near the bottom of the list [3334.1]; ranked in order of decreasing [P373.1]; ranks in a similar order as do [P379.1]; ranks in importance with [C1038.1]; ranks third in [3333.1]; to be ranked [K216.0]; to rank [3330.0]  
**ranking:** [K215.2]; in a different ranking order [P375.1]  
**rapid:** rapid advancements in technology [B287.1]; reaction ... requires ... to proceed at a rapid rate [Д384.1]; this would not be rapid [H207.1]  
**rapidly:** development is advancing rapidly [PI 87.1]; is attained more rapidly as [Д726.1]; it rapidly became apparent that [B290.1]; move rapidly to [B292.1]; rapidly proved popular with [B291.1]; splits much more rapidly [P364.1]  
**rare:** but such instances are rare [H1816.1]; not rare [H1565.1]; rare event in that [T350.1]; rare event [4127.1]; very rare indeed [01663.1]  
**rarely:** is rarely if ever found [E1 24.1]; is rarely, if ever, accounted [E129.1]; rarely, if ever, occur [E 124.2]  
**rarer:** much rarer [Г94.1]; much rarer ... are [B1622.1]  
**rash:** it is a rash presumption to assume that [0864.1]  
**rata:** pro rata reductions [П2886.1]  
**rate:** [И591.0, K430.0]; at a continually increasing rate [C97.1]; at a faster rate [C96.1]; at a feed rate of [C86.1]; at a less than desirable rate [П2087.1]; at a progressively diminishing rate [C98.1]; at a steady rate [C99.1]; at any rate [B526.2, П398.2]; at the rate of [B153.0, B153.2]; contamination rate [C545.1]; cooldown rate [C546.1]; diffusion rates [C544.1]; flow rate [P526.1]; good success rate [B1982.1]; have ... constant rate [XI 1.1]; high production rate [B 1983.1]; is initiated at the predetermined rate [П3080.1]; normal production rate [3166.1]; rate of increase [C547.1]; rate of uptake [T142.1]; rate sensitivity of the proportional limit [4225.1]; rated at 45 kW [C36.1]; rated power [H1850.1]; reaction ... requires ... to proceed at a rapid rate [Д384.1]; record-

- breaking ... rates [P689.1]; shop capacity is rated at [H1851.1]; slow rate [M17.1]; treatment rates [H594.1]
- rather:** [B897.1, B1163.2, Д499.2, H455.2, C537.1, C539.1, C539.2]; are now rather outdated [Д517.2]; but rather [A23.1J]; came in rather handy [П2570.1]; desirable rather than essential [Ж6.2]; is following, rather than pacing [C588.1]; is illustrative rather than exhaustive [П2258.1]; is the rule rather than the exception [C538.1]; it was not intended to ... rather to [П18.1]; large but rather diffuse body of evidence [Б244.1]; not to ... but rather to [H1098.1J]; now that a rather good understanding ... has been attained [T170.1]; of paramount concern to ... rather than [Д326.1]; particularly in relation to ... n rather than [Б202.1]; prompted greater attention toward ... rather than [3473.1]; purpose of... is not to ... but rather to [П22.1]; rather if [C540.1]; rather involved [Д514.1]; rather scanty and not entirely definitive [Д513.1]; rather similar to [Д510.1]; rather surprisingly [Д506.1, K20.1]; rather than [A24.1, B1157.7, B1162.1, B1162.2]; rather than ... was assumed [B1 161.1]; rather than anything in [A27.1]; rather than as [A25.1J]; rather than because [A26.1J]; this was so done, rather than [Э129.1]
- rating:** nominal continuous rating of [H1849.1]; rating of [01642.1]; rating plate [П29.1]; replace it with ... of the same type, size and rating [3284.1]
- ratio:** [K430.0]; area ratio [01468.1]; because of the large length-to-diameter ratio [П1350.1]; constructed to a geometric scale ratio of 1:10 [H186.1]; copper-to-bronze thermal conductivity ratio [01470.1]; in the desired ratio [B306.1]; in the ratio [B297.0]; in the ratio of... to [B412.1]; in the ratio of... to... [B412.0]; length to diameter ratio [01465.1]; may be put in ratio to [M311.1]; ratio is ... two-thirds [01469.1]; ratio of... over [01466.2]; ratio of... to [01466.1]; ratio of minor to major diameters [01467.1]; ratioed to [01455.1]; recirculation ratio [K465.1J]; to construct to a scale ratio of [H185.0]; volume ratio [01428.1]
- ratioing:** (Д235.0); by ratioing ... with the difference in [01463.1]; by ratioing... with [01462.1]; ratioing... with [Д236.2]
- rational:** rational choice [P337.1]
- rationale:** [Л88.1]; are based on the rationale that [01029.1]; intuitive rationale [И622.1]; obvious rationale for [01650.1]; support the rationale for conducting [П849.1]
- rationalize:** [Л87.1, 0173.1]; can be rationalized [M337.0]; can readily be rationalized [M339.1]; is rationalized [П1049.1]; rationalized ... by [K218.1J]; rationalizes [П1048.1]; this can be rationalized in that [Э 166.1]; to rationalize [0375.5]; to be rationalized [K216.0]
- raw:** raw data [H1 359.1]; raw materials requisition [3553.1]; raw pressure data [H1360.1]
- ray:** all of the rays do not strike [H787.1]
- re-enter:** [C800.1]
- re-equipped:** [П149.1]
- re-evaluating:** [П 162.1]
- re-schedule:** re-schedule... at a later date [П146.1]
- reach:** [Д704.5, 092.2]; are within easy reach [H637.1]; barely reach the end of [H1346.1]; conclusion can be reached [M368.0J]; conclusion was reached [C392.1]; convenient reach [Л32.1]; following conclusions can be reached [M369.1]; in spite of ... conclusions can be reached [H1618.1J]; is well [P144.2]; out of reach [H1217.1]; peak has been reached [Д708.2]; put... out of reach of [Д208.1]; reach a multiple of [M216.1]; reach an equilibrium condition [Д716.2]; reach far beyond our expectations [H429.1]; reach one another [П1317.1]; reach the ... conclusion that [П2551.1]; reached a similar conclusion [П2552.1]; reached equilibrium [Д715.1]; reached the following conclusions [П2553.1]; reached the limit of their capability [Д711.1]; reaches a plateau [C 1397.1]; similar conclusion was reached by [П2552.2]; specific conclusions reached from this investigation [K322.1]; this conclusion may be reached simply by [K23.1]; time has not yet been reached such that... can be wholly eliminated [E213.1]; time to reach [B1542.1]; to reach [Д704.0]; to reach equilibrium [Д716.1]; within our reach right now [B 1478.1];
- reaching:** are reaching the limit of their usefulness [H674.1]; had far reaching consequences [H429.1]; prevented the author from reaching firm conclusions [H988.1]
- react:** [B1644.1]; react ...with ... to form [B1053.1J]; react with [P581.1]; reacted by [B1427.2J]; reacted to form [P582.1]; to react [B 1051.0, B1427.0]; vigorously react with [Э83.1]
- reaction:** chemical reaction between [X23.1]; competing reaction [K330.1J]; gives a ... reaction [Д50.1]; pathway of the ... reaction [X30.1]; reaction ... requires ... to proceed at a rapid rate [Д384.1]; reaction 1 is opposed by reaction 2 [P585.1]; reaction for ... formation [P583.1]; reactions are speeded [Y384.1]; reverse of reaction 1 [P584.1]; reverse reactions [0205.1 ]; sets off a chain reaction of [B 1820.1 ]; showed ... reaction [Д50.2]; tendency of the reaction to occur [C526.1]; to give a reaction [Д50.0]; to show a reaction [Д50.0]; undergoes a reaction [B1644.2]
- read:** as read on [01569.1] capable of being read [H519.1]; ]; capable of being read to [C85.1]; location which can be easily read [M1 44.1]; equation using ... reads [Y353.1]; read ... from ... chart [0826.1]; read ... off the scale [C786.1]; read ... with expression [4116.1];

read and thoroughly understand [B 1206.1]; read at a unit of ... with the eye [C1629.1]; read directly on [C 1630.1]; read high by [3131.1]; read in conjunction with [И709.2]; reads the temperature [П981.1]; term... should read [B1 158.1]; to read [И299.0]; to read high [3130.0]; to read low [3318.0]; too much should not be read into these comparisons [H1 071.1]; was read from [C 1628.1]; was read with a stop watch [01568.1]; were read from the ... line [B265.1]; were read with [И299.4]

**reader:** as an aid to the reader [B358.1]; for the readers convenience [Д412.1]; leave the reader with the impression... that [C979.1]; reader is referred to [4112.1]; reader should keep in mind [4113.1]; readers are invited [П 1732.1]; to familiarize the readers [П942.1]

**readership:** expand our readership [P570.1]

**readily:** [J14.0]; are more readily seen [B166.1]; are not readily available [П1185.1]; are readily noticeable [J15.1]; can readily be rationalized [M339.1]; cannot readily be estimated [01637.1]; does not readily lend itself to [H1 028.1]; is not one which readily comes to mind [H1091.1]; is not readily apparent [H1085.1J]; is readily apparent [X45.3]; it is readily demonstrated that [J22.4]; it is readily shown that [J122.3]; physical meaning of... is more readily grasped [Ф22.1]; readily and reliably [J17.1]; readily correctable [J25.1]; readily lend themselves to [J20.1]; readily machinable [J18.1]; readily obtainable [J23.1]; readily soluble in [X74.1]; readily submits to [J19.1]; reason for... is not readily apparent [П2582.2]; this can be readily inferred from [B769.1]; were not readily obtainable [H625.1]

**readiness:** operational readiness [Э51.1]

**reading:** [B297.0, И298.0, П966.1, П966.2]; accuracy of ... reading [T376.1]; adjust... readings to... level [П1177.1]; average of 4 readings [C1312.1]; correction was applied to the readings from ... gauge [B1228.1]; full set of test readings [B958.1]; have identical readings [Д33.1]; instrumentation for ... readings [П2194.1]; off-scale reading [3528.0]; reading on ... scale [01565.1]; readings to ... significant figures [01566.1]; readings were recorded [P601.1]; smallest scale reading of [П30.1]; successive readings [П1411.1]; surprisingly low... readings [H1445.1]; to take readings [И299.0]; two successive readings ... agreed within [Д147.1]

**readjustment:** [П139.1]

**readout:** readout capability [P329.2]; readout devices [П998.1]

**ready:** green READY TO RUN lamp not on [H808.1]; is now ready for use [Г104.1]; ready availability [P438.1]

**reagent:** reagent grade [X25.1]

**real:** [Д168.0, И808.0]; as in real life [K71.1]; becomes more academic than of real interest

[П2481.1]; more apparent than real [B205.1, C535.1]; pose a real technical challenge [П1879.1]; real bite [H1418.1]; real cause [И809.1]; real challenge [Д169.1]; real contribution [B931.1J]; real opportunity [P592.1]; real possibility exists that [C1575.1J]; real potential for using [P594.1]; real structural components [P591.1]; real test of ... must be [П748.1]; represents the real situation [C1013.1J]; scaled down to real value [П176.1]; separating the real and imaginary parts [П 98.1]; to make a real effort to [П2332.1]

**realignment:** [P708.1]

**realism:** model... with any realism [C739.1]

**realistic:** less than realistic results [H1210.1]

**realistically:** [E69.1]

**reality:** in reality [B92.2, B727.1, H48.2]; realities [0259.1]; reflect reality [01502.1]; while in reality [T292.1]

**realization:** is the result of the realization that [0663.1]; realization that [01076.2, П1268.1]

**realize:** full benefit of... is not realized [П1982.1]; it is important to realize that [B797.2]; objective was realized [Д723.2]; on reflection it is realized that [П360.1, П461.1]; realize the full potential of [P588.1]; to realize [Д704.0]; whether they can be realized remains to be seen [H1 900.1]

**realizing:** realizing that (П 1268.2)

**really:** it doesn't really matter where [П 1652.1]; it is advisable ... it is really necessary [P682.1J]; question whether ... is not really resolved [B 1404.1]; should they really be treated as [C605.1]; than it really is [454.2]

**realm:** realm of validity [0102.2]

**ream:** reamed clean of burrs [P178.1]

**rear:** at the rear and the front [C453.1]; at the rear of [П901.2, C452.1]; from front [rear] of [C 113.1]; immediately to the rear of [H1 478.2]; in the rear center of [B750.1]; rear view [B1077.0]; when facing the rear of [E88.1]

**rearrangement:** after rearrangement [П1361.1]

**rearranging:** [П2017.2, П2791.1]; rearranging ... on the left-hand side of Eq [П 145.1]; substituting equations ... and rearranging [П834.1]

**rearward:** forward rearward end [П 112.1]; move ... backward ... rearward [C382.1]

**reason:** and with good reason [И42.1]; be part of the reason [B316.1]; beyond reason [348.1]; by reason of [B1597.6, П442.3]; but for different reasons [H1807.1]; for all these reasons [И827.1]; for cost reasons [П480.1]; for design reasons [П479.1]; for economic reasons [П481.1]; for obvious reasons [П451.1, П451.2]; for one reason or another [П447.1]; for reasons beyond the control of [П443.1]; for reasons not apparent from [П453.1]; for reasons not yet identified [П450.1]; for reasons of aesthetics [И 133.1]; for reasons which will become apparent shortly [П452.1]; for safety reasons

[B747.1, П476.1]; for the same reasons as [П454.1]; for the same reasons given in [П455.1]; for this reason [П448.1], for this reason and because of [П449.1]; for whatever reason [П445.1]; is objectionable for several reasons [HI 193.1]; it can be reasoned [M332.1];

it is for this reason that [И353.1]; main reason [Г48.1]; no indisputable reasons can be advanced [HI 331.1]; no reason ... was identified [П2580.1]; probably reason [B1333.1]; reason ... agrees so well [П2585.1]; reason for ... cooling [0961.1]; reason for ... is not clear [П2581.2]; reason for ... is not immediately apparent [П2582.1]; reason for... is not readily apparent (П2582.2); reason for ... is not understood [П2581.1]; reason for this is partly [0386.1]; reason has to do with [П2577.1];

reason is that [Д251.1]; reason to disagree [0964.1]; reason to doubt [0965.1]; reasons ... are advanced [B 1971.1]; reasons behind [П2576.1]; reasons for... require further study [Д337.1]; should ... occur for any reason [E67.1]; there are very understandable reasons for this [Д425.0]; there is ample reason to expect [И503.1]; there is every reason to believe that [E192.1]; there is every reason to expect [И503.2]; there is good reason to believe [И502.1]; there is good reason to expect that [И496.1]; there is no reason to expect [H1648.1]; there is reason [И495.0]; this is another reason why [Э161.1]; this is the reason that [B1445.2]; to reason [Д535.0]

**reasonable:** [B123.0, B1493.1, 0168.1, П2306.2];

at reasonable cost [П508.1]; be in reasonable agreement [C924.1]; beyond reasonable doubt [C 191.1]; it appears reasonable to think in terms of [И450.2]; it is reasonable [E179.0]; it is reasonable to assume that [C41.1J]; it is reasonable to expect [M340.2]; it is reasonable to expect that [E191.1, Л92.2]; it is reasonable to presume that [E182.1]; it is then not reasonable to expect [П1581.1]; it seems reasonable that [E182.2]; it would appear to be reasonable to conclude [П330.1]; quite reasonable [B1483.1]; reasonable ... value [0170.1]; reasonable alternative to [П2309.1]; reasonable condition [Y 164.1]; reasonable prospect of [P593.1]; reasonable state of repair [B621.1];

to be reasonable to [И449.0]; use reasonable efforts to [П2418.1]; was in reasonable agreement with [Y161.1]; which is reasonable [4130.1]; within a reasonable ... time [310.1]; within reasonable limits [B397.1, B398.1]

**reasonably:** [Д681.0]; development periods were reasonably relaxed [C1333.1J]; do a reasonably accurate job of determining [0819.1J]; reasonably concise [Д696.0]; reasonably concise [Д696.2]; reasonably general [Д689.1]; reasonably typical of [Д694.1]; reasonably well [Д697.1, C140.1]

**reasoning:** intuitive reasoning [И623.1]; reasoning from [И816.0]; same reasoning is followed for... as well [T87.1]; this reasoning leads us to assert [T59.1]

**reassemble:** disassemble ... reassemble [P165.1]

**reassembly:** [П1417.1]; aid positioning on reassembly [0108.1]; reassembly and installation ...assembly [C256.1]

**reassociation:** reassociation of monomers [C257.1]

**rebut:** rebut... criticism [Д537.1]

**rebuttal:** in rebuttal to [B271.1]; in rebuttal to these arguments [B143.1]; in their rebuttal [B291.1]

**recall:** [П2508.1]; it must be recalled [H1372.1]; it will be recalled that [H465.2]; recall that [H465.1]

**recast:** recast in dimensionless form [ni52.1]recast in differential form as [П153.1]

**recede:** [П1.4]

**receipt:** date of receipt of the order [Д134.1], delivery... after receipt of firm order [П1448.1]; issues a receipt [B1769.1]; receipt for the payment [P366.1]; sign acknowledging receipt [P367.1]; upon receipt [П2111.1]

**receive:** another area which has received too little attention [E222.1]; drill... to receive part [C271.1]; has so far received ... little theoretical ... investigation [П959.1]; have received considerable past attention [Y120.1]; once ... has been received [C1296.1]; problem ... has received considerable attention [П2607.1]; receive careful consideration [T517.2]; receive urgent priority [C1406.1]; received ... support and recognition [П1140.1]; received little emphasis [Y 112.1]; received little much emphasis in the past [B426.1]; received publicity [П2478.1]; receives a ground [C966.1]; receives for their personal use and retention [П1127.1]; receives wide usage [П 1177,2]; receives widespread use [П1177.1]; that has received extensive publicity [05.1]; to receive wide and confident acceptance [П1172.1]; was not well received [H791.1]; was well received [0595.2]; will continue to receive research support [И784.1]; within three 3 months from the date it received [H 1004.1]

**receiving:** are receiving more research attention [П2201.1]; receiving address [A86.1]; we would

be interested in receiving input on this question from you. [B378.0]

**recent:** «recent technical advances» [П 1394.1]; contrary to a recent statement on the subject [B1387.1]; in recent times [B424.0]; in recent years (B86.1); in the recent past [B423.1, H1185.1]; is based on recent developments concerning [01025.1]; is of recent vintage (01448.1); not all ... are recent discoveries [H788.1]; of more recent [B182.1]; progress achieved ... in recent years [П2716.1]; recent advances in [П1393.1, П1397.1]; recent and

- continuing [H700.1]; recent bibliography [C 1188.1]; recent emphasis has included [B63.1], recent major advance in [0535.1]; recent successes [Π1396.1]; recent works published in [Π1395.1]; recent years have seen [B87.1]; until the recent past [Д441.2]; use of ... is not a recent idea [И 102.1]
- recently:** [B60.1]; more recently [Π937.1]; most recently [C888.1]; not until recently [Т303.1]; recently there has been a strong emphasis on [B62.1J]; until recently [Д441.1]; very recently [C888.2]
- receptive:** have been most receptive to [01624.1]
- recertification:** [Π160.1]; recertification will be granted to [K12.1]
- recess:** are recessed into [Y553.2]
- recipe:** [C1203.3]
- reciprocal:** [0203.1]; reciprocal of [B890.1]
- reciprocally:** [A124.3, B326.1]
- reciprocity:** [B1041.1]
- recirculation:** recirculation ratio [K465.1]
- reckon:** be reckoned with [C1619.5]; is reckoned to be [C1619.2]
- reclaim:** [B1436.1]; to reclaim [B1436.0]
- recognition:** achieved international recognition [Π1168.1]; in recognition that [Y619.3]; is likewise in need of recognition [Т52.1]; merits recognition (3455.1); received ... support and recognition [Π1140.1]; recognition of [Y605.2]; recognition of the importance [Π2316.1]; while giving full recognition to [Π1058.1]
- recognize:** [B1943.0, 01500.2, 01605.1, Y608.6]; although it is recognized that [X97.1]; are forced to recognize [B 1861.1]; are generally recognized [0299.1]; became recognized throughout the world [Π1169.1]; been recognized from the beginning [Π1271.1]; does not recognize [H1 141.3]; has been recognized [Π1166.2]; have now become recognized as of [C416.1]; in making this decision, it was recognized that [Π2434.1]; internationally recognized standards [0310.1]; it has been recognized for some time that [C65.1]; it has long been recognized that [Д75.2]; it is commonly recognized that [0302.3, 0305.2]; it is easy to recognize that [Л24.1]; it is generally recognized that [0305.1]; it is important to recognize that [B797.3]; it is recognized that [M432.1]; it is well recognized [X54.2]; it must be recognized that [H1369.1]; it should be recognized that [C609.1]; long recognized difficulty [0304.1]; need for ... has been recognized [H1398.1]; need was recognized for [H299.1]; of internationally recognized authorities [A77.1]; recognized authorities [Π2318.1]; recognized by [P368.2]; recognized experts [Π2319.1]; recognized for the first time [Π68.1]; recognized standards of design [0311.1]; we do recognize that [01275.1]; well recognized procedure [0303.1]
- recognizing:** recognizing this fact [C164.1]; while recognizing the difficulty of [Π1272.1]
- recoil:** recoils from [01518.1]
- recommend:** to recommence [B1352.0]
- recommend:** has much to recommend it [M367.1]; is recommended (P677.3); is recommended as [P677.2]; is still recommended [Π1303.1]; it is not recommended that... be used [H1058.1]; it is recommended ... be omitted [P679.1]; it is recommended that ... should be allowed [P680.1]; it is strongly recommended (H570.1); not recommended unless [H1057.1]; recommended ... procedure is [P677.6]; Recommended Practice for [Π1679.1]; recommends [P676.1]; strongly recommend [H569.1]
- recommendation:** adjust and test the units in strict accordance with recommendations outlined in the service manual [M249.0]; although a fully certain recommendation cannot be made at this time [X105.1]; confirm ... recommendations in practice [Π2650.1]; initial recommendation was [B 1171.1]; recommendations ... been acted upon [B1893.2]; recommendations ... on [P670.1]; recommendations for [P669.1]; recommendations for the development of guidelines [P672.1]; recommendations were followed [B 1893.1]
- recompense:[B1337.0]
- reconcile:** reconciled with [Π2216.1]
- reconnect:** [Π1571.1]
- reconsider:** [3363.1]
- reconstruction:** [Π583.1]
- record:** [A88.0, B865.0, Д108.5, Ж17.0, 3387.0, K 178.0]; amendment record [Л54.0]; art of record [M70.1]; careful record was ... kept of [Т518.1]; dash is recorded [Д224.1]; examines records [Π2644.1]; inspection and maintenance record [K182.0]; it is sad to record that [Π2559.1]; long-term storage record [K179.0]; on record [3428.0]; outage records [Π971.1]; readings were recorded [P601.1]; record ... set [P690.1J]; record of... tests [Π2986.1]; record of checking measuring instruments by inspection agencies. [Д113.0]; record of examination results [3390.0]; record of measurement [A89.0]; record of modifications [B878.0]; record the ... characteristic [C790.1]; recorded experiences [3432.1]; recorded on a stop-watch [P603.1]; recorded onto magnetic tape [3385.1]; records on remedy [3389.0]; repair records [3388.0]; response of the transducers was recorded [C455.1]; test and repair record [B875.0]; to keep a record [B950.0]; to record (on, onto) [3382.0]; to record in [3427.0]
- record-breaking:** record-breaking... rates [P689.1]
- recount:** briefly recount [K459.1]
- recourse:** has little recourse but to [H 1767.1]; recourse is generally taken to [0412.1]; recourse must be had to [Π2558.1]; without any recourse to [Б44.0]; without any recourse [Б44.3]



- recover:** recover ... costs [B1292.1J; recover ... heat [Y566.1]; recover to [B1274.2]; sea water recovered [P597.1]; to recover [B1263.0, B1291.0, B1436.0]
- recoverable:** losses are recoverable [Y565.1]
- recovering:** by recovering the heat [Π3 100.1]
- recovery:** [B1439.0, B2022.4J; heat recovery [Y564.1]; recovery of performance with time [B1441.1]; recovery to ... reference [B1261.1]; recovery to [B1260.0]
- rectify:** rectify ... decision [Π164.1]; rectify the problem [Y530.1]; to rectify the situation [B1922.1J]
- recur:** this has not recurred since [Π 1382.1, C68.1]
- recurrence:** [Π568.3, P717.1]
- recurring:** recurring maintenance costs [T131.1]
- red-lined:** [01512.1]
- redesign:** complete redesign... was decided upon [Π2433.1]; major redesign [B234.1]; redesign included the provisions for [P688.1J; redesigned [P684.1]
- redesigning:** [P687.3]
- redistributing:** redistributing... between [Π158.2]
- redistribution:** redistribution ... among [Π 158.1]
- redness:** heat to redness [H248.1]
- redone:** if redone today [B331.1]
- redress:** redressed [B1413.1J; to redress [B1413.0]
- reduce:** [H1857.1, Π1260.3, Π2252.1, C982.4]; approaches ... to reduce [C1207.1J; are reduced [Y254.1]; be reduced to practice [B1188.1]; data was... reduced to plots [0179.1]; data were reduced [0178.1]; fall, ... are reduced [Y259.3]; has not been usefully reduced [Π1651.1]; is ... reduced [Y259.8]; is reduced [0927.1]; is reduced in size [H236.1]; power to reduce the viscosity [C1215.1]; reduce to [Π1691.4, C322.2, Y253.1]; reduced ... management personnel [C983.1]; reduced by a factor of 2 [Y252.1]; reduced to an insignificant level [C315.1]; reduces ... by half [H461.1J; reduces ... to below the limits of accurate chemical analysis [C766.1]; reduces possibility of... being accidentally switched on [Y257.1]; reduces the confidence that can be placed to [C769.1]; staff numbers were reduced by [Y258.1]; to reduce [Y251.1]; was reduced by as much as ... percent [Y255.1]; was reduced to a minimum [C316.1J; were reduced by a factor of [Y260.1]; were reduced to dimensionless form [Π2224.3]
- reducing:** [B1 181.0, Y270.6]; concept for reducing [P740.1J; had the beneficial effects of reducing [0625.1]; have succeeded in reducing [Y87.1]; helped in reducing [C1236.1]; in reducing the data an attempt was made to [Π2101.1]; in the attempt at reducing [B362.1]; on reducing [C148.2]; reducing ... to an acceptable level [Y273.1]; reducing ... to practice [B1 182.1]
- reduction:** data reduction [0190.1]; date of reduction to practice [Д131.0]; percentage reduction in [01427.1]; portion of the reduction ... must be attributed to [48.1]; potential for a drastic reduction in [0747.1]; pro rata reductions [Π2886.1]; reduction in effort [Y274.1]; reduction in the already low [Y275.1J; reduction of [T294.1]; reduction of ... by a factor of [Y272.1]; reduction of invention to practice [Д487.0]; reduction of [Y277.1]; this is quite a reduction compared to (Э 199.1); very significant reduction in ... a strong reduction in ... a slight reduction in [01656.1]
- redundant:** [H164.0]
- reemphasize:** is should be reemphasized that [C600.1]
- reexamination:** needs reexamination [H1889.1]
- refer:** appeal is referred to [Π1506.1]; index ... refers to [H547.2]; is commonly referred to as [H302.2]; is generally referred to as [H302.1]; is referred to as [H358.1, H300.2, 423.1]; is referred to ... for the complete details [C56.1J; is referred to the cylindrical... frame [P456.1]; it is convenient to refer [Y144.1]; never has been a time that I would have referred to [H1707.1J; reader is referred to [4112.1]; refer to [0228.3]; refer to ... for details [Π804.1]; refer to courts of law [0223.1]; referred to earlier [Y324.2]; referred to generically as [0145.1]; referred to in the text [Y322.1]; referred to previously [Y324.1]; refers to [H547.1, H300.3, 0614.6, 01443.8, T191.1, Э 114.1]; sometimes referred to simply as [H560.1]; what are conventionally referred to as [K418.1]; will be referred to as ... in what follows [H1713.1]; will be referred to as (B342.1); will be referred to subsequently [B1498.1]
- reference:** [H829.0, P1.6, P556.4]; are given for reference (Д14.1); as a point of reference [Д396.0]; as a point of reference [Д396.2]; as reference [0955.1]; calibrated ... against a ... reference (T 120.1); checked against the reference master [Π2647.1]; comprehensive list of references [0293.1]; drawing of... provided for reference [Д398.1]; for reference [B146.1, Д396.1, Д399.1]; for reference purposes [Д396.0, Д399.1, Д399.3]; frame of reference (C490.1, C491.1J; have given us ... firm as a reference [C1343.1]; in reference to [01434.1, Π348.2, 4143.7]; in the reference [B428.0J; in the reference position [B352.1]; is referenced to [01456.1]; list of references [C1 187.1]; list of references cited [B879.0]; most appropriate references for the current investigation [P35.1]; only passing reference will be made (Y319.2); recovery to ... reference [B1261.1]; reference ... be made to ... sources [0230.1]; reference ... to [01438.1]; reference books (C 1253.1); reference conditions [X20.1]; reference data [H835.0]; refer-

- ence datum [Π298.1]; reference frame [C491.2]; reference is made to [Д227.1, Y318.3]; reference number [И837.0]; reference to [0246.2, C1344.1];
- referenced against [C1031.1J]; references cited [M69.0]; sample list of references [Π2380.1]; supply ... references [ni855.1] were indirectly referenced [K404.1]; with careful reference to [T390.1]; with reference to [Д389.1, Π432.1, C 147.1]; with reference to the accompanying drawings [C 118.1]; with reference to what has been noted above about [B1277.1]
- referring:** referring to [0233.1]
- refine:** more refined [Y422.2]; refine the theory [B1235.1]; refined estimate [Y571.1]; to refine [И256.0]; with... the value of... may be further refined [3597.1]
- refinement:** incorporated refinements [И459.1]; refinement of the ... model [Y569.1]
- refit:** [Y482.1]
- reflect:** are reflected ... in [01504.1]; are reflected in [Π3051.3]; as reflected by [4157.1]; image of ... is reflected on [И317.1]; is reflected by [Π3051.2]; precisely reflect [T392.1]; reflect in [01503.1]; reflect reality [01502.1]; reflects [01500.1]; to apply a bias to reflect [B1227.0]; were ... biases applied to reflect [B1231.2]; were reflected in [H607.1]
- reflection:** on reflection it is realized that [Π360.1, И461.1]; upon reflection it becomes apparent that [ni369.1]
- reflective:** are reflective of... differences [01501.1]; are strongly reflective of [X63.1]
- reform:** to reform [Π2017.1]
- refrain:** refrain from [B 1285.1]
- refresher:** refresher training [Π155.1]
- refund:** [B 1294.1]
- refunding:** refunding of test payments [B 1278.1]
- refurbish:** [P685.1]
- refurbishment:** [P687.5]
- refute:** [0861.1]; refute ... observation [0862.2]
- regain:** to regain [B1211.0]
- regard:** as regards [B297.1, 4143.2]; as to how one should regard [01437.1]; be regarded as [P488.1]; can be regarded as [M364.2]; first assumption to be made regards [Π57.1]; highly regarded ... [Π1226.1]; in this regard [B307.0, B503.0]; in this regard, it is regretted that [B504.1]; is no exception in this regard [H1 150.1]; is regarded as somewhat fortuitous [Π1893.1]; is to be regarded as satisfactory [C633.1J]; it was regarded as essential to [C1621.1]; regarded as a kind of ... system [P462.1]; regarded as doubtful [C1616.1]; regarded only as ... and not as [P476.1]; stand in marked contrast to ... as regards their [P633.1]; this question must still be regarded as open [H1380.1]; unsatisfactory as regards [H1674.1]; was regarded as [C1619.1]; was regarded as satisfactory [C1624.2]; with regard to [B751.1]; with regards to [Π471.1]; without regard to (B60.2, H943.1)
- regarding:** [B297.2, K192.0,01.1,01430.2, 4143.1]; additional information regarding [Д629.1]; concern regarding [0736.1]; conclusions drawn regarding [B 1735.1]; decision regarding [P737.1]; drawn ... into the argument regarding [B 1247.1]; implications regarding [K401.1]; information regarding [И629.2]; is ... correct in his surmise regarding [Π1602.1]; most of the comments regarding ... are relevant [C1247.1]; notified... about the decision regarding [Y47.1]; remain skeptical regarding [B975.1]; secondary information regarding [Д629.2]; some comments ... be made regarding [C398.1]; to satisfy some of the deficiencies in the data base, regarding [Π1135.1]
- regardless:** regardless of [B1174.1, H1223.2]; regardless of what it is called (B1 175.1)
- regime:** [P626.2J]; in the ... regime [B469.1J]; in the regime [B469.0]; is in ... regime [H646.1] supposedly stable regime [Π1804.1]
- regiment:** somewhat regimented [Д516.1]
- region:** applicability of ... is restricted to the region [Π2364.1]; concentrate on this region [01447.1]; in the interior of the region [B1240.1]; in the region [B255.0]; in the region of [Π2384.3]; in regions remote from [B256.1]; outside of the central region [B1 178.1]
- register** [B865.0, Ж17.0, 3428.0, P599.1, T396.1]; «in» register [Ж17.3]; «out» register [Ж17.3]; Drawing Register is maintained [B933.1]; registered participant [3431.1]; registered trademark [3430.1]; registered with [3429.1]; to register with [3427.0, 3427.1]
- regression:** regression lines are fitted through ... set of data [Π2685.1]
- regret:** it is regretted that [B504.1, K15.2]
- regrettable:** this is regrettable [Э125.1]
- regrettably:** [K15.0]; are regrettably low in number [K16.1]
- regular:** are ordered in a regular way [P378.1]; at regular intervals [Π241.1, P619.4, 471.1]; in regular operation [H666.1]; it is ... important that regular contact be maintained [B801.1]; on a regular [P619.2]; [0388.4, Π235.1, Π1626.2]; regular operations [0394.1]; were taken at regular intervals [И302.1]
- regularly:** to check ... regularly [P620.1]
- regulate:** [K350.2]; to regulate [K350.0]; was regulated [P614.1]
- regulations:** administrative regulations [A83.0]; compliance with ... regulations [Y156.1]; comply with ... regulations [Y168.2]; construction rules and regulations [H1866.1, C1508.1]; emission regulations [H1863.1]; jurisdictional regulations [B881.1]; regulations permit [Π1618.1]; safety regulations [Π1615.1]; to meet the regulations [Y 168.1]
- regulatory:** regulatory authorities [P607.1]; regulatory basis [H1855.1]; regulatory bodies [P607.2]; regulatory values [3604.1]

**reimbursement:** [B1295.1J]; to give security for the reimbursement [Г15.1]

**reinforce:** conclusions ... are reinforced [П731.1];  
reinforce ... each other [Y376.1]; view is reinforced by [П734.1]; were reinforced [П1158.1]

**reinject:** reinjected into the ... cycle [B1273.1]

**reinstall:** [C802.1]

**reinstall:** [B1436.0]

**reinstatement:** [B1439.1]

**reiterate:** [П580.1]

**reject:** alternatives ... be rejected [01214.1]; be rejected [И654.2]; is rejected for [01310.2];  
reject ... early on in manufacture [01211.1];  
rejected because [01310.1]; rejected or scrapped [375.1]; rejects heat [01262.1]; to reject [B1722.0, 374.0, И650.0]; were rejected [01308.1]

**rejection:** [01210.1]; grounds for rejection [0960.1]

**relate:** [A127.0]; are closely related [T207.3]; are related to [01443.5]; closely related to [C355.1]; control related issue [B1408.1]; directly or indirectly, all the... are related to the theme of [П3065.1]; directly related to [H1483.1]; is ... closely related to [T207.2]; is intimately related to [T207.6]; is related to [C348.1J]; is related to the fact that [C362.1]; is simply related to [C360.1]; is uniquely related to [0589.1]; related argument applies to [A130.1]; related as much to... as it was to [0272.1]; relates... to [C346.2J]; relates to [01443.4]; remotely related [C567.1J]; this invention relates in general to ... and more particularly to [H574.1]

**relating:** relating to [K192.0]; there still remains the problem of relating ... to [01119.1]

**relation:** [3104.0, 01464.1]; bears some relation to [И425.1, K127.2]; causal relation [П2590.3]; data ... fit a relation of the form (0785.2); derive the relation [B1746.1J]; has a strong relation to [T207.9]; have the relation [C368.1]; in relation to [01430.4, П484.8]; particularly in relation to ... n rather than [Б202.1]; power function relation between [C1454.1]; relation between... is commonly expressed as [C1034.1];  
relation of the form given by equation [3105.1]; there is a close relation between ... and [C1581.1]; to bear a relation to [И423.0]; were ... approximated by the relation... (A 150.1); were well approximated by the relation [X58.1];  
when considered in relation to [E84.1]

**relationship:** [3104.0, C1032.1]; bear a one-to-one relationship (П1064.1); bears a clear relationship to (И426.1); cause-effect relationship [П2590.2]; causal/effect relationships [П2590.1]; close relationship between [T205.2];  
cooperative relationships [K370.1]; following relationship holds [C1250.1]; intimate relationship between [T205.1]; power law relationship [C1453.1]; relationship... for... against [3107.2];  
relationship between [C1033.1]; relationship

between ... and [C372.1]; semi-empirical relationships [П1211.1]; strong relationships with [T205.3]; to bear a relationship to [И423.0]

**relative:** are relative [И469.1]; extraordinary ... flexibility relative to [01655.1]; one ... relative to the other [0491.1]; relative humidity (01425.1); relative merits of [01429.1]; relative position of ... to one another [П1099.1]; relative to [П432.3, П484.9]; relative to the baseline for [01432.1]; relative to the respective averages, the data scatter by [P174.1]; reverse relative positions [M118.1]; state of knowledge relative to ... is still modest [Y370.1];  
with relative ease [01433.1]

**relatively:** [01430.1, C1288.1]; are relatively new  
[П1596.1]; in a relatively short time [35.1]; in the relatively near future [01436.1]; is relatively independent of [01435.1]; relatively noise-free [01431.1]; relatively simple matter [C1289.1]

**relaxation:** relaxation of ... boundary condition [C798.1]; relaxation of the ... condition [01306.1]

**relax:** [Y251.5]; be relaxed [C1403.1]; constraint  
of... is relaxed [C784.2]; development periods were reasonably relaxed [C1333.1]; relaxed atmosphere [H1548.1]; relaxes (Y259.7); requirement ... relaxed [П1261.1]; requirements for... maybe relaxed [T419.1]

**relaxing:** relaxing ... condition [C797.1];  
relaxing  
specification [C753.1]

**relay:** if a relay is suspected to be faulty [E51.1]

**release:** [P170.1]; button ... released [01496.1]; effects of an accidental release [П1415.1]; engine has now moved into high production release [H717.1]; is released [B1967.2, 01488.1J];  
release ... switch [01497.1]; release for shipment (P324.1); released ... energy [B1785.1];  
to  
release [B1784.0, B1924.0, B1967.0]

**releasing:** by releasing ... screws [0919.1]

**relevance:** [A99.0, Д737.0]; are of immediate relevance to practice [И427.1]; it is of relevance to note that [Y286.1]; main relevance of ... is to [0991.1]; of relevance in [П1863.2]; practical relevance [П1674.1]; relevance ... in [P757.1]; relevance of... to [A100.1]; relevance of [Д737.2]; to be of relevance to [И423.0]

**relevant:** [B778.0, И619.3, H1409.2, P489.2, C1024.6]; in light of relevant ... experience [B488.1]; is relevant to a consideration of [B788.1]; it is relevant to [И449.2]; may not be relevant to [M318.1J]; most of the comments regarding ... are relevant [C1247.1]; most relevant results [H319.1]; not directly relevant to [H889.1J]; practically relevant situations [C709.1J]; relevant adjunct to [B793.1]; relevant to [B783.2, И512.1, H1410.5, T266.3, X15.6]; relevant to this topic [01461.1]; to be relevant [Б295.0]; to be relevant to [И449.0];  
to begin, it is relevant to consider [Д359.1];

two cases are relevant, namely [Π1850.1]; where relevant [Til 3.1]; will be relevant to the future [Π1257.1]

**relevel:** [B1936.0]

**reliability:** acceptable reliability level [Д668.0], be reliability oriented [H697.1]; places a premium on reliability [Π1281.1]; reliability requirements of [T425.1]; safety and reliability [B73.1]; start reliability [H264.1]; with any degree of reliability [C26.1]

**reliable:** becomes even a less reliable [C 1386.1], highly reliable service [И675.1]; it was not possible to obtain a reliable measure of [H262.1]; most reliable [H317.1]; place more emphasis on the more reliable tests [Y110.1]; reliable means of [H268.1]; to assure reliable contacts [4178.1]

**reliably:** perform reliably ... in hostile environments [H263.1]; readily and reliably [J117.1]

**reliance:** reliance is placed on [B1287.1]; reliance on [B1287.2]; to make reliance on (B1287.0); to place reliance on [B1287.0]; will force a greater reliance on [B1859.1]

**relieve:** does not relieve... of the responsibility of [H963.1J]; is relieved of responsibility [C785.1]; relieve ... of the responsibility for [0922.2]; relieved of the design responsibility [0923.1]; relieves the pressure [C263.1]

**relinquish:** to relinquish the Chairmanship [01137.1]

**relocate:** [Π140.1, Π144.1]

**relocation;** [Π138.1]

**relubricate:** should be ... relubricated ... every fifty hours ... of operation [H1390.1]

**reluctance:** reluctance... can thus be appreciated [M354.1]; with extreme reluctance [J183.1]

**rely:** alone cannot be relied on [H 1328.1]; can be relied upon [M349.1]; nor, does ... rely on [H856.1]; one must not rely on [H1327.1]; only ... can be relied on [M350.1]; personnel relied upon to carry out ... emergency procedures [Π249.1]; relied upon [Π1009.1]; relies heavily on [B200.2]; relies on [388.2]; relies upon [01020.1]; relies very much on [B204.1]; rely heavily on [Π1050.1]; rely on [И693.6]; rely solely on [Π1010.1]; to rely on [388.0, И693.0]; to rely upon [388.0]

**relying:** without relying on [B48.1]

**remain:** broad picture remains the same [0328.1]; but the fact remains that [H1817.1]; fact remains [Ф5.1]; how far ... remains to be seen [01117.1]; however there remains the need to [0569.1]; in remains to be seen whether [01116.1]; in particular, questions remained as to [B760.1]; it now remains to discuss the manner in which [01118.1]; it remains to be seen whether ... is [01121.1]; lot still remains to be done in optimizing [M206.1J]; might have remained [M255.1]; much work remains ahead of us [B1457.1J]; one quandary remains [0485.1];

physical significance remains obscure [Ф23.1]; probability of ... remains small [B908.1]; remain about constant [01112.1]; remain as before [01113.1]; remain as they were [01093.1J]; remain in your seat [01094.1]; remain on [01084.1]; remain skeptical regarding [B975.1]; remain to be explained theoretically [E218.1]; remain unchanged [01081.1]; remain unresolved complications [01127.1]; remain unresolved [01103.1]; remained ... unaltered [01100.2]; remained in obscurity [01099.2]; remained in position [01092.1]; remained intact [01095.1]; remained steady [01114.1]; remained unclear [01104.1]; remains a long range prospect [01090.1]; remains an open question [B1406.1]; remains as good as [H1777.1]; remains as it was [01081.2]; remains energized [01108.1]; remains finite [01091.1]; remains in question [01106.1]; remains in service [01088.3]; remains in the planning stages [H659.1]; remains intact [01102.1]; remains the same as before [01113.2]; remains to be seen [01107.1]; remains unchanged [01100.1]; remains unchanged from [B215.1]; remains unknown [01099.1]; remains valid [01087.1]; so long as ... remains less than [Д465.1]; still remains [B976.1]; there still remains the problem of relating ... to (01119.1); what remained was [01128.1]; what remains then is to [T176.1]; whether they can be realized remains to be seen [H1900.1]

**remainder:** [B751.0]; and in the remainder of the tests [B272.1]; from the remainder of the analysis [Π2056.1]; over the remainder of the [H187.2]; remainder of [01141.1]; remainder of... paper [01129.1]; remainder of this paper addresses [B757.2]

**remaining:** five remaining fuels [01145.1]; question remaining is this: [01122.1, Π1385.1]; remaining 20 percent [01144.1]; remaining choice is to [И49.1]; remaining discussion will be confined [Π1420.1]; remaining the same [01100.3]; removal of remaining [Y89.1]; there- after remaining constant [01111.1]; those remaining [01143.1]

**remark:** additional remarks [Д644.0]; as a final remark with respect to [Π1390.1]; despite these qualifying remarks [H1 621.1]

**remarkable:** [3605.0]; agreement with ... is remarkable [C904.1]; are remarkable among ... for their [B 1786.1]; are remarkable by [01376.3]; bear a remarkable resemblance to [Π1321.2]; remarkable complexity of [H1425.1]; remarkable for its use [3312.1]; remarkable progress [3606.1]; to be remarkable [B1784.0]; truly remarkable achievement [Π750.1]

**remarkably:** [3614.2]; does a remarkably good job of accounting for [01679.1]

**remedial:** energetic remedial action [Э82.1]

**remedy:** [B2022.0]; not a complete remedy [H1059.1]; problem ... remedied [Π2022.4]; records on remedy [3389.0]; remedy of fault [M161.0]; remedy the deficiencies [Y527.3]; remedy to this situation is to [B2028.1]; remedy to this situation is to design [И741.1]; to remedy [И739.0, Л47.0]; to remedy the condition [И740.0]; to remedy the problem [И740.0, И740.1]; to remedy the situation [И740.0, Π1296.1]; to remedy this situation [C1 151.1]; trace and remedy the cause of [B2085.1]; typical remedy is to [B2023.1]

**remember:** as a caveat it must be remembered [B149.1]

**remind:** are reminded that [H464.1]; it is pertinent, at this point, to remind [3567.1]

**reminder:** by way of reminder [H465.3J]; provided a timely reminder [B 1250.1]

**reminiscent:** reminiscent of [H467.1]

**remiss:** is ... remiss in this respect [HI 197.1]

**remote:** in regions remote from [B256.1]; operation in remote areas [P10.1]; remote from [B851.0, B851.2]; render the probability of... remote [Д201.1]; risk of... is remote [P747.1]

**remotely:** remotely controlled [Y334.1]; remotely related [C567.1]; remotely resembling [01281.1]

**removable:** [C 1632.1]

**removal:** [B1725.0]; date of removal from storage [Д140.0]; in the reverse order of removal [B365.1]; installation and removal [M248.1]; moisture removal [Y88.1]; removal and disassembly [Д259.1]; removal of obstacles [Y519.1]; removal of remaining [Y89.1]

**remove:** [B1854.1, 01255.2]; be sure to remove [H854.1]; difficult to remove [T492.1]; far removed from that occurring in [M32.1]; ground is removed [01520.1]; have removed much of this difficulty [H425.1]; largely removed this difficulty [B285.1]; need not be removed [H935.1]; only 40 percent as much ... as ... removed [T312.1]; promptly removed [H1247.1]; remove ... from [01688.1, C787.1, Y39.1]; remove power from equipment [01347.1]; remove slack [Y526.1]; remove the ... cable [01525.1]; remove the ... screws [B1749.1]; remove the front panel [C793.1]; removed ambiguity [Y533.1]; removed for examination [C789.1]; removed, ... then replaced [C792.1]; removes a ground from the switches [01521.1]; removes the ... as a factor [И664.1]; removes the constraint [C784.1]; removes the need to [Y531.2]; slide ... off ... remove [C791.1]; to remove [B1748.0, B1854.0, И177.0, И650.0]; to remove from service [B1742.0, И331.0]; was removed from [И178.1]; were removed from service [И331.1]; with the ... panel removed [Π2128.1]; without having necessarily to remove [B37.1]

**removing:** [B1725.0] functions in removing [Φ62.1]; removing power from [057.1]

**remuneration:** [B1337.1, B1337.2]

**renaming:** renaming a file [Π114.1]

**render:** [Д192.1]; render it difficult [3496.2]; render small [C395.1]; render the probability of... remote [Д201.1]; rendered safe [026.1]; renders ... inoperative [Π2035.1]; to render [Д192.0, C387.3]; to render... unfit for further use [C397.1]; to render difficult [3496.0]; to render inoperative [B1741.0]

**rendering:** rendering ... inoperative [B1741.1, Д210.1]; rendering ... of... services [0621.1]

**renew:** [B1352.0, B1436.0]; have renewed interest in [B 1353.1]; renewed ... subscription [B 1355.1]; renewed the interest in [B1369.1]; there has been a renewed interest in [B1353.2]; there has been renewed interest in [B 1354.1]; renewal: [B 1439.2]; phased renewal [Π1573.1];

**renewing:** renewing controversies over [B 1351.1]

**renowned:** [И168.0]; internationally renowned [B1577.1]; is renowned for [И172.1]

**rental:** on a rental basis [H92.1]

**renumber:** renumber the claims [И264.0]

**reorganize:** be reorganized [P709.1]

**repair:** album of main joints and repair tolerances [A105.0]; date of acceptance after repair [Д122.0]; date of acceptance for repair [Д136.0]; factory repair [P691.1]; in poor state of repair [B613.1]; in situ repairs [P695.1]; is in need of repair [H1892.1]; list of repair papers [B869.0]; minor repair [M88.0J]; prior to starting repair procedures [Д451.1]; reasonable state of repair [B621.1]; repair flow sheet [M54.0]; repair kit [P699.1]; repair records [3388.0]; repair timetable [Г126.0]; returned to the factory for repair [B 1271.1]; take it to a repair shop [01490.1]; tentative allowance list of SPTA for major repair [B1518.0]; test and repair record [B875.0]; there will be a charge for the repair [P692.1]; time between repairs [M85.0]; type of repair (medium, major, etc.) [B1086.0]; warranty repairs [Г8.1]; were in a poor state of repair [T432.1]

**repairing:** repairing crew [B280.0]

**repay:** to repay bank loans [Π596.1]

**repeat:** above procedure was repeated for different [B2071.1]; and the cycle repeats [И72.1]; is repeated [Π581.1]; it is not necessary to repeat it here [Π574.1]; it is not proposed to repeat... here [M423.1]; repeated as often as [Π577.1]; repeated twice more [Π575.1]; was fully discussed in ... and will not be repeated [Π796.1]

**repeatability:** [B 1431.1]; one slightly disturbing point ... was their repeatability [H1604.1]; repeatability from test to test [B 1432.1]; this lack of repeatability [T72.1]

**repeatable:** repeatable ... results [B1435.1]

**repeatedly:** [B1548.5, M213.2]; has been proven repeatedly [H1440.1]; has been repeatedly reported in the literature [H1441.1]; has repeatedly pointed out [H1443.1]; have repeat-

ediy stressed [HI 442.1]; produced repeatedly good results [Д58.1]

**repercussion:** serious repercussions [C442.1]

**repetitive:** repetitive starting [П582.1]

**replace:** [П1440.2]; are replaced [C1358.1]; be re-placed with [3283.2]; cannot replace [H915.1J; in no way replaces [H1760.1J; is replaced by [3286.1, 3313.1]; it is the practice to replace [C1579.1]; removed,... then replaced [C792.1]; replace... by [3279.1]; replace ... every six months [3281.1]; replace it with... of the same type, size and rating [3284.1]; replaced as a set (3282.1); replaced by [3283.1]; replaced in a matter of minutes [3280.1]; to replace (by, with) [3279.0]

**replacement:** [3277.1, H1828.1]; allows replacement ... without difficulty [П905.1]; are in need of total replacement [H 1890.1]; in replacement of [B1058.0]; mount the replacement ... on ... making certain that... is at the same location ... as it was on [C742.1]; viable replacement for [Ж14.1]

**replacing:** other than replacing [E1 46.1]; possibility of replacing ... was considered [B365.1]; replacing (smth) with [3277.0]; replacing ... with [3277.2]

**replenish:** [B1413.0, П1295.1]

**replenishment:** inventory replenishment [B 1412.1]

**replica:** [K373.0]; exact replicas of [T382.1]

**replicate:** [K371.1]

replication: [n568.1]; replication of [B1430.1]

**replot:**... replotted on coordinates [П170.1]

**reply:** generate replies to ... inquiries [C1087.1]; in reply to [B287.0]; in reply to the ... question [B288.1]

**report:** [A88.0, Д546.0, Д551.1, Д560.2, C998.1]; all sources report [B434.1]; are being reported under separate title [C996.1]; been reported [0792.3]; claim report [A92.0]; completion and delivery of the ... project report [384.1]; contradictory reports [П2980.1]; Corp. ... is reported to be considering [C1007.1]; examination report [A95.0]; experiments reported here [0791.1]; favorable written report [П 111 3.1]; follow-on studies to the work reported [И785.1]; for the purposes of this report [B458.1]; has been repeatedly reported in the literature [H1441.1]; immediately report any damage to [09.1]; in the same manner as reported previously [T405.1]; inspection report [A94.0J; no ... have been reported [B172.1]; often reported as [06.1]; properties of the material reported by the supplier [C339.1]; progress report [Д547.0, П2844.1]; project reports on [01591.1]; report...on time [Я13.1]; report... to [01596.1]; reported for [П2814.1]; reported in [0788.1]; reported successes of the use [0870.1]; reports of [C1008.1J; research reports [01587.1]; results ... will be reported in due course [P645.1]; score report [T1.1]; test report [A93.0]; to report on (C999.1)

**reportedly:** [K 118.2, П482.1]

**reporting:** without widespread reporting [B63.1]

**reposition:** reposition ... at [П169.1, П184.1]

**repowering:** [P687.2]

**represent:** [0614.9, 0614.10, 0775.2, П1874.3, C1073.3]; adequately represent [П1620.1]; are ... represented by... equations [0794.1]; closely represents [T388.2]; equation ... represents [Y356.1]; is not intended to represent more than [И474.1]; is represented by [0792.4, П1838.1]; represent a standard of good practice [01031.1]; represent a true demonstration of the existence of [Д172.1]; represent only a small proportion of [C1082.1J; represent the average density [Д65.1]; represented a major step forward [Я10.1]; represents a major and significant contribution to understanding [П907.3]; represents the latest technology in [П1878.1]; represents the real situation [C1013.1]; to represent [B1434.0, Д3.0]; truly represent [П1625.1]; well represented by equation [X59.1]; would not represent ... adequately [H958.1]

**representation:** are good representations of the performance [X60.1]; dimensionless representation of [П 1833.1]; false suggestion of representation [Л97.0]; representations ... have been made [Д220.1]; validity of such a representation is in serious doubt [0167.1]; was fit by a linear representation [A151.1]

**representative:** [T265.1]; are representative of [T272.1, X8.1]; are representatives of [П1851.1]; manufacturer's representative attendance [П2536.1]; more representative [B175.1]; representative of [T266.2, X15.2]; representative samples [T268.1]; signed by authorized representatives [П1779.1]; test witnessed by... representative [И752.1]

**reproduce:** [B1434.2J; are reproduced [B1434.1]; fails completely to reproduce [C825.1]; faithfully reproduce [T388.1]; to reproduce [B1434.0]; where service conditions are reproduced as accurately as possible [B715.1]

**reproducibility:** [B1431.0]; experimental reproducibility [B 1433.1]

**reputation:** enjoy a reputation of [И444.1]; has an unequalled reputation for [П2491.1]; reputation and the financial standing of the firm [P710.1]; unequalled reputation [H1508.1]

**requalification:** performance requalification [П69.1]

**request:** [3414.0]; are available on request from the ... office [B1772.1]; are furnished on request [B1771.1J; as per your request [B496.1]; at the time of request for quotations [H194.1]; exhibitors are requested to [П2902.1]; request clarification of [П2901.1]; request for examination [3416.0]; requested permission from ... to [0237.1]; requests for exceptions to [П2943.1]; requests for permission to translate [П2944.1]; we were requested to provide [H405.1]

**require:** [П2065.1]; are ... doing the exact job required [Д200.1]; are welcome but not required [Ж6.1]; as required by [B590.5]; as required [E 172.1, И356.1, П2096.3]; both required to be considered (T451.1J; but require ... as a minimum requirement [H1789.1]; confirm if ... are required [П848.1]; contains the required characteristics [090.1]; for... it is required that [Д407.1]; force is not required [Y381.1]; further work is required (P34.1); if required [E75.1, П2096.7]; in order to limit the calculations required [4216.1]; is too well known to require further review [Д698.1]; it may require a little practice [B1304.1]; knowledge of ... is required for [3588.1]; many modifications would be required [П1258.1]; may require [M267.1, M299.0]; measurement at... is required (H1367.1J; met the ... properties required by [087.1]; minimum ... required [H1416.1]; new... would **be** required [T454.1J; no ... is required [H1744.1]; nothing as ... as ... is required [H1774.1]; only to the extent required [T314.1]; partitions are required to [01199.1]; personnel required to [490.1]; precisely the ... required (K112.1J; question of... requires further consideration [B 1409.1]; reaction ... requires ... to proceed at a rapid rate [Д384.1]; reasons for ... require further study [Д337.1]; require ... higher ... higher... on the part of [T441.1]; require a longer time (T449.1); required a few hours to a few days [T442.1]; required calculations ... be much less than that [0364.1]; required capabilities [T461.1]; required for ... design [K425.1]; required much care and effort [T431.1]; required of [T457.1]; required target [T459.1]; required to [H1410.8]; requires a knowledge of [H1366.2]; requires considerable caution [T433.1]; requires considerable improvement [H1885.1]; requires knowledge only of [T446.1]; requires little comment [H1124.1]; requires no... to [H1122.1]; requires review of [T444.1]; requires special handling [T440.1]; requires very little in the way of [T443.1]; should it **be** established that ... is required [E38.1J; some clarification is urgently required [K445.1]; space required to withdraw the piston [Г1.0]; special attention is required for [01056.1]; such as is required to [K427.1]; that are required from [T457.2J; these were just the ... required [A46.1J; they require some modification [H1363.1]; this process can require from ... to ... for completion [H58.1]; this requires some insight as to how [Д429.1]; thorough knowledge of ... is required [H1393.1J; thus, to ... were required [П1579.1]; time required to calculate [B1543.1]; to satisfy the boundary condition ... it is required (И138.1); to secure the required information [П1145.1]; when the ... system is required [K234.1]; you **are** required [01188.1]

**requirement:** additional properties, ... are ... a requirement [T452.1]; are a contract requirement [0273.1]; are marginal for meeting ... requirement [H673.1]; brought into view a further requirement [B1780.1]; but require ... as a minimum requirement [H1789.1]; common practical requirement is [0408.1]; from the requirement that ... be zero [И 136.1]; material requirement [П1527.1]; requirement ... relaxed [П1261.1]; requirement for (T418.1); requirement for equal ... numbers [Y393.1]; requirement is somewhat complicated as [T423.1J; sufficient but not a necessary requirement [Д703.1]; this approach was dictated by the requirement [T57.1]

**requirements:** [П1526.2]; article ... has been packed at ... in compliance with the requirements specified in the operating instructions [И218.1]; article ... has been subjected to preservation at ... in compliance with the requirements specified in the operating instructions [И215.1]; auxiliary power requirements [3488.1]; certification that all the ... requirements of ... have been carried out [C289.1]; compromise between conflicting requirements [K306.1]; conflicting requirements ... resolved [C915.1]; day-to-day requirements [K27.1]; demanding ... requirements [T487.3]; demanding design requirements [C1498.1]; easing specification requirements [0113.1]; engineering requirements [T429.1]; exacting ... requirements [T487.1]; faced with the requirements of [C1369.1]; fail ... requirements [H1131.1]; falls ... short of ... requirements [01535.1]; flow requirements [T458.1]; functional requirements [T420.1]; hazardous area requirements [T424.1]; increased requirements ... place on [П1939.1]; make the requirements easier to fulfil [0105.1]; measure up to the ... requirements [01246.1]; medicines... shall be exempt from the requirements of [T422.1]; meets ... requirements (Y171.1); meets all of these requirements [Y173.1]; meets the requirements of ... in all respects [01247.1]; near-term ... requirements [B1520.1]; observe safety requirements [C814.1]; places severe requirements on [П 1940.1]; provides a better match to the load requirements [ЛИ 0.1]; reliability requirements of [T425.1]; requirements ... be specified [Y464.1]; requirements ... compromised [H521.1]; requirements for... maybe relaxed [T419.1]; requirements for [T427.1]; requirements from customers [T428.1]; requirements of ... must be balanced against requirements [T426.1]; requirements with respect to [T421.1]; rigor of ... requirements [4122.1]; safety and security requirements [M134.0]; satisfies all requirements [Y172.1]; specific requirements [C1184.1]; strict observance of the requirements [C1496.1]; stringent ... requirements [C1497.1]; supplies its own ...

- requirements [Y170.1]; to meet the cycle requirements [Д366.1], totally satisfy ... requirements [П1069.1]; varied requirements [И295.1]
- requisite:** possess the requisite [078.1]; prime requisite of [Г56.1]; requisite experience [H1417.1]
- requisition:** [3550.0]; parts requisition [3551.1]; placement of a ... requisition [П641.1]; purchase requisition [3554.1]; raw materials requisition [3553.1]
- rerun:** tests were rerun [П576.1]
- reschedule:** rescheduled for another date [П141.1]
- research:** [И773.0]; advanced research [П256.1]; are receiving more research attention [П2201.1]; direction for future research [H470.1]; emanate from ... research [П1128.1]; fruitful area of research [099.1]; fundamental research [Т159.1]; open area of research [H1284.1]; previous research has attempted to [B 135.1]; prompted an upsurge of research on [B 1821.1]; published research of the type reported in the present paper [H399.1]; R&D research and development effort [H597.1]; research ... followed along many lines [И774.1]; research activities ... became so widespread that [И792.1]; research community [H593.2]; research on the effect [И775.1]; research reports [01587.1]; research team [И791.1]; research topics [Т138.1J; research work into [И793.1]; status of research ... (П1094.1); there has been little research [И490.1]; to research [И325.0]; to research the literature for information [И327.1]; while there is an extensive body of research literature devoted to [X 106.1]; will continue to receive research support [И784.1]
- researcher:** [И788.0]; as indicated by earlier researchers [K 108.1]
- resemblance:** bear a remarkable resemblance to [П1321.2]; bearing a marked resemblance to [C474.1]; bears a resemblance to [H462.2]; bears a striking resemblance to [П1321.1]; bears little resemblance to [M31.1]; show a very close resemblance to ... are ... very similar to [01665.2]
- resemble:** resemble [П1537.1]; resembles ... in [H463.1]; to outwardly resemble [B1 192.0]
- resembling:** remotely resembling [01281.1]
- resent:** most deeply resented ... is [H350.1]
- reservation:** with the reservation that (C40.1)
- reserve:** [3378.1]; reserve accommodation in ... hotels [B282.1]; reserve the right to [C1129.1]; reserved material [P630.1]
- reset:** [B1265.1, П570.1]; reset ... to operative position [B1267.1]; reset breaker [B900.0]; to reset [B898.0]
- reside:** does not... reside with [H1571.1]; expertise in this area resides at [B227.1]; reside... in [B1.1]; reside in ... environments [H661.1J; to reside in [3242.0]
- residential:** for residential purposes [H79.1]
- residual:** residual adhesive [01161.1]; residual between [P284.2]
- resist:** [C 1051.1]; can hardly be expected to resist [B 1558.1]; resist the growth in application of [П2033.1]; temptation of... was resisted [H977.1]
- resistance:** [C1462.1]; exhibited ... resistance to ... corrosion attack [C1052.1]; exist a strong resistance to the use [Y325.1]; have a low resistance to [П316.1]; in order of decreasing wear resistance [B369.1]; offer... resistance to motion [0652.1]; offers... resistance to [0651.1]; resistance ... offered by [C1049.1]; resistance across [C1048.1J; resistance to corrosion [C1047.1]
- resistant:** against ... is ... resistant [Y515.1]; be wear resistant [И3 11.1]; resistant to heat [Y511.1]
- resistor:** connecting ... across ... resistor [П824.1]
- resolution:** is faced with proper resolution of [C1370.1]; resolution ... into components [P248.1J; resolution of [P329.1]; resolution of problems [P742.2]; satisfactory resolution of the problem [Y 163.1]; timely resolution [C330.1]
- resolve:** [Д27.0, И642.1]; conflicting requirements ... resolved [C915.1]; has not been resolved [HI 014.1]; is resolved into ... components [P215.1]; problem was resolved [P723.1]; question whether ... is not really resolved [B1404.1]; resolve ... issues [P719.1]; resolve these questions [Д29.2]; resolved in writing [C914.1]; resolved into... components [P353.1J; this ... has not been resolved [0374.1]; this point cannot be resolved without [Э100.1]; to resolve such differences [4209.1]; to resolve the confusion [Y535.1]; was never entirely resolved [T29.1]
- resolving:** beyond the resolving power [346.1]; go some way toward resolving [H1595.1]; has a resolving power of [B1061.1]; resolving equation ... for [P725.2]; with a resolving power of 1 [C85.3]
- resort:** as a last resort [B534.1, K109.1]; only as a last resort [T302.1]; resort has been made ... to [B1415.4, П2173.1]; to make resort to [B1415.0]; to resort to [B1415.0, П2173.2]; without the need to resort [B38.1]
- resorting:** without resorting to [H1022.1]
- resource:** as resources permit [E70.1]; handle resources [P75.1]; to commit resources [P412.1]
- respect:** analyzed with respect [A121.1]; are ... with respect to [П323.2]; as a final remark with respect to [П1390.1]; derivative of ... with respect to [П2794.1]; differentiating ... with respect to [Д292.2]; differentiation with respect to [Д292.1]; dot denotes differentiation with respect to time [T373.1]; final matter to be considered with respect to [И50.1]; in all respects [B309.1, 01247.1]; in every respect [B309.2]; in many respects [B312.1, B312.2]; in respect to [B297.0]; in some respects [B304.3];



in this respect [B307.1, B503.0]; increasing ... flexibility with respect to design [P566.1]; is... remiss in this respect [HI 197.1]; is optimized, ... with respect to [0866.2]; is symmetrical with respect to [C483.1J]; it would seem, in this respect, that [B506.1]; long term effects ... in respect of corrosion and deposition [B1 133.1]; nondimensionalized with respect to [H1859.2, П2225.1]; orientation with respect to [0908.1]; partial derivative of... with respect to [B277.1, 414.1]; requirements with respect to [T421.1]; significant in two respects [П2397.1]; with respect to [B297.3, E52.2, 01430.3, 01430.6, 01457.3, П432.2, 4143.4]; with respect to thermodynamics [C125.1]

**respected:** commands a respected position [П1219.1]

**representative:** [C 1024.13]; are representative of the respective [X8.1]; relative to the respective averages, the data scatter by [P174.1] respectively:[C1029.3]; in Figs. ... and , respectively (C1030.1); were ... respectively [B334.1]

**respond:** respond ... to [P578.1]; respond ... to changes [P580.1]; respond similarly to [P579.1]; respond to [388.3]; respond to ... treatment [П706.2]; to respond to [388.0]

**responding:** without responding to [H1054.1]

**response:** [K474.0, Y368.1]; draft response [472.1]; full response [П1077.1]; in response to ... comment [B289.1]; in response to [B287.1, П606.3]; in response to ... inquiry [B290.1]; in response to ... needs of [И117.1]; response of ... to [3108.4]; response of the transducers was recorded [C455.1]; response threshold [П1323.1]; response time [И554.1]; response to ... criticism [01233.1]; response to ... question [01229.2]; response to the pressure for [Y155.1]; stress-strain response [K480.1]; responses [X5.3]

**responsibility:** [0923.1]; absolve ... of... responsibility to [0922.1]; assume all responsibility for [B271.1]; bear part of the responsibility for the fact that [H1643.1]; bear responsibility for [H1642.3]; cannot accept any responsibility for [C788.1]; carry out ... responsibilities under [B1886.1]; designation of responsibility [0808.1]; does not relieve ... of the responsibility of [H963.1]; has accepted the responsibility of chairing [B 1068.1]; is assigned the responsibility to [B1289.3]; is relieved of responsibility [C785.1J]; is the direct responsibility of [H1482.1J]; it shall be the responsibility of contractors to make use of [B267.1]; leave the responsibility for ... with [B1289.2]; programmer's responsibility [0421.1]; relieve ... of the responsibility for [0922.2]; relieved of the design responsibilities ... are met [B1885.1]; responsibility for... is placed upon [B1289.1]; responsibility for ... now rests with the user [01235.1]; responsibility for ... rests with [01236.1, 01236.2]; responsibility has been

assumed by [0418.1]; responsibility is ... split between [P426.1]; responsibility of performing [0420.1]; such substitution shall be the sole responsibility of [0422.1]; take it [responsibility] over themselves [B272.1]; to assign smb. the responsibility to [B1289.0]; to leave the responsibility for smth. with smb. [B1289.0]; to place the responsibility upon smb. for smth. [B1289.0]

**responsible:** are responsible for [B1801.3, 0269.1];

holds ... responsible for code compliance [H382.1]; individual responsible [01241.1]; is not responsible alone for [HI 149.1]; is responsible for [П1332.1, Я26.3]; of those responsible for (T364.1); personnel responsible for ... shall be trained in the use of [J164.1]; responsible for [B1832.1, 0278.1, П2259.1]; responsible for... to [01250.1]; shall he responsible for [H1642.1]; should be responsible for [H1642.2]; to be responsible for [B1801.0]; were largely responsible for [B201.1]

**responsive:** responsive to the ... needs [01251.1]

**rest:** [B751.0, C111.1]; after two days at rest it was restarted [П3083.1]; at rest [B609.1]; basis for selection ... rested on [B 1707.1]; be at rest [H635.2]; comes to rest [01150.3]; considered separately from the rest of [P469.1]; for the rest of this analysis [B2.1]; is at rest [H635.1J]; is held at rest [Y 134.1]; liability rests with [01236.3]; over the rest of the surface [H187.1];

responsibility for ... now rests with the user [01235.1]; responsibility for ... rests with [01236.1, 01236.2]; rest of the paper deals with [B757.1]; rests on [01020.2]; rests on the assumption that [И815.1]; to rest [И814.0]; to rest on the assumption that [И815.0]

**restart:** after two days at rest it was restarted [П3083.1]

**restating:** are so well known as to hardly need restating [H566.1]

**restoration:** [B1439.0]; restoration of working capacity [B1440.1]; restoration to [B1260.0]

**restore:** [B1352.0, B1436.0]; restored to original quality [B1437.1]; restored to position [B1266.1]; to restore the ... balance [B 1438.1]

**restraints:** scaled up ... down ... within similarity restraints [П178.1]

**restrict:** applicability of ... is restricted to the region [П2364.1]; discussion is restricted to ... aspects of [0458.1]; is ... restricted in use to [P319.1]; is restricted to [0463.1]; restrict... to less than [0451.2]; restrict ourselves to the case of [0467.1]; restricts its range of application to values of [0456.1]

**restricting:** restricting, for the moment, our attention to [0471.1]

**restriction:** overcome ... restriction [Y536.1]; restriction is placed on [H380.4]

**restriction:** fits into envelope restrictions [B 1466.1];

restrictions on ... overall dimensions [Г2.1]

**result:** [B2011.0]; as a result [B480.1, B505.1]; as a result of [B474.1, B1597.0]; as a result of... it appeared that [B476.1]; as a result of these data, it was decided [V620.1]; can result from [M313.2]; can result in significant savings in [Π919.1], come about as a result of [Π2821.2]; could well be the result [M313.1]; direct result of [Π3060.1]; end result [K312.1J]; failure to attend to this may result in [HI 180.1]; failure to do so may result in [HI 180.2]; final result [0712.1]; has resulted in an increased confidence in [Π590.1]; is a result of [Я29.1]; is the result of the realization that [0663.1]; may not result in [M319.1]; may result in [M268.1, M301.0]; might have resulted from [M257.1]; net result [0712.2]; result from [B1340.1, Π1202.1]; result is that [B477.1]; result of ... was the selection of [B481.1]; resulted from [Я29.3]; resulted in [Π2222.1]; severity ... can be so pronounced as to result in [M312.1]; surprising result [H1446.2]; this could have resulted from [B1315.1]; this is a surprising result [Э153.1]; this result indicates that further emphasis should be placed on investigations [Э 105.1]; this result is unexpected [Э106.1]; to convey a result [Д51.0]; to give a result [Д51.0]; to produce a pessimistic result [Д60.1]; to produce a result [Д51.0]; to result in [B932.0]; until further... resulted in [Д460.1]; using ... would have resulted in [И691.1]; very close closures resulted [B889.1]; was hypothesized to be a result of [B369.1]; we must have your support and cooperation if we are to have a successful result [B13.0]; with the result that [B479.1]; would have resulted in [H1278.1]

**results:** [Д108.0, И627.0]; affect the results and conclusions of the paper [C514.1]; almost all the results available to date (Π1548.1); but a major simplification results if [H1799.1J]; completely worthless results [C821.1]; confidence in the results [Д488.1, Y73.1]; contradict the results (Π2975.1); conveys ... identical results [Д62.1]; correlated the experimental results [0786.1]; could give misleading results [M274.1]; current results [Π1198.1]; detailed attempt to quantify a discussion of the results [Π1311.1]; diversity in the results [P172.1]; document the validity of ... results [0172.1]; erroneous results [01701.1]; expressing ... in terms of ... results in [B1946.1]; for the best results [4190.1]; from the results of this study the following major conclusions can be drawn [H85.1]; gave the best results [Д57.1]; general comparison of... results [C1279.1]; guided by ... results [C1534.1]; results are somewhat limited in that [И42.1]; how much results change [H548.1]; implications of the results [B1734.1]; important message of these results is [B777.1]; in bringing together the results [0355.1]; judging from previous results

[C1535.1]; less than realistic results [H1210.1]; limit their usefulness to qualitative results [0461.1]; meaningful results [Π1072.1]; most current results from [C236.1]; most favorable results [H305.1]; most relevant results [H319.1]; obscure the results [3422.1]; operating results [P656.1]; opportunity to publish these results [B 1320.1]; our results are not conclusive [H739.1]; overall correlation of the results [K396.1]; patching together the results [0355.2]; portion of the available results [431.1]; preliminary results [Π1710.1]; presentation of results will begin with [0773.1]; produced results [Д51.1]; produced erroneous results [Д61.1]; produced repeatedly good results [Д58.1]; provocative results [01662.1]; record of examination results [3390.0]; repeatable ... results [B1435.1]; results ... are limited [Д110.1]; results ... from [B2012.1]; results ... have been encouraging [P649.2]; results ... in accordance with expectations [P639.1]; results ... will be reported in due course [P645.1]; results are encouraging [P649.1]; results are typified ... shown in [T271.1J]; results can be transferred easily to [P648.1J]; results from the fact that [Π2817.1, Π2822.1]; results obtained so far [P653.1]; results of impeccable quality [H275.1]; results on [P652.1]; results plotted in Fig [Π1197.1]; results speak for themselves [P646.1]; results thus obtained [Π1199.1]; results to the contrary [P658.1]; results were disappointing [P650.1, P657.1]; results were rewarding [P651.1]; results were virtually indistinguishable from [P654.1]; should lead to better results [Д587.1]; similar results [A132.1]; somewhat misleading results [P640.1]; substituting for ... from ... in ... results in: [Π836.1]; taken together, these results [B 1024.1]; thereby results in [Π2246.1]; with which to compare the results of this analysis [C27.1]

**resultant:** [Π1203.2, P660.2J]; resultant ... force [P661.1]

**resulting:** [K310.0, Π1189.2, Π1203.1]; it is ... convenient to write the resulting equations in ... form [Y146.1]; resulting equations [Π1204.1];

**resume:** [B1352.1, B1352.2]; operation was resumed [B1356.1J]; to resume [B1352.0]

**retail:** retail prices [P755.1]

**retain:** are ... retained [C1 126.3]; are retained within [Y131.1]; benefits ... be retained [C1 135.1]; have been retained ... with no changes [C1 127.1]; retain a dominant position in [Y 125.1]; retains physical significance [C1141.1]; to expand ... in a ... series and to retain [P213.1]; we have chosen to retain [M434.1]; were retained throughout (C1 147.1)

**retard:** [3185.0, 3185.1, 3276.0]

**retarding:** have a retarding effect on [T336.1]

**retention:** receives for their personal use and retention [Π1127.1]; retention of [C1123.1]

**retighten:** retighten bolts [П869.1]; retighten bolts on [П870.1]

**retire:** [B1742.0, B1742.2, 01499.1]; are retired from service [И331.3]; is retired [C1190.1], to be retired from service [И331.0]

**retool:** [П149.2]

**retreat:** [P609.1]

**retrieval:** information retrieval [И637.1, П944.1]

**retrofit:** [B1614.2, M237.0], retrofit installations [P686.1J; retrofitted into existing [Y460.1]; to retrofit to [B 1614.0]

**retrofitting:** [P687.4]

**retrospect:** in retrospect [B340.1, 0234.1, 0435.1, T178.1]

**return:** comments to be returned ... by [3305.1]; in return for [B257.1]; in return for being able to [J182.1]; only to return to [A14.1J; practical returns from [П1671.1]; return ... to center ... position [B899.1]; return from a subroutine to ... statement [B901.1]; return to [B 1260.1]; return to this matter [B 1275.2]; return to where you were [B902.1]; returned for [B1270.1]; returned to [B1211.1]; returned to the factory for repair [B 1271.1]; returned to the question [B1275.1]; returns to a normal level [B1276.1]; returns to its original position [B1272.1]; to return [B898.0]; to return to [B1211.0, B1263.0];  
we shall return to this point later [M406.0]; were willing to suffer some inconvenience in return for being able to [C930.1]

**returning:** returning to the issue [B1275.3]

**reusable:** are reusable [M260.1]

**reuse:** for reuse [Д347.1, И704.1]; upon reuse [П2083.1]

**reveal:** [B2083.1, П973.5, П990.2, Y205.3]; have revealed [0128.6]; nothing new will be revealed by (H816.1, H1773.1); reveal the desired information about [Д21.1]; reveal the type of problems [B2092.1]; revealed that [П990.1]; reveals some interesting things [П914.1]; testing experience revealed that [И754.1]; to reveal [B2083.0, B2088.0, Д3.0]; to reveal an information [Д18.0]

**revealing:** is quite revealing [Д54.1]; quite revealing [Д20.1]; revealing [B2079.0]

**reversal:** (И238.0); reversal of this effect occurs [П2961.2]; reversals of this trend [П2965.1]; show reversals of this trend [0133.1]; sign reversal [И243.1]

reverse: [И279.1, M1 19.2, 0202.1, П75.2); by ... the situation will be dramatically reversed [K5.1]; complete reverse side of this form [3399.1]; if it were the reverse [E101.1]; in reverse [B373.3]; in reverse order [B373.2]; in reverse sequence of [B380.1]; in the reverse direction of [П2959.1]; in the reverse order of removal [B365.1J; in the reverse sequence: [B382.1]; polarity is reversed [И266.1]; reverse effect was observed [П2961.1]; reverse is found [H219.1]; reverse is true [H218.1];

reverse occurred with [П2963.1]; reverse occurs [H218.3]; reverse of reaction 1 [P584.1]; reverse reactions [0205.1]; reverse relative positions [M118.1]; reverse side [0159.1]; reverses its direction [M117.1]; signs of ... reverse (M1 16.1); to reverse [И256.0, И270.0, M1 15.0]

**reversible:** is reversible [И468.1]

**reversing:** assemble by reversing above procedure [B1909.0]; by reversing the above procedure [B373.1]

**reversion:** reversion to [B1260.2]

**revert:** to revert to [B1263.0, B1274.1]

**review:** [A107.6, P451.2, P494.2, P715.1, P716.1];  
are reviewed [P485.2]; be reviewed ... for adequacy [П2640.1]; be reviewed for publication [01274.1]; comprehensive review [B1583.1];  
concise review [K450.1]; extensive reviews of [0291.1]; extensive review of the appropriate literature [П813.1]; have been comprehensively reviewed [B1587.1]; is subject to annual review [П736.1]; is too well known to require further review [Д698.1]; requires review of [T444.1]; review abstracts [P711.1J; review article on this topic [069.1]; review of the existing literature on the subject [066.1]; review of the literature on [065.1]; review of the literature [A115.2]; review of the manuscript [P714.1]; review process [P713.1]; reviewed and agreed upon [P493.1]; reviewed the literature [Д212.1]; shall be subject to review and approval by the client [П738.1]; submit... for... review and approval [П1844.1]; submitted ... for review [П96.1]; submitted in writing for review [П1841.1]; to ... review inventory of [П2641.1]; to review the credentials [П2648.1]

**reviewer** [P712.1]

**reviewing:** need reviewing [H1889.2]

**revise:** [Y572.3]; revised item of a document [И742.0]

**revision:** [И737.0, И737.1, П157.1); consideration of revisions to [P495.1]; original revision of... document [П40.1]; revision of documents [И738.1]; revision sheet [J154.0]; revisions of drawings [P623.1]; stands in need of revision [T444.2]; temporary revision [B1517.1]

**revisit:** this matter will be revisited [M405.1]

**revive:** current interest has been revived in the use of [B61.1]

**revocate:** [A144.0]

**revocation:** [A 143.1); with powers of modification and revocation [C73.1]

**revolution:** once every revolution [0494.2]; once per... revolution [0494.1]

**revolutionary:** [K375.0]

**revolutionize:** [И257.1]; has revolutionized [И260.2]

**revolve:** [B1503.0]

**reward:** [B1337.0]; was not rewarded [H1127.1]

**rewarding:** results were rewarding [P651.1]  
**rework:** [Π110.1]  
**rewrite:** Equation ... be rewritten as [Π154.1]  
 rich: [B149.0]; is rich [C951.1]  
 rid: to get rid of [И 152.1]  
**riding:** imagine riding (Π 1791.1)  
**rig:** [И768.2, Л1.0, C1445.1]; rig tests [Л14.1]; with this test rig [H212.1]  
**rigging:** [P618.1]  
**right:** aims in the right direction [Л179.1]; and everything else is ail right [A8.1]; are ruled out right from the start [И665.1]; as portrayed at the right [K104.1]; at right angles to [Π246.2]; at right angles to each other [Π621.2]; at the right time [B1248.0, B 1248.2]; at the right times [B1248.3]; be afforded the right [Π1765.1]; be displaced to the right [C732.1]; confers on ... proprietor... rights [Π1758.1]; extreme right [K447.1]; from left to right [C569.1]; from top left to bottom right [C281.1]; in its own right [C197.4]; in their own right [H1226.2]; infringement of... patent rights [H528.1]; intellectual-property rights [Π1600.1]; is well within our reach right now [B1478.1]; left to right [C569.2, C569.3]; moving ... to the right provides increased [C377.1]; of interest in their own right [И610.1]; on the left, ... on the right [B754.1]; on the right [C 1238.1]; operate to diminish the rights [B938.1]; planes at right angles to each other [B1046.1]; provisions of the right incentives to [Π1633.1]; reserve the right to [C1129.1]; right after [C1300.2]; right at ... plant location [Π3066.1]; right down to [B 1473.1]; right hand side of... [Π1601.2]; right home [Л453.0]; right way round [Π1621.1]; steps in the right direction [И7.1]; tighten right home [3514.0]; to have right to [И431.0]; to the right of [B1127.1]; under the right conditions [Π2156.1]  
**right-hand:** on right-hand side of equation [B758.1J]; on the right-hand side of (B755.1); right-hand sides of equations ... be equated [Π2517.1]  
**rightly:** and rightly so [И78.1]  
**rigidly:** is mounted rigidly to [H1463.1, Π3030.1]  
**rigor:** rigor of... requirements [4122.1]  
**rigorous:** rigorous ... approach [C1493.1]  
**rigorously:** are ... rigorously verified [Π3009.11]; be controlled more rigorously [HI 371.1]; more rigorously obtained [B1737.1]  
**rinse:** cleaned ... rinsed, dried, and wiped [01690.1]; rinse the assembly parts [Π2849.1]  
**ripe:** time is now ripe [Π2594.1]; time is now ripe for [H557.1]  
**rise:** [B1360.0, Π758.1, Y65.2]; give rise to [Л23.2]; gives rise to [Π2222.3]; rises ... and then falls [B1364.1]; temperature rise [P761.1]; temperature rise of [Π593.1]; to give rise to [B932.0]; to rise [B1361.0]; will rise to over [Π1694.5]  
**risk:** are less at risk [P750.1J]; at the risk of [P752.1]; at the risk of... complexity [C89.1];

because of the risk of [B500.1]; even lower risks are involved [P746.1]; led to some risk of [Π2229.1]; pose risks to [Π657.1]; risk of... is remote [P747.1]; run the risk of [C361.1]; run the risk of ... breakage [Π666.1]; with a minimum of risk [C88.1]; without risk to the environment [H973.1]  
**risking:** was not possible without risking damage [H1171.1]  
**risky:** makes comparisons ... somewhat risky [Л226.1]  
**rivaling:** rivaling in interest that of [Π1867.1]  
**rivals:** [K331.2]  
**rivet:** be substituted for the rivets [3287.1]  
**roadblock:** roadblocks ... be overcome [Π2022.3]; roadblocks to [Π2028.3]  
**robust:** robust construction [Π3034.1]  
**robustness:** [01695.1]  
**role:** acting in the role of [И93.1]; discussed in order of the role [0264.1]; emphasize the role of [Π880.1]; expected role [Π1801.1]; expose the role of [B2086.1]; fulfil the dual role [B1904.1]; major role [B792.1J]; places ... in a subservient role to [C1357.1]; play a conclusive role [И90.4]; play a dominant role [И90.1]; play an adverse role [0626.1]; play an important role in [И85.1]; played ... a minor role [И91.1]; played a major role in [И85.2]; plays a particularly important role in [И87.1]; plays a secondary role [И89.1]; role ... established [B2091.1J]; roles ... are exchanged [Ml 21.1]; strengthened role of [B1368.1]; to play a role [И84.0]  
**roll:** roll ... into [C343.1]; roll out the entire ... length [P250.1]; to be rolled [Π742.1]; to be rolled not tipped [K 199.0]; without having to roll out [B50.1]  
**room:** air cooled to room temperature [01622.1]; leaves little room for doubt [Π 1567.1]; leaving less room for improvement [H999.1]; provides room for [Π1918.1]; room for [B1318.3]; stock rooms [C518.1]; there is ... room for [E186.1, И487.0]; to allow room for [0920.1]; warm to room temperature [Π2713.1]  
**root:** [K375.0]; as the cubed root of power [Π2881.1]; are rooted under the floor [Π3007.1]; complex square root [K208.1]; cube root of [K382.1]; cubed [square] root of [K381.1]; examination of the roots of the ... equation [И777.1]; extract ... root of [И179.1]; fourth root of (K383.1); inversely with the cube root of [0201.1]; root cause of [K376.1J]; seventh root [K384.1]; square root of [K207.1J]; to be at the root of [Л39.0]; with the cube root of [Π2881.2]  
**root-mean-square:** [C1307.1]  
**rotate:** is rotated ... through an angle [Π544.2]; rotate ... a small amount one way or the other [Π549.1]; rotate ... away from you [Π546.1]; rotate freely [B1505.1]; rotated ... to an initial position [Π545.1]; rotated 180 degrees [Π542.2];

rotated through 90° [Π542.1]; see if it rotates freely [Y32.1]; to rotate [B1503.0]

**rotating:** rotating ... to ... angle [Π551.1]; was ... rotating ... about... axis [B1504.1]

**rotation:** in rotation [Π 1292.2]; rotation through an angle [Π551.2]; test the rotation [Π2655.1]

**rough:** [Γ132.0]; evidence of rough handling in transit [Π2321.1]; rough ... operation [P33.1]; rough handling [Γ134.1]; were rough machined 0.38 mm oversize [Π665.1]

**rough out:** had ... roughed out [H234.1]

**roughing:** casting allowance for finishing [roughing] [Л155.0]

**roughly:** [Π2187.2]; in a roughly parabolic way [Π2189.1]; roughly constant [Π2190.1]; roughly equated to [Π2186.1]; roughly equivalent [Π2393.1]; roughly similar [Π2392.1], roughly speaking [Γ135.1]; very roughly [Π433.1]

**roughness:** surface roughness [Ш10.1]

**round:** all the way round [Π356.1]; bent round ... radius [3137.1]; in round numbers [0722.1]; right way round [Π1621.1]; round down [0724.1]; rounded to the nearest [0726.1]; rounded to three significant decimal figures [0727.1]; rounded up to the next whole number [0725.1]; wound round [H407.1]

**round-off:** [0720.1]; are rounded off [0723.1]

**round-robin:** round-robin data [025.1]

**rounding:** rounding down [0721.1]; rounding rule [Π1609.1]

**route:** by... route [Π3098.2]; en route to [Π457.1]; formation by different routes [0196.1]; gasification route [Π3094.1]; master route sheet [M53.1]; path ... route [Π3093.2]; route is followed [C592.1]; routed to [H475.1]; this route has been taken [Π458.1]

**routine:** [Π562.2]; may not be feasible on a routine basis [B725.1]; on a routine basis [P619.3]; routine ... inspection [Π290.1]; routine and non-routine surveillance [C498.1]; routine maintenance [T128.1]

**routinely:** [Π506.1, P619.1]; are ... routinely used [Π1475.1]

**routing:** [Π2832.1]

**row:** in a row [B482.1]; in rows of [Π516.1]; row of the table [C1519.1]; rows ... row [P782.1]

**row-by-row:** [01203.3]

**royalties:** patents royalties [Л60.1]

**rudimentary:** have a rudimentary knowledge of [Э78.1]

**rugged:** [Π3033.1]; are rugged in design [И404.1]; equally rugged [B671.1, T82.1]; performance in rugged applications [P9.1]

**ruin:** [И735.1]; perish and ruin [Γ147.1]; ruin the entire job [И736.1]; to ruin [И735.0]

**rule:** [K483.0]; abide by the rules [C813.2]; are the rule [C 1408.1, Я24.1]; are ruled out right from the start [И665.1]; as a rule [K110.1]; as a rule of thumb [C912.1]; conforms to the... role [Π889.1]; construction rules and regulations [H1866.1,

C1508.1]; design roles [H1867.1, P671.2]; effectively role out [И663.1]; exception to ... role [И668.1]; final roles [0713.1]; is the role rather than the exception [C538.1]; observe the ... roles [C813.1]; rounding role [Π1609.1]; role of thumb [Π2180.1, Э81.1]; role out the use of [H994.1]; ruled into [P220.1]; ruled out [И652.2, 01217.2]; ruled out... as a choice of [И659.1]; ruled out further consideration [И655.1]; rules ... are strictly followed [C1505.1]; roles of operation [Π1617.1]; scaling rules [K485.1]; service log keeping roles [И573.0]; some roles apply [H1909.1]; then present rules [C1588.1]; these roles and others [Э214.1]; to role out [И650.0]; tracks ... ruled on [H446.1]

**run:** [3417.2, 0876.1, Π2998.1, P38.2]; at the start of a test run [B242.1]; blank run [C641.1]; confirmatory runs [K366.1]; data run [Э30.2]; do not run ... in an enclosed area unless it is well ventilated [H772.1]; fails to run [H1046.1]; for ... to run [Д406.1]; green READY TO RUN lamp not on [H808.1]; if... has not been run for some time [E156.1]; in the short run [H26.1]; intention is to run [C810.1]; is run through [Π3012.3]; it runs out [B2011.1]; run ... on water [Д73.1]; run concurrently from... through [Π3006.1]; run into difficulty [H583.1, C1374.2]; run on [И758.1]; run the ... ground wire [Π2836.1]; run the entire length of [Π2917.2]; run the risk of (C361.1); run the risk of ... breakage [Π666.1]; run times [Π2756.2]; run up to [Д489.3]; runs ... ahead of [0754.1]; runs were made [Π2689.4]; series of runs [C428.1]; test ... run [C1359.1]; test runs [0876.2]; test could not be run to completion [0880.1]; test run [И747.0]; tests was run [Π2689.3]; tests were run [Π2674.1]; throughout the entirety of the data run [B691.1]; to run [3417.0, И756.0]; to run nonstop [P40.1]; to run out [B2011.0, B2030.0]; to run up to [Д489.0]; typical run [C 1164.2]; was also run [Π2990.1]; wires to be run and terminated in accordance with Spec. No [Π2669.1]

**run-in:** [070.1, Π2513.1]

**runaway:** [H1677.1]

**running:** accumulated running time [B1933.1, H496.1]; after running for a time [Π1366.1]; avoid running ... in [C602.1]; avoid running the system in an... condition [И161.1]; consistent thread running through [Π3003.1]; continuous running [H1531.1]; erratic running [H1353.1]; hr running per annum [4103.1]; is running low [И806.1]; period of running [Π233.1]; running the length of [Π2915.1]; smooth running of the Project [Π272.1]; when running on [Π2117.1]; while running [B37.1]

**runout:** runout of diameter over a length of... mm from the shaft end is not in excess of... mm. [B 108.0]

**rupture:** [P333.1]; as... ruptures [Π393.1]; elapsed

time from rapture [B1546.0]  
**rush:** there is no rash to [H1074.1]

## S

**sabbatical:** sabbatical year [Г82.1]  
**sacrifice:** albeit with some sacrifice in [X99.1], although at the sacrifice of [X92.1]; at a sacrifice of [357.4]; at the (a) sacrifice of [357.0]; at the sacrifice of [357.3]; if accuracy ... is sacrificed [E74.1]; sacrifice in [Y270.4]  
**sacrificing:** [C773.2, Y270.5, Y590.3]; without sacrificing [Б62.1]  
**sad:** it is sad to record that [П2559.1]  
**safe:** absolutely safe against [A54.1]; it is safe to assume [M378.1]; it is safe to say that [M372.1]; it may not be safe to [M289.1J]; it seems safe to say [П335.1]; it seems safe to say that [M373.1]; place in a safe location [П1240.1]; rendered safe [026.1]; safe custody [H271.1]; to be on the safe side [Д378.0]  
**safeguard:** [M122.0]; safeguard... from [П1779.2]; with all the safeguards [H 1611.1]  
**safely:** may be safely ignored (B1477.1); provisions ... made to promptly and safely dispose of [П1821.1]; safely away from [H132.1]  
**safety:** fire safety predictions [P553.1]; for safety reasons [B747.1]; for safety reasons [П476.1]; from safety considerations [И132.1]; in the interests of safety [B 131.1]; induction safety training [H709.1J]; margin of safety built into [3375.1]; observe safety requirements [C814.1]; police safety procedures [C581.1]; safety and reliability [Б73.1]; safety and security requirements [M134.0]; safety devices [3538.1]; safety factor on [K432.1]; safety precautions [M126.1]; safety regulations [П1615.1]; using ... safety precautions [C812.1]  
**sag:** [П2667.1]; dropped ... sagged [П1.2]  
**sailing:** we will... have smooth sailing [B986.1]  
**sake:** for the sake of [B745.0, Д321.0, Д365.0]; for the sake of brevity [B748.1, Д351.1]; for the sake of clarity [Д432.2]; for the sake of clarity and conciseness [Д370.1]; for the sake of comparison [Д399.2]; for the sake of computational convenience [Д409.1]; for the sake of convenience [P143.1]; useful for its own sake [П1013.1]  
**sale:** conclude sales [3240.1]; cost of sales [T332.1]; service after the sale [П1421.1]  
**same:** [0490.1, 0540.1, 0548.3, T81.2, T342.1]; amounts to the same thing [P112.1]; are ... plotted on the same scale {П 1486.1}; are in the same sense [И383.1, T352.1]; are not exactly the same [C872.1]; are very much the same [B203.1]; at about the same time [П2386.1]; at nearly the same time [П1546.1]; at the same location as [B190.1]; at the same time [B76.1, B78.1, B79.1, B80.1, B1156.0, И10.2, 0579.5, 0583.2]; behave in much the same way ... as

[B199.1]; broad picture remains the same [0328.1]; by the same token [K19.3]; curve follows the same trend [X28.1]; enough ... but at the same time, not so [Б306.1]; exact same [T406.2]; follow the same procedure [П1578.1]; following the same procedure we can [T106.1]; for the same [П2095.1]; for the same reasons as [П454.1]; for the same reasons given in [П455.1]; given the same [П2153.1]; in much the same manner as [П768.1]; in much the same way [B207.1, П2192.1]; in the same line [H71.1]; in the same manner [0548.2]; in the same manner as [K77.3, T26.1]; in the same manner as reported previously [T405.1]; in the same style used [A125.1]; in the same way [T403.1J]; in the same way as [T26.2]; in the same year [B84.1]; interdependent, but ... not the same thing [B1056.1]; is maintained with the same meaning as [И718.1]; is much the same as [B208.1]; is not the same [H1437.3]; is not the same as [H115.1]; is precisely the same as for [T407.1]; looked much the same as [B1753.1]; mean the same thing [0616.1]; much the same as [B209.1, B284.1, П1562.1]; need not be of the same [H949.1]; need not be the same [H947.1]; of the same name [0590.1]; on the same side as [H164.1]; one and the same [0490.2, 0500.1]; or, what amounts to the same thing [И347.1]; over the same period [B338.1]; remaining the same [01100.3]; remains the same as before [01113.2]; replace it with ... of the same type, size and rating [3284.1]; same as [T26.3, T81.1, T81.3, T343.1]; same... as before [T365.1]; same ... for [T344.1]; same ... for each [0542.1]; same ... to be approximately true of [П2394.1]; same applies to [T358.1]; same as or better than [T80.1]; same has been observed [T357.1]; same is not true for [Э206.1]; same is true for [T359.1]; same is true of [Э192.1]; same meaning [T345.1]; same problems face the user of [C119.1]; same question applies to [Э102.1]; same reasoning is followed for ... as well [T87.1]; same seems to be true of ... too [T356.1]; same warning applies to [3172.1]; same way as [T404.2]; share the same [И412.0, И413.1]; succumbed to the same difficulty [И765.1]; to the same dimensions [C83.1]; to the same scale [B180.1]; very nearly the same [П1558.2]; very same as those of [T343.2]; were worried about the same topic [B1972.1]; work exactly the same way [P77.1]  
**sample:** [И769.3, И770.1, П2377.3]; data sample [3288.1, И298.2]; extraction of a ... sample [01208.1]; representative samples [T268.1J]; sam-

pie ... is drawn [01207.2]; sample calculations [П2379.1]; sample case [И805.0]; sample list of references [П2380.1]; sample timings [X125.1];  
 sampled [01207.3]; samples ... cut [B1962.1J]; samples of [П2596.1]; samples were taken [01207.1]  
**sampling:** [И298.0]; acceptance sampling [B1719.0]; multiple sampling [M218.0]; sampling of [B 1720.1]  
**sand:** are castles built on sand [П1492.1]  
**sandwich:** [П2833.1]; sandwiched between [3197.1, П1242.1, P396.21  
**sanitary:** sanitary design [K345.0]  
**sanitation:** [C241.1]  
**satisfactorily:** has performed satisfactorily for [Y160.1]; have not yet been satisfactorily explained (E216.1J; is performing satisfactorily  
 sofar[n964.1]  
**satisfactory:** altogether satisfactory [B744.1]; appears to be satisfactory [M379.1]; be more satisfactory [Д52.1]; by far the most satisfactory [H434.1]; give satisfactory service for [Y160.2]; is satisfactory for purposes of [01249.1]; is to be regarded as satisfactory [C633.1]; long satisfactory experience [Д309.1];  
 many years of satisfactory experience [M222.1];  
 no satisfactory explanation appears evident for [M415.1], satisfactory ... to use [Д685.1];  
 satisfactory answer [Y162.1]; satisfactory resolution of the problem [Y 163.1]; was deemed satisfactory [C1624.1]; was regarded as satisfactory [C1624.2]; wholly satisfactory [B1495.1]  
 satisfy: condition is satisfied if [Y394.1]; satisfy...  
 criteria (Y166.1); satisfy the ... condition [Y176.2]; satisfied equation [Y175.1]; satisfies  
 all requirements [Y 172.1]; to satisfy himself that (Y34.2); to satisfy some of the deficiencies  
 in the data base, regarding [П1135.1]; to satisfy the boundary condition... it is required [И138.1]; totally satisfy ... requirements [П11069.1]; until... is satisfied [Д463.1]  
 satisfying: delivers satisfying answers [Д30.1]; it is satisfying to note [M344.1]; it would be satisfying if explanations could be found [B385.1]; with potential for satisfying this demand [C1221.1]  
**saturate:** [A161.2]  
 save: details ... have been deleted to save space [П805.1]; much time and effort will have been saved [C1635.1]; save for [316.0, 316.4]; save time and money [C1633.1J; saved... on [C1636.1];  
 saved the equivalent of [C1634.1]; saves maintenance [Y340.1]; saves the trouble of [01486.1]; to  
 save [И154.0]; to save (from) [И150.0]; to save the file [C1 140.1]; to save time send all orders for  
 parts to the nearest branch office or agent [Д422.0]; to save unnecessary expense and delay  
 [И157.1]; to save wear and tear [B127.1]  
**saving:** sizable saving [3609.1]; this leads to a saving in time [П930.1]; to effect a saving in

(Д68.0); to offer a cost saving [Д68.0]; which would be a saving [4132.1]; yield a saving in both development time and cost [П935.1]  
**savings:** can result in significant savings in [П919.1]; effect... savings in [Д68.1]; material savings [Э24.1]; offer less cost savings [Д69.1];  
 savings in ... design and construction [C779.1, Э26.1]; savings in material costs more than compensate for [Э25.1]; substantial materials savings [3610.1J; to achieve vast savings on [Д724.1]  
**say:** [H487.1, C504.1]; before one can say that [П1954.1]; can never be said to be [OIO.lj; few more words should be said about [H1601.1];  
 for now it is sufficient to say that [П958.1]; great deal has been said and published about [M195.1]; it is safe to say that [M372.1J; it seems safe to say [П335.1]; it seems safe to say that [M373.1]; little has been said concerning [M23.1]; little will be said here about [M412.1J;  
 needless to say [И233.1, H1039.1, C204.1]; nothing definite can be said [H1333.1]; nothing is said ... about [H1769.2J; since much has been said about [П1349.1]; suffice it to say presently that [П958.3]; suffice it to say that [Д692.1]; suffice it to say, here, that ... (P958.2); suffice to say [Д692.3]; suffice to say that [Д692.2]; surely it is not stretching a point too far to say (И35.1); that is to say [Д762.2, И539.1]; this is not to say [Э203.1]; this is not to say that [M436.1, Э136.1]; to say [Г66.0]; to say one's say [B1975.0]; which is to say that [Д762.3]; without... it would be difficult to say with certainty [B12.1]; word should be said about [C630.1]  
**saying:** I'm not saying [Я1.1]; we will be fairly accurate in saying that [M418.1]  
**scaffolding:** scaffolding is erected [B1259.1]  
**scale:** [B181.2, M61.1, П2883.1]; are ... plotted on  
 the same scale [П 1486.1]; are scaled down [П173.2, П180.1]; ascertain ... effects of scale (B2089.1); at... full scale [HIO.lj; by means of a scale and dividers [C61.1]; constructed to a geometric scale ratio of 1:10 [И186.1]; draw... to scale [B2050.1]; drawn to scale [H503.1]; economies of scale [Э27.1]; fabricated on one-half and one-third scales [И187.1]; full scale [B239.1]; full scale testing [H585.1]; large scale use [И683.1, III5.2]; off the scale [П514.1]; on a commercial scale [B185.0J; on a large scale [B183.1]; on a national scale [B182.1]; on a production scale [B185.1]; on a time scale [B696.1]; on an industrial scale [B185.0]; on the engineering scale (B185.2); on the scale of [B 176.0]; on the scale of Fig [B179.1]; on the tracer scale [B178.1]; one-fourth scale [И 198.1]; ordinate scale is arbitrary [M63.0]; read ... off the scale [C786.1]; reading on ... scale [01565.1]; scale ... functions [H1860.1J; scale in 0.2 F subdivisions



- [И30.1]; scale up [Y69.2]; scaled down to real value [И176.1]; scaled up [И173.1, И179.1]; scaled up ... down ... within similarity restraints [И178.1]; scales less than [M62.1]; scales were adjusted [И645.1]; small scale [H1163.1]; smallest scale division of [И30.2]; smallest scale reading of [И30.1]; time scales for the introduction of [C1327.1]; to a scale of [B176.0]; to a scale of 30 times full size [B177.1]; to construct to a scale ratio of [И185.0], to fabricate on... scale [И185.0]; to scale [B176.1, И185.0]; to the same scale [B180.1]
- scaleup:** scaleup of technology [0925.1]
- scaling:** [0772.1]; for proper scaling, ... must [Д333.1]; scaling laws [Y355.1]; scaling of ... size [И172.1]; scaling off [Y294.1]; scaling parameters ...  $\Gamma$  [H1861.1]; scaling rules [K485.1]; simply scaling up [И2933.1]
- scan:** scan, gate, and process functions [0753.1]
- scanty:** rather scanty and not entirely definitive [Д513.1]
- scarce:** is even more scarce [И62.1]
- scarcely:** [B1555.0, E2.0]; is scarcely surprising [E6.1]; scarcely surprising [B1559.1]
- scatter:** great deal of scatter [B229.1]; relative to the respective averages, the data scatter by [P174.1]; scatter bands [И1121.1]; scatter in the data [P173.3]; widely scattered data [C480.1]
- scenario:** [B810.4, B814.1, M163.1]; holds to the scenario [И2298.1]
- scene:** scene was set for [И694.1]
- skeptical:** remain skeptical regarding [B975.1]
- schedule:** [ni9.0]; ahead of schedule [Д677.0, Д677.2]; come to fruition on schedule [01182.1]; compressed project schedule [И300.1]; construction ended ... days ahead of the schedule [C 1510.1]; construction is scheduled for completion in [385.1, 0703.1]; delay in the schedule for the project [C1340.1]; delivery schedule integrity [T378.1]; Drawing Schedule [0796.1]; is performing on schedule [Y222.1]; is scheduled for [И282.1, И284.1]; is scheduled to go in [И2616.1]; Maintenance Schedule [H1838.1]; master schedule [Г121.1, C327.1]; on schedule [B1248.1, T394.1]; on short notice whenever a scheduled opening occurred [C1297.1J]; operate ... to ... schedule [Y331.1]; operate on a three shift schedule [P71.1]; periodic scheduled inspections [И238.1]; preventive maintenance schedule [Г123.1]; proceeds to schedule [И2748.1]; program is moving along the schedule [И2704.1]; project schedule [Г125.1]; pursuant to the schedule below [B596.1J]; schedule constraints [0447.1]; schedule float [И268.1]; schedule for production of ... is ... tight [H493.1]; schedule of ... versus [3108.3]; scheduled in [3393.1]; scheduled to begin in the near future [H704.1]; tightly scheduled [P91.1]; to meet the tight schedule [Y225.1]; took more time than originally scheduled [И1532.1]; travel schedules [B 1534.1]; within the scheduled time frame [B633.1]; work ... is scheduled for completion in [0702.1]; work schedule [Г124.0]; year ahead of schedule [H38.1]
- scheduling:** tight control of scheduling [0750.1]
- schematic:** [C1594.2]; attached is a schematic [C1596.1]; schematic diagram [C1594.3]; schematic drawing [C1600.1]
- schematically:** shown ... schematically [C1601.1]
- scheme:** [И280.1, C 1594.1]; alternative scheme [B815.1]; drawing up a scheme of [C1095.1]; scheme was facilitated by using [Д413.1]
- scholarly:** scholarly standing [H594.1]
- school:** his school leaving certificate [A166.1]
- science:** completed ... master of science and doctor of philosophy degrees [3540.1]; coupling science to production [C373.1]; done much to promote the art and science [Д202.1]; engineering science [И2330.1]; fields of engineering and science [097.1]; has done much to promote the art and science [M212.1]; of coupling science to production [B1 186.1]
- scientific:** march of technological and scientific progress [P188.1]; scientific and engineering communities [H598.1]; scientific capabilities and technical strengths [H596.1]; scientific community [H593.1]
- scientist:** eminent scientists [B1776.1]
- scope:** [B1318.0]; be scope for much further effort [И498.1]; experiments were ... of a more limited scope [Э36.1]; is far beyond the scope of [B2039.2]; is outside the scope [B2038.2]; is well beyond the scope [B2039.1]; scope for [B1318.2]; scope of delivery per item [K294.0]; scope of measurements [0365.1]; scope of the work [0369.1]; there is little scope in [B1327.1]; there is now scope for [B48.1]; there is scope (for) [И487.0]; variances in scope of supply [K246.1]; was beyond the scope [B2038.1J]; within the scope of Section [И1776.1]; without departing from the spirit and scope of the invention [B42.0]
- score:** by the score [Д268.1]; score report [T1.1]; scores [K260.1]
- scourge:** [B109.1]
- scrap:** rejected or scrapped [375.1]
- scratch:** developed from scratch [P299.1]; from scratch [C39.1]
- screen:** [01205.2]; coarse [fine] mesh ... screens [C450.1]; fit on the screen [Y292.1]; screened [T513.1]
- screening:** [B1706.0]
- screw:** [B826.1]; by releasing ... screws [0919.1]; fasten loosely with ... screws [C577.1]; remove the... screws [B1749.1]; screw... onto [H235.1]; slacken off ... screws [0933.1]; to screw [B826.0]; to screw as far as it goes [B827.0]; to screw full in [B827.0]; to screw to the limit

[B827.0]; to tighten the screws [Π871.1]; turn in screw [B828.1]; two screws each at top and bottom [Π363.1]

**screw-cap:** [386.1]

**scrutinize:** shall be critically scrutinized [C614.1];

to scrutinize all possible [T510.1]

**scrutiny:** [K494.1J; have come under intensive scrutiny [C1410.1]; scrutiny of [T506.3]

sea: sea water recovered [P597.1]

**sea-level:** at sea-level [H174.1]

**seal:** [3507.1]; in fairness to the bushing seal [C1244.1]; sealed at the ... diameter [Y310.1]; sealed onto the edges of [Y311.1]; sealed onto the ends [Y312.1]; sealed to the ... wall [Y309.1]; sealed with (3269.1); to seal [3269.0, 3507.0]

**sealing:** marking and sealing [M51.0]

**seam:** prevalence among ... seams [P437.1]

**search:** [И773.0]; «trial and error» search [M159.1];

in parallel with... has been a search [Π19.1]; in search of [B345.1]; infringement search [И780.0]; literature search failed to unearth any published research of the type reported in the present paper [H399.1]; search for [Π943.1];

search of the literature [064.2]; state of the art search [И783.0]; to search [И642.0]; validity search [И776.0]

**season:** [B1526.2]

**seat:** remain in your seat [01094.1]; seat ... against [Π2311.3]

**second:** are seconded from [Π2335.1]; as brief as a few seconds [B1571.1]; first ... second [B327.1]; first, ... second ... last [C762. In-fraction of a second [Д606.1]; have ... been given second priority to [Ц36.1]; in no more than 90 seconds [H747.1]; is second only to [C1475.1, Y546.1]; next to ... the second most important [B1658.1]; once every 6.0 seconds or less [K40.1]; play second fiddle to [3345.1]; second ... suggestion [Π718.1]; second order [B 1659.0, B 1659.1]; vary with the second power of [И278.1], within a matter of seconds [38.1]; within about a second [Π2387.1]

**second-to-none:** is second-to-none [H883.1]

secondary:[B1659.0]; are secondary in significance [И393.3]; is a secondary consideration [И393.2, Π2289.1]; is of secondary importance [И393.1]; plays a secondary role [И89.1]; secondary consideration [B1662.1]; secondary information regarding [Д629.2]; secondary to [M35.1J; was taken as secondary [C 1610.1]

**secondly:** firstly... secondly [B327.0]; firstly ... secondly... lastly [B328.1]

**secret:** information ... top secret [C843.1]; secret is [C417.1J; to keep the details of ... secret from [C558.1]; trade secret [C418.1]

**section:** [P196.1, C421.1]; across the ... cross section [Π439.1]; addressed in the preceding sections [P492.1], as indicated in the previous section [K136.1]; as mentioned in a previous

section [K137.1]; at... sections along [B513.1J; cross section [Π1291.1]; edition of section [P624.1J; in the previous section [B455.1]; is constructed in two sections [B1876.1]; over the entire cross section [Π351.1]; previous section [Π1944.1]; sections ... standards [Y599.4]; sections of the community [C664.1]test section [И308.1, P96.1]; this section addresses the question of how [B456.1]; to be described in the next section [K408.1]; wide cross section of [Π 1831.1); within the scope of Section [Π776.1]

**sectional:** cross sectional blockage [3143.1]; sectional view [B1077.0]

**secure:** [3259.1]; are ... secure [H259.1]; are secured to [Π2339.2]; claimed advantages are secured [Г21.1]; secure ... with cotter pin [3255.1]; secure against tempering [H261.1]; secure assembly [H273.1]; secure the packaging on ... crate [Π2341.1]; secured from ... dangers [3475.1]; to secure [Г14.0, 3259.0]; to secure from [3474.0]; to secure the required information [Π1145.1]; were secured by... to ... was fixed by... to [Π2340.1]

**securely:** [H260.1]; securely fixed [Π3029.1]

**securing:** [K469.0]

**security:** safety and security requirements [M134.0]; security of supply [B89.1]; to give security for the reimbursement [Г15.1]; to give security for [Г14.0]

**see:** (И359.4, H661.2); are more readily seen [B166.1]; as can be seen [K85.1J; as can be seen by [012.1]; as can be seen in [K60.1]; as seen in [K60.2J; as shall be seen later [K89.1J; as the programmer sees fit [И1504.1]; be seen without magnification [B1090.2J; can be seen without magnification [M327.1]; enables... to be seen at a glance [Π933.1]; has been seen before [H223.1]; have seen greatest use [H341.1]; how far ... remains to be seen [01117.1]; in remains to be seen whether [01116.1]; is clearly seen [X45.1J; is not to be seen as [H838.1]; is seen [B 1091.2]; is seen as sufficient evidence to confirm that [Π1891.1, P544.1]; it can be seen that [M326.1J; it is seen that [M326.2]; it remains to be seen whether ... is [01121.1]; it will be seen [M430.2]; it will be seen that [M326.3]; largest impact is seen in ... followed by ... and finally [H349.1]; last ... have seen [341.1]; no definite trend is seen with [K163.1]; on close inspection it was seen [T504.1]; recent years have seen [B87.1J; remains to be seen [01107.1]; seen by [B1633.3, 0139.1]; seen in [B1633.1]; seen inonby (B1633.0); seen on [B1633.2]; this can be clearly seen [Э200.1]; this may be seen by [B772.1]; whether they can be realized remains to be seen [H1900.1]

**seeing:** we might be seeing [B 1299.1]

**seek:** considerable improvement is sought [И647.1]; considerable improvement is sought for the

future. [Д215.0]; explanation ... is still being sought [E205.1]; generalization of... will... be sought [П1305.1]; have been sought ... but without success [П1823.1]; is being sought at this time [B47.1]; seek... solutions for [И648.1]; seek an optimum path between (И643.1); seeks to provide [И475.1]; to seek [И642.0]; to seek to provide [И473.0]; ways were sought to [И646.1]

**seem:** but since there seems to be little movement in this direction [H1809.1]; does not seem out of the question [П339.1]; does not seem to [П338.4]; examples seem to indicate that [П1641.1]; it does not seem likely that [B1555.1], it seemed to us [Y6.1]; it seems logical that [J191.1], it seems possible then, that [П1577.1]; it seems probable that [П1886.1]; it seems reasonable that [E182.2]; it seems safe to say [M373.1, П335.1]; it would seem, in this respect, that [B506.1]; it would seem logical [П1889.1]; may seem [M293.0]; may seem ... until one considers [M295.1]; may seem large, but [M294.1]; may seem like [M293.0]; may seem like an undesirable simulation [M297.1]; may seem unwarranted [M296.1]; most logical explanation ... thus seem to be as follows [T100.1], same seems to be true of ... too [T356.1]; seem somewhat surprising [П997.1]; seem to ... appears to [П328.5]; seem to have potential for [П1898.1]; seems to be [M357.0]; seems to be as follows [M360.1]; seems to be in agreement with [П337.1]; should not seem surprising [H835.1], that seem willing and able [K409.1]; there seemed to be little choice concerning this matter [B308.1]; there seems to be a threshold beyond which [C1577.1]; there seems to be only one explanation for this, namely [Э164.1]; to seem (to) [K46.0]; to the outsider, it seems strange [Д364.1]

**seemingly:** (K48.1, H13.5, П328.1, П328.2, C1531.1)

**seeping:** [П2897.1]

**segment:** segment of the diagram [Y600.1]

**seismic:** seismic make [И205.0]

**select:** are being introduced for use on selected [B1189.1]; is selected ON [Y448.1]; it is desirable that ... be selected [Ж3.1]; it was selected for its availability, not its design [B1715.1J]; may not select [H1049.1]; not be at liberty to select [0668.1]; select ... from the many possible [B1694.1]; selected data [B1723.0]; selected for [B1691.1]; selected is such that [B1703.1]; selected specimens [01474.1]; selected with the intention of [B1703.2]; to select [B1689.0, 01205.1]; to select from among the various ... surfaces [B1692.1]; to select the construction site [B1702.0]; was ... selected at [B1699.1]

**selecting:** guide ... in selecting [0644.1]

**selection:** [B1706.0, P782.5]; basis for selection ... rested on [B1707.1]; before making a final

selection [П91.1]; comes in a broad selection of grades [B 1928.1]; finally dictate configuration selection [0816.1]; in the selection of [П2061.1]; judicious selection of [P577.1]; judicious selection [0169.1]; narrowed the selection ... to [0455.1]; once the selection ... has been finalized [П1360.1]; result of... was the selection of [B481.1]; selection ... at random [B1713.1]; selection ... be made from those [B1693.1]; selection ... narrowed down to a single choice [C 1536.1]; selection ... was influenced by [B1708.1]; selection of parts [K297.0]; wide selection of [B225.1]

**selective:** [B 1717.1]

**selectively:** were coated all over, ... were selectively coated [П1000.1]

**self:** are self explanatory [П1276.1]

**self-canceling:** be self-canceling [B 1049.2]

**self-contained:** [A72.1]; self-contained chapters [C209.1]

**self-explanatory:** are self-explanatory [HI 123.1];

is self-explanatory [H933.1]

**self-propelled:** [C213.1]

**sell:** is sold by the ton [П2723.1]; sold to ... licensees [П2721.1]; was sold at a premium [П2722.1]; willingness from ... to sell [C902.1]

**selling:** selling license [J158.0]; selling price [П2725.1]

**semblance:** [B1097.0]; any semblance of... vanishes [B1654.1]; semblance of [B1097.1]

**semi-annual:** on ... semi-annual basis [P147.1]

**semi-empirical:** semi-empirical formulations [П1210.1]; semi-empirical relationships [П1211.1]

**semi-major:** semi-major axis of... ellipse [B232.1];

semi-major diameter ... axis [M15.1]

**semi-minor** semi-minor axis of... ellipse [B232.1];

semi-minor diameter... axis [M15.1]

**send:** sent over the phone lines via modem [01492.1]; sent via FAX transmission [01491.1]; specification ... sent out [B2005.1]; to save time send all orders for parts to the nearest branch office or agent [Д422.0]

**senior:** filled the senior positions [3325.1]; hold a

senior position on [3324.1]; senior management [B2006.1]; senior personnel [P776.1]

**sense:** [P604.1, Y239.2]; are in the same sense [И383.1, T352.1]; common sense [3568.0];

common sense suggests that [3569.1]; in a qualitative sense [B303.1]; in a sense [B581.1]; in a strict sense [C1500.2]; in opposite sense [П2969.1]; in the absolute sense [B580.1J]; in the broadest sense [B583.1]; in the sense defined in [B585.1]; in the sense of [B586.0, B586.2]; in the sense that [B586.0, B586.1]; in the strict sense [B584.1]; in the true sense [B582.2]; in the true sense of the word [B582.1]; in this sense [B587.1]; it makes good sense to [И449.1]; makes sense in that [0619.1];

making sense out of [П 1265.1]; opposite in

- sense to [Π2959.2]; output ... was sensed by [B1429.1]; sense of... is counter to [H471.1]; sense the pressure [B1428.1]; senses [P578.2]; to make good sense to [И449.0]; to obtain a cursory sense of [Π1165.1]; to sense [B1427.0, И299.0]; were sensed by [И299.5]
- sensible:** it is sensible ... to think of [M377.1]
- sensitive:** are not ... sensitive enough to distinguish between... and [H929.1]; data... sensitive [C420.1]; is not likely to be as sensitive [M44.1]; sensitive to [3103.3]; sensitive to changes in [4222.1]; to be sensitive to [388.0]; was sensitive to the economic implications [X68.1]
- sensitivity:** [3104.0]; fatigue sensitivity [4224.1]; little sensitivity to [C562.1]; rate sensitivity of the proportional limit [4225.1]; sensitivity... to [4223.1]; sensitivity study [Π24.2]
- sensor:** won ... sensor business ... with [Π1142.1]
- separate:** [И550.0, H1231.1, 01292.1, 01516.2, P530.1, C333.1]; are being reported under separate title [C996.1]; are... separated [Y96.1]; are separated from [01293.1]; definition of the separate effects of ... variables [0806.1]; did separate to a certain extent [B980.1]; influence of ... cannot be separated [H1332.1]; merits separate attention [3459.1]; separate ... problem [И520.1, 01285.1]; separate document [01287.1]; separate evaluations [H1236.1]; separate in time [P209.1]; separate question [01063.1]; separate these ... effects [P201.1]; this is a separate topic [Э170.1]; to separate [B1784.0]; under separate cover [01288.1]; when ... will not separate [B356.1]
- separately:** [B292.0, K501.10, Π429.1]; are plotted separately (H443.1); be treated separately [P487.1]; considered separately from the rest of [P469.1]; either separately or in combination [Π431.3, Π1324.1]; either separately or jointly [Π431.2]; in combination and separately [B1153.1]; separately adjusting [И551.1]; were metered separately [P529.1]
- separating:** separating the real and imaginary parts [PI 98.1]
- September:** as of September 1, 2000 [H50.1]; dated September [Д 144.1]
- sequel:** in the sequel [B89.2, B1496.2]; only are considered ... in the sequel [B1500.1]
- sequence:** act... in a definite sequence [Д178.1]; assemblage... in the correct sequence [C253.1]; for all sequences [Д402.1]; in reverse sequence of [B380.1]; in sequence shown in [B381.1]; in the reverse sequence: [B382.1]; portray a sequence of events [0783.1]; sequence of a typical experiment [Π 1406.1]; sequence of commands [Π1403.1]; sequence of papers [C429.1]; sequence of putting ... units [01680.1]; test sequence [Π1405.1]; to sequence [Y458.1]
- sequencing:** protection, sequencing, alarms and ... control functions [Φ63.1]
- sequential:** sequential events [Π 1412.1]
- sequentially:** [Π 1399.2]
- serial:** serial number... must be specified ... when ordering [Π2072.1]; serial number manufacturing number [3115.1]
- series:** are operated in the series [parallel] mode [P68.1]; arranged in series [C971.2]; be placed in series with [B1 112.1]; catalog series designs [K195.1]; connecting ... in series [Π1409.1]; connected in series with [B1117.0, C972.1]; data from two test series [Д114.1]; during the entire series of tests [B692.1]; expansions of... in power series in [P246.1]; in series [B1117.1, Π1399.1, C971.1]; in series with (C972.2); series of concerns developed about [B1349.1]; series of runs [C428.1]; series of tests [C428.2]; solutions, in terms of power series in [P735.1]; test series [C428.5]; through a series of [H 118.1]; to expand ... in a ... series and to retain [P213.1]; to expand ... in terms of a power series [P216.1]; undergo a series of operations [Π658.1]; we expand ... in ... series about [P214.1]
- serious:** are in a very serious state of disrepair [H 1894.1]; does not pose a serious problem [H1020.1]; does not present a serious problem [H1020.2]; face a serious challenge [C1478.1]; has serious concerns [C445.1]; introduce serious error [B 1225.1]; is a serious threat to [Π1857.1]; is given serious consideration [Y117.1]; is of serious concern to [Я25.1]; most serious accidents that could occur [H331.1]; no serious thought was given to (H1 766.1); serious repercussions [C442.1]; to serious purpose [C 154.1]; validity of such a representation is in serious doubt [0167.1]; without fear of serious error [B39.1]
- seriously:** does not seriously impair [H768.1]; is seriously outdated [C446.1]; seriously impair [B937.1]; seriously impaired [C447.1]; to transgress ... seriously (C443.1); was not seriously considered [C444.1]
- serve:** do little more than serve as [C682.1]; function served by [Φ61.1]; it served the purpose [B1884.1]; only serve as a guide [C672.1]; serve 10 day's notice of [01603.1]; serve as a guide to the order of assembly [Y212.1]; serve as a standard against which ... can be compared [C684.1]; serve to [C670.1]; serve to illustrate but are not intended to limit the present invention [H1 872.1]; serve to increase [C1235.1]; served as a starting point for later developments [Π1424.1]; serves as [C669.1]; serves as a guide to [C686.1, Y211.1]; serves its intended purpose [B329.1]; serves several purposes [C705.1]; serves the ... function of [B1902.1]; serves to demonstrate [C671.1]; serves two functions [B 1903.1]; should serve as a stimulus (Π1428.1); to serve a function [B1901.0]; to serve a useful purpose [B325.1, Π2455.1]; to

serve as the basis for [C689.1]; to serve no purpose [B93.0]; will serve as a starting point for

future studies along such lines [Π1425.1]

**service:** [И579.0, Э57.1]; adjust and test the units in strict accordance with recommendations outlined in the service manual [M249.0]; are retired from service [И331.3]; are temporarily taken out of service [B 1522.1], contracts for service with [3238.1]; demand for transport services [Π1528.1]; during field service [B40.1];

entered service [B1647.3, B1679.1]; enters service [Π1500.1]; forced ... out of service [B1857.1]; give satisfactory service for [Y160.2];

given some years of service [Π2894.1]; has accumulated over... hours of service [01498.1]; has been supplier of maintenance services [0654.1]; heavy-duty service [P8.1]; highest standard of service [B1987.1]; highly reliable service [И675.1]; in service [H689.1]; in service on [Π2164.1]; industrial service [Y405.1]; intended service conditions (0601.1); long lasting service with... no maintenance [Д303.1]; match the service capability [C1291.1]; out of service [H654.1]; over ... service life [B712.1]; placed into service [Π3082.2]; prior to ... entering service [Д437.1]; putting into service [B836.0]; remains in service [01088.3]; rendering ... of... services [0621.1]; service after the sale [Π1421.1]; service area of [T196.1]; service conditions [Y404.1]; service failures [A61.1];

service log keeping rules [И573.0]; service notes [3302.0]; service personnel [Э49.1]; suitable for ... service [Π2279.1]; taken out of service [И331.2]; to be retired from service [И331.0]; to come into service [B1647.0]; to enlist the services [B 1423.1]; to enter service [B1647.0]; to keep the service log [B951.0]; to place in service [B844.0]; to press ... into service [B76.1]; to remove from service [B1742.0,

И331.0]; to service [0255.1]; to take out of service [И331.0]; to take out of service operation [B1742.0]; to withdraw from service [И331.0]; unfit for service [H1540.1]; upon entering service [Π 1354.1]; was placed in service [B844.2]; was put into service [Π3082.1];

were removed from service [И331.1]; where service conditions are reproduced as accurately as possible [B715.1]; withdrawn from service and handed over to [И332.1]

**serviceability:** [Э53.1]

**serviceable:** [Π2280.1, P94.2]; is made serviceable [Π2219.1]; is still serviceable [C1136.1];

was ... beyond serviceable limits [Π1697.1]

**servicing:** [0252.2]; vendor servicing [Π1421.2]

**session:** general conference sessions [Π295.1]; general sessions [Π295.2]; in one session [337.1]; opened a session on [01361.1]; poster sessions [C 1448.1]

**set:** [A80.0, Г139.0, K290.0, P782.4, Y499.3];

allowable limit set [Д667.1]; are set to zero

[Π2452.1]; as set up in legislation [Y218.1]; completeness of sets [K296.0]; consistent set of symbols is used [И703.1]; date ... set for [H293.1]; date is set for [H293.2]; equilibrium ... is set up [Y471.1]; full set of test readings [B958.1]; group set list [B867.0]; group set of spare parts [Г146.0]; has been set equal to [B1072.2]; is ... set at [Y465.1]; is divided into a

set of [P160.2]; is set out [Π1243.4]; is set to zero [Π2516.1]; matched set [Π648.1]; output is set according to demand [Y454.1]; problem set for [3171.1]; record ... set [P690.1]; regression lines are fitted through ... set of data [Π2685.1]; replaced as a set [3282.1]; scene was set for [Π694.1]; set ... control for ... display of zero [Y485.1]; set... in perspective [0825.1]; set... plans in motion [3419.1]; set... to zero [Y467.1]; set amount [HI 1.1]; set and hold ... switch to [Y480.1]; set aside for [01261.1]; set at [Π2429.3]; set for peak power [Y466.1]; set forth [И231.1]; set forth in Table [Π2253.3]; set of [C425.1]; set of curves [Г141.1]; set of equations [C495.1]; set of general ... instructions [P785.1]; set of spare parts [K291.0]; set of technical documents [K293.0]; set the ... switch to ON [Π1443.1]; set the ... switch to the «STOP» position [Y478.1]; set the limit on [H380.5]; set the power input to [Y487.1]; set the stage for [Π694.2]; set the standard for [C683.1]; set to [Y465.2]; set up [Π691.1, C973.2, Y447.3]; sets a limit of [Y459.1]; sets of experiments [C428.3];

sets of tests [C428.4]; sets of three plots [C427.1]; sets off a chain reaction of [B1820.1]; sets the pace [3156.1]; stage is set for [C980.1]; standard equipment set [K292.0]; theoretical basis ... is set forth [T160.1]; to be set against [Π744.1]; to set [B1067.0, 3153.0, 3417.0]; to set down [3382.0]; to set forth [И231.0]; to set this study in the context of a wider investigation, of which it is a part [P466.1]; trial is set for [H294.1]; was arbitrarily set at [Π2811.1];

was set [Y447.7]; was set equal to [Π2429.1]

**set-making:** [K297.0]

**set-up:** [H384.1]

**setting:** [H384.3, Y446.1]; by setting ... [Π1115.1];

default setting [Y503.1]; improper control setting [H1500.1]; invalidate the calibration setting [H519.1]; setting ... to [Π2514.1];

setting down the ... equation in its entirety [3386.1]; setting in motion [Π2210.1]; setting the cost... cost equal to each other [Π2518.1];

setting up business correspondence [Y506.1];

this is most easily done by setting [Π2927.1]

**settle:** [Y470.2]; allow time for... to settle [Д74.1];

allowed to settle [Д67.1]; conditions ... have not yet been settled [Y397.1]; matter ... be settled [Y364.1]; point, ... be settled [P719.2]; point, ... settled [P315.1]; questions were settled through negotiations [P720.1]; settle

- down [Y441.1]; settle on something [P727.1J; settled down to a steady state [Π2548.1]; settled on the following choice of... parameters [01155.1]; to settle [Y441.2]; to settle the dispute [P316.1]; with the question of ... settled [P719.3]
- settlement:** settlement at your end [Y363.1]
- setup:** [Y499.2]; experimental setup [Э38.2]; manual setup and adjustment [P779.1]; put... into the SETUP MODE [B842.1]
- seven:** ran to seven editions [B1898.1]; range... of over seven to one [B99.1]; seventh root [K384.1]
- several:** and there are several [A19.1]; as emphasized several times [K65.1]; at length and on several occasions [Π794.1]; at several intermediate positions [B355.1]; clarified several matters [Π925.1]; from one of several... relationships [Π422.1]; has several alternatives [И366.1]; investigation on several fronts [И781.1]; involves several stages [C 1115.1]; is objectionable for several reasons [HI 193.1]; limited operation ... to several hours [0459.1]; once several ... have been made [C402.1]; plus several others [Π322.1]; serves several purposes [C705.1]; several days apart [C20.1]; several points need to be made [H1386.1]; several points of interest are apparent from [A109.1]; several questions come to mind [B1345.1]; several times as large [B441.1]; several times that of [B442.1J; several years of commercial experience [0892.1]; suggesting several possible explanations [4148.1]; used in several ways [И706.1]; was several years in advance [0757.1]; went through several changes [Π2050.1]
- several-fold:** [B447.1]
- severe:** [K507.0J; are ... the most severe [Π3053.1]; can be so severe as to cause [M312.2]; encounter a far more severe environment [P50.1]; for the most severe conditions [Д415.1]; imposed severe limitations on the value of the predictions [C770.1]; is ... in severe decline [P634.1]; is more severe [B181.1]; least severe [H361.1]; places severe requirements on [Π1940.1]; problems are ... the most severe [B1347.1]
- severely:** severely deformed [C466.1]
- severity:** [И591.0]; gauging application severity [01644.1]; severity... can be so pronounced as to result in [M312.1]; severity of... problems [01166.1]; varnish severity [И593.1]
- sex:** nationality, age, sex, and society membership [H699.1]
- shade:** [3530.2]; shades of grey [01580.1]
- shady:** store in a ventilated, ... shady area [X116.1]
- shaft: observe location of the ... pulley on the shaft [3405.1]; runout of diameter over a length of... mm from the shaft end is not in excess of... mm [Б 108.0]; switches shaft position [Π 1233.1]
- shakedown:** shakedown tests [H385.1]; startup and shakedown [Π3086.4]
- shall:** agreement shall be obtained from [H1905.1]; all work shall be subject to inspection and acceptance by owner. [B961.0]; as shall be seen later [K89.1]; as we shall see [K90.1]; every effort shall be made to [H1384.1]; I shall confine my attention to [Я3. 1]; in no case shall [H1694.1]; it shall be the responsibility of contractors to make use of [B267.1]; provisions shall be made to [Π1917.1]; shall be a minimum of [M176.1]; shall be brought to the attention [Д590.1]; shall be constructed to provide [Д577.1]; shall be critically scrutinized [C614.1]; shall be deemed to be [C1625.1J; shall be discarded [И692.1]; shall be subject to review and approval by the client [Π738.1]; shall become null and void [T199.1]; shall continue through [Д184.1]; shall not exceed ... whichever is less [H833.1]; shall not exceed the lesser of [H833.2J; such substitution shall be the sole responsibility of [0422.1]; tanks shall not be permitted [H1050.1J; undertaking shall not apply to [0430.1]; we shall not be concerned with [M413.1]; we shall return to this point later [M406.0]; we shall try to point out [Π 1606.1]
- shallow:** [Π1091.1]; work is shallow [P20.1]
- shape:** assume ... shape [Π2438.3]; cut to the specified shape [B1963.1J; is... similar in shape to [Π1540.1]; -shaped [B730.0]; takes the ... shape [Π2493.2]; to be... in shape [И460.0]; to be shaped like [И460.0]; to have the shape of [И460.0]
- share:** [Д239.1]; credit for ... is shared by [3441.1]; lion's share of [J1115.1]; share a common axis [И413.2]; share a common [И412.1]; share a single common [И417.1]; share some ... ideas [И418.1]; share some ideas with [Π723.1]; share the same axis [И413.1]; shared ... between [P202.1]; shared equally between [P431.1]; shares some common features [091.1]; shares the tricks of the trade [Д243.1]; to share [Д238.0, И359.0]; to share a common [И412.0]; to share the same [И412.0]; view is... shared [P210.1]
- sharing:** sharing of [P415.1]
- sharp:** blunt all sharp edges [3504.0]; is in sharp contrast to [P632.1]
- sharper:** brought to a sharper focus [P470.1]; has brought ... into sharper focus [3472.1]; problem came into even sharper focus [Π2600.1]
- sharply:** sharply defined [483.1]
- shed:** shed light on this question [Π3055.3]; shed new light on [Π413.1]; shed some light on [Π2839.1]; sheds no light on [H 1734.2]; sheds no light on this question [Э 101.1]; to shed ... light on [0915. 1]; to shed additional light on [Π2838.1]

**shedding:** load acceptance and shedding [H228.1]  
**sheet:** [B865.0], answer sheet [Э4.1]; clean-up sheet [B868.0]; condition inspection sheet [Д275.0]; flow sheet [Д158.0, T260.1]; master route sheet [M53.1]; operation sheet [B866.0]; repair flow sheet [M54.0]; revision sheet [J154.0]  
**shelf:** long shelf life [Д301.1]; off the shelf availability [П1447.1]; shelf life [C1328.1]  
**shell:** on ... shell ... sides [B415.1]; shell ... sides [M86.1]  
**shift:** [П1168.1, C728.1]; leads the shift [P768.1]; multiple shifts [M224.0]; on the previous shift [B579.1]; operate on a three shift schedule [P71.1]; phase shift [Ф2.1]; pronounced shift toward the ... range [Я54.1]; shift... one way or the other [C379.1]; shift... to ... start positions [П132.1]; shift ... to automatic [П119.1]; shift in the timing [C378.1]; shifted ... to the left [C730.1]; to shift [H256.0]; to shift ... a given amount [H261.1]  
 shim: shim kit [H230.1]  
**ship:** conveying authority to ... to ship [Y314.1]; is ... shipped as one unit [01266.1]; is shipped partially disassembled [01267.1]; shipped to site [T412.1]; to ship [Д679.0]; to ship in bulk [Г136.0]  
**shipment:** [01268.1, 01268.2]; back-ordered and missing items from shipment [H1 549.1]; manufacturer guarantees trouble-free operation of the article for ... years since the day of shipment from the plant [H207.0]; release for shipment [P324.1J]; shipment ... shipment [П26.2]  
**shipper:** [П37.0]  
**shock:** [Y98.2]  
**shop:** [3113.0]; fabrication shop [П2798.1]; on the shop floor [B728.1]; shop capacity is rated at [H1851.1]; take it to a repair shop [01490.1]  
**shore:** [П515.1]  
**short:** [K386.0, K460.0]; acts as a short [3256.1]; at short notice [H1245.1, П435.1]; at short times [П2086.1]; check ... for possible shorts [П2657.1]; fall ... short of the design life [H850.1]; fall short of [H936.1, H1144.2]; falling just short of [B1469.1]; falls ... short of ... requirements [01535.1]; falls short [Д18.1]; falls short of explaining [H790.1, T193.1]; falls short of its objective in [H848.1]; far short of [C468.1]; for a short time [H23.1]; has fallen short of ... expectation [H959.1]; has fallen short of [H848.2]; in a relatively short time [35.1]; in short bursts [469.1]; in the short run [H26.1]; in the short term [355.1]; in very short time periods [B636.1]; industry could be ... short of [П2859.1]; is in short supply [3376.1]; is short lived [C1567.1]; it was to be but a short time before [H1810.1]; on short notice whenever a scheduled opening occurred [C1297.1]; opens or shorts [0248.1]; over a very short time period [338.1]; short distance from

[H125.1]; short distance [H134.1]; short exposures ... to [K462.1]; short for [C985.1, C987.1]; short lived [K460.0, K460.1]; short of [H1186.1]; short power interruptions [K464.1]; short term change in [K463.1]; short term solution [B1516.1]; short time [B1588.0]; short time after [B1590.2]; short time previously [H1240.1]; short to ground [K389.1]; since no single short paper could [П1348.1]; stops short at [H852.1J]; time is short for completion of the effort [B1547.0]; to stop short of [H840.2]; within a short time [B697.1]  
**short-circuit:** short-circuit proof [3534.1]  
**short-dashed:** short-dashed lines [K475.1]  
**short-duration:** [K460.0]  
**short-lived:** are ... short-lived [H446.1]  
**short-range:** are ... short-range [Д181.1]  
**short-term:** [B1514.0, K460.0]  
**short-time:** [H1 550.1]  
**shortage:** [H1681.1]; due to shortage of [H224.1]; impending shortage [0598.1]; shortage of time prevented [01547.1]; whereas there is no shortage of [X1 04.1]  
**shortcoming:** common shortcoming of [0321.1]; herein lies the basic shortcoming [B768.1]  
**shorten:** is shortened [C982.2]; shortened version [C986.1]; shortens ... by ... one-half [Y256.1]  
**shortening:** [Y237.1]  
**shorten** [H4.2]; duration of... is ... times shorter [П2754.1]; gets shorter [Y236.1]; longer shorter duration [B 179.1]  
**shortest:** in the shortest possible time [33.1]  
**shortfall:** (Д276.2, H1 189.1)  
**shortlist:** been shortlisted [B1212.1]  
**shortly:** (B1588.0); as will be detailed shortly [K87.1]; as will be documented shortly [K107.1]; for reasons which will become apparent shortly [П452.1]; shortly after [B1590.1]; shortly afterward [B1591.2]; shortly before [H1240.2, H1240.4, П89.1]; shortly thereafter [B1591.1]; to appear shortly in [K412.1]; will be described shortly [B345.1]; will be discussed shortly [B348.1]; will be elaborated shortly [B350.1]; will be presented shortly [H1593.1]  
**show:** chemical analysis of... showed that... were present [X21.1]; conclusively show [Y18.1]; data shows clear advantages for [П1195.1]; did show a distinct difference from [Я47.1]; Fig. shows [H137.2]; in order,... shows [Д32.1]; it is easy to show that [J22.2]; it is easy to show that [H 1663.1]; it is not difficult to show that [J22.5]; one can easily show that [J22.1]; one way to show this is to [0522.1]; product show [B1991.1J]; show... in their worst light [П975.1]; show a slightly higher dependence on [0131.1]; show a very close resemblance to ... are ... very similar to [01665.2]; show good agreement with [X76.2]; show little advantage over [0130.1]; show little promise of [M42.0]; show no indication of [C297.1]; show potential for

being [Π258.1]; show reversals of this trend [0133.1]; show the trend [0135.2]; show the trend of [Π3049.1]; show the way [Π982.1]; show up [0128.4, Π3050.1, Π3051.4]; showed ... reaction [Д50.2]; showed no signs of [H938.1]; showed signs of [0132.1J]; showed slight superiority over [0674.1]; shows ... for the molecular weight [X10.1]; shows ... in exact detail [Π977.1]; shows ... to least [best] advantage [Π976.1]; shows a consistent pattern [C1133.1]; shows a marked preference for [01279.1]; shows a strong similarity to [0134.1]; shows effects [Π3047.2]; shows in ... simplified form what happens to [Π978.1]; shows little change [M25.1]; shows promise of being [061.1]; shows significant differences [Π988.1]; these hopes show little promise of being fulfilled [M45.0J]; to be on show [Д257.0]; to show [B1992.0, Д50.0, И313.0]; which Tables ... show [4141.1]

**showing:** paper concludes by showing ... and outlining [B 124.1]

shown: are also shown [Π994.1]; are shown in Fig

[H137.1]; as shown [K102.0]; as will be shown later [K105.1]; but it can be shown that [0566.1]; but, as will subsequently be shown [H1793.1]; cause is shown to question [E189.1];

clearly shown [482.1]; experience has shown that [0884.2]; Favorable comparisons were shown between [Π2135.1]; great deal of ingenuity has been shown [Π3042.1]; has been shown not to have a great effect [Π992.1];

have shown promise [Π629.1]; in sequence shown in [B381.1]; interest... shown in [И604.1];

is not shown ... for clarity [4193.2]; is not shown [H1011.1]; is shown in pictorial view [И314.1]; is shown to [Π991.4]; it can be shown that [M346.1]; it has been shown previously that [P347.1]; it has been shown that [Π991.2]; it is readily shown that [J122.3]; it is shown that [Π991.1]; it will be shown that [HI 714.1, Π939.1]; physical arrangement, as shown in [K336.1]; results are typified ... shown in [T271.1]; shown ... more positively [Π972.1]; shown ... schematically [C1601.1]; shown the total inadequacy [Π983.1]; shown up as [Π3052.2]; similar to the one shown [A139.1]; this ... has been shown to be [Π993.1]

**shroud:** shrouded in a degree of mystery [0728.1]

**shunt:** are ... in shunt with [И446.1]

**shut:** shut down ... any extended period of time [01148.1]; shut down automatically on [A68.1]; shut off [B1845.2, 01147.2]; shut off the power supply to [01348.2]; to shut down [B1845.0]; to shut off [B1845.0]; was shut down [01147.1]

**shut-down (shutdown):** shut-down time [B1530.0];

unintended shutdowns [H1515.1]

side: after making equations ... dimensionless by dividing both sides by [Π1364.1]; appears ...

on both sides of the equation [B 1670.1]; are ... on the high side [Π1694.6]; are ... on the low side of the true values [3321.1]; at the side of [C250.1J]; complete reverse side of this form [3399.1]; cubes ... on a side [K515.1]; designing on the side of caution [Π2768.1]; either side of [Π2075.1]; fell on the high side of [P384.1]; from one side [C 110.1]; from the side

[C249.1]; in opposite sides of [H163.1]; is ... on the conservative side [042.1]; no matter on which side [B 1176.1]; on a side [K209.1, C116.2]; on either side of [Π415.2]; on right-hand side of equation [B758.1]; on side [B414.0, B751.0J]; on ... shell ... sides [B415.1]; on ... tube sides [B1242.1]; on all sides [C115.1]; on both sides of [Π415.1]; on the... side [B679.0]; on the ... side of [H158.2]; on the high side [3133.0, 3133.1]; on the negative side [E118.1]; on the opposite side of... from the horn [H159.1]; on the other side [H162.1]; on the right-hand side of [B755.1]; on the same side as [H164.1]; on the side [C116.1]; on the small side [B680.1]; on the theoretical side [B300.1]; pressured from many sides [И761.1], protrude an equal amount on either side [B1999.1]; rearranging ... on the left-hand side of Eq. [Π145.1]; reverse side [0159.1]; right hand side of ... [Π1601.2]; side benefit

[Π526.1]; side by side [0495.1, P788.1]; side effects [Π525.1]; side issue [Π523.1]; side or axial play [0926.1]; side play or end play [0926.2]; side view [B1077.0]; the gas side of ... company [Γ4.1]; this side up [B917.0]; to be on the high side [3130.0]; to be on the low side [3318.0]; to be on the safe side [Д378.0]; to open see other side [Д330.0]; uphill side [Y602.1]; vary either side of the target value of [И274.1]; was out of tolerance on the low side [Π5.1, Y307.1]; with side lighting [Π2103.1]

**side-by-side:** [P788.2]; which work side-by-side [P41.1]

**side-stepped:** [0284.2]; this difficulty can be

side-stepped [Э111.1]

**sidelight:** interesting sidelight [B 1660.1]

**sidetrack:** became sidetracked by [Y580.1]

**sign:** appear at first sight [Π996.1]; at first sight [H13.1]; brings within sight [Π932.1]; it would appear at first sight that (HI 5.1); must not be lost sight of [HI 334.1]; sighted against the question [P455.1]; to lose sight of [Π1516.1, Y348.3]

**sign:** [3573.1, Π2320.1]; control sign [3575.0];

duly signed [Π778.1]; equality sign [3577.1]; is that a sign of some [4172.1]; made in writing and signed [C1101.1]; numerically equal, but of opposite sign [P132.1]; showed no signs of [H938.1]; showed signs of [0132.1]; sign acknowledging receipt [P367.1]; sign on the bracket [3576.1]; sign reversal [И243.1]; signed

by authorized representatives [Π779.1]; signs



of ... reverse [M116.1]; there was no sign of any [K167.1]; with no signs of [B51.1]

**signal:** signal is fed to [I1635.1]; signals ... conveyed via [I102.1]; signals the absence of [C297.2]; to signal [C456.1]; when no input signal exists [B321.0]

**signaling:** [C456.2]

**signalize:** was signalized [C456.3]; was signalized by [C291.6]

**signatory's:** signatory's position [I594.1]

**signature:** [Y367.2]; name and signature of person in charge of storage [I595.0]

**significance:** [B774.0, 3595.0, 3595.1]; are secondary in significance [I393.3]; but the significance of this is not known [017.1]; can be of significance [B1300.1]; contribute little of significance to [M38.1]; great significance was attached to [I2288.3]; has no significance attributed to [HI 070.1]; of equal or greater significance is [T86.1]; of significance [I1861.1]; of significance to [I508.1]; physical significance remains obscure [Φ23.1]; retains physical significance [C 1141.1]; significance ... is limited [3598.1]; significance of... is immediately apparent [C1400.1]; significance of... is not immediately apparent [C752.1]; significance of this is not known [3603.1]; takes on added significance [I2476.1]; this is of significance when [019.1]; to assess the structural significance of [01629.1]

**significant:** although this may not appear as a significant difference [X109.1]; be significant only in a localized context [I394.1]; before a significant impact on the problem is made [I1964.1]; can result in significant savings in [I919.1]; cause significant alterations to [C470.1]; did not disclose any significant differences [H939.1]; do not present a significant concern [H1020.3]; equally significant [H907.1]; have ... had significant applications [I1173.1]; have a significant impact on [C464.1]; have significant potential [072.2]; in a small but significant number of cases [B542.1]; is all significant (T308.1); is clearly significant [B82.1]; is not significant compared to [HI 263.1]; it may be significant that [M284.1]; little significant information ... can be obtained [H1330.1]; make a significant impact [I2473.2]; most significant of [H318.1]; much more significant than [3619.2]; outperformed ... by a significant margin [P53.1]; overestimate ... by a small, but significant margin [3132.1]; persisted for a significant time [CI 144.2]; play some significant part in [I86.1]; pose a significant threat to [I1880.1]; provide a significant basis for ... decisions [045.1]; re definitely a significant advance [H1633.1]; readings to ... significant figures [01566.1]; represents a major and significant contribution to understanding [I907.3]; rounded to three significant decimal figures [0727.1]; shows signifi-

cant differences [I1988.1]; significant amount of [B240.0]; significant amount of... data [B241.1]; significant conflict [C1557.1]; significant expenditure of both manpower and energy [B255.1]; significant factor in the comparisons of [B781.1]; significant in two respects [I2397.1]; significant portion of [3609.1]; significant progress has been achieved in [I728.1]; significant strides ... made [I232.1]; significant unfulfilled potential [B254.1]; significant [B224.0, B778.0]; suffer significant [I2045.1]; there are no significant benefits to install [Y500.1]; this is significant [I158.1]; to be significant [B295.0]; to five significant decimal figures [C137.1]; to within two of the last significant digits [C136.1]; very significant reduction in ... a strong reduction in... a slight reduction in [01656.1]; was a significant fraction of [C1079.1]; without a significant penalty in accuracy [B10.1]; without a significant [B8.0]; work is going on in significant amounts [PI 1.1]

**significantly:** [3614.1]; aid significantly in [0650.1]; are significantly different than [C476.1]; differ significantly [3629.1, C1563.1]; has ... changed significantly [I2046.1]; has contributed significantly to the advancement of the-state-of-the-art in [B1215.1]; most significantly [C230.1, 4150.1]; significantly different from [3630.1]; significantly increase the available data [C1562.1]; significantly more involved [3633.1]; significantly prior to [3191.1, C1564.1]

**signify:** is signified by [HI 72.1]

**signing:** from the date of signing [C 194.1]

**silently:** silently testify to this fact [M240.1]

**silicon:** was ... high in silicon [I452.1]

**silver:** silver soldered [I2499.1]

**similar** are ... similar in [I11539.1]; are ... similar to ... [I11538.1]; are ranked in similar order by [P377.1]; are similar in form to [I1540.2]; have failed by a similar mode [P330.1]; is similar in appearance to [B1 192.1]; in (a) similar fashion [A136.0]; in (a) similar manner [A136.0]; in (a) similar way [A136.0]; in a manner similar to that observed in [I769.2]; in a manner similar to [I769.1]; in a similar fashion [A136.1]; in a similar manner to [A124.1]; in a similar manner to that used [A126.1]; in a similar way [A136.2]; is ... similar in shape to [I1540.1]; is closely similar to [B 141.1]; is configured in a similar fashion [I455.1]; is similar in form [A138.1]; of a type similar to [T264.1]; one may expect a similar... for [A129.1]; precisely similar [T406.1]; ranks in a similar order as do [P379.1]; rather similar to [I510.1]; reached a similar conclusion [I2552.1]; roughly similar [I2392.1]; show a very close resemblance to... are... very similar to [01665.2]; similar (to) [A127.0, B131.0]; similar conclusion was reached by [I2552.2]; similar conclusions have been drawn by [K2.1]; similar consider-

ations must surely apply to [A133.1J; similar in [B135.1]; similar magnitude to [0543.1]; similar results (A132.1J; similar situation [A128.1]; similar to [A127.1, П326.3]; similar to ... but with somewhat different [A135.1]; similar to the one shown [A139.1]; similar [B 131.5]; similar, if not greater [T88.1]; small difference between two large and similar quantities [M16.1]; somewhat similar [Д469.1]; studies along similar lines ... been pursued [П2677.1]; superficially similar [B 1193.1]; to a similar degree [B675.1]; to be similar in appearance [B1 192.0]; with trends and magnitudes similar [C925.1]; work along similar lines [P3.1]

**similarity:** bear some similarity to [H1587.1]; both similarities and differences [K 125.1]; bringing to... attention the similarities [0211.1]; indicate some similarities [C295.1]; many similarities between [B252.1, M1 96.1]; marked similarity between [B251.1]; overall similarity [0341.1]; scaled up ... down ... within similarity restraints [П 178.1]; shows a strong similarity to [0134.1]; similarities... are many [B205.1]; similarity between [C 1606.2]; similarity is maintained (C1 134.1); similarity of [C1606.1]; superficial similarity [B1 197.1]

**similarly:** [A124.0]; respond similarly to [P579.1]

**similitude:** law of similitude [3250.1]

**simple:** [П2928.1]; apparently more simple [K43.1];

are far from simple [Д101.1]; deceptively simple [0116.1]; has the merit of being simple to apply [Д740.1]; in a simple yet persuasive manner [П2924.1]; is fundamentally simple in that [B405.1]; nothing as simple as this [C895.1];

relatively simple matter (C 1289.1); simple as it may be [K152.1]; simple expedient of [П2930.1];

simple in design [П2935.1]; simple theory for ... based on [П2934.1]; there is ... no simple answer to [01234.1]; these were not simple [Э 115.1]; was not a simple task [B372.1]

**simplest:** in the simplest terms [Г75.1]; one of the simplest means of doing this is [П2926.1]

**simplicity:** for simplicity [Д383.1, Д383.2]; for simplicity,... is assumed to [Д414.1]; simplicity criteria [Y400.1]; simplicity itself [C200.1]

**simplification:** but a major simplification results if [H1799.1]; is an attractive simplification [П2206.1]; simplification incorporated in the analysis [Y343.1]; without this simplification ...

would have to be [B64.1]

**simplify:** greatly simplifies [C481.1]; has a simplified task in [3175.1]; simplified ... diagram [Y344.1]; simplified view of (Y345.1); simplify to [Y342.1]; shows in ... simplified form what happens to [П978.1]; that simplifies very much [Э177.1]; this simplifies to [П1389.1]

**simplistic:** simplistic inference [Y347.1]; simplis-

tic view [Y346.1]

**simply:** is simply related to [C360.1]; may not simply involve [П2922.1]; simply scaling up

[Π2933.1]; sometimes referred to simply as [И560.1]; there simply was no immediate explanation of [B75.1]; this conclusion may be reached simply by [K23.1J; was found to be much more valuable than for simply obtaining spectrums[0681.1]

**simulate:** [M233.2]; faithfully simulated [T389.1];

to simulate [M233.0]

**simulating:** [M232.0]

**simulation:** [И535.1, M232.0]; may seem like an undesirable simulation [M297.1]; simulation predicted parameters [Π23.1]

**simultaneous:** simultaneous ... equations [C860.1];

standard simultaneous equation solver [C1421.1]; successive and simultaneous ... events [Π1400.1]; two simultaneous equations ... in terms of [C496.1]

**simultaneously:** simultaneously [B76.2, B1156.1, 0579.1]; are solved simultaneously with [P724.1]; obtained by solving ... ... simultaneously [Π1178.1]; proceed simultaneously [Π2949.1]; solving equations ... simultaneously [C861.1]

**since:** [H730.4, C66.1, T34.1]; and since then [A13.1]; but since there seems to be little movement in this direction [H1809.1]; ever since [C67.1]; for ... years since the day of shipment from the plant [И207.0]; has been used extensively ever since [И22.1]; is attractive since [X40.1]; particularly so since [01043.1]; since ... industrial debut [C33.1J; since in order to ... would need to [T36.1]; since its inception [C93.1]; since much has been said about [Π 1349.1]; since no single short paper could [Π 1348.1]; since that time [C66.3, C123.1]; since the mid- to late 1980's [C94.1]; since then [C66.2, C123.2]; this has not recurred since [Π1382.1, C68.1]; this is unfortunate since [020.1]; those problems have been growing in dimension ever since [M64.1J; total since beginning of operation [И851.0]; was assured since [T18.1]

**single:** [E15.0, E25.0, K170.1, 0483.1, 0483.2, 0487.1, 0554.1, 0591.1]; are marked by ... asterisk [Π1237.1]; combines ... in a single component [0351.1]; condensed into a single trace [C312.1]; fall on a single curve [Y228.1]; general application of a single... curve [И689.1]; in the spell of a single decade [334. 1j; no single ... could be isolated [B1788.1]; selection ... narrowed down to a single choice [C1536.1J; share a single common [И417.1]; since no single short paper could [Π 1348.1]; single entity [E27.1]; single file [B483.1]; singled out [01205.3]

**single-spaced:** typed single-spaced [H456.1]

**singling:** warrant singling out... as a [0801.1]

**singly:** either singly or in combination [Π431.1]; operate singly or in concert [Д 185.1]; singly and in combination [Π430.1]

**sink:** sinks to the ... bottom [0874.1]

**site:** [M140.0, T195.1, Y599.7], are available at the site by rail, ... delivery [Д680.1]; are time and site specific [395.1]; at the job site [H74.1]; failure sites [M148.1]; host site for [M147.1J]; initiation site [M141.1]; is delivered to the site [П1454.1]; off site [H158.1], on site [H73.1]; shipped to site [T412.1]; site test [Э54.3]; test site [M146.1]; to select the construction site (B1702.0J; transportation to the site [T413.1]; was sited close to [P370.1]

**siting:** proposed siting of [B1711.1]; siting ... in the available space [P272.1]

**situ:** in situ [B1921.1, H73.3]; in situ repairs [P695.1]

**situate:** [H685.1, П1239.2, P393.1] are situated at their centers [P380.1]; situated outside [P268.1, P395.1]

**situation:** are happy with this situation [T73.1]; by ... the situation will be dramatically reversed [K5.1]; completely different situation [C823.1]; complicated the situation [0936.1]; consider, ... the other extreme situation [P480.1]; extended to ... situations involving different [P441.1]; for some design situations [B571.0J]; for specific contractual situations [C162.1]; generally unsatisfactory situation [B742.1]; idealized situation [H94.1]; in ... situation [B517.5, B713.0]; in an industrial situation [B726.1]; in the present situation [B527.1]; in this situation [B555.1]; in a wide variety of situations [B576.1]; in many practical situations [B569.1]; in situations where [B560.1]; keeping ... informed of the situation as it progresses [Д264.1]; much encountered situation [422.1]; not the situation during [438.1]; on this situation [П438.1]; opposite situation [П2964.1]; practically relevant situations [C709.1]; remedy to this situation is to [B2028.1]; remedy to this situation is to design [H741.1]; represents the real situation [C1013.1]; similar situation [A128.1]; situation becomes increasingly intolerable [П1104.1]; situation can be helped [M331.1]; situation has now emerged where [C415.1]; situation in which [C706.1]; situation is not improved greatly by the use (H687.1); situation is quite different [П 1103.1]; situation may be further aggravated [П 1096.1]; situation may be quite different [C503.1J]; situation was modified [C502.1]; situations that may occur in practice [C711.1]; thoroughly confused the situation [C822.1]; to rectify the situation [B1922.1]; to remedy the situation [H740.0, П1296.1]; to remedy this situation [C1151.1]; to work around this situation [C1 151.2]; two situations must be distinguished: [H1908.1]; we are exclusively concerned with the situation [H404.1]; we face a different situation here [B540.1]

**sixth:** celebrates its sixth birthday [П1637.1]; increases by the sixth power of velocity [B1365.1]

**sizable:** [B224.0, 3605.0); is a sizable percentage of [C1078.1]; sizable ... effort is in progress [B184.1]; sizable saving [3609.1]

**size:** [B888.0, M398.0, P252.2); allowable size deviation of finished surfaces  $\pm 0.013$  mm [Д654.0]; are conservatively sized [B1700.1]; are sized to more than adequately [P509.1]; constraints on size [Г2.2]; disappears to the size of a dot [П1692.1]; grid size [Ш16.1]; in size [П1460.1]; in the sizes of interest in this investigation [B98.1]; is reduced in size [H236.1]; is sized [0832.1]; match ... size with ... size [П646.1]; matches the size and type [C1016.1]; model of 1/8 size was constructed [И 188.1]; of one size or another [T353.1]; one micron in size [P254.1J]; particle size analysis [Ф56.1]; properly sized [C82.1]; replace it with ... of the same type, size and rating [3284.1]; scaling of ... size [П 172.1]; size = OD [Д280.0]; size components [0833.1]; size distributions [P420.1]; size of [B894.1, P255.1]; size of the presentation [0368.1]; sized for... of maximum ... demand [P256.1]; there is ... size independence [3111.1]; to a scale of 30 times full size [B177.1]; to construct ... of ... size [H185.0]; to divide ... into ... size categories [P205.1]; to size [T393.1]; true to size [T393.2); twice their size [B440.1]

**sizeable:** [B224.1, 3605.0]

**sizing:** [0811.1]; in sizing [П2062.1]

**skeptical:** is ... skeptical of [01452.1]

**sketch:** are sketched [H3 15.1]; it is fitting to close this biographical sketch of [Y285.1]; sketch the broad outlines [0777.1]

sketchy: [H1572.1, 01517.1]

**skidding:** onset of skidding [H705.1]

**skilled:** [K211.0]; those skilled in the art [C1159.1]

**skills:** core skills [0998.1]; fundamental computer skills [0957.1]; practice your skills [3262.1]; skills [H245.1J]; to develop your skills [P180.1]

**skip:** skipped over [П2888.1]

**skirt:** skirt obstructions [0283.1]

**slack:** [Л 130.1]; remove slack [Y526.1]; take up the slack [B1414.1, H589.1]

**slacken:** slacken off... screws [0933.1]

**slanting:** [K405.0]

**slash:** [K398.1]; slashed to the point where [Y365.1]

**slate:** [K492.1]

**slave:** is slave to the operation of [397.1]

**slide:** [B852.1 ]; slide ... all the way to [П278.1 ]; slide ... off... remove [C791.1]; slide ... onto [H257.3]; slide ... over [H256.1]; slide out [C791.2]

slight: [A11.0]; a slight reduction in [01656.1]; having a slight edge [H435.1]; having a slight edge in [H1583.1]; he gives only a slight indication of [Д39.1]; showed slight superiority over [0674.1]

**slightly:** [H1264.1, H1344.1]; are ... equal to, or slightly less [PI 36.1]; at the cost only of a

- slightly more complicated [I35.1]; be slightly different [C574.1]; effect is slightly spoiled by [B1429.1]; had taken a slightly different approach [B 1420.1]; if not slightly underpredicting [E147.1]; increased to something slightly in excess of [Y58.1]; is slightly less than [HI 343.1]; is slightly visible [E3.1]; merely ... slightly [J84.2]; one slightly disturbing point ... was their repeatability (H1604.1); show a slightly higher dependence on [0131.1]; slightly less than [H1585.1J; slightly more [H1342.2]; slightly more than [C576.1J; slightly optimistic [H1579.1]; took slightly longer [3327.1]; would only be changed slightly [H293.1]
- slip:** packing slip accompanying [01271.1]; slip ... over (H257.1); slipped from ... to [II48.1]; slips... into [B853.1]
- slippage:** [01530.1]
- slope:** flat slope [M14.1J; low slope [M14.2]; slope of [Y81.1]; slope of... 1 in 12 [Y231.1]; slope of ... curve [T116.1]; to slope [II262.1]
- slot:** be centered in slot (P381.1); fit in a slot [3521.1]; key slot 4 mm wide x 2.15 mm deep [B1966.0]; slotted in [Y221.1]
- slow:** [M13.0]; been slow to catch on [II963.1]; slow rate [M17.1]; slowed down [3276.1J; slowdown in business activity (C774.1, C1150.1); slows down [3276.2]; this may be a slow process [I427.1]; to slowdown [3276.0]
- small:** [M13.0, M87.0]; are a small fraction of [C 1080.1 ]; are only of small value [0646.1 ]; be ... too small [3320.1]; changed incrementally ... in small increments (H263.1); dropping all the small terms [01212.1]; far too small [C650.3]; has a small effect on [C565.2]; how important a small improvement in ... can be [H541.1]; ignoring ... which is small compared to [II2002.1]; in a small but significant number of cases [B542.1]; in no small way [B665.1]; in small increments [HI 165,2]; in the limit of small temperature difference [B548.1]; is small comfort [C704.1]; no matter how small [K53.1J; on the small side [B680.1J; overestimate ... by a small, but significant margin [3132.1]; probability of ... remains small [B908.1J; render small [C395.1J; represent only a small proportion of [C1082.1]; rotate... a small amount one way or the other [II549.1]; small advantage is held ... for [I436.1]; small amount [H1344.3]; small compared to [M35.2]; small difference between two large and similar quantities [M16.1]; small minority of [H1166.1]; small price to pay to ensure [I367.1]; small scale [HI 163.1]; vanishingly small [I841.1]; were small in diameter [I378.1]
- small-scale:** [I199.1]; small-scale manufacture [M91.0]; small-scale testing [I778.1]
- smaller:** [M107.0]; and smaller amounts of (I8.1); much smaller [H422.1]; much smaller than [H420.1]; smaller ... a factor of [B449.2J; smaller by a factor of (M108.1); smaller choice [B 1710.1]; still smaller than [E208.1]; very much smaller than [H420.2]; yet smaller [E207.1]
- smallest:** smallest scale division of [I30.2]; smallest scale reading of [I30.1]
- smear** smear out [C720.2]
- smell:** smell gas [4226.1]
- smoke-suppressant:** [I768.1]
- smokeless:** [B70.1]
- smooth:** is far from smooth [I94.1]; operation is free and smooth [B97.1]; operation is smooth and quiet [II270.1]; smooth running of the Project [II272.1]; to make smooth [B1936.0]; transitions ... were smooth [II 186.1]; we will... have smooth sailing [B986.1]
- smoothly:** blend in smoothly with [II200.1]; increase smoothly [II275.1]
- snag:** commercial snags [II2029.1]
- snap:** snap into the place [3531.1]; snap judgement ... be made [T339.1]; snap judgement should not be made [HI 066.1]
- snugly:** fits snugly [II303.1]
- so-called:** [I218.1]; so-called [T16.1]
- soak:** oil soaked [II2876.1]
- society:** learned society [H595.1]; nationality, age, sex, and society membership [H699.1]
- socket:** with socket [C4.1]
- software:** computer software [II2712.1]
- solar** are ... solar in origin [I442.1]
- solder:** silver soldered [II2499.1]; solder ... to ... taking care not to [II2500.1]; soldered to [II2498.1]
- sole:** [E15.0]; at the sole expense of the supplier (I674.1); for the sole purpose of (C181.1); sole exception [E1 8.2]; such substitution shall be the sole responsibility of [0422.1]
- sole-sourcing:** [M252.1]
- solely:** [I673.1]; based solely on [I828.1]; rely solely on [II1010.1]; solely or jointly [C211.1]
- solid:** [C1192.1, T122.1]; solid line [C1193.1, C1193.2]; solid symbols (T141.1); was... forged solid with [01354.1]
- solidus:** [K406.1]
- solubility:** solubility depression (II 1263.1)
- soluble:** are not soluble in water [H1053.1]; readily soluble in [X74.1]
- solution:** [B2022.0]; another solution would be to [I761.1]; approximate solution [II2184.1]; are pursuing the solution to [I649.1]; are taken to be solutions of the system [B 1690.1]; exposed to ... solutions [II245.1]; ingenious solution [01167.1]; mutually agreeable solution [B1048.1]; particular solutions to equations [416.1]; practical solution of this problem [II1676.1]; preferred solution (II1816.1); seek ... solutions for [I648.1]; short term solution [B1516.1]; solution... is touched upon [3484.1]; solution annealed [01297.1]; solution becomes indeterminate (P743.1); solutions are being

pursued [Π947.1], solutions are difficult to attain [P744.1]; solutions are to [B2027.1]; solutions, in terms of power series in [P735.1]; study of solutions [И782.1]; to ensure convergence of the solution [052.1]; top up with ... solution [Д601.1]

**solve:** allows... to be solved analytically [Π928.1]; among others, is a suitable method to solve [0518.1]; are solved simultaneously with [P724.1]; has been solved in a manner to be described below [P726.1]; is now to be solved [H1910.1]; solves for [01600.1]

**solvency:** financial solvency [Π294.1]

**solvent:** become financially solvent [C1407.1]; dipped in a solvent [C747.1]; spray solvent... direct on [H480.1]

**solver:** standard simultaneous equation solver [C1421.1]

**solving:** expanding and collecting terms, and solving for [P357.1]; is one approach to solving

the problem [0520.1]; obtained by solving ... simultaneously [Π1178.1]; solving equations

... simultaneously [C861.1]; solving for... gives [P725.1]; two major difficulties were encountered in solving [P734.1]

**some:** [K158.0, H1298.1, 0698.5, 0698.6]; after some deliberation [Π 1368.1]; after some extended period of time [Π377.1]; after some minutes [C 1270.1]; albeit with some sacrifice in [X99.1]; allow some variations on [Д661.1]; along with some additional development [H535.1]; assume some measure of obsolescence [Д470.1]; at some [Д499.0]; at some cost in [359.1]; at some time [B216.1, K239.2]; at some future time [K232.1]; at some length [Д512.1, H1597.1]; at some point during [B221.1]; at some point in the process [B221.2];

bear some similarity to [H1587.1]; bears some discussion [И464.1]; bears some relation to [И425.1, K127.2]; because some difficulty was encountered in accurately determining [Π 1352.1]; but some conclusions can be drawn at this point [A113.0]; caused some surprise [B1828.1]; continues to be a matter of some controversy [01125.1]; could the author give some guidance on [H918.1]; deserves some further explanation [3453.1]; despite some misgivings [H1619.1]; exert some influence on [0632.1]; exhibit some action [0639.1]; exhibited some degree of [0129.1]; for some [Д499.0]; for some time [E156.1]; for quite some time [Д511.1]; for quite some time now [B1447.1, Д500.1]; for some ... but not all [Д362.1]; for some ... for others [Д376.1]; for some design situations [B571.0]; for some distance ... from [H135.1]; gain some understanding of (Π1164.1); given some years of service [Π2894.1]; go some way toward resolving [H1595.1]; go some way towards [Π2457.1];

has some basis in the behavior [0276.1]; has

some control on [H681.2]; has some merit [И380.1]; has some potential hazards [C365.1];

has some work to do [E187.1]; have gained some appreciation of [Π 1130.1]; hold some promise as [061.2]; if we take some liberty in [E1 32.1]; in order to gain some knowledge as to [4197.1]; in some [Д499.0]; in some balanced manner [H90.1]; in some cases though not all [B543.1]; in some depth [Д509.2]; in some detail [Д509.1]; in some instances (B570.1); in some measure [B664.0, B664.3, Д468.2]; in some respects [B304.0, B304.3]; in

some ways [B304.2]; incorporates some important differences [И422.1]; indicate some similarities [C295.1]; is also of some value [0849.1];

is correlated in some way with [C364.1]; is not without some [H900.1]; is of some controversy

[H1598.1]; is of some value in [0647.1, C1224.1];

is that a sign of some [4172.1]; it has been recognized for some time that [C65.1]; it is appropriate to provide some comment concerning [C630.2]; it is worth some consideration [C 1465.1]; it will take some time [Π1531.1]; led to some risk of [Π2229.1]; of some sort [T354.2]; of some surprise [Π2952.1];

offer some advantages [Д47.1]; offers some improvement over [082.1]; on some occasions [B570.2]; play some significant part in [И86.1];

reveals some interesting things [Π914.1]; share some ideas [И418.1, Π723.1]; shares some common features [091.1]; shed some light on [Π2839.1]; some ... is inevitable [H1291.1];

some ... others (0505.1); some being greater than others [Y8.1]; some clarification is urgently required [K445.1]; some comments ... be made regarding [C398.1]; some distance away [H135.2]; some doubt... as to whether... would [H1297.1]; some form of [B736.1]; some

generalizations ... about [H1301.1]; some idea of [H1294.1]; some indication of [H1294.2]; some insight into [H1294.3]; some luck was involved [T453.1]; some measure of success... achieved [Д722.1]; some of the benefit ... is lost [432.1]; some of the difficulties which can arise with [H1300.1]; some of the length is taken up [3350.1]; some other [K161.1]; some perspective maybe obtained [H1296.1]; some rules apply (H1909.1); some sporadic interest ... exists in [И602.1]; some time earlier [H1600.1]; some, but not all, of the more prominent [H1302.1]; some, if not all [H1299.1];

take some exception to [B1358.2]; there may be some dependence on [B1311.1]; there must be some fear of [H1377.1]; there would then have been some hope that [T288.1]; they require some modification [H1363.1]; this fact casts some doubt that there are [И 143.1]; this paper has summarized some aspects [B641.1]; this requires some insight as to how [Д429.1]; to gain some insight into (Π1164.2); to give

- some idea of [Д41.1], to satisfy some of the deficiencies in the data base, regarding [П 1135.1]; to some degree [B664.0]; to some extent [B664.0, B664.2, Д468.1]; to some power [B1258.1J; to suffer some inconvenience [П951.1]; to take some exception to [B 1358.0]; under some circumstances [B570.3]; were in need of some adjustment [H1885.1]; were willing to suffer some inconvenience [Г105.1]; were willing to suffer some inconvenience in return for being able to [C930.1]; with some caution (C44.1); with some degree of apprehension [C38.1J; with some degree of success [C153.1J; yielded some, but not total success [П2244.1]
- somehow:** is somehow tied in with [K127.1]; must somehow be involved [Д582.1]
- something:** and something was already known of [И36.1]; due to ... or perhaps something else such as (0275.1); increased to something slightly in excess of [Y58.1]; look something like this: [B 1755.1]; settle on something [P727.1]; something in the vicinity of [4221.1]
- sometime:** [Г25.0]; sometime in [Г26.1]
- sometimes:** [И558.0]; are alone sometimes sufficient to [И559.1]; it is sometimes useful to know [И564.1]; sometimes referred to simply as [И560.1]; sometimes,... but it is more usual [И561.1]
- somewhat:** a[B664.4, Д468.4]; application of ... has been hindered somewhat by [П2362.1]; behave somewhat differently [B942.1]; behaves in a somewhat peculiar manner [B944.1]; his results are somewhat limited in that [И42.1]; in a somewhat different way (H1594.1); is ... somewhat promising [Я11.1]; is regarded as somewhat fortuitous [П 1893,1]; is somewhat disturbing [B1803.1, H1602.1]; it is somewhat disturbing that [H1588.1]; makes comparisons... somewhat risky [Д226.1]; may be somewhat altered [M276.1]; may change somewhat [M278.1J; requirement is somewhat complicated as [T423.1]; seem somewhat surprising [П997.1]; similar to ... but with somewhat different [A135.1]; somewhat arbitrarily [H 596.1]; somewhat below expectation [H1607.1]; somewhat differently from [H1581.1]; somewhat discouraging [H1591.1]; somewhat greater in magnitude (H 575.1); somewhat imprecise [H1083.1, H1589.1]; somewhat less appears in the literature concerning [H1584.1]; somewhat lower [H1586.1, H1590.1]; somewhat misleading [H1576.1]; somewhat misleading results [P640.1]; somewhat modified [H1580.1]; somewhat naive outlook [H1292.1]; somewhat regimented [Д516.1]; somewhat similar [Д469.1]; somewhat suspect [H 592.1]; this is somewhat to be expected [H1685.1J; though the actual ... could be somewhat greater [X85.1]; to some-
- what under [Д438.1]; will... decay somewhat [H1605.1]
- somewhere:** [Г25.0]; somewhere below [above] [Г31.1]; somewhere between [Г30.1]; somewhere within [Г29.1]
- soon:** [B68.1, B1588.1]; as soon as [K128.0, C 1300.3]; as soon as ... begins (K130.1); as soon as possible [K84.1J; as soon as this occurred [K132.1]; it is ... much too soon to draw any final conclusions (C655.1); it was soon apparent that [B1589.1]; that... was soon abandoned [01189.1]; too soon [П 1965.2]
- sophisticated:** [C661.2J; more sophisticated in [C663.1]
- sophistication:** degrees of design sophistication [C1452.1]; technical sophistication [T237.2]
- sorrow:** to ... sorrow [K15.0]; to our sorrow [K17.1]
- sort:** of one sort or another [T354.1J; of some sort (T354.2); sort of [C334.1]; sort out [K216.3]; sort out the influence of [B 1787.1]; this sort of [T63.1]; to sort out [B1784.0, K216.0]
- sorting:** sorting tests [01209.1]
- sound:** basically sound [B283.1, П1627.1]; may sound [M293.1]; sound basis for [П3036.1]; sound footing [П3035.1]; sound out... chances of success [B2093.1J; sound understanding of [П1632.1]; way it sounds [T13.1]
- soundness:** confirms the soundness of [П852.1]
- source:** [0900.4]; acquired from different sources [П1196.1]; all sources report [B434.1J; are attributed to unknown sources [И441.1, П2828.1]; arise from two sources [П2827.1]; at source [П2642.1]; damage from outside sources [И1558.1]; data from other sources [Д109.1]; determining the source [0831.2]; emergency power source [A58.1]; information source [И813.0]; power source [И812.0]; precludes ... as their source (И658.1); reference ... be made to... sources [0230.1]; source of error [И811.1]; sourced from outside suppliers [П 1457.1]; sources of supply [4101.1]; to pinpoint the source [0831.1]
- south:** is located ... km south of [P406.1]; north of ... to ... south [C407.1]; south to north [C188.1]
- space:** add spaces [Д222.1]; are spaced ... apart [P407.1]; are spaced at ... intervals [P387.1]; blank incomplete spaces [П3087.1]; breathing space [П113.1]; details ... have been deleted to save space [П805.1]; closely spaced [B142.1]; encroached on the available ... space [3520.1]; equally spaced [P404.1]; equally spaced along [P120.1]; existing space ... accommodate [C1587.1]; fit easily into the existing space [J27.1]; fit in the space occupied by [Y291.1]; frees up space [B1968.1]; in order to conserve space [B748.2J; in space [B414.0]; is spaced away ... from [01538,1]; mounting ... within the space envelope [P271.1]; siting ... in the available space [P272.1]; space can ... accom-

modate [P265.1]; space constraints [Π2942.1]; space heating [01482.1]; space required to withdraw the piston [Γ1.0]; spaced ... apart [H692.1]; spaced ... center to center [C187.1]; spaced ... from each other [01542.1]; spaced circumferentially by [01543.1]; to conserve space [Δ423.1]; to fit in the space occupied [B1467.1]; uniformly spaced in a circle [P121.1]

**space-rated:** [Π2274.1]

**spacer** determine the spacer thickness to eliminate play [Δ416.0]

**spacing:** [И597.0, LUL.]; angular spacing of [Y78.1]; blade spacing constraints [0445.1];

clear spacing between [C304.1]; printer's copy, typed in double spacing [H232.1]; spacing ... around the circumference [Ш5.1]; spacing ... on center [C187.4]; spacing between pulses [И599.1]; with a ... spacing on ... centers [C 187.3]

**spallation:** through spallation [Π3099.1]

**span:** [Δ283.0]; expected life span [C1334.4]; span ... between ... and [01616.2]; spanned the ... range [01616.1]; spanned the gamut [01618.1]; within a span [B685.0]; within a span of [B685.2]

**spanning:** [B96.4]; at a succession of times spanning the entire duration of [Δ353.1]

**spanwise:** spanwise uniform [Π 1477.1]

**spare:** [3378.0]; group set of spare parts [Γ146.0];

list of spare parts [B872.0]; list of spare parts furnished at extra cost [B871.0]; set of spare parts [K291.0]; spare parts [3379.0]; spare parts allowance list [H1868.1]; spare time job [P15.1]; to spare (*smth.*) [И150.0]; spared himself the need to [И151.1]

**sparingly:** grease ... applied, sparingly [H442.1]; have ... been used sparingly [И719.1]

**sparse:** sparse instrumentation [MI 9.1]

**spatial:** spatial coordinate [Π2941.1]

**speak:** it may be more meaningful to speak of [И450.1]; results speak for themselves - [P646.1]; speak for themselves [Γ77.1]; speaks favorably of [0595.1]; speaks well for [C692.1, Y15.1]; spoken language proficiency [B1 126.1]; to speak [Γ66.0]; to speak in support (of) [3539.0]

**speaking:** broadly speaking [B1372.2]; generally speaking [B 1372.1]; qualitatively speaking [C127.2]; roughly speaking [Γ135.1]; strictly speaking [C1500.1]

**special:** [C1 164.1]; apply ... general analysis to the special case [Π2370.1]; are special in that [3583.1]; are special or unique [086.1]; give special consideration to [0216.1, Y116.2]; is available on special order [Π1456.1]; needs ... special attention [H1888.1]; no special precautions had been taken [H1746.1]; of special interest are [01064.1]; only when special precautions were taken to [T305.1]; requires special handling [T440.1]; special acknowledgement is due to [01072.1]; special atten-

tion ... be paid for [Y116.1]; special attention is required for [01056.1]; special care ... to protect... from [C 1167.1]; special care should be observed [C632.1]; special case under [413.2]; special precautions were taken to [Π2421.1]

**specialism:** [Y193.1]

**specialist:** call for specialist knowledge [T445.1]; specialist ... companies [C1155.1]; specialist training [C 1166.1]

**specialities:** in their specialities [Π470.1]

**specialize:** specialized application [C1156.1]; specialized training... in [C1165.1]

**specialy:** [01070.1]; specially designed [C1170.1];

specially fitted to [C1 172.1]; was ... specially treated [Π663.1]

**species:** [B1077.0]; contaminant species [3147.0, 3152.1]; product species [B1084.1]

**specific:** [K320.2, 01457.8]; are time and site specific [395.1]; follows no specific pattern [3106.1]; for a specific application [Δ392.1]; for specific contractual situations [C 162.1]; get too specific [B850.1]; may be coal specific [M275.1]; of specific note is the fact that (01061.1); over a specific time period (B704.1); platform specific data [Δ115.1]; specific application of... is a patented feature of [3380.1];

specific conclusions reached from this investigation [K322.1]; specific emphasis is directed at [01067.1]; specific fuel consumption of the turbine [Y107.1]; specific hazardous materials [01060.1]; specific power [Y106.1]; specific requirements [C1 184.1]; specific structures [C1183.1]; specific to [T267.1, X15.5]; to address specific ... considerations [P464.1]; to be ... -specific [388.0]; to be more specific [B161.2];

to get too specific [B850.0]; was given specific instructions [Π3011.1]; what they are specific for is [C1173.1]; without a specific application [B319.1]

**specifically:** [A2.1, A3.1, B161.1, B759.0, E114.1] applicable specifically to [Π2376.1];

developed specifically for [P301.1]; except as specifically noted [327.2]; except where specifically stated [318.1]; specifically address this issue [Π 1343.1]

**specification (spec):** according to the specifications [B598.1]; also to ... specification of the boundary conditions on [H391.1]; bring ... into specification [01510.1]; come up to specification [C 1020.1]; Complete Specification filed 15 July 1970 (Δ132.0); Complete Specification

published Jan. 6 [Δ139.0]; conform to the specifications [01245.1]; easing specification requirements [0113.1]; fails to comply with the specifications [H986.1]; finalizing... specifications [B1767.1]; firm specifications of [0718.1]; general specifications [0344.1]; hard specification [Ж 11.1]; if the further specification is made that [E66.1]; is capable of



covering all... specifications [B615.1]; is qualified for use... under... specifications [Π2281.1]; manufactured to meet specifications [И204.0]; meeting the ... specification [01252.1]; quantity according to specification No. [K257.0]; relaxing specification [C753.1]; specification ... sent out [B2005.1]; specification calls for [Π501.1]; specification has been compiled with [B1899.1]; specification of... is called for [T450.1]; standard equipment specification [K299.0]; tentative specification (s) [B1519.0]; to amend a patent specification [B 1230.1]; to specifications [Π500.1]; were finished to grade 10 specifications [0185.1]; wires to be run and terminated in accordance with Spec. No [Π2669.1]; within specification limits [B396.1]; within the specification of [B598.2]

**specified-size:** [3163.1]

specify: [3162.4, 3426.0, Y203.1]; all wires to be X

unless otherwise specified [B1015.0]; arbitrarily specified [3155.1]; are specified to be applicable for [Π1750.1]; article ... has been packed at ... in compliance with the requirements specified in the Operating Instructions [И218.1]; article ... has been subjected to preservation at ... in compliance with the requirements specified in the Operating Instructions [И215.1]; be specified [0439.1]; casting radii 5 mm unless otherwise specified [H 1676.1]; composition ... is not specified [C1071.1]; cut to the specified shape [B1963.1]; except when specified on drawings [325.1]; in a specified manner [B377.1]; is specified via the angle of [3157.1]; orders must specify [B119.1]; requirements ... be specified [Y464.1]; Serial Number ... must be specified ... when ordering [Π2072.1]; specified when the order is placed [Y213.1]; specifies the use of [0829.1]; to specify [3153.0]; to specify a COST [Γ100.0]; unless otherwise specified [01142.1]; unless specified [E150.3J]; unless specified as [E151.1]; unless specified elsewhere [E169.1]; when ordering this part be certain to specify [Π2073.1]; where contractually specified [K241.1]

**specimen:** exemplary specimens of what [0198.1];

nozzle to specimen distance [P504.1]; selected specimens [01474.1]; thin-walled ... specimens [T329.1]

**spectrum:** [Д283.0]; full spectrum [B955.1J]; spectrum of [Π 14.1]; spectrum of activity [Д284.1]; was found to be much more valuable than for simply obtaining spectrums [0681.1]

speculate: can only be speculated upon [01126.1]; it would not be wise to speculate [K318.1]; one can only speculate on [M380.1]; one may speculate as follows [M365.0]; speculates [Д219.2]

**speculation:** in accord with the speculation [B597.1]; is open to speculation [01096.1,

01126.2]; should not be left to speculation [H1321.1]; this is all speculation. [B996.0]

**speculative:** are very speculative [И463.2]; is highly speculative [И463.1]; speculative to assume [P748.1]; this is only speculative [Э179.1]

**speed:** [C543.1]; attain full speed [Д710.1]; constant speed [C99.2]; reactions are speeded [Y384.1]; speeded up [Y382.2]; speeds

**spell:** in the spell of a single decade [334.1]

**spend:** considerable effort was spent in [Π2729.1];

considerable time ... be spent [3489.1]; efforts spent on [Y379.1]; much effort will be spent to [3612.1]; much time has been spent [M194.1]; spend ... at idling [P61.1]; spend a high proportion of their time at [P80.2]; spend most time at [P80.1]; spend only a ... fraction of life [P79.1]; when spent [Π1378.1]

**spending:** defer spending [01526.1]

**spherical:** If spherical particles are assumed [E76.1]

**spin:** spun up [P355.1]

**spirit:** in the spirit of [C597.1]; without departing from the spirit and scope of the invention [B42.0]

**spite:** in spite of... conclusions can be reached (H1618.1); in spite of the fact that [H1620.1]; in spite of the foregoing criticisms [H1615.1]; inspiteof[H1610.1]

**splinter:** [Π702.1]

**split:** responsibility is ... split between [P426.1]; split along [P352.1]; split in half [P207.1J]; split three ways [P211.1]; splits much more rapidly [P364.1]

**spoil:** [И735.0]; effect is slightly spoiled by [B1429.1]

**sponsor:** has been sponsored by [Ф35.2]

**sponsoring:** is sponsoring [B2002.1]; is sponsoring studies [Ф34.1]

**sponsorship:** under sponsorship from [Π2163.1]

**sporadic:** some sporadic interest ... exists in [И602.1]

**spot:** high spot [C227.1]; location for ... spotted [H410.2]; on the spot [H73.5]; to spot with the unaided eye [3307.1]

**spray:** spray solvent... direct on [H480.1]

**spread:** [P195.1, P439.2]; compact... spread apart [C245.1]; even spread of load [PI 15.1]; load

...

be spread [P425.1]; spread ... in a thin layer [H581.1]; spread between [P276.1]; spread in the data [P173.2]; spread of the data points [P173.1]; spread to other [P444.1]; spreads out [P574.1]

**spring:** is spring loaded closed [H680.1J]; spring to mind [B 1600.1]

**springboard:** provided a springboard for [Π 1427.1]

**spurious:** [Π17.1]; spurious indications [Л98.1]

**square:** [K206.1]; 480 mm square [C117.1]; are squared [B 1255.1]; as the square of [Π2880.1]; be plumb or level and square with [И 112.1];

complex square root [K208.1]; cubed [square] root of [K381.1]; inversely as the square of [0200.1]; least squares fit of the data [0191.1, 0191.2]; least squares fit to [Π2178.1]; level and square with [Γ97.1]; square... with [Π246.3, Π620.1]; square root of [K207.1]; true square [H96.1]

**squarely:** falls squarely in [Π 1289.1]

**stability:** [C1348.1]; borderline of stability [Γ113.1];

lend stability [Π2295.1]; over... stability boundary [313.1]; stability criterion [Π1716.1]

**stable:** [C1351.1, Y497.1]; go stable [Y441.3]; in a

stable manner [H1876.1]; stable equilibrium states. ... unstable equilibrium [Y514.1]; supposedly stable regime (Π 1804.1)

**stackup:** tolerance stackup [C659.1]

**staff:** is staffed by [Y234.1]; number of maintenance staff [III39.1]; staff numbers were reduced by [Y258.1]; staff totaled fifty [III38.1]; technical staff [T219.1]

**stage:** are ... at the experimental stage [H657.1]; are still in... stages of development [H658.1]; at ... stage [B637.0]; at a later stage [Π937.4]; at an

early stage (H154.1); at this stage [H197.1]; at various stages in [H200.1]; during the initial stages [B638.1J]; early stages of [P342.1]; four stages appear definable [M329.1]; have yet been developed beyond the laboratory stage [B2045.1]; in the ... stage [B637.0]; in the design

stage [C 1366.1, H190.1]; in the design and hardware stages [H191.1J]; in the early stages [H201.1]; in the exploratory development stage [H153.1]; in the later stages [Π937.6]; involves several stages [C1 115.1]; is ... at an early stage of [H656.1]; is... worthy of mention at this stage

[T179.1]; none ... have ... been developed beyond the laboratory stage [H804.1]; number of blades per stage [499.1]; preparatory stage [Π697.1]; remains in the planning stages [H659.1]; set the stage for [Π694.2]; Stage I [Π54.1]; stage is set for [C980.1]; staged construction [Π1574.1]; state of progress at any stage [C 1108.1]; takes place in two stages (Π2950.1); two fewer stages [H5.1]

**stagewise:** stagewise variation [H245.1]

**stagger:** [B378.1]; positioned in staggered arrays [P403.1]; staggered ... pattern [III9.1]; staggered by a distance [C729.1]

**stain:** no oil stains are allowed [M57.0]

**stake:** stake ... in four places [3526.1]

**stamina:** lack stamina for (HI 145.1)

**stamp:** stamp here [M1 42.0]; stamp mark [K220.0]

**stand:** as it stands [B26.1]; as it stands now [Π2130.1]; as it stood then [B714.1]; be displayed on stand [Π258.1]; do not stand beneath the booms [HI 093.1]; it stands out immediately that [C1301.1]; stand ... on end [Π1441.1]; stand corrected for [Π2313.1]; stand

in contrast to [C476.4]; stand in danger of [C1477.1]; stand in marked contrast to ... as

regards their [P633.1]; stand out [B283.2]; stand out on the surface [B1997.2]; stand to benefit... from [H237.1]; stand up to (B1789.1);

stand up to wear [C1053.1]; test stand [H768.1];

stands by [Π2300.1]; stands for [0149.2, 0614.5, 0614.7, C701.1]; stands in need of revision [T444.2]; time hasn't stood still [B1532.1]; to stand out [B283.0, B1992.0]; to stand up (for) [3539.0]; to stand up to [B1789.0]

**stand-alone:** [A72.0, A72.2]

**stand-off:** are ... a stand-off [H882.1]

**standard:** [0192.5]; abide by ... standards [Π2301.1]; are supplied without... as standard [Π1455.1]; by modern standards [Π473.1]; comes with a standard ... housing [B1929.1]; compliance with this standard does not eliminate [C1011.1]; comply with the ... standard [01244.2]; currently standard [C1419.1]; demanding standard of [T487.2]; disband the ... standard activity [Π1986.1]; engineered standards [T247.1]; highest standard of service [B1987.1]; in the body of the standard [B684.1];

internationally recognized standards [0310.1]; is not included with standard equipment [H792.1]; it is standard to employ [0407.1]; list of standard equipment [K298.0, K299.0]; meet the ... standards [01244.1]; recognized standards of design [0311.1]; represent a standard of good practice [01031.1]; Russia State Standard (Γ99.0); serve as a standard against which ... can be compared [C684.1]; set the standard for [C683.1]; standard against which to compare [Э91.1]; standard deviation [C1308.1]; standard deviation of [C 1422.1]; standard eigenvalue package [C 1420.1]; standard equipment [K294.0, K296.0]; standard equipment set [K292.0]; standard equipment specification [K299.0]; standard simultaneous equation solver

(C1421.1); standard to which [Э92.1]; standard trim [0398.1]

**standby:** [3378.0, P628.1]; on standby [B473.1, B607.1]; standby policy has always been to [Π1028.1]; will be on standby in case of [01086.1]

**standing:** reputation and the financial standing of the firm [P710.1]; scholarly standing [H594.1]

**standpoint:** from a ... standpoint [C 124.2]; from the standpoint of [C124.1]; from the standpoint of practice [C128.3]; is superior from the

standpoint of [Л105.2]

**standstill:** at standstill [HI 01.1]; comes to a complete standstill [Π 1052.1]; until the engine

comes to a complete standstill [Д455.1]; with the engine at a standstill [Π2070.1]

**start:** "first start" has been made to [Π1118.1]; are

ruled out right from the start [H665.1]; at the start of [B240.0, B1 166.0]; at the start of a test

run [B242.1]; delayed the start of construction [3186.1]; fire started ... from [Π898.1]; for a start [H735.1]; have to start all over again

[Π2564.1]; has already started [Y183.1]; is started and stopped [Π3084.1]; logical to start with [J190.1]; making a start [Π1119.1]; never start or continue operation if electric equipment failure is detected. [3410.0]; shift... to ... start positions [Π132.1]; start ... then switch to [B1116.1J]; start fresh [H715.1]; start reliability [H264.1]; start with [H727.1]; starts at [H723.1J];

starts earlier and lasts longer [H724.1]; technique ... starts from a knowledge of (P550.1) to start [BI 110.0, Д357.0, 3417.0, И814.0); to start

from the assumption of [И815.0]; to start, we assume that [Д360.1]; towards the start of [Б129.1]; what might be a helpful start [Д358.1]

**start-up:** start-up date [Д141.0]

**starting:** [И829.2]; repetitive starting [Π582.1]; prior to starting repair procedures [Д 451.1]; served as a starting point for later developments [Π1424.1]; starting clockwise [Д156.1]; starting from [И816.0]; starting guess [H711.1];

starting in [H730.2]; starting point [01494.2]; starting time (B 1528.0); starting with [H730.1];

starting with... and ending with [H732.1]; took as its starting point [01495.1]; will serve as a starting point for future studies along such lines [Π1425.1]

**startling:** startling observation was the effect of [Π1322.1]

**startup:** [Π3077.1]; loss during its startup period [Y42.1]; startup and shakedown [Π3086.4]

**starve:** starve ... of lubricant [J173.1]; to starve of [J167.0]

**state:** are in a very serious state of disrepair [H1894.1]; as stated [K62.0]; as stated earlier [K64.2]; as stated in the introduction [K63.1J]; as stated previously [K64.1]; at the present state of knowledge [Π2146.1]; be stated in a condensed and precise question format [Φ48.1];

care must be taken to state which [HI 376.1]; conclusively state [C 145.1]; current state of the art in ... based on (C881.1); disturbing of the equilibrium state [H530.1]; except where specifically stated [318.1]; except where stated otherwise [324.1]; goes on to state [И108.1];

have state support for (Π1162.1); in light of the present state of knowledge for [B491.1]; in poor state of repair [B613.1]; in the laden state [B616.1]; in the... state [B606.0]; in the stated chronological order [B376.1]; is pretty much state of the art [B1487.1]; it is not an exaggeration to state that [M370.1]; reasonable state of repair [B621.1]; Russia State Standard [I99.0]; settled down to a steady state [Π2548.1];

should state his business connection the title of his position [Y204.1]; stable equilibrium states. ... unstable equilibrium [Y514.1]; state categorically [Y556.1]; state of affairs [Π1093.1,

C1107.1]; state of affairs will change in the near future [B42.1]; state of health [T238.1];

state of knowledge relative to ... is still modest

[Y370.1]; state of progress at any stage [C1 108.1]; state of pure conduction [CII 13.1]; state of the art [C878.3]; state of the art search [И783.0]; stated differently [Г74.1]; states of wear (C1110.1); steady state conditions ... attained [Д716.3]; steady state is approached from above [Y498.1]; to attain this state [Д340.1]; to bring ... to a state of [Д492.1, Π2218.1]; to state [Г66.0]; unless otherwise stated [E150.1, E166.1]; were in a poor state of repair [T432.1]; with the present state of development [Y618.1]

**state-of-the-art:** [C878.2, C880.1]; are ... within the state-of-the-art [H800.1]; are state-of-the-art [C1019.1]; at the present state-of-the-art [Π2136.1]; general state-of-the-art of [0340.1]; has contributed significantly to the advancement of the state-of-the-art in [B1215.1]; state-of-the-art techniques [C883.1]

**statement:** [A88.0, Φ49.2]; acceptance statement [A90.0]; contrary to ... statement [B1390.1J]; contrary to a recent statement on the subject [B1387.1]; damage statement [A92.0]; delivery and acceptance test statement [A91.0]; does not contain a statement concerning [H1769.1J]; few statements of generalities (P784.1); general statements [Y559.1]; inverse problem statement [Φ50.1]; manufacturer's statement [3114.0]; project statement [3161.0]; return from a subroutine to ... statement [B901.1];

statement evolves from the fact that [Y561.1]

**station:** work station [P101.1]

**stationary:** [HI 464.1]

**statistical:** statistical average frequency [C1434.1]

**statistics:** [C 1433.1]

**stature:** grew in stature [Π2479.1]

**status:** current status [T130.1]; interim status of... program [Π2845.1]; status ... with [Π 1095.1]; status of establishing [C 1109.1]; status of research... [Π1094.1]

**statute:** [Y445.1]

**statutory:** (Y489.1); lack of statutory subject matter [0359.1]; statutory limits on emissions [H1858.1]

**stay:** are here to stay [Y238.1]; stay ahead of competition [B302.1]; stay with [01083.1]; stayed open [01105.1]; stays constant [01110.1]; stays on through [01085.1]; to stay in adjustment [C1 132.1]

**staying:** while staying within proven ... experience [H803.1]

**steadily:** [B1548.6, Π1472.2]; steadily declines [C1353.1]; was improved steadily [H1527.1]

**steady:** at a steady rate [C99.1]; remained steady [01114.1]; settled down to a steady state [Π2548.1]; steady state conditions ... attained [Д716.3]; steady state is approached from above [Y498.1]

**steady-state:** [Y493.1]; steady-state ... conditions [Y494.1]

**steer** to steer... away from [H477.1]; to steer... way successfully through... procedure [Y432.1]

**stem:** motivation for ... stems from (HI 399.1), principle of ... stems from the fact that [Π2465.1]; stem from [Π2815.1]; stemmed from a desire [B1342.1]; stems from [B1829.4, 0271.3, Я29.5]; to stem [B2011.0], to stem from [B 1829.0]

**step:** (M122.0, Y599.6, Э94.1); as a first step only [T310.1], at the beginning of... step [B245.1], but the first step in a ... investigation [T311.1]; discussed step by step [P473.1]; done in two steps [B 1874.1]; first step is to [Π53.1]; first step toward understanding [Π51.1]; if these steps fail to correct the trouble [E1 76.1]; if we now carry our analogy ... a step further [E83.1]; important step for achieving [B782.1]; in step with [B590.0, B590.8]; in steps [C1521.1]; in successive steps [B252.1]; key step [P729.1]; know ... what to do each step of the way [3593.1]; numbered steps [Π2868.1]; represented a major step forward [Я10.1]; step beyond [Π3.1]; step in this direction [Π3.1]; step up the voltage to [Π587.1]; steps ... taken [Π2413.1]; steps in the right direction [Π3.1]; steps of ... implementation [Π3097.1]; steps taken to [M1 33.1, Π3.1]; steps taken to [Π3.2]; to take steps [Π1825.1]; took immediate steps to [H1339.1]; until step... is completed [Д452.1]; yet a further step in this direction [E221.1]

**step-by-step:** [Π1462.3]

**step-like:** [C 1523.1]

**stepwise:** [Π1462.4]

**stick:** sticks with [3195.1, Π2738.1]; be stuck on a path of [3478.1]; have stuck open [3196.1]; stuck in [Π2357.1]; stuck open [3477.1]

**sticking:** sticking tendency of [T 149.1]; sticking to [n2356.1]

**stiffen:** [Y188.1]

**stigma:** stigma ... has attached [J37.1]

**still:** [B968.0, B978.1, Д457.6, И20.1, Π1302.2, T135.2]; and is still operational [И19.1]; and still [И10.0, И10.3]; answer to the ... question is still problematical [01230.3]; are still ... under debate [C1197.1]; are still expected to occur [B979.1]; are still important [B971.1]; are still in ... stages of development (H658.1); are still progressing [E212.1]; better still [E206.1]; but it is still not completely understood [H1783.1]; decrease still further [Y263.1]; essential need for ingenuity still prevails [B977.1]; explanation ... is still being sought [E205.1]; is still in effect [B970.1]; is still in its infancy [T315.1]; is still in progress [B974.2]; is still present [B976.2]; is still recommended [Π1303.1]; is still serviceable [C1 136.1]; is still under way [B974.1]; long way off still [B973.1]; lot still remains to be done in optimizing [M206.1J]; state of knowledge relative to ... is still modest [Y370.1]; still another

[E219.2, 0532.1]; still exists [01079.2]; still occurs [01079.1]; still remains [B976.1J]; still smaller than (E208.1); there is still ... in evidence [B969.1]; there still remains the problem of relating ... to [01119.1]; this question must still be regarded as open [HI 380.1]; though ... will still (B354.1); time hasn't stood still [B1532.1]; understanding is still lacking [B972.1]; unraveling of ... is still conjectural [0373.1]; was still within the warranty period (Г9.1); we are still left with the divergence [H394.1]; while still [B76.4]; while still ... far from [E353.1]

**stimulate:** stimulated the development [C1459.1]; to stimulate interest in [Π2610.1]

**stimulus:** [C1455.1]; should serve as a stimulus [Π1428.1]

**stipulation:** add the stipulation [Π 1445.1]; stipulation of... normally includes [0270.1]

**stir:** interest in ... has been stirred [B1254.1]; was stirred [Π 130.1]

**stirring:** with well-practiced ... stirring [Π1245.1]

**stock:** [3369.0, 3370.1]; are available from stock [И480.2]; carried in stock [И480.1]; held in stock for maintenance purposes [И364.1]; stock rooms [C518.1]; stocks [M71.0]; to take stock of [K498.1]; to take stock of the validity [Π2653.1]

**stockout:** stockout [Д276.0, Д277.1]

**stop:** [01150.2]; bring ... to a stop immediately (01156.1); coast to a stop [B1685.1]; comes to a stop [01150.1]; is started and stopped [Π3084.1]; need not stop there [B612.1, H830.1]; set the ... switch to the "STOP" position [Y478.1]; stop the use of [Π1988.1]; stop with [Π1995.1]; stops short at [H852.1]; testing was stopped [Π1989.1]; to stop short of [H840.2]; to stop up [3507.0]; was read with a stop watch [01568.1]

**stop-watch:** recorded on a stop-watch [P603.1]

**stop-work:** stop-work order [Π2325.1]

**stoppage:** stoppage of production for [01160.1]

**storage:** date of placing in storage [Д 143.0]; date of removal from storage (Д140.0); expand the storage ... by [Y62.1]; for long-term storage [Д421.0]; including time limit in transit and storage [И207.0]; long-term storage record [K179.0]; name and signature of person in charge of storage [Д595.0]; preservation and storage of ... equipment [K332.1]; storage ... shall be prohibited [3413.1]; transportation and storage [M52.0]

**store:** [3369.0, 3371.1, 3377.1, Π 1442.1]; be stored in ... weather-protected area [X1 17.1]; is ... collected and stored [C805.1]; store away from heat, open flame and direct sunlight [X121.1]; store in a ventilated, ... shady area (X116.1J); stored ... on racks [X1 22.1]; stored palletized [X119.1]; to be stored [Π745.1]; to store ... value [C1130.1]

- straight:** fall ... on a straight line [J195.1]; fall along a straight line [J195.2]; fit a straight line to ... points [I2693.1]; fitting... to the straight lines [Y229.1]; lift ... straight up [I1757.1]; straight line passed through the data [I3057.1]; straight up [T387.1], suggest straight away that [n3069.1]
- straighten:** straighten tangs [01475.1]
- straightening:** straightening up everything [I2213.1]
- straightforward:** [HI 608.1, I2928.2], in straight-forward text [I2134.1]; is not as straightforward [HI 104.1]; is straightforward [H1021.1]; straightforward comparison [HI 491.1]
- straightline:** deflected ... from straightline trajectories [01344.1]
- strain:** strain-independent ... independent of strain [HI 235.1]
- strain-independent:** strain-independent ... independent of strain [H 1235.1]
- strange:** to the outsider, it seems strange [J364.1]
- strategy:** [M155.0, M155.4]; under ... strategy [I404.1]
- stray:** stray point [C718.1]
- streak-free:** [H888.1]
- stream:** bring ... on stream [I3082.6]; go on stream [I3082.5]; on stream [B719.2]; placed on stream [B844.3]; to come on stream [B1647.0]; to go on stream [B1647.0]; to place on stream [B844.0]; went on stream [B1647.2]
- streamline:** [P576.1]; first priority,... is to streamline [I45.1]; to streamline the ... process [Y341.1]
- strength:** is attached ... with sufficient strength [I2338.1]; scientific capabilities and technical strengths [H596.1], strength of ... is that [I1975.1]; strengths and limitations [J741.1]; strengths and limitations of [C462.1J]; strengths and weakness [J741.0]; strengths and weakness of [J741.2]; structural strength [I3032.1]
- strengthen:** strengthened role of [B 1368.1]
- strenuous:** strenuous efforts were made to [I2422.1]
- stress:** [J231.1]; conditions of no stress [Y391.1]; have repeatedly stressed [H1442.1]; it must be stressed that [H1378.1]; it should also be stressed that [C618.1]; it should be stressed at the outset that [C617.1]; it should be stressed that [C615.2]; margin on ... stress [3373.1]; stress the need for [I881.1]; stress this low [T69.1]; stressed the importance of [I878.1]; to stress [J231.0]; were stressed [01066.2]
- stress-strain:** stress-strain response [K480.11]
- stretch:** has a tendency to stretch [H720.1]; stretched... along [H587.1]; to stretch [B2020.0]; were stretched tightly [T498.1J]; which is expected to stretch over an 18-month period [B1868.1]
- stretching:** surely it is not stretching a point too fartosay [H35.1]
- strict:** in a strict sense [C 1500.2]; in the strict sense [B584.1]; in strict accordance with recommendations outlined in the service manual [M249.0]; information ... treat ... in strict confidence [H702.1]; strict observance of the requirements [C 1496.1]
- strictly:** are strictly valid only for [C 1503.1]; assembly procedure was ... strictly adhered to [C1504.1]; do not strictly apply to [C1502.1]; do not strictly hold for [C 1501.1]; pertains strictly to [01453.1]; rules ... are strictly followed [C1505.1]; strictly in accordance with [C1499.1]; strictly necessary [0425.1]; strictly speaking [C 1500.1]
- stride:** even though great strides have been accomplished [H1616.1]; significant strides ... made<sup>232.1</sup>
- strike:** [I3.1]; all of the rays do not strike [H787.1]; never strike [K198.1]; strike a balance between [J482.1]; strike a compromise [H109.1]
- striking:** bears a striking resemblance to [I 1321.1]; most striking effect was that [H326.1]
- strikingly:** strikingly close to [I 1320.1]
- string:** was strung ... between [H588.1]
- stringent:** stringent ... requirements [C1497.1]; stringent limits [Ж10.1]
- stringently:** [K196.0]; is stringently excluded from [K197.1]
- strip:** strip down [B1592.1]; stripped ... threads [C1061.1]; to strip ... thread [C1341.1]; when stripped down to its barest fundamentals [E113.1]
- stripping:** stripping of the wires [3527.1]
- strive:** strive for [B258.1]; strive for a balance between [C1424.1]; to strive for [B258.0]
- striving:** continuous striving for [H1534.1]
- strong:** [K507.0]; bear strong influence on [0635.1]; exist a strong resistance to the use (Y325.1); has a strong relation to [T207.9J]; in strong contrast to ... is [C476.3]; is a strong function of [C467.1]; placed strong emphasis on [I2288.2]; provide strong evidence that [C675.1]; provided strong testimony about [Y19.1]; provides a strong impetus toward achieving a better understanding of [C 1457.1]; provides a strong insight into [035.1]; recently there has been a strong emphasis on [B62.1J]; shows a strong similarity to [0134.1]; strong and weak features [C462.2]; strong case for [B930.1]; strong configuration dependence [C460.1]; strong disadvantage [K508.1]; strong financial pedigree [H274.1]; strong relationships with [T205.3]; strong testimony about [Y21.1]; there is a strong case for [H500.1]; there is a strong probability that [01660.1]; there is strong evidence that [H501.1]; though not as strong [X98.1]; very significant reduction in ... a strong reduction in ... a slight reduction in [01656.1]; were given strong

consideration [Y 109.3]; with a strong focus on [Y109.2]

**strong-arms:** [0641.1]

**stronger,** contrast appears even stronger [P231.1]

**strongest:** strongest area of activity [096.1]

**strongly:** [B 1027.0]; are strongly influenced by [B649.1]; are strongly reflective of [X63.1]; be strongly affected by [C467.2]; contributed strongly to [B1214.1]; has been strongly indicated [H506.1]; is strongly indicated [B1034.1]; is strongly supported [Y17.1]; it cannot be too strongly emphasized that [H753.1]; it is strongly recommended [H570.1]; mechanical properties ... strongly affected by [C465.1]; strongly preferred for [Я55.1]; strongly recommend [H569.1]; was strongly suggestive [3469.1]

**structural:** of which structural elements [T363.1]; real structural components [P591.1]; structural design equations [Ф45.1]; structural integrity [K341.1]; structural strength [П3032.1]; to assess the structural significance of [01629.1]

**structure:** [K342.0]; are composite in structure [H405.1]; building of... structures [П 1483.1]; load carrying capacity of a structure [H1645.1]; specific structures [Cl 183.1]; to be... in structure [H403.0]

**student:** [H788.0]; student progress is monitored [Y431.1]; students of [H790.1]

**studied:** due to symmetry, only ... need be studied [B112.1]; range studied [H802.2]; studied here [H803.1]

stud: locate ... on mounting studs [П 1339.1]

**study:** [H773.0]; although studies have not yet established [XI 00.1]; be the subject of further studies [C 1409.1]; careful ... study [T508.1]; careful study of [T506.1]; case studies [H330.1, П2591.1]; commissioned ... to make a ... study of [П 1330.1]; conduct in-house ... studies [П2678.1]; conducted studies [П2676.1]; constant study [H1 518.1]; deserves further study [3449.1]; directly pertinent to the present study [H513.1]; early studies [П1931.1]; exploratory studies [П949.1]; exposed a ... new field of study [01363.1]; extension of the studies ... to [P436.1]; extensions of... studies to other ... be in order [Y288.1]; extensive studies [0297.1]; feasibility studies [П1827.1]; follow-on studies to the work reported [H785.1]; for the purposes of our study ... means [B431.1]; from the results of this study the following major conclusions can be drawn [H85.1]; fundamental theoretical study [K177.1]; further ... studies might continue along two paths (Д107.1); in the case under study [B530.1]; in-depth study of [Г63.1]; inspired studies [П 1426.1]; is noted for his studies of [H173.1]; is sponsoring studies [Ф34.1]; is worthy of continued study [3451.1]; made the study ... easier [0107.1]; metallurgically oriented studies [H787.1]; motivation for this

study [П540.1]; natural extension of... studies of [E184.1]; needs further careful study [H1882.1]; one cannot be very precise in this kind of study [B136.1]; ongoing study [П2749.1]; parametric study [П24.1]; particularly comprehensive study [01052.1]; proved more difficult to study [H779.1]; reasons for... require further study [Д337.1]; sensitivity study [П24.2]; study is intended to [П20.1]; study of solutions [H782.1]; studies along similar lines ... been pursued [П2677.1]; studies of... been made [П2676.2]; subject of study [П1743.1]; systematic study of [C499.1]; this study did not focus on [B250.1]; thorough study [B1586.1]; throughout the study [B690.1]; to set this study in the context of a wider investigation, of which it is a part [P466.1]; to study [H325.0, H794.0]; to update ... study [Y573.1]; under study [H328.1, H804.1]; will serve as a starting point for future studies along such lines [П1425.1]

**studying:** powerful tool instudying [M397.1]

**stumble:** stumbled across [H582.1]

**stumbling:** greatest stumbling blocks in furthering our business [C441.1]; stumbling block [K172.1.K172.2]

**style:** [T262.3]; in the same style used [A125.1]; matter of choice and style [Д247.1]

**sub-ambient:** at sub-ambient temperatures [T144.1]

**sub-assemblies:** be supplied in sub-assemblies [П1451.1]

**sub-assembly:** [B1682.1]

**sub-standard:** [H1640.2]

**subcontracted:** was subcontracted ... into [П2203.1]

**subcritical:** [Д552.1]

**subdivide:** be subdivided into ... groups [П785.1]; is subdivided in two ... parts [P207.2]; subdivided into [П784.1]; to be subdivided into [Д238.0]

**subdivision:** scale in 0.2 F subdivisions [П30.1]

**subject:** [Д118.4, P489.3]; additional works on the subject [Д759.1]; all work shall be subject to inspection and acceptance by owner [B961.0]; are contingent on ... subject to [388.4]; are subject to change without notice [018.1]; are subject to considerable abuse [Э62.2]; are subject to degree of choice [B 1698.1]; are subject to the initial conditions [П892.1]; are subjected to [П650.1]; article ... has been subjected to preservation at ... in compliance with the requirements specified in the Operating Instructions [H215.1]; be subject to ... considerations [P775.1]; be subjected to a visual examination [П2999.1]; be the subject of further studies [C 1409.1]; contrary to a recent statement on the subject [B1387.1]; controversy on this subject [П1025.1, C1196.1]; design is subject to change without notice of obligation

[K343.0]; entire books have been written on this subject [H169.1J]; form the subject matter of this paper [C1091.1]; has been the subject of considerable investigations [Я33.1]; has been the subject of numerous investigations [Я34.1]; have a bearing on the subject [И424.1]; in the literature on this subject [B173.1]; index by subject [T140.1]; is... subject to the opinion [396.1]; is ... subject to [П735.1]; is subject to annual review [П736.1]; is subject to much uncertainty [C939.1]; lack of statutory subject matter [0359.1]; on the subject of [H166.1]; publications ... on this subject [П3070.1]; review of the existing literature on the subject [066.1]; shall be subject to review and approval by the client [П738.1]; subject areas [K502.1]; subject matter covered in papers [П1744.1]; subject of [П1745.1]; subject of ... debate among people in the ... field [П1747.1]; subject of... investigations [T138.2]; subject of study [П1743.1]; subject of the present paper [T139.1]; subject to [П2147.1]; subject to confirmation [П737.1]; subject to flooding [П673.1]; subjected to the action of [П670.1]; subjects itself easily to ... analysis [J121.2]; to be subject to [388.0, И814.0]; was ... subjected to a ... heat treatment [П664.1]; will afterwards be subject [П669.1]

**subject-matter:** subject-matter of the invention [0358.1]

**subjecting:** introduce an element of subjecting in that [B 1223.1]

**subjective:** [C1524.1]; such a ... is necessarily subjective (T56.1); through subjective means [H98.1]; was more subjective than [H1871.1]

**sublet:** [П1331.1]

**subminiature:** [C276.1]

**submission:** deadline for submission [П 1721.1]; press ... into submission [B1858.1]

**submit:** readily submits to [J119.1]; submit... for ... review and approval [П1844.1]; submit for consideration [П 1852.1]; submitted ... for review [П96.1]; submitted in writing for review [П1841.1]; submitted to arbitration [П93.1]

**submittal:** submittal of documents to [П1837.1]

**subordinate:** is subordinate to [Я14.1]

**subroutine:** return from a subroutine to ... statement [B901.1]

**subscale:** [B 181.1]

**subscribe:** subscribes to [C322.3]

**subscription:** [И545.0, H1724.1]; subscript ... denotes [И548.1]; subscript... refers to [И547.1]

**subscription:** renewed ... subscription [B1355.1]

**subsequent:** [П1416.1]; after... days subsequent to the expiration of [465.1]; dismantling and subsequent disassembly [Д260.0]; in a subsequent paper [B645.1]; in subsequent developments [B385.1J]; in subsequent discussions [B89.4]; subsequent to [B1595.2, П1353.5]; subsequent to ... and prior to [П1356.1];

subsequent to that time [П380.1]; subsequent to this point [364.1, П 1383.1]

**subsequently:** [B89.3, B1496.1, 3480.3]; but, as will subsequently be shown (H1793.1); have subsequently been confirmed by [B 1499.1]; it was subsequently discovered that [B1497.1]; subsequently confirmed by [П868.1]; will be referred to subsequently [B 1498.1]

**subservient:** places ... in a subservient role to [C1357.1]

**subsidiary:** is held to be subsidiary to [C1611.1]; subsidiary order [B1601.0]

**substance:** [B1038.0]; work of substance [3607.1]

**standard:** [H1640.1, H1718.1]

**substantial:** [B224.0, 3289.0, 3605.0]; are in substantial agreement [B656.1]; confer substantial advantages [Д45.1]; conferred substantial benefit [П2456.1]; offers substantial benefits [080.1]; substantial ... insight into [Г64.2]; substantial arguments for [Y23.1]; substantial data [B241.2]; substantial differences [C1558.1]; substantial lack [B231.1]; substantial materials savings [3610.1]; substantial percentage [3609.2]; substantial progress toward achieving [3293.1]

**substantially:** [3614.0, C1560.1]; can be substantially improved [M385.1]; diverge substantially from [3628.1]; substantially better [3621.2]; substantially fewer [3626.1]; substantially more [3617.4]; substantially underpredict [overpredict] the experimental data [Д17.1] were substantially aided by insights gained from [H1337.1]

**substantiate:** [Д541.1]; need to be substantiated by further experimental data [H1883.1]; substantiate the predictions of the theoretical model [П733.1]; substantiate this finding [Д539.1]; substantiated [0171.1]; substantiates ... findings [П732.1]; this has been substantiated [C1243.1]; to substantiate [Д535.0]

**substitute:** are... a substitute for [3279.5]; are not a substitute for [H921.1]; as a substitute for [B1058.0, B1 157.6]; be substituted for the rivets [3287.1]; maybe substituted for [3279.4]; substitute for [3278.1]; substituted back [П829.1]; to substitute (for) [3279.0]; which when substituted in ... gives [4159.1]

**substituting:** substituting ... from ... into ... we get [П830.1]; substituting ... into [П833.1]; substituting equations ... and rearranging [П834.1]; substituting for ... [T293.4, П837.1]; substituting for ... from ... in ... results in: [П836.1]; substituting for ... from equation [П831.1]

**substitution:** back substitution [0204.1]; substitution for... from [П839.1]; substitution of... for [3277.0, 3277.3]; such substitution shall be the sole responsibility of [0422.1]

**subtle:** more subtle deficiencies (H1114.1); subtle differences [E1 0.1]

**subtract:** [B2063.0, B2064.1]

**succeed:** have succeeded in reducing [Y87.1]; is succeeded by [C587.1]; is succeeded by a period of [352.1]

**succeeding:** in the succeeding years [B88.1]

**successful:** although with little success [X90.1]; assuring the success [033.1]; basis of ... success [3271.1]; critical to the success ... is [Y426.1]; good success rate [B1982.1]; have been sought... but without success [Π1823.1]; have the best chance of success [И374.1]; key to the success of [K225.1, 0956.1]; limited success along these lines [410.1]; met with a surprising amount of success [0669.1]; most success has been encountered using [H348.1]; preliminary success [Π65.1]; some measure of success ... achieved [Д722.1]; recent successes [Π 1396.1]; reported successes of the use [0870.1]; sound out ... chances of success [B2093.1]; success and difficulties (Д741.0, Д741.3); success of the economy [Э14.1]; ultimate success [K3 13.1]; with mixed success [C155.1]; with much success (B1033.1, C152.1); with some degree of success [C153.1]; yielded some, but not total success [Π2244.1]

**successful:** after completion of a successful [Π1355.1]; authors were successful in [A74.1]; highly successful [X48.5]; may be more successful [M283.1]; not ... entirely successful [HI 084.1]; successful application in [Y440.1]; successful application of [Y439.1]; successful application to ... use [Y440.2]; successful completion of... project [Y438.1]; universally successful [Y297.5]; we must have your support and cooperation if we are to have a successful result [B13.0]; were not as successful [0687.1]; what is successful for one ... may not work well, if at all, for another [T281.1]

**successfully:** accomplished successfully [B1900.1]; be successfully applied in practice [Y434.1]; been applied successfully [Y433.1]; handle successfully [Y437.1]; successfully address automation [Y436.1]; to steer... way successfully through... procedure [Y432.1]; to successfully predict [4217.1]; used successfully [Y433.2]; was successfully tested [Y435.1]

**succession:** [P782.6]; at a succession of times [B225.1]; at a succession of times spanning the entire duration of [Д353.1]; in succession, goes on to ... and [Π1401.1]; succession of [C426.1]

**successive:** [Π1407.1]; in successive steps [B252.1]; successive and simultaneous ... events [Π1400.1]; successive readings [Π1411.1]; successive times [Π 1410.1]; two successive readings ... agreed within [Д147.1]

**successively:** at successively lower [Π2112.1]; lie successively lower [P383.1]

**succinctly:** succinctly captures the essences of [B734.1]

**succumb:** succumbed to the same difficulty [И765.1]

**such:** [T54.1]; actually, such is never the case [Φ11.1]; all such ... are not due to [H789.1]; and, as such [И34.1]; any explanation such as [Л126.1]; as such [A47.3, B152.1, K126.1]; at the expiration of such period [Π379.1]; but such instances are rare [HI 816.1]; defects such as [T75.1]; depicts one such [0496.1]; due to ... or perhaps something else such as [0275.1]; following each such incident [B533.1]; for the first time in such an investigation [B1451.1J]; have met with problems such as [C1373.1]; if ... then there exist... such that [E160.1]; if such is the case [E1 73.1]; if we choose to call it such [E140.1]; in such a fashion that [T102.1J]; in such a manner as not to (T46.1J; in such a manner that no [T46.3]; in such a way as to [T43.2]; in such a way that [T43.4, T101.1]; in such a way to [T43.1]; in such an eventuality [B553.1]; is affected to such a point that [Y589.1]; is processed in such a manner that [0187.1]; it is against such a background that [C159.1]; many such ... are available [T78.1]; modified ... in such a way as to permit [Y421.1]; need for such ... is made evident ... when [H1405.1]; no such uncertainty surrounds the value of [T67.1]; not be placed ... in such a manner as to obstruct [P266.1]; selected is such that [B 1703.1]; should the need for such ... arise at a later time [E71.1]; such... are clearly unrealistic [C847.1]; such a ... is necessarily subjective [T56.1]; such a procedure is completely inapplicable [T66.1]; such an... cannot be expected to [B1556.1]; such an example is [Π2382.1]; such as [K407.0, H487.4, H487.5, T90.1]; such as ... among others [C1304.1]; such as... for example [T92.1]; such as are encountered in [K413.1]; such as is required to [K427.1]; such as to [T62.1]; such disagreement is not surprising considering the difficulty investigators have encountered in [T74.1J]; such information [И634.1]; such is the case [T18.1]; such may well have been the case [B1317.1]; such substitution shall be the sole responsibility of [0422.1]; such that [T41.2, T43.3, T61.1]; such that... was possible [4162.1]; such was not the case for [И541.1]; systems such as this [Π765.1]; there is no such thing as [B406.1]; this must be done in such a manner that [Д589.1]; time has not yet been reached such that... can be wholly eliminated [E213.1J]; to resolve such differences [4209.1]; to such a degree that [Д471.0]; to such an extent that [Д471.2]; validity of such a representation is in serious doubt [0167.1]; varied in such a way as to [И291.1]; was chosen such that [B1705.1]; was such that [B364.1]; will serve as a starting point for future studies along such lines [Π1425.1]



**suction:** was operated in the suction mode [P72.1]

**sudden:** all of a sudden [B1 191.0]

**suddenly:** [B 1191.0]; as suddenly [T25.1]

**sue:** to sue [B 1253.0]

suffer [И756.4, П2044.2]; do not suffer from these defects [J76.1]; suffer significant [П2045.1]; suffer the disadvantage of [C1479.1]; suffered ... damage [П1157.1]; suffered losses [T194.1]; suffers from the disadvantage of [C1479.2]; tend to suffer other disadvantages [И411.1]; to suffer [И359.0, И756.0]; to suffer some inconvenience [П951.1];

] were willing to suffer some inconvenience [Г105.1]; were willing to suffer some inconvenience in return for being able to [C930.1]

**suffering:** not suffering from [J75.0]; without suffering large [B8.0]; without suffering large losses [B9.1]

**suffice:** [Д681.0]; it frequently suffices to determine [426.1]; it suffices to be added that [Д684.1]; suffices for [Д337.1]; may suffice [M286.1]; suffice it only to mention that [Д687.1]; suffice it to say presently that [П958.3]; suffice it to say, here, that ... [П958.2]; suffice it to say that [Д692.1]; suffice to say [Д692.3]; suffice to say that [Д692.2]; two examples will suffice [Д693.0]

**sufficient:** [Д699.0]; are alone sometimes sufficient to [И559.1]; can, with sufficient accuracy, be written as [C139.1]; for now it is sufficient to say that [П958.1]; have sufficient time to [У423.1]; holds sufficient quantity of product for ... of operation [C944.1]; if sufficient time elapses [П375.1]; is attached... with sufficient strength [П2338.1]; is seen as sufficient evidence to confirm that [П1891.1, P544.1]; is sufficient for [Д702.1]; may often be

entirely sufficient [3525. Ij]; more than sufficient for [B194.6]; more than sufficient to [B194.3]; necessary and sufficient [H1414.1]; necessary, but not sufficient [H1415.1J]; precludes the availability of sufficient [H991. In-sufficient but not a necessary requirement [Д703.1]

**sufficiently:** [Д681.0]; sufficiently near to the target of [Д682.1]

**suggest:** advance ... suggest [П1725.4]; among others, has suggested [B315.1]; analogy would suggest [П325.1]; approach first suggested by [M157.1]; as suggested by the [H545.1J]; as suggested in the discussion [П440.1]; common sense suggests that [3569.1]; evidence now suggests that [И531.1]; evidence suggests [И532.1]; it has been suggested that [B368.1]; it is logical to suggest... that [J193.1]; it is not suggested that [M419.1J]; it is suggested ... then [P678.1J]; it is suggested that [M355.0, M433.2]; L. suggested [B1973.2]; one is tempted to suggest that [H485.1]; other evidence

suggests that [E1 90.1]; previous experience suggests [И528.1]; suggest further [Д36.1]; suggest straight away that [П3069.1]; suggest the necessity of [H244.1]; suggested ... coefficient by [ ] [П1736.1]; suggested that... should be varied [П1733.1]; suggested the possibility of (H243.1); suggested the possibility that [H242.1J]; suggests a possible [П922.1]; suggests a value of 3 for the ... m [П923.1]; suggests that... be [Г71.1]; suggests that this is indeed the case [П924.1]; than the work ... would suggest [462.1]; that is why it is suggested [B 1446.1]; this suggests that [01578.3]; this suggests that, either ... or [Э176.1]; to suggest [B1973.0, Г66.0]; we nowhere suggest that [M426.1]

**suggesting:** [4158.1]; suggesting possible [C294.1]; suggesting several possible explanations [4148.1]

**suggestion:** [B 1725.0]; appreciate any comments

or suggestions [C2.1]; at present ... have no suggestions for the origin [П965.1]; criticism and suggestions [K495.1]; evidence for this suggestion can be found [П865.1]; false suggestion of representation [J197.0]; second ... suggestion [П718.1]; suggestion is made [Д219.1]; suggestions as to [П1740.2]

**suggestive:** is suggestive of [Г69.4, H462.3, Y205.2]; to be suggestive of [Г66.0]; was strongly suggestive [3469.1]

**suit:** [И639.0]; are uniquely suited to (H356.1); better suited to ... than to [B210.1]; filed suit against [П1932.1]; follow suit [C593.2]; ideally suited to [И97.2]; is ... suited [Г79.2]; is ... suited for (П874.1); is highly suited to [01676.1];

is ideally suited for [И97.1]; patent infringement suit [И641.0]; suit the needs of (Y169.1); to be suited [Г79.0]; to be very well suited for [B1491.1]; well suited to [X66.1]; would be well suited for [B 1488.1]

**suitability:** suitability of... as [П2266.1]

**suitable:** [C1164.3]; among others, is a suitable method to solve [0518.1]; are ... not suitable for use [H1538.1]; deemed suitable [C1627.1]; how does one choose a suitable [K61.1]; is particularly suitable for [01049.1]; suitable for ... service [П2279.1]; to be suitable [Г79.0]; under suitable conditions [П2157.1]; unless suitable measures are taken to control [E143.1J]; were not considered suitable for... by virtue of [П2314.1]

**suitably:** is the yield ... suitably perturbed to allow for creep [C1027.1]; suitably defined [C1028.1]

**sulfur-rich:** [B 149.1]

**sum:** [C1546.1, C1548.1]; in sum (B259.0, B1566.0, П897.3); sum to [Д7.1]; velocities sum to zero [C1541.1]

**summarize:** are summarized at the end [П895.1]; is summarized in [K457.1, П894.1]; is... summa-

rized in Table [Π2249.4, C313.2]; summarized as follows [Π896.1]; this paper has summarized some aspects [B641.1], to briefly summarize [K458.1]; to summarize [Π897.1, P664.1]; to summarize, then [T99.1]

**summary:** [3245.1]; byway of summary [C1549.1]; executive summary [P675.1]; following is a brief summary [H1722.1]; in summary [B120.1, Π897.2]; one of the better summaries [0512.1]; summary of... contribution [K452.1]; summary of its contents [K454.1]; summary of [C324.1]

**summation:** summation convention [Π1608.1]; summations are for [C 1547.1]

**sunlight:** store away from heat, open flame and direct sunlight [XI 21.1]

**supercritical:** [3263.1, C275.1]

**superficial:** superficial similarity (B 1197.1)

**superficially:** [H767.2, HI 129.1]; is superficially, more like [H14.1]; superficially similar [B1193.1]

**superimposed:** superimposed on [H368.1]

**superintend:** superintend the carrying out of the work [K351.1J]; to superintend [K350.0]; to superintend the carrying out of the works [P766.1]

**superior:** [J1104.0]; is superior from the standpoint of [J1105.2]; is superior in... to [Π1683.1]; proved to be the superior design [K344.1]; superior to [J1104.1]; vastly superior to [3621.1]

**superiority:** showed slight superiority over [0674.1]; superiority... over [Π1689.2]; superiority ... to [Π1689.1]; superiority of ... was evident [Π1688.1]

**superscript:** [H545.0]

**supersede:** [A144.0, A144.2, B2019.2]; superseded No. [B1058.0]; supersedes No. [B1058.0]; to supersede [B2017.0]

**supervise:** arrange ... easily supervised (Y452.1)

**supervision:** [H227.2]; under the direct supervision of [Π1615.1]; under the supervision of [Π1610.1]; with supervision (Π1611.1)

**supplant:** (by) [3279.0, 3285.1]

**supplement:** be supplemented [J646.1]; form a very useful supplement to [C676.1]; to supplement [J646.0]

**supplemental:** [J622.0]; supplemental firing [J640.1]

**supplementary:** [J622.0]; supplementary tests [J624.2]

**supplier** at the sole expense of the supplier [H674.1]; has been supplier of maintenance services [0654.1]; obtained from the supplier in [Π 1449.1]; properties of the material reported by the supplier [C339.1]; prospective supplier [Π1798.1]; sourced from outside suppliers [Π1457.1]

**supplier-general** [Γ34.0]

**supply:** are supplied without ... as standard [Π1455.1]; be supplied in sub-assemblies [Π1451.1]; is supplied ... under pressure [Π1633.1]; domestic hot water supply [Γ98.1]; energy supply is cut off [Π 1990.1]; external...

power supply [B1195.1]; in unlimited supply and at very modest cost [B 156.1]; is in short supply [3376.1]; is supplied complete with (Π1452.2); is supplied completely assembled ... [Π1453.1]; items of supplied outfit [K292.0]; line voltage is supplied to [H492.1]; power... is supplied by [Π267.1]; range of complete supplies [K296.0]; security of supply [B89.1]; shut off the power supply to [01348.2]; sources of supply (4101.1); supplied for this purpose [Π2350.1]; supplied loose [Π1458.1]; supplies its own ... requirements [Y170.1]; supply includes (B1673.1J; supply is turned off [B1850.1]; supply ... references [Π1855.1]; terminal points of supply [Γ115.1]; tight supply [Π1102.1]; to supply an answer to [J27.0]; to supply an explanation for [J24.0]; turning on the power supply [B1 121.1]; variances in scope of supply [K246.1]; was supplied [Π636.1]

**supplying:** will be capable of supplying the demand [B608.1]

**support:** Π708.1, Π777.1); add support to [J617.1]; adduced in support of [Π2212.1]; contact... for technical support [0225.1]; derives its support from (0762.3); evidence in support of this proposal [J531.1]; evidence to support [J532.1]; financial support for the work was provided by [Φ33.1]; have state support for [Π1162.1]; idea ... is supported [Π854.2]; in support of [B344.1]; indirect evidence in support of [K400.1]; is strongly supported [Y17.1]; is supported on [0762.1]; lends support to [C690.1]; lends ... support to the validity [Π857.1]; lent further support to [J617.2]; logistical support [M73.2J]; provide support for the use of [Π853.2]; provided ... support for [Π843.2]; received ... support and recognition [Π1140.1]; support ... conclusion [Π844.1]; support... from [0761.1]; support for this position [Π867.1]; support the rationale for conducting [Π849.1]; support the weight of [Y127.1]; [0760.1, supported by (0768.1); supports ... activity [Π1254.1]; supports the contention that [Π858.1]; thank... for ... continued interest and support [Π520.1]; to speak in support (of) [3539.0]; to support [B1975.0]; was further supported by [Π1159.1]; was supported ... by (Φ35.1); we must have your support and cooperation if we are to have a successful result [B13.0]; will continue to receive research support [H784.1]

**supporting:** call for supporting data [Π 1530.1]

**suppose:** [Π1788.1]; suppose next that (Π1787.1); suppose that [Π1788.2]; suppose, for example, that[ni790.1]

**supposedly:** supposedly stable regime [Π 1804.1]

**supposition:** [Γ37.0, Γ37.1]

**suppress:** [Π638.1]

**suppressing:** major factor in suppressing the growth [Γ46.1]; was effective in suppressing the effect of [J228.1]

- sure:** be sure [Y179.1]; be sure that [Y34.3]; be sure to [0426.3]; be sure to note the order of [0428.1]; be sure to remove [H854.1]; make sure [0426.4, C584.5]; making sure that [C585.1]; to be sure [И317.2, 4215.1]
- surely:** its use will surely be continued [И536.0]; similar considerations must surely apply to [A133.1J; surely it is not stretching a point too far to say [И35.1]; surely undesirable [Я46.1]
- surface:** allow the surface to dry thoroughly [Д72.1]; allowable size deviation of finished surfaces  $\pm 0.013$  mm [Д654.0]; appears, on the surface at least [П 1895.1]; are visible on the ... surfaces [B 1094.1]; cleanses the surface of [01689.1]; embedded flush with the surface [3183.1]; lay of the surface [C579.1]; off the ... surface [H131.1]; on the surface (H13.7); over the rest of the surface [H187.1]; protruded above the ... surface [B1997.1]; stand out on the surface [B1997.2J; surface area [П319.1]; surface attack of [П559.1]; surface facing upward [downward] [П537.1]; surface finish [0189.1, 4109.1]; surface ground on ... paper [Ш35.1]; surface preparation ... [П699.1]; surface roughness [Ш 10.1]; to select from among the various ... surfaces [B1692.1J; to surface [0136.1, C1379.1]; were ground to a nominal surface finish [Ш32.1]
- surmise:** is ... correct in his surmise regarding [П1602.1]; is surmised [П1786.1]; it is not ... difficult to surmise [H1664.1]
- surplus** [И164.0, J77.0)
- surprise:** caused some surprise [B 1828.1]; of some surprise [П2952.1]; surprise inspection [Bl 190.1]; surprise is [H1444.1]; was without any technical surprises [H1038.1]
- surprising:** [И605.0]; even more surprising [Д79.1]; is a bit surprising [H1347.1]; is not so surprising when one considers [HI 109.1]; is not surprising [H798.1J; is scarcely surprising (E6.1); it is not surprising that [E179.0, E181.1, H1669.1]; it would be very surprising if ... were to be "[B377.1]; met with a surprising amount of success [0669.1]; scarcely surprising [B1559.1]; seem somewhat surprising [П997.1]; should not seem surprising [H835.1]; such disagreement is not surprising [T74.1J; surprising outcome (H1446.1J; surprising result [H1446.2]; this is a surprising result [Э153.1]; this is not at all surprising. [B771.0]; this might be surprising at first [H16.1]; which is not surprising [4153.1]
- surprisingly:** [Y140.1]; not surprisingly [H1669.2]; rather surprisingly [Д506.1, K20.1]; surprisingly low ... readings [H1445.1]; surprisingly while [И617.1]
- surround:** no such uncertainty surrounds the value of [T67.1]
- surrounding:** in surroundings [B628.0]; loss ... to its surroundings [П 1514.1]; surrounding air [0731.1]
- surveillance:** routine and non-routine surveillance [C498.1]; vendor surveillance of [H278.1]
- survey:** [A107.0]; field survey of [067.1]; literature survey [A115.1, 064.1]; survey... exhaustive [И846.1]; survey articles [068.1]
- survive:** capability of ... to survive under ... adverse ... conditions [C1216.1]; have survived to the present day [C 1146.1]; to survive [B1789.0]; to survive under ... adverse operating conditions [Y594.1]
- susceptibility:** susceptibility to [П674.1]
- susceptible:** susceptible to [П672.1]
- suspect:** are especially suspect [01068.1]; if a relay is suspected to be faulty [E51.1J; is suspect [B1823.2, H775.2]; it is suspected that [M429.1, C1578.1]; it was suspected that [Y5.1]; one could already suspect that [H1662.1]; somewhat suspect [H1592.1]; suspect areas [П770.1]; to be suspect [B1823.0]; were suspected of [Y5.2]
- suspend:** [B1063.0, П708.2, П1985.2]; suspended above [П677.1]; suspended from [П676.1]; was suspended [П2495.2]; were suspended [П2495.1]
- suspicious:** verified ... suspicions [П850.1]
- suspiciously:** were ... suspiciously high [0678.1]
- sustain:** [И756.3, H1253.1]
- swing:** pointer should swing 45% [C1484.1J; swung dash [T261.1J; swung out on hinges [01316.1]
- switch:** move ... switch to the "on" position [П1439.1]; reduces possibility of ... being accidentally switched on [Y257.1]; release ... switch [01497.1]; removes a ground from the switches [01521.1]; set and hold ... switch to [Y480.1]; set the... switch to ON [П1443.1]; set the ... switch to the "STOP" position [Y478.1]; start ... then switch to [B 1116.1]; switch between formats [П122.1]; switch from ... to [П190.6]; switch over to ... from [П201.1]; switch to (П121.1); switched emphasis toward [И268.1]; switches ... in and off [B1108.1]; switches shaft position [П 1233.1]; to switch control to [П103.1]; to switch off (B1845.0); to switch on [B1107.0]; turn on ... motor switch [B1115.1]
- switching:** switching from... to [П123.1, П190.5]; switching on [Bill 8.0]
- syllabus:** [П2707.1]
- symbol:** [0151.4]; consistent set of symbols is used [И703.1]; darkened symbols [T141.2J; half-filled data symbols [H459.1]; identification symbol [И65.1]; open symbols [C283.1J; solid symbols [T141.1]
- symmetrical:** is symmetrical with respect to [C483.1]
- symmetrically:** symmetrically to the center line [C484.1]
- symmetry:** axes of symmetry [01186.1]; due to symmetry, only ... need be studied [B112.1];

from symmetry arguments [П478.1]; one half ... is analyzed due to symmetry [B 1599.1]  
**sympathy:** in sympathy with [B589.1, B603.1]  
**symposium:** [C486.1]  
**symptom:** cause ... symptoms [B1822.1]; overt symptoms [Я61.1]  
**symptomatic:** is ... symptomatic of [C700.1]  
**synergetic:** [C487.1]; synergetic effect [C488.1]  
**synonymous:** is synonymous with [Б335.1, 0618.1, Э2.1, Я31.1]; synonymous with [C875.2]  
**synoptic:** synoptic view [K450.2]  
**system:** all systems go [B 1016.0]; are taken to be solutions of the system [B1690.1]; automatic control and protection system [A71.1]; avoid running the system in an ... condition [И161.1]; backup system [Д764.1]; check system for any damage [Y28.1]; clean-up system [C492.1]; essential systems and components [C1561.1J]; fail-safe systems [Б74.1]; fire extinguishing system [C494.1]; fire warn-

ing system [C493.1]; in terms of the x, y, z coordinate system [B165.1]; in the Navy logistical system [H647.1]; inherent advantages of ... system [П1981.1]; integrating ... into a ... system [0349.1]; networking of a complete ... system [0348.1]; operates ... system [Y332.1]; origin of the coordinate system is [H703.1]; regarded as a kind of... system [P462.1]; system... be vented [B1926.1]; system availability [Г109.1]; system ground [3204.1]; systems can do it better [C63.1]; systems such as this [П765.1]; when the ... system is required [K234.1]; wide variety of different systems [C240.1]  
**systematic:** systematic errors [C500.1]; systemat-ic study of [C499.1]  
**systematically:** [B374.1J]; been systematically altered [И258.2]; systematically addressed [3355.1]; was varied systematically [И258.1]; while systematically changing [П2079.1]

## T

**table:** are detailed in Table [П2249.3]; are listed in Table [П223.1, П2249.1]; are listed on line ... of Table [Y202.1]; are tabulated in Table [П2249.2]; find, by means of Table [0828.1]; in Table [И 134.1]; is ... summarized in Table [П2249.4, C313.2]; listed in Table [П2253.1]; quoted in Table [П2253.2]; row of the table [C1519.1]; set forth in Table [П2253.3]; Table 1 [T.2.1]; table look-up for [T7.2]  
**tabular** in tabular form [B735.1]  
**tabulate:** [C313.1]; are tabulated in Table [П2249.2]; tabulated ... values [T7.1]  
**tackle:** be tackled [B1076.2], obstacles ... tackled [П2022.2]; to tackle [B1076.0, 3351.0]; to tackle just about any ... problems [П2024.1]  
**tag:** [П 1234.1]  
**tagout:** [Y504.1]  
**tailor:** be tailored to [П2526.2]; on occasions they may need to be tailored for [И563.1]; tailor ... ЮOr[П2525.1]  
**tailor-made:** tailor-made for [И203.1]  
**take:** [Б263.0, B1067.0, B1689.0, Д316.0, И299.0]; either... nor... take account of [H1700.1]; how long does it take [C531.1]; how many... will it take ... to [C532.1]; I take exception to [B1358.1J]; I take issue with [H1088.1J]; I take this opportunity [П1221.1]; I take this opportunity to call your attention to [П 1222.1]; if we take some liberty in [E1 32.1]; it does not take account of either ... or [H1142.1]; it may take ... two or three days to [M300.1]; it will take

some time [П1531.1]; may take [M299.0]; no... can take the place of [H1705.1]; one tends to take this for granted [0416.1]; take ... afield [Y76.1]; take ... forms [П2438.1]; take a great amount of abuse [Э62.1]; take a number of forms [П2440.1]; take care [C584.2]; take care not to touch [C1426.1]; take care to prevent cross-threading [H972.1]; take cognizance of [0208.5]; take down [C782.1]; take full advantage of [B 1418.1]; take it over themselves [Б272.1]; take it to a repair shop [01490.1]; take necessary corrective action [П2419.1]; take no longer than necessary [Д319.1]; take on [П2469.1, П2469.3]; take on ... values [П2412.1]; take on first importance [П2477. In- take on lots more jobs [H616.1]; take out [B1854.2]; take over the control of [B1070.1]; take place [И409.1]; take some exception to [B1358.2]; take the lead [П3043.1]; take the test (C374.1); take up full load [Б269.1]; take up the slack [B 1414.1, H589.1]; take various forms [П2439.1]; time it would take the ... pressure to [B1541.1]; to take account of [Д418.0, Д418.3, Y608.1]; to take action against [B1253.0]; to take advantage of [B1415.0, B1415.3]; to take full advantage of [П1036.1]; to take into account [Д418.4, П2408.2, Y608.3]; to take off [B1736.0]; to take off the line [B1742.0]; to take on again [B1211.0]; to take out [B1736.0, B 1854.0]; to take out of [B1736.0, И177.0]; to take out of service [operation] [B1742.0, И331.0]; to take place

[И409.0, 3330.0]; to take precautions against [П2416.1]; to take readings [И299.0]; to take some exception to [B1358.0]; to take steps [П1825.1]; to take stock of [K498.1], to take stock of the validity [П2653.1]; to take the assumption of [П2411.1]; to take the average of [Y442.1]; to take the minutes [B939.0]; to take the place of [3279.0]; to take the weight off [P194.1]; to take to the power [B1256.0]; to take up [B263.0, B1263.0, B1427.0, B1689.0]; to take up backlash [B 1695.1]

**taken:** account must be taken of [H1392.2];

action was taken [П1820.1, П2414.2]; actions were taken: [П2413.2]; all of this taken together [B991.1]; analogy ... be taken further [П2737.1]; appropriate action taken [П2419.2, П2423.1]; are ... well taken [B326.1]; are taken ... into account [П2408.1]; are taken by [B1427.1]; are taken to be solutions of the system [B 1690.1]; are taken to be uniform [П2426.1]; are taken to the power [B1256.1]; are temporarily taken out of service [B1522.1]; attitude taken ... toward [П941.1]; be taken [И299.3]; be taken apart [P164.2]; be taken lightly [H1036.1]; can be taken care of [M375.1];

care has been taken to measure [041.1]; care must be taken to [H1376.1, H1381.1]; care should be taken that [C631.1]; corrective action to be taken [HI 422.1]; data taken on [Д116.1]; data were taken [П2673.2]; effect of ... is taken into account by [B 1145.1]; exception is taken to [И667.1]; full account has been taken of [П11071.2]; function ... is taken to have the form [П2442.1]; great care must be taken [H1382.1]; great care should ... be taken [C624.1]; great pains are taken [П2346.1]; had taken a slightly different approach [B1420.1]; however, the position was taken that [0558.1]; if note is taken of the fact that [E61.1]; is ... taken as [B273.1]; is taken as indicative of [C693.3]; is taken as the product of [B274.1]; is taken out of operation [B1742.4]; is taken to [n2450.1]; is taken to be [B273.2]; is taken to be a measure of [C680.1]; is taken to be equal to [П2429.2]; is taken to mean [П613.2]; it is ... taken for granted [C1615.1]; may have taken place [B1298.1]; measurements taken [Д199.1]; measurements were taken [B 1881.1]; need to be taken into account [H1392.1]; no account was taken of (H1035.1); no special precautions had been taken [H1746.1]; no account was taken of [HI 141.2]; only when special precautions were taken to [T305.1]; opportunity was also taken [И698.1]; opportunity was taken to increase [B 1422.1]; ought not to be taken apart [H982.1]; picture was taken [Д233.1, Ф54.1]; precautions were taken to eliminate [П2415.1]; prompt action may be taken for [M336.1]; recourse is generally taken to [0412.1]; samples were taken [01207.1]; should

not be taken as an indication that [H1073.1]; some of the length is taken up [3350.1]; special precautions were taken to [П2421.1]; steps taken to [M133.1, П2413.1, Ш8.1, Ш8.2];

taken a nosedive [P637.1]; taken as evidence that [P461.1]; taken great pain [П2349.1]; taken its toll on [H453.1, C1045.1]; taken off (the) line [B1742.3, 01346.2]; taken out of service [И331.2]; taken out through [B1747.1]; taken together, these results (B1024.1); taken together, this all indicates that [B992.1]; taken up the matter [П753.1]; these are not matters to be taken lightly [K13.0]; this route has been taken [П458.1]; this will be taken care of promptly [3356.1]; time taken [B1540.1]; time taken for ... to [B1544.1]; unless suitable measures are taken to control [E143.1]; was taken as secondary [C1610.1]; was taken as that for [B266.1]; was taken equal to [П2429.1]; was taken to be [B1072.1]; were taken at regular intervals [И302.1]

**taking:** by taking corrective action at the appropriate time [B1249.1]; is taking a chance of being in error [P751.1]; picture taking [Ф53.2]; prior to taking observations [Д450.1]; solder... to ... taking care not to [П2500.1]; taking appropriate precautions [П2420.1]; taking care not to bend ... at any time [B1550.1]; taking credit for [П2408.3]; taking into account [Y616.1]; taking its place [3337.1]; taking observations [П2617.1]; taking place [П2818.3]; taking the total differential of [B 1071.1]; taking this factor into account [Y607.1]; taking, as an example [B1073.1]; what was actually taking place during [4136.1]

**tampering:** [H1188.1]; unauthorized tampering [H1569.1]

**tangent:** tangent... be drawn [П2680.1]; tangent to [K193.1, C1055.1]; to be tangent [K190.0]

**tangentially:** tangentially to [П381.1]

**tang:** straighten tangs [01475.1]

**tanfc** tanks shall not be permitted [H 1050.1]

**tantamount:** is tantamount to [P124.2]

**tap:** [H502.1]; tap ... from [B1688.1]; tap ... into position [П1494.1]; tap ... lightly [C575.1]; tap

... out [B1851.1]; tapped with the finger [П1493.1]

**tape:** recorded onto magnetic tape [3385.1]; wrap a piece of electrician's tape [0118.1]

**taper** is tapered (C318.1); taper... mm per... mm [K367.0]

**tare:** tare weight [B926.0]; under tare conditions [B620.1]

**target:** misses the intended target objective [H849.1]; required target [T459.1]; sufficiently near to the target of [Д682.1]; target date for [H412.1]; target is to be able to [3173.1]; target on-stream date [П291.1]; target value [3165.1]; target [3162.2, 3168.0, K363.1]; targets [П292.1];

vary either side of the target value of [И274.1]

**task:** [3168.0]; are tasked with [B118.1J; easy task

[Π2931.1]; has a simplified task in [3175.1]; has not proved to be an easy task [0666.1]; identification of task priorities [B2082.0]; make the ... task ... more difficult [C394.1]; perform ... task [B1880.1]; quite atask [Δ515.1, H1554.1J; Task Group [Π2.1]; task is further complicated by the fact that [3169.1]; this maybe a difficult task [Θ143.1]; was not a simple task [B372.1]; was too much of a task [0667.1]; were given the task of [E373.1]

**tax:** [0815.1]

**teach:** experience ... teaches one [0889.1]

**teaching:** part-time teaching [Π2026.1]

**team:** [B279.1, Γ139.4]; designed by different teams [C1263.1]; research team [И791.1]; teamed up with [P78.1]; teamed with [B124.1];

we teamed up with [0356.1]

**teamwork:** fruitful teamwork [Π297.1]

**tear:** [P333.2]; tear down [P164.3]; to save wear and tear [B127.1]

**technical:** "recent technical advances" [Π1394.1];

contact ... for technical support [0225.1]; covered in the technical manual [0778.1]; economic and technical assessments [T213.1]; experience greater technical development [Π760.1]; for technical assistance and project capital [B346.1]; important technical improvements [C1559.1]; major technical development challenge [H333.1]; pose a real technical challenge [Π1879.1]; scientific capabilities and technical strengths [H596.1]; set of technical documents [K293.0]; technical accomplishments [Δ732.2]; technical breakthrough [T228.1]; technical bugs [T241.1]; technical competence [T224.1]; technical impact [T242.1]; technical press [T225.1]; technical progress toward [T221.1J; technical sophistication [T237.2]; technical staff [T219.1]; was without any technical surprises [H1038.1]

**technically:** [Φ42.1]

**technician:** engineers and technicians [И556.1]; maintenance technicians [P696.1]; performance of the technician [B 1871.1]

**technique:** [M155.0, M163.0]; by ... technique [M156.1]; effectiveness of the mounting technique [Θ230.1]; extends ... techniques to [P440.1]; in this technique [B602.1]; novel technique [H1 831.1]; processing techniques [T255.1]; state-of-the-art techniques [C883.1]; technique ... approaches [M155.1]; technique ... starts from a knowledge of [P550.1]; technique to be described [0790.1]; training techniques, aids or media [M162.1]; tools ... technique ... technique [M155.5]; welding techniques [T252.1]; well-known technique [X52.1]; well-proven technique [X49.1]

**technological:** as dictated by technological development [H1404.1]; become a technological leader [3335.1]; march of technological and

scientific progress [P188.1]; technological advances [T220.1]; technological breakthroughs [T228.2]

**technologist:** [H599.1]

**technology:** advances in technology of [Y428.1]; at the leading edge of technology [H1 40.1]; behind ... is 8 years of... technology [B273.1]; current level of technology [C879.1]; fabrication technology [T250.1]; ground based technology [H292.1]; medium technology [T251.1]; process technology [T248.1]; rapid advancements in technology [B287.1]; represents the latest technology in [Π1878.1]; scaleup of technology [0925.1]; technology ... has ... been advanced [Y243.1]; technology barriers [T244.1]; technology is further advanced [T249.1]; technology level [Y374.1]; to capitalize on more advanced technology [B 1419.1]; today's proven technology [C882.1]

**tedious:** tedious procedure [Y567.1]

**teeth:** one fewer teeth [H81.2]

**tell:** all told [B259.3, B1566.0]; on the one hand, we are told [C111.1]; only time will tell [T306.1]; time will tell [B1531.1]; to tell [T66.0];

**temper:** do not temper with [H1 127.1]; was ... tempered by [T334.1]

**temperature:** air cooled to room temperature [01622.1]; at sub-ambient temperatures [T144.1]; elevated temperatures [Π595.1]; in the limit of small temperature difference [B548.1]; is maintained at a constant temperature [Π719.1]; limited to operation at temperatures [P28.1]; low enough temperature to allow transition [Δ688.1]; oscillations in temperature [K245.1]; reads the temperature [Π981.1]; temperature dependence [3110.1]; temperature profiles [P421.1]; temperature rise [P761.1]; temperature rise of [Π593.1]; temperature too low [C654.1]; there shall not be a greater difference than ... between the highest and the lowest temperature [P285.1]; warm to room temperature [Π2713.1]

**temperature-dependent:** is ... temperature-dependent [388.6]

**tempering:** secure against tempering [H261.1]

**temping:** it is temping to [Π 1592.2]

**temporal:** temporal derivative [Π2795.2]

**temporarily:** [B1 521.1]; are temporarily taken out of service [B1522.1]

**temporary:** [B1514.0]; temporary intermediate [K390.1]; temporary revision [B1517.1]

**tempt:** one is tempted to suggest that [H485.1]; would have been tempted [И766.1]

**temptation:** temptation ... is [B 1346.1]; temptation ... is to [Π1592.1]; temptation of ... was resisted [H977.1]; there maybe the temptation onthepartof[y4.1]

**tempting:** hence it is tempting to infer [01574.1]

**ten:** ten months apart [C19.1]

**tend:** [C1486.2]; approach infinity as ... tends to zero [C 1487.1]; did tend to [H457.1]; one tends to take this for granted [0416.1]; tend to be [0400.7]; tend to suffer other disadvantages [H411.1]; tend to think in terms of [C529.1J]; tends to [H456.1, P328.6, П2223.1]; to tend to [B932.0, H456.0]

**tendencies:** opposing tendencies [П2965.2]

**tendency:** deposit forming tendency [T147.1]; exhibit... tendency for [0135.1, П3049.2]; has a tendency to stretch [H720.1]; have a ... tendency to [H456.2]; ...ing tendency [C525.1]; little tendency toward [H1259.1]; sticking tendency of [T149.1]; tendency for... to blister [0395.1]; tendency for [T145.1]; tendency of the reaction to occur [C526.1J]; there has been an increasing tendency [B988.1]; there is a tendency for ... to (H497.1, Y2.1); to compensate for the tendency... to [П1777.1]; to have a tendency to [H456.0]

**tender:** tender contract [Д525.0]; winning the tender (П518.1)

**tenet:** [П2458.1]; basic tenets [01007.3]

**tenfold:** compare a tenfold increase [01378.3]

**tension:** tension test [H751.1]; tensioned [H586.1]

**tentative:** [B1514.0]; is tentative [H1874.1]; should

only be viewed as tentative [C627.1]; tentative allowance list of SPTA for major repair [B 1518.0]; tentative conclusions [П 1707.1]; tentative instruction [B1515.1]; tentative specification(s) [B1519.0]

**tentatively:** [B366.1, B1521.0]; it was tentatively concluded [C393.1]; tentatively adopted [B1525.1]

**tenth:** few tenths [H1577.1]; of one tenth the [P128.1]

**term:** [4117.1]; controversial term (C1200.1); dominant term is [0859.1]; for a term that ends in [H152.1]; for lack of a better term ' [333.1]; if it can be termed that [E165.1]; in the long term [B695.1]; in the longer term [32.1]; in the near term [B41.1J]; in the short term [355.1]; in very near term [B13.1]; is termed [H300.1]; long term [Д298.1]; long term effects ... in respect of corrosion and deposition [B 1133.1 ]; short term change in [K463.1 ]; short

term solution [B1516.1J]; term ... definition [П1277.3]; term ... here means [T190.1]; term ... refers to [T191.1]; term ... should read [B1158.1]; term coined [T189.1]; this phenomenon will be termed [B343.1]; use the term [П1218.1]

**terminal:** connect voltmeter between terminals [П1729.1]; terminal date of prior patents [Д125.0]; terminal points of supply [Г115.1]

**terminate:** [A144.0, 3223.1, П 1985.1]; terminate the examination [3225.0]; terminated ... giving [A148.1J]; terminates in [0694.1]; to terminate (in) [3223.0]; to terminate ... prematurely [П1991.1]; wires to be run and terminated in

accordance with Spec. No [П2669.1]; with this,... terminates [H209.1]

**terminating:** commencing ... and terminating [H721.1]; on terminating [П372.1]

**termination:** termination of... cable [3184.1]

**terminology:** one point on terminology [T192.1]

**terms:** are optimized in terms of [0866.1]; are presented in terms of [П 1839.1]; correctness under the terms of the order (П 1631.1); credit terms (Y398.1); dropping all the small terms [01212.1]; expanding and collecting terms, and solving for [P357.1]; expansion of ... in terms of [P245.1]; expressing ... in terms of... results in [B 1946.1]; highlight, in broad terms [B265.2, B1372.3, 0247.1]; in engineering terms [C126.1]; in fundamental terms [B341.1]; in general terms [B265.0, B265.1]; in more practical terms [E120.2]; in practical terms [E1 19.1, C 128.2]; in practical terms this means that (П1664.1); in terms of [B17.2, B112.7, B339.3, B485.1, B737.2, B751.0, E52.1, E116.1, H117.1, П511.1, C124.6]; in terms of ... Г (463.2); in terms of both ... and [B299.1]; in terms of no [B297.0]; in terms of the x, y, z coordinate system [B165.1]; in the simplest terms [Г75.1]; is ... equivalent to ... in terms of [Э3.1]; is difficult to explain in terms of ... alone [T479.1]; is framed in terms of [B1945.1J]; is understandable in terms of [0383.4]; it appears reasonable to think in terms of [H450.2]; on the most favorable ... terms [H179.1];

solutions, in terms of power series in [P735.1];

tend to think in terms of [C529.1]; to come to terms with [П2398.1, П2555.1]; to evaluate this proposal in terms of [P474.1J]; to expand ... in terms of a power series [P216.1]; two simultaneous equations... in terms of [C496.1]; under the terms of the contract [П502.1]; when defined in terms of [E56.1]

**terrestrial:** under terrestrial conditions [B721.1]

**test:** [H747.0, H756.0, Л1.0]; acceptance test [П2310.1]; additional tests [Д624.1]; adjust and test the units in strict accordance with recommendations [M249.0]; after test materials have been distributed [П 1367.1]; and in the remainder of the tests [B272.1]; at conclusion of the test [П424.1]; at the start of a test run [B242.1]; average of duplicate triplicate tests [C1321.1]; baseline ... tests [K365.1]; being tested [H769.1]; by the end of the test [K7.1];

complex test [K289.0]; data from two test series [Д114.1]; delivery and acceptance test statement [A91.0]; depend on the outcome of the ... tests [398.1]; designed, built and tested at [C1258.1J]; designed tests [C1191.1]; development tests [Д497.2]; differed from test to test [H286.1]; during the ... test [B34.1]; during the entire series of tests [B692.1J]; easy test [П2932.1]; exploratory tests [П2327.1]; field tests [Э54.4]; final ... tests [3248.1]; from an

interpretation of the test data, it appears that [A114.1]; full set of test readings [B958.1]; hammer test [0262.1]; has failed the acceptance test [H1041.1]; has undergone ... tests [П3002.1]; into the test [C1271.1]; is not as impressive as for the other test cases [HI 094.1]; limited number of tests [HI 167.1]; limited tests [HI 167.2]; made inoperative during the test [B1846.1]; material tested [C216.1]; meaningful test data [Д736.1]; minor variations in test conditions [H1164.1]; model tests [И748.1]; nonwitnessed ... tests [И753.1]; on a test basis [B379.1]; on an early test [B270.1], over the ... range tested [B104.1]; parties to the test [0904.1]; passed the ... test [B1792.1]; performance of... tests [П2615.1]; performance tests [Э54.1]; place more emphasis on the more reliable tests (Y110.1); previous field test data [Д117.1]; qualification tests [A167.1]; record of ... tests [П2986.1]; real test of ... must be [П748.1]; refunding of test payments [B 1278.1]; repeatability from test to test [B 1432.1]; rig tests [Л4.1]; series of tests [C428.2]; site test [Э54.3]; sets of tests [C428.4]; shakedown tests [H385.1]; sorting tests [01209.1]; supplementary tests [Д624.2]; take the test [C374.1]; tension test [И751.1]; test ... ran [C1359.1]; test agenda [П2706.1]; test and repair record [B875.0]; test calculated [P515.1]; test conditions [Y399.1]; test could not be run to completion [0880.1]; test duration [П2756.1]; test facility [Э38.3]; test for invention [И750.0]; test piece [И770.2]; test point [Э37.3]; test report [A93.0]; test run [И747.0]; test runs [0876.2]; test section [И308.1, P96.1]; test sequence [П 1405.1]; test series [C428.5]; test site [M146.1]; test stand [И768.1]; test the hypothesis (П2635.1); test the rotation [П2655.1]; test to see if... may be accidentally operating [П2664.1]; test witnessed by...' representative [И752.1]; tested against the data [П2651.1]; tested in ... presence [И760.1]; tested in accordance with approved procedure [И772.0]; tested to failure [И762.1]; tests are to be conducted [П288.1]; tests had to be aborted [0890.1]; tests was run [П2689.3]; tests were carried out [П2689.2]; tests were performed [П2689.1]; tests were rerun [П1576.1]; tests were run [П2674.1]; throughout the test [B689.1]; using this machine... were tested [H208.1]; was successfully tested [Y435.1]; was tested against [П2649.1]; well into the test [П1375.1]; with this test rig [H212.1]; withstood the test of time [B1793.1]; witness test at factory [3122.1]; witness the ... test [П2541.1]; works tests [3121.1]

**test-quality:** [Л3.1]  
**testify:** silently testify to this fact [M240.1]  
**testifying:** thereby testifying to [C300.1]  
**testimony:** provided strong testimony about [Y19.1]; strong testimony about [Y21.1]

**testing:** [П2609.1]; cannot be ascertained before testing [H1325.1]; commercial testing [И747.0]; development testing [Д497.1, И747.0]; extended the testing over about [P525.1]; field testing [И747.0]; full scale testing [H585.1]; full-scale testing [И747.0]; guarantee point testing [Г12.1]; makes testing ... difficult [3499.1]; nondestructive testing [M158.1]; over-all testing [K289.0]; performance testing [Э54.2]; phase of testing [Э95.1]; post-repair testing [И755.0]; qualification testing [И747.0]; shakedown testing [И747.0]; small-scale testing [И778.1, И747.0]; pilot-scale testing [И747.0]; testing by feel [П2609.1]; testing experience revealed that [И754.1]; testing was stopped [П1989.1]; wear testing [И749.1]

**test work:** amount of test work [0370.1]

**text:** in straightforward text [П2134.1]; original text [П37.1]; referred to in the text [Y322.1]; text in a ... course [Y603.1]

**than:** [454.1, 454.2, 455.1, 456.1, 458.1, 460.1, П485.1]; accuracy better than 1 percent of [П601.1]; aims at nothing less than [C1364.1]; any person other than [Л125.1]; are an order of magnitude less than [H107.1]; are little, if any, better than [E126.1]; are more a function of the ... than of the [389.1]; are more easily uttered than effected [Л30.1]; are more important concerns than ever before for [C412.1]; are significantly different than [C476.1]; are sized to more than adequately (P509.1); at a less than desirable rate [П2087.1]; at intervals of not more than [H1056.1]; be less than [H1017.1]; becomes more academic than of real interest [П2481.1]; better suited to ... than to [B210.1]; both higher than, and lower than (K122.1); but never less than [H1806.1]; by more than [B197.2]; by more than a factor of two [B191.1]; by not more than [H746.1]; classed not lower than [И511.0]; desirable rather than essential [Ж6.2]; did not vary more than ... from [H870.1]; different ... than [01409.2]; do little more than serve as [C682.1];

do not differ by more than [H968.1, 01388.1]; does not occupy more than [3339.1]; down to less than [Д443.1]; equal to or greater than [P135.1]; equal to or less than [M1 10.1]; failing in less than [B2026.1]; falls more than [П4.1]; far lower than [H424.1]; far more than [B189.0]; far more than offset [B196.1]; for longer than [B686.1]; for more than two decades [B158.1]; for other than [321.1, И656.1]; greater than [B153.1, B189.0]; fractionally greater than [H1267.1]; greater than ... times [B443.1]; greater than or equal to [B204.1]; has no ... other than [H880.1]; if nothing is done other than [E62.1]; in a far different way than [C887.1]; in less than [M106.1]; in no more than 90 seconds [H747.1]; in the near vicinity of, but greater than [01653.1]; is ... as large as



or larger than [PI 35.3]; is any more likely ... than [B376.1]; is following, rather than pacing [C588.1J]; is illustrative rather than exhaustive [PI2258.1]; is less than desired [MIII.1, HI 113.1]; is many times ... than [B450.2, B451.1]; is more cosmetic than catastrophic [HI105.1]; is more than offset by [PI1068.1]; is  
 no more than [PI 1875.1]; is not intended to represent more than [И474.1]; is not less than ... nor more than [H908.1]; is nothing more than [H 1778.1]; is one less than [H81.1]; is slightly less than [H1343.1]; is the rule rather than the exception [C538.1]; is undertaken in less than [3326.1]; is up to, but not greater than [Д709.1]; less from consideration of ... than [H1096.1]; less than [M92.0, M92.1, M105.1, H744.2J]; less than 10% as much [M100.1]; less than or equal to [M99.1]; less than realistic results [H1210.1]; little is known of ... other than that [02.1]; little more than [H1342.1J]; making ... more of a problem than might be the case with [Д230.1]; many times greater than that of [B450.1]; merit more than a passing glance from [3454.1]; more... than it is necessary [B211.1]; more akin to ... than [B207.1]; more apparent than real [B205.1, C535.1J]; more appropriate ... than [B172.1]; more as qualitative indication ... than as a quantitative measure [C536.1]; more frequently than in the past [436.1]; more frequently than one might expect [437.1]; more likely than not [B915.1]; more often than not [434.3];  
 more than [B153.2, B189.0, C345.3]; more so than [B650.1]; more than adequate for [B194.0];  
 more than adequate for [B194.4]; more than adequate to [B194.5]; more than compensates for [C13.1]; more than enough [B194.1, B194.2, B 195.1]; more than likely [B 192.1]; more than  
 offset [C320.1]; more than once [B165.1, H1047.1, H951.1]; more than one [B209.1, H1573.2]; more than sufficient [B194.3, B194.6];  
 more than two years have elapsed [PI3016.1]; much larger than [3619.1]; much less than [H420.3J]; much more ... than just [HI 119.1]; much more likely to be correct than [H238.1]; much more significant than [3619.2]; much more so than [Г89.1]; much smaller than [H420.1]; must be equal or less than [Д576.1, H832.1J]; must be no bigger than [H832.2];  
 need be no greater than [M310.1]; never amounts to more than [H1755.1]; no greater than [H742.2]; no less a person than [H1763.1];  
 no less than... before the... date [H1008.1]; no more so than [H749.1]; no more than [H744.1];  
 not later than [H1002.1]; not later than one year after [H1006.1]; not less than ... before [H1005.1]; not less than [H901.2, H1056.2];  
 not  
 more than six months old [B 1773.1]; nothing less than [H1733.1]; of less than [H1018.1]; of paramount concern to ... rather than [Д326.1];

other advantages of... more than outweigh the [Д758.1]; other than [A24.0, A24.2, Д754.1, E145.0, E145.2, И567.1, K500.0, K500.3, 01409.1, П1246.3, П1246.4]; other than by [H1044.1]; other than on... and ... on [H923.1]; other than replacing [E1 46.1]; other than that [B286.2]; other than this observation, no change [H1741.1J]; particularly in relation to ... rather than [B202.1]; pay for themselves in less than [0732.1]; poorer than [X128.1]; positive exponent greater than unity [PI1111.1]; rather than [A24.0, A24.1, B1157.0, B1157.7, B1162.1, B 1162.2]; prompted greater attention toward ... rather than [3473.1]; rather than ... was assumed [B1 161.1]; rather than anything in [A27.1]; rather than as [A25.1]; rather than because [A26.1]; required calculations ... be much less than that [0364.1]; restrict... to less than [0451.2]; same as or better than [T80.1]; savings in material costs more than compensate for [Э25.1]; scales less than [M62.1]; slightly less than [H1585.1]; slightly more than [C576.1]; so long as ... remains less than [Д465.1]; some being greater than others [Y8.1]; still smaller than [E208.1]; take no longer than necessary [Д319.1]; than any of the other [452.1]; than ever before [K96.1, 450.1]; than had been thought at first [449.1]; than one would have expected from [453.1]; than otherwise would be the case [446.1]; than would be the case otherwise [447.1]; than would normally be possible [461.1];

**thank:** thank ... for ... continued interest and support [PI520.1]; thanks to [B110.0]; to thank [B1943.0]; to thank ... for ... valuable comments and helpful discussions [PI521.1]

**thankless:** thankless job (HI 156.1)

**that:** [K407.0, T277.1]; actually, it was found that [0692.1]; add to this the fact that [Д 479.1]; allowance must be made for the fact that [H1393.1]; also to be noted is that [01421.1]; ample evidence that [H1336.1]; and it is to this last aspect that most ... attention is being directed [И32.1]; are based on the rationale that [01029.1]; are in line with the concept that [C926.1]; are special in that [3583.1]; as far as we can see that [H546.1]; at the instant that [B211.0, B211.2]; care should be taken that [C631.1]; characterized in that [X12.1]; check that ... is correctly positioned for [PI2660.1]; check to see that [Y38.1]; comes from the fact that [PI2817.2]; conception that [PI1836.1]; conclusion that ... is necessary [B1726.1]; confidence that ... is not great [B230.1]; corollary to this is that [0537.1]; differ from ... in that [01391.1]; double that [B439.0J]; drawback in that [H1201.1]; evidence that [C290.2]; except that [329.1, П12161.5]; fact is that [H48.1]; for that matter (B503.0, B503.1, B667.0, B667.2J); from that

time on [H733.1]; from the requirement that... be zero [И 136.1]; however, the position was taken that [O558.1]; if the theory that... is true [E45.1]; in anticipation that [B389.1, П1273.1]; in recognition that [Y619.3]; is affected to such a point that [Y589.1]; is appealing in that [П2207.1]; is particularly interesting in that [O1038.1]; is twice that for [B859.2]; is unique in that (O1399.2); it follows that [И141.1, O1578.1]; it is against such a background that [C159.1]; it is desired that [Ж2.0]; it is fitting that [И81.1]; it is for this reason that [И353.1]; it is imperative that [H1395.2]; it is important that [B805.1]; it is intended that [П1795.3]; it is our experience that [M410.1]; it is that easy [И76.1]; it so happens that [Д249.1]; it stands out immediately that [C 1301.1]; it transpires that [O689.2]; lends ... confidence that [B 1575.1]; many times greater than that of [B450.1]; more or less ... as that [B160.1]; none the worse for that [H1779.1]; not... all bad in that [H1110.1]; now that [T169.1]; on that account [B834.1, П448.3]; on the argument that [H88.2]; on the assumption that [П2066.2]; on the basis that [H88.3]; on the grounds that [H88.1]; on the premise that [H86.1]; one bothersome point is that [HI 603.1]; one is left with the possibility that [O1123.1]; other than that [B286.2]; point is that [Д251.0]; reason is that [Д251.1]; recall that [H465.1]; several times that of [B442.1]; so that [A36.0, A36.3, Д403.0, Д403.4, П1575.3, C87.2, T41.1]; such that [T41.2, T43.3, T61.1]; that is to say [Д762.2, И539.1]; that is why [B1445.1]; that is [И352.0, И538.0, И569.3, T293.1]; that which [T347.1]; this is not to say that (M436.1, Э136.1); this is the reason that [B1445.2]; time that [B1539.1], times that of [B438.1]; to such a degree that [Д471.0]; to such an extent that [Д471.0, Д471.2]; to the effect that [B586.0, B586.4]; to the extent that [B586.0, B586.3, H563.2]; to the point that [B1474.1]; twice that [B439.0]; unusual in that [H1427.1]; what is important is that [B799.1]; when considering that [E97.1]; which is to say that [Д762.3]; with that [П2167.5]; with the exception that [329.2]; with the expectation that [B466.1]; with the knowledge that [И363.1]; with the reservation that [C40.1]; with the result that [B479.1]; with the understanding that [П2161.7]; yet so that [И12.1]

**their:** are at their greatest [M1 1.1]; are in their infancy in development [H655.1]; are pushed nearer to their limits [И728.1]; are reaching the limit of their usefulness [H674.1]; are remarkable among ... for their [B 1786.1]; are situated at their centers [P380.1]; are their lowest [C219.1]; as if their composition was entirely methane [B330.1]; begin to lose their validity [П167.1]; confined their attention to

cases [O467.2]; consistent with their past performance [K72.1]; contributes to their interest [C1230.1]; deviations ... are 12 percent at their maximum [P543.1]; exert their activity [П3041.1]; express their appreciation for [B1944.2]; for their part [C114.1]; have included as part of their programs [B1 109.1]; have their origin with [B275.1]; in their capacity as [P45.1]; in their infancy [B639.1]; in their own right [H1226.2]; in their place (B1 160.1); in their rebuttal [B291.1]; in their specialities [П470.1]; limit their usefulness to qualitative results [O461.1]; lose much of their [T198.1]; make their first appearance [П1589.2]; marginal in their ... performance [P59.1]; of interest in their own right [И610.1]; on their own [C197.2]; one slightly disturbing point... was their repeatability [H1604.1]; over much of their length [H186.1]; over their full control range [B102.1]; precludes ... as their source [И658.1]; reached the limit of their capability [Д711.1]; receives for their personal use and retention [П1127.1]; show ... in their worst light [П975.1]; spend a high proportion of their time at [P80.2]; stand in marked contrast to ... as regards their [P633.1]; their lack of need for [O1556.1]; their very presence [C201.1]; their [И854.0]; they are to be particularly commended for their [O1058.1]; they were not all equal ... in their influence [И855.1]; to keep their lead in the race with [C1 131.1]; to the left of their prior positions [B1128.1]; tried their hand at [П1304.1]; twice their size [B440.1]; under their own weight [П607.2]; were the first of their kind [B320.1]; with regards to their ... properties [П471.1]

**them:** all of them [B 1009.1]; allowed them credits

[П1761.2]; any one of them [Л122.1]; following

... can differentiate between them: [P223.1]; manually enter them through the keyboard [B845.2]; mistake them for each other [C1272.1]

**theme:** directly or indirectly, all the ... are related to the theme of [П3065.1]

**themselves:** [C196.2]; do not lend themselves to [H974.2]; lend themselves to [B328.1]; not by themselves assure an absence [C202.1]; pay for themselves in less than [O732.1]; pay for themselves many times over [M214.1]; readily lend themselves to [Л20.1]; results speak for themselves [P646.1]; speak for themselves [Г77.1]; take it [responsibility] over themselves [B272.1]; they disappear of themselves [И840.1]

**then:** [3480.1, C586.2]; alternately ... and then [П 1293.1]; and only then [A43.1]; and since then [A13.0, A13.1]; and then only [Д1.2]; and then [Д1.1, И24.1]; as it stood then [B714.1]; at first and then [B1167.1]; can then be written [T289.1]; first... next... then [B1168.1]; firstly ... then ... and lastly [C762.2]; followed by ... and then [Д87.1]; from then onward [H734.3,

C34.1]; goal, then, is to provide [Ц24.1]; having made ... then it is possible [C401.1]; if ... then there exist... such that [E160.1]; If... then [E158.1]; if so, then [E174.2]; if this is not the case, then [B549.5]; if... then [E158.0]; is it possible, then [C1255.1]; is then [T290.1]; it follows then that [01578.2]; it is suggested ... then (P678.1); it is then not at all inconsistent [П1578.1]; it is then not reasonable to expect [П1581.1]; it seems possible then, that [П1577.1]; it then goes on to [0773.1]; it was then decided to [T284.1]; let... then [П3089.1]; may then [C740.1]; now and then [B1533.0, B1533.5]; removed,... then replaced [C792.1]; rises ... and then falls [B 1364.1]; since then [C66.2, C123.2]; start... then switch to (Bll 16.1);

then... would be expected to [T275.1]; then all we have to do is [T167.1]; then measuring [П1418.1]; then present rules [C1588.1]; then the design ... can proceed [M362.1]; then we can, in general, assume that [3481.1]; then [B555.0, B555.3, Д86.0, 3480.0, K19.0, K19.2]; there would then have been some hope that [T288.1]; to summarize, then [T99.1]; values thus obtained can then [3482.1]; what remains then is to [T176.1]; where ... then [E158.2]

**then-new:** [T285.1]

**thence:** [A13.2]; and thence [И55.2]

**theoretical:** curve plotted from the theoretical formula [K477.1]; experimental and theoretical investigation [Э39.1]; fundamental theoretical study [K177.1]; has so far received ... little theoretical ... investigation [П959.1]; independent theoretical predictions [H1232.1]; on a purely theoretical basis [H99.1]; on the theoretical side (B300.1); on theoretical grounds

we assume [T164.1]; substantiate the predictions of the theoretical model [П733.1]; theoretical approaches [T 158.1]; theoretical background [T161.1]; theoretical basis ... is set forth [T160.1]; theoretical projections [T162.1]; theoretical treatment ... is well established [T156.2]

**theoretically:** [B403.0, T163.2]; remain to be explained theoretically [E218.1]

**theorize:** [T165.1]

**theory:** [Y351.2]; cast... doubt on the validity of the theory [B1824.1]; exhibit... by theory and example [П989.1]; fault of the theory [01702.1];

gap between theory and observation [P335.1]; if the theory that ... is true [E45.1]; in accordance with theory is [C921.1]; in the light of current... theory [B490.1]; in theory [T163.1]; observations compare well with theory [Э43.1]; refine the theory [B1235.1]; simple theory for ... based on [П2934.1]; theory ... offered [П1731.1]; theory has been well established [T156.1]; theory predicts [T155.1]

**there:** [B433.1]; at present there is a lack of understanding [B51.1]; does not end there

[H210.1]; here and there [B1533.0, B1533.4, 3563.1]; however there remains the need to [0569.1]; if ... then there exist ... such that [E160.1]; there appeared to be an exception with [И672.1]; there appears little that one can do (П333.1); there are very understandable reasons for this [Д425.0]; there can be no escaping the fact that [Hl 316.1]; there has been a renewed interest in [B1353.2]; there is every reason to believe that [E1 92.1]; there maybe some dependence on [B1311.1]; there must be some fear of [H1377.1]; there seems to be only one explanation for this, namely [Э164.1]; there shall not be a greater difference than ... between the highest and the lowest temperature [P285.1]; there stilt remains the problem of relating ... to [ 01119.1 ] ; there was a time when [B367.1]; there were great expectations that [B256.1, B 1288.1]; there will be a charge for the repair [P692.1]; there would then have been some hope that [T288.1]

**there's:** there's no better opportunity than [Д431.1]

**thereabouts:** [0700.1]

**thereafter:** [B1496.0, B1496.3, П1381.1, П1381.2);

shortly thereafter [B1591.1]; thereafter remaining constant [01111.1]

**thereby:** [T136.1]; thereby results in [П2246.1]; thereby testifying to [C300.1]

**therefore:** [A36.0, П1575.1]; and it would therefore be unwise to [И51.1]; it is therefore proposed that [M433.1]; it was decided, therefore [П1576.2]; one can therefore conclude [01572.1]; therefore, it was decided to [П1576.1]

**therefrom:** infer ... therefrom [C 1530.1]

**thereto:** or close thereto [B134.1]

**thermal:** copper-to-bronze thermal conductivity ratio [01470.1]; thermal expansion [T185.1]; thermal lag [T 183.1]

**thermocouple:** trace of thermocouple [K478.1]

**thermodynamics:** according to today's knowledge of thermodynamics [И822.1]; with respect to thermodynamics [C 125.1]

**these:** [И854.0]; all of these [B1009.3]; among these are [Kll.1]; analysis of these data is continuing [A113.0]; appraised under these circumstances [C 165.1]; efforts along these lines [P4.1]; either of these conditions [0538.1];

for all these reasons [И827.1]; how might these be different if [H539.1]; in these occurrences of [B578.2]; is the more dominant of these two effects [B1 143.1); limited success along these lines [410.1]; meets all of these requirements [Y173.1]; most of these [B219.1]; not the least of these [Д102.1]; notwithstanding all of these possibilities [H1614.1]; on all these counts [П358.1]; out of these, five observations [И147.1]; these and other [Э213.1]; these are [B 1448.1]; these rules and others [Э214.1];

these types of [Э219.1]; these were not simple

[Э 115.1]; these would want to be considered [И856.1]; useful as these ... are [K51.1]

**thesis:** doctoral thesis [Д553.1]; Ph. D. thesis [Д553.2]; thesis advisor [P764.1]

**they:** [И854.0]; be they ... or [Б357.3]; remain as they were [01093.1]; should they really be treated as [C605.1]; so they will not become lost [4200.1]; they disappear of themselves [И840.1]; they each consists, basically, of [K37.1]; they were not all equal ... in their influence [И855.1]; what they are specific for is [C1 173.1]; whether they be ... or [Б357.0, Б357.4]; whether they can be realized remains to be seen [И1 900.1]

**thick:** [T299.1]

**thicker** is many times thicker than [B451.1]

**thickness:** allowable casting wall thickness difference is not to exceed 10 percent of the wall thickness [Д664.0]; determine the spacer thickness to eliminate play [Д416.0]; of equal thickness [0545.1]; of thickness [T299.2]; plated to a thickness of [П1001.1]; through the thickness [П494.1]

**thin:** [P154.2]; applied ... in a thin layer on [H441.1]; spread ... in a thin layer [H581.1]

**thin-walled:** thin-walled ... specimens [T329.1]

**thing:** among other things [П1247.1]; amounts to the same thing [P112.1]; are all a thing of the past [B993.1]; for one thing ... for another [B327.2]; important thing to note is that [B800.1]; interdependent, but... not the same thing [B 1056.1 ]; is a thing of the past [Y579.1 ];

is one thing, ... another [0498.1]; mean the same thing [0616.1]; not the thing to do [H1065.1]; or, what amounts to the same thing [И347.1]; other things being equal [И54.1, П2158.1]; quite a few things in common [Д505.1]; reveals some interesting things [П914.1]; there is no such thing as [B406.1]; took the proper view of things [П1622.1]; two things are noteworthy [3447.0]; unusual thing about these [И1 428.1]

**think:** intuitively one might think that [И624.1]; it appears reasonable to think in terms of [И450.2]; it is sensible ... to think of [M377.1]; tend to think in terms of [C529.1]; to think [Д766.0]

**thinking:** wishful thinking ... won't do [0503.1]

**thinned:** thinned with kerosene [P 157.1]

**third:** ranks third in [3333.1]; third approach wouldbetot [T464.1]

**third-order:** were fit to a third-order polynomial equation [A152.1]

**this:** all of this taken together [B991.1]; as of this writing [K10.1]; at this point [B224.2, 3562.0, H202.1, П2167.7]; based on this [0766.1]; because of this [Б116.1, П448.2, П1575.6]; before accepting this [П1961.1]; but notwithstanding this [И1 804.1]; corollary to this is that [0537.1 ]; designed to do just this [П2708.1 ];

even with this [H1786.1]; exception to this [И670.1]; explanation of this lies in [Э162.1]; failing this [E1 78.1]; for this to be achieved [4181.1]; for this to occur [Д408.1]; from this [01570.2, 01573.1, 01578.4]; from this it is concluded [01571.1]; from this it may be inferred that [И142.1]; future of ... is dependent upon this [01197.1]; how this is done is explained [K 144.1]; if this is not done [E177.1];

if this is not observed [E1 75.1]; if this is not the

case, then [B549.5]; if this is the case [A10.1, A10.2, E174.1]; if this were not done [E109.1];

in order to prevent this from happening [4206.1]; in parallel with this [П20.1]; in practical terms this means that [П1664.1]; is this true? [Э126.1]; it is best to have this done by [Л106.1]; like this [П764.1]; nothing as simple as this [C895.1]; one example of this [0519.1]; one of the simplest means of doing this is [П2926.1]; one tends to take this for granted [0416.1]; one way in which this might [0523.1]; one way to show this is to [0522.1]; outside of this [E148.1J]; over and above this [K501.0]; over and beyond this [K501.8J];

practically, this means [Э135.1]; question remaining is this: [01122.1, П1385.1]; reason for this is partly (0386.1); so far practical constraints have prevented this [H1808.1];

stress this low [T69.1]; suggests that this is indeed the case [П924.1]; systems such as this [П765.1]; this all indicates that [B992.1]; this accounts for [H55.1]; this accomplishes nothing [Э154.1]; this alone [0502.1]; this also was anticipated [Э209.1]; this applies particularly to [Э169.1]; this being the case [A36.4]; this can be achieved with modest effort [Э204.1]; this can be clearly seen [Э200.1]; this could have resulted from [B1315.1]; this implies that [Э134.1]; this in itself should give [Y186.1];

this is a definite possibility [Э120.1]; this is a pity [Э108.1]; this is a separate topic [Э170.1]; this is a surprising result [Э153.1]; this is a trade for [Э121.1]; this is all speculation. [B996.0]; this is also true for [Э171.1]; this is always the case [T8.1]; this is another reason why [Э161.1]; this is apparent when [Э197.1];

this is as expected [Э107.1, Э208.1]; this is as it should be [T19.1]; this is because [Д251.6, Э159.1, Э163.1, Э184.1, Э187.1]; this is best illustrated by an example. [Л113.0]; this is bound to be [0427.1]; this is by no means an exhaustive list [B2073.0]; this is clearly not the

case [Д248.1]; this is due to the fact that [0277.1]; this is easily understandable when [Э180.1]; this is equivalent to [Э185.1]; this is especially so in the case of [Э195.1]; this is just

conjecture [H1819.1]; this is less ... by about a factor of two [П2385.1]; this is most easily done by [Л29.1, П2927.1]; this is not always the case [T9.1]; this is not at all surprising.

- [B771.0]; this is not to say that [M436.1, Э136.1]; this is particularly true [C507.1]; this is why [Э160.1]; this may be caused by [B1314.1]; to do this [Д424.1]; were this not so (H755.1); what all this has to do with [K151.1]; what this would do is [B995.1]; where this is practicable [Т1 12.1]; with this in mind [H478.1]
- thorough:** [B1582.0]; thorough case-by-case engineering analysis [Т505.1]; thorough index [П814.1]; thorough knowledge of ... is required [H1393.1]; thorough study [B1586.1]
- thoroughly:** [B1205.0]; allow the surface to dry thoroughly [Д72.1]; be thoroughly familiar with [X50.2]; read and thoroughly understand [B1206.1]; thoroughly cleaned of [Т514.1]; thoroughly confused the situation [C822.1]
- those:** [Т362.1J]; applies to all... except those that [P443.1J]; are different from those of [O1390.1]; are limited to those [O469.1]; be of use to those that [П1022.1]; beyond those given ... [П1249.1]; beyond those needed for [П1250.1]; different from those of [И568.1]; in those days [B70.3]; just those which (Т320.1); meet those ... conditions (П1288.1); of those responsible for [Т364.1]; on those few occasions when [B578.1]; only those [Т320.2]; predicted by those methods could be as much as 100 percent in error [P551.1]; selection ... be made from those [B 1693.1]; those problems have been growing in dimension ever since [M64.1]; those remaining [O1143.1]; those skilled in the art [C1 159.1]; very same as those of [Т343.2]; will be of much use ... by those [O680.1]
- though:** [B352.0, B978.3, И20.0]; as ... though [O564.1]; as though ... were not present [K68.1]; as though [K67.3]; curiously though [И21.1]; even though [Д83.2, H1620.2, H1620.3, X89.1]; even though great strides have been accomplished [H1616.1]; in some cases though not all [B543.1]; it must be admitted though that [H1364.1]; this is so even though [Т22.1]; though ... will still [B354.1]; though not as strong [X98.1]; though the actual... could be somewhat greater [X85.1]
- thought:** can be thought of as [M364.4]; considerable thought was given to [Y 109.1]; first thought was that [П58.1]; great care should be given to the thought of how [H1901.1]; it is thought that [Д767.1]; it is thought unlikely (П 1887.2); may (can) be thought of as [M364.0]; may ... be thought of as [M364.3J]; no serious thought was given to [H1766.1]; than had been thought at first [449.1]; thought possible of [C1626.1]; to follow this line of thought [П2744.1]
- thread:** [B826.2]; consistent thread running through [П3003.1]; cut thread M6 ... 3 mm deep [H502.2J]; is threaded into [B835.1]; nut ... thread on finger tight [3511.2]; stripped ... threads [C1061.1]; threaded holes [O1224.1]; to strip... thread [C1341.1]; to thread [B826.0]; to thread on [3509.0]
- threat:** is a serious threat to [П1857.1]; pose a significant threat to [П 1880.1]; provides no threat to [H1775.1]; to pose ... corrosion threat [Y84.1]; to pose a threat [Г129.0]
- threaten:** is not threatened [Y85.1]; to threaten [Г129.0]
- three:** any one of the three [J121.1]; at a proportion of three to five times [B413.1]; by three to one [B438.2]; common to all three [O319.1 ]; fall broadly into three groups [P432.1 ]; following three [C639.1]; has three main components [C1 116.1]; in the last three years alone [Т304.1]; is ... three times as demanding as [П1937.1]; is... three times the [П1695.1]; it may take ... two or three days to [M300.1J]; of three times the [P130.1]; operate on a three shift schedule [P71.1]; rounded to three significant decimal figures [O727.1]; sets of three plots [C427.1]; split three ways [P211.1]; there are three principal types of [ C 1582.1]; three each on [П498.1]; three fourth places [Т468.1]; three general principles govern the operation [B274.1]; three or more [Т466.1]; three orders of magnitude (H1 09.1); three times [Т469.1]; together with three other [B 1155.1]; twice the ... three times that [B854.1]; within the next two or three years [B711.1]; within three 3 months from the date it received [H1004.1]
- three-day:** encompassed a three-day period [3329.1]; these ... encompassed a three-day period [H206.1]
- three-dimensional!** [П2940.1]
- three-quarters:** three-quarters of [Т467.1]
- three-way:** three-way effect on [Т465.1]
- threshold:** response threshold [П1323.1]; there seems to be a threshold beyond which [C 1577.1]
- throttle:** at full throttle [H35.1]
- through (thru):** [B110.0, Б110.4, B1597.0, B1597.5, И219.0, П342.1, C52.1, C59.4, 463.4]; all the way through the production process [H196.1]; are available through [M351.1]; arise from ... through [П1588.1]; consistent thread running through [П3003.1]; curves have been faired through the ... data [П2684.1]; drawing a best line through the data [П2614.1]; enter ... equation indirectly through [B1676.1]; failure occurs through [P332.1]; falling through [П2611.1]; from... through the end of (H731.1); from ... through [O1201.1, C53.1]; go through many ... phases [П3015.1]; goes through a maximum [П3013.1]; goes through numerous checks [П661.1]; hardness uniformity through [П1481.1]; has a ground through [3317.1]; has been through many ... changes [П2049.1]; insert ... through [П2889.2]; is rotated ... through an angle [П544.2]; know-how is passed on through [П99.1]; line is drawn through the points (П2682.1); load is transmitted ... to ...

through [Π98.1]; manually enter them through the keyboard [B845.2]; much through the work of [B279.1]; now, midway through [T173.1]; passes through [Π3012.1]; passing ... water through [Π2887.1]; power goes through ... to [Π683.1]; provisions may be met through [M124.1]; pull... through hole [Π2991.1]; push ... back through holes [B2008.1]; questions were

settled through negotiations [P720.1]; run concurrently from ... through [Π3006.1]; shall continue through [Δ184.1]; stays on through [01085.1]; straight line passed through the data [Π3057.1]; this has come about through [9198.2];

through ... factory direct [H495.1J]; through ... inclusively [C53.3]; through a contract with [Π366.1]; through a series of [H118.1]; through attempts [E73.1]; through carelessness [Π230.1];

through experience it has been found that [0884.1]; through much of [H184.1]; through the medium of [Π1436.2, 470.1]; through the thickness [Π494.1]; through this work more can be learned about mechanisms (B115.1); thru [C52.2]; transit through [Π3018.1]; turns through

180 degrees [Π542.3]; went through several changes [Π2050.1]

**throughflow:** throughflow capacity [Π2890.1]

**throughout:** [B81.1, B685.0, H120.1, Π567.2]; became recognized throughout the world [Π1169.1]; is circulated throughout [Π52.1]; throughout much of [B687.1]; throughout the ... range [B100.2]; throughout the core [Π352.1];

throughout the course of [B738.0]; throughout the course of the experiments [B738.3];

through-  
out the entire plant kingdom [B196.1]; through-  
out the entirety of the data run [B691.1];

throughout the study [B690.1]; throughout the test [B689.1]; throughout the world [B195.0]; were retained throughout [C 1147.1]

**throughput:** [Π2783.4]

**throw:** throw more light on [Π2838.2]; to throw [B 1722.0]

**throw-on:** load throw-on [H233.1]

**thrust:** main thrust of ... work was to [0972.1];

thrust... was [Δ231.4]; thrust of... be [Δ231.0]

**thumb:** as a rule of thumb [C912.1]; rule of thumb [Π2180.1.981.1]

**thus:** [A16.1, B503.2, B601.3, Π1575.2, T93.1, T136.2]; and thus was chosen [Π1583.1];

discussed here thus far [P491.1]; it is thus apparent that [T98.1]; it is thus proposed that (T96.1); most logical explanation ... thus seem to be as follows [T100.1]; reluctance ... can thus be appreciated [M354.1]; results thus obtained [Π1199.1]; thus far [Δ440.4, Δ457.3]; thus making ... difficult to [3500.1]; thus providing [054.1]; thus proving that [Δ545.1]; thus we have [T97.1J]; thus, by knowing ... one could [T95.1]; thus, for example [T17.1J]; thus, to ... were required [Π1579.1]; values thus obtained can then [3482.1]

**tie:** be tied to the fact that [C366.1]; curves have been faired to tie together the data [K482.1]; is closely tied to [T207.4]; is directly tied to [H494.1]; is somehow tied in with [K127.1]; is

tied ... to [C346.4]; tie in ... with [Y77.3]; was...

tied up ... in chemical forms [C356.1]

**tight:** (HI 161.1); is ... tight [H592.1]; nut... thread

on finger tight [3511.2]; schedule for production of... is ... tight [H493.1]; tight control of scheduling [0750.1]; tight supply [Π1102.1]; to ensure ... is tight [Y29.1]; to meet the tight schedule [Y225.1]

**tight-fitting:** [Π305.1]

**tighten:** hand tighten [3512.1]; tighten ... evenly [P117.1]; tighten ... to a torque of ... dry [3513.1]; tighten as it will go [3514.0]; tighten nuts [3510.1]; tighten right home (3514.0); to tighten [3509.0]; to tighten the screws [Π871.1]

**tightening:** tightening the nut finger-tight [3517.1]; tightening the nuts [3516.1]; tightening torque dry (M244.0); tightening torque lubricated [M245.0]

**tightly:** fit tightly around the circumference [Π306.1]; tightly scheduled [P91.1]; was tightly wrapped with [Π302.1]; were bound tightly together [T499.1]; were stretched tightly [T498.1]

**tightness:** tightness (4122.1); turn the nuts to finger tightness [3511.1]

**till:** up till now [Δ457.0]

**tilt:** [H369.1]

**time:** about this time [Π2188.1]; accumulated running time [B1933.1, H496.1]; after a time [C1269.1, 468.1]; after running for a time [Π1366.1]; after some extended period of time [Π377.1]; after what may be a considerable time [Π1362.1]; ahead of time [Δ677.0, Δ677.1,

3424.0, 3424.1]; all the time [B1548.0, B1548.2];

allow time for... to settle [Δ74.1]; allow time [Δ70.1]; are time and site specific [395.1]; as a function of time [B737.1]; as time goes on [C122.5, C189.3]; as time passes [C122.4]; as time progressed [C122.6]; at a time [B215.1, 0579.4]; at a given point in time [H75.1]; at a later time [B1496.0, B1496.4, Π937.5]; at a time

when [B73.1, E230.1, C411.1]; at about the same time [Π2386.1]; at an instant in time [B220.1J]; at any instant of time [B217.2]; at any

time [B44.1]; at any one time [B215.2]; at any time during [B218.1]; at any time within the time frame of [Γ27.1]; at different instances of time [B226.1]; at nearly the same time [Π1546.1]; at no time ... shall ... be left [H1754.1]; at no time [H1706.2, H1753.1]; at one time [349.1, K239.1, 0499.1, 0579.3]; at one time or another [B71.1, B1533.0, B1533.3];

at some time [B216.1, K239.2]; at some future time [K232.1J]; at that point in time [B70.2]; at the time [B637.0, I226.1]; at the appropriate time [B1248.0]; at the earliest time [H155.1]; at

the present time [B45.0, Д691.1, C229.1, C1305.1]; at the right time [B1248.0, B1248.2]; at the same time [B306.1, B76.0, B76.1, B80.1, B1156.0, И10.0, 0579.5, 0583.2]; at the same time that [B78.1, B79.1]; at the time of fabrication [B419.1]; at the time of request for quotations [И1 94.1]; at the time of the design [B36.1]; at the time [B66.0, B70.0, B70.1, B77.1, B1 166.0, B1 166.6, K227.4]; at the time of [B32.0, B211.0, B211.1, B418.0]; at this point in time [B219.1]; at this time [B45.0, B52.1, B224.1, X105.1]; at time intervals [C16.1]; available at the time [И534.1]; be very wasteful in time and money [И2236.1]; because of the limited time available for [И222.1]; by the time [K4.1]; considerable time ... be spent [3489.1]; date and time of failure of the article or its components [Д 123.0]; development time [B1537.1]; dormant time (И227.2); dot denotes differentiation with respect to time [T373.1]; down time [B1536.1]; due to time limitations [B499.1]; during which time [B698.1]; each time [B1652.2, B1653.1, K39.1]; elapsed time from rupture [B1546.0]; every time [B1652.1]; expedient in time and cost [И4.1]; expenditure of time and expense [3486.1]; failure to observe a time limit [H1624.1]; first time [C79.1]; fluctuated with time [K248.1]; for a certain time (H1293.1); for a considerable time [Д501.1]; for a long period of time [B703.1, B703.2]; for a short time [H23.1]; for an extended time period [B707.1]; for any length of time [H22.2]; for most of the time [B702.1]; for quite some time [B1447.1, Д500.1, Д511.1]; for the appropriate length of time [H25.1]; for the first time [B1450.0, B1450.2, B1451.1]; for the time being [B45.0, B45.3]; from that time on (H733.1); from this time onward [H734.2]; from the time that it was first used [C32.1]; from time to time (B 1533.0, B 1533.1); gave much of his time to [Y114.1]; go back ... to the time of [B1442.1]; has been around for a long time [И171.1]; has no time to [H1136.1]; have sufficient time to [Y423.1]; if... has not been run for some time [E156.1]; if sufficient time elapses [И375.1]; in... time period [B632.0]; in a given time = within a given time [34.1]; in a relatively short time [35.1]; in due time [C331.2]; in half the time [B446.0]; in the ... time frame [B335.1]; in the course of time [C 122.1]; in the minimum amount of time [И2090.1]; in the shortest possible time [33.1]; in time [C189.1]; in very short time periods [B636.1]; including time limit in transit and storage [И207.0]; initial time period [H710.1]; instant of time [M242.1]; integration ... with time [И587.1]; invariant with time [H857.2]; is available at the appropriate time [И1498.1]; is being sought at this time [B47.1]; is time consuming [T439.1]; it has been recognized

for some time that [C65.1]; it is time for [H557.2]; it is worth our time to explore [C1466.1]; it was to be but a short time before [H1810.1]; it will take some time [И1531.1]; just one time [T316.1]; lead time [Д314.1, C 1332.1]; length of time it [И2755.1]; long time period [Д307.1]; longer than ... at a time [Д310.1]; matter of time [B1393.1]; Mean Time  
Between Failures [C 1315.1]; much time and effort will have been saved [C1635.1]; much time has been spent [M194.1]; now is a good time to [C414.1]; now is the time to [C413.1]; occur 100 percent of the time [И2820.1]; on a time scale [B696.1]; on time [B1248.0]; one at a time [B1013.1, П418.2, П420.1, П1280.2]; only time will tell [T306.1]; over long periods of time [B703.3]; over a longer period of time [336.1]; over a specific time period [B704.1]; over a very short time period [338.1]; per unit time [B69.1]; percent of the time [B573.3]; persist for a long time [C1 144.1]; persisted for a significant time [C1144.2]; previous to this time [Д440.1, П1947.5, P346.2]; prolonged period of time (Д307.2); providing operating time does not exceed [E43.1]; published ... in time for conference [И211.1]; purchasing lead time [Д313.1]; recognized for the first time [И168.1]; recovery of performance with time [B1441.1]; report ... on time [Я13.1]; require a longer time [T449.1]; response time [И554.1]; save time and money [C1633.1]; separate in time [P209.1]; short time [B1588.0]; short time after [B1590.2]; short time previously [H1240.1]; shortage of time prevented [01547.1]; should the need for such ... arise at a later time [E71.1]; shut down ... any extended period of time [01148.1]; shut-down time [B1530.0]; since that time [C66.3, C123.1]; some time earlier [H1600.1]; spare time job [P15.1]; spend a high proportion of their time at [P80.2]; spend most time at [P80.1]; starting time [B1528.0]; subsequent to that time (И380.1); takes time to develop [T435.1]; taking care not to bend ... at any time [B 1550.1]; there was a time when [B367.1]; this leads to a saving in time [И930.1]; this time [H213.1, H213.2]; time after time [P149.1]; time allowed for [01257.1]; time between overhauls [B1529.1]; time between repairs [M85.0]; time delay [3367.1]; time derivative [И2795.1]; time frame [01617.1, И228.1, И228.2]; time has not yet been reached such that ...can be wholly eliminated [E213.1]; time hasn't stood still [B1532.1]; time histories [3109.1]; time interval [И598.1]; time is a consideration [B1527.1]; time is now ripe [H557.1, И2594.1]; time is short for completion of the effort [B1547.0]; time it takes ... to [B1545.1]; time it would take the ... pressure to (B1541.1); time limits [И1720.2]; time of day

[B1538.1]; time of year [B1526.1]; time required to calculate [B 1543.1]; time scales for the introduction of [C 1327.1]; time taken [B1540.1, B1544.1]; time that [B1539.1]; time to reach [B1542.1]; time variation of [И240.2]; time varying [И294.1]; time was ... propitious for [C524.1]; time will tell [B 1531.1]; to save time send all orders for parts to the nearest branch office or agent [Д422.0]; to this time [Д457.0, Д457.5]; took more time than originally scheduled [П1532.1]; transport ... in a time interval [П137.1]; turn off... one piece at a time [01349.1]; variations over time [И240.1]; varied ... with time [И275.1]; was not considered important at the time [B67.1]; while, at the same time [И10.2]; will bring down the time consumption [П932.1]; with the passage of time [C122.2, C122.3]; with time [B31.0, B31.1, C189.2]; within a reasonable ... time [310.1J]; within a short time [B697.1]; within the scheduled time frame [B633.1]; within the ... time frame [B632.0]; withstood the test of time [B1793.1J]; work ... expended over the time (P19.1); yield a saving in both development time and cost [П935.1]. (См. также times).

**time-averaged:** [Y444.1]

**time-consuming:** are ... time-consuming [01424.1]; time-consuming [T463.1]

**time-proven:** [П2666.1, X48.4]

**time-table:** [Г119.0]; repair time-table [Г126.0]

**timeliness:** [C328.1J]

**timely:** [A102.2, 372.1]; accomplished in a timely manner [B1878.1]; in a timely manner [B1248.0, C331.1]; it is timely to [H556.1]; provided a timely reminder [B 1250.1]; timely completion [C329.1]; timely resolution [C330.1]

**times:** [Y295.2]; as emphasized several times [K65.1]; at a proportion of three to five times [B413.1]; at a succession of times [B225.1]; at a succession of times spanning the entire duration of [Д353.1]; at all times [B217.1, B1548.1, B1563.2, H195.1]; at different times [B64.1, B226.2]; at early times [B337.1J]; at later times [B336.1]; at short times [П2086.1]; at the proportion of... times the [B412.0]; at the right times [B1248.3]; at times [И558.1]; at various times [B65.1]; duration of... is... times shorter [П2754.1]; during early times [H198.1J]; earlier times [B180.1]; greater than ... times [B443.1]; has demonstrated ... many times [Y185.1]; in recent times [B424.0]; in tune with the times [B254.1J]; is ... three times as demanding as [П1937.1]; is ... three times the [П1695.1]; is many times greater than [B450.2]; is many times thicker than [B451.1]; is on duty at all times [H671.1]; know ... at all times [3590.1]; larger times [B174.1]; many times [B568.1, M213.1, H1439.1]; many times greater [B444.1];

many times greater than that of [B450.1];

number of times [H1439.2]; of the times [T351.1]; of threetimesthe [P130.1]; outofa... times [B558.2]; pay for themselves many times over [M214.1]; quantities at large times [Д352.1]; run times [П2756.2]; several times as large [B441.1]; several times that of [B442.1]; successive times [П1410.1]; there may be times when you want [И562.1]; three times [T469.1]; times as long [B448.1]; times less [B449.1]; times of peak demand [П230.1]; times that of [B438.1]; times the [B438.3]; times: ...fold [B437.0]; to ... times the [B438.4]; to a scale of 30 times full size [B177.1]; twice the ... three times that [B854.1]; which is an increase of... times over [4129.1]

**timetable:** timetable for [Г119.3]

**timewise:** [B31.2]; timewise decay of [Y271.1]; timewise evolution [P186.1]

**timing:** sample timings [XI 25.1]; shift in the timing [C378.1]; timing ... began [H718.1J]; timing of [B1535.1, 01564.1]

**tinge:** tinged with yellow [C573.1]

**Up:** practical tip [П 1668.1]; to be rolled not tipped [K199.0]

**tippling:** [0863.1]

**title:** are being reported under separate title [C996.1]; attracted the title [П1149.2]; have a title to [И431.2]; should state his business connection the title of his position [Y204.1]; to have title to [И431.0]

**to-date:** progress obtained to-date [Y430.1]

**today:** [B45.0]; are in use today [B49.1]; best ... available today [J1102.1]; if redone today [B331.1]; inusetoday[H711.3]; today it is well accepted that [B53.1]

**today's:** according to today's knowledge of thermodynamics [И822.1]; at today's prices for [П2100.1]; based on today's knowledge [И820.1]; in today's climate [B724.1]; today's proven technology [C882.1]

**together.** [Bl 152.2,0579.6]; add together [C519.1];

all of this taken together [B991.1]; are ... bolted together [C960.1]; are brought together [П2245.1]; are brought together in [0353.1]; are held together [Y135.1]; brings together [C804.1]; close together [B140.1]; come together [C870.2]; curves have been faired to tie together the data [K482.1]; fitted together [П688.1]; go together (И729.1); go well together [X78.1]; held together [C553.1]; in bringing together the results [0355.1]; locked together [C553.2]; merge together ... coalesce [C642.1]; networked together [0352.1]; patching together the results [0355.2]; taken together, these results [B 1024.1]; taken together, this all indicates that [B992.1]; to cluster together [J194.0, J196.1]; to hold it together [Y124.1]; togetherwith [A41.3, B625.4, Bl 154.1, H534.1, C862.1]; together with three other [Bl 155.1]; was clamped ... together [C554.1];



were bound tightly together [T499.1]; were machined together [0181.1]  
 toggle: toggles between ... and ... mode [Π120.1]  
 token: by the same token [K19.3]  
**tolerable:** tolerable level of [Y369.1], was judged to be tolerable [C1612.1]  
**tolerance:** [Д648.0, Д652.0]; album of main joints and repair tolerances [A105.0]; damage tolerance [Д670.1]; held to **even** closer tolerances [B1791.1]; is not within ... preset tolerance [HI 132.1]; is not within... tolerance of [B2034.1]; maintaining close tolerances on [B1797.1J; off-design tolerance [Д669.1]; possess less tolerance to [M104.1]; production tolerances [Д650.1]; provided the best tolerance to misalignment [Д659.1]; shall have dimensions falling within the tolerances [P259.1]; to be out of tolerance [B2041.1]; to provide the tolerance to [Д656.0]; tolerance ... plus or minus [Д649.1]; tolerance of [Д666.1]; tolerance of... to ... process parameter variations [Д655.1]; tolerance stackup [C659.1]; tolerances ... demanding [C1491.1]; unspecified tolerance values  $\pm 0.6$  mm [H1675.1]; was out of tolerance onthelowside[n5.1.y307.1]  
**tolerant:** [H857.1]; more tolerant of [M98.1]; tolerant of [C1219.1]  
**tolerate:** can tolerate variations in line voltage [Д658.1]; to tolerate [B1789.5, Д656.0]; tolerate variations in ... angle [Д657.1]  
**toll:** exacting a heavy toll of lost [B 1817.1]; taken its toll on [H453.1, C1045.1], takes its toll in the performance [H454.1]  
 tool: [M155.0J; computational tools [B2062.1]; makeshift tools [C207.1]; powerful tool in studying [M397.1]; promising tool [Π255.1]; tool crib [И583.1]; tool in [C1323.2]; tool order [— 3552.1]; tools... technique [M155.5]; tools and accessories [B872.0, 3379.0, И581.0]; tools and appliances [И582.0]; tools for [C1323.1J; training-tools [Y604.1]; useful tool in evaluating [Π1018.1]  
**tooling-up:** [T259.1]  
 top: [B917.0, B918.0, B919.3, M9.2]; as viewed from the top of [E89.1J; at the top [H239.1J; at top [C279.2]; from top left to bottom right [C281.1]; information ... top secret [C843.1J; maintain ... in top condition [Π709.1]; on top of [H156.1, C274.1]; to top it all off [B108.1]; to top up [Д597.0]; top to bottom [C280.1]; top up with ... solution [Д601.1]; top up with ... water [Д598.1]; topped up [Д599.1]; top view [B1077.0J; top view of [B1078.1]; two screws each at top and bottom [Π363.1]; was drawn off the top of [01264.1]  
**top-drawer** Π35.3]  
**top-level:** B882.0]  
**top-notch:** Π35.2]  
**topic:** [B 1391.0]; comments on the topic of [3301.1]; devoted to lubrication topics

[Π1344.1]; on a topic of contemporary importance [H167.1]; on the topic of [Π348.1]; on this topic [Π320.1]; relevant to this topic [01461.1]; research topics [T138.1J; review article on this topic [069.1]; this is a separate topic [Э 170.1]; to give your opinions on topics of [B1974.1]; to introduce the topic [B841.1J; topic assumed new importance [B 1407.1]; topics listed are not exhaustive [Π213.1]; were worried about the same topic [B 1972.1]  
**topicality:** [A99.0]; topicality of the issues [A101.1]  
**topmost:** topmost [bottom-most] position [C228.1]  
**torque:** [M241.0]; tighten ... to a torque of... dry [3513.1]; tightening torque dry [M244.0]; tightening torque lubricated [M245.0]  
**torsion:** in torsion [P88.1]  
**total:** [Д7.2, И849.0, И850.0, 0316.3]; are in need of total replacement [H1890.1]; he authored a total of... publications [Я7.1]; high cost item of the total [C 1556.1]; in total isolation of each other [C827.1]; item of the total [C1103.2]; L, the fraction of the total [Д604.1]; prove a total failure [0665.1]; shown the total inadequacy [Π983.1]; staff totaled fifty [Ш38.1]; taking the total differential of [B1071.1]; to bring the total to [Д495.1]; total ... picture is not as grim as [0336.1]; total energy [C1544.1J; total number of combinations of K ... in a total of N [4102.1]; total number of packages [3584.0]; total of [B259.4, B1566.3]; total of ... weight [C1540.1]; total since beginning of operation [И851.0]; totaled [H579.1, C1073.4]; yielded some, but not total success [Π2244.1]  
**totality:** [B981.1]  
**totally:** is totally unacceptable [C832.1]; totally eliminating the need for [Π 1047.1]; totally intact [C845.1]; totally satisfy ... requirements [Π1069.1]; totally unrealistic of [C833.1]; was totally in keeping with [Π1066.3]  
**touch:** [3179.0]; by touch [H102.1J; do not touch ... with your bare hands [H852.1]; so that ... just touches [T50.1]; solution ... is touched upon [3484.1]; take care not to touch [C1426.1J; to the touch [H102.3]; to touch on [K190.0]; to touch on a matter [3483.0]; to touch upon (*smth.*) [3483.0]; touched by human hands [T470.1]; touches on this matter [3485.1]; until it touches [Д474.2]; warm to the touch [T182.1]  
**toward:** [B679.1, Π409.1); attitude taken ... toward [Π941.1]; came out favorably inclined toward [B1976.1]; directed toward [H483.2J; efforts ... toward [Y380.1]; efforts to ... should be directed toward [B 1023.1]; faces toward [0238.1]; first step toward understanding [Π51.1]; go a long way toward [B305.1]; go some way toward resolving [HI 595.1]; goes a long way toward [0645.1]; holds great promise toward [01670.1]; if progress is to be made toward a better understanding of [E134.1]; intolerance of ... toward [H1655.1]; is biased

- toward optimism [Д59.1]; little tendency toward [H1259.1]; looking toward [E86.2]; oriented exclusively toward [П1345.1]; prompted greater attention toward... rather than [3473.1]; pronounced shift toward the ... range [Я54.1]; provides a strong impetus toward achieving a better understanding of [C 1457.1]; should point toward [Д574.2]; substantial progress toward achieving [3293.1]; switched emphasis toward [И268.1]; technical progress toward [Т221.1]; there was a noticeable trend toward [П1594.1]; toward outside of hub [H481.1]; toward the end of [K6.0]; trend toward ... is apparent [H220.1]
- towards:** [Б 127.0, К 1.1]; bias towards or against [П2529.1]; go some way towards [П2457.1]; move towards [Д 155.1]; precautions were erect-  
ed towards personnel exposure to [Б366.1]; this is not always conducive towards [Э119.1]; towards the end of the ... period [K8.1]; towards the start of [Б129.1]
- trace:** [K474.0]; condensed into a single trace [C312.1]; is traced from ... to [П2909.1]; it ... may ... be traced to [M387.1]; pressure trace [K476.1]; to trace one's origin to [B940.0]; trace amounts [HI 260.1, C578.1]; trace and remedy the cause of [B2085.1]; trace of thermocouple [K478.1]; trace the history of [П2906.1]; trace the outlines [01682.1]; traced by... [K372.0]; traced from ... to [П2907.1]; traces back the origin of ... all the way to [П2908.1]; traces have been drawn from the maximum values of [K481.1]; typical comparison of the ... traces [C1283.1]; was traced to [B375.1, Y447.9]; were traced [П2904.1]
- tracer:** on the tracer scale [B178.1]
- track:** keep track of [B298.1]; keeping track of upcoming events [B299.1]; to keep track of [C580.2]; tracks ... ruled on [H446.1]
- tractable:** were tractable to [J121.1]
- trade:** best trade practices [C235.1]; but this just trades the problem ... for the problem of [H1822.1]; experience in the crafts and trades [B228.1]; in the interests of... trade [B 133.1]; including trades [C81.1]; shares the tricks of the trade [Д243.1]; this is a trade for [Э121.1]; trade mark application [3556.0]; trade mark commodity [И217.0]; trade mark [K220.0]; trade secret [C418.1]
- trade-off:** trade-off [K304.0]; trade-off between [K305.1]; trade-off of [K305.2]
- trademark:** [Т282.1]; registered trademark [3430.1]
- tradition:** by long tradition [П497.1]
- traditional:** now traditional [C1365.1]
- traditionally:** [0400.5, П496.1]
- train:** [A80.0, K211.0]; bring in its train [B 129.4];  
first ... process trains [A81.1]; highly trained [B1988.1]; personnel responsible for... shall be trained in the use of [J164.1]; to bring in its train [B 129.0]
- training:** by training and ... by choice [П416.1]; induction safety training [H709.1]; on-the-job training OJT (0279.1, П2800.1); personnel training [0280.1]; refresher training [П155.1]; specialist training [C1166.1]; specialized training ... in [C1165.1]; training levels of available manpower [Y372.1]; training program [П2710.1]; training techniques, aids or media [M162.1]; training tools [Y604.1]
- trajectory:** deflected ... from straightline trajectories [01344.1]
- trans-shipment:** trans-shipment ... in the harbor [П81.1]
- transaction:** [Т496.2]
- transducer:** response of the transducers was recorded [C455.1]
- transfer:** are transferred ... to [П105.2]; custody transfer [K276.1J]; heat transfer augmentation [И596.1]; heat transfer coefficients were ... correlated [H603.1]; heat transfer [Т187.1]; heat transfer community [C1161.1]; heat transfer to [П680.1]; in-service transfers [Д158.0]; results can be transferred easily to [P648.1J]; transfer ... energy to [П1104.1]; transfer ... to [П169.2]; transfer to [П196.1]; transferred to [П143.1, П147.1, П193.1]; transferred ... to ... account [П73.1];
- transferring:** transferring liquids ... is prohibited [П136.1]
- transform:** Laplace transform [П2016.1]; to trans-  
form ... in profound ways [K379.1]; transformed into [П193.3]; transforms [П1690.2]
- transformation:** not inconsiderable algebraic transformations [Д502.1]; phase transformation [Ф3.1]; transformation from ... to [П190.4]
- transgress:** to transgress ... seriously [C443.1]
- transient:** transient conditions [П205.1]; transient  
pattern [П206.1]; transient period [П203.1];  
transients [H1678.1, П204.1]
- transit:** [П74.2]; evidence of rough handling in transit [П2321.1]; for transit [H20.1]; including time limit in transit and storage [И207.0]; transit through [П3018.1]
- transition:** low enough temperature to allow transition [Д688.1]; making the transition to ... as painless as possible [C399.1]; pronounced transition [Я42.1]; transition from... to [П190.2];  
transition is not a factor [B 1140.0]; transitions between [П187.1]; transitions ... were smooth [П186.1]
- translatable:** is directly translatable to [П 1059.1]
- translate:** is translated into [П3052.3]; requests for permission to translate [П2944.1]; to translate into [B1383.0]; translate into [П2019.1]; translates aft [П135.1]; translates into [B1853.1, 0614.11, П1691.5]
- translating:** translating ... into [B 1385.1]
- transload:** [П80.1]
- transmission:** modem transmission of files [П106.1]; sent via FAX transmission [01491.1]

**transmit:** load is transmitted ... to ... through [П98.1]; transmitted ... latest [П181.1]; transmitted by radio [П101.1]

**transpire:** [0655.4]; it transpires that [0689.2]

**transport:** arranging transport [0903.1]; demand for transport services [П1528.1]; logistics of transport [0901.1]; to transport [Д679.2]; transport ... in a time interval [П137.1]

**transportation:** [П74.1]; transportation ... over long distances [Т414.1]; transportation and storage [M52.0]; transportation to the site [Т413.1]

**transverse:** transverse to [П 1291.1]

**trap:** did not fall into this trap [И158.1]; is trapped [Y239.1]; trapped between [H690.1]; to trap [3518.0]

travel: [Д157.0]; back to the limit of its travel [Д466.1]; to travel [Д153.1, П108.1]; to travel ... distance [П3010.1]; travel schedules [B1534.1]

**traversing:** [П 159.2, Т411.1]

**treat:** [P451.1J]; are treated equally [П1286.1]; be treated separately [P487.1]; information ... treat... in strict confidence [И702.1]; is treated [P485.3]; should be treated with caution [C606.1]; should they really be treated as [C605.1]; to be treated [П741.1]; to treat [A119.0J]; was ... specially treated [П663.1]

**treatment:** [A107.2, B810.0]; basic treatment [Э76.1]; concise treatment with applications [K453.1]; deserving individual treatment in depth [3443.1]; individual treatment in depth [01286.1]; is ... amenable to ... treatment [П706.1]; mathematical treatment [M66.1]; respond to ... treatment [П706.2]; theoretical treatment ... is well established [Т156.2]; treatment is applied [П2369.1]; treatment rates [И594.1]; was ... subjected to a ... heat r- treatment [П664.1]; were given ... treatments [П654.1]

**tremendous:** has tremendous potential [073.1]; is a tremendous listening aid [0649.1]

**trend:** [3104.0, 3253.0, K474.1]; basic trends in ...

behavior [01002.1]; consistent trend (Y513.1); curve follows the same trend [X28.1]; especially considering the overall trend of [01050.1]; general trend [3253.0, 3253.1]; main trends [01001.1]; no appreciable deviation from the normal trend was detected [3290.1]; no definite trend is seen with [K163.1]; no definite trend with ... is apparent [K162.1]; opposite trend is observed for [П2966.1]; opposite trend was observed [H222.1J]; overall trends [0325.1]; reversals of this trend [П2965.1]; show reversals of this trend [0133.1]; show the trend [0135.2]; show the trend of [П3049.1]; there was a noticeable trend toward [П1594.1]; to give the trends but not precise numerical answers [C175.1]; trend (of, in) [И238.0]; trend ... to be that [Т152.1]; trend away from [Т151.1]; trend for a lower [Т148.1]; trend is

away from [H221.1]; trend of [X3.1]; trend of ... is exhibited [Т 146.1]; trend of ... with changes in [И247.2]; trend of [Т150.1]; trend toward ... is apparent [H220.1]; with trends and magnitudes similar [C925.1]

**trial:** (И747.0); computation trials [П2608.1]; "trial and error" search [M159.1]; trial is set for [H294.1]

**triangular:** arranged on ... triangular pitch [P161.1]; in a triangular array [P389.1]; on a ... triangular pitch [C80.1]

**tribute:** is a tribute to [Я16.1]

**trick:** shares the tricks of the trade [Д243.1]

**tricky:** [C661.3]

**trigger:** [П2211.5]

**trim:** standard trim [0398.1]; trimmed [П783.1]

**trip:** [A56.1, P273.1]; trip out [A65.1, 01350.1]; tripped [C 1273.1]; trips [B 1848.1]

**trip-out:** automatic trip-out [A56.2]

**triple:** [Y576.1]

**triplicate:** average of duplicate triplicate tests [C1321.1]; in duplicate [triplicate] [B91.1, B167.1]; in triplicate [quadruplicate] [B168.1]

**tropicalize:** be fully tropicalized [И402.1]

**trouble:** are indicative of ... in trouble [C296.1]; cause trouble in ways not yet foreseen [П2230.1]; causes... trouble (B1813.1); get into trouble from [H725.1]; if these steps fail to correct the trouble [E1 76.1]; if trouble persists [E155.1]; no further trouble occurred [H1745.1];

saves the trouble of [01486.1]; to keep out of trouble [И159.1]; trouble can be diagnosed and corrected [0821.1]

**trouble-free:** [B88.0]; manufacturer guarantees trouble-free operation of the article ... [И207.0]

**trouble-free:** [B65.0, B67.1]

**troubleshoot:** to troubleshoot a ... problem [Y530.3]

**troubleshooting:** [B2080.1, 01598.1]

**troublesome:** [H1 351.1, П2593.1]

**troubling:** what is troubling is [B5.1]

**true:** [B895.0, И95.0, И807.1, И808.0, П746.1, П749.1]; are ... on the low side of the true values [3321.1]; as is true with [K69.5]; as was true in the case of [K139.1]; converse holds true when [0206.1]; did not hold true [H522.1]; especially true for [01046.2]; especially true in the case of [01046.1]; especially true of (01046.3); if the converse is true [E39.1]; if the theory that... is true [E45.1]; in the true sense [B582.2]; in the true sense of the word [B582.1]; is this true? [Э126.1]; is true of [C1245.2]; is true, to a certain extent in the case of [C1248.1]; it is also true, that [B896.1J]; may not always be true [H778.1]; opposite is true for [П2962.1]; represent a true demonstration of the existence of [Д172.1]; reverse is true (H218.1); same ... to be approximately true of [П2394.1]; same is not true for [Э206.1]; same is true for [Т359.1]; same is

true of [Э 192.1]; same seems to be true of... too [T356.1]; this is also true for [Э 171.1]; this is not true in all cases for [3194.1]; this is particularly true [C507.1]; this is true [T20.2]; this is true only if [C510.1]; this will be true [Э 196.1]; true square [И96.1]; true to size [T393.2]; was ... found to be true with [0661.1]; which is true of most [4167.1]

**truism:** [0300.1, T497.1]

truly: is at a truly exciting point [H670.1]; truly remarkable achievement [И750.1]; truly represent [И1625.1]; was truly happening [И2825.1]

**trust:** takes it on trust [И2424.1]

**truth:** far from the truth [B248.2]

**try:** [И2632.2, П3101.1]; tried their hand at [И1304.1]

**tube:** load carried by the tube to tube welds [H250.1]; on ... tube sides [B1242.1]

**tune:** in tune with the times [B254.1]; tuned to [01511.3]

**tune-up:** [H384.2]

**tuning:** fine tuning [T326.1]

**turbine:** specific fuel consumption of the turbine [Y107.1]

**turn:** at the turn of the century [B244.1, HI 39.1]; attention ... be turned to [0208.4]; attention is now turned to [0232.3]; attention will next be turned to [P482.4]; attention will now be turned to [0232.2]; back ... one-quarter of a turn [B1750.2]; back off 1/4 turn [B1750.1]; consider each of ... in turn [P459.1]; do not turn over [B918.0]; give ... a final half turn [3515.1]; having considered ... let us now turn our attention to [P478.1]; if attention is turned to [E60.1]; in turn [B292.0, B292.1, B325.1, П434.1, П 1280.3]; is turned in direction [И262.1]; is turned through an angle of [И544.1]; major turn in the history of the industry [И554.1]; make a 180 deg turn [И542.4]; open ... turns [01362.1]; supply is turned off [B1850.1]; to turn [B2010.0]; to turn down [B1845.0]; to turn in [B826.0]; to turn inside out [B1748.0]; to turn off [B1845.0, 3264.0]; to turn on [Bl 107.0]; to turn out [B2094.0]; turn ... a quarter turn [И547.2]; turn ... one quarter turn [И547.1]; turn ... over [И75.1]; turn ... two turns [И531.1]; turn CONTRAST control clockwise [И548.1]; turn down [B1847.1, И2989.1]; turn down to operate as [И199.1]; turn in screw [B828.1]; turn into [И193.4]; turn of the century [K309.1]; turn off... one piece at a time [01349.1]; turn on [Bl 107.1]; turn on ... motor switch [B1115.1]; turn the nuts to finger tightness [3511.1]; turn ... two turns [И531.1]; turned end for end [И76.1]; turned off [B1845.1]; turns ... to ... color [0719.2]; turns out [0655.1]; turns out to be [0682.1]; turns through 180 degrees [И542.3]; valve turned off [3267.1]; were turned (И1691.3); with ...

attention turned to [C3.1]; with ... determined, attention may be turned to [0837.1]

**turn-down:** at... turn-down conditions [И2089.1]

**turn-key (turnkey):** on a turnkey basis - [И609.2];

turn-key contract [И525.0]; turnkey project [И2767.1]

**turning:** there is no turning back [B 1262.1];

turning ... counter-clockwise ... turning it clockwise [И552.1]; turning ... to [И194.1];

turning now to [0235.1]; turning on the power supply [B1121.1]; turning on [B1118.0]; turning point [И553.1]; you are only turning ... when [A686.1]

**turnover:** [C1543.1]; inventory turnover [0158.1]

**tutorial-based:** [И517.1]

**twelve:** once every twelve minutes [C49.1]

**twenty:** from ... twenty years hence [J42.1]

**twice:** [И146.1]; as twice the width of [P129.1]; at

twice the fundamental frequency [C 186.1]; is high by ... twice [3135.1]; is twice [B859.1]; is twice that [B855.1]; is twice that for [B859.2]; repeated twice more [И575.1]; twice a year [И152.1]; twice as good [B857.0]; twice as much [B856.1]; twice more [E203.1]; twice that (B439.0); twice the ... flow [Y103.1]; twice the ... three times that [B854.1]; twice their size [B440.1]

**twin:** [C386.1]

**two-dimensional:** [И 163.0]

**two-fold:** analysis ... was two-fold [A112.1]; purpose ... is two-fold [И160.1]

**two-part:** [C1 119.1]

**two-piece:** [C 1119.2]

**two-step:** involves a two-step process [B 1905.1]

**two-thirds:** ratio is ... two-thirds [01469.1]

**two-year** have established a two-year lead [0756.1]

typing: [C369.1]

type: [B1077.0, M50.3, T262.2, X1.4]; are classified as to type as [И786.1]; continental type of claims [E1.0]; different types of [P291.1, C239.1]; if work of this type is to be done [E137.1]; many types of [B984.1]; matches

the size and type [C1016.1]; of a type similar to [T264.1]; of many types of information [C225.1]; printer's copy, typed in double spacing [H232.1]; replace it with ... of the same type, size and rating [3284.1]; reveal the type of problems [B2092.1]; the type reported in the present paper [H399.1]; there are three principal types of [C1582.1]; these types of [Э219.1]; this type of [T64.1]; to designate boldface type [И375.1]; two widely different types of [И149.1]; types and intervals of maintenance [B1088.0]; type of hysteresis effect [Э221.1]; type of inspection [B1083.0]; type of maintenance [B1087.0]; type of packages [B1081.0]; type of product (B1082.0); type of repair (medium, major, etc.) [B1086.0]; type of use [X4.1]; typed

double-spaced [H457.1]; typed single-spaced [H456.1]; various types of [P291.2]

**typical:** is typical for [B338.1]; reasonably typical

of [Д694.1]; sequence of a typical experiment [П1406.1]; typical comparison of the ... traces [C1283.1]; typical of [T266.1, X15.3]; typical remedy is to [B2023.1]; typical run [C1 164.2]

**typically:** [K110.3, 0400.2]; it is typically not necessary [0413.1]; typically, the implication is that [0411.1]; which is typically the case for [4155.1]

**typify:** [B339.1, C697.1]; as typified by [T270.1]; in a manner typified by [T39.1]; results are typified...

shown in [T271.1]; typified by [T270.2]

## U

**ullage:** [H1251.1]

**ultimate:** ultimate [K310.0, M9.0, П1187.1];

ulti-  
mate goal [K314.1J; ultimate in availability [M10.1]; ultimate success [K313.1]

**ultimately:** [B158.1]

**ultrathin:** [C278.1]

**unable:** leaves ... unable to [Д211.1]; was unable to cope effectively with [П317.1]

**unacceptable:** [H1545.1J; is totally unacceptable [C832.1]

**unacceptably:** unacceptably high [H1194.1]

**unacknowledged:** is completely unacknowledged by [C836.1]

**unadulterated:** [4111.1]

**unaffected:** was unaffected by [H855.2]

**unaided:** not visible to the unaided eye [H1 169.1];

to spot with the unaided eye [3307.1]; visible to the unaided eye [B1093.1]; with the unaided „ ear [H141.1]

**unaltered:** [H1276.1]; are unaltered as [01101.1]; leaves ... unaltered (H796.1); remained ... unaltered [01100.2]

**unambiguous:** [0586.2]

**unambiguously:** indicates unambiguously [Y214.1]

**unanswered:** be unanswered [H817.1J; have left ... unanswered [01082.2]; is,... unanswered: is [01082.1]; one of the unanswered questions [0516.1]

**unattended:** [A69.1, B15.2]; left unattended [01139.1]

**unauthorized:** provisions ... to prevent unauthorized [M130.1]; unauthorized charges [H1570.1]; unauthorised tampering [H1569.1]; unauthorized use [H690.1]

**unavailable:** unavailable to the public [H1 214.1]

**unaware:** unaware of [H983.1, H1772.1]

**unbounded:** [H1434.1]

**uncanny:** [H1424.1]

**uncertain:** at this time, it is uncertain [B52.1]; it is highly uncertain [C837.1]; measurements ... were of uncertain accuracy [T375.1]

**uncertainty:** expressed uncertainty over the possibility of [B 1951.1]; is subject to much uncertainty [C939.1]; measurement uncertainties

[П600.2]; no such uncertainty surrounds the value of [T67.1]; to within experimental uncertainty [C138.1]; uncertainties on distance [П599.1]; uncertainty about [HI 450.1]; uncertainty in ... measurement [П600.1]; uncertainty intervals [П598.2]; within the uncertainty of [B394.1]

**unchanged:** all other conditions unchanged [П2155.1]; conclusions are unchanged [B1732.1]; remain unchanged [01081.1]; remains unchanged [01100.1]; remains unchanged from [B215.1]; unchanged from [H909.1]; unchanged from the... case [01115.1];

was ... unchanged from the previous [H872.1]

**unchecked:** [B86.1]

**unclear:** effect... is unclear [B1 138.1]; position of ... is unclear [П1101.1]; remained unclear [01104.1]

**uncommanded:** [C208.1J]

**uncommon:** are not uncommon [HI 153.1]; not uncommon [Д508.1]

**unconditionally:** [B81.1]

**unconservative:** [B18.1]

**unconventional:** unconventional aspect [H1429.1]

**unconvincing:** consider ... to be unconvincing [C1614.1]

**uncorrected:** uncorrected for [B45.1]

**uncoupled:** [H1061.1, H1239.1]

**uncovered:** [0128.1, P356.2]

**uncritical:** uncritical acceptance of [H1303.1]

**undecided:** are undecided on the whole [H1040.1]

**undefonned:** quite undeformed [C826.1]

**under:** [B1.0, M92.0, M92.2, P85.1]; appraised under these circumstances [C165.1]; are being reported under separate title [C996.1]; are rooted under the floor [П3007.1]; are still ... under debate [C1197.1]; capability of ... to survive under... adverse conditions [C1216.1]; carry out ... responsibilities under [B1886.1]; come under this category [B1666.1]; correctness under the terms of the order [П 1631.1]; difficulties are even more pronounced under [T474.1]; fire was brought under control [Л1100.1]; from under [И324.0, И324.2]; goes under the name of [И 110.1]; has been under

pressure for [И757.1]; have come under intensive scrutiny [C 1410.1]; identical procedure as found under [П3019.1]; in the case under study [B530.1]; is ... under development ... under contract [P298.1]; is ... under way [B952.2]; is qualified for use ... under ... specifications [П2281.1]; is still under way [B974.1]; is supplied... underpressure [П633.1]; is under consideration [P485.4]; is under the jurisdiction of [B1668.1, H660.1]; just under the ... manifold [П617.1]; much under debate [И115.1, M199.1]; presently under construction [C1516.1]; special case under [413.2]; that is under investigation [И804.2], this potential is ... under investigation [T65.1]; to somewhat under [Д438.1], to survive under... adverse operating conditions [Y594.1], under ... an oxygen atmosphere [B5.1]; under... load [П612.1]; under ... strategy [П404.1], under a prescribed [П2071.2]; under a wide range of conditions [B105.1]; under circumstances [B713.0], under closer inspection [П2121.1]; under conditions [B606.0, B620.1, B713.2]; under consideration [P489.10]; under contract to [3239.3, П366.2, П384.1]; under control [B363.0, H681.1]; under development [P303.1], under discussion [P489.12]; under fault conditions [B720.1]; under investigation [И804.0, P489.11]; under its own power (C336.1); under license [П385.1]; under no circumstances should ... be permitted to get [H1695.1]; under no-load conditions [B30.O]; under normal lighting conditions [П2104.1]; under pressure [H695.1, P92.2]; under separate cover [01288.1];

under some circumstances [B570.3]; under sponsorship from [П2163.1]; under study [И328.1, И804.0, И804.1]; under suitable conditions [П2157.1]; under terrestrial conditions [B721.1]; under the ... approximation [B401.1]; under the action of [П606.1]; under the assumption of [П2066.1], under the auspices of [П2129.1]; under the direction of [П614.1]; under the guidance of [П614.2]; under the influence of [П605.1]; under the right conditions [П2156.1]; under the supervision of [П610.1, П615.1]; under the terms of the contract [П502.1]; under their own weight [П607.2]; under these circumstances [B729.1, П2159.1]; under this mode of operation [B472.1]; under zero gravity conditions [B716.1];

work... was conducted under Contract... with [P29.1]; work is ... under way on [П2694.1]

**underestimate:** [3318.1]; should not be underestimated [H1317.1J]; to underestimate [3318.0]

**undergo:** had undergone only minor changes [П2048.1]; has undergone ... tests [П3002.1]; has undergone radical change [П2047.1]; undergo a complete modernization [П662.1]; undergo a series of operations [П658.1]; undergoes a reaction [B 1644.2]

**underlie:** backbone that underlies [C 1550.1]; to underlie [Л39.0]

**underline:** underlines the importance of [П878.2]

**underlying:** [Л40.1, 0966.3]; assumptions underlying [Д671.1]; key assumption underlying [T57.1]; underlying philosophy was [B275.1]; underlying principles [П2462.1]

**underneath:** [П604.2, C781.3]

**underpredict:** [3318.2]; substantially underpredict [overpredict] the experimental data [A17-1].

to underpredict [3318.0]

**underpredicting:** if not slightly underpredicting [E147.1]

**underscore:** importance... is underscored [П878.3];

underscore the differences in [П882.1]

**underside:** on the underside of [C109.1]; underside of [HI 728.1];

**understand:** are least understood [H360.1]; but it is still not completely understood [H 1783.1]; in a ... not completely understood way [H1081.1]; is ... understood to be [C1619.3]; is easily understood by anyone [01671.1]; is not well understood [И329.1, H1211.2]; is not yet well understood [E217.1]; little is understood of [M27.1]; not yet understood [П956.1]; read and thoroughly understand [B1206.1]; reason for... is not understood [П2581.1]; so we understand [K88.1]; understand the functions of [Y623.1]

**understandable:** [B1489.1]; and it is understandable why [01576.1]; however understandable in the past [K54.1]; is understandable in terms of [0383.4]; there are very understandable reasons for this [Д425.0]; this is easily understandable when [Э180.1]; this is understandable [Э146.1]; this is understandable when one considers [Э181.1]; which is understandable because of [4139.1]

**understandably:** [П1278.2]

**understanding:** [3586.1, П1832.3]; accept with proper understanding [01451.1]; acquire a clear understanding of [Я66.1]; are fundamental to the understanding of [И398.1]; at present there is a lack of understanding [B51.1]; basic understanding [HI 295.1]; devel-

op, ... an understanding [П1274.1]; first step toward understanding [П51.1]; for the purpose of understanding [C176.1]; fundamental to understanding of [H1520.1]; fundamental understanding of the ... process [П 1266.1]; gain some understanding of [П1164.1]; general framework for understanding [0954.1]; have a much better understanding of [3622.1]; have come a long way in our understanding of [H433.1]; however, with the understanding that [0572.1]; if progress is to be made toward a better understanding of [E1 34.1]; improvement in our understanding of [B157.2]; is important in understanding [B784.1]; it is my understanding [H551.1]; must have an understanding of [Д583.1]; now that a rather good

understanding ... has been attained [T170.1]; provide an important, new understanding of [I1907.1]; provided a major advance in understanding [I1907.2]; provides a strong impetus toward achieving a better understanding of [C 1457.1]; represents a major and significant contribution to understanding [I1907.3]; sound understanding of [I 1632.1]; to achieve an understanding of [I481.1]; to acquire a better understanding of [I108.1]; understanding how [I1267.1]; understanding how it is that [I 1275.1]; understanding is still lacking [B972.1]; with the understanding that [I12161.7]

**understated:** are understated [3322.1]

**undertaken:** beefing-up ... is undertaken as a fix for the problem [I417.1]; is undertaken in less than [3326.1]; was undertaken [I 1819.1]

**undertaking;** in undertaking ... management [B94.1]; industrial undertakings [I2854.1]; undertaking shall not apply to [0430.1]

**underway:** [H181.1]; effort is underway to [I1824.1]; getting ... work underway [P189.1]

**undesirable:** economically undesirable [E20.1]; highly undesirable [K441.1J]; highly undesirable event [4152.1]; may seem like an undesirable simulation [M297.1]; surely undesirable [Я46.1]; undesirable consequence of [H1221.1]; which is undesirable [4151.1]

**undetected:** faults go undetected [C248.1]; go undetected [01098.2]

**undiminished:** occupies an undiminished place [3332.1]

**undisputed:** has become the undisputed leader in [3343.2]

**undoubtedly:** [E55.2, H1632.1]

**undue:** [4120.2]; undue concern [H1252.1]

**unduly:** unduly complicate [C656.1]

**unearth:** [0128.3]; literature search failed to unearth any published research of the type reported in the present paper [H399.1]

**uneasy:** are uneasy about [B92.1]; present authors are uneasy about the accuracy of [H406.1]

**unequal:** [H1437.2]; has an unequalled reputation for [I2491.1]; is unequalled [H883.2]; unequalled reputation [H1508.1]

**unequivocal:** unequivocal evidence of [H1634.1]

**unequivocally:** indicated unequivocally that [I3069.2]

**unerringly:** unerringly maintained [T397.1]

**uneven:** more uneven [M103.1]; uneven circumferential [HI 561.1]; uneven heating [HI 560.1]

**uneventful:** were uneventful [H822.1]

**unexpected:** are not unexpected [HI 152.1]; is not completely unexpected [H1079.2]; is not entirely unexpected [HI 079.1]; this result is unexpected [E106.1]

**unfamiliar:** unfamiliar to [H1255.1]; unfamiliar with the intricacies [H1256.1]

**unfasten:** unfasten the assembly... leave ... intact [01355.1]

**unfavorably:** compares unfavorably with [H1178.1]

**unfinished:** [H1242.1J]

**unfit:** to render ... unfit for further use [C397.1]; unfit for service [H1540.1]

**unforeseen:** barring unforeseen circumstances (E55.1); unforeseen circumstance [H1510.1J]; unforeseen conditions [H1511.1]; unforeseen difficulties did emerge [B1348.1]; unforeseen occurrences [H1513.1]

**unfortunate:** this is unfortunate [E157.1]; this is unfortunate since [020.1]; use ... is unfortunate [H688.1]

**unfortunately:** [K15.1]; but unfortunately for the neat explanation [H1796.1]

**unfounded:** [H1355.1]; fears ... were unfounded [0737.1]; this concern proved completely unfounded [0738.1]

**unfulfilled:** significant unfulfilled potential [E254.1]

**unhappy:** unhappy answer to [H1668.1]

**unhook:** unhook ... from [01583.1]

**unification:** unification of [Y300.1]

**uniform:** [I1476.2, PI 13.2]; are taken to be uniform [I2426.1]; spanwise uniform [I1477.1]

**uniformity:** [E28.1]; hardness uniformity through [I1481.1]

**uniformly:** performing uniformly in [01175.1]; uniformly distributed (PI 22.1); uniformly spaced in a circle [P121.1]; were prorated uniformly along [P430.1]

**unify:** [E25.0]; unified approach [Y301.1]

**unimaginable:** it is not unimaginable that [H1664.2]

**unimpeded:** [E96.1]

**uninformed:** uninformed criticism [H1356.1]

**uninitiated:** for the uninitiated [I363.1]

**unintended:** unintended shutdowns [H1515.1]

**unintentional:** [HI 514.1]

**uninterrupted:** [H1528.1]; uninterrupted delivery [H1530.1]; uninterrupted growth [H1517.1]

**unique:** [E15.2, E16.1, 0586.1, Y298.1]; are not unique to [HI 154.1]; are special or unique [086.1]; are unique to [K191.1, 01454.1, I1846.1]; is ... not unique to [X16.2]; is not unique in its dependence [H952.1J]; is not unique to [T80.1]; is unique in that [01399.2]; is unique to [C342.1, X17.1]; provide unique insight into [P572.1]; quite unique to [C1251.2]; to be unique to [T79.0]; unique capability of [Y299.1]; will be unique [H386.1]

**uniquely:** are uniquely determined [0588.1]; are uniquely suited to [H356.1]; described uniquely [0782.1]; is uniquely related to [0589.1]

**unison:** work in unison [P43.1]

**unit:** [A80.1, E146.0, E111.0, P260.1, yi05.1, yi89.1, Y499.4]; adjust and test the units in strict accordance with recommendations outlined in the service manual [M249.0]; catalogue of parts and units [K194.0]; combination units [K271.1]; converting the units of measurement

- [Π171.1]; designed to last for the life of the unit [P513.1]; in English... units [B281.1]; is... shipped as one unit [01266.1]; is graduated at a unit of 0.5% [Γ110.1]; number of parts per unit [K255.0]; per unit... now [H57.1]; per unit length [H56.1]; per unit time [B69.1]; pilot unit [0893.1]; read at a unit of ... with the eye [C1629.1]; sequence of putting ... units [01680.1]; should any unit fail during operation ... [B518.0]; unit of [E1 1.3]; units per assembler [C 1175.2]; with the unit off line [H 100.1]
- united:** was granted ... patents by the United States [Π1156.1]
- unity:** [E1 1.1]; approach unity [C1488.2]; positive  
exponent greater than unity [Π 111 1.1]; unity of [E24.1]; values approaching unity [3599.1]
- universal:** [B1578.0, 0316.1, 0540.2, Y297.1]; are  
of a universal character [И465.1]; has become ... universal [C1413.1]; has become almost universal [Π2490.1]; is the universal practice in engineering discussions [Π565.1]; universal observation [B1579.1]
- universality:** [0346.2]
- universally:** is universally encountered whenever [H217.1]; it is universally conceded by ... and ... alike that [И3.1]; universally accepted [0306.1]; universally known [0301.1]; universally successful [Y297.5]
- unknowingly:** [H864.1]
- unknown:** are as yet unknown [Π954.3]; are attributed to unknown sources [И441.1, Π2828.1]; in an as yet unknown manner [Π955.1]; is unknown as yet [Π954.2]; of unknown origin [HI 275.1]; remains unknown [01099.1]; unknown at this point [Π954.1]
- unless:** [E141.1, E141.2, E162.1, 323.2]; all wires to be X unless otherwise specified [B1015.0];  
but unless ... are so high that [H1790.1];  
casting radii 5 mm unless otherwise specified [H 1676.1]; do not run ... in an enclosed area unless it is well ventilated [H772.1]; is not permitted unless approved by [Д665.1]; not recommended unless [H1057.1]; unless it wants exchanging [E 163.1]; unless otherwise agreed [E167.1]; unless otherwise noted [E150.2]; unless otherwise specified [01142.1]; unless otherwise stated [E150.1, E166.1]; unless specified [E150.3]; unless specified as [E151.1]; unless specified elsewhere [E169.1]; unless suitable measures are taken to control [E143.1]
- unlike:** [B294.8]; is not unlike [H462.4]; not unlike [B1030.1]; unlike for [B294.9]
- unlikely:** highly unlikely [B652.1, K438.1]; is unlikely that [M42.0]; it appears unlikely [Π1887.1]; it is highly unlikely [B1029.1]; it is thought unlikely [Π1887.2]; it is unlikely that [M42.1]; it is unlikely that... had much of an effect on [M43.1]; it would appear unlikely [Π334.1]; with ... it is unlikely that [Y617.1]
- unlimited:** in unlimited supply and at very modest cost [B 156.1]; unlimited number of choices [B106.1, H1436.1]
- unmatched:** [H1507.2]; has an unmatched [H884.2]; is unmatched in [H884.1]
- unmistakable:** effect of ... is unmistakable [B1139.1]; is unmistakable: [Y195.1]
- unnecessarily:** [B35.2]; unnecessarily conservative [И234.1]
- unnecessary:** are unnecessary (H934.1); fill ... order... and avoid unnecessary delays [C332.1]; is an unnecessary burden [H1151.1]; it was unnecessary [H1647.1]; mostly be unnecessary [0413.2]; to save unnecessary expense and delay [И157.1]; unnecessary problems [H1448.1]
- unnoticed:** passed unnoticed [0671.1]
- unobstructed:** [C303.1]
- unprecedented:** unprecedented phenomenon [B98.1]
- unpredicted:** unpredicted consequences to [H1512.1]
- unravel:** [0375.4, P446.1]
- unraveling:** unraveling of ... is still conjectural [0373.1]; unraveling of this mystery [P191.1]
- unreactive:** be unreactive with [HI 055.1]
- unrealistic:** is not unrealistic [B1492.1]; such ... are clearly unrealistic [C847.1]; totally unrealistic of [C833.1]; unrealistic eventualities [H1564.1]
- unreasonable:** are not unreasonable [B 1483.2]; it  
is not entirely unreasonable to [C889.1]
- unreasonably:** [H1357.1]
- unrepairable:** unrepairable damage [HI 470.1]
- unresolved:** remain unresolved [01103.1]; remain unresolved complications [01127.1]; unresolved problem [H1567.1]
- unrestricted:** unrestricted access to [HI 435.1]
- unrivalled:** is ... unrivalled [H883.3]
- unsatisfactory:** generally unsatisfactory situation [B742.1]; unsatisfactory as regards [H1674.1]
- unscheduled:** unscheduled commissioning [Д676.0]
- unscrew:** [01255.1, 01265.1]
- unserviceable:** [H1540.2]
- unsolder, unsolder ... from** [01487.1]
- unsolicited:** [Π 1902.1]; unsolicited proposal [H1458.1]
- unspecified:** unspecified tolerance values  $\pm 0.6$  mm [H 1675.1]
- unstable:** [H1679.2]; stable equilibrium states.... unstable equilibrium [Y514.1]; went unstable [C 1393.1]
- unsuccessful:** efforts to ... were mostly unsuccessful [Π1314.1]; proves unsuccessful [0656.2]; were unsuccessful [0656.1]
- unsuitability:** unsuitability ... for [HI 536.1]
- unsuitable:** are unsuitable for [HI 027.1]; most unsuitable [C831.3]
- unsuited:** is unsuited for [H1027.2]



**unsurpassed:** [H1507.1]  
**until:** [Д435.0, Д449.1, Д461.1, П961.1]; continued until [П2747.1]; further discussion on this is delayed until [Д 106.1]; it is not until later that [И64.1]; lasted until [П2893.1]; may seem ... until one considers [M295.1]; not until [Д80.2]; not until recently [Т303.1]; not valid until countersigned [Б43.0, H825.1]; until ... do not adhere [Д464.1]; until... have been ... determined [Д462.1]; until ... is satisfied [Д463.1]; until after... has been paid [П962.1]; until convergence (B1471.1); until exhausted [Д444.1]; until further ... resulted in [Д460.1]; until it bottoms on [Д474.1]; until it touches [Д474.2]; until recently [Д441.1]; until step ... is completed [Д452.1], until the engine comes to a complete standstill (Д455.1); until the following day [Т313.1]; until the recent past [Д441.2]; until the very end [Д446.1]; until these issues are clear [Д467.1]; will be postponed until later [3354.1]  
**untouched:** be left untouched in the original ... position [01131.1]; leave... untouched [H860.1]  
**unusual:** it's not unusual that [B 1485.1]; no unusual problems were experienced (K168.1); not unusual in [4169.1]; unusual in that [H1427.1]; unusual occurrence [H1431.1]; unusual thing about these [HI 428.1]; unusual wetting behavior [HI 430.1]  
**unusually:** unusually low [H1432.1]  
**unwanted:** to avoid unwanted clutter [4195.1]  
**unwarranted:** may seem unwarranted [M296.1]  
**unwelcome:** most unwelcome [K440.1]  
**unwise:** and it would therefore be unwise to (И51.1); it would be unwise to [Б381.1]; unwise [H1683.2]  
**upcoming:** keeping track of upcoming events [Б299.1]  
**update:** are updated [0841.1]; being ... update [0140.1]; is updated [0141.1]; open item updates [Y570.1]; to update ... study [Y573.1]; to update [Д489.0]; update/expand upon [П163.1]  
**updating:** [M237.1]; updating of [Y568.1]  
**upgrade:** are being upgraded continually [H1527.4]; continuously upgraded [H1527.3]; has been ... upgraded [C850.1]; phase of ... upgrade [01681.1]  
**upgrading:** [Y245.1]  
**uphill:** uphill side [Y602.1]  
**upkeep:** upkeep and attention [P694.1]  
**upon:** [П1353.2]; are ... called upon to [Б303.2]; article upon ... has been accepted by [И216.1]; been agreed upon by [C916.1]; can be relied upon [M349.1]; can only be speculated upon [01126.1]; complete redesign ... was decided upon [П2433.1]; consequent upon [K113.1]; contingent upon [388.5]; demands placed upon [Т427.2]; expounded upon [П795.1]; future of advanced ... is dependent upon this [01197.1];

has a prolonged effect upon [0638.1]; have a deleterious effect upon [0633.1]; honors were bestowed upon [Б340.1]; incumbent upon [Д566.1, 0419.1]; is acted upon [Д180.1]; is based upon the premise that (01022.1); is binding upon [H378.1]; is called upon [01198.1]; one cannot judge upon [Т485.1]; personnel relied upon to carry out ... emergency procedures [И249.1]; placed upon file [3364.1]; recommendations... been acted upon [B1893.2]; relied upon [П1009.1]; relies upon [01020.1]; responsibility for ... is placed upon [B1289.1]; reviewed and agreed upon [P493.1]; solution ... is touched upon [3484.1]; to be called upon [Б303.0]; to be contingent on (upon) [388.0]; to enter upon negotiations [B1639.0]; to place the responsibility upon smb. for smth. [B1289.0]; to rely upon [388.0]; to touch upon (smth.) [3483.0]; update/expand upon [П163.1]; upon completion of [П423.4]; upon entering service (П 1354.1); upon examination ... prior to [П2105.1]; upon initiation by [П373.1]; upon occurrence [П1358.1]; upon receipt [П2111.1]; upon reflection it becomes apparent that [П1369.1]; upon reuse [П2083.1]  
**upper** [B919.2]; upper ... management [P770.1]; upper [lower] portion [B922.1]; upper bound on [B920.1]; upper bound to [B923.1]; upper limit [B920.2]; upper maximum allowable [B921.1]  
**uppermost:** [B354.1]  
**uprate:** [П588.1]  
**upscale:** [B831.1]  
**upset:** (A55.0, P506.1); upset conditions [A57.1, HI 159.2]; upsets the ... alphabetical order [H512.1]; upsets the balance [H517.1]  
**upstream:** [П83.6]; in an upstream [downstream] direction [B231.1]; migrates upstream [П1134.1]; upstream of [B2068.1, П83.5]; upstream propagation [P434.1]  
**upsurge:** prompted an upsurge of research on [B1821.1]  
**uptake:** rate of uptake [Т 142.1]  
**upward:** [B829.1]; facing down [upward] [0240.1]; in an upward [downward] direction [B230.0]; passes ... downward [upward] [П3000.1]; surface facing upward [downward] [П537.1]; upward flow ... downward flow [H482.1]; upward from [B 1199.1]  
**upwards:** [B2065.5]  
**urge:** [H568.1]; are urged to [H569.2]  
**urgent:** need to ... became particularly urgent [H1403.1]; receive urgent priority [C 1406.1]  
**urgently:** [K435.0]; some clarification is urgently required [K445.1]  
**usage:** common usage [0308.2]; found wide usage in [H615.3]; intended usage [H297.4]; major usage ... has been in [B281.1]; range of intended usage [Д286.1]; receives wide usage [П1177.2]

**use:** [П2081.1, П2361.3]; appropriate care should be used [C625.1]; are ... routinely used [П 1475.1]; are used as a basis of design [П1116.1]; are used extensively [Ш21.2]; are widely used [Ш21.1]; be used as an aid in [0679.2]; been used to the present day [И724.1]; caution must be used in (H1383.2); caution should be used [C622.1J]; commonly used [0406.1]; consistent set of symbols is used [И703.1]; currently used [И711.4]; expected to be used in the near future [0597.1]; for... the ... criterion may be used as an approximate guide [П2091.1]; from the time that it was first used [C32.1]; had been used quite widely [Д520.1]; has been used ... in actual design [И696.1]; has been used extensively ever since [Ш22.1]; have... been used sparingly [И719.1]; have been and continue to be used [И733.1]; if it is to be used with confidence [E133.1]; in a similar manner to that used [A126.1]; in the same style used [A125.1]; is used exclusively to [И725.1]; is used for [И716.1]; is used to drive [И723.1]; it is not recommended that... be used [H1058.1]; many uses to which ... can be put [И700.1]; may be used [Д663.1]; most commonly used for [H342.1]; most frequently used [H337.2]; most widely used [H343.2]; no ... was used [H893.1]; not to be used on [H894.1]; priorities to be used [П2494.1]; profitably used [B 1763.1]; put to a number of uses [И701.1]; should not be used to [H1069.1]; so that, in all,... were used [T42.1]; to be used [И715.0]; to get used to a new [П2264.1]; used in place of [И697.1]; used in several ways [И706.1]; used successfully [Y433.2]; used to ... full potential? [П1043.1]; used to advantage [B1415.5, И708.1]; used to control [И712.1]; used to its fullest [И699.1]; used to [0400.6]; used was a (И713.1); uses the fact that [01027.1]; was used in preference to [01277.1]; when used in the appropriate way [П2151.1]; whether ... are used depends on [4140.1]

**useful:** [K334.0, Ш28.1]; contain much useful engineering information [C943.1]; for useful criticism [K337.2]; form a very useful supplement to [C676.1]; has proven useful in [0679.1]; is not useful for [B95.1, H1 542.1]; is useful in [П1023.1]; is useful up to [П2282.1]; it is sometimes useful to know [И564.1]; not useful for [B95.0]; perhaps a more useful objective would be [B 1307.1]; this knowledge is useful to [3587.1]; to be generally useful [П2276.1]; to serve a useful purpose [B325.1, П2455.1]; useful adjunct to [П1020.1]; useful as these ... are [K51.1]; useful for its own sake [П1013.1]; useful guide for ... programs [P773.1]; useful life [C1334.2]; useful practice is to [Y474.1]; useful to [П1017.3]; useful tool in evaluating [П1018.1]

**usefully:** has not been usefully reduced [П1651.1]

**usefulness:** are reaching the limit of their usefulness [H674.1]; finds its greatest usefulness in [H612.1]; limit their usefulness to qualitative results [0461.1]; practical usefulness [П1670.1]; usefulness of [П2265.1]

**user.** different types of user [C239.1]; prospective users [B285.1]; responsibility for ... now rests with the user [01235.1]; same problems face theuseroff[C119.1]

**using:** [И682.0, C25.1, C59.6]; adept at using [3589.1]; advantage gained using [П 1977.1]; equation using... reads [Y353.1]; given consideration to using (P458.1); is any further work planned using (П285.1); is most conveniently handled by using [H335.1]; is no choice between using (B79.1); most success has been encountered using [H348.1]; motivation for using ... is [И685.1]; possibility of using ... to advantage [B1319.1]; real potential for using [P594.1]; scheme was facilitated by using [Д413.1]; using ... as a basis [И695.1]; using ... in place of [И684.1]; using ... safety precautions [C812.1]; using... would have resulted in [И691.1]; using the fact that [Y619.2]; using this machine ... were tested [H208.1]; value of using [B1844.1]

**usual:** are as usual [B1074.1]; corresponds to usual practice [C1023.1]; far from usual in [B1039.1]; in the usual fashion [K97.0]; in the usual way [0392.1]; sometimes, ... but it is more usual [И561.1]; usual method of doing this is to [0390.1]; usual way [0389.1]

**usually:** and not, as usually assumed [A29.1]; and, more usually [A12.1]; as is usually the case [K98.1]; is more usually the case [0403.1]; it is usually assumed that [0414.1]; more usually [433.1]; was usually found to be [0676.1]; wear... was usually apparent [0402.1]; would not usually be considered when [0410.1]

**utility:** [П1015.1]; at the limit of utility [П2114.1]; demonstrated the utility of [П2730.1]; is of utility in [B325.2]; of utility in [П1023.3]; to be of utility [B325.0]; utility of ... is limited [П1212.1]; value of... to a utility [C1463.1]

**utilization:** [И682.1]; commercial utilization of (П2852.1); dictate utilization [T436.1J]; find major utilization in (И720.1); intended ... utilization [П 1753.1]

**utilize:** been utilized [И715.1]; most widely utilized [H343.1]; should be utilized to the maximum extent [C604.1]; to be utilized [И715.0]; to utilize [И693.0]; utilizes a ... for [И694.1]

**utilizing:** [C25.2]; utilizing this idea [0767.1]

**utmost:** of utmost importance is [K436.1]; urgent-ly ; of utmost; utterly [K435.0]; utmost importance [0480.1]; with the utmost care [C45.1]

**utter:** are more easily uttered than effected [J130.1]

**utterly:** [K435.1, C820.1]; urgently ; of utmost; utterly [K435.0]

## V

**vacuum:** vacuum clean [П2891.1]  
**valid:** [Д168.0]; analogy is valid provided [A140.1]; are equally valid for [B673.1, P133.1J]; are strictly valid only for [C1503.1]; be valid for [C1245.3]; equations are valid for [Y360.1]; is not valid [C1389.1]; is valid only for [Г81.1, C1251.1]; not valid until countersigned [B43.0]; not valid until countersigned [H825.1]; remains valid [O1087.1]; this ... is valid as long as [Э191.1]; to be valid [Г79.0]; valid passport [H1553.1]  
**validate:** [П843.1, П855.1, C690.2]; validates the application [П853.1]  
**validation:** [O165.1]; analysis validation [П866.1]  
**validity:** [O166.1]; begin to lose their validity [П167.1]; cast ... doubt on the validity of the theory [B1824.1]; document the validity of... results [O172.1]; extend the range of validity [P569.2]; lends ... support to the validity [П857.1]; questions ... validity of [C1362.1]; range of validity [O102.1]; realm of validity [O102.2]; to ensure the validity [O39.1]; to take stock of the validity [П2653.1]; validity of [П2365.2]; validity of such a representation is in serious doubt [O167.1]; validity of the ... approach [C1241.1]; validity of the assumption of [C1240.1]; validity of the predictions [C1242.1]; validity search [И776.0]  
**valuable:** contains ... valuable information [C942.1]; many valuable lessons have been learned from [M201.1]; most valuable information [H338.1]; to thank ... for ... valuable comments and helpful discussions [П521.1]; valuable as this approach is [H1794.1]; valuable data [Ц37.1]; valuable for the design [П1024.1]; valuable information on [Ц38.1]; was found to be much more valuable than for simply obtaining spectrums [O681.1]  
**value** [B1841.0, 3595.0]; absolute values of [A53.2]; additional value ... obtained [П1137.1]; are ... on the low side of the true values [3321.1]; are only of small value [O646.1]; arriving at ... value of [П1206.1]; assumed value for preliminary calculation [3600.0]; attains its maximum value [Д707.1]; be exactly on the design values [Т401.1]; be of practical value to [И399.1]; be of value [П1858.1]; be within ... of the mean value [O1389.1]; boundary value problem [K434.1]; check values [P647.1]; constant at the wall value [П1478.1]; constant ... values [ni479.1critical value below which (K493.1); detract from the value of [Y249.1]; ]; deviations from the nominal values [O1328.1]; dropped to 75 percent of its maximum value [Y261.1]; fixed value [П1479.2]; handbook ...

values [3596.1]; has limited value [H1019.2, П1860.1]; have intrinsic value [Ц40.1]; have no value [B94.1]; have very little practical value [И396.1]; immediate value to [K424.1J]; increased to values beyond [Y59.1]; insert ... values for [П2913.1]; intermediate between the extreme values [П2843.1]; imposed severe limitations on the value of the predictions [C770.1]; instantaneous value [M77.2]; is ... of value in [Ц41.1]; is also of some value [O849.1]; is of great value to [П1859.1]; is of limited value [И439.1]; is of little value [M34.2]; is of no value [O1191.1, C828.1]; is of some value in [O647.1, C1224.1]; it is not possible to overemphasize the value of [HI 172.3]; key in the ... value [B845.1]; large value of... lies in [B235.1]; lesser of the values... governs [B144.1]; mean value ... over the area [C 1322.1]; no such uncertainty surrounds the value of [T67.1]; of lasting value [Ц43.1]; of limited value [M49.1]; of little value to [B95.0, B95.3]; of no value to [B95.0]; of value to [П1870.1]; of value ... to ... to [П1017.4]; places a high value on [П2288.1 ]; point of much value to [B1397.1]; precise value of [Т383.1]; predicted values by [3602.1]; preset value [3167.1, 3167.2]; reasonable ... value [O170.1]; regulatory values [3604.1]; restricts its range of application to values of [O456.1]; scaled down to real value [П176.1]; suggests a value of 3 for the ... m [П923.1]; tabulated ... values [Т7.1]; take on ... values [П2412.1]; target value [3165.1]; these values compare with [3212.1J]; to be of value [И387.0]; to have a value [И387.0]; to have a value of [И384.0]; to hold ... at... predetermined value [П1712.2]; to store ... value (C1130.1); traces have been drawn from the maximum values of [K481.1]; unspecified tolerance values  $\pm 0.6$  mm [H1675.1]; value judgement [П 150.1]; value of [3601.1, 1213.1]; value of ... to a utility [C1463.1J]; value of ... work was that [Ц44.1 ]; value of using [B 1844.1 ]; valued at ... per [П507.1]; values approaching unity [3599.1]; values thus obtained can then [3482.1]; vary either side of the target value of [И274.1]; was accounted for by appropriately adjusting the value o [Y610.1]; were centered around a constant value of [Г144.1]; were not... of much value [H1019.1]; with ... the value of... may be further refined [3597.1]  
**valve:** valve turned off [3267.1]  
**vanish:** to vanish [И838.0, И838.2, O222.2]; any semblance of ... vanishes [B1654.1]; once ... vanishes, so does [K129.1J]  
**vanishingly:** vanishingly small (И841.1)

**vapor-suspended:** [B1064.1]  
**variability:** [И255.1]; bias and variability [C501.1]  
**variable:** definition of the separate effects of... variables [0806.1]; equations with ... independent variables [Y357.1]; independent ... variables [H1237.1]; performing a change of variable [П2789.1]; process variables [П22.1]; were quite variable by [C472.1]  
**variance:** [K244.0]; are at variance with [01387.4, P535.3]; variances in scope of supply [K246.1]  
**variation:** [3104.0, K244.0]; allow some variations on [Д661.1.1]; can tolerate variations in line voltage [Д658.1]; circumferential variation in [И246.2]; considerably less variation [3625.1]; continuous variation in [П273.1]; heat-to-heat variations [И248.1]; minor variations in test conditions (H1164.1); stagewise variation [И245.1]; time variation of [И240.2]; tolerance of... to... process parameter variations [Д655.1]; tolerate variations in ... angle [Д657.1]; variation (of, in) [И238.0]; variation of ... with [И247.1]; variations from [01326.3]; variations in ... are disregarded, as are variations in [И253.1]; variations in ... conditions [И254.1]; variations in properties among [P236.1]; variations over time [И240.1]  
**variety:** are of... variety [B 1875.1]; defined in a great variety of ways [C1571.1]; in a variety of applications [B575.1]; in a variety of ways [P243.1 ]; in a wide variety of situations [B576.1 ]; large variety of [B250.1]; on a wide variety of [B3.1]; varieties [P280.1]; variety of [P782.7]; variety of industries [P241.1]; wide variety of [C238.1, III14.2]; wide variety of different systems [C240.1]  
**various:** [P283.1, T361.1]; at various stages in [H200.1]; at various times [B65.1]; difficulties were encountered on various fronts (C1375.1); due to various circumstances [B1598.1]; enter ... in various ways [III287.1]; in various ways [П462.3]; made in various angles [И196.1]; of the various ... in use at the present time [C1305.1]; take various forms [П2439.1]; to select from among the various ... surfaces [B1692.1]; various ... duties [P242.1]; various kinds of [C223.1 ]; various other problems were evident [B2097.1]; various types of [P291.2J]; was influential in various ways [П2235.1]  
**varnish:** varnish severity [И593.1]  
**vary:** [B817.1, И256.3]; be varied between ... and [И282.3]; cannot be varied independently of [H1313.1]; could be varied [M324.1]; did not vary more than ... from [H870.1]; does not vary by more than a factor of (И280.1); however much ... may vary [K55.1]; if one varies [E54.1]; permitting ... to be varied [П1909.1]; suggested that... should be varied [П1733.1]; to vary [И256.0, И270.0, K247.0]; varied ... between (И284.2); varied ... went from ... to [И282.2]; varied ... with time [И275.1]; varied

as much as a factor of two [И271.1]; varied continuously [П276.1]; varied from ... to [И265.1]; varied in such a way as to [И291.1]; varied requirements [И295.1]; varies ... from one ... to the next [И285.1]; varies ... in that (01399.3); varies as a function of [И273.2]; varies as the inverse of [И289.1]; varies little with [M29.1, C566.1]; varies with [И290.1]; vary ... in [P224.1]; vary by a factor of [И276.1]; vary either side of the target value of [И274.1]; vary from (01387.3); vary from ... to [И284.1]; vary from one ... to another [И285.3]; vary in ... from ... to [И283.1]; vary in proportion to [И288.2]; vary much from [H428.1]; vary over wide limits [И277.1]; vary proportionate to (И288.1); vary with [И273.1]; vary with the second power of [И278.1]; was varied by about a factor of 4 [И281.1]; was varied systematically (И258.1); wire colors vary between manufacturers [Y10.1]  
**varying:** identical... yield varying (0547.1); there was ... a provision for varying [П1916.1]; time varying [И294.1]  
**vast:** to achieve vast savings on [Д724.1]; vast amount of information [0295.1]; vast amounts of literature [0296.3]; vast majority of [П639.1]  
**vastly:** [3614.0]; vastly superior to [3621.1]  
**vehicle:** to provide a vehicle for [037.4]  
**velocity:** at a velocity of [C100.1]; collapse velocity of... bubble [C548.1]; increases by the sixth power of velocity [B 1365.1]; velocities sum to zero [C1541.1]; velocities were all... all [B1017.1]; velocity components [C1104.1]; velocity independence [H1233.1]; with velocity [C92.1]  
**vendor** [T333.1]; vendor accountability [01238.1]; vendor servicing [П1421.2]; vendor surveillance of [H278.1]  
**vent:** is vented to an exhaust [B 1723.2]; pressure ... to be vented [C263.2]; system ... be vented [B1926.1]; to vent (B1722.0, B1924.0); vent the air [B 1925.1]; vented into the atmosphere [C262.1]; vented to the atmosphere [C1006.2]; were vented to the atmosphere [B1723.1]  
**ventilate:** do not run ... in an enclosed area unless it is well ventilated [H772.1]; store in a ventilated,... shady area [XI 16.1]  
**venture:** ventured briefly into the field [П728.1]  
**venue:** Date/Venue: [Д124.1]  
**verbatim:** verbatim copy of [Д675.1]  
**verge:** is... on the verge of [H669.1]; on the verge of breakdown [H40.1, П622.1]  
**verification:** (A168.2, П2619.3); experimental verification [Э35.1]; failing the verification procedure [H793.1]; provides partial verification of [45.1]; qualitatively amenable to verification [П704.1]; verification activities [MI 32.1]  
**verify:** and this, too, is verified by [И79.1]; are ... rigorously verified [П3009.1]; check verified [П2624.1]; conclusion was verified [П844.2];

has been amply verified [Π862.1]; has been widely verified [M215.1]; has yet to be verified [Δ579.1], is pure conjecture and needs to be verified [B1568.1]; is verified by [Π860.4]; need to be verified with experiments [H1891.1, T447.1]; verified ... suspicions (Π850.1); verify continuity [Π2643.1]; verify proper operation [Y30.1]

**verifying:** verifying that [Π859.1]

**versa:** and not vice versa [A30.1]; and vice versa [И41.5]; or vice versa [И41.6]

**versatile:** [Y297.2]

**versatility:** [Y296.1]

**version:** [B810.0]; breadboard version [Л2.1]; exists in the official versions (C1569.1); large-scale version [Y71.1]; shortened version [C986.1]

**versus** (vst: [A24.4, B 112.4, B627.3, B737.3, И 1.2, П484.12]; behavior of... versus [3107.1]; check invoices for ... versus [C270.1]; influence of... versus ... cannot be separated [H1332.1]; schedule of... versus [3108.3]; versus ... plot [Г122.1]

**vertical:** classical vertical plate case [K219.1]; held in a vertical position [Y132.1]; is inclined ... off vertical [01341.1]; makes an angle of 20 deg with the vertical [C1096.1]; vertical positioning [Y501.1]

**vertically:** are displaced ... vertically [C736.1]; are held vertically [Y132.2]

**very:** [B1027.0, B1655.0]; are ... very much under debate [M1 99.1]; are in a very serious state of disrepair [H1894.1]; are very distinct [C475.2]; are very much the same [B203.1]; are very speculative [И463.2]; are very welcome [01051.1]; at the very outside [Π465.1]; be very wasteful in time and money [Π2236.1]; by its very nature (Π469.1); compare very well with [01678.1]; compared very favorably with [01678.2]; due to... being very busy [B515.1]; effect ... is not very pronounced [B1 136.1]; form a very useful supplement to [C676.1]; has been following ... very closely [C582.1]; have very little practical value [И396.1]; in unlimited supply and at very modest cost [B156.1]; in very near term [B13.1]; in very short time periods [B636.1]; is in a very nearly [01654.1]; is very gratifying [01669.1]; is very much a matter of [B210.1]; is very much like [01665.1]; is very wasteful [B934.1]; is very welcome [B1619.1]; it is very possible that [B1028.1]; it would be very surprising if ... were to be [B377.1]; literature contains very limited advice [B171.1]; made very little difference [M40.1J]; one cannot be very precise in this kind of study [B136.1]; over a very short time period [338.1]; relies very much on [B204.1J]; requires very little in the way of [T443.1]; show a very close resemblance to ... are ... very similar to [01665.2]; that simplifies very much

[Э177.1]; their very presence [C201.1]; there are very understandable reasons for this [Δ425.0]; there is very little difference between ... and [P229.1]; this observation is very inconclusive [Э103.1]; to be very well suited for [B1491.1]; to the very edge [Δ448.1]; until the very end [Δ446.1]; very close closures resulted [B889.1]; very existence of [C205.1J]; very few [01666.1]; very few apparently know (01667.1); very high degree of commonality (01664.1); very important needs which have to be met [01659.1]; very latest [H1824.1]; very likely [C539.5]; very little, if any ... is lost [E128.1]; very much larger [H416.2]; very much lower than [H424.2]; very much smaller than [H420.2]; very near [B820.4, Y11.1]; very nearly isothermal [Π1647.1]; very nearly [01654.2]; very nearly the same [Π1558.2], very rare indeed [01663. 1J]; very recently [C888.2J]; very roughly [Π433.1]; very same as those of [T343.2]; very significant reduction in ... a strong reduction in ... a slight reduction in [01656.1]; we would be very interested in discussing [M435.1]; would be very welcome [M361.1]

**vessel:** vessel contents [C937.1]

**vest:** powers ... vested in [H276.1]

**vexing:** [B28.1]

**via:** [Π1436.3, Π3098.3, C59.8, 463.1]; are powered via ... from [Π264.1]; delivered ... via [Π637.1]; eliminating ... in favor of ... via equations [B 1947.1]; is specified via the angle of (3157.1); sent over the phone lines via modem [01492.1]; sent via FAX transmission [01491.1]; signals ... conveyed via [Π102.1]; via a different mechanism [И538.0]; via a different mechanism than do [И542.1]; via the good offices of [Π2085.1]

**viability:** [Ж15.1]; economic viability [Э11.1]

**viable:** only viable option [E23.1]; viable replacement for [Ж14.1]

**vibration:** [K244.0]

**vice:** and not vice versa [A30.1]; and vice versa [И41.5]; or vice versa [И41.6]

**vicinity:** in the immediate vicinity of [B820.1J]; in the immediate vicinity of the edges (Y12.1); in the near vicinity of, but greater than [01653.1]; in the vicinity of (B819.1, П483.1); something in the vicinity of [4221.1]; work in the vicinity from [P74.1]

**view:** [B1077.0, M187.0]; arrow A view [B1077.0];

as viewed (E86.0); as viewed from the top of [E89.1]; back view [B1077.0]; be viewed as [P460.1]; be viewed with a high degree of [C1620.1]; bottom view [B1077.0]; brought into view a further requirement [B 1780.1]; close view [B1077.0]; close-up view of a portion [430.1]; coherent and organic view of [Л28.1]; comprehensive view of [Π1085.1]; cut-away view [B1077.0]; developed view [B21.0,

B1077.0]; distorted view of [B20.1]; end view [B1077.0, ]; drawing and brief description of its views [K456.0]; end view of [B1080.1]; enlarged view [B1077.0]; establish the view [Д543.1]; exploded view [B1077.0, B22.2]; from  
 divergent views on [И228.1]; front view [B1077.0]; general view [B1077.0]; head-on view [B1077.0, B1079.1]; his views on ... were well developed [Y7.1]; in my view [И407.1]; in the field of view [B347.1]; in view of [B832.0, И1347.2]; in view of... employed to [B832.1]; in view of the fact that [B833.1]; in view of the previous argument [H84.1]; inside view [B1077.0]; integrated view [И12.1]; is preferred from ... point of view [И1817.1]; is shown in pictorial view [И3 14.1]; lateral view [B1077.0]; lends weight to the view [И2285.1]; may (can) be viewed as [M364.0]; may be viewed as [M364.1]; partly broken away view [B1077.0]; phantom view [A87.1]; plan view [B1077.0, И279.2]; rear view (B1077.0); sectional view [B1077.0]; should only be viewed as tentative [C627.1]; side view [B1077.0]; simplified view of [Y345.1]; simplistic view [Y346.1]; synoptic view [K450.2]; to bring into view [B1777.0]; took the proper view of things [И1622.1]; top view of [B1077.0, B1078.1]; view  
 along arrow A-A [B1077.0]; view is ... shared [P210.1]; view is reinforced by [И734.1]; view of [Т370.1]; view the choices [И2911.1]; viewed  
 from [И157.1]; viewed from above [E90.1]; viewed with an open mind [P452.1]; when viewed [E86.0]; with a view to [B745.2, P510.1, C 120.3, C 168.3]; with the view of [C 120.2]; with this aim in view [Д424.0]  
**viewing:** [P451.3]  
**vigor.** [И591.0]  
**vigorous:** [A96.0]; vigorous activity developed [A97.1]  
**vigorously:** [И589.0]; vigorously react with [Э83.1]  
**vindicate:** had been vindicated [И860.5]  
**vindication:** is vindication for [C685.1]  
**vintage:** [Г78.1]; is of recent vintage [01448.1]  
**violate:** are clearly violated [Я45.1]  
**violation:** violation ... of the assumptions [H527.1, H527.2]; violation of the basic assumption of [A48.1]  
**virgin:** on virgin [B618.1]  
**virtually:** [И1644.2, Ф8.3]; are virtually equivalent (И492.1); are virtually nonexistent [И1661.1]; contained virtually no possibilities for... error [И662.1]; is virtually independent of [И490.1, И1649.1]; is virtually indistinguishable from [И1650.1]; results were virtually indistinguishable from [P654.1]; virtually impossible [И1653.2]; with virtually no attention other [И1645.1]  
**virtue:** [Д737.0]; by virtue of [B110.0, B514.1]; by  
 virtue of... nature of [B516.1]; by virtue of a [B110.2]; enjoy ... virtue in that [076.1];

possesses the additional virtues [081.1]; virtue of the method [Д739.1]; virtues of being [Т77.1]; were not considered suitable for... by virtue of [И2314.1]

**vis-a-vis:** [A24.7, B627.4, И484.2]

**viscosity:** keep viscosity low [И715.1]; power to reduce the viscosity [C1215.1]

**vise:** clamp ... in the vise [3198.1]

**visibility:** [B 1097.0]

**visible:** [B1091.1, B1095.1, 01647.2]; are visible on the ... surfaces [B1094.1]; barely visible [E3.2]; easily visible to the eye [X45.2]; faintly visible [E4.2]; is slightly-visible [E3.1]; may not

be visible [M261.1]; not visible to the unaided eye [И1 169.1]; visible at 30 x magnification [B1096.1]; visible to the unaided eye [B1093.1]

**visit:** field visits [И 1346.1]

**visual:** be subjected to a visual examination [И2999.1]; give a visual impression of [Д40.1]; there was visual and audible evidence of [H224.1]; visual ... observations (B1 105.1); visual access [B1103.1]; visual aids [H246.1]; visual appearances [B1 194.2]; visual examination (B 1104.1)

**visualization:** for ease of visualization [Д354.2]; to aid the visualization [Д354.1]

**visualize:** [M442.1]; can be visualized [M357.0]; can be visualized as [M358.1]; may be visualized [M357.0, M357.1]; visualized as [И1872.1]; we visualized [И 1873.2]

**visually:** [H36.2]; visually check ... for [Y37.1]; visually check crates [0946.1]; visually fitting [И685.1]; visually inspect [0944.1]; were visually examined [И2686.1]

**vital:** [Ж12.1]; are vital in [K443.1]; is vital to (K443.2); it is vital to [01658.2]

**viz:** [Т293.3]

**vogue:** in vogue [И518.1]

**void:** measure in the prevention of voids [C 1210.1];

or warranty is void [B551.1]; shall become null and void [Т199.1]; to void [A144.0]; warranty ... voided [A146.1]

**volition:** of his own volition [И371.1]

**voltage:** can tolerate variations in line voltage [Д658.1]; feeding the ... voltage ... to the input [И632.1]; line voltage is supplied to [H492.1]; never handle voltages. [3412.0]; preventing any excessive voltage from damaging [И1774.1];

step up the voltage to [И587.1]; voltage ... be connected to [И631.2]; voltage drop across [И10.1]

**voltmeter:** connect voltmeter between terminals [И729.1]; connecting a... voltmeter between... and ground [И2523.1]

**volume:** is ... 1/3 air by volume [C1117.1]; occupy ... volume [3340.1]; volume ratio [01428.1]; weight/volume [B929.1]

**voluminous:** voluminous literature [0296.1]

**vulnerability:** [Y622.1]

**vulnerable:** are vulnerable to [И314.1]

## W

**waive:** [H925.1]

**walk:** walk a fine line between [C1 138.1]

**wall:** allowable casting wall thickness difference is not to exceed 10 percent of the wall thickness [Д664.0]; constant at the wall value [П1478.1]; flush ... in the wall [3396.2]; Hush with the ... wall [3396.1]; impinging on the wall [Y99.1]; sealed to the ... wall [Y309.1]

**walled:** heavily walled [T298.1]

**want:** may want to [M322.1]; there may be times when you want [И562.1]; these would want to be considered [И856.1]; unless it wants exchanging [E163.1]; we want [H400.1]; we will want [H402.1]; you may want to use [B1297.1]; you will want to [B809.1]

**warm:** warm to room temperature [П2713.1]; warm to the touch [T182.1]; warm up to [П1569.1]

**warm-up (warmup):** [P294.1]

**warn:** to warn of potential ... failure [П1909.1]; warn ... against [П1766.1]; warn ... of the hidden danger [П1911.1]

**warning:** [B1201.0, B1202.0]; fire warning system [C493.1]; give no warning [П2824.1]; same warning applies to [Э172.1]; WARNING! [B1202.1]; WARNING: [П1769.1]; without warning [B1191.1]

**warrant:** [Д26.1, 0799.2]; further work in this area appears warranted [Д344.0]; not enough to warrant any ... as a means of [H928.1]; to warrant [Г14.0, 3442.0]; to warrant attention [3445.0]; warrant singling out... as a [0801.1]; warrants ... be free of defects in material and workmanship for a period of one year from date of (Г16.2); warrants ... to be free from defects in materials and workmanship for a period of one year from the date [Г16.1]; warrants attention [3445.4]; warrants further discussion [3458.1]

**warranty:** [Г6.0, Г7.1]; invalidate warranty [Л169.1];

or warranty is void [B551.1]; this Warranty does not apply to [H572.1]; warranty... voided [A146.1]; warranty period [Г7.2]; warranty repairs [Г8.1]; warranty work [Г8.2]; was still within the warranty period [Г9.1]

**wary:** be wary of [01162.2]

**wash:** [П2848.1]; washes over [0734.1]

**washing:** washing off [C748.1]

**waste:** by avoiding needless waste [И156.1]

**wasteful:** [P523.1]; be very wasteful in time and money [П2236.1]; is very wasteful [B934.1]

**watch:** keeps close watch on new developments in this direction [П2528.1]; was read with a stop watch [01568.1]; watched [H215.2]

**watching:** watching and lighting [Д164.0]

**water:** amount of water present [K254.1]; are not soluble in water [H1053.1]; diluted with water [P156.1]; district water [C448.1]; domestic hot water supply [Г98.1]; hooked up to ... water [П1726.2]; passing ... water through [П2887.1]; run ... on water [Д73.1]; sea water recovered [P597.1J]; too much water [4123.1]; top up with ... water [Д598.1]; water contamination of the fuel [3150.1, П1283.1]

**water-insoluble:** [B1251.1]

**water-tight:** [H1551.1]

**way:** accomplished in two ways [Д714.1]; all the way in [Д447.1]; all the way round [П356.1];

all the way through the production process [H196.1]; all the way to [H121.1, П278.1, П1037.1, П2908.1]; behave in much the same way ... as [B199.1]; behave this way [B947.1J]; behaves in the opposite way [B948.1J]; by way of [B363.0]; byway of comparison [Д400.2]; by

way of example [B150.1, 0780.1]; by way of illustration [Д345.1]; by way of reminder [H465.3]; byway of summary [C1549.1]; cause trouble in ways not yet foreseen [П2230.1]; contribute in two ways to [C1223.1]; convenient way of [Y150.1]; defined in an alternative

way [3384.1]; defined in a great variety of ways [C1571.1]; differs ... in many ways (01379.1); dissimilar in the way it works [01394.1]; do not compare in any way with (H867.1); does not ... in any way [H1690.2]; effect is always present in one way or another [B1144.1]; either way [B538.2]; enter ... in various ways [П1287.1]; expressed another way [Г74.2]; find its way into [П2861.2]; forced

its way [П2896.1]; from ... all the way to [H732.6]; from the way in which [И135.1]; fruitful way to introduce the effect of... is to [П1014.1]; givewayto (M120.1, H151.1, П193.5,

C724.1.Y545.1); go a long way toward [B305.1,

0645.1]; go some way toward(s) [H1595.1, П2457.1]; has no way of indicating [H1736.1]; have come a long way in our understanding of [H433.1]; having a way of [Y250.2]; hydraulic all the way [И732.0]; in a way [B304.1, B581.2,

Д468.3]; in a detached way [0174.1]; in a ... not completely understood way [H1081.1]; in a far different way than [C887.1]; in a limited way [B266.1, B666.1]; in a multitude of ways [B312.0]; in a regular way [P378.1]; in a roughly parabolic way [П2189.1]; in a profoundly complex way [И53.1]; in a similar way [A136.2]; in a somewhat different way [H1594.1];

in an indirect way [K403.0, K403.1]; in an

orderly way [B28.1]; in a variety of ways [P243.1]; in creative ways [T123.1]; in different ways [П1462.2]; in every way [B309.0, B309.3]; in every way identical to [0546.1]; in every way possible [B1655.0]; in its way [П1468.1]; in many ways [B312.0]; in much the same way as [B207.1, П2192.1]; in no way [H1690.1]; in no small way [B665.1]; in no way replaces [H1760.1]; in one way or another [T31.4]; in some ways [B304.2]; in such a way as to [T43.2]; in such a way that [T43.4, T101.1]; in such a way to [T43.1]; in the following way [C640.2]; in the same way [T403.1]; in the same way as [T26.2]; in the usual way [0392.1]; in the way of [B339.0, B339.2]; in the way of a precaution [C335.1]; in the way they ... [П1495.1]; in this way [B116.2, B307.0, B307.2]; in this way... was achieved [T94.1]; in this way it was possible [T 137.1]; in various ways [П1462.3]; is ... under way [B952.2]; is correlated in some way with [C364.1]; is exactly the way [C 1411.1]; is hard to identify in any precise way [T477.1]; is pushed all the way in [Y554.1]; is still under way [B974.1]; know ... what to do each step of the way [3593.1]; led the way in [3343.1]; long way from [H124.1]; long way off still [B973.1]; made its way into [П2861.1]; modified ... in such a way as to permit [Y421.1]; move ... out of way for [Y40.1]; much more effective way [3616.1]; not all... behave in this way [H777.1]; occur in a number of different ways [И 114.1]; one way could be to [0507.2]; one way in which this might [0523.1]; one way or the other [B238.2, B681.1, П549.1, C379.1]; one way to show this is to [0522.1]; or even the other way around [И337.1]; possible way of (0507.1); put another way [T74.3]; requires very little in the way of [T443.1]; right way round [П1621.1]; same way as [T404.2]; show the way [П1982.1]; split three ways [P211.1]; the best way to evaluate [01631.1]; to give way to [M1 15.0]; to steer... way successfully through ... procedure [Y432.1]; to transform ... in profound ways [K379.1]; used in several ways [И706.1]; usual way [0389.1]; varied in such a way as to [И291.1]; was influential in various ways [П2235.1]; way it sounds [T13.1]; way out [B2022.0]; way out of proportion to [C835.1]; ways were sought to [И646.1]; were not abnormal in anyway [B945.1]; when done in this way [П2167.6]; when used in the appropriate way [П2151.1]; will in no way alter [H1 759.1]; without in anyway intending to detract from [H924.1]; work exactly the same way [P77.1]; work is ... under way on [П2694.1]

weak: has a weak influence on [C565.1]; strong and weak features [C462.2]

**weaken:** hypothesis ... weakens [Г39.1]

**weakness:** strengths and weakness [Д741.0];

strengths and weakness of [Д741.2]

**wear** any wear [B956.1]; be examined for wear [П2636.1]; be wear resistant [И311.1]; cause ...

wear [B 1805.1]; in order of decreasing wear resistance [B369.1]; is the worst case for wear [C1227.1]; stand up to wear [C1053.1]; states of wear [C1110.1]; to combat wear [Д324.1]; to

save wear and tear [B127.1]; wear ... was usually apparent [0402.1]; wear testing [И749.1]; wears out [И310.1]; badly worn [C473.1]; worn down [И310.2]

**weather** protected from weather and entrance of extraneous materials [3545.1]; weather protection [3536.1]

**weather-protected:** be stored in ... weather-protected area [X117.1]

**weather-tight:** is ... weather-tight [3549.1]

**week:** for a period of days to weeks [B701.1]

**weekday:** [B 106.1, P 103.1]

**weekend:** [H1557.1]; weekends and holidays 1Д434.1]

**weekly:** [E35.1]; on a weekly basis [B1879.1]

**weigh:** is ... weighed against [C1036.1]; need to be weighed carefully [H1391.1]; was weighed with ... balance [B1060.1]; weigh critically [K497.1]; weigh heavily [И360.1]; weigh heavily

in making a ... choice [П172.1, C477.1];

weigh out [01254.1]; weighs ... dry [B927.1];

weighs ... one-fourth as much [B928.1]

**weight:** by its own weight [П1618.1]; by the weight of numbers [И229.1]; give weight to the fact that [Y615.1]; greatest [least] weight is given to [П2286.1]; lends weight to the view [П2285.1]; net weight benefit [4110.1]; no weight was given to [H1030.1]; not have carried as much weight [H886.1]; packed weight [B924.0]; provide extra... at less weight [046.1]; shows ... for the molecular weight [X10.1]; support the weight of [Y127.1]; tare weight [B926.0]; to a concentration of 1 part ... to ... parts ... by weight [B162.1]; to take the weight off [P194.1]; total of... weight [C1540.1];

under their own weight [П1607.2]; weight was

given to [П2287.1]; weight/volume [B929.1];

weighted average of [C 1306.1]

**welcome:** (4149.1); are very welcome [01051.1];

are welcome but not required ^ЖЬ.1]; is very

welcome [B1619.1]; particularly welcome in

what [01040.1]; provides a welcome addition

to [Я23.1]; we would all welcome additional

contributions concerning [X80.1]; welcomed

[П1586.1]; would be very welcome [M361.1]

**weld:** clean off the welds [M150.0]; fabricated ...

welds [3124.1]; load carried by the tube to

tube welds [H250.1]; welded into [B821.1]

**welding:** welding techniques [T252.1]

**well:** [B 1475.0, Д90.0, 3614.0); agree quite well

with [Д518.1]; although this may well be due

to [X102.1]; and just as well [И82.1]; apply



equally well (B668.1, B670.3); are ... well taken [B326.1]; are not well characterized at the present time [Д691.1]; are so well known as to hardly need restating [H566.1]; are well in hand [B1486.1]; as well {H26.1, K501.5, T51.1}; as well as [A41.0, A41.1]; as well as being able to predict [П1252.1]; as well as in [K70.2J; as well as other [П767.1]; behave well [B949.1]; by well over [3620.1]; check well [X75.1]; compare very well with [01678.1]; compare well with expectations [X77.1J; could well be the result [M313.1]; do so well [0688.1]; does not appear to be well documented in the literature [H1209.1]; equally well (0552.1, C156.1); forwell over [B193.1]; go well together [X78.1]; goes well beyond [H431.1]; his views on ... were well developed [Y7.1]; is not well known [HI 211.1]; is not well understood [H329.1, H1211.2]; is not yet well understood [E217.1]; is too well known to require further review [Д698.1]; is well beyond the scope [B2039.1]; is well capable of [B1494.1J; is well documented [0789.1, П797.4]; is well established [T156.1, T156.2, X53.1]; is well within our reach right now [B 1478.1]; it is now a well established fact that [T180.1]; it is well known from experience that [H127.1]; it is well known that [X54.1]; it is well recognized [X54.2]; it may well be necessary to [M285.1]; keep ... well lubricated [C940.1]; less well [H971.1]; may well be (B1480.1, H375.1); may well justify [B1481.1]; might well be [B1482.1]; mix well [X64.1J; observations compare well with theory [Э43.1]; reason ... agrees so well [П2585.1]; reasonably well [Д697.1, C140.1]; same reasoning is followed for ... as well [T87.1]; speaks well for [C692.1, Y15.1]; such may well have been the case [B1317.1]; to be very well suited for [B 1491.1]; today it is well accepted that [B53.1]; was not well received [H791.1J; was well advanced [Д717.1]; was well aware [X67.1]; was well behaved [K185.1]; was well received [0595.2]; well above [H416.3]; well ahead of the allocated drilling days (H427.1); well before [3190.0, 3190.2]; well behaved [X72.2J; well documented experiments [X56.1J; well exemplified by [X39.1]; well fitting [X69.1]; well home [Д453.0, Д453.3]; well in advance of [3190.0, 3190.3, H426.1]; well in excess of [H432.2]; well in front of [Д91.1]; well into the test [П1375.1]; well ordered process [X79.1]; well over [B189.0, 3617.3]; well proven [X48.2, X48.3]; well qualified personnel [B1989.1]; well recognized procedure [0303.1]; well represented by equation [X59.1]; well suited to [X66.1]; well to the left of [H417.1]; well within [377.1]; were well advanced [X61.1J; were well approximated by the relation [X58.1J; what is successful for **one** ... may not work

well, if at all, for another [T281.1]; would be well suited for [B 1488.1]  
**well-characterized:** is well-characterized [X7.1]  
**well-defined:** fit a well-defined pattern [H461.1]  
**well-documented:** [Д559.1, П798.1]  
**well-established:** [П3028.1]  
**well-founded:** well-founded assumptions as to [X57.1]  
**well-known:** well-known technique [X52.1]  
**well-nigh:** well-nigh impossible [П 1554.1]  
**well-practiced:** With well-practiced ... stirring [П2145.1]  
**well-proven:** well-proven technique [X49.1]  
**well-tailored:** [X70.1]  
 went: varied ... went from ... to (H282.2); went back to [B1274.3]; went further [П950.1]; went on stream [B1647.2J; went through several changes [П2050.1]; went unstable [C1393.1]  
 west: to the west... [H60.1]  
 wet: to confirm it to be wet or dry [Y33.1]  
 wetting: unusual wetting behavior [HI 430.1]  
**what:** [K147.1, K407.0]; after what may be a considerable time [П1362.1]; agree on what we mean by [Д527.1]; agree with much of what [C931.1]; and what little that has been done [H23.1]; as to what effect [B298.1]; casts doubts on what [B 1826.1]; contrary to what would be expected [B1388.3]; correspond to what [C 1021.1]; exemplary specimens of what [0198.1]; give good insight into what takes place in [X35.1J; higher by ... above what could be obtained [B2067.1]; in the light of what has been put forward [B486.1J; in what follows [B89.1, H1712.3]; in what follows, we investigate [H1716.1]; is limited in what he can do [0476.1]; is to ... what... is to (Я37.1); it is not known what the costs would be to develop [H1274.1]; just what [K148.1J; keep you informed of what is going on [Д264.2]; know ... what to do each step of the way [3593.1]; let us now look at what happens in [П1431.1]; open question is what [H1568.1]; or, what amounts to the same thing [H347.1]; over what would be expected [П486.1]; particularly welcome in what [01040.1]; picture of what occurs [K189.1]; question of what [B 1403.1]; regardless of what it is called [B1 175.1]; see exactly what was happening [P169.1]; shows in ... simplified form what happens to [П978.1]; to see what is actually happening [П1429.1]; to what extent [B657.1J; what all this has to do with (K151.1); what are conventionally referred to as [K418.1]; what has been done is to use [Д426.1]; what has changed is [H292.1]; what if [A45.1]; what impact is expected [K150.1]; what importance, if any, should be attached to (H540.1); what is ... but [4170.1]; what is important is that [B799.1]; what is known as aging [Я5.1]; what is new is that [HI 832.1]; what is now called

[T278.1]; what is presumably missing here [4137.1]; what is successful for one ... may not work well, if at all, for another [T281.1]; what is the effect on [K 142.1]; what is the future of [4168.1]; what is the justification for considering [H547.1]; what is troubling is [B5.1]; what lets it down [4128.1]; what might be a helpful start [Д358.1]; What remained was [01128.1];

What remains then is to [T 176.1]; what they are specific for is [C1173.1]; what this would do is [B995.1]; what to do next [4134.1]; what was actually taking place during [4136.1]; what was the amount of [K 149.1]; what will have an effect is [4146.1]; what with [B494.3, И219.4]; will be referred to as ... in what follows [H1713.1]; with reference to what has been noted above about [B1277.1]

**whatever** [Bl 174.4, K153.1, K153.2]; for whatever reason [И445.1]; whatever the cause [K156.1, H1227.1]

**whatsoever** [Bl 174.0, B1371.0]; no... whatsoever [B1380.1]; no ... whatsoever could be [B1378.1]

**when**: [B352.0, B32.0, B32.1, B211.0, B418.0, E37.0, И552.1, K227.0, T287.1]; agreement ends when [P281.1]; and particularly so when [01047.1]; applies only when [И2372.1]; apply equally well when [B668.1]; at a time when [B73.1, E230.1, C411.1]; care must be exercised when [H1 383.1]; converse holds true when [0206.1]; day when ... is long past [B1513.1]; even when [Д81.1]; except when specified on drawings [325.1]; if and when [E161.1]; if difficulty is encountered when [B519.1]; instituted when clinically indicated [H295.1]; interestingly when [И616.1]; is inferior... when contrasted to [X130.1]; is not so surprising when one considers [H1 109.1]; keep containers closed when not in use [B334.0]; only when [T305.1, T318.2]; operate when misaligned [P49.1]; particularly when [01035.1]; than when no ... is involved [445.1]; when compared to [И484.7]; when compared with [B627.2]; when considered in relation to [E84.1]; when considering [E97.1, P477.1]; when convenient (K243.1); when defined in terms of [E56.1]; when designing [И2116.1]; when done in this way [И2167.6]; when dry [K230.1]; when essential to the comprehension of [K242.1]; when facing [E86.0, E86.1, E88.1]; when first detectable [B212.1]; when fully developed [И1374.1]; when going from ... to [C48.1]; when needed [И2096.5]; when no ... is involved [K235.1]; when no ... exists [B320.0, B321.0]; when not in use [K233.1]; when ordering this part be certain to specify [И2073.1]; when plotted [И2113.1]; when possible [B577.1]; when stripped down to its barest fundamentals [E1 13.1]; when used in the appropriate way [И2151.1]; when viewed [E86.0]; which when

substituted in ... gives [4159.1]; with the exception of when [320.2];

**whenever**: [B1652.3, B1652.4, K128.2]; is univ-  
sally encountered whenever [H217.1]; mode is operative whenever [P627.1]; on short notice whenever a scheduled opening occurred [C1297.1]; whenever feasible [E164.1]

**where**: [B517.0, B560.0, Г23.1, K227.1, H68.1, И2084.1, T107.1, Y3.1]; consider the case where [P481.1]; developed to a point where [P302.1]; exactly where (T386.1); except in cases where [322.1]; except where [323.1];

except where indicated [326.1]; except where otherwise noted [327.1]; except where specifically stated [318.1]; except where stated otherwise [324.1]; for example, cases occurred where [H488.1]; for the infrequent condition where [H150.1]; from where [01367.1]; improved to where [Y420.1]; in circumstances where [B560.2]; in situations where [B560.1]; increased to a point where [Y67.1]; instances exist ... where [И507.1]; it doesn't really matter where [И 1652.1]; more nearly correct where [B155.1]; no matter where [H1229.1];

project has progressed to the point where [P26.1]; return to where you were [B902.1]; situation has now emerged where (C415.1); slashed to the point where [Y365.1]; to a point where [H567.2]; to the point where [Д471.1]; where ... then (E1 58.2); where agreed contractually [K241.2]; where applicable [T109.2]; where appropriate [Til 0.3]; where available [E53.3J]; where contractually specified [K241.1];

where danger lies [И 1884.1]; where differences exist... shall govern [B559.1]; where fatigue is a consideration [B561.1]; where I feel it's necessary [Til 4.1]; where it is appropriate [Till.1]; where it was connected to [B187.1]; where necessary [E171.1, Tl 10.1]; where practicable [Til 5.1]; where relevant [T113.1]; where

service conditions are reproduced as accurately as possible [B715.1]; where there is a possibility of [T108.1]; where this is practicable [T112.1]; where... then [E158.0]

**whereabouts**: [M151.1]

**whereafter**: [И 1380.4]

**whereas**: [A1.5, E158.3, H1620.4, T291.2, X84.1];

whereas there is no shortage of [X104.1]

**whereby**: [B594.1, И1437.1]; model whereby [M236.1]; orderly pattern whereby [Y327.1]

**wherein**: [B 169.2]

**whereupon**: [И1380.2]

**wherever**: [B1649.1, B886.1]; avoid ... wherever possible [И160.1]; wherever possible [B887.1, T109.1]

**whether**: [H1228.1]; as to whether ... further investigations did not so indicate [4145.1];

decision to be made as to whether... should be [И2432.1]; determine whether ... is operating properly [0830.1]; first major decision to be

made was whether... would be [Π1950.1]; it is natural to question whether [E180.2]; it makes no difference to ... whether ... is localized, or distributed [Д323.1]; it remains to be seen whether [01116.1]; it remains to be seen whether ... is [01121.1]; point of interest was whether or not ... would [H403.1]; prohibit a good indication of whether ... actually happened [H1001.1]; question arises as to whether ... should be ... or whether ... should be [B1612.1]; question arises whether this [B1611.1]; question whether ... is not really resolved [B1404.1]; some doubt ... as to whether ... would [H1297.1]; whether ... are used depends on [4140.1]; whether ... is in danger... or not [Г131.1]; whether... or [И2.2]; whether or not ... would [Б344.1, H754.1]; whether they be ... or [Б357.4]; whether they can be realized remains to be seen [H1 900.1]; whether this be ... or [Б357.0]

**which:** [K407.0]; after which [Π1380.1]; against which [C60.1]; all the ... which is necessary [B957.1]; and one which [И37.1]; another area which has received too little attention [E222.1]; as to which [B301.1]; at the opposite end from which (H65.1); at which point [Π 1380.3]; best which can be done [C231.1]; beyond which [345.1, C1577.1]; critical value below which [K493.1]; determine which one of [0823.1]; duration of which extended [Д312.1]; during which time [B698.1]; each of which [K34.1]; first... following which [B1167.2]; for reasons which will become apparent shortly [Π452.1]; in which [B169.0, B169.1]; in which event (И13.0, И13.5); just those which [T320.1]; no matter which [H1230.1]; none of which [H1702.1]; not the least of which [Д98.1]; nothing else has been available which has proven to be better [H1 768.1]; of which [И123.1, P466.1]; of which ... is an example [Π2381.1]; of which structural elements [T363.1]; standard against which to compare [Э91.1]; standard to which [Э92.1]; that ... which [T348.1, T349.1]; that which [T347.1]; to which allusion was already made in [K421.1]; which ... each [K34.3]; which did not occur [H1820.1, 0574.1]; which ensures [4154.1]; which has implications for [4163.1]; which if it had existed ... must have been eliminated [K415.1]; which is entirely expected [4164.1]; which is next to impossible [4160.1]; which is not bad considering [4165.1]; which is not surprising [4153.1]; which is not the case for [440.1]; which is obviously less than [4173.1]; which is often the case [K145.2]; which is reasonable [4130.1]; which is so desirable [K420.1]; which is to say that [Д762.3]; which is true of most [4167.1]; which is typically the case for [4155.1]; which is understandable because of [4139.1]; which is undesirable

[4151.1]; which made it impossible to [4133.1]; which may explain why [K426.1 ]; which means that [A47.0, A47.1, 4156.1]; which need to be appreciated [08.1]; which should be avoided [K429.1]; which when substituted in ... gives [4159.1]; which work side-by-side [P41.1]; which would be a saving [4132.1]; which would otherwise be lost [K410.1]; which yields [4131.1]; which, in itself, would indicate [4161.1]; with which ... is concerned [07.1]; with which to compare the results of this analysis [C27.1]; without which this ... would not have been possible [Б29.1]

**whichever.** [A18.1, Л117.0, Л123.1]; shall not exceed ... whichever is less [H833.1]; whichever is less [M1 12.1]; whichever is lower [B1704.1];

whichever is the least [B1704.2]

**while:** [A1.2, Б352.0, B32.0, B33.1, B72.1, B76.3,

И10.1, И44.1, K227.5, П952.2, T291.1]; after operating for a while [Π2895.1]; and while it does have deficiencies [И71.1]; and while [И68.0]; be careful while performing the follow-

ing procedures. [Б358.0]; exercise extreme caution while you are working on [Б361.1 ]; for a

while [B700.1]; surprisingly while [И617.1]; this

was done while holding [Э 128.1]; while ... were

not [439.1]; while firing [B39.1, Π2124.1]; while

giving full recognition to [Π 1058.1]; while important [Б355.1]; while in reality [T292.1];

while in the... mode (H684.1); while keeping in mind the following... [H853.1]; while not a factor in [H774.1]; while observing [H225.1];

while on [B32.0]; while on load [B38.1]; while possibly not the original intent [X101.1]; while providing [053.1]; while recognizing the difficulty of [Π1272.1]; while running [B37.1];

while

staying within proven ... experience [H803.1]; while still [B76.4]; while still [B76.0]; while still

... far from [Б353.1]; while systematically chang-

ing [Π2079.1]; while there is an extensive body of research literature devoted to [X1 06.1];

while

we feel [X103.1]; while work is in progress [B739.1]; while working [B421.1]; while, at the same time [И10.2]

**whoever:** [B 1020.1]

**whole:** [B953.2]; are undecided on the whole [H1040.1]; as a whole [B741.0, B741.1];

destroy the whole purpose of [C321.1]; for ... as a whole [Д331.1]; in the country as a whole [B683.1]; on the whole [B741.0]; over the whole ... range [B100.1]; rounded up to the next whole number [0725.1]; to the nearest whole number [C 135.1]; were favored on the whole [B743.1]; whole length [H53.1]

**wholly:** [B1475.0]; is not wholly clear [H1080.1]; partially or wholly [44.1]; time has not yet been reached such that ... can be wholly eliminated [E213.1]; wholly austenitic [Π1035.1]; wholly or partially [Π1042.1]; whol-

ly satisfactory [B1495.1]

whose: all of whose points [B1021.1]; whose implication will be clarified [C751.1]

**wide:** [B149.0, B224.0]; but not by a wide margin [H1815.1]; found wide application [H614.1]; found wide usage in [H615.3]; gained ... wide acceptance in [H615.2]; gained wide acceptance [3127.1]; has generated wide attention ... to issues [Π2202.1], have been in wide use [Π21.4]; have wide commercial use [Π23.1]; in a wide variety of situations [B576.1J]; is... in wide use [Π21.3]; key slot 4 mm wide x 2.15 mm deep [B1966.0]; long ... wide ... high [Д297.1]; of a wide range of possible [B1560.0, B1560.1], on a wide variety of [B3.1]; quite a wide latitude [B1035.1]; receives wide usage [Π1177.2]; to receive wide and confident acceptance [Π1172.1]; under a wide range of conditions [B105.1]; vary over wide limits [И277.1]; wide cross section of [Π1831.1]; wide difference [B249.1]; wide range of [Π14.3]; wide selection of [B225.1]; wide variety of [C238.1, Π14.2]; wide variety of different systems [C240.1]

**wide-scale:** wide-scale introduction [B 1184.1, Π15.1]

**wide-spread:** gained wide-spread acceptance [Π1171.1]; most wide-spread [C221.2]

**widely:** [M213.0]; although less widely known [X94.1]; are widely used [Π21.1]; differ widely [C475.1]; had been used quite widely [Д520.1]; has been widely verified [M215.1]; have been widely quoted [C1346.1]; is widely encountered in [Π119.1]; is widely favored as [Π1220.1]; it is... not so widely observed [HI 112.1], it is widely held that [Π26.1]; it is widely known that [Π20.1]; most widely used [H343.2]; most widely utilized [H343.1]; two widely different types of [Д149.1]; widely available to [0298.2]; widely held contention [Π25.2]; widely scattered data [C480.1]

**widen:** range ... was widened [P568.2]

**wider:** gaining wider and wider acceptance [3128.1]; to set this study in the context of a wider investigation, of which it is a part [P466.1]

**widespread:** be in widespread use [Π1177.3]; has been in widespread use [Π21.5]; t is now widespread practice to [B56.1]; receives wide-spread use [Π1177.1]; research activities ... became so widespread that [И792.1]; widespread concern [Π27.1]; widespread deformation [0294.1]; widespread opinion [Π25.1]; widespread use [Π17.1]; without widespread reporting [B63.1]

widest: are of widest use for [H344.1]

**width:** as twice the width of [PI 29.1]; in width [Π12.1]

**willing:** [Γ102.0]; are we willing to [Γ108.1]; that seem willing and able [K409.1]; were willing to suffer some inconvenience in return for being

able to [C930.1]; were willing to suffer some inconvenience [Γ105.1]

**willingness:** willingness from ... to sell [C902.1]

**wind:** was oriented into the wind [0908.1]; wound round [H407.1]

**winning:** winning the tender [Π1518.1]

**winterizing:** [Π701.1]

**wipe:** [Π2982.2]; wipe clean [B2016.1]; wipe dry [B2015.1]; wipe off excessive [Y93.1]; wipe off [B2014.1, C 1460.1]; wipe the exterior of [Π2983.1]

**wiped:** cleaned ... rinsed, dried, and wiped [01690.1]; wiped clean [Π2984.1]

**wire:** [Π822.1]; all wires to be X unless otherwise specified [B1015.0]; attach the ground wire [Π2524.1]; neutral wire [H1913.1]; run the ... ground wire [Π2836.1]; stripping of the wires [3527.1]; wire colors vary between manufacturers [Y10.1]; wires or leads marked ax to be connected to [Π2668.1]; wires to be run and terminated in accordance with Spec. No [Π2669.1]

**wiring:** [M247.0]; electrical wiring diagram [C1599.1]; keeps wiring mishaps from damaging [Π11775.1]; wiring diagram [C1598.1]; wiring harnesses [Э74.1]; wiring instruction(s) [И575.0]

**wisdom:** [И5.1]; wisdom of [C749.1]

**wise:** (B123.0, C124.5); it is wise [И3.2]; it would not be wise to speculate [K318.1]

**wisely:** most wisely [H330.1]

**wish:** [3522.1]

**wishful:** wishful thinking ... won't do [0503.1]

**with:** (A41.0, A41.6, B1.0, B32.0, B112.0, B494.0, B517.4, B1 154.0, B1 154.3, Д321.0, Д321.3, Π1353.6, Π2093.2, Π2161.6, Π2167.2, Π2571.1, C59.5, Y1.3); accept with proper understanding [01451.1]; accords with [C920.1]; achieved with the aid of [01180.1]; acquainted with [3581.0]; advantages lie with [Π1980.1]; affords many benefits compared with [И437.1]; agree closely with [X76.1]; agree quite well with [Д518.1]; agree with much of what [C931.1]; agreement with ... is remarkable (C904.1); albeit with some sacrifice in [X99.1]; align ...with [H633.1, C865.1, C866.1, C1009.1]; alignment ... with an index mark [C869.1]; allows compliance with (Π934.1); along with [A41.0, A41.5, B1154.0, B1154.2, H535.1]; although with little success [X90.1]; and with good reason [И42.1]; applied with complete confidence [Π2371.1]; are ... correlated with [C920.7]; are ... in shunt with [Π46.1]; are ... with respect to [Π323.2]; are at variance with [01387.4, P535.3]; are brought into contact with [Π2217.1]; are constructed with [C1515.1]; are contrasted with [C1036.2, C1280.3]; are faced with the problem of [C1372.2]; are familiar with the ins and outs of [B307.1]; are finding favor with [H608.1]; are fitted with

[C757.2]; are fraught with problems: [B524.1]; are happy with this situation [T73.1]; are identified with [B1627.2]; are in accord with [C920.2]; are in broad correspondence with (B263.1); are in conflict with [H640.1]; are in line with the concept that [C926.1]; are not competitive with [H922.1], are not consistent with [H1077.1]; are practically identical with [Π1657.1]; are solved simultaneously with [P724.1]; are tasked with [B118.1]; as contrasted with [B294.0, B294.3, B605.0]; as correlated with [B605.0]; as is often the case with [K146.1]; as is true with [K69.5]; as with [K73.1]; associated with [H1562.1, Π1678.1, C358.1]; attached ... with sufficient strength [Π2338.1]; become familiar with [0609.1, 0610.1]; beginning with ... and ending with [H732.2]; beginning with ... and ranging to [H732.4]; blend in smoothly with [Π200.1]; blends ... with (C726.1); blow ... dry with compressed air [B2004.1J]; by analogy with [Π326.1]; by contrast with [B416.2]; byratioing ... with [01462.1, 01463.1]; captured with [0784.1]; carrying with it [Y302.1]; cascaded with [B1 117.0, B1 117.2]; cast integral with [01372.1]; caught on big with [H622.1]; caught up with [Д529.1]; Certified with Honors [Π1136.1]; charged with [3397.3]; check with [C870.8]; claim ... be initiated with the carrier [Π1934.1]; close links with [T205.4]; closely associated with [T207.8]; closely integrated with [C1083.1]; coat... with [Π999.1]; coincident with [0582.1, C870.6]; concerned with [И376.3]; consistent with [H648.1], combined with [B625.0, B625.2, C 163.1]; combines with [C964.4]; come in contact with [Π2547.1]; come out with [B2031.1]; comes complete with [Π1452.1]; comes with a standard ... housing [B1929.1]; commences with [H727.2]; commensurate with [B337.1, C1012.4, C1024.10]; commitment does not end with [0431.1]; comparable with [B131.0, B131.2]; compare with [M315.1]; compare apples with oranges [C1282.1]; compare favorably with [B1764.1, B 1840.1, 01678.2]; compare unfavorably with [H1178.1]; compare well with [01678.1, X77.1]; compatible with [C868.1, C920.6J]; compete with ... for [K328.1]; complete with [B157.1, Y235.1]; compliance with ... regulations (Y156.1); compliance with this standard does not eliminate [C1011.1]; comply with [C1012.3]; comply with ... regulations [Y168.2]; comply with 1-4.1, 1-4.2, or 1-4.3, as applicable [C1018.1]; comply with the ... standard [01244.2]; concerned with [И423.1, K190.1, 01443.7]; consistent with [C920.4]; contoured with a radius [C555.1]; coplanarwith [H634.1]; correlated in some way with [C364.1]; consistent with [Π1066.2]; concerned with [3359.1]; concise treatment with applications [K453.1];

concomitant with [C101.1]; concurrent with (H534.3, 0582.2); conflicts with [B1643.1, Π2973.3, P535.2]; confronted with difficulty [C1374.1]; Confronted with [B1632.1J]; connected in series with [B1 117.0, C972.1]; consideration is concerned with ... only [A 108.1]; consistent with [B589.2, B590.0, 4166.1]; consistent ... compared with [C 1352.1]; consistent with good practice [B599.1]; consistent with their past performance [K72.1]; contend with [B258.3]; contract with ... for [A526.1]; contracted with [3239.2]; contracts are placed with [3239.1]; contracts for service with [3238.1]; contrasts with [H640.3, Π2973.1, P535.1]; coordinated with [C916.2]; cope with [C1252.3]; coplanarwith [B342.1]; con-elate with [C346.1]; correlate ... data with the expression [0785.1]; correlated with [C 1036.3]; corresponds with [C1012.2]; couple ... with [C346.3]; coupled with [A41.0, A41.4, B625.0, B625.3, B 1154.0, B1 154.4, C350.3]; coupled with the fact that [A9.1]; decomposition of... with the production of [P360.1]; derivative of... with respect to [Π2794.1]; desired with (T456.1); develops ... familiarity of... with (3578.1); differentiating ... with respect to [Д292.2]; differentiation with respect to (Д292.1); diluted with water [P156.1]; disincentives to proceed with [H1219.1]; dispensed with [0286.1]; end with [0695.1]; entering Fig. with [Π1224.1]; equated with [Π2515.2]; equipped with [И365.1, 0160.1, C757.4J]; even with [B1551.1, H1610.5, H1786.1]; exception with [И672.1]; experience with [0877.1]; experiment with [Π1535.1]; expertise in this area ... is held with [B227.2]; explanation lies with the increase [0384.1]; faced with in [C28.1]; faced with proper resolution of [ C 1370.1]; faced with the requirements of (C1369.1); familiar with [3581.0, 3581.1]; feel comfortable with operating [Π1570.1]; filing a complaint against ... with [И626.1]; filled with [3397.1]; fitted with [0160.2]; fluctuated with time [K248.1]; Hush with [B1552.1, 3183.1, 3396.1]; followed with (353.2); for application with [Д381.1]; furnished with [K300.1J]; gain experience with [Π2485.1]; had anything to do with [И419.1]; have familiarity with [3581.2]; have little to do with [И415.1]; have nothing to do with [H881.1J]; have to do with (И376.2, И423.2, K190.3J); have a direct link with [C359.1]; have been retained ... with no changes [C1127.1]; have met with problems such as [C 1373.1]; have not compared favorably with [Π2778.2]; have not kept pace with [И1 137.1]; have their origin with [B275.1]; in accord with [B588.0, B597.1, H649.1, Π1066.1]; in accordance with [B590.0, B590.1, B603.2, M249.0, C921.1]; in agreement with [B262.1, B588.0, B590.2]; in close liaison with (B16.1); in collaboration with [B623.1]; in

combination with [B625.0, C862.4]; in common with [K73.3, П766.1, T26.6]; in communication with [C 1004.1]; in comparison with [B627.0, П484.4]; in complete accordance with [B603.3]; in compliance with [B590.0, B590.12, C911.1]; in concert with [Д187.1]; in conflict with [П2973.4]; in conformity with [B588.0, B588.2]; in conjunction with [B625.0, И 1.0, И1.3, H534.2, C862.2, C862.3]; in connection with [B494.0, B494.1]; in contrast with [B294.4]; in keeping with [B590.0, И107.1, B590.3]; in line with [B588.0, B588.1, B590.0, B590.4, H82.1, C920.4]; in parallel with [0582.3, П18.1, П19.1, П20.1]; in phase with [C873.1J; in series with [B1112.1; C972.2]; in step with [B590.0, B590.8]; in sympathy with [B589.1, B603.1]; in this paper the concern is with [B430.1]; in tune with the times [B254.1]; instrumented with [0160.3]; insulated with [T186.1]; integral with [B1913.1]; integration ... with time [И587.1]; interact with [B1052.1]; interface with each other [Г117.1]; interfere with [M172.2, 0931.1]; interpretation was consistent... with [Э168.1]; intimately connected with [T207.7]; introduced ... with the intention of [B849.1]; invariant with time [H857.2J; inversely with the cube root of [0201.1]; involved with [A98.1]; is not known with certainty [Д734.1]; is somehow tied in with [K127.1]; is supplied complete with [П1452.2]; is symmetrical with respect to [C483.1]; is synonymous with [B335.1, 0618.1, Э2.1, Я31.1]; is why... to begin with [Э188.1]; it is appropriate to preface ... with the following annotation [П1956.1]; joint effort with [C856.1J; keep pace with [H970.1, П1432.1, Y424.1]; leads ... with a phase difference of [0758.2]; leave the reader with the impression, ... that [C979.1]; leave the responsibility for ... with [B1289.2]; level with [H175.1]; level and square with [Г97.1, И 112.1]; liability rests with [01236.3]; line up with [C870.7]; logical to start with [J90.1]; long lasting service with ... no maintenance [Д303.1]; made contact with [B1630.2J; maintained with [X124.1]; maintained with the same meaning as [И718.1]; major concern with [0979.2]; major problem with [0979.1]; make do with [Д521.1, 0285.1]; makes an angle of 20 deg with the vertical [C1096.1]; making ... more of a problem than might be the case with [Д230.1]; match ... size with ... size [П646.1]; match precisely with [T398.1]; mates with [C1054.1]; may have been associated with [C363.1]; mentioned in connection with the description [Y320.1]; meshes with [B1667.1]; met with a surprising amount of success [0669.1]; mixes with [C727.1]; model ... with any realism [C739.1]; more consistent with [01377.1]; multiplying ... with [Y293.1]; must be dealt with in [П2561.1]; need to be verified with experiments [HI 891.1,

T447.1]; negligible in comparison with [П2006.1]; no definite trend is seen with [K163.1]; no definite trend with ... is apparent [K162.1]; nondimensionalized with respect to [H1859.2, П2225.1]; not to be confused with [H1072.2]; observations compare well with theory [Э43.1]; observed with the naked eye [B1090.1]; obvious difficulty involved with [01651.1]; on a par with [H498.1]; one is left with the possibility that [01123.1]; one problem with ... is that [0533.1]; only... combined with ... can accomplish this [Д725.1]; only problem was with [E17.1]; operate with ... no attention [P39.1]; operator familiarization with [0613.1]; or must one also be concerned with [И344.1]; orientation with respect to [0908.1]; painted with [0719.1]; papers concerned with [C1441.1]; parallel with this exercise [0585.1]; partial derivative of... with respect to [B277.1]; partial derivatives of... with respect to [414.1]; place an order with [П 1241.1]; place your order with [П1507.1]; plans are to proceed immediately with [П287.1]; practice with [П 1300.1]; predominantly concerned with [C351.1]; presentation of results will begin with ... It then goes on to [0773.1]; principal concern with [0979.3]; Prior experience with [0891.1]; problem is with [П2605.1]; problem with ... however, is [0563.1]; problems with ... were corrected [Y529.1]; proceeding with [П2530.2]; provide ... with this capability [Д12.1]; provide a link with [050.1]; provided with [C757.1]; provided with a plurality of (C756.1); ranks in importance with [C1038.1]; rapidly proved popular with [B291.1]; ratioing ... with [Д236.2]; react ... with ... to form [B 1053.1]; react with [P581.1]; read ... with expression [4116.1]; read at a unit of ... with the eye [C1629.1J; read in conjunction with [И709.2]; reason has to do with [П2577.1]; reckoned with [C1619.5]; reconciled with [П2216.1]; recovery of performance with time [B1441.1]; registered with [3429.1]; replace with [3277.2, 3283.2, 3284.1]; requirements with respect to [T421.1]; responsibility for ... rests with [01235.1, 01236.1, 01236.2]; rest of the paper deals with [B757.1]; results ... in accordance with expectations [P639.1J; reverse occurred with [П2963.1]; sealed with [3269.1]; secure ... with cotter pin [3255.1]; seems to be in agreement with [П337.1]; selected with the intention of [B1703.2]; share some ideas with [П723.1]; should be acquainted not only with [Д573.1]; should be treated with caution [C606.1]; show good agreement with [X76.2]; similar to ... but with somewhat different [A135.1]; some of the difficulties which can arise with [HI 300.1]; specification has been compiled with [B1899.1]; square ... with [П246.3, П620.1]; start with [H727.1];

starting with ... and ending with [H732.1]; starting with [H730.1]; status ... with [Π1095.1]; stay with [01083.1]; sticks with [Π2738.1]; stop with [Π1995.1]; strictly in accordance with [C 1499.1]; strong relationships with [T205.3]; synonymous with [C875.2]; tapped with the finger [Π1493.1]; teamed up with [P78.1]; teamed with [B1124.1]; tested in accordance with approved procedure [И772.0]; this can be achieved with modest effort [Э204.1]; this is with the exception of (И671.1); this should not be confused with [HI 072.1]; through a contract with (Π366.1); thoroughly familiar with [X50.2]; tie in ... with [Y77.3]; tinged with yellow [C573.1]; to agree with [H1087.1]; to be concerned with [3351.0, И376.0, И423.0, K190.0]; to be identified with [B1627.0]; to begin with, let us consider [B1 170.1]; to bring ... into coincidence with [C866.2]; to charge with [3397.0]; to combine ... with [И709.1]; to come with [T236.1]; to come to terms with [Π2398.1, Π2555.1]; to compare with (H867.1, Э212.1); to comply with [B1873.0, H986.1]; to confront with [B1630.0]; to contend with [B258.0]; to cope with [Л31.1]; to cover with [Π1002.1]; to deal with [B258.4, И376.1, И377.1, K190.2.01.2, 01444.1, 01457.2, C1252.4]; to develop familiarity with [3578.0]; to do with care [H1813.1]; to fill with [3397.0]; to have to do with [И423.0, K190.0]; to identify with [01480.1, Y469.2]; to improve with age [C190.1J]; to include with standard equipment [H792.1]; to interfere with [M 172.0]; to keep pace with [И106.1]; to keep their lead in the race with [C1 131.1]; to leave the responsibility for ... with ... [B1289.0J; to lie with [B1008.1]; to make contact with [B1630.0]; to mesh with [H631.1]; to proceed with [Π2736.2, Π2743.1]; to register with [3427.0, 3427.1]; to replace (by, with) [3279.0]; to reside with [H1571.1]; to spot with the unaided eye [3307.1]; to take issue with [H1088.1J; to temper with [H1127.1J; to vary with [И273.1.И275.1, И278.1, И290.1, M29.1, C566.1]; together with [A41.0, A41.3, B625.0, B625.4, B1154.0, B1154.1, B1155.1, H534.1, C862.1]; top up with ... solution [Д601.1]; top up with ... water [Д598.1]; trend of... with changes in [И247.2]; unfamiliar with the intricacies [HI 256.1]; variation of... with [И247.1]; viewed with a high degree of [C 1620.1]; viewed with an open mind [P452.1]; vigorously react with [Э83.1]; was ... forged solid with [01354.1]; was ... found to be true with [0661.1]; was carried out with the aid of [B1894.1]; was competitive in ... with [K328.2]; was continued with [Π2739.1]; was in contact with [C1040.1], was in fair [poor, good, reasonable] agreement with [Y161.1]; was measured with [И299.1]; was read with a stop watch

[01568.1]; was tightly wrapped with [Π302.1]; was totally in keeping with [Π 1066.3]; was unable to cope effectively with [Π317.1]; was weighed with ... balance [B1060.1]; we are exclusively concerned with the situation [H404.1]; we are familiar with [X55.1]; We are still left with the divergence [H394.1]; We could not be more pleased with the outcome [P655.1]; We disagree with this [M425.1]; we need not concern ourselves with [H1254.1]; We shall not be concerned with [M413.1]; We teamed up with [0356.1]; were aligned with [B1938.1]; were compounded with [C521.2]; were executed with painstaking care [B1895.1]; were lagged with [И321.2]; were read with [И299.4]; what all this has to do with [K151.1J; what with [B494.0, И219.0]; What with [B494.3, И219.4]; when compared with (B627.0); When compared with [B627.2]; who were among the earliest concerned with creep [0539.1]; Wires to be run and terminated in accordance with Spec. No [Π2669.1]; with ... a ... modest extrapolation [Π2144.1]; With ... assumed to be known, as before [Π2445.1]; with ... at [Π2076.1]; With ... attention turned to [C3.1]; with ... denoting [Π2572.1]; With ... determined, attention may be turned to [0837.1]; with ... ease [Л14.2]; with ... in mind [C157.2J; With ... it is unlikely that [Y617.1]; With ... known [3594.1]; with ... margin [C9.1]; with ... motor operators [C77.2]; With ... now ... it is possible [T172.1]; With ... the value of... may be further refined [3597.1]; with ... with [B112.2]; with 50 or more percent [C954.1]; with a ... spacing on... centers [C187.3]; with a certain amount of caution [C44.2]; with a certain amount of confidence [C 146.1]; with a concomitant decrease in [C 149.1]; with a microscope [B194.1]; with a minimum of risk [C88.1]; with a particular emphasis on [Π2573.1]; with a resolving power of 1 [C85.3]; with a strong focus on [Y109.2]; with a view to [B745.0, B745.2, P510.1, C120.3, C168.3]; with absence of [B320.0]; with all the safeguards [H1611.1]; with ample justification [C42.1]; With an annual input of [Π2068.1]; with an eye to [C37.1]; with and without [K124.1, C11.1]; with any accuracy [H1329.1]; with any degree of reliability [C26.1J; with appropriate precautions [Π2133.1]; with assurance [Д734.2]; with careful reference to [T390.1]; with certainty [B12.1]; with clear advantages over [Я48.1]; with confidence [E133.1, Π927.1, C144.1]; with detrimental consequences [B1512.1]; with due consideration for [C167.1]; with each other [Д749.1]; with ease [Л14.0]; with efforts [C141.1J; with equal facility [C30.1]; With everything properly adjusted (Π1372.1); With experience [Π2094.1]; with extreme reluctance [Л83.1]; with far-reaching potential

[C70.1J; With few exceptions [330.3]; with great care [C43.1]; with impunity [B40.1]; With increased emphasis on [C54.1]; with learning in mind (C 182.1); with less cooling effect [B1835.1]; with less [Π2088.1]; with limited exceptions [330.2]; with little difficulty [B57.2]; with little or no [B362.1]; with little [B8.0]; with minimal... impact [Π2080.1]; with minor exceptions [330.1]; with minor modifications [C47.1]; with mixed success [C155.1]; with modest effort [B57.3]; with modest [B8.0]; with more care [B186.1]; with much success [B1033.1, C152.1]; with much [B1027.0]; with near zero maintenance [Π1544.1]; with no ... concern about [M24.1]; with no ... other than [B25.1]; with no apparent correlation to [B27.1]; with no changes other than [B22.1]; with no difficulty [B56.1]; with no evidence of [B52.1]; with no major consequences [B24.1]; with no signs of [B51.1]; with no [B7.0, B21.0, B523.1J]; with none [C839.1]; with one major difference [317.1]; with or without [C12.1]; with particular attention to [Y116.3]; with potential for satisfying this demand [C1221.1]; with power on [Π2166.1]; with powers of modification and revocation [C73.1]; With proper ... control [Π2152.1]; with reference to the accompanying drawings [C1 18.1]; With reference to what has been noted above about [B1277.1]; with reference to [Д389.1, Π432.1, C147.1]; with regard to [B751.0, B751.1]; with regards to their... properties [Π471.1]; with relative ease [01433.1]; with respect to [B297.0, B297.3, E52.2, И50.1, 01430.3, 01430.6, 01457.3, Π432.2, C125.1, 4143.4]; with side lighting [Π2103.1]; with some caution [C44.1]; with some degree of apprehension [C38.1]; with some degree of success [C153.1]; with sufficient accuracy [C139.1]; with supervision [Π611.1]; with that [Π2167.5]; with the ... button pressed [Π2092.1]; With the ... panel removed [Π2128.1]; with the absence of [B320.2]; with the advent of [C72.1]; with the aid of [C59.2]; with the appearance of [C72.2]; with the concurrence of [Π474.1]; with the consent, in writing, of [C50.1J]; with the cube root of [Π2881.2]; with the difference that [C84.1]; with the engine at a standstill [Π2070.1]; with the exception of that [316.0]; with the exception of when [320.2]; with the exception of (E145.0, 316.3); with the exception that [B466.1, 329.2]; with the foregoing as background [C 161.1]; with the help of [C59.1]; with the intention of [C 120.4]; with the knowledge that [И363.1]; with the need for [B497.1, C91.1]; with the object of [C168.2]; with the objective of preventing [C177.1]; with the passage of time [C122.2, C122.3]; with the possibility of [H891.1]; with the present state of development [Y618.1]; with the question of

... settled (P719.3); with the reservation that [C40.1]; with the result that [B479.1]; with the unaided ear [HI 41.1]; with the understanding that [0572.1, Π2161.7]; with the unit off line [H100.1]; with the utmost care [C45.1]; with the view of [C120.2]; with this aim in view [Д424.0]; with this in mind [И478.1]; with this object in mind [Д424.0, C183.3]; with time [B31.0, B31.1, C189.2]; with trends and magnitudes similar [C925.1]; with use [Π388.1]; with virtually no attention other [Π1645.1]; with well-practiced... stirring [Π2145.1]; with which [07.1, C27.1 ]; work closely with [P48.1, T209.1 ] ;

wrapped with [3129.1]

**withdraw:** from ... is withdrawn [371.1]; is ... withdrawn [B1854.3]; is withdrawn [И334.1]; space required to withdraw the piston [Г1.0]; to withdraw [A144.0, B1854.0, B2020.0, И177.0]; to withdraw from service [И331.0]; was ... withdrawn [01256.3]; was withdrawn from [Y92.1]; withdraw from the contract [A147.1]; withdraw the application [370.1, 01301.1]; withdrawn from service and handed over to [И332.1]; withdrew... endorsement [01313.1]

**withdrawal:** [B 1725.0]

**withhold:** withhold ... consent [H823.1]

**within:** [B390.0, B390.1, B685.1, B1238.0, B1238.5,

31.0]; agree within [C922.1]; agreed to within the ... decimal place [C923.1]; are... within the state-of-the-art [H800.1]; are contained within the confines of the present [H801.1]; are retained within [Y131.1]; are within ... of each other [01383.1]; are within a factor of ... of each other [01382.1]; are within easy reach [H637.1]; at any time within the time frame of [Г27.1]; balance ... was closed to within [C311.1]; balances closed to within one percent [B3.1]; bounded within ... narrow limits [0470.1]; brings within sight [Π932.1]; centered within [P401.1]; colleagues within [K267.1]; compare within two percent of [C874.1]; determination was within [0834.1]; fall within ... of each other [H969.1]; falls within ... range [Π1285.1]; fit within [Y290.1]; from within [И312.0, И312.2, C105.2]; inaccessible within [B17.1]; inventory of... contained within [K263.1]; is ... within the error bounds of [H638.1]; is not within ... preset tolerance [HI 132.1]; is not within... tolerance of [B2034.1];

is well within our reach right now [B 1478.1]; is within acceptable limits [H802.1]; mounting ... within the space envelope [P271.1]; scaled up ... down... within similarity restraints [Π178.1]; shall have dimensions falling within the tolerances [P259.1]; somewhere within [Г29.1]; to fall within clearance limits (B1464.0); to lie within 2 percent of... correlation [01343.1]; to lie within clearance limits [B1464.0]; to measure ... to within [И301.2]; to present within the year [Π 1843.1]; to within experimental



uncertainty [C138.1]; to within two of the last significant digits [C136.1]; two successive readings ... agreed within [Д147.1]; was controllable to within [P613.1]; was discontinued within a few hours [П 1993.1]; was still within the warranty period [Г9.1]; well within [377.1]; were accurate within a factor of [01384.1]; while staying within proven ... experience [H803.1J]; within ... framework [B457.2]; within the framework of [B457.0, B457.1]; within ... meaning [B125.1]; within ... of [H691.1]; within 0.3 m of [H743.1J]; within 15 days of delivery [HI 003.1]; within a factor of two or better [H745.1]; within a given class of [B392.1]; within a given time [34.1]; within a matter of seconds [38.1J]; within a period of six months prior to [H1051.1J]; within a reasonable ... time [310.1]; within a short time [B697.1]; within a span of [B685.2]; within about a second [П2387.1]; within close limits [B399.1]; within measurement accuracies [B395.1]; within ... of the mean value [01389.1]; within our organization [B247.1]; within reasonable limits [B397.1, B398.1]; within specification limits [B396.1]; within the boundaries [B390.0]; within the capabilities of [B391.1]; within the capability of ... operating and maintenance personnel [B1669.1]; within the company [H116.1]; within the constant [П2095.2]; within the context of [B457.3]; within the experimental range covered [B97.1]; within the knowledge of the authors [H543.2]; within the last ... years [340.1]; within the limitations of [B391.2]; within the limits of measurement error [B393.1]; within the limits [B390.2]; within the next two or three years [B711.1]; within the period ... to [335.2]; within the program [B460.1]; within the range [B96.0]; within the scheduled time frame [B633.1]; within the scope of Section [П1776.1]; within the specification of [B598.2]; within the uncertainty of [B394.1]; within three months from the date it received [H1004.1];

**without:** [Б7.0, B318.0]; accept without qualification [Б71.1]; allows replacement ... without difficulty [П905.1]; are subject to change without notice [018.1]; design is subject to change without notice of obligation [K343.0]; for ... a year without missing [B694.1]; have been sought... but without success [П1823.1]; is not without some [H900.1]; is without need of [B1000.1]; no discussion on ... can be complete without [0265.1]; seen without magnification [B1090.2, M327.1]; this point cannot be resolved without [Э100.1]; to do ... without the need for [M183.0]; to notify ... without delay [H1246.1]; was not possible without risking damage [HI 171.1]; was without any technical surprises [H1038.1]; with and without [K124.1, CII.1]; with or without [C12.1J]; without a doubt [Б55.0]; without a significant

penalty in accuracy [Б10.1]; without a specific application [B319.1]; without affecting [Б31.0, H774.2J]; without affecting the integrity of [Б33.1]; without agreement of [Б54.1]; without an approximate knowledge of [H863.1]; without any adverse consequence [Б23.1]; without any physical justification [Б26.1]; without any recourse [Б44.3]; without any [Б21.0]; without assistance from [Б44.0, Б44.1]; without attention [Б14.0]; without benefit of [Б44.0, Б44.2]; without charge to [Б41.1]; without compromise to [Б59.1]; without delay [Б53.1, Б75.1, H1338.3]; without departing from the spirit and scope of the invention [Б42.0]; without digressing [HI 140.1]; without disturbing the bearings [Б32.1]; without divulging too much of [H766.1J]; without exception [Б19.1, П1543.1]; without fail [Б88.0, 0426.1]; without fear of serious error [Б39.1]; without going into the details of [H767.1J]; without greatly increasing model complexity [Б11.1]; without having [Б35.0]; without having necessarily to remove [Б37.1]; without having to call on [Б49.1]; without having to roll out [Б50.1]; without having [Б35.1]; without human intervention [Б16.1]; without in any way intending to detract from [H924.1]; without including [Б60.0, Б60.1]; without intervention [Б14.0]; without making excessive demands on [Б47.1]; without much difficulty [Б57.1]; without operator attention [Б15.1]; without perspective [Б61.1]; without prejudice to [Б62.2]; without question [Б55.3, Б102.2, H236.1, H1632.3]; without regard to [Б60.0, Б60.2, H943.1]; without relying on [Б48.1]; without resorting to [H1022.1]; without responding to [H1054.1J]; without risk to the environment [H973.1]; without sacrificing [Б62.1]; without suffering large losses [Б9.1]; without the benefit of [Б20.1]; without the necessity for [Б36.2, П2171.1]; without the need for [Б35.0, Б36.1, M184.1]; without the need to resort [Б38.1]; without this simplification ... would have to be [Б64.1]; without too much complication, it is possible to [H 1023.1]; without warning [BI 191.0, BI 191.1]; without which this ... would not have been possible [Б29.1]; without widespread reporting [Б63.1];

**withstand:** [B1789.4]; to withstand [B1789.0J]; withstand ... loads [B1795.1]; withstood the test of time [B1793.1]

**withstanding:** must be capable of withstanding [Д572.1]

**witness:** as witnessed by [Д534.1, 013.2]; as witnessed by the fact that [016.1]; as witnessed, for example, by [015.1]; be witnessed by [B1906.1]; test witnessed by ... representative [И752.1]; to witness [3437.0]; witness test at factory [3122.1]; witness the... test [П2541.1]; was witnessed [3437.1]; witnessed and approved by [B408.1]

**won't:** or you won't be able [B550.1]; wishful thinking ... won't do [0503.1]

**wonder:** as a consequence, one wonders [A39.1]; one wonders [B1344.2]; there is little wonder that [H1669.3]

**word:** few more words should be said about [H1601.1]; few words maybe in order (M314.0); few words of ... are in order [C630.3]; final word on [B122.1]; from... comes word [H130.1]; in other words [Д762.1, И569.1]; in the true sense of the word [B582.1], last word is [И466.1]; one word of caution in closing [B123.0], word should be said about [C630.1]

**work:** [Д269.0, П1.1]; additional work is in progress [B58.2]; all published work on [B1010.1]; all work on ... was halted [B960.1]; all work shall be subject to inspection and acceptance by owner [B961.0]; allocating work [P429.1]; are hard at work [И590.1, M198.1, Y326.1]; around-the-clock work [K504.1], at work [Д176.3]; authorization for alteration work [P326.1]; build up of work [H500.1]; builders' work [C1506.1]; considerable amount of work [B243.1]; current work [Д 119.1, H573.1]; does ... work [B1892.1]; does not work [H1046.5]; financial support for the work was provided by [Ф33.1]; follow-on studies to the work reported [И785.1]; further work in this area appears warranted [Д344.0]; further work is required [P34.1]; getting ... work underway [P189.1]; hand worked [0177.1]; has motivated the present work [И528.1]; has some work to do [E187.1]; have been worked out [P296.2]; if work of this type is to be done [E137.1]; in the light of the work [B489.1]; initial phase of the work will concentrate on [HI 99.1]; initial work [И52.1]; intention of the... work [И25.1]; is any further work planned using [И285.1]; main thrust of... work was to [0972.1]; more work [Д673.0, Д673.1]; most early work in this area [C234.1]; much through the work of [B279.1]; much work has been done in [B233.1]; much work remains ahead of us [B1457.1]; must be worked off by [0743.1]; needs for further work [HI 408.1]; needs more work [HI 884.1]; other areas which may benefit from this work are [P2.1]; pioneering work [01019.1]; preparatory work [И696.1]; put to work [И3079.1]; research work into [И793.1]; scope of the work [0369.1]; superintend the carrying out of the work [K351.1]; this attitude does not work [T71.1]; through this work more can be learned about mechanisms [B 115.1]; to be at work (Д176.0); to make ... work [3467.1]; to work around this situation [C1 151.2]; to work down [B1608.0]; to work for [Г79.0]; to work into [B1657.0]; to work out [B1931.0]; value of ... work was that [И44.1]; warranty work [Г8.2]; what is successful for one ... may not work well, if at all, for another [T281.1]; which

work side-by-side [P41.1]; while work is in progress [B739.1]; work along similar lines [P3.1]; work closely with [P48.1, T209.1]; work down [B1608.2]; work exactly the same way [P77.1]; work ... expended over the time [P19.1]; work in [P30.3]; work in process is aimed at [И2700.1]; work in progress [P14.1]; work is in progress on [И2694.2]; work is currently in progress [B46.1]; work in the vicinity from [P74.1]; work in unison [P43.1]; work ... into [B1657.1, Д492.2]; work is going on in significant amounts [П11.1]; work is in course of publication [P17.1]; work ... is scheduled for completion in [0702.1]; work is ... under way on [И2694.1]; work is shallow [P20.1]; work ... over [H590.1]; work ... was conducted under Contract ... with [P29.1]; work 24 hours a day [P54.1]; work loose from [P561.1]; work of substance [3607.1]; work on the project [P25.1]; work order [H533.1]; work schedule [Г124.0]; work station [P101.1]; work to be presented describes [B432.1] (См. также **works**)

**work-in-process:** [HI 222.1]

**worken** (И788.0); worker morale [T495.1]; work-ers ... in the field of [И789.1]

**working:** [B1866.0, Д188.0]; cut-away working model of [Д189.1]; exercise extreme caution while you are working on [B361.1]; good working order [И745.0, X36.1]; in good working order [B622.1]; is entitled to introduce amendments into the working drawings [И432.1 ]; persons working in the field [C 1162.1 ]; restoration of working capacity [ B 1440.1]; while working [B421.1]; working experience on [0887.1]; working fluid [P99.1]; working groups [P98.1]; working in harmony [P46.1]; working knowledge [H1411.1]; working on [P30.2]; working the analysis backwards [B1872.1]

**workload:** [Ф24.1]

**workmanship:** [K201.1, K201.2]; level of workmanship [Y371.1]; warrants ... be free of defects in material and workmanship for a period of one year from date of [Г16.2]; warrants ... to be free from defects in materials and workmanship for a period of one year from the date [Г16.1]

**workpiece:** [Д269.0]

**works:** [3112.0, 3113.0, И1200.1]; additional works on the subject [Д759.1]; bill of quantities for building and erection works [B874.0]; dissimilar in the way it works [01394.1 ]; recent works published in [И 1395.1]; to superintend the carrying out of the works [P766.1]; works best [Д57.2]; works for [Г79.3]; works on the principle of [P69.2]; works tests [3121.1]. (См. также work).

**workscope:** [0369.2]

**workshop:** [C422.1, C423.1]

**world:** all over the world [B195.0]; around the world [B195.1, P290.1]; became recognized throughout the world [Π 1169.1]; prominent figure in the ... world [B 1098.1]; throughout the world [B195.0]

**worldwide:** [B 195.2]; industry practice worldwide [Y496.1]; on a worldwide basis [B 197.1]

**worry:** don't worry about messing up [H751.1]; not to worry about it [H942.1]; were worried about the same topic [B1972.1]

**worse:** make matters worse [Y584,1]; much worse [3636.1]; none the worse for that [H1779.1]

**worsen:** [Y583.2]

**worsening:** worsening of the... properties [Y593.1]

**worst:** and worst of all [H75.1]; at best, ... debatable, at worst, mistaken [B537.1]; at worst [B554.2]; for the worst case [B554.1]; is the worst case for wear [C1227.1]; show ... in their worst light [Π975.1]; worst case [Д393.1]

**worst-case:** in a worst-case [B465.1]

**worth:** are worth describing [3460.1]; are worth further investigation [3449.2]; avenue worth exploring [B 1395.1]; commercial worth [K275.1];

did not appear to be worth the extra cost of [Π339.1]; how much ... is worth [H549.1]; is worth considering [3456.2]; is worth the extra cost [0802.1]; it is not worth doing [Э 132.1]; it is worth embarking on [C1464.1]; it is worth mentioning here that [3564.1]; it is worth our time to explore [C 1466.1]; it is worth some consideration [C1465.1]; to be worth [3442.0]; worth examining [3464.1]

**yardstick:** [K483.2, M135.1]

**year:** about 3 days a year [0699.1]; during the past year [B427.0]; during the past year [B427.1]; every year [E31.2]; for ... a year without missing [B694.1]; in the same year [B84.1J]; is growing each year [P519.1]; last year [B427.0]; not later than one year after [H1006.1]; once a year [P146.1]; one ... a year [0484.1]; per year [E31.0]; sabbatical year [Г82.1]; time of year [B 1526.1]; to present within the year [Π1843.1]; twice a year [Д152.1];

two and one-half year project to [P516.1]; warrants ... be free of defects in material and workmanship for a period of one year from date of [Г16.2]; warrants ... to be free from defects in materials and workmanship for a period of one year from the date [Г16.1]; which precedes ... into production by a year [Π2808.1]; year ahead of schedule [H38.1] (См. также years)

**worthless:** completely worthless results [C821.1]

**worthy:** another point worthy of mention [B1396.1]; is... worthy of mention at this stage [T179.1]; is worthy of continued study [3451.1];

to be worthy of [3442.0]; worthy of note [3465.1]

**would-be:** [Π1509.1, Π1797.3]

**wrap:** [028.1]; was tightly wrapped with [Π302.1];

wrap a piece of electrician's tape [0118.1]; wrapped with [3129.1]

**wreck:** [A60.0]

**wrench:** to receive an ... wrench [Π609.1]

**write:** appropriate... might be written as [Π 1634.1 ];

can then be written [T289.1]; can, with sufficient accuracy, be written as [C 139.1]; entire books have been written on this subject [H169.1]; favorable written report [Π1113.1]; in order to do this,... is written [4212.1]; it is... convenient to write the resulting equations in ... form [Y146.1]; permits ... to be written as: [Π906.1]; to write [3382.0]; write up of the demonstration [0774.1]; written authorization [Π260.1 ] ; written consent [Π260.2]

**writing:** agreed in writing [C914.2]; approved ... in writing [C914.3]; as of this writing [B74.1, K10.1]; directed in writing [H476.1]; in writing [B733.1 ] ; made in writing and signed (C 1101.1 j ;

practice writing [Π1301.1]; resolved in writing [C914.1]; submitted in writing for review [Π1841.1]; with the consent, in writing, of [C50.1]

**wrong:** at the wrong point [H776.1]

## Y

**year-round:** [K503.1]

**years:** accumulated years of operation [H852.0]; as compared to ... years ago (451.1); behind... is 8 years of... technology [B273.1]; continue ... for many years to come [C1128.1]; during the ensuing years [B88.0]; experience gained in many years of lecturing [0878.1]; few years ago it was believed [H1582.1]; for many years [B699.1J]; for years on end [H1524.1]; from ... twenty years hence [Л142.1]; given some years of service [Π2894.1]; has ... lagged a few years behind (01532.1); history of... goes back more than ... years [H810.1]; implement over the next five years or so [P587.1]; in recent years [B86.1]; in the last few years [B86.0]; in the last

three years alone [T304.1]; in the succeeding years [B88.1]; in the years to come [B 11.1]; is ... deferred for two years [01320.1]; is backed up by... years of... experience [0764.1]; it has been known for years that [Д75.3]; it took a

considerable number of years before [П3017.1]; manufacturer guarantees trouble-free operation of the article for ... years since the day of shipment from the plant [И207.0]; many years of [M220.1]; many years of satisfactory experience (M222.1); more than two years have elapsed [П3016.1]; occur once in ... years [П2830.1]; once in every six years [P148.1]; outlook for the next five years [П251.1]; over the last... years or so [B710.1]; over the past... years [B709.1, 340.2]; over the years [B693.1, C6.1]; past 25 years [П3037.1]; problem of ... has been a concern of design engineers for many years [П2606.1]; progress achieved ... in recent years [П2716.1]; recent years have seen [B87.1]; several years of commercial experience [0892.1]; was several years in advance [0757.1]; within the last ... years [340.1]; within the next two or three years [B711.1]; years ago [Л41.1]

**years'**: many years' experience in operating [M221.1]

**yellow**: greenish yellow [3570.1]; tinged with yellow [C573.1]

**yet**: [B76.5, B110.1, B978.2, И10.0, И10.4, И20.3, И61.1, K501.9, 0556.1, T135.3]; although studies have not yet established [X100.1]; and yet [И10.0, И20.2]; and yet not affect [И11.1]; are as yet unknown [П954.3]; are not yet available [П957.1]; as yet [П953.1]; but there is yet another important message to be gained [H1800.1]; cause trouble in ways not yet foreseen [П2230.1]; conditions ... have not yet been settled [Y397.1]; for reasons not yet identified [П450.1]; has not yet [E209.0]; has not yet been fully explained [E215.1]; has yet to [E209.0]; has yet to be established [H1899.1]; has yet to be observed [E214.1]; has yet to be verified [Д579.1]; have not been fully explored yet [П1038.1]; have not yet been satisfactorily explained [E216.1]; have yet been developed beyond the laboratory stage [B2045.1]; in a simple yet persuasive manner [П2924.1]; in an as yet unknown manner [П955.1]; is not yet

[E209.0]; is not yet completed [E211.1]; is not yet well understood [E217.1]; is unknown as yet [П954.2]; no ... have yet been detected [H1747.1]; not yet understood [П956.1]; or better yet [И339.1]; time has not yet been reached such that... can be wholly eliminated [E213.1]; yet a further [E219.0]; yet a further step in this direction [E221.1]; yet another [E219.1]; yet farther object [0532.1]; yet insurmountable mathematical problems [H1521.1]; yet smaller [E207.1]; yet so that [И12.1]; yet to be defined [K416.1]

**yield**: [B2022.2, Д3.2]; be modified to yield [П2019.2]; division of the latter by the former yields [Д237.1]; eliminating ... between ... and ... yields [П838.1]; identical ... yield varying [0547.1]; is the yield ... suitably perturbed to allow for creep [C1027.1]; no alternative to ... yields [H1739.1]; to yield [Д3.0]; which yields [4131.1]; will yield a closer approximation [Д48.1]; yield a saving in both development time and cost [П935.1]; -yield to [Y545.2]; yielded ... comparisons [051.1]; yielded some, but not total success [П2244.1]; yielded the average of [Д6.1]; yielded the decision to [П2239.1];

**your**: as per your request (B496.1); at your earliest possible convenience [K229.1]; best fills your needs [H358.1]; do not touch ... with your bare hands [H852.1]; I take this opportunity to call your attention to [П1222.1]; is correct against your order [C875.1]; operate your meter in flammable or explosive atmospheres [Э60.1]; place your order with [П1507.1]; practice your skills [3262.1]; putting ... at your fingertips [Д8.1]; remain in your seat [01094.1]; settlement at your end [Y363.1]; to develop your skills [PI 80.1]; to give your opinions on topics of [B1974.1]; to your preference [П368.1]; we must have your support and cooperation if we are to have a successful result [B13.0]; your comments are invited ... should be addressed [Ж1.1]

**yourself**: to avail yourself of [B1415.2]

## Z

**zero**: [H1836.1]; approach infinity as ... tends to zero [C1487.1]; are set to zero [П2452.1]; are zero [0222.1]; decays to zero [Y262.1]; falls to zero [П2.1]; from the requirement that ... be zero [И136.1]; is set to zero [П2516.1]; is zero [P137.1]; made zero [Д225.1, 0207.1]; set... control for...

display of zero [Y485.1]; set... to zero [Y467.1]; under zero gravity conditions [B716.1]; velocities sum to zero [C 1541.1]; with near zero maintenance [П1544.1]; zero in on [H698.1]

**zigzag**: in zigzag [3572.1]

**zone**: heat-affected zone [3638.1]